


At 0mmHg

188px
view width

100.0%
of baseline




'Middle finger' method at 0mmHg
with M. vinyl glove, Trial #3
Filename: 20220423_150315.jpg
Size: 4032x2268px (reduced 10x to display here)

At 40mmHg

164px
view width

87.2%
of baseline




'Middle finger' method at 0mmHg
with M. vinyl glove, Trial #3
Filename: 20220423_150320.jpg
Size: 4032x2268px (reduced 10x to display here)

At 80mmHg

268px
view width

142.6%
of baseline




'Middle finger' method at 0mmHg
with M. vinyl glove, Trial #3
Filename: 20220423_150324.jpg
Size: 4032x2268px (reduced 10x to display here)

At 120mmHg

258px
view width

137.2%
of baseline




'Middle finger' method at 0mmHg
with M. vinyl glove, Trial #3
Filename: 20220423_150330.jpg
Size: 4032x2268px (reduced 10x to display here)

At 160mmHg

271px
view width

144.1%
of baseline




'Middle finger' method at 0mmHg
with M. vinyl glove, Trial #3
Filename: 20220423_150334.jpg
Size: 4032x2268px (reduced 10x to display here)

At 200mmHg

275px
view width

146.3%
of baseline



'Middle finger' method at 0mmHg
with M. vinyl glove, Trial #3
Filename: 20220423_150341.jpg
Size: 4032x2268px (reduced 10x to display here)