

HAE Service Framework – Weekly Technical Meeting

November 12, 2015



Antitrust Compliance Notice

- AllSeen Alliance meetings involve participation by industry competitors, and it is the intention of AllSeen Alliance to conduct all of its activities in accordance with applicable antitrust and competition laws. It is therefore extremely important that attendees adhere to meeting agendas, and be aware of and not participate in any activities that are prohibited under applicable US state, federal or foreign antitrust and competition laws.
- Examples of types of actions that are prohibited at AllSeen Alliance meetings and in connection with AllSeen Alliance activities are described in the AllSeen Alliance Antitrust Policy. If you have questions about these matters, please contact your company counsel, or if you are a member of AllSeen Alliance, feel free to contact Lee Gesmer or Andrew Updegrove, of the firm of Gesmer Updegrove LLP, which provides legal counsel to AllSeen Alliance.

Reminder: This call is being recorded



Agenda

- 1. Approve Meeting Minutes from Previous Meeting
- 2. Resolve Residual Issues on Interface Definitions

Resolve Residual Issues on Interface Definitions

- Should we reserve a Special value "Unknown" for any measured value ?
 - https://git.allseenalliance.org/gerrit/#/c/6181/5/docs/interfaces/org.alljoyn.SmartSpaces.Operation/EnergyUsage-v1.md
 - CurrentPower, EnergyUsage, CurrentTemperature, CurrentAirQuality
 - If Yes, then what about CurrentHumidity, BatteryStatus? And even further what about the qualitative level interfaces such as CurrentAirQualityLevel, WaterLevel, etc?
 - Should we apply this approach to any other status reporting? Ex) ClosedStatus, OnOffStatus, etc.
- Min. requirements for FoodProbe
 - https://git.allseenalliance.org/gerrit/#/c/6427/2/docs/interfaces/org.alljoyn.SmartSpaces/theory-of-operation-v1.md
 - Recently, InsertionStatus was replaced with PlugInUnits.
 - Then, should PlugInUnits be one of the minimum required interfaces for FoodProbe?
 - PlugInUnits sounds like an interface that needs to be implemented by a Parent device of plug-in units.
- Need for input on the bus naming convention of Heat/Cool.



Thank you

Follow us on **f**

For more information on AllSeen Alliance, visit us at: allseenalliance.org & allseenalliance.org/news/blogs