



Java Variables

[< Previous](#)[Next >](#)

Java Variables

Variables are containers for storing data values.

In Java, there are different **types** of variables, for example:

- **String** - stores text, such as "Hello". String values are surrounded by double quotes
- **int** - stores integers (whole numbers), without decimals, such as 123 or -123
- **float** - stores floating point numbers, with decimals, such as 19.99 or -19.99
- **char** - stores single characters, such as 'a' or 'B'. Char values are surrounded by single quotes
- **boolean** - stores values with two states: true or false

Declaring (Creating) Variables

To create a variable, you must specify the type and assign it a value:

Syntax

```
type variableName = value;
```

Where *type* is one of Java's types (such as `int` or `String`), and *variableName* is the name of the variable (such as `x` or `name`). The **equal sign** is used to assign values to the variable.

To create a variable that should store text, look at the following example:

Example

Create a variable called **name** of type `String` and assign it the value **"John"**:

```
String name = "John";  
System.out.println(name);
```

Try it Yourself »

To create a variable that should store a number, look at the following example:

Example

Create a variable called **myNum** of type `int` and assign it the value **15**:

```
int myNum = 15;  
System.out.println(myNum);
```

Try it Yourself »

You can also declare a variable without assigning the value, and assign the value later:

Example

```
int myNum;  
myNum = 15;
```

```
System.out.println(myNum);
```

Try it Yourself »

Note that if you assign a new value to an existing variable, it will overwrite the previous value:

Example

Change the value of `myNum` from `15` to `20`:

```
int myNum = 15;  
myNum = 20; // myNum is now 20  
System.out.println(myNum);
```

Try it Yourself »

Final Variables

If you don't want others (or yourself) to overwrite existing values, use the `final` keyword (this will declare the variable as "final" or "constant", which means unchangeable and read-only):

Example

```
final int myNum = 15;  
myNum = 20; // will generate an error: cannot assign a value to a final variabl
```

Try it Yourself »

Other Types

A demonstration of how to declare variables of other types:

Example

```
int myNum = 5;  
float myFloatNum = 5.99f;  
char myLetter = 'D';  
boolean myBool = true;  
String myText = "Hello";
```

You will learn more about data types in the next section.

Test Yourself With Exercises

Exercise:

Create a variable named `carName` and assign the value `Volvo` to it.

= ;

[Submit Answer »](#)

[Start the Exercise](#)


[< Previous](#)

[Next >](#)

ADVERTISEMENT

NEW

We just launched
W3Schools videos



Explore now

COLOR PICKER



Get certified
by completing
a Java
course today!



Get started

CODE GAME



Play Game

ADVERTISEMENT

ADVERTISEMENT

ADVERTISEMENT



Report Error

Spaces

Pro

Buy Certificate

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference

[JavaScript Reference](#)[SQL Reference](#)[Python Reference](#)[W3.CSS Reference](#)[Bootstrap Reference](#)[PHP Reference](#)[HTML Colors](#)[Java Reference](#)[Angular Reference](#)[jQuery Reference](#)

Top Examples

[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)

Get Certified

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[Front End Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[jQuery Certificate](#)[Java Certificate](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)

[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2022 by Refsnes Data. All Rights Reserved.
W3Schools is Powered by W3.CSS.



