

```

        ;*.import javax.swing
        ;*.import java.awt
        ;*.import java.awt.event
        ;*.import java.io
        ;*.import java.util

    } public class AttendanceSystem

        ;()<>private Map<String, String> attendance = new HashMap
private java.util.List<String> students = new ArrayList<>(Arrays.asList("Ali",
        ;"Sara", "Maha", "Omar"))

        ;private JFrame frame
        ;private JTextArea reportArea
        ;private JPanel studentPanel

    } public static void main(String[] args)
        ;()new AttendanceSystem().showLogin
        {

        // 🧡 ألوان فاتحة
        // خلفية // ;Color bgColor = new Color(245, 250, 255)
        // أبيض // ;Color panelColor = new Color(255, 255, 255)
        // أزرق فاتح // ;Color blueSoft = new Color(173, 216, 230)
        // أخضر فاتح // ;Color greenSoft = new Color(200, 230, 201)
        // وردي فاتح // ;Color pinkSoft = new Color(255, 220, 230)

        ===== LOGIN ===== //

```

```

        } ()public void showLogin

        ;JFrame login = new JFrame("Login")

        ;login.setSize(300, 200)

        ;login.setLayout(new GridLayout(3, 2))

;login.getContentPane().setBackground(bgColor)

        ;()JTextField user = new JTextField

        ;()JPasswordField pass = new JPasswordField

        ;JButton btn = new JButton("Login")

        ;styleButton(btn, blueSoft)

        ;login.add(new JLabel("Username:"))

        ;login.add(user)

        ;login.add(new JLabel("Password:"))

        ;login.add(pass)

        ;login.add(new JLabel())

        ;login.add(btn)

        } <- btn.addActionListener(e
if (user.getText().equals("teacher") && new
    } String(pass.getPassword()).equals("1234"))

        ;()login.dispose

        ;()createSystem

        } else {

;JOptionPane.showMessageDialog(login, "Wrong login!")

        {

```

```

;({

;login.setVisible(true)

{

===== MAIN ===== //

} ()public void createSystem

;frame = new JFrame("Attendance System")

;frame.setSize(750, 550)

;frame.setLayout(new BorderLayout())

;frame.getContentPane().setBackground(bgColor)

;JLabel title = new JLabel("Student Attendance System", JLabel.CENTER)

;title.setFont(new Font("Arial", Font.BOLD, 22))

أزرق هادئ // ;title.setForeground(new Color(70, 130, 180))

;frame.add(title, BorderLayout.NORTH)

;()studentPanel = new JPanel

;studentPanel.setLayout(new GridLayout(0, 3, 10, 10))

;studentPanel.setBackground(panelColor)

;()refreshStudentPanel

;frame.add(studentPanel, BorderLayout.CENTER)

;()JPanel bottom = new JPanel

```

```
        ;bottom.setBackground(bgColor)

        ;JButton reportBtn = new JButton("Show Report")
        ;JButton percentBtn = new JButton("Attendance %")
        ;JButton saveBtn = new JButton("Save")
        ;JButton addBtn = new JButton("Add Student")
        ;JButton deleteBtn = new JButton("Delete Student")

        // أزرار بألوان فاتحة 🍌
        ;styleButton(reportBtn, greenSoft)
        ;styleButton(percentBtn, blueSoft)
        ;styleButton(saveBtn, blueSoft)
        ;styleButton(addBtn, pinkSoft)
        ;styleButton(deleteBtn, pinkSoft)

        ;reportArea = new JTextArea(8, 50)
        ;reportArea.setBackground(panelColor)
        reportArea.setBorder(BorderFactory.createLineBorder(new Color(200, 200,
                                                                    ;200)))

        ;reportBtn.addActionListener(e -> showReport())
        ;percentBtn.addActionListener(e -> showPercentage())
        ;saveBtn.addActionListener(e -> saveToFile())
        ;addBtn.addActionListener(e -> addStudent())
        ;deleteBtn.addActionListener(e -> deleteStudent())

        ;bottom.add(reportBtn)
        ;bottom.add(percentBtn)
```

```

        ;bottom.add(saveBtn)

        ;bottom.add(addBtn)

        ;bottom.add(deleteBtn)

        ;bottom.add(new JScrollPane(reportArea))

        ;frame.add(bottom, BorderLayout.SOUTH)

        ;frame.setVisible(true)
    }

    تنسيق الأزرار 🧐 //
} private void styleButton(JButton button, Color color)
    ;button.setBackground(color)
    ;button.setForeground(Color.BLACK)
    ;button.setFocusPainted(false)
    {

===== STUDENTS ===== //
    } ()public void refreshStudentPanel
        ;()studentPanel.removeAll

    } for (String student : students)

        ;JLabel name = new JLabel(student)
        ;name.setFont(new Font("Arial", Font.BOLD, 14))

        ;JButton present = new JButton("Present")
        ;JButton absent = new JButton("Absent")

```

```

;styleButton(present, greenSoft)
;styleButton(absent, pinkSoft)

;present.addActionListener(e -> attendance.put(student, "Present"))
;absent.addActionListener(e -> attendance.put(student, "Absent"))

;studentPanel.add(name)
;studentPanel.add(present)
;studentPanel.add(absent)
{

;()studentPanel.revalidate
;()studentPanel.repaint
{

===== REPORT ===== //
} ()public void showReport
;reportArea.setText("Attendance Report:\n")

} for (String s : students)
;String status = attendance.getOrDefault(s, "Not Marked")
;reportArea.append(s + " : " + status + "\n")
{
{

===== PERCENT ===== //
} ()public void showPercentage

```

```

;int present = 0

    } for (String s : students)
    } if ("Present".equals(attendance.get(s)))
        ;++present
            {
                {

double percent = (students.size() == 0) ? 0 : (present * 100.0 /
;students.size())

;JOptionPane.showMessageDialog(frame, "Attendance: " + percent + "%")
    {

===== SAVE ===== //
    } ()public void saveToFile
        } try
;FileWriter writer = new FileWriter("attendance.txt")

    } for (String s : students)
;String status = attendance.getOrDefault(s, "Not Marked")
    ;writer.write(s + " : " + status + "\n")
        {

;()writer.close
;JOptionPane.showMessageDialog(frame, "Saved!")

    } catch (IOException e) {
;JOptionPane.showMessageDialog(frame, "Error!")

```

```

        {
            {

===== ADD ===== //

        } ()public void addStudent
;String name = JOptionPane.showInputDialog("Enter name:")
        } if (name != null && !name.isEmpty())
            ;students.add(name)
            ;()refreshStudentPanel
        {
            {

===== DELETE ===== //

        } ()public void deleteStudent
;String name = JOptionPane.showInputDialog("Enter name to delete:")
        } if (students.remove(name))
            ;attendance.remove(name)
            ;()refreshStudentPanel
        } else {
;JOptionPane.showMessageDialog(frame, "Not found!")
        {
            {
                {

```