

General Information

Analysis Start Time	2016-12-15 00:55:54
Analysis End Time	2016-12-15 01:02:55
File MD5	115C0BD591D27A986F9293AB30CB6731
File Size	19.37 MB
File Name	baiduinput_AndroidPhone_1000e.apk
Package Name	com.baidu.input
Version Code	124
Version Name	7.2.2.0
Min SDK	14
Target SDK	23
Max SDK	N/A
Pcap File	[p] (/file_download?md5=115C0BD591D27A986F9293AB30CB6731&type=pcap)
Logcat File	👍 (/file_download?md5=115C0BD591D27A986F9293AB30CB6731&type=logcat)

Risk Score

100

. . .

Risky Behaviors

Connects to the Internet
Contain sensitive files
Encrypt or Decrypt data
Executes a Internet request
Executes shell code
Exist unused permissions
Gets applications installed on the device
Gets geographic location
Gets packages installed on the device
Gets the MCC+MNC of the provider of the SIM
Gets the alphabetic name of current registered operator
Gets the current location of the device
Gets the numeric name (MCC+MNC) of current registered operator
Gets the phone number string for line 1
Gets the serial number of SIM

Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
Loads and links the dynamic library
Loads code dynamically
Records audio
Sends a text based SMS
Utilizes Java reflection

Malware Detected by VirusTotal


(https://www.virustotal.com/en/file/5c5f96641b24b30507f4ca031011a573fb21fa2ca7600263994718e3c6e825f1/anal


N/A

Certificate

Content	Owner: CN=Baidu, OU=Baidu Inc., O=Baidu Inc., L=Shanghai, ST=Shanghai, C=CN Issuer: CN=Baidu, OU=Baidu
	Inc., O=Baidu Inc., L=Shanghai, ST=Shanghai, C=CN Serial number: 4b9dd8e7 Valid from: Mon Mar 15 14:51:19 CS
	2010 until: Tue Dec 16 14:51:19 CST 2064 Certificate fingerprints: MD5:
	C2:B0:B4:97:D0:38:9E:6D:E1:50:5E:7F:D8:F4:D5:39 SHA1:
	EA:26:37:25:15:DC:A3:0A:14:2E:3F:4D:36:DB:19:33:7A:BC:74:54 SHA256:
	A6:EF:81:7B:FD:6C:08:34:42:A1:49:85:6E:51:03:6F:69:12:C2:DB:6B:60:09:DB:81:27:CD:D6:41:E2:95:A9 Signature
	algorithm name: SHA1withRSA Version: 3
Sha1	EA26372515DCA30A142E3F4D36DB19337ABC7454

Classification





Code Features

Code Feature	Used
Native Code	•
Dynamic Loader	•
Java Reflection	•
Crypto	•

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_C OARSE_LOCATION	dangerous	0000000	0	8	•	Allows an app to access approximate location derived from network location sources such as cell towers and Wi-Fi.
android.permission.ACCESS_FI NE_LOCATION	dangerous	833350	•	8	•	Used for permissions that allow access to the user's current location. Allows an app to access precise location from location sources such as GPS, cell towers, and Wi-Fi.
android.permission.ACCESS_N ETWORK_STATE	normal	888	8	8	9	Allows applications to access information about networks
android.permission.ACCESS_ WIFI_STATE	normal	000	8	8	0	Allows applications to access information about Wi-Fi networks
android.permission.AUTHENTI CATE_ACCOUNTS	dangerous	0000000	0	8	8	Allows an application to act as an AccountAuthenticator for the AccountManager
android.permission.BACKUP_D ATA	normal	000	8	0	•	N/A
android.permission.BAIDU_LO	normal	000	8	0	•	N/A
android.permission.BLUETOOT H	dangerous	8888888	0	©	•	Used for permissions that provide access to other devices through Bluetooth. Allows applications to connect to paired bluetooth devices

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.BROADCA ST_STICKY	normal	000	•	©	•	Allows an application to broadcast sticky intents. These are to wait for the next broadcast.
android.permission.CALL_PHO NE	dangerous	0000000	8	0	8	Allows an application to initiate a phone call without going through being placed.
android.permission.CAMERA	dangerous	000000	0	©	Ø	Used for permissions that are associated with accessing camera or capturing images/video from the device. Required to be able to access the camera device. install on devices that don't support all camera features.
android.permission.CHANGE_ WIFI_STATE	dangerous	000000	0	0	•	Allows applications to change Wi-Fi connectivity state
android.permission.CLEAR_AP P_CACHE	dangerous	000000	0	8	0	Allows an application to clear the caches of all installed applications on the device.
android.permission.DISABLE_K EYGUARD	dangerous	000000	8	0	•	Group of permissions that are related to the screenlock. Allows applications to disable the keyguard
android.permission.EXPAND_S TATUS_BAR	normal	000	•	8	•	Used for permissions that change the status bar Allows an application to expand or collapse the status bar.
android.permission.FLASHLIGH T	normal	333	8	0	8	Allows access to the flashlight
android.permission.GET_ACCO UNTS	normal	999	©	0	0	Permissions for direct access to the accounts managed by the Account Manager. Allows access to the list of accounts in the Accounts Service
android.permission.GET_TASK S	dangerous	3000000	0	8	⊘	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INTERNET	dangerous	3005000	8	O	•	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.KILL_BACK GROUND_PROCESSES	normal	DOS.	8	0	0	Allows an application to call { android.app.ActivityManager#killBackgr oundProcesses}.
android.permission.MANAGE_A CCOUNTS	dangerous	333333	8	8	8	Allows an application to manage the list of accounts in the AccountManager
android.permission.MOUNT_U NMOUNT_FILESYSTEMS	system signature		8	8	0	Allows mounting and unmounting file systems for removable storage. Not for use by third-party applications.
android.permission.PERSISTE NT_ACTIVITY	normal	200	8	O	0	This functionality will be removed in the future; please do not use. Allow an application to make its activities persistent.
android.permission.READ_CON TACTS	dangerous	5055505	0	8	8	Used for permissions that provide access to the user's social connections, expressed as two distinct permissions). Allows an application to read the user's contacts data.

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.READ_EXT ERNAL_STORAGE	normal		•	•	•	Group of permissions that are related to SD card access. Allows an application to read from external storage. targetSdkVersion is 4 or higher.
android.permission.READ_LOG S	signature system devel opment	00000000	0	©	©	Allows an application to read the low- level system log files. Log entries can contain the user's private information.
android.permission.READ_PHO NE_STATE	dangerous	000000	0	0	•	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.RECEIVE_ BOOT_COMPLETED	normal	000	©	©	•	Allows an application to receive the to the user.
android.permission.RECORD_A UDIO	dangerous	000000	0	O	•	Used for permissions that are associated with accessing but are in a separate (more visible) permission group. Allows an application to record audio
android.permission.SYSTEM_A LERT_WINDOW	dangerous	000000	⊙	⊙	©	Group of permissions that allow manipulation of how another application displays UI to the user. Allows an application to open windows using the type system-level interaction with the user.
android.permission.USE_CRED ENTIALS	dangerous		8	0	0	Allows an application to request authtokens from the AccountManager
android.permission.VIBRATE	normal	000	0	•	•	Allows access to the vibrator
android.permission.VIBRATION	normal	000	0	•	©	N/A
android.permission.WAKE_LOC K	normal	000	8	8	•	Allows using PowerManager WakeLocks to keep processor from sleeping or screen from dimming
android.permission.WRITE_EX TERNAL_STORAGE	dangerous	000000	8	O	0	Allows an application to write to external storage. { android.content.Context#getExternalCa cheDir}.
android.permission.WRITE_SE TTINGS	normal	333	8	8	•	Allows an application to read or write the system settings.
com.android.browser.permissio n.READ_HISTORY_BOOKMAR KS	dangerous	000000	8	8	0	Used for permissions that provide access to the user bookmarks and browser history. Allows an application to read (but not write) the user's browsing history and bookmarks.
com.android.launcher.permissio n.INSTALL_SHORTCUT	dangerous	333333	8	8	•	N/A
com.android.launcher.permissio n.READ_SETTINGS	normal	333	8	6	8	N/A
com.android.launcher.permissio n.UNINSTALL_SHORTCUT	dangerous	000000	0	0	•	N/A
com.android.launcher.permissio n.WRITE_SETTINGS	normal	000	8	©	•	N/A
com.baidu.appsearch.permissio n.LAUNCH	normal	333	8	6	8	N/A
com.baidu.input.permission.PL UGININTERFACESERVICE	normal	333	•	8	8	N/A

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
com.baidu.input.permission.RE CEIVE	normal		8	8	8	N/A
com.baidu.input.permission.RE GISTERRECEIVE	normal		Ø	8	8	N/A
com.baidu.input.permission.SE ND	normal		8	8	8	N/A
com.baidu.input.permission.SE NDBROADCAST	normal	•••	Ø	8	8	N/A
com.baidu.permission.SHARE	normal		8	0	6	N/A

Activities

Name	Main Activity	Exposed
com.baidu.android.appswitchsdk.app.AppSwitchActivity	0	0
com.baidu.browser.sailor.feature.appswitch.AppSwitchActivity	0	8
com.baidu.input.lmeAccountActivity	0	8
com.baidu.input.lmeAcgFontActivity	0	•
com.baidu.input.lmeAppMainActivity • android.intent.action.MAIN	0	0
com.baidu.input.ImeAppRecommendActivity • android.intent.action.MAIN	•	Ø
com.baidu.input.lmeCLipListActivity	0	•
com.baidu.input.lmeCellManActivity	0	8
com.baidu.input.lmeCikuManActivity	0	8
com.baidu.input.lmeCropImageActivity	0	•
com.baidu.input.lmeCustomSkinActivity	O	8
com.baidu.input.lmeDataClearActivity	0	•
com.baidu.input.lmeDeveloperActivity	•	8
com.baidu.input.lmeDynamicViewDevActivity	•	8
com.baidu.input.lmeFloatModeActivity	•	8
com.baidu.input.lmeFrontSettingActivity	•	8
com.baidu.input.lmeGuiderActivity	•	8
com.baidu.input.lmeInputChooserActivity	•	8
com.baidu.input.lmeLayoutActivity	0	•
com.baidu.input.lmeLazyCorpusActivity	0	8

cont bedu lipst friendus/EditorAthility 0 0	Name	Main Activity	Exposed
combails input imethicitoring Activity com bails input imethylinisse Activity com ba	com.baidu.input.lmeLazyCorpusAddActivity	0	8
com baildu input InreflyPhisosAckirkiy on baildu input InreflyPhisosAckirkiy on baildu input InreflyCotaleActirky on baildu input InreflyCotaleActirky on combaildu input InreflyCotaleActirky on combaildu input InreflyCotaleEmplActirky on combaildu input InreflyCotaleActirky on baildu input Inref	com.baidu.input.lmeListEditorActivity	0	•
combailduinput limeNoteClastActivity Combailduinput limeNoteClastActivity Combailduinput limeNoteClastActivity Combailduinput limeOfflineVoloeSettingActivity Combailduinput limeOfflineVoloeSettingActivity Combailduinput limeOfflineVoloeSettingActivity Combailduinput limeSpearchActivity Combailduinput limeSearchActivity Combailduinput limeUpdateActivity Combailduinput limeUpdate	com.baidu.input.lmeMainConfigActivity	0	•
com bailduinput ImeNoiCenterActivity Com bailduinput ImeOffLineVoiceSettingActivity Com bailduinput ImeOffLineVoiceSettingActivity Com bailduinput ImeOffCactivity Com bailduinput ImeOpcateSkinActivity Com bailduinput ImeSpacifiActivity Com bailduinput ImeUpaterActivity Com bailduinput ImeUsaterActivity Com bailduinput ImePermission Activity Com bailduinput Imepermission ImePermission Activity Com bailduinput Imepermission LinePermission Activity Com bailduinput Imegrapi provy activity ActivityGroupProvy Com bailduinput Imegrapi Com bailduinput Imegr	com.baidu.input.lmeMyPhraseActivity	0	•
combaiduinput ImeOffLine ValceSettingActivity combaiduinput ImeOffcaseEmiqActivity combaiduinput ImeOpcaseEmiqActivity combaiduinput ImeOpcaseSkinActivity combaiduinput ImeOpcaseSkinActivity combaiduinput ImeSearchActivity combaiduinput ImeSpefidActivity combaiduinput ImeSpefidActivity combaiduinput ImeSpefidActivity combaiduinput ImeSpefidActivity combaiduinput ImeSupConfigActivity combaiduinput ImeUserEquirenceActivity combaiduinput ImeUserActivity combaiduinput ImeVedBrowseActivity combaiduinput ImeVedBrowseActivity combaiduinput ImeVedBrowseActivity combaiduinput ImeVedBrowseActivity combaiduinput ImerVedBrowseActivity combaidu	com.baidu.input.lmeNoteListActivity	0	•
com baidulinput ImeOpoateEmojlActivity com baidulinput ImeOpoateEmojlActivity com baidulinput ImeOpoateSkinActivity com baidulinput ImeOpoateSkinActivity com baidulinput ImeSearchActivity com baidulinput ImeSpEcitlActivity com baidulinput ImeSpEcitlActivity com baidulinput ImeDesperCollectionActivity com baidulinput ImeDesperCollectivityActivityGroupProxy com baidulinput ActivityActivityGroupProxy com baidulinput ActivityActivityGroupProxy com baidulinput Imegapp proxyactivity ActivityGroupProxy com baidulinput ActivityActivityGroupProxy com baidulinput ActivityGroupProxy com baidulinput ActivityGroupProxy com baidulinput ActivityGroupProxy com baidulinput ActivityGroupProxy	com.baidu.input.lmeNotiCenterActivity	0	•
com. baidu. input. ImeOpcateSkinActivity com. baidu. input. ImeSearchActivity com. baidu. input. ImeSpEditActivity com. baidu. input. ImeSpEditActivity com. baidu. input. ImeSpEditActivity com. baidu. input. ImeSpEditActivity com. baidu. input. ImeSubConfigActivity com. baidu. input. ImeSubConfigActivity com. baidu. input. ImeSubConfigActivity com. baidu. input. ImeSubConfigActivity com. baidu. input. imeUpdataActivity com. baidu. input. imeWebBrowseActivity com. baidu. input. imeWebBrowseActivity com. baidu. input. input. wapt. WXEntry Activity com. baidu. input. wapt. WXEntry Activity com. baidu. input. wapt. WXEntry Activity GroupProxy Translucent com. baidu. input. megapp. proxy. activity Activity GroupProxy Translucent com. baidu. input. megapp. proxy. activity Activity GroupProxy Translucent	com.baidu.input.lmeOffLineVoiceSettingActivity	0	•
com baidu input ImePlegin Uninstall Activity com baidu input ImeSearch Activity com baidu input ImeSpecial Activity com baidu input ImeSymColection Activity com baidu input ImeUpdate Activity com baidu input ImeWeberowse Activity com baidu input ImeWeberowse Activity com baidu input ImeWeberowse Activity com baidu input Imput Local Plugin List Activity com baidu input Imput I	com.baidu.input.lmeOpcateEmojiActivity	•	8
com.baidu input.ImeSearchActivity com.baidu input.ImeSearchActivity com.baidu input.ImeSearchActivity com.baidu input.ImeSeitingsSearchActivity com.baidu input.ImeSintryActivity com.baidu input.ImeSintryActivity com.baidu input.ImeSintConfigActivity com.baidu input.ImeSintConfigActivity com.baidu input.ImeSubConfigActivity com.baidu input.ImeSubConfigActivity com.baidu input.ImeUpdateActivity com.baidu input.ImeUpdateActivity com.baidu input.ImeUpdateActivity com.baidu input.ImeUpdateActivity android intent.action NIEW com.baidu input.ImeUserExperienceActivity android intent.action NIEW com.baidu input.ImeUserExperienceActivity android intent.action NIEW com.baidu input.ImeUserModeSelActivity com.baidu input.ImeUserModeSelActivity com.baidu input.ImeWebBrowseActivity com.baidu input.ImeWebBrowseAc	com.baidu.input.lmeOpcateSkinActivity	0	8
com baidu input ImeSettingsSearchActivity com baidu input ImeSettingsSearchActivity com baidu input ImeSkinTryActivity com baidu input ImeSpEditActivity com baidu input ImeSpEditActivity com baidu input ImeSpEditActivity com baidu input ImeUpdateActivity com baidu input ImeUpdateActivity com baidu input ImeUpdateActivity com baidu input ImeUpdateActivity com baidu input ImeUserExperienceActivity android intent action NEW com baidu input ImeUserExperienceActivity com baidu input ImeUserExperienceActivi	com.baidu.input.lmePluginUninstallActivity	8	8
com baidu input ImeSkinRecommendActivity com baidu input ImeSkinRecommendActivity com baidu input ImeSkinTryActivity com baidu input ImeSubConfigActivity com baidu input ImeSubConfigActivity com baidu input ImeSubConfigActivity com baidu input ImeSymCollectionActivity com baidu input ImeUpdateActivity com baidu input ImeUpdateActivity com baidu input ImeUserExperienceActivity com baidu input LocalPluginListActivity com baidu input LocalPluginListActivity com baidu input ImeWabBrowseActivity com baidu input ImeWabBrowseActivity com baidu input ImeWabBrowseActivity com baidu input Activity com baidu input Activity com baidu input Activity com baidu input ActivityGroupProxy com baidu megapp.proxy.activity.ActivityGroupProxyTranslucent com baidu megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.lmeSearchActivity	8	8
com.baidu.input.lmeSkinTryActivity com.baidu.input.lmeSpEdilActivity com.baidu.input.lmeSpEdilActivity com.baidu.input.lmeSubConfigActivity com.baidu.input.lmeSymCollectionActivity com.baidu.input.lmeSymCollectionActivity com.baidu.input.lmeUpdateActivity com.baidu.input.lmeUpdateActivity com.baidu.input.lmeUpdateActivity com.baidu.input.lmeUpdateActivity com.baidu.input.lmeUserExperienceActivity android.intent.action.VIEW com.baidu.input.lmeUserExperienceActivity com.baidu.input.lmeUserModeSelActivity com.baidu.input.lmeUserModeSelActivity com.baidu.input.lmeVebBrowseActivity com.baidu.input.lmeVebBrowseActivity com.baidu.input.lmeVebBrowseActivity com.baidu.input.localPluginListActivity com.baidu.input.localPluginListActivity com.baidu.input.prlPubActivity com.baidu.input.meprmissions.lmePermissionActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.megapp.proxy.activityActivityGroupProxyTranslucent com.baidu.megapp.proxy.activityActivityGroupProxyTranslucent com.baidu.megapp.proxy.activityActivityGroupProxyTranslucent	com.baidu.input.lmeSettingsSearchActivity	8	8
com. baidu. input. ImeSpEditActivity com. baidu. input. ImeSpEditActivity com. baidu. input. ImeSpmCollection Activity com. baidu. input. ImeUspmCollection Activity com. baidu. input. ImeUspdateActivity com. baidu. input. ImeUspdateActivity com. baidu. input. ImeUspdateActivity com. baidu. input. ImeUsparExperienceActivity android. internt. action. NISTALL com. baidu. input. ImeUserExperienceActivity android. internt. action. VIEW com. baidu. input. ImeUserModeSelActivity com. baid	com.baidu.input.lmeSkinRecommendActivity	0	8
com baidu.input.ImeSubConfigActivity com baidu.input.ImeSuprCollectionActivity com baidu.input.ImeUpdateActivity com baidu.input.ImeUpdateActivity com baidu.input.ImeUserExperienceActivity android.intent.action.VIEW com baidu.input.ImeUserExperienceActivity android.intent.action.WIAIN com baidu.input.ImeUserModeSelActivity com.baidu.input.ImeUserModeSelActivity com.baidu.input.ImeUserModeSelActivity com.baidu.input.LocalPluginListActivity com.baidu.input.LocalPluginListActivity com.baidu.input.LocalPluginListActivity com.baidu.input.PlPubActivity com.baidu.input.prmissions.ImePermissionActivity com.baidu.input.wapi.WXEntryActivity com.baidu.input.wapi.WXEntryActivity com.baidu.input.wapi.proxy.activity.ActivityGroupProxyTranslucent com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.lmeSkinTryActivity	0	8
com.baidu.input.ImeSymCollectionActivity	com.baidu.input.lmeSpEditActivity	0	8
com.baidu.input.lmeUpdateActivity - com.baidu.input.lmeUpdateActivity - android.intent.action.NISTALL - android.intent.action.NISTALL - android.intent.action.MAIN - android.intent.action.MAIN - android.intent.action.MEW - com.baidu.input.lmeUserModeSelActivity com.baidu.input.lmeUserModeSelActivity com.baidu.input.lmeWebBrowseActivity com.baidu.input.localPluginListActivity com.baidu.input.LocalPluginListActivity com.baidu.input.PlubActivity com.baidu.input.mermissions.lmePermissionActivity com.baidu.input.wapi.WXEntryActivity com.baidu.input.wapi.wXEntryActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.lmeSubConfigActivity	0	8
com.baidu.input.lmeUserExperienceActivity android.intent.action.VIEW com.baidu.input.lmeUserExperienceActivity android.intent.action.VIEW com.baidu.input.laction.VIEW com.baidu.input.lactivity com.baidu.input.lmeUserModeSelActivity com.baidu.input.lmeWebBrowseActivity com.baidu.input.localPluginListActivity com.baidu.input.PlPubActivity com.baidu.input.PlPubActivity com.baidu.input.mePermissions.ImePermissionActivity com.baidu.input.wapi.WXEntryActivity com.baidu.input.wapi.WXEntryActivity com.baidu.input.wapop.proxy.activity.ActivityGroupProxyTranslucent com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.lmeSymCollectionActivity	0	8
android.intent.action.VIEW com.baidu.input.ImeUserModeSelActivity com.baidu.input.ImeUserModeSelActivity com.baidu.input.ImeWebBrowseActivity com.baidu.input.LocalPluginListActivity com.baidu.input.PlPubActivity com.baidu.input.PlPubActivity com.baidu.input.mpermissions.ImePermissionActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.action.INSTALL	0	•
com.baidu.input.ImeWebBrowseActivity com.baidu.input.LocalPluginListActivity com.baidu.input.PlPubActivity com.baidu.input.mpermissions.ImePermissionActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	android.intent.action.MAINandroid.intent.action.VIEW	•	•
com.baidu.input.LocalPluginListActivity com.baidu.input.PlPubActivity com.baidu.input.mpermissions.ImePermissionActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.lmeUserModeSelActivity	8	8
com.baidu.input.PIPubActivity com.baidu.input.mpermissions.ImePermissionActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.lmeWebBrowseActivity	8	8
com.baidu.input.mpermissions.ImePermissionActivity com.baidu.input.wxapi.WXEntryActivity com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.LocalPluginListActivity	8	8
com.baidu.input.wxapi.WXEntryActivity com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.PIPubActivity	8	•
com.baidu.megapp.proxy.activity.ActivityGroupProxy com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.mpermissions.ImePermissionActivity	8	•
com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	com.baidu.input.wxapi.WXEntryActivity	8	•
	com.baidu.megapp.proxy.activity.ActivityGroupProxy	8	8
com.baidu.megapp.proxy.activity.ActivityProxy	com.baidu.megapp.proxy.activity.ActivityGroupProxyTranslucent	8	•
	com.baidu.megapp.proxy.activity.ActivityProxy	8	8

Name	Main Activity	Exposed
com.baidu.megapp.proxy.activity.ActivityProxyTranslucent	8	8
com.baidu.megapp.proxy.activity.DialogActivityProxy	8	8
com.baidu.megapp.proxy.activity.FragmentActivityProxy	8	8
com.baidu.megapp.proxy.activity.FragmentActivityProxyTranslucent	8	8
com.baidu.megapp.proxy.activity.ListActivityProxy	8	8
com.baidu.megapp.proxy.activity.ListActivityProxyTranslucent	8	8
com.baidu.megapp.proxy.activity.PreferenceActivityProxy	8	8
com.baidu.megapp.proxy.activity.PreferenceActivityProxyTranslucent	8	8
com.baidu.megapp.proxy.activity.RootActivity	8	8
com.baidu.megapp.proxy.activity.TabActivityProxy	8	8
com.baidu.megapp.proxy.activity.TabActivityProxyTranslucent	6	6

Services

Name	Exposed
com.baidu.acs.service.AcsService android.accessibilityservice.AccessibilityService	©
com.baidu.input.lmeIntentService	0
com.baidu.input.ImeService • android.view.InputMethod	©
com.baidu.input.ime.front.clipboard.RecordService	0
com.baidu.input.ime.front.floatwindow.FloatWindowService	•
com.baidu.input.ime.front.note.NoteService	•
com.baidu.input.switchguide.GuideService	⊙
com.baidu.megapp.proxy.service.IntentServiceProxy1	•
com.baidu.megapp.proxy.service.IntentServiceProxy10	⊙
com.baidu.megapp.proxy.service.IntentServiceProxy2	©
com.baidu.megapp.proxy.service.IntentServiceProxy3	⊙
com.baidu.megapp.proxy.service.IntentServiceProxy4	⊙
com.baidu.megapp.proxy.service.IntentServiceProxy5	⊙
com.baidu.megapp.proxy.service.IntentServiceProxy6	⊙
com.baidu.megapp.proxy.service.IntentServiceProxy7	⊙

Name	Exposed
com.baidu.megapp.proxy.service.IntentServiceProxy8	8
com.baidu.megapp.proxy.service.IntentServiceProxy9	8
com.baidu.megapp.proxy.service.ServiceProxy1	8
com.baidu.megapp.proxy.service.ServiceProxy10	8
com.baidu.megapp.proxy.service.ServiceProxy2	•
com.baidu.megapp.proxy.service.ServiceProxy3	•
com.baidu.megapp.proxy.service.ServiceProxy4	•
com.baidu.megapp.proxy.service.ServiceProxy5	•
com.baidu.megapp.proxy.service.ServiceProxy6	8
com.baidu.megapp.proxy.service.ServiceProxy7	•
com.baidu.megapp.proxy.service.ServiceProxy8	•
com.baidu.megapp.proxy.service.ServiceProxy9	•
com.baidu.plugin.PluginInterfaceService	•
com.baidu.plugin.PluginManagerService	•
com.baidu.sapi2.share.ShareService • baidu.intent.action.account.SHARE_SERVICE	•
com.baidu.speech.VoiceRecognitionService	8

Name	Dynamically Registered	Exposed
android.support.v4.content.WakefulBroadcastReceiver	•	0
android.support.v4.media.session.MediaButtonReceiver	•	0
com.baidu.ajp	•	0
com.baidu.ajz	•	0
com.baidu.android.commmon.utils.GalaxyProvider com.baidu.intent.action.GALAXY	•	0
com.baidu.apc	•	0
com.baidu.browser.net.BdNetReceiver	•	0
com.baidu.browser.sailor.feature.appswitch.b	•	0
com.baidu.htmlNotification.WebContentActivity\$2	•	0
com.baidu.htmlNotification.WebNotificationManagerService\$1	•	0

Name	Dynamically Registered	Exposed
com.baidu.input.lmeAppRecommendReceiver	•	0
com.baidu.input.cy	•	0
com.baidu.input.da	•	0
com.baidu.input.ime.cloudinput.ui.r	•	0
com.baidu.input.ime.front.av	•	0
com.baidu.input.ime.front.cd	•	0
com.baidu.input.ime.front.cr	•	0
com.baidu.input.ime.front.floatwindow.FloatWindowReceiver	•	0
com.baidu.input.ime.front.floatwindow.o	•	0
com.baidu.input.ime.front.h	•	0
com.baidu.input.ime.front.note.b	•	0
com.baidu.input.ime.front.z	•	0
com.baidu.input.ime.toucheffect.HeadsetPlugReceiver	•	0
com.baidu.input.network.task.q	•	0
com.baidu.input.pub.EventReceiver	•	0
com.baidu.input.switchguide.InputMethodChangedReceiver	8	•
com.baidu.input.switchguide.a	•	0
com.baidu.input.theme.aw	•	0
com.baidu.location.d	•	0
com.baidu.megapp.api.a	•	0
com.baidu.megapp.install.b	•	0
com.baidu.megapp.pm.e	•	0
com.baidu.megapp.proxy.BroadcastReceiverProxy	•	0
com.baidu.megapp.proxy.BroadcastReceiverProxyExt	•	0
com.baidu.plugin.l	•	0
com.baidu.sapi2.SapiWebView\$SMSReceiver	•	0
com.baidu.sapi2.share.CnctReceiver	•	0
com.baidu.sapi2.share.ShareReceiver • baidu.intent.action.SHARE_V6	0	•

Name	Dynamically Registered	Exposed
com.baidu.sv	•	0
com.baidu.wi	•	0
com.tencent.wxop.stat.z	•	0

Content Providers

N/A

Features

- android.hardware.camera
- android.hardware.camera.autofocus

Libraries

N/A

Advertisement Modules

N/A

IP Distribution





Urls

Country	Url	IP
China	http://himg.bdimg.com/sys/portrait/item/%s.jpg	222.199.191.48
China	http://himg.bdimg.com/sys/portrait/item/%s.jpg?%s	222.199.191.48
China	https://passport.baidu.com/channel/unicast	119.75.222.130
China	http://top.baidu.com	14.215.177.38
China	http://loc.map.baidu.com/sdk.php	112.80.255.99
China	http://123.125.65.52:8002/echo.fcgi	123.125.65.52
China	http://upl.baidu.com/words/add?version=1	119.75.222.172
China	http://uil.cbs.baidu.com/sug/rich?wiseonly=1&wd=	112.80.255.24

Country	Url	IP
China	http://wappass.bdimg.com	222.199.191.49
China	http://t5.baidu.com/kw?type=engine	61.135.185.146
China	http://m.baidu.com/app	119.75.222.91
China	http://180.76.76.112/?label=browser	180.76.76.112
China	https://t5.baidu.com/kw?type=engine	61.135.185.146
China	http://zhida.baidu.com/s?	61.135.185.212
China	http://wappass.baidu.com	119.75.222.130
China	http://pingma.qq.com:80/mstat/report	58.250.9.36
China	http://220.181.111.48	220.181.111.48
China	http://tts.baidu.com/text2audio?idx=1&tex=	202.108.23.94
China	http://119.75.220.29	119.75.220.29
China	http://uil.cbs.baidu.com/voicelog/getconfig?	112.80.255.24
China	http://wap.baidu.com	61.135.186.218
China	https://t5.baidu.com/config/t5config?cmd=1&	61.135.185.146
China	https://urlsafe.baidu.com/	61.135.162.167
China	http://www.baidu.com?wp-action=forget-pwd	14.215.177.38
China	http://m.baidu.com	119.75.222.91
China	http://downpack.baidu.com/baidubrowser_androidphone_1015084q.apk	112.80.255.221
China	http://dwz.cn/create.php	111.13.82.134
China	http://himg.baidu.com	112.80.255.253
China	http://nsclick.baidu.com/v.gif	115.239.211.92
China	http://srf.baidu.com/feedback.php?	123.125.112.207
China	http://vop.baidu.com/echo.fcgi	111.202.114.95
China	http://m.baidu.com/s?	119.75.222.91
China	https://gss0.bdstatic.com	180.76.22.31
China	https://openapi.baidu.com/oauth/2.0/token? grant_type=client_credentials&client_id=%s&client_secret=%s	111.202.114.136
China	http://m.baidu.com/s? tn=bmbadr&pu=%2csz%401320_480%2cosname%40baidubrowser%2ccua%40768_1184_android_ 4.5.0.0_320%2ccut%40nexus- 4_4.2.2_17_lge%2cctv%402%2ccfrom%401002264t%2ccen%40cuid_cua_cut%2ccsrc%40app_box_txt&from=1002264t&word=	119.75.222.91
China	http://123.125.115.81	123.125.115.81
China	http://developer.baidu.com/static/community/servers/voice/sdk.html	112.80.248.186
China	https://openapi.baidu.com	111.202.114.136
China	http://yuyin.baidu.com/voice?osname=voiceopen&action=usereventflow&	112.80.255.127

Country	Url	IP
C hina	wappass.bdimg.com/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=4724821&di=271417446543006 0_sJFbY6J%2B9Q%2F0o%2BZa5plo0ZvK3LYYIG3A0nzCPUhvzigUW6FLoeDjO2hu6m7T7ev0H4Q BDoihNVhXgTCt3vcGJXTcKIGuz9wiel1yzH5pXzPw3c%2BeYV%2B647WrTda97bHnff3pu0iQpiBtnf 7YRHLcbtMRmP4EXpwYUq%2BrtOx9NQzgWp7BOyhJSHlONGwiEmg9y4dMmj1dD8xpuomrL3hO9 dlty%2FqOT7ia8hfxuRM8Y2yzhw2XBCYdnLn5FDgeMDxfG9aDtU4iUGyj7MzIwfxJu9UziR1BneuJpq8 LfKiTWqRF4S%2BjJ1MOZbKK1wj6rau68w2kgaUVGFO8ceEEFebTjLqT7TxsUKfyUidiQEMUIMI%3D _5dbe26	222.199.191.49
C hina	wappass.bdimg.com/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=4724821&di=311417446552006 0_W9GmL0xvivF6zaHApoODikRPAB0oQtqvOtjuexeBFNmWSd568IrqY3JjMyIoTAxuOuo3gHIhtjJtVtz VE9JXzXQsx3NVg1%2BA2ithD9EccZQYF7%2BHQgAETmK9jMguISU7aRj%2FKWmwis2b5EEODe GRFzUOKKBXLxoOOMt5w0l%2Bz1qqc4MykX2JI8Ob%2FP248PoOdLkAQiEBlimcXsOlKNpr9WrXb OKIr3cNKcBBJYhbnf1JPXKjFGOeBbdJnLeVsVJQhONN31lihIJ0zOKkRM4OApGm1V5HpO3JWP%2 FTwHDiJjWIa1XpeouQgmYcS8iv5WfNdbZt%2BtGL8AbTNSYqZYXCPMgJMDb%2FUYP0t4h2Suc1ir c%3D_96c0be	222.199.191.49
China China	ascdn.baidu.com/appsite/styles/main-875430d744.css	222.199.191.48
China China	ascdn.baidu.com/appsite/scripts/vendor-6602181407.js	222.199.191.48
China China	ascdn.baidu.com/appsite/scripts/main-1b772a470e.js	222.199.191.48
China China	img.baidu.com/hunter/alog/alog.mobile.min.js	115.239.211.92
China	ascdn.baidu.com/appsite/images/LOADING-0.gif	222.199.191.48
China	hm.baidu.com/hm.js?2198d21a93bfa99cc7538f5c82b115b9	202.108.23.152
China	hm.baidu.com/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&et=0&ja=0&ln=en- us&lo=0&nv=1&rnd=699400769&si=2198d21a93bfa99cc7538f5c82b115b9&st=1&v=1.2.11&lv=1&tt= %E7%99%BE%E5%BA%A6%E6%89%8B%E6%9C%BA%E5%8A%A9%E6%89%8B	202.108.23.152
China	hm.baidu.com/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&et=0&ja=0&ln=en-us&lo=0&nv=1&rnd=699400769&si=2198d21a93bfa99cc7538f5c82b115b9&st=1&v=1.2.11&lv=1&tt=%E7%99%BE%E5%BA%A6%E6%89%8B%E6%9C%BA%E5%8A%A9%E6%89%8B	202.108.23.152
China	ascdn.baidu.com/appsite/images/default_icon.png	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/4e4a20a4462309f77bcad1c17a0e0cf3d6cad6b8.jpg	222.199.191.48
C hina	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=dd30c0a389d0cc09230d8d4f5 8ce140f&src=http%3A%2F%2Fe.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F6a23dd545 64e925845d814409b82d158cdbf4eb4.jpg	222.199.191.49
China	ascdn.baidu.com/appsite/images/logo.png	222.199.191.48
China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=b1eff9933f7e0d4bcc0ee9bb99 b64505&src=http%3A%2F%2Fc.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F6a24ab189 72bd40797b53c8578899e510fb3095c.jpg	222.199.191.49
China China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=35e9b13557d569be3907cdcfa 2eb97d5&src=http%3A%2F%2Ff.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F7d178a82b 9014a90ebb70fa6a0773912b31bee24.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=1f64bcd7a88101e9055d45bdb 6d6b0e7&src=http%3A%2F%2Fc.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F20166d22 4f4a20a45c3cbf9a98529822720ed049.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=8e95f2834691f6a644db84399 2873042&src=http%3A%2F%2Fc.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F5adbb6fd5 266d016a39761e7902bd40734fa3577.jpg	222.199.191.49

Country	Url	IP
China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=e6f8a59a0da517670d9db2d2 54a329aa&src=http%3A%2F%2Fb.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F4b381f30 e924b899a883fdc866061d950b7bf687.jpg	222.199.191.49
™ China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=f2180b2a63b15dea15995658 48c666f1&src=http%3A%2F%2Ff.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Fa8ef76094 b36acaf33214c3c74d98d1000e99c29.jpg	222.199.191.49
™ China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=e665f7426e51a91403bdd095 b1daed14&src=http%3A%2F%2Ff.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Fb11b0ef4 1bd5ad6e6057ffda88cb39dbb6fd3c50.jpg	222.199.191.49
China China	timg01.bdimg.com/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=b198116734944033a190adef6 b4cccc4&src=http%3A%2F%2Fc.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F794c510fd 9f9d72a924dd715dd2a2834349bbb8a.jpg	222.199.191.49
China	ascdn.baidu.com/appsite/fonts/magneto-70123a9634.ttf	222.199.191.48
China China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=c1919a26781ea9d df5d28ad2f5ffad6d&src=http%3A%2F%2Ff.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F0 6380cd7912397dd2492d6005082b2b7d1a287cf.jpg	222.199.191.49
C hina	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=2fed00f008085943 52cddb73031c8939&src=http%3A%2F%2Fh.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2 Fe18ba61ea8d3fd1f9e47fe38394e251f95ca5f62.jpg	222.199.191.49
C hina	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=1b3829350b82ea8 5d867ed6555d87818&src=http%3A%2F%2Fh.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem% 2F55d12f2eb9389b5098bb97538c35e5dde7116e6f.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=1e03986c7fe882a1 c57a80e2c56fc57a&src=http%3A%2F%2Fb.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Ff 6cad1c8a786c917bea0e81dc03d70cf3bc75777.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=9c069a0c20198000 b682d56e37b303d8&src=http%3A%2F%2Ff.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F 1fd98d1001e93901b446c6217cec54e736d1966d.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=f4cf9741be9f1e15d 3b3e908315a374c&src=http%3A%2F%2Fa.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F 6f338744ebf81a4c99c2c473d22a6059242da69c.jpg	222.199.191.49
China China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=7f26b83877003edc 1a692df642ad3bdb&src=http%3A%2F%2Fc.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F 6a24ab18972bd40797b53c8578899e510fb3095c.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=cda7bf26d42fa641 2e0dcc7f65011168&src=http%3A%2F%2Fc.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F 83fe9925bc315c60e65200fb84b1cb13485477db.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=e5dea0a31374f544 744e06236517d9b9&src=http%3A%2F%2Fa.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2 F95246b600c33874473f15d5a580fd9f9d72aa0e4.jpg	222.199.191.49
China China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=f828c4adc60c9634 251a0b7b195b923a&src=http%3A%2F%2Fa.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2 F73385343fbf2b21153768947c38065380cd78e5b.jpg	222.199.191.49

Country	Url	IP
China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=c4967f2f7ba8eb1e 330b05ffdf5e49c6&src=http%3A%2F%2Fg.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F8 41190ef76c6a7ef0846c639f4faaf51f3de6649.jpg	222.199.191.49
C hina	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=5fd4acfd4650de9b a293bd5e3d73a092&src=http%3A%2F%2Fb.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2 F4b381f30e924b899a883fdc866061d950b7bf687.jpg	222.199.191.49
China China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=4eefac2551388f5b 6377dff7ab0150ce&src=http%3A%2F%2Fb.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F aa3d70cf3bc79f3d81140c30b3a1cd11728b293d.jpg	222.199.191.49
C hina	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=11b9eee081c42db1 7e7fc5739876ef5f&src=http%3A%2F%2Ff.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Fa 0fdfc039245d688e165a9adadc27d1ed21b2457.jpg	222.199.191.49
China	timg01.bdimg.com/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocache&di=ee6b46d6cb43232f 24748975f0129943&src=http%3A%2F%2Ff.hiphotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F b11b0ef41bd5ad6e6057ffda88cb39dbb6fd3c50.jpg	222.199.191.49
China China	ascdn.baidu.com/appsite/images/icon.v1.png	222.199.191.48
China China	img.baidu.com/hunter/alog/dp.mobile.min.js?v=-16406	115.239.211.92
China	hm.baidu.com/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&ep=%7B%22netAll%22%3A1611%2C%22netDns%22%3A0%2C%22netTcp%22%3A0%2C%22srv%22%3A0%2C%22dom%22%3A19260%2C%22loadEvent%22%3A37904%2C%22qid%22%3A%22%22%2C%22bdDom%22%3A0%2C%22bdRun%22%3A0%2C%22bdDef%22%3A0%7D&et=87&ja=0&ln=en-us&lo=0&nv=1&rnd=1010923603&si=2198d21a93bfa99cc7538f5c82b115b9&st=1&v=1.2.11&lv=1	202.108.23.152
China China	wappass.bdimg.com/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=4724821&di=841417446597006 0_7RlaGLnyOLKH4hlECmWRk8DKqTtxYkxsaTNaTBPo0q47D5FKmh9R4kZqLluubU0dZwvZx2tyqpc LRk8msCPRvej0L%2FQhluo90N8A0umlklLeepC14TTA5xv5TXRyz2XtXpUnX9zl5o16CBOQ1yWBD G66u55flKnPyjelTfUs3cvRyGSlplR653R9RSgbtjSiFPpWaz9BYRud%2Fhlf6kVl9dN%2FNTxHftUoAJ c3MDgYxOLON01jM0nTBynX2YxXih1KQwx464QdZWsL3CGtqieVlZ0h5UESPHoF1Tg4DWCPrj07fo 8lmsHuxlOMMabTdn51nb7qyYWEYCkRUKgCcKN%2BpFyFXL8DzyJlfnJ6hsVxjRl%3D_02d775	222.199.191.49
China China	wappass.bdimg.com/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=4724822&di=301417446628006 0_R8gxzqOetVw61S68r4wCpp5pszBL7myb2HnJhzFjktiphGtCb2mIl8eAXSvta4c%2Br94O2FqS9PgI %2BRh16YBy92BELI1C0FcktudocZkTikcjEDe4%2Fv4jf5Y7UG0CsrVFoFv%2BQ%2F%2FbrK%2B4V pGSPF7itTRBnoOKT5v3OTPB0Q7Uy8VILzOStvcXfpoAZsnMOPGsLEoAgpR8H1Rv9TMIVyucl6wRF oxPJchlZK0rpCNkAMXNofLE6n%2BFn%2FXePsV1uv%2FXxdrKqT4YFtY62ikIIE63tVEve96LFvr0O UZQnCJcBGJ93Sfpcx9gAw1aOcq66KrKtoGAYiS3X1Frl0udLVLsLl9stNwYv0ZA5dulsGITF%2Fs%3D _c6c084	222.199.191.49
China	wappass.bdimg.com/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=4724822&di=721417446635006 0_Eg%2BumldfnZwp9sGpNxOJ4MygJoPss9MfklN2vk3%2FgICYD010P0RLSA1ILHYBLw7G3ySyZ1 2a%2FB7iJbBAYXOZXVqOejtMV6iPEpszegmYi3El9efjPtrQmEOOdesL6DymfY3E5LxRQCs3nfoEL4 OD9IrHD1mEoyNUhYRPHKejOLrPD8XcJnio7zeRhpIC%2BZLcY6Yy20pbjh2oZ1yGWIVPTzhj9JMfM auXb8DMsoOo9SXK0yJVcq5LOnO1N3z3e1pl5hd%2BOQ5tPiZy3L1Bl2ewUMLcNMoahfbA4eBmnzI %2Fa0LsV3ytUe8wVEFVT6xpMpI6LwF3%2B4tZwvaS%2FN4nJbc%2Fmm3sGx5fECfQhwjcSGjFZR w%3D_46cd5f	222.199.191.49
China	wappass.bdimg.com/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=4724822&di=941417446668006 0_BT8ek%2Btvnym0hzoDkJYHCHPunwhCpHr4IBvmddSjqxWf0eg3Ruk4j3xs1d9iCnZcAWlO0RM81 a6dPsEP6TsBL55AlAwzKB8Sol9rGqvrgO9O7sLEflUdGpoCHt5knITUwK%2Fzdx%2BkP3Qq6d%2FC O7C14neMH3pbR5yZDjTWrw3MEbDiKX7%2BOM2TRdl4OED7IGTzQv%2BMmgd5rstg4u3M0tcAX6 kdD3XUgsfqAln02bbb0NmQjH4bgngrqRdaIUP5Ds2Crj%2FvhfEuvsYaw0aRlS2bKVHzEHIN3NvHS3 04BmMCDwPqUhSTXGQxDXSIBOGbFk1uBNJ7jul1M4UZb11SiRl6NcaRKmwyUPggFOCGqn%2FP jf0%3D_00f084	222.199.191.49

Country	Url	IP
China China	mobile.baidu.com/app?action=content&pid=825114773&type=detail	123.125.112.192
China China	ascdn.baidu.com/appsite/images/logo-white-36-241fb0f0a6.png	222.199.191.48
China China	imgsa.baidu.com/anxun/pic/item/8cb1cb134954092327d8c9b39a58d109b2de494e.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/cefc1e178a82b90116f769fe7b8da9773812efa1.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/bd3eb13533fa828bbb27236ef51f4134970a5a32.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/83025aafa40f4bfba49f20d90b4f78f0f63618eb.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/d8f9d72a6059252d6a4ea3893c9b033b5ab5b9e6.jpg	222.199.191.48
China China	ascdn.baidu.com/appsite/images/official_page_light_effect.png	222.199.191.48
China	mobile.baidu.com/app? action=log&f0=mainheader@clienttext&f1=index@must@1&f2=&from=0&islogin=0&logparams=%7B %22new%22:%22ItemASCtrl%22,%22old%22:%22ItemCtrl%22,%22params%22:%7B%22pid%22:% 22825114773%22%7D%7D&logtype=pageview	123.125.112.192
China China	mobile.baidu.com/app?action=content&docid=10230430&type=sequent	112.80.255.227
China China	hm.baidu.com/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&ep=111928%2C77290&et=3&ja=0&ln=en-us&lo=0&nv=0&rnd=1121379352&si=2198d21a93bfa99cc7538f5c82b115b9&st=4&v=1.2.11&lv=1	220.181.7.190
China China	ascdn.baidu.com/appsite/styles/main-875430d744.css	222.199.191.48
China China	ascdn.baidu.com/appsite/scripts/vendor-6602181407.js	222.199.191.48
China China	hm.baidu.com/hm.js?2198d21a93bfa99cc7538f5c82b115b9	220.181.7.190
China China	ascdn.baidu.com/appsite/images/LOADING-0.gif	222.199.191.48
China China	hm.baidu.com/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&ep=111928%2C77290&et=3&ja=0&ln=en-us&lo=0&nv=0&rnd=1121379352&si=2198d21a93bfa99cc7538f5c82b115b9&st=4&v=1.2.11&lv=1&u=1http%3A%2F%2Fmobile.baidu.com%2Fitem%2Fappsearch%3Fpid%3D825114773	202.108.23.152
China	hm.baidu.com/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&et=0&ja=0&ln=en-us&lo=0<=1417446571&nv=0&rnd=1807583032&si=2198d21a93bfa99cc7538f5c82b115b9&st=4&v=1.2.11&lv=2&tt=%E7%99%BE%E5%BA%A6%E6%89%8B%E6%9C%BA%E5%8A%A9%E6%89%8B	202.108.23.152
China	ascdn.baidu.com/appsite/images/logo-white-36-241fb0f0a6.png	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/8cb1cb134954092327d8c9b39a58d109b2de494e.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/8cb1cb134954092327d8c9b39a58d109b2de494e.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/cefc1e178a82b90116f769fe7b8da9773812efa1.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/bd3eb13533fa828bbb27236ef51f4134970a5a32.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/83025aafa40f4bfba49f20d90b4f78f0f63618eb.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/d8f9d72a6059252d6a4ea3893c9b033b5ab5b9e6.jpg	222.199.191.48
China	ascdn.baidu.com/appsite/images/official_page_light_effect.png	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/cefc1e178a82b90116f769fe7b8da9773812efa1.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/bd3eb13533fa828bbb27236ef51f4134970a5a32.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/d8f9d72a6059252d6a4ea3893c9b033b5ab5b9e6.jpg	222.199.191.48
China	imgsa.baidu.com/anxun/pic/item/83025aafa40f4bfba49f20d90b4f78f0f63618eb.jpg	222.199.191.48
China	mobile.baidu.com/app? action=log&f0=mainheader@clienttext&f1=index@must@1&f2=&from=0&islogin=0&logparams=%7B %22new%22:%22ItemASCtrl%22,%22old%22:%22%22,%22params%22:%7B%22pid%22:%228251 14773%22%7D,%22hijacked%22:0%7D&logtype=pageview	123.125.112.192
China	mobile.baidu.com/app?action=content&docid=10230430&type=sequent	123.125.112.192

Country	Url	IP
China	ascdn.baidu.com/appsite/images/gray-star.png	222.199.191.48
China	ascdn.baidu.com/appsite/images/yellow-star.png	222.199.191.48
China China	hm.baidu.com/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&ep=%7B%22netAll%22%3A0%2C%22netDns%22%3A0%2C%22netTcp%22%3A0 %2C%22srv%22%3A0%2C%22dom%22%3A6205%2C%22loadEvent%22%3A14711%2C%22qid%22%3A0%22%22%2C%22bdDom%22%3A0%2C%22bdRun%22%3A0%2C%22bdDef%22%3A0%7D &et=87&ja=0&ln=en-us&lo=0<=1417446571&nv=0&rnd=788793157&si=2198d21a93bfa99cc7538f5c82b115b9&st=4&v=1.2.11&lv=2	202.108.23.152
China China	wappass.bdimg.com/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=4724822&di=571417446700006 0_QPDJdNX2toChuGBBQ3Z0izFtEOS%2BiVL5SBCGzTZg6bmoshSsGs2fcwdGc9bphjK5g9Mr1Mz MX4gad1YY5C4xExL%2BxXRADWMy%2BhaiAtTsiG3lFnZ4i5rWO6OHETMqJQ3eBKevO11dtPi2NS yvCMSsAi7Bl4PrhYCxVXFbVUH23zobeQEjqugFq%2FwVFnS2z9boylfMl2aMCxZv9BrSCn3nFUBr2 CvlgUMmKpHclsS4pAxpWal1ncSPofKlcknTTgqLppl%2FUM0w8mCQEpVTRH9boLFbcAL7ibQqDVn sgyXXnAomu61f6VhsUv1ZFHL86phGpSHMXlg6a9VG0ZLUQXQBNuY3byWk%2BRSrEsat%2FDO0l O8%3D_625a9b	222.199.191.49
China China	r6.mo.baidu.com/v4/?c=sg&inputgd=1&&ua=bd_320_480_Full-Android-on-Emulator-generic_7-2-2-0_a1&uc=16_4.1.1_0_0_124&cuid=260FA3328BE631C7E3171E58A8983756%7C11573234024275 3&cfrom=1000e&from=1000e&rid=2130762688&lus=1417446701&umode=0	163.177.151.130
China China	N/A	163.177.151.130
China China	N/A	180.76.22.31
China China	N/A	123.125.114.236
China	N/A	202.108.23.152
China	N/A	115.239.211.92
China	N/A	111.206.223.240
China	N/A	153.37.235.25
China	N/A	112.80.255.94
China	N/A	180.76.22.32
China	N/A	222.199.191.48
China	N/A	222.199.191.49
Mong Kong Hong Kong	http://passport.baidu.com	103.235.46.250
Mong Kong Hong Kong	http://www.baidu.com?wp-action=modify-pwd	103.235.46.39
Mong Kong Hong Kong	http://www.baidu.com?wp-action=auth-widget	103.235.46.39
Mong Kong	http://www.baidu.com	103.235.46.39
Mong Kong	https://www.baidu.com	103.235.46.39
■ Hong Kong	m.baidu.com/app	103.235.46.211
Mong Kong	mobile.baidu.com/	103.235.47.17
Mong Kong	mobile.baidu.com/app?action=user	103.235.47.17
■ Hong Kong	mobile.baidu.com/app?action=index&pn=0&type=recommend	103.235.47.17
■ Hong Kong	mobile.baidu.com/app? action=log&f0=&f1=&f2=&from=0&islogin=0&logparams=%7B%22new%22:%22MainCtrl%22,%22old %22:%22%22,%22params%22:%7B%22from%22:%220%22%7D,%22hijacked%22:0%7D&logtype= pageview	103.235.47.17
Mong Kong	mobile.baidu.com/item/appsearch?pid=825114773	103.235.47.17
Mong Kong	mobile.baidu.com/app?action=user	103.235.47.17

Country	Url	IP
■ Hong Kong	N/A	103.235.47.17
■ Hong Kong	N/A	103.235.46.212
■ Hong Kong	N/A	103.235.46.211
N/A	http://10.94.23.45:8016/bbmshahe/bbmdecoder.php?t=	N/A
N/A	http://passport.rdtest.baidu.com	N/A
N/A	http://172.18.39.73:8080/webtest/test2.mp4	N/A
N/A	http://db-infbk-online-17.db01.baidu.com:8080	N/A
N/A	http://passport.qatest.baidu.com	N/A
N/A	http://cq02-mic-iptest.cq02.baidu.com:8001/	N/A
N/A	http://10.0.0.172	N/A
N/A	http://*.baidu.com	N/A
N/A	http://172.18.39.73:8080/webtest/test.3gp	N/A
N/A	http://10.65.45.215:8002/echo.fcgi	N/A
N/A	http://wappass.qatest.baidu.com	N/A
N/A	http://www.	N/A
N/A	http://cq02-mic-iptest.cq02.baidu.com:8890/	N/A
N/A	http://dbl-dev-rd23.vm.baidu.com:8080	N/A
N/A	http://172.18.39.73:8080/webtest/test1.mp4	N/A
N/A	http://passport.rdtest.baidu.com:8000	N/A
N/A	http://cp01-sys-ra09-jueheng2qa159.cp01.baidu.com/	N/A
United States	http://play.google.com/store/search?q=	216.58.200.46
United States	https://market.android.com/search?q=	172.217.24.14
United States	http://market.android.com/details?id=	172.217.27.142
United States	http://play.google.com/store/apps/details?id=com.baidu.input	172.217.24.14
United States	https://play.google.com/store/search?q=	172.217.27.142
United States	United States https://play.google.com/store/apps/details?id=	
United States	United States https://market.android.com/details?id= 172	
United States	http://market.android.com/search?q=	172.217.24.14
United States	http://play.google.com/store/apps/details?id=	172.217.27.142

Sensitive Files

File Path	File Type	APK
assets/acg/7e64f066cb6fc8b062cd7eb2366ab74d	zip archive data, at least v1.0 to extract	8
assets/ipt/inputcore_20160705	elf 32-bit lsb shared object, arm, version 1 (sysv)	8
assets/theme/ct1	zip archive data, at least v1.0 to extract	8

File Path	File Type	APK
assets/theme/s01	zip archive data, at least v2.0 to extract	0
assets/theme/s02	zip archive data, at least v2.0 to extract	0
assets/theme/s03	zip archive data, at least v2.0 to extract	8
assets/theme/s04	zip archive data, at least v2.0 to extract	8
assets/theme/s05	zip archive data, at least v2.0 to extract	8
assets/theme/s06	zip archive data, at least v1.0 to extract	8
assets/theme/s07	zip archive data, at least v1.0 to extract	8
assets/theme/s08	zip archive data, at least v1.0 to extract	8
assets/theme/s09	zip archive data, at least v1.0 to extract	8

Native Codes

Lib Name	Caller Code	
1	Lcom/baidu/input/gif/CoreHandler;->()V	
1	Lcom/baidu/debuggerd/BaiduDebuggerd;->()V	90
1	Lcom/baidu/input/pub/aa;->()V	22
N/A	Lcom/baidu/android/procmo/ProcessMonitor;->()V	6
N/A	Lcom/baidu/debuggerd/BaiduDebuggerd;->()V	18
N/A	Lcom/baidu/input/GaussBlur;->()V	6
N/A	Lcom/baidu/speech/Bv32InputStream;->()V	
N/A	Lcom/baidu/speech/EventStreamBv32;->()V	
N/A	Lcom/baidu/speech/EventStreamVad;->()V	
N/A	Lcom/baidu/speech/MfeVadInputStream;->()V	
N/A	Lcom/baidu/speech/SpeechDecoder;->()V	6
N/A	Lcom/baidu/speech/easr/easrNativeJni;->()V	6
N/A	Lcom/baidu/util/ChiperEncrypt;->()V	6
N/A	Lcom/baidu/webkit/sdk/BSevenZipUtils;->()V	12

Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/com.baidu.input-1.apk	N/A	N/A	N/A

Dex Path	Lib Path	Caller Code	Path Index
3	0	Lcom/baidu/webkit/sdk/internal/blink/ReflectUtils Blink;- >getZeusClassLoaderJar(Landroid/content/Cont ext;)Ljava/lang/ClassLoader;	338

Crypto Operation

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	RSA/ECB/PK CS1Padding	30efbfbd0122300d06092aefbfbd48efbfbdefbfbd0 d010101050003efbfbd010f0030efbfbd010a02efb fbd010100efbfbdefbfbdefbfbdefbfbd7f25efbfbdef bfbd5d33efbfbd20efbfbd3d6c257e0eefbfbd7defb fbdefbfbd22efbfbd54efbfbdefbfbd7defbfbdefbfbd efbfbd61362300efbfbd5343efbfbd2befbfbd1a58e fbfbd211befbfbd314cefbfbdefbfbd69efbfbd43456 6efbfbdefbfbd314cefbfbdefbfbd49fbdefbfbd45bfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbd6505aefbfbdefbfbdd59f4b17efbfbdefbf bd4d6efbfbdefbfbd4505aefbfbdefbfbd33efbfbdefbfbd505aefbfbdefbfbd33efbfbd3542efbfbdefbfbd6pfbd6fbfbd6efbfbd459f4b17efbfbd6fbfbd793b13efbfbd334eefbfbd4bfbdefbfbd4fbfbd6fbfbd793b13efbfbd334eefbfbd4bfbdefbfbd4517352327cefbfbd6014d88a695aefbfbdfbd1a5eefbfbd622efbfbdefbfbd1a5eefbfbd622efbfbdefbfbd1a5eefbfbd622efbfbdefbfbd1a5eefbfbd731efbfbd45930efbfbd4fbfbd6bfbd1a5eefbfbd7731efbfbd7731efbfbd771efbfbd03efbfbd4fefbfbd72efbfbd72efbfbd76efbfbdefbfbd1316efbfbdefbfbdfbdfbfbdfbfbdfbfbdfbfbdfbfb	X.509	plcgk	\x11\x8c\x18\xd4\xb8\xc2\xa3`\x 9b]\x06\xacM\xa2? \x96c\xc2\x8b\x86\xb6BL\xc0\x bd:\xad \xee\xf6\xf5\xfd- \x8b\x1b\xdc\x6\xf5\xfd- \x8b\x1b\xdc\x90\xc0\xfe\{x8} bgk\x95\x89\xc8,\xd3\xd8S\xbc \x\x95t\xebK\xf3&\$\] \((\x07t\xde\x09\x95\x18\xa5\xf5\x\xaf\xa9- \x3t\x0b\xf4\x027\x8b\xfb\xd6\xf2\x\x80`\xcf\x1a\x91\xa2\x0d\xc5\x2\x\y9\x0e\xd1\x6\xf2\x\x\y9\x0e\xd1\x6\xf2\x\x\y9\x0e\xd1\x\y9\x\xaf\x\x\y9\x\x\x\x\xaf\x\x\y9\x\x\x\y9\x\x\x\x\x\x\y9\x\x\x\x\
decryption	AES/CBC/PK CS5Padding	33303231323130326469637564696162	RAW	{"ver":2,"imei":"3572420432375 11","deviceid":"260FA3328BE6 31C7E3171E58A8983756"}	\xc6=\x8aK\x8bH\x96\xcd\x85\x 92\x97\xadH\x15\xecT\x8f\xe3\ xc8I\xbc'\xb4{"&- w\xc5]\x8f\xc4\xbf\xed\x19\xce\ x9b\xd4\\xf2/\xc28\x01t\x8do\x1 e\x98\xc1\xd92\x92\x09\xbe\xbf\ \xf9> <\xa0C\xd68\xfb\x88\xddZe\xc8 \x95\xf7Wy\x1e\x86\xfe\xdbR\xf cl\x06\xe3r\xed\xd3\xb6\xe5\x9 0\xfa\xbe\x11*\x07b\xbe\x8d

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	RSA/ECB/PK CS1Padding	30efbfbd0122300d06092aefbfbd48efbfbdefbfbd0 d010101050003efbfbd010f0030efbfbd010a02efb fbd010100efbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdf7defbfbdefbfbd22efbfbd54efbfbdefbfbd7defbfbdefbfbd61362300efbfbd5343efbfbd2befbfbd1358e fbfbd211befbfbd314cefbfbdefbfbd69efbfbd43456 6efbfbdefbfbd5defbfbd50a30efbfbdefbfbdefbfbdefbfbd59a4b17efbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbd62efbfbdefbfbd3cefbfbdefbfbd69a33efbfbd3542efbfbdefbfbdefbfbd6efbfbdfefbfbdfbfbdfbf	X.509	plcgk	\x11\x8c\x18\xd4\xb8\xc2\xa3`\x 9b]\x06\xacM\xa2? \x96\xc2\x8b\x86\xb6BL\xc0\x bd:\xad \xee\xf6\xf5\xf6-\xc2\x8b\x86\xb6BL\xc0\x bd:\xad \xee\xf6\xf5\xf6-\xf6\xf8\xbc \x8b\x1b\xdc\xy\sq\xd3\xd8S\xbc \xy85\xeb\x8\yc8\xd3\xd8S\xbc \xy85\xeb\xbe\xbe\xf3&\$] \(\x07\xde\x0e\xoe\xsp\xd\xe\xsp\xd\xe\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xd\xsp\xsp\xd\xsp\xsp\xsp\xsp\xsp\xsp\xsp\xsp\xsp\xsp
decryption	AES/CBC/PK CS5Padding	33303231323130326469637564696162	RAW	{"ver":2,"imei":"3572420432375 11","deviceid":"260FA3328BE6 31C7E3171E58A8983756"}	\xc6=\x8aK\x8bH\x96\xcd\x85\x 92\x97\xadH\x15\xecT\x8f\xe3\ xc8I\xbc'\xb4{"&- w\xc5]\x8f\xc4\xbf\xed\x19\xce\ x9b\xd4\\xf2/\xc28\x01t\x8do\x1 e\x98\xc1\xd92\x92\x09\xbe\xbf \xf9> <\xa0C\xd68\xfb\x88\xddZe\xc8 \x95\xf7Wy\x1e\x86\xfe\xdbR\xf cI\x06\xe3r\xed\xd3\xb6\xe5\x9 0\xfa\xbe\x11*\x07b\xbe\x8d
decryption	AES/CBC/PK CS5Padding	33303231323130326469637564696162	RAW	{"ver":2,"imei":"3572420432375 11","deviceid":"260FA3328BE6 31C7E3171E58A8983756"}	\xc6=\x8aK\x8bH\x96\xcd\x85\x 92\x97\xadH\x15\xecT\x8f\xe3\ xc8I\xbc'\xb4{"%- w\xc5]\x8f\xc4\xbf\xed\x19\xce\ x9b\xd4\\xf2/\xc28\x01t\x8do\x1 e\x98\xc1\xd92\x92\x09\xbe\xbf\ xf9> <\xa0C\xd68\xfb\x88\xddZe\xc8 \x95\xf7W\y\x1e\x86\xfe\xdbR\xf c\\x06\xe3r\xed\xd3\xb6\xe5\x9 0\xfa\xbe\x11*\x07b\xbe\x8d

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	RSA/ECB/PK CS1Padding	30efbfbd0122300d06092aefbfbd48efbfbdefbfbd0 d010101050003efbfbd010f0030efbfbd010a02efb fbd010100efbfbdefbfbdefbfbdefbfbd7f25efbfbdef bfbd5d33efbfbd20efbfbd3d6c257e0eefbfbd7defb fbdefbfbd22efbfbd54efbfbdefbfbd7fdefbfbdefbfbd61362300efbfbd5343efbfbd2befbfbd1a58e fbfbd211befbfbd314cefbfbdefbfbd69efbfbd43456 6efbfbdefbfbd5bdefbfbdefbfbd45bfbdefbfbd45bfbdefbfbd505aefbfbdefbfbd505aefbfbdefbfbd33efbfbd76efbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdefbfbdfbfbdefbfbdfbfbdefbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfbfbd793b13efbfbd33efbfbd39efbfbdfbfbdefbfbdd50563efbfbd16efbfbdd334eefbfbd4bfbdfbfbdfbfbdfbfbd792aefbfbd1402746fefbfbd02efbfbddfbfbdfbfbdfbd517352327cefbfbdefbfbd45ca99efbfbdefbfbd1a5eefbfbd622efbfbdefbfbd5930efbfbdfbfbd6bfbdd3efbfbd35efbfbd4fefbfbd731efbfbd7731efbfbd7731efbfbd71efbfbd03efbfbd4fefbfbd4fefbfbd45e6bfbdd5930efbfbdefbfbd1317cefbfbdefbfbdfbbdfbfbdfbfbdfbfbdfbfbd72efbfbd76efbfbdfbfbd1316efbfbdefbfbdfbfbdfbfbdfbfbdfbfbdfbfbdfb	X.509	plcgk	\x11\x8c\x18\xd4\xb8\xc2\xa3`\x 9b]\x06\xacM\xac2? \x96c\xc2\x8b\x86\xb6BL\xc0\x \bd:\xad \xee\xf6\xf5\xf6-\xc1\x8b\x1b\xdc\x\y9b\xd8\xb6BL\xc0\x \bd:\xad \xee\xf6\xf5\xf6-\xf2\x8b\x1b\xdc\xy9\xc8\xb2\xbc \xx8b\x1b\xdc\xy9\xc8\xd3\xd8S\xbc \xy95t\xebK\xf3&\$] \(\x07\xde\x0e\x0e\xee\xs6\xs6\xs6\xs6\xs6\xs6\xs6\xs6\xs6\xs6
decryption	AES/CBC/PK CS5Padding	33303231323130326469637564696162	RAW	{"ver":2,"imei":"3572420432375 11","deviceid":"260FA3328BE6 31C7E3171E58A8983756"}	\xc6=\x8aK\x8bH\x96\xcd\x85\x 92\x97\xadH\x15\xecT\x8f\xe3\ xc8I\xbc'\xb4{"&- w\xc5]\x8f\xc4\xbf\xed\x19\xce\ x9b\xd4\\xf2/\xc28\x01t\x8do\x1 e\x98\xc1\xd92\x92\x09\xbe\xbf\ \xf9> <\xa0C\xd68\xfb\x88\xddZe\xc8 \x95\xf7Wy\x1e\x86\xfe\xdbR\xf cI\x06\xe3r\xed\xd3\xb6\xe5\x9 0\xfa\xbe\x1*\x07b\xbe\x8d
encryption	AES/CBC/No Padding	4f614c687a4f4b545451474c77386850	RAW	com.baidu.input $_{\Gamma}$ 7.2.2.0 $_{\Gamma}$ 6.15.1 1_{Γ} Full Android on Emulator $_{\Gamma}$ 4.1.1 $_{\Gamma}$ android $_{\Gamma}$ 260FA 3328BE631C7E3171E58A8983 756 $_{\Gamma}$ 5hwise $_{\Gamma}$ 0 $_{\Gamma}$ 7/static/appsapi/conf/config.txt $_{\Gamma}$ 2 $_{\Gamma}$ 3G $_{\Gamma}$ frue $_{\Gamma}$ 35 7242043237511 $_{\Gamma}$ 6mulator $_{\Gamma}$ 7AR Mv7 Processor rev 0 (v7I) $_{\Gamma}$ 516312 $_{\Gamma}$ 254208 $_{\Gamma}$ 213096 $_{\Gamma}$ 165 $_{\Gamma}$ 7com.baidu.input $_{\Gamma}$ 10.0.2.1 5 $_{\Gamma}$ 7 $_{\Gamma}$ 7 $_{\Gamma}$ 7 $_{\Gamma}$ 8 $_{\Gamma}$ 9 $_{\Gamma$	>\xb5i\xe7g{\xa8\xb0\xe6\xfd.z\x9\x03\x917!\xee\x178\x97(\x8\x10\xe6\xfd.z\x9\x03\x917!\xee\x178\x97(\x8\x1\xa7s\x15\x0fi\x0b&c.\xe9\xa5\x14\xa7s\x15\x0fi\x0b&c.\xe9\xa5\x14\xa1\x11\x11\x06\xe4\xaf9\x00\x00\x00\x17\xf0\xf9q\x8b\xd7\xf7@3\x0\x15\x6\x16\x6\x16\x6\x16\x16\x16\x16\x16\x1

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
encryption	AES/CBC/No Padding	4f614c687a4f4b545451474c77386850	RAW	com.baidu.input r7.2.2.0 r6.15.1 1 rFull Android on Emulator r4.1.1 randroid r260FA 3328BE631C7E3171E58A8983 756 rshwise r0 rr/static/appsapi/ conf/config.txt r4 rr3G rtrue rr35 7242043237511 remulator rrAR MV7 Processor rev 0 (V7I) r516312 r254208 r212184 r 207 rrcom.baidu.input r10.0.2.1 5 rrrr	\xb0\x91[c\xa2~\xf5\x0f\xf4\xa3\\ xe6Z\xe6\x92(\xd1\x9b\xca\xdc\\ xb6\x18\x94m\xc0\xd2 \xc2=ho\\ xce(\x14[\xa1K\xa1\xe0\xa2]\nc\\ xen\xd3\xed\xeb\xf4\x1f\x84\x\\ 01\x0e\x88\xa15XW\x810\xad\\ de\xf7\x0e\x6\ta15XW\x810\xad\\ de\xf1\x86\r\x6\ta2\x6\ta15XW\x810\xad\\ de\xf1\x86\r\x6\ta2\x6\ta1\x\ de\xf1\x6\ta4\x99\xfd\xe9\xfd\\ d\xe0\x16\ta2\x6\ta2\x99\xfd\\ d\xe0\x16\ta2\x89\x41\x\ d\x80\x16\x89\x87\x\ d\x80\x16\x89\x87\x\ d\x80\x16\x89\x80\x\ d\x80\x16\x89\x81\x80\x\ d\x80\x16\x80\x\ d\x80\x\ d\x80\
encryption	AES/CBC/No Padding	4f614c687a4f4b545451474c77386850	RAW	com.baidu.input $_{\rm f}$ 7.2.2.0 $_{\rm f}$ 6.15.1 $1_{\rm f}$ Full Android on Emulator $_{\rm f}$ 4.1.1 $_{\rm f}$ android $_{\rm f}$ 260FA 3328BE631C7E3171E58A8983 756 $_{\rm f}$ shwise $_{\rm f}$ 0 $_{\rm f}$ /static/appsapi/conf/config.txt $_{\rm f}$ 10 $_{\rm f}$ 73G $_{\rm f}$ true $_{\rm f}$ 73 57242043237511 $_{\rm f}$ emulator $_{\rm f}$ 7A RMv7 Processor rev 0 (v7l) $_{\rm f}$ 516312 $_{\rm f}$ 254208 $_{\rm f}$ 209932 $_{\rm f}$ 364 $_{\rm f}$ com.baidu.input $_{\rm f}$ 10.0.2.1 5 $_{\rm ffff}$	@\xf0\xc9t\xd5\xf6\xb6\x80\xa1\xb8\ACvt\x8b1m\x10\xe4\xbe\x8\R2\xf9\x10\x8b1m\x10\xe4\xbe\x8\R2\xf9\x10\x86\xc4c\x6\xp9\xb\\9\x8\xb2\x14\xac\x1a\xc4\xp9\xb\\31\x4\xbe\x8\xb2\x14\xac\x1a\xc4\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd4\xc2\xc2\xp9\xb\\31\xd2\xp9\xb\\31\xd2\xp9\xb\\31\xd2\xp9\xb\\31\xd2\xp9\xb\\31\xb\\32\xb\\32\xb\\31\xb\\32\xb\\3

Network Operations

N/A

Socket Connections

N/A

File Operations

Operation	File Path	Data
read	/data/data/com.baidu.input/files/libcuid.so	\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/sys/devices/virtual/net/sit0/ifindex	3 x0a x00 x00 x00 x00 x00 x00 x00 x00 x00
read	/proc/1032/net/if_inet6	00000000000000000000000000000000000000
read	/data/data/com.baidu.input/files/channel	1000e
read	/proc/cpuinfo	Processor\x09: ARMv7 Processor rev 0 (v7I)\x0aBogoMIPS\x09: 804.45\x0aFeatures\x09: swp half thumb fastmult vfp eds
read	/sys/devices/virtual/net/lo/ifindex	1\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/sys/devices/platform/smc91x.0/net/eth0/ifindex	2\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 154516 kB\x0aBuffers: 2292 kB\x0aCached:
read	/data/data/com.baidu.input/files/setting	\x02\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/com.baidu.input/shared_prefs/sapi_sy stem.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<int name="config_url_request_failed_</td></tr><tr><td>read</td><td>/data/data/com.baidu.input/files/log</td><td>\x00\x10\xef\xbf\xbd\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0</td></tr><tr><td>read</td><td>/data/data/com.baidu.input/files/CLog</td><td>\xef\xbf\xbdx_5\x01\x00\xef\xbf\xbd\x02\x00\x00\x00\x06\xbf\xbd\x06\x00\x00\x00\xef\xbf\xbd\xef\xbf\xbd\Qo\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\Qo\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\XW\xef\xbf\xbd\xbd\xef\xbf\xbd\xbd\x\ef\xbf\xbd\xbd\x\ef\xbf\xbd\xbd\x\ef\xbf\xbd\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\xbf\xbd\x\ef\x\ef\xbf\xbd\x\ef\x\ef\xbf\xbd\x\ef\x\ef\xbf\xbd\x\ef\x\ef\xbf\xbd\x\ef\x\ef\xbf\x\ef\x\ef\xbf\x\ef\x\ef\x</td></tr><tr><td>read</td><td>/data/data/com.baidu.input/files/libcuid.so</td><td>xj2KS4tlls2FkpetSBXsVl/jyEm8J7R7liYtd8Vdj8S/7RnOm9Rc8i/COAF0jW8emMHZMplJvr/5\x0aPjygQ9Y4+4jdWmXllfdXeR6</td></tr><tr><td>read</td><td>/data/data/com.baidu.input/shared_prefs/com.bai
du.input_preferences.xml</td><td><?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<string name=" pref_key_touch_area_cor"<="" td=""></int></map>
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 211440 kB\x0aBuffers: 2120 kB\x0aCached:
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 199292 kB\x0aBuffers: 2160 kB\x0aCached:

Operation	File Path	Data
write	/data/data/com.baidu.input/files/inputcore_20160 705	\x7fELF\x01\x01\x01\x00\x00\x00\x00\x00\x00\x00
write	/data/data/com.baidu.input/shared_prefs/sapi_sy stem.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<boolean name="first_install" sapi_options"="" value="</td></tr><tr><td>write</td><td>/data/data/com.baidu.input/files/CLog</td><td>\xef\xbf\xbd\x06\x00\x00x\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x10~\x1e\xef\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xb</td></tr><tr><td>write</td><td>/data/data/com.baidu.input/files/CLog</td><td>\xef\xbf\xbd\x06\x00\x00x\xef\xbf\xbd\xef\xbf\xbdT[o\xef\xbf\xbd0\x14~\x1e\xef\xbf\xbd\xef\xbf\xbd\x0f }\xef\xbf\xbd\xof\xbd\xef\xbf\xbd\xof\xbf\xbd\x\of\xbd\x\of\xbd\x\of\xbd\x\of\xbd\x\of\x</td></tr><tr><td>write</td><td>/data/data/com.baidu.input/files/CLog</td><td>7\xef\xbf\xbd\%\xef\xbf\xbd\x01\x00\xef\xbf\xbd\x02\x00\x00</td></tr><tr><td>write</td><td>/data/data/com.baidu.input/files/CLog</td><td>fUD\xef\xbf\xbd\x01\x00\xef\xbf\xbd\x02\x00\x00</td></tr><tr><td>write</td><td>/data/data/com.baidu.input/shared_prefs/sapi_sy
stem.xml</td><td><?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<string name=">{"fa</boolean></map>

DNS Query

QName	QType	IPs
ascdn.baidu.com	Α	222.199.191.48
ascdn.baidu.com	Α	222.199.191.48
gss0.bdstatic.com	Α	180.76.22.31
gss0.bdstatic.com	Α	180.76.22.31
hm.baidu.com	А	202.108.23.152
img.baidu.com	Α	115.239.211.92
imgsa.baidu.com	Α	222.199.191.48
imgsa.baidu.com	Α	222.199.191.48
m.baidu.com	Α	103.235.46.212, 103.235.46.211
mobile.baidu.com	Α	103.235.47.17
mobile.baidu.com	Α	103.235.47.17
r6.mo.baidu.com	Α	153.37.235.25, 112.80.255.94, 123.125.114.236, 111.206.223.240, 163.177.151.130
ss0.bdstatic.com	Α	180.76.22.32
timg01.bdimg.com	А	222.199.191.49
wappass.bdimg.com	Α	222.199.191.49
wappass.bdimg.com	Α	222.199.191.49
wappass.bdimg.com	А	222.199.191.49
wappass.builing.com	^	222.130.131.43

HTTP Data

Method	Host	Path	Status Line
GET	ascdn.baidu.com	/appsite/images/logo.png	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/styles/main-875430d744.css	HTTP/1.1 304 Not Modified
GET	ascdn.baidu.com	/appsite/scripts/vendor-6602181407.js	HTTP/1.1 304 Not Modified
GET	ascdn.baidu.com	/appsite/images/LOADING-0.gif	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/images/default_icon.png	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/scripts/vendor-6602181407.js	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/images/official_page_light_effect.png	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/fonts/magneto-70123a9634.ttf	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/images/LOADING-0.gif	HTTP/1.1 304 Not Modified
GET	ascdn.baidu.com	/appsite/images/logo-white-36-241fb0f0a6.png	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/images/logo-white-36-241fb0f0a6.png	HTTP/1.1 304 Not Modified
GET	ascdn.baidu.com	/appsite/images/icon.v1.png	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/scripts/main-1b772a470e.js	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/images/gray-star.png	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/images/yellow-star.png	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/styles/main-875430d744.css	HTTP/1.1 200 OK
GET	ascdn.baidu.com	/appsite/images/official_page_light_effect.png	HTTP/1.1 304 Not Modified
GET	hm.baidu.com	/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&ep=%7B%22netAll%22%3A0%2C%22netDns%22%3A0%2C%22netTcp%22%3A0%2C%22srv%22%3A0%2C%22dom%22%3A6205%2C%22loadEvent%22%3A14711%2C%22qid%22%3A%22%22%2C%22bdDom%22%3A0%2C%22bdRun%22%3A0%2C%22bdDef%22%3A0%7D&et=87&ja=0&ln=en-us&lo=0<=1417446571&nv=0&rnd=788793157&si=2198d21a93bfa99cc7538f5c82b115b9&st=4&v=1.2.11&lv=2	HTTP/1.1 200 OK
GET	hm.baidu.com	/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&et=0&ja=0&ln=en- us&lo=0<=1417446571&nv=0&rnd=1807583032&si=2198d21a93bfa99cc7 538f5c82b115b9&st=4&v=1.2.11&lv=2&tt=%E7%99%BE%E5%BA%A6%E 6%89%8B%E6%9C%BA%E5%8A%A9%E6%89%8B	HTTP/1.1 200 OK
GET	hm.baidu.com	/hm.gif?cc=0&ck=1&cl=16- bit&ds=320x480&ep=111928%2C77290&et=3&ja=0&ln=en- us&lo=0&nv=0&rnd=1121379352&si=2198d21a93bfa99cc7538f5c82b115b 9&st=4&v=1.2.11&lv=1	HTTP/1.1 200 OK
GET	hm.baidu.com	/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&ep=%7B%22netAll%22%3A1611%2C%22netDns%22%3 A0%2C%22netTcp%22%3A0%2C%22srv%22%3A0%2C%22dom%22%3 A19260%2C%22loadEvent%22%3A37904%2C%22qid%22%3A%22%22%2C%22bdDom%22%3A0%2CC%22bdRun%22%3A0%2CC%22bdDef%22%3A0%7D&et=87&ja=0&ln=en-us&lo=0&nv=1&rnd=1010923603&si=2198d21a93bfa99cc7538f5c82b115b9&st=1&v=1.2.11&lv=1	HTTP/1.1 200 OK
GET	hm.baidu.com	/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&ep=111928%2C77290&et=3&ja=0&ln=en-us&lo=0&nv=0&rnd=1121379352&si=2198d21a93bfa99cc7538f5c82b115b9&st=4&v=1.2.11&lv=1&u=http%3A%2F%2Fmobile.baidu.com%2Fitem%2Fappsearch%3Fpid%3D825114773	HTTP/1.1 200 OK

Method	Host	Path	Status Line
GET	hm.baidu.com	/hm.gif?cc=0&ck=1&cl=16-bit&ds=320x480&et=0&ja=0&ln=en-us&lo=0&nv=1&rnd=699400769&si=2198d21a93bfa99cc7538f5c82b115b9	HTTP/1.1 200 OK
GET	hm.baidu.com	/hm.js?2198d21a93bfa99cc7538f5c82b115b9	HTTP/1.1 200 OK
GET	hm.baidu.com	/hm.js?2198d21a93bfa99cc7538f5c82b115b9	HTTP/1.1 200 OK
GET	img.baidu.com	/hunter/alog/alog.mobile.min.js	HTTP/1.1 200 OK
GET	img.baidu.com	/hunter/alog/dp.mobile.min.js?v=-16406	HTTP/1.1 200 OK
GET	imgsa.baidu.com	/anxun/pic/item/d8f9d72a6059252d6a4ea3893c9b033b5ab5b9e6.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/cefc1e178a82b90116f769fe7b8da9773812efa1.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/83025aafa40f4bfba49f20d90b4f78f0f63618eb.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/d8f9d72a6059252d6a4ea3893c9b033b5ab5b9e6.jpg	HTTP/1.1 200 OK
GET	imgsa.baidu.com	/anxun/pic/item/4e4a20a4462309f77bcad1c17a0e0cf3d6cad6b8.jpg	HTTP/1.1 200 OK
GET	imgsa.baidu.com	/anxun/pic/item/8cb1cb134954092327d8c9b39a58d109b2de494e.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/bd3eb13533fa828bbb27236ef51f4134970a5a32.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/83025aafa40f4bfba49f20d90b4f78f0f63618eb.jpg	HTTP/1.1 200 OK
GET	imgsa.baidu.com	/anxun/pic/item/bd3eb13533fa828bbb27236ef51f4134970a5a32.jpg	HTTP/1.1 200 OK
GET	imgsa.baidu.com	/anxun/pic/item/cefc1e178a82b90116f769fe7b8da9773812efa1.jpg	HTTP/1.1 200 OK
GET	imgsa.baidu.com	/anxun/pic/item/83025aafa40f4bfba49f20d90b4f78f0f63618eb.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/8cb1cb134954092327d8c9b39a58d109b2de494e.jpg	HTTP/1.1 200 OK
GET	imgsa.baidu.com	/anxun/pic/item/8cb1cb134954092327d8c9b39a58d109b2de494e.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/cefc1e178a82b90116f769fe7b8da9773812efa1.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/d8f9d72a6059252d6a4ea3893c9b033b5ab5b9e6.jpg	HTTP/1.1 206 Partial Content
GET	imgsa.baidu.com	/anxun/pic/item/bd3eb13533fa828bbb27236ef51f4134970a5a32.jpg	HTTP/1.1 206 Partial Content
GET	m.baidu.com	/app	HTTP/1.1 302 Found
GET	mobile.baidu.com	/app?action=content&docid=10230430&type=sequent	HTTP/1.1 200 OK
GET	mobile.baidu.com	/item/appsearch?pid=825114773	HTTP/1.1 200 OK
GET	mobile.baidu.com	/app?action=content&docid=10230430&type=sequent	HTTP/1.1 200 OK
GET	mobile.baidu.com	/app?action=user	HTTP/1.1 200 OK
GET	mobile.baidu.com	I	HTTP/1.1 200 OK
GET	mobile.baidu.com	/app?action=user	HTTP/1.1 200 OK
GET	mobile.baidu.com	/app? action=log&f0=mainheader@clienttext&f1=index@must@1&f2=&from=0&i slogin=0&logparams=%7B%22new%22:%22ItemASCtrl%22,%22old%22: %22ItemCtrl%22,%22params%22:%7B%22pid%22:%22825114773%22% 7D%7D&logtype=pageview	НТТР/1.1 200 ОК
GET	mobile.baidu.com	/app? action=log&f0=&f1=&f2=&from=0&islogin=0&logparams=%7B%22new%22 :%22MainCtrl%22,%22old%22:%22%22,%22params%22:%7B%22from%2 2:%220%22%7D,%22hijacked%22:0%7D&logtype=pageview	HTTP/1.1 200 OK

Method	Host	Path	Status Line
GET	mobile.baidu.com	/app? action=log&f0=mainheader@clienttext&f1=index@must@1&f2=&from=0&i slogin=0&logparams=%7B%22new%22:%22ItemASCtrl%22,%22old%22: %22%22,%22params%22:%7B%22pid%22:%22825114773%22%7D,%22 hijacked%22:0%7D&logtype=pageview	HTTP/1.1 200 OK
GET	mobile.baidu.com	/app?action=index&pn=0&type=recommend	HTTP/1.1 200 OK
GET	mobile.baidu.com	/app?action=content&pid=825114773&type=detail	HTTP/1.1 200 OK
GET	r6.mo.baidu.com	/v4/?c=sg&inputgd=1&&ua=bd_320_480_Full-Android-on-Emulator- generic_7-2-2- 0_a1&uc=16_4.1.1_0_0_124&cuid=260FA3328BE631C7E3171E58A8983 756%7C115732340242753&cfrom=1000e&from=1000e&rid=2130762688& lus=1417446701&umode=0	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=dd3 0c0a389d0cc09230d8d4f58ce140f&src=http%3A%2F%2Fe.hiphotos.bdim g.com%2Fwisegame%2Fpic%2Fitem%2F6a23dd54564e925845d814409b 82d158cdbf4eb4.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=ee6b46d6cb43232f24748975f0129943&src=http%3A%2F%2Ff.hiph otos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Fb11b0ef41bd5ad6e605 7ffda88cb39dbb6fd3c50.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=5fd4acfd4650de9ba293bd5e3d73a092&src=http%3A%2F%2Fb.hip hotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F4b381f30e924b899a8 83fdc866061d950b7bf687.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=e6f8 a59a0da517670d9db2d254a329aa&src=http%3A%2F%2Fb.hiphotos.bdim g.com%2Fwisegame%2Fpic%2Fitem%2F4b381f30e924b899a883fdc8660 61d950b7bf687.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=9c069a0c20198000b682d56e37b303d8&src=http%3A%2F%2Ff.hip hotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F1fd98d1001e93901b4 46c6217cec54e736d1966d.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=c4967f2f7ba8eb1e330b05ffdf5e49c6&src=http%3A%2F%2Fg.hipho tos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F841190ef76c6a7ef0846c 639f4faaf51f3de6649.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=1b3829350b82ea85d867ed6555d87818&src=http%3A%2F%2Fh.hi photos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F55d12f2eb9389b509 8bb97538c35e5dde7116e6f.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=b1ef f9933f7e0d4bcc0ee9bb99b64505&src=http%3A%2F%2Fc.hiphotos.bdimg. com%2Fwisegame%2Fpic%2Fitem%2F6a24ab18972bd40797b53c857889 9e510fb3095c.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=c1919a26781ea9ddf5d28ad2f5ffad6d&src=http%3A%2F%2Ff.hipho tos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F06380cd7912397dd249 2d6005082b2b7d1a287cf.jpg	HTTP/1.1 200 OK

Method	Host	Path	Status Line
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=2fed00f00808594352cddb73031c8939&src=http%3A%2F%2Fh.hip hotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Fe18ba61ea8d3fd1f9e 47fe38394e251f95ca5f62.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=e66 5f7426e51a91403bdd095b1daed14&src=http%3A%2F%2Ff.hiphotos.bdim g.com%2Fwisegame%2Fpic%2Fitem%2Fb11b0ef41bd5ad6e6057ffda88cb 39dbb6fd3c50.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=4eefac2551388f5b6377dff7ab0150ce&src=http%3A%2F%2Fb.hiph otos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Faa3d70cf3bc79f3d8114 0c30b3a1cd11728b293d.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=35e 9b13557d569be3907cdcfa2eb97d5&src=http%3A%2F%2Ff.hiphotos.bdim g.com%2Fwisegame%2Fpic%2Fitem%2F7d178a82b9014a90ebb70fa6a07 73912b31bee24.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=f828c4adc60c9634251a0b7b195b923a&src=http%3A%2F%2Fa.hip hotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F73385343fbf2b21153 768947c38065380cd78e5b.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=7f26b83877003edc1a692df642ad3bdb&src=http%3A%2F%2Fc.hip hotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F6a24ab18972bd4079 7b53c8578899e510fb3095c.jpg	HTTP/1.1 200 OK
SET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=11b9eee081c42db17e7fc5739876ef5f&src=http%3A%2F%2Ff.hiph otos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Fa0fdfc039245d688e16 5a9adadc27d1ed21b2457.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=1e03986c7fe882a1c57a80e2c56fc57a&src=http%3A%2F%2Fb.hip hotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2Ff6cad1c8a786c917be a0e81dc03d70cf3bc75777.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=e5dea0a31374f544744e06236517d9b9&src=http%3A%2F%2Fa.hip hotos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F95246b600c3387447 3f15d5a580fd9f9d72aa0e4.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=8e9 5f2834691f6a644db843992873042&src=http%3A%2F%2Fc.hiphotos.bdim g.com%2Fwisegame%2Fpic%2Fitem%2F5adbb6fd5266d016a39761e7902 bd40734fa3577.jpg	HTTP/1.1 200 OK
BET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=1f64 bcd7a88101e9055d45bdb6d6b0e7&src=http%3A%2F%2Fc.hiphotos.bdim g.com%2Fwisegame%2Fpic%2Fitem%2F20166d224f4a20a45c3cbf9a985 29822720ed049.jpg	HTTP/1.1 200 OK
SET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=f4cf9741be9f1e15d3b3e908315a374c&src=http%3A%2F%2Fa.hiph otos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F6f338744ebf81a4c99c 2c473d22a6059242da69c.jpg	HTTP/1.1 200 OK

Method	Host	Path	Status Line
GET	timg01.bdimg.com	/timg? appsite&quality=80&size=b180_180&imgtype=4&sec=1481731241&nocac he&di=cda7bf26d42fa6412e0dcc7f65011168&src=http%3A%2F%2Fc.hiph otos.bdimg.com%2Fwisegame%2Fpic%2Fitem%2F83fe9925bc315c60e65 200fb84b1cb13485477db.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=b19 8116734944033a190adef6b4cccc4&src=http%3A%2F%2Fc.hiphotos.bdim g.com%2Fwisegame%2Fpic%2Fitem%2F794c510fd9f9d72a924dd715dd2 a2834349bbb8a.jpg	HTTP/1.1 200 OK
GET	timg01.bdimg.com	/timg? appsite&quality=100&size=b180_180&sec=1481731216&nocache&di=f218 0b2a63b15dea1599565848c666f1&src=http%3A%2F%2Ff.hiphotos.bdimg. com%2Fwisegame%2Fpic%2Fitem%2Fa8ef76094b36acaf33214c3c74d98 d1000e99c29.jpg	HTTP/1.1 200 OK
GET	wappass.bdimg.com	/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=47248 22&di=7214174466350060_Eg%2BumldfnZwp9sGpNxOJ4MygJoPss9Mfkl N2vk3%2FgICYD010PDRLSA1ILHYBLw7G3ySyZ12a%2FB7iJbBAYXOZX VqOejtMV6iPEpszegmYi3El9efjPtrQmEOOdesL6DymfY3E5LxRQCs3nfoE L4OD9IrHD1mEoyNUhYRPHKejOLrPD8XcJnio7zeRhplC%2BZLcY6Yy20p bjh2oZ1yGWIVPTzhj9JMfMauXb8DMsoOo9SXK0yJVcq5LOnO1N3z3e1pl 5hd%2BOQ5tPiZy3L1BI2ewUMLcNMoahfbA4eBmnzl%2Fa0LsV3ytUe8wV EFVT6xpMpI6LwF3%2B4tZwvaS%2FN4nJbc%2Fmm3sGx5fECfQhwjcSGj FZRw%3D_46cd5f	HTTP/1.1 200 OK
GET	wappass.bdimg.com	/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=47248 21&di=8414174465970060_7RlaGLnyOLKH4hlECmWRk8DKqTtxYkxsaT NaTBPo0q47D5FKmh9R4kZqLluubU0dZwvZx2tyqpcLRk8msCPRvej0L%2 FQhluo90N8A0umlklLeepC14TTA5xv5TXRyz2XtXpUnX9zI5o16CBOQ1y WBDG66u55flKnPyjeITfUs3cvRyGSlplR653R9RSgbtjSiFPpWaz9BYRud% 2Fhlf6kVl9dN%2FNTxHftUoAJc3MDgYxOLON01jM0nTBynX2YxXih1KQw x464QdZWsL3CGtqieVlZ0h5UESPHoF1Tg4DWCPrj07fo8lmsHuxlOMMab Tdn51nb7qyYWEYCkRUKgCcKN%2BpFyFXL8DzyJlfnJ6hsVxjRI%3D_02 d775	HTTP/1.1 200 OK
GET			HTTP/1.1 200 OK
GET	wappass.bdimg.com	/static/appsapi/conf/config.txt? tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=47248 22&di=9414174466680060_BT8ek%2Btvnym0hzoDkJYHCHPunwhCpHr4I BvmddSjqxWf0eg3Ruk4j3xs1d9iCnZcAWIO0RM81a6dPsEP6TsBL55AlAw zKB8Sol9rGqvrgO907sLEflUdGpoCHt5knITUwK%2Fzdx%2BkP3Qq6d%2 FCO7C14neMH3pbR5yZDjTWrw3MEbDiKX7%2BOM2TRdl4OED7IGTzQv %2BMmgd5rstg4u3M0tcAX6kdD3XUgsfqAln02bbb0NmQjH4bgngrqRdaIU P5Ds2Crj%2FvhfEuvsYaw0aRIS2bKVHzEHIN3NvHS304BmMCDwPqUhS TXGQxDXSIBOGbFk1uBNJ7jul1M4UZb11SiRl6NcaRKmwyUPggFOCGqn %2FPjf0%3D_00f084	HTTP/1.1 200 OK

Method	Host	Path	Status Line
GET	wappass.bdimg.com	/static/appsapi/conf/config.txt?	HTTP/1.1 200 OK
		tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=47248	
		22&di=3014174466280060_R8gxzqOetVw61S68r4wCpp5pszBL7myb2Hn	
		JhzFjktiphGtCb2mll8eAXSvta4c%2Br94O2FqS9Pgl%2BRh16YBy92BELl1	
		C0FcktudocZkTikcjEDe4%2Fv4jf5Y7UG0CsrVFoFv%2BQ%2F%2FbrK%2	
		B4VpGSPF7itTRBnoOKT5v3OTPB0Q7Uy8VILzOStvcXfpoAZsnMOPGsLE	
		oAgpR8H1Rv9TMIVyucl6wRFoxPJchlZK0rpCNkAMXNofLE6n%2BFn%2F	
		XePsV1uv%2FXxdrKqT4YFtY62ikIIE63tVEve96LFvr0OUZQnCJcBGJ93Sf	
		pcx9gAw1aOcq66KrKtoGAYiS3X1Frl0udLVLsLl9stNwYv0ZA5dulsGITF%2	
		Fs%3D_c6c084	
GET	wappass.bdimg.com	/static/appsapi/conf/config.txt?	HTTP/1.1 200 OK
.,		tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=47248	
		21&di=3114174465520060_W9GmL0xvivF6zaHApoODikRPAB0oQtqvOtju	
		exeBFNmWSd568IrqY3JjMyIoTAxuOuo3gHIhtjJtVtzVE9JXzXQsx3NVg1%	
		2BA2ithD9EccZQYF7%2BHQgAETmK9jMgulSU7aRj%2FKWmwis2b5EE	
		ODeGRFzUOKKBXLxoOOMt5w0l%2Bz1qqc4MykX2Jl8Ob%2FP248PoOd	
		LkAQiEBlimcXsOlKNpr9WrXbOKIr3cNKcBBJYhbnf1JPXKjFGOeBbdJnLe	
		VsVJQhONN31lihlJ0zOKkRM4OApGm1V5HpO3JWP%2FTwHDiJjWla1Xp	
		eouQgmYcS8iv5WfNdbZt%2BtGL8AbTNSYqZYXCPMgJMDb%2FUYP0t4	
		h2Suc1irc%3D_96c0be	
GET	wappass.bdimg.com	/static/appsapi/conf/config.txt?	HTTP/1.1 200 OK
		tpl=shwise&app_version=7.2.2.0&sdk_version=6.15.11&cdnversion=47248	
		22&di=5714174467000060_QPDJdNX2toChuGBBQ3Z0izFtEOS%2BiVL5	
		SBCGzTZg6bmoshSsGs2fcwdGc9bphjK5g9Mr1MzMX4gad1YY5C4xExL	
		%2BxXRADWMy%2BhaiAtTsiG3IFnZ4i5rWO6OHETMqJQ3eBKevO11dtPi	
		2NSyvCMSsAi7BI4PrhYCxVXFbVUH23zobeQEjqugFq%2FwVFnS2z9boyI	
		fMl2aMCxZv9BrSCn3nFUBr2CvIgUMmKpHclsS4pAxpWal1ncSPofKlcknT	
		TgqLppI%2FUM0w8mCQEpVTRH9boLFbcAL7ibQqDVnsgyXXnAomu61f6	
		VhsUv1ZFHL86phGpSHMXlg6a9VG0ZLUQXQBNuY3byWk%2BRSrEsat	
		%2FDO0IO8%3D 625a9b	

Files Recovered From Http

Domain	File Name	File Type	Is APK
ascdn.baidu.com	_appsite_fonts_magneto_70123a9634_ttf (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_fonts_magneto_70123a9634_ttf)	TrueType font data	0
ascdn.baidu.com	_appsite_images_LOADING_0_gifindex.gif (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_LOADING_0_gifindex.gif)	GIF image data, version 89a, 24 x 24	0
ascdn.baidu.com	_appsite_images_yellow_star_pngindex.png (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_yellow_star_pngindex.png)	PNG image data, 218 x 36, 8-bit/color RGBA, non-interlaced	8
ascdn.baidu.com	_appsite_scripts_vendor_6602181407_jsindex.js (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_scripts_vendor_6602181407_jsindex.js)	UTF-8 Unicode English text, with very long lines	8
ascdn.baidu.com	_appsite_images_default_icon_pngindex.png (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_default_icon_pngindex.png)	PNG image data, 150 x 150, 8-bit/color RGBA, non-interlaced	8
ascdn.baidu.com	_appsite_images_icon_v1_pngindex.png (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_icon_v1_pngindex.png)	PNG image data, 128 x 128, 8-bit colormap, non-interlaced	8
ascdn.baidu.com	_appsite_images_logo_pngindex.png (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_logo_pngindex.png)	PNG image data, 57 x 57, 8-bit/color RGBA, non-interlaced	0
ascdn.baidu.com	_appsite_images_gray_star_pngindex.png (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_gray_star_pngindex.png)	PNG image data, 218 x 36, 8-bit/color RGBA, non-interlaced	8

Domain	File Name	File Type	Is APK
ascdn.baidu.com	_appsite_scripts_main_1b772a470e_jsindex.js (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_scripts_main_1b772a470e_jsindex.js)	UTF-8 Unicode text, with very long lines	0
ascdn.baidu.com	_appsite_styles_main_875430d744_cssindex.css (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_styles_main_875430d744_cssindex.css)	ASCII text, with very long lines, with no line terminators	0
ascdn.baidu.com	_appsite_images_official_page_light_effect_pngindex.png (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_official_page_light_effect_pngind ex.png)	PNG image data, 269 x 173, 8-bit colormap, non-interlaced	O
ascdn.baidu.com	_appsite_images_logo_white_36_241fb0f0a6_pngindex.png (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=ascdn.b aidu.com&file=_appsite_images_logo_white_36_241fb0f0a6_pngi ndex.png)	PNG image data, 36 x 36, 8-bit/color RGBA, non-interlaced	O
hm.baidu.com	_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_et_0_ja_0_ln_en_us _lo_0_nv_1_rnd_699400769_si_2198d21a93bfa99cc7538f5c82b1 15b9_st_1_v_1_2_11_lv_1_ttE7_99_BE_E5_BA_A6_E6_89_8 B_E6_9C_BA_E5_8A_A9_E6_89_8Bindex.gif (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=hm.baid u.com&file=_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_et_0_ja_ 0_ln_en_us_lo_0_nv_1_rnd_699400769_si_2198d21a93bfa99cc7 538f5c82b115b9_st_1_v_1_2_11_lv_1_ttE7_99_BE_E5_BA_A6_E6_89_8B_E6_9C_BA_E5_8A_A9_E6_89_8Bindex.gif)	GIF image data, version 89a, 1 x 1	•
hm.baidu.com	_hm_js_2198d21a93bfa99cc7538f5c82b115b9index.js (/http_file?apk=115C0BD591D27A986F9293AB30CB6731&domain=hm.baid u.com&file=_hm_js_2198d21a93bfa99cc7538f5c82b115b9index.js)	ASCII text, with very long lines	8
hm.baidu.com	_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep7B_22netAll_22 _3A1611_2C_22netDns_22_3A0_2C_22netTcp_22_3A0_2C_22sr v_22_3A0_2C_22dom_22_3A19260_2C_22loadEvent_22_3A379 04_2C_22qid_22_3A_22_22_C_22bdDom_22_35ef24c643a26b 2e05bf1e62d17dbb07ff8eae0e3index.gif (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=hm.baid u.com&file=_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep7B_ 22netAll_22_3A1611_2C_22netDns_22_3A0_2C_22netTcp_22_3 A0_2C_22srv_22_3A0_2C_22dom_22_3A19260_2C_22loadEven t_22_3A37904_2C_22qid_22_3A_22_22_2C_22bdDom_22_35ef 24c643a26b2e05bf1e62d17dbb07ff8eae0e3index.gif)	GIF image data, version 89a, 1 x 1	•
hm.baidu.com	_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep_111928_2C77290 _et_3_ja_0_ln_en_us_lo_0_nv_0_rnd_1121379352_si_2198d21a 93bfa99cc7538f5c82b115b9_st_4_v_1_2_11_lv_1index.gif (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=hm.baid u.com&file=_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep_11192 8_2C77290_et_3_ja_0_ln_en_us_lo_0_nv_0_rnd_1121379352_si _2198d21a93bfa99cc7538f5c82b115b9_st_4_v_1_2_11_lv_1inde x.gif)	GIF image data, version 89a, 1 x 1	•
hm.baidu.com	_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep7B_22netAll_22 _3A0_2C_22netDns_22_3A0_2C_22netTcp_22_3A0_2C_22srv_2 2_3A0_2C_22dom_22_3A6205_2C_22loadEvent_22_3A14711_2 C_22qid_22_3A_22_22_2C_22bdDom_22_3A0_24b0f319720195 a7852dcdba688a44e8d687ee208index.gif (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=hm.baid u.com&file=_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep7B_ 22netAll_22_3A0_2C_22netDns_22_3A0_2C_22netTcp_22_3A0_2C_22srv_22_3A0_2C_22dom_22_3A6205_2C_22loadEvent_22_ 3A14711_2C_22qid_22_3A_22_22_2C_22bdDom_22_3A0_24b 0f319720195a7852dcdba688a44e8d687ee208index.gif)	GIF image data, version 89a, 1 x 1	•

Domain	File Name	File Type	Is APK
hm.baidu.com	_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep_111928_2C77290 _et_3_ja_0_ln_en_us_lo_0_nv_0_rnd_1121379352_si_2198d21a 93bfa99cc7538f5c82b115b9_st_4_v_1_2_11_lv_1_u_http_3A_2F _2Fmobile_baidu_com_2Fitem_2Fappsbb91c0c6fb0450b9164e6d d3641100918ed2aa5cindex.gif (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=hm.baid u.com&file=_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_ep_11192 8_2C77290_et_3_ja_0_ln_en_us_lo_0_nv_0_rnd_1121379352_si _2198d21a93bfa99cc7538f5c82b115b9_st_4_v_1_2_11_lv_1_u_h ttp_3A_2F_2Fmobile_baidu_com_2Fitem_2Fappsbb91c0c6fb045 0b9164e6dd3641100918ed2aa5cindex.gif)	GIF image data, version 89a, 1 x 1	©
nm.baidu.com	_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_et_0_ja_0_ln_en_us _lo_0_lt_1417446571_nv_0_rnd_1807583032_si_2198d21a93bfa 99cc7538f5c82b115b9_st_4_v_1_2_11_lv_2_ttE7_99_BE_E5_ BA_A6_E6_89_8B_E6_9C_BA_E5_8A_A9_d4d26cd5e640b6376 225a7042987a99b10542a1findex.gif (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=hm.baid u.com&file=_hm_gif_cc_0_ck_1_cl_16_bit_ds_320x480_et_0_ja_ 0_ln_en_us_lo_0_lt_1417446571_nv_0_rnd_1807583032_si_219 8d21a93bfa99cc7538f5c82b115b9_st_4_v_1_2_11_lv_2_ttE7_ 99_BE_E5_BA_A6_E6_89_8B_E6_9C_BA_E5_8A_A9_d4d26cd5 e640b6376225a7042987a99b10542a1findex.gif)	GIF image data, version 89a, 1 x 1	G
img.baidu.com	_hunter_alog_alog_mobile_min_jsindex.js (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=img.baid u.com&file=_hunter_alog_alog_mobile_min_jsindex.js)	ASCII text, with very long lines, with no line terminators	8
img.baidu.com	_hunter_alog_dp_mobile_min_js_v16406index.js (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=img.baid u.com&file=_hunter_alog_dp_mobile_min_js_v16406index.js)	ASCII text, with very long lines, with no line terminators	8
imgsa.baidu.com	_anxun_pic_item_4e4a20a4462309f77bcad1c17a0e0cf3d6cad6b 8_jpgindex.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=imgsa.b aidu.com&file=_anxun_pic_item_4e4a20a4462309f77bcad1c17a0 e0cf3d6cad6b8_jpgindex.jpg)	JPEG image data, EXIF standard	O
mgsa.baidu.com	_anxun_pic_item_cefc1e178a82b90116f769fe7b8da9773812efa1 _jpgindex.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=imgsa.b aidu.com&file=_anxun_pic_item_cefc1e178a82b90116f769fe7b8d a9773812efa1_jpgindex.jpg)	JPEG image data, EXIF standard	O
mobile.baidu.com	_item_appsearch_pid_825114773index.html (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=mobile.b aidu.com&file=_item_appsearch_pid_825114773index.html)	HTML document, UTF-8 Unicode text, with very long lines	0
mobile.baidu.com	_app_action_content_pid_825114773_type_detailindex.json (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=mobile.b aidu.com&file=_app_action_content_pid_825114773_type_detailin dex.json)	ASCII text, with very long lines, with no line terminators	0
mobile.baidu.com	_app_action_userindex.json (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=mobile.b aidu.com&file=_app_action_userindex.json)	ASCII text, with no line terminators	0
mobile.baidu.com	_app_action_content_docid_10230430_type_sequentindex.json (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=mobile.b aidu.com&file=_app_action_content_docid_10230430_type_seque ntindex.json)	ASCII text, with very long lines, with no line terminators	8
mobile.baidu.com	_app_action_index_pn_0_type_recommendindex.json (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=mobile.b aidu.com&file=_app_action_index_pn_0_type_recommendindex.js on)	ASCII text, with very long lines, with no line terminators	8

Domain	File Name	File Type	Is APK
mobile.baidu.com	_index.html (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=mobile.b aidu.com&file=_index.html)	HTML document, UTF-8 Unicode text, with very long lines	8
r6.mo.baidu.com	_v4c_sg_inputgd_1ua_bd_320_480_Full_Android_on_Emula tor_generic_7_2_2_0_a1_uc_16_4_1_1_0_0_124_cuid_260FA33 28BE631C7E3171E58A8983756_7C115732340242753_cfrom_10 00e_from_1000e_rid_2130762688_lus_14179ebdd10ca7a2aa6df eba71e2caf4b48a04bee9a0index.json (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=r6.mo.b aidu.com&file=_v4c_sg_inputgd_1ua_bd_320_480_Full_Android_on_Emulator_generic_7_2_2_0_a1_uc_16_4_1_1_0_0_124_cuid_260FA3328BE631C7E3171E58A8983756_7C115732340242 753_cfrom_1000e_from_1000e_rid_2130762688_lus_14179ebdd 10ca7a2aa6dfeba71e2caf4b48a04bee9a0index.json)	ASCII text, with no line terminators	⊗
timg01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_35e9b13557d569be3907cdcfa2eb97d5_src_http_3A_2 F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F7d17 8a82b9014a90ebb70fa6a0773912b31bee2a1b1ab75bb2e17909d 9ff46bc539dea25e70a58index.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_35e9b13557d569be3907cdcfa2eb97d5_src_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2 Fitem_2F7d178a82b9014a90ebb70fa6a0773912b31bee2a1b1ab7 5bb2e17909d9ff46bc539dea25e70a58index.jpg)	JPEG image data, JFIF standard 1.01	⊗
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_2fed00f00808594352cddb73031c8939_src_ht tp_3A_2F_2Fh_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2Fe18ba61ea8d3fd1f9e47fe38394e24c6848c9677f9e9c84a276d 55e7e1434ccbc6ea0 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_2fed00f00808594352cddb730 31c8939_src_http_3A_2F_2Fh_hiphotos_bdimg_com_2Fwisegam e_2Fpic_2Fitem_2Fe18ba61ea8d3fd1f9e47fe38394e24c6848c96 77f9e9c84a276d55e7e1434ccbc6ea0)	RIFF (little-endian) data	©
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_ee6b46d6cb43232f24748975f0129943_src_ht tp_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2Fb11b0ef41bd5ad6e6057ffda88cb32e1545037245a4e6c1e6d6 e35b015efe1dd6e903 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_ee6b46d6cb43232f24748975f 0129943_src_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegam e_2Fpic_2Fitem_2Fb11b0ef41bd5ad6e6057ffda88cb32e1545037 245a4e6c1e6d6e35b015efe1dd6e903)	RIFF (little-endian) data	8
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_c4967f2f7ba8eb1e330b05ffdf5e49c6_src_http _3A_2F_2Fg_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_ 2F841190ef76c6a7ef0846c639f4faa6c46436d0bb5f4cad86c15392 a783ec7afee5848 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_c4967f2f7ba8eb1e330b05ffdf 5e49c6_src_http_3A_2F_2Fg_hiphotos_bdimg_com_2Fwisegame _2Fpic_2Fitem_2F841190ef76c6a7ef0846c639f4faa6c46436d0bb 5f4cad86c15392a783ec7afee5848)	RIFF (little-endian) data	O

Domain	File Name	File Type	Is APK
img01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_b198116734944033a190adef6b4cccd_src_http_3A_2F _2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F794c5 10fd9f9d72a924dd715dd2a2834349bbb66c7b7e88587e95bd2300 7ebd89917f9495dd927index.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_b198116734944033a190adef6b4cccd_s rc_http_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2 Fitem_2F794c510fd9f9d72a924dd715dd2a2834349bbb66c7b7e8 8587e95bd23007ebd89917f9495dd927index.jpg)	JPEG image data, JFIF standard 1.01	O
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_e5dea0a31374f544744e06236517d9b9_src_h ttp_3A_2F_2Fa_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fite m_2F95246b600c33874473f15d5a580fde3ffc904631cb6fc6e756e 0fd3125ef96cf6fb7e (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_e5dea0a31374f544744e0623 6517d9b9_src_http_3A_2F_2Fa_hiphotos_bdimg_com_2Fwisega me_2Fpic_2Fitem_2F95246b600c33874473f15d5a580fde3ffc904 631cb6fc6e756e0fd3125ef96cf6fb7e)	RIFF (little-endian) data	©
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_f828c4adc60c9634251a0b7b195b923a_src_h ttp_3A_2F_2Fa_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fite m_2F73385343fbf2b21153768947c380652a704f370ea853301a2d d2e7fb08093e4055a64 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_f828c4adc60c9634251a0b7b 195b923a_src_http_3A_2F_2Fa_hiphotos_bdimg_com_2Fwisega me_2Fpic_2Fitem_2F73385343fbf2b21153768947c380652a704f3 70ea853301a2dd2e7fb08093e4055a64)	RIFF (little-endian) data	O
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_1b3829350b82ea85d867ed6555d87818_src_http_3A_2F_2Fh_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fite m_2F55d12f2eb9389b5098bb97538c35ee0ee0ed23bb75faf42ac3 d06b2e302658c479fa9 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_1b3829350b82ea85d867ed65 55d87818_src_http_3A_2F_2Fh_hiphotos_bdimg_com_2Fwisega me_2Fpic_2Fitem_2F55d12f2eb9389b5098bb97538c35ee0ee0ed 23bb75faf42ac3d06b2e302658c479fa9)	RIFF (little-endian) data	•
timg01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_f2180b2a63b15dea1599565848c666f1_src_http_3A_2F _2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2Fa8ef7 6094b36acaf33214c3c74d98d1000e99cd004fa78d4b24f3068df2d e049848a966c6e87d1index.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_f2180b2a63b15dea1599565848c666f1_s rc_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2F item_2Fa8ef76094b36acaf33214c3c74d98d1000e99cd004fa78d4 b24f3068df2de049848a966c6e87d1index.jpg)	JPEG image data, JFIF standard 1.01	Ø

Domain	File Name	File Type	Is APK
img01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_1f64bcd7a88101e9055d45bdb6d6b0e7_src_http_3A_2 F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F201 66d224f4a20a45c3cbf9a98529822720ed0ccec70bc90064064f030 9da902b21e5902aacf14index.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_1f64bcd7a88101e9055d45bdb6d6b0e7_src_http_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F20166d224f4a20a45c3cbf9a98529822720ed0ccec70bc 90064064f0309da902b21e5902aacf14index.jpg)	JPEG image data, JFIF standard 1.01	O
img01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_dd30c0a389d0cc09230d8d4f58ce140f_src_http_3A_2F _2Fe_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F6a23 dd54564e925845d814409b82d158cdbf4eefde758797046eadbdd3 94e937ff8837a4638b4bindex.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_dd30c0a389d0cc09230d8d4f58ce140f_s rc_http_3A_2F_2Fe_hiphotos_bdimg_com_2Fwisegame_2Fpic_2 Fitem_2F6a23dd54564e925845d814409b82d158cdbf4eefde7587 97046eadbdd394e937ff8837a4638b4bindex.jpg)	JPEG image data, JFIF standard 1.01	O
img01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_5fd4acfd4650de9ba293bd5e3d73a092_src_ht tp_3A_2F_2Fb_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2F4b381f30e924b899a883fdc8660610b606f4776371504860a7b 35c380e11ad3caf1aa (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_5fd4acfd4650de9ba293bd5e3 d73a092_src_http_3A_2F_2Fb_hiphotos_bdimg_com_2Fwisegam e_2Fpic_2Fitem_2F4b381f30e924b899a883fdc8660610b606f477 6371504860a7b35c380e11ad3caf1aa)	RIFF (little-endian) data	O
img01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_9c069a0c20198000b682d56e37b303d8_src_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fite m_2F1fd98d1001e93901b446c6217cec5b53d11718dae9f2adf086 72d33c23eec4618c75d (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_9c069a0c20198000b682d56e 37b303d8_src_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisega me_2Fpic_2Fitem_2F1fd98d1001e93901b446c6217cec5b53d117 18dae9f2adf08672d33c23eec4618c75d)	RIFF (little-endian) data	O
timg01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_e665f7426e51a91403bdd095b1daed14_src_http_3A_2 F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2Fb11b 0ef41bd5ad6e6057ffda88cb39dbb6fd3cd5dc504a9b187ba33415d acbffd5762149a85707index.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_e665f7426e51a91403bdd095b1daed14_src_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2 Fitem_2Fb11b0ef41bd5ad6e6057ffda88cb39dbb6fd3cd5dc504a9b 187ba33415dacbffd5762149a85707index.jpg)	JPEG image data, JFIF standard 1.01	8

Domain	File Name	File Type	Is APK
img01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_c1919a26781ea9ddf5d28ad2f5ffad6d_src_htt p_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_ 2F06380cd7912397dd2492d6005082b374c01d6188e9720efe6bc 578ac62dcc55e51e4e (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_c1919a26781ea9ddf5d28ad2f 5ffad6d_src_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame _2Fpic_2Fitem_2F06380cd7912397dd2492d6005082b374c01d61 88e9720efe6bc578ac62dcc55e51e4e)	RIFF (little-endian) data	O
img01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_b1eff9933f7e0d4bcc0ee9bb99b64505_src_http_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F6a24a b18972bd40797b53c8578899e510fb309253924f6622e1929229bc d08e66c39c456a64e3aindex.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_b1eff9933f7e0d4bcc0ee9bb99b64505_sr c_http_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2F item_2F6a24ab18972bd40797b53c8578899e510fb309253924f66 22e1929229bcd08e66c39c456a64e3aindex.jpg)	JPEG image data, JFIF standard 1.01	O
img01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_4eefac2551388f5b6377dff7ab0150ce_src_htt p_3A_2F_2Fb_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2Faa3d70cf3bc79f3d81140c30b3a1cda400f36066d45c90a510a1 35f0918b19c16e598 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_4eefac2551388f5b6377dff7ab 0150ce_src_http_3A_2F_2Fb_hiphotos_bdimg_com_2Fwisegame _2Fpic_2Fitem_2Faa3d70cf3bc79f3d81140c30b3a1cda400f36066 d45c90a510a135f0918b19c16e598)	RIFF (little-endian) data	0
img01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_7f26b83877003edc1a692df642ad3bdb_src_ht tp_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2F6a24ab18972bd40797b53c85788994c2fc2a3f1955074b8538e b13b277313c352636f (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_7f26b83877003edc1a692df64 2ad3bdb_src_http_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegam e_2Fpic_2Fitem_2F6a24ab18972bd40797b53c85788994c2fc2a3f 1955074b8538eb13b277313c352636f)	RIFF (little-endian) data	0
img01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_8e95f2834691f6a644db843992873042_src_http_3A_2F _2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F5adb b6fd5266d016a39761e7902bd40734fa35f2b64b48b1ef807fd5ebb 8a868a23fc8948bd815index.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_8e95f2834691f6a644db843992873042_s rc_http_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2 Fitem_2F5adbb6fd5266d016a39761e7902bd40734fa35f2b64b48b 1ef807fd5ebb8a868a23fc8948bd815index.jpg)	JPEG image data, JFIF standard 1.01	0

Domain	File Name	File Type	Is APK
img01.bdimg.com	_timg_appsite_quality_100_size_b180_180_sec_1481731216_no cache_di_e6f8a59a0da517670d9db2d254a329aa_src_http_3A_2 F_2Fb_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F4b3 81f30e924b899a883fdc866061d950b7bf680f76b1072dbc7e53a37 2bcdc7dc7dc27380c875index.jpg (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_100_size_b180_180_sec_1 481731216_nocache_di_e6f8a59a0da517670d9db2d254a329aa_src_http_3A_2F_2Fb_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_2F4b381f30e924b899a883fdc866061d950b7bf680f76b10 72dbc7e53a372bcdc7dc7dc27380c875index.jpg)	JPEG image data, JFIF standard 1.01	Ø
img01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_1e03986c7fe882a1c57a80e2c56fc57a_src_ht tp_3A_2F_2Fb_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2Ff6cad1c8a786c917bea0e81dc03d70b0011b0ee02569ff696b7f 6a7c22238be775b94 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_1e03986c7fe882a1c57a80e2 c56fc57a_src_http_3A_2F_2Fb_hiphotos_bdimg_com_2Fwisega me_2Fpic_2Fitem_2Ff6cad1c8a786c917bea0e81dc03d70b0011b 0ee02569ff696b7f6a7c22238be775b94)	RIFF (little-endian) data	9
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_11b9eee081c42db17e7fc5739876ef5f_src_htt p_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem_ 2Fa0fdfc039245d688e165a9adadc27603c135a07b8ec0fbde2b21 5cd558aa61016d70e (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_11b9eee081c42db17e7fc5739 876ef5f_src_http_3A_2F_2Ff_hiphotos_bdimg_com_2Fwisegame _2Fpic_2Fitem_2Fa0fdfc039245d688e165a9adadc27603c135a07 b8ec0fbde2b215cd558aa61016d70e)	RIFF (little-endian) data	•
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_f4cf9741be9f1e15d3b3e908315a374c_src_htt p_3A_2F_2Fa_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2F6f338744ebf81a4c99c2c473d22a61a9dd7e3b5a97209c2b029 214d8d9863621cfb36 (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_f4cf9741be9f1e15d3b3e9083 15a374c_src_http_3A_2F_2Fa_hiphotos_bdimg_com_2Fwisegam e_2Fpic_2Fitem_2F6f338744ebf81a4c99c2c473d22a61a9dd7e3b 5a97209c2b029214d8d9863621cfb36)	RIFF (little-endian) data	O
timg01.bdimg.com	_timg_appsite_quality_80_size_b180_180_imgtype_4_sec_14817 31241_nocache_di_cda7bf26d42fa6412e0dcc7f65011168_src_htt p_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegame_2Fpic_2Fitem _2F83fe9925bc315c60e65200fb84b1cbed18c504bc112b5714215 e27987a502bcf3401f (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=timg01.b dimg.com&file=_timg_appsite_quality_80_size_b180_180_imgtyp e_4_sec_1481731241_nocache_di_cda7bf26d42fa6412e0dcc7f6 5011168_src_http_3A_2F_2Fc_hiphotos_bdimg_com_2Fwisegam e_2Fpic_2Fitem_2F83fe9925bc315c60e65200fb84b1cbed18c504 bc112b5714215e27987a502bcf3401f)	RIFF (little-endian) data	0

Domain	File Name	File Type	Is APK
wappass.bdimg.com	_static_appsapi_conf_config_txt_tpl_shwise_app_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724821_di_311417446552 0060_W9GmL0xvivF6zaHApoODikRPAB0oQtqvOtjuexeBFNmWS d568lrqY3JjMyloTAxuOuo3gHlhtjJtVtz0a127f7ee51adb4d6de295f 69f1c83881827189eindex.txt (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=wappas s.bdimg.com&file=_static_appsapi_conf_config_txt_tpl_shwise_ap p_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724821_di_3114174465520060_W9GmL0xvivF6zaHApoODikRPAB0oQtqv OtjuexeBFNmWSd568lrqY3JjMyloTAxuOuo3gHlhtjJtVtz0a127f7e e51adb4d6de295f69f1c83881827189eindex.txt)	ASCII text, with very long lines, with no line terminators	8
wappass.bdimg.com	_static_appsapi_conf_config_txt_tpl_shwise_app_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_941417446668 0060_BT8ek_2Btvnym0hzoDkJYHCHPunwhCpHr4IBvmddSjqxWf 0eg3Ruk4j3xs1d9iCnZcAWIO0RM81a6dP1953953ffd5f99196bf41 264eecf5f2a280550f6index.txt (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=wappas s.bdimg.com&file=_static_appsapi_conf_config_txt_tpl_shwise_ap p_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_9414174466680060_BT8ek_2Btvnym0hzoDkJYHCHPunwhCp Hr4IBvmddSjqxWf0eg3Ruk4j3xs1d9iCnZcAWIO0RM81a6dP1953 953ffd5f99196bf41264eecf5f2a280550f6index.txt)	ASCII text, with very long lines, with no line terminators	8
wappass.bdimg.com	_static_appsapi_conf_config_txt_tpl_shwise_app_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_721417446635 0060_Eg_2BumldfnZwp9sGpNxOJ4MygJoPss9MfklN2vk3_2FglC YD01OP0RLSA1ILHYBLw7G3ySyZ12a_2Fc0d5d801cf3387e7ad 68971f81ca88545b8eae27index.txt (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=wappas s.bdimg.com&file=_static_appsapi_conf_config_txt_tpl_shwise_ap p_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_7214174466350060_Eg_2BumldfnZwp9sGpNxOJ4MygJoPss9 MfklN2vk3_2FgICYD01OP0RLSA1ILHYBLw7G3ySyZ12a_2Fc0d5 d801cf3387e7ad68971f81ca88545b8eae27index.txt)	ASCII text, with very long lines, with no line terminators	8
wappass.bdimg.com	_static_appsapi_conf_config_txt_tpl_shwise_app_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_571417446700 0060_QPDJdNX2toChuGBBQ3Z0izFtEOS_2BiVL5SBCGzTZg6b moshSsGs2fcwdGc9bphjK5g9Mr1MzMX4gadcd851f3d2967f6e43 75e0dc83195b0d438453f3findex.txt (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=wappas s.bdimg.com&file=_static_appsapi_conf_config_txt_tpl_shwise_ap p_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_5714174467000060_QPDJdNX2toChuGBBQ3Z0izFtEOS_2Bi VL5SBCGzTZg6bmoshSsGs2fcwdGc9bphjK5g9Mr1MzMX4gadcd 851f3d2967f6e4375e0dc83195b0d438453f3findex.txt)	ASCII text, with very long lines, with no line terminators	8
wappass.bdimg.com	_static_appsapi_conf_config_txt_tpl_shwise_app_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724821_di_841417446597 0060_7RlaGLnyOLKH4hlECmWRk8DKqTtxYkxsaTNaTBPo0q47 D5FKmh9R4kZqLluubU0dZwvZx2tyqpcLRk80971866df983391fc6 333530ddecb12915aef572index.txt (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=wappas s.bdimg.com&file=_static_appsapi_conf_config_txt_tpl_shwise_ap p_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724821_di_8414174465970060_7RlaGLnyOLKH4hlECmWRk8DKqTtxYkx saTNaTBPo0q47D5FKmh9R4kZqLluubU0dZwvZx2tyqpcLRk8097 1866df983391fc6333530ddecb12915aef572index.txt)	ASCII text, with very long lines, with no line terminators	•

Domain	File Name	File Type	Is APK
wappass.bdimg.com	_static_appsapi_conf_config_txt_tpl_shwise_app_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_301417446628 0060_R8gxzqOetVw61S68r4wCpp5pszBL7myb2HnJhzFjktiphGtC b2mll8eAXSvta4c_2Br94O2FqS9Pgl_cea6eb7210b012199b4cd3 56cb3ee2e88fddc829index.txt (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=wappas s.bdimg.com&file=_static_appsapi_conf_config_txt_tpl_shwise_ap p_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724822_di_3014174466280060_R8gxzqOetVw61S68r4wCpp5pszBL7myb 2HnJhzFjktiphGtCb2mll8eAXSvta4c_2Br94O2FqS9Pgl_cea6eb72 10b012199b4cd356cb3ee2e88fddc829index.txt)	ASCII text, with very long lines, with no line terminators	©
wappass.bdimg.com	_static_appsapi_conf_config_txt_tpl_shwise_app_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724821_di_271417446543 0060_sJFbY6J_2B9Q_2F0o_2BZa5plo0ZvK3LYYIG3A0nzCPUhv zigUW6FLoeDjO2hu6m7T7ev0H4QBDoihN675534b2516c6ffab20 7cc9cd220353c7653a89findex.txt (/http_file? apk=115C0BD591D27A986F9293AB30CB6731&domain=wappas s.bdimg.com&file=_static_appsapi_conf_config_txt_tpl_shwise_ap p_version_7_2_2_0_sdk_version_6_15_11_cdnversion_4724821_di_2714174465430060_sJFbY6J_2B9Q_2F0o_2BZa5plo0ZvK3LY YIG3A0nzCPUhvzigUW6FLoeDjO2hu6m7T7ev0H4QBDoihN6755 34b2516c6ffab207cc9cd220353c7653a89findex.txt)	ASCII text, with very long lines, with no line terminators	Ø

Execute Shells

N/A

Started Services

- Intent { cmp=com.baidu.input/.switchguide.GuideService }
- Intent { cmp=com.baidu.input/.switchguide.GuideService }

May Send SMS

Destination Number	Message Body	Caller Code	Path Index
N/A	N/A	Lcom/baidu/sapi2/utils/SapiUtils;- >sendSms(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Z	52

Send SMS

Destination Number	

Block SMS

N/A

Phone Call

N/A

Data Leakage

N/A

Sensitive APIs

•	API: Landroid/content/pm/PackageManager;->getInstalledApplications Description: Gets applications installed on the device Caller Code: Lcom/baidu/megapp/proxy/PackageMangerProxy;->getInstalledApplications(I)Ljava/util/List; Threat Level: Path Index: 4
•	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/baidu/aiq;->RH()V Threat Level: Path Index: 14
:	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/baidu/browser/sailor/webkit/m;->s(Landroid/content/Context; Ljava/lang/String;)Z Threat Level: Path Index: 324
•	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/baidu/cj;->ae(Landroid/content/Context;)[B Threat Level: Path Index: 18
:	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/baidu/input/plugin/a;->abF()Ljava/util/List; Threat Level: Path Index: 18
:	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/baidu/input/pub/o;->J(Landroid/content/Context; Ljava/lang/String;)Z Threat Level: Path Index: 10
•	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/baidu/megapp/proxy/PackageMangerProxy;->getInstalledPackages(I)Ljava/util/List; Threat Level: Path Index: 4
•	API: Landroid/location/LocationManager;->getLastKnownLocation Description: Gets geographic location Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getGPSInfo(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 60
	API: Landroid/media/AudioRecord;->startRecording Description: Records audio Caller Code: Lcom/baidu/speech/MicrophoneInputStream\$PrivateMicrophoneInputStream;->(I Ljava/io/InputStream;)V Threat Level: Path Index: 64
•	API: Landroid/net/http/AndroidHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/baidu/speech/EventManagerFactory\$SlotsEventManager\$1;->run()V Threat Level: Path Index: 368
•	API: Landroid/net/http/AndroidHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/baidu/speech/EventStreamNet\$1;->run()V Threat Level: Path Index: 658
:	API: Landroid/net/http/AndroidHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/baidu/speech/HttpCallable;->_call(Lorg/apache/http/client/methods/HttpUriRequest;)Ljava/lang/String; Threat Level: Path Index: 36
•	API: Landroid/net/http/AndroidHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/baidu/speech/easr/stat/StatHelper;->getStatPeriod(Landroid/content/Context; Ljava/lang/String;)Z

Threat Level:

- Path Index: 116
- · API: Landroid/net/http/AndroidHttpClient;->execute
- · Description: Executes a Internet request
- Caller Code: Lcom/baidu/speech/easr/stat/StatHelper;->updateDataByHttp(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Z
- Threat Level:
- Path Index: 148

• API: Landroid/telephony/SmsManager;->sendTextMessage

- · Description: Sends a text based SMS
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->sendSms(Landroid/content/Context; Ljava/lang/String;)Z
- Threat Level:
- Path Index: 52

• API: Landroid/telephony/TelephonyManager;->getCellLocation

- · Description: Gets the current location of the device
- Caller Code: Lcom/baidu/apv;->nZ(I)Ljava/lang/String;
- Threat Level:
- Path Index: 38

· API: Landroid/telephony/TelephonyManager;->getCellLocation

- . Description: Gets the current location of the device
- Caller Code: Lcom/baidu/input/pub/w;->getCid()I
- Threat Level:
- Path Index: 12

• API: Landroid/telephony/TelephonyManager;->getCellLocation

- . Description: Gets the current location of the device
- Caller Code: Lcom/baidu/input/pub/w;->getLac()I
- Threat Level:
- Path Index: 12

· API: Landroid/telephony/TelephonyManager;->getCellLocation

- Description: Gets the current location of the device
- Caller Code: Lcom/baidu/sapi2/utils/c;->b(I)Ljava/lang/String;
- Threat Level:
- Path Index: 40

• API: Landroid/telephony/TelephonyManager;->getDeviceId

- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- $\bullet \quad \text{Caller Code: Lcom/baidu/android/common/util/Deviceld;->getIMEIFromSystem(Ljava/lang/String;)Ljava/lang/String;} \\$
- Threat Level:
- Path Index: 28

• API: Landroid/telephony/TelephonyManager;->getDeviceId

- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/baidu/apv;->(Landroid/content/Context;)V
- Threat Level:
- Path Index: 114

• API: Landroid/telephony/TelephonyManager;->getDeviceId

- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/baidu/browser/sailor/util/BdZeusUtil;->checkEmulator()Ljava/lang/String;
- Threat Level:
- Path Index: 778

• API: Landroid/telephony/TelephonyManager;->getDeviceId

- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/baidu/dumper/DumperService;->onStartCommand(Landroid/content/Intent; I I)I
- Threat Level:
- Path Index: 394

$\bullet \quad \text{API: Landroid/telephony/TelephonyManager;->} get Device Id$

- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- $\bullet \quad \text{Caller Code: Lcom/baidu/input/pub/an;->cy(Landroid/content/Context;)Ljava/lang/String;}\\$
- Threat Level:
- Path Index: 58

• API: Landroid/telephony/TelephonyManager;->getDeviceId

- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/baidu/location/e;->f()I
- Threat Level:
- Path Index: 210

• API: Landroid/telephony/TelephonyManager;->getDeviceId

- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/baidu/sapi2/share/c;->a(Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 58

· API: Landroid/telephony/TelephonyManager;->getDeviceId • Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/baidu/sapi2/utils/c;->(Landroid/content/Context;)V Threat Level: Path Index: 106 · API: Landroid/telephony/TelephonyManager;->getDeviceId • Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/baidu/sapi2/utils/e;->b(Landroid/content/Context;)Ljava/lang/String; Threat Level: • Path Index: 26 API: Landroid/telephony/TelephonyManager;->getDeviceId · Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/baidu/voicerecognition/android/Device;->getIMEI(Landroid/content/Context;)Ljava/lang/String; Path Index: 34 • API: Landroid/telephony/TelephonyManager;->getDeviceId . Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones Caller Code: Lcom/baidu/voicerecognition/android/DeviceId\$IMEIInfo;->getIMEI(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 24 • API: Landroid/telephony/TelephonyManager;->getDeviceId • Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/baidu/voicerecognition/android/Util;->pfm(Landroid/content/Context;)Ljava/lang/String; • Threat Level: • Path Index: 90 • API: Landroid/telephony/TelephonyManager;->getDeviceId · Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/baidu/webkit/dumper/DumperService;->onStartCommand(Landroid/content/Intent; I I)I Threat Level: Path Index: 466 • API: Landroid/telephony/TelephonyManager;->getDeviceId · Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones Caller Code: Lcom/baidu/webkit/sdk/BSevenZipUtils;->getDeviceId(Landroid/content/Context;)Ljava/lang/String; Threat Level: • Path Index: 30 • API: Landroid/telephony/TelephonyManager;->getDeviceId · Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/baidu/webkit/sdk/internal/daemon/SdkLog;->getLongRawLog(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 848 • API: Landroid/telephony/TelephonyManager;->getDeviceId Description: Gets the unique device ID. IMEI for GSM and MEID for ESN or ESN for CDMA phones Caller Code: Lcom/tencent/a/a/a/a/h;->b(Landroid/content/Context;)Ljava/lang/String; Threat Level: · Path Index: 36 · API: Landroid/telephony/TelephonyManager;->getDeviceId • Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/tencent/wxop/stat/b/r;->b(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 36 • API: Landroid/telephony/TelephonyManager;->getLine1Number Description: Gets the phone number string for line 1 • Caller Code: Lcom/baidu/browser/sailor/util/BdZeusUtil;->checkEmulator()Ljava/lang/String; Threat Level: • Path Index: 592 • API: Landroid/telephony/TelephonyManager;->getLine1Number • Description: Gets the phone number string for line 1 • Caller Code: Lcom/baidu/ci;->m(Landroid/content/Context; Ljava/lang/String;)[B Threat Level: • Path Index: 280 · API: Landroid/telephony/TelephonyManager;->getLine1Number • Description: Gets the phone number string for line 1 • Caller Code: Lcom/baidu/sapi2/SapiWebView;->i()Ljava/lang/String; Threat Level: <a> Image: Image

• API: Landroid/telephony/TelephonyManager;->getNetworkOperator

· Path Index: 54

• Description: Gets the numeric name (MCC+MNC) of current registered operator • Caller Code: Lcom/baidu/apv;->b(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 34 • API: Landroid/telephony/TelephonyManager;->getNetworkOperator • Description: Gets the numeric name (MCC+MNC) of current registered operator • Caller Code: Lcom/baidu/browser/sailor/util/BdZeusUtil;->checkEmulator()Ljava/lang/String; Threat Level: Path Index: 678 • API: Landroid/telephony/TelephonyManager;->getNetworkOperator • Description: Gets the numeric name (MCC+MNC) of current registered operator • Caller Code: Lcom/baidu/input/pub/w;->getMcc()I Threat Level: • Path Index: 16 • API: Landroid/telephony/TelephonyManager;->getNetworkOperator • Description: Gets the numeric name (MCC+MNC) of current registered operator • Caller Code: Lcom/baidu/input/pub/w;->getMnc()I • Path Index: 14 • API: Landroid/telephony/TelephonyManager;->getNetworkOperator • Description: Gets the numeric name (MCC+MNC) of current registered operator Caller Code: Lcom/baidu/location/e;->a(Landroid/telephony/CellLocation;)V Threat Level: • Path Index: 54 • API: Landroid/telephony/TelephonyManager;->getNetworkOperator • Description: Gets the numeric name (MCC+MNC) of current registered operator • Caller Code: Lcom/baidu/sapi2/utils/c;->a(Landroid/telephony/CellLocation;)V • Threat Level: • Path Index: 34 • API: Landroid/telephony/TelephonyManager;->getNetworkOperatorName Description: Gets the alphabetic name of current registered operator • Caller Code: Lcom/baidu/browser/sailor/util/BdZeusUtil;->checkEmulator()Ljava/lang/String; Threat Level: • Path Index: 678 • API: Landroid/telephony/TelephonyManager;->getSimOperator • Description: Gets the MCC+MNC of the provider of the SIM • Caller Code: Lcom/baidu/util/v;->getNetName(Landroid/content/Context;)Ljava/lang/String; Threat Level: • Path Index: 144 • API: Landroid/telephony/TelephonyManager;->getSimOperator • Description: Gets the MCC+MNC of the provider of the SIM • Caller Code: Lcom/tencent/wxop/stat/b/l;->C(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 94 • API: Landroid/telephony/TelephonyManager;->getSimSerialNumber • Description: Gets the serial number of SIM Caller Code: Lcom/baidu/webkit/sdk/internal/daemon/SdkLog;->getLongRawLog(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 854 · API: Ldalvik/system/DexClassLoader;->loadClass · Description: Loads code dynamically • Caller Code: Lcom/baidu/megapp/util/a;->b(Ljava/lang/ClassLoader; Ljava/lang/ClassLoader; Ljava/lang/String;)Lcom/baidu/megapp/util/b; Threat Level: • Path Index: 12 · API: Ljava/lang/Runtime;->exec · Description: Executes shell code • Caller Code: Lcom/baidu/acs/c/a;->a(Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 42 • API: Ljava/lang/Runtime;->exec · Description: Executes shell code Caller Code: Lcom/baidu/android/procmo/ProcessMonitor;->executeMonitorProcess(Ljava/lang/String;)V Threat Level: • Path Index: 228 · API: Ljava/lang/Runtime;->exec · Description: Executes shell code

•	Caller Code: Lcom/baidu/input/pub/CoreCrashHandler;->handleCoreCrash(I)V Threat Level: Path Index: 60
•	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/baidu/input/pub/j;->run()V Threat Level: Path Index: 76
•	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->a(Ljava/lang/String;)Z Threat Level: Path Index: 50
•	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/baidu/tb;->Dj()Ljava/lang/String; Threat Level: Description: Path Index: 38
•	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/baidu/webkit/sdk/internal/util/BdLog;->dumpLogcat()V Threat Level: Path Index: 138
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/android/procmo/ProcessMonitor;->()V Threat Level: Path Index: 6
:	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/debuggerd/BaiduDebuggerd;->()V Threat Level: Path Index: 18
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/debuggerd/BaiduDebuggerd;->()V Threat Level: Path Index: 90
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/input/GaussBlur;->()V Threat Level: Path Index: 6
:	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/input/gif/CoreHandler;->()V Threat Level: Path Index: 36
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/input/pub/aa;->()V Threat Level: Path Index: 22
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/Bv32InputStream;->()V Threat Level: Path Index: 8
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/EventStreamBv32;->()V Threat Level: Path Index: 38
	API: Ljava/lang/System;->load

Description: Loads and links the dynamic library
 Caller Code: Lcom/baidu/speech/EventStreamVad;->()V

•	Threat Level: Path Index: 38
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/MfeVadInputStream;->()V Threat Level: Path Index: 6
	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/SpeechDecoder;->()V Threat Level: Path Index: 6
:	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/easr/easrNativeJni;->()V Threat Level: Path Index: 6
:	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/util/ChiperEncrypt;->()V Threat Level: Path Index: 6
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/baidu/webkit/sdk/BSevenZipUtils;->()V Threat Level:
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/android/procmo/ProcessMonitor;->()V Threat Level: Path Index: 6
:	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/debuggerd/BaiduDebuggerd;->()V Threat Level: Path Index: 18
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/input/GaussBlur;->()V Threat Level: Path Index: 6
	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/input/gif/CoreHandler;->()V Threat Level: Path Index: 36
:	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/Bv32InputStream;->()V Threat Level:
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/EventStreamBv32;->()V Threat Level: Path Index: 38
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/EventStreamVad;->()V Threat Level:
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/MfeVadInputStream;->()V

Threat Level:

	Path Index: 6
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/SpeechDecoder;->()V Threat Level: Path Index: 6
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/speech/easr/easrNativeJni;->()V Threat Level: Path Index: 6
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/util/ChiperEncrypt;->()V Threat Level: Path Index: 6
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/baidu/webkit/sdk/BSevenZipUtils;->()V Threat Level: Path Index: 12
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/w;->a(Landroid/os/Bundle; Ljava/lang/String; Landroid/os/IBinder;)V Threat Level: Path Index: 104
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/c;->a(Ljava/lang/String; Ljava/lang/Object; Landroid/os/Bundle;)V Threat Level: Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/c;->asBinder()Landroid/os/IBinder; Threat Level: Path Index: 16
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/c;->bd()V Threat Level: Path Index: 14
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/c;->d(Ljava/lang/String; Ljava/lang/Object;)V Threat Level: Path Index: 26
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/d;->a(Landroid/os/IBinder;)Ljava/lang/Object; Threat Level: Path Index: 20
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V Threat Level: Path Index: 80
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/cc;->a(Landroid/view/ViewGroup; Z)V Threat Level: Path Index: 82
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/widget/au;->b(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;) Threat Level: Path Index: 38

•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/apv;->b(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 434
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/apv;->b(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 480
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/apv;->b(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 514
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/aqa;->i(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V Threat Level: Path Index: 170
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/aqt;->dc(Landroid/content/Context;)V Threat Level: Path Index: 158
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/aqt;->dc(Landroid/content/Context;)V Threat Level: Path Index: 188
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/ass;->c(Lcom/baidu/arb; Lcom/baidu/mint/dom/b;)Ljava/lang/Object; Threat Level: Path Index: 196
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/core/util/e;->ap(Landroid/view/View;)V Threat Level: Path Index: 88
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/core/util/e;->hT()Z Threat Level: Path Index: 44
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/core/util/f;->hU()Ljava/util/Map; Threat Level: Path Index: 148
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/core/util/g;->invokeDeclared(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)V Threat Level: Path Index: 16
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/core/util/g;->invokeWithResult(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object; Ljava/lang/Object; Lja
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/sailor/webkit/e;->a(Lcom/baidu/browser/sailor/webkit/BdWebView; Lcom/baidu/webkit/sdk/BJsPromptResult; Z Ljava/lang/String; Ljava/lang/Object;)Z Threat Level:

•	Path Index: 492
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/sailor/webkit/e;->a(Lcom/baidu/browser/sailor/webkit/BdWebView; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/browser/sailor/feature/webViewpager/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/developer/ImeShowBBMInfo;->ac(Ljava/lang/String;)[B Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/ImeIntentService;->ku()V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/ImeIntentService;->ku()V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/ime/front/note/a;->ku()V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/ime/front/note/a;->ku()V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/ime/front/pla/internal/PLA_AbsListView;->(Landroid/content/Context;)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/layout/widget/BaseWebView;->pauseOnLowLevelApi()V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/layout/widget/BaseWebView;->resumeOnLowLevelApi()V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/layout/widget/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/pub/aj;->a(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/pub/aj;->a(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:

• Path Index: 44

•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/pub/x;->adW()Ljava/util/List; Threat Level: □□□□□□ Path Index: 92 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/input/pub/x;->adW()Ljava/util/List; Threat Level: □□□□□□ Path Index: 160
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/location/e;->a(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 220
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/location/e;->a(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 398
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/location/e;->a(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 440
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/megapp/ma/MAApplication;->setApplicationProxy(Landroid/app/Application;)V Threat Level: Path Index: 170
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/megapp/ma/MAApplication;->setApplicationProxy(Landroid/app/Application;)V Threat Level: Path Index: 356
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/megapp/util/d;->a(Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 20
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/megapp/util/d;->b(Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 20
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/megapp/util/d;->c(Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/mint/cssparser/c;->a(Lcom/baidu/mint/cssparser/w3c/css/sac/m; Lcom/baidu/mint/cssparser/dom/a;)V Threat Level: Path Index: 50
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/sapi2/utils/c;->a(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 444
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/sapi2/utils/c;->a(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 490

• API: Ljava/lang/reflect/Method;->invoke

•	Description: Utilizes Java reflection Caller Code: Lcom/baidu/sapi2/utils/c;->a(Landroid/telephony/CellLocation;)V Threat Level: Path Index: 524
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/Args;->tryFillValue(Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 158
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/Args;->tryFillValue(Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 226
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/AsrSession;->createMicrophoneInputStream(Landroid/content/Context; Ljava/util/Map;)Ljava/io/InputStream; Threat Level: Path Index: 764
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/EventStreamMic;->createMicrophoneInputStream(Landroid/net/Uri;)Ljava/io/InputStream; Threat Level: Path Index: 650
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/EventStreamVad\$1;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 12
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/Policy;->uid(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 116
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/VoiceRecognitionService\$Task;->callbackOnEvent(Landroid/speech/RecognitionService\$Callback; I Landroid/os/Bundle;)Variable of the content of the
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/speech/easr/EasrFactory\$1;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 692
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/t;->b(Landroid/graphics/drawable/Drawable; I)V Threat Level: Path Index: 96
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/tc;->a(Landroid/view/Display;)Landroid/graphics/Point; Threat Level: Path Index: 64
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/tc;->a(Landroid/view/Display;)Landroid/graphics/Point; Threat Level: Path Index: 94
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/FileUtils;->setPerms(Ljava/lang/String; I)I Threat Level: Path Index: 168
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

•	Caller Code: Lcom/baidu/webkit/sdk/internal/ReflectUtils;->invoke(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object; Threat Level: •••••• Path Index: 16
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/ReflectUtils;->invoke(Ljava/lang/reflect/Method; Ljava/lang/Object; [Ljava/lang/Object;)V Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/ReflectUtils;->invokeDeclared(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)V Threat Level: Path Index: 16
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/ReflectUtils;->invokeDeclaredWithResult(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class [Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/ReflectUtils;->invokeStaticWithResultE(Ljava/lang/Class; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/ReflectUtils;->invokeWithResult(Ljava/lang/Class; Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/ReflectUtils;->invokeWithResult(Ljava/lang/reflect/Method; Ljava/lang/Object; Ljava/lang/Object; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/blink/ProxySettings;->invokeMethod(Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Object; [Ljava/lang/Object; Ljava/lang/Object; Ljav
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/blink/ProxySettings;->invokeMethod(Ljava/lang/Object; Ljava/lang/String; [Ljava/lang/Object; [Ljava/lang/Object; Ljava/lang/Object; Ljav
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/blink/ProxySettings;->resetProxy(Landroid/content/Context;)V Threat Level: Path Index: 208
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/blink/ProxySettings;->setICSProxy(Ljava/lang/String; I)Z Threat Level: Path Index: 184
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/baidu/webkit/sdk/internal/blink/ReflectUtilsBlink;->loadFile(Ljava/lang/String; Ljava/lang/String; Ljava/

•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/dumper/c;->doUpload([B Ljava/lang/String;)Z Threat Level: Path Index: 76
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/input/layout/widget/asyncimgload/t;->a(Ljava/lang/String; Ljava/io/OutputStream;)Z Threat Level: Path Index: 34
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/webkit/dumper/Dumperd;->doUpload([B Ljava/lang/String;)Z Threat Level: Path Index: 54
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/webkit/dumper/LogUploader;->doUpload([B Ljava/lang/String; Ljava/lang/String; Ljava/lang/StringBuffer;)Z Threat Level: Path Index: 408
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/webkit/dumper/LogUploader;->doUpload([B Ljava/lang/String; Ljava/lang/String; Ljava/lang/StringBuffer;)Z Threat Level: Path Index: 804
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection; Threat Level: Path Index: 74
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection; Threat Level: Path Index: 250
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection; Threat Level: Path Index: 592
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection; Threat Level: Path Index: 710
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lorg/chromium/net/HttpUrlConnectionUrlRequest;->start()V Threat Level: Path Index: 54
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/android/common/security/AESUtil;->decrypt(Ljava/lang/String; Ljava/lang/String; [B)[B Threat Level: Path Index: 64
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/android/common/security/AESUtil;->encrypt(Ljava/lang/String; Ljava/lang/String; [B)[B Threat Level: Path Index: 64
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/android/common/security/RSAUtil;->decryptByPrivateKey([B Ljava/lang/String;)[B Threat Level: Path Index: 70

• API: Ljavax/crypto/Cipher;->doFinal

- · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/android/common/security/RSAUtil;->decryptByPublicKey([B Ljava/lang/String;)[B Threat Level: • Path Index: 70 · API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/android/common/security/RSAUtil;->decryptLongByPrivateKey([B Ljava/lang/String; I)[B Threat Level: • Path Index: 120 · API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/android/common/security/RSAUtil;->encryptByPrivateKey([B Ljava/lang/String;)[B Threat Level: • Path Index: 70 • API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/android/common/security/RSAUtil;->encryptByPublicKey([B Ljava/lang/String;)[B Threat Level: [Path Index: 70 · API: Ljavax/crypto/Cipher;->doFinal . Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/android/common/security/RSAUtil;->encryptLongByPublicKey([B Ljava/lang/String; I)[B Threat Level: • Path Index: 128 · API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/android/common/util/DeviceId;->decryptByPublicKey([B Ljava/security/PublicKey;)[B Threat Level: • Path Index: 22 • API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/dumper/g;->encrypt([B)[B Threat Level: • Path Index: 56 · API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/sapi2/utils/SapiDataEncryptor;->a(Ljava/security/Key; [B)[B Threat Level: • Path Index: 22 · API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/sapi2/utils/a;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)[B Threat Level: • Path Index: 116 • API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/sapi2/utils/a;->a([B Ljava/lang/String; Ljava/lang/String;)[B Threat Level: • Path Index: 98 · API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/sapi2/utils/b;->a(Ljava/lang/String; Ljava/lang/String;)[B Threat Level: • Path Index: 90 · API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/sapi2/utils/e\$a;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 176 • API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/baidu/sapi2/utils/e\$a;->b(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 176 · API: Ljavax/crypto/Cipher;->doFinal
- Description: Encrypt or Decrypt data

 Caller Code: Lcom/baidu/voicerecognition/android/AESUtil;->decrypt(Ljava/lang/String; Ljava/lang/String; [B)[B Threat Level: Path Index: 64
 API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/voicerecognition/android/AESUtil;->encrypt(Ljava/lang/String; Ljava/lang/String; [B)[B Threat Level: Path Index: 64
 API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/webkit/dumper/Dumperd\$RSAEncrypter;->encrypt([B)[B Threat Level: Path Index: 56
 API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/baidu/webkit/dumper/LogUploader\$RSAEncrypter;->encrypt([B)[B Threat Level:
 API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/tencent/mm/a/a;->h(Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 14
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/baidu/webkit/sdk/BWebKitFactory\$JavaScriptInterface\$UploadTask\$1;->run()V Threat Level: Path Index: 50
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/tencent/wxop/stat/ak;->a(Ljava/util/List; Lcom/tencent/wxop/stat/aj;)V Threat Level: ••••••••••••••••••••••••••••••••••••

Permission Usage

- Permission Name: android.permission.ACCESS_COARSE_LOCATION
- Used Type: Api
- Caller Code: Lcom/baidu/apv;->aiz()Lcom/baidu/apx;
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager; -> getAllCellInfo()Ljava/util/List;}\\$
- Path Index: 36
- $\bullet \ \ Permission \ Name: and roid.permission. ACCESS_COARSE_LOCATION$
- Used Type: Api
- $\bullet \quad \hbox{Caller Code: Lcom/baidu/apv;->nZ(I)Ljava/lang/String;}\\$
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager; -> getCellLocation() Landroid/telephony/CellLocation;}\\$
- Path Index: 38
- Permission Name: android.permission.ACCESS_COARSE_LOCATION
- Used Type: Api
- Caller Code: Lcom/baidu/input/ime/front/floatwindow/FloatWindowReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/telephony/TelephonyManager;->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 148
- Permission Name: android.permission.ACCESS_COARSE_LOCATION
- Used Type: Api
- Caller Code: Lcom/baidu/input/pub/w;->getCid()I
- Callee Code: Landroid/telephony/TelephonyManager;->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 12
- Permission Name: android.permission.ACCESS_COARSE_LOCATION
- Used Type: Api
- Caller Code: Lcom/baidu/input/pub/w;->getLac()I
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager; -> getCellLocation() Landroid/telephony/CellLocation;}\\$
- Path Index: 12
- Permission Name: android.permission.ACCESS_COARSE_LOCATION
- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->c()V
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager;} \\ -\text{Slisten(Landroid/telephony/PhoneStateListener; I)} \\ \text{Value Code: Landroid/telephony/PhoneStateListener; I)} \\ \text{Value Code: Landroid/telephony/PhoneSta$
- Path Index: 134

• Permission Name: android.permission.ACCESS COARSE LOCATION

- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->d()V
- Callee Code: Landroid/telephony/TelephonyManager;->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 62

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Lcom/baidu/location/e;->f()I
- Callee Code: Landroid/telephony/TelephonyManager;->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 200

• Permission Name: android.permission.ACCESS COARSE LOCATION

- · Used Type: Api
- Caller Code: Lcom/baidu/location/e;->long()V
- Callee Code: Landroid/telephony/TelephonyManager;->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 130

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/c;->b()Lcom/baidu/sapi2/utils/c\$a;
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager; -> getAllCellInfo()Ljava/util/List;}\\$
- Path Index: 36

• Permission Name: android.permission.ACCESS COARSE LOCATION

- · Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/c;->b(I)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 40

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Lcom/baidu/location/e;->int()Z
- Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 148

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Lcom/baidu/location/e;->d()V
- Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 176

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->f()I
- Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 584

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getGPSInfo(Landroid/content/Context;)Ljava/lang/String;
- $\bullet \quad \text{Callee Code: Landroid/location/LocationManager; -> is Provider Enabled (Ljava/lang/String;) Zero and Control of the Co$
- Path Index: 42

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- Used Type: Ap
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getGPSInfo(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 60

• Permission Name: android.permission.ACCESS_FINE_LOCATION

- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->d()V
- Callee Code: Landroid/location/LocationManager;->addGpsStatusListener(Landroid/location/GpsStatus\$Listener;)Z
- Path Index: 190

• Permission Name: android.permission.ACCESS_FINE_LOCATION

- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->f()I
- $\bullet \quad \text{Callee Code: Landroid/location/LocationManager;} -> \text{addGpsStatusListener(Landroid/location/GpsStatus\$Listener;}) Z$
- Path Index: 612

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/android/common/net/ConnectManager;->checkNetworkType(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 28
- Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/android/common/net/ConnectManager;->isNetworkConnected(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

• Permission Name: android.permission.ACCESS NETWORK STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/browser/net/BdNetReceiver;->checkApnType(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 18

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/feature/appswitch/AppSwitchActivity;->a()V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 24

• Permission Name: android.permission.ACCESS_NETWORK STATE

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/feature/appswitch/AppSwitchActivity;->c()V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- · Path Index: 24

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/feature/appswitch/t;->am(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 22

• Permission Name: android.permission.ACCESS NETWORK STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/feature/jsapi/f;->c(Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 24

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/util/d;->c(Landroid/content/Context;)Z
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 18

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/dumper/DumperService;->a(Ljava/lang/String; I Ljava/lang/String; Z J Ljava/lang/String; Lcom/baidu/dumper/a;)V
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 52

• Permission Name: android.permission.ACCESS NETWORK STATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/layout/widget/asyncimgload/t;->bl(Landroid/content/Context;)V
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> get Active NetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 18

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/network/task/q;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 58

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Ap
- Caller Code: Lcom/baidu/input/network/task/q;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 84

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/baidu/util/v;->getNetName(Landroid/content/Context;)Ljava/lang/String;}\\$
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo()} \\ \text{Landroid/net/NetworkInfo;}$
- Path Index: 24

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/util/v;->getNetState(Landroid/content/Context;)B
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 22

• Permission Name: android.permission.ACCESS_NETWORK_STATE

• Used Type: Api

- Caller Code: Lcom/baidu/input/pub/EventReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 674

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/input/pub/an;->isOnline(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 52

• Permission Name: android.permission.ACCESS NETWORK STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/location/LocationClient;->a(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 30

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getNetworkClass(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 18

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->hasActiveNetwork(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/speech/easr/Utility;->getNetType(Landroid/content/Context;)I
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 20

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/speech/easr/Utility;->getNetworkInfo(Landroid/content/Context;)Landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 18

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/Utility;->getNetworkInfo(Landroid/content/Context;)Landroid/net/NetworkInfo;
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo()} \\ \text{Landroid/net/NetworkInfo;}$
- Path Index: 18

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/Utility;->getWifiOr2gOr3G(Landroid/content/Context;)Ljava/lang/String;
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> get Active NetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 36

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/Utility;->is2G(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 34

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/Utility;->isUsingWifi()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 14

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_NETWORK_STATE$

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/baidu/voicerecognition/android/Utility;-} is Using Wifi(Landroid/content/Context;) Zero and Strategies and Strategies are also as a finite property of the Context of the Conte$
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 26

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Ap
- Caller Code: Lcom/baidu/webkit/dumper/NetworkState;->getNetworkType()I
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 36

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/dumper/NetworkState;->isWifiConnected(Landroid/content/Context;)Z

- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 24

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/ConectivityUtils;->getNetApn(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 40

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/ConectivityUtils;->getNetApn(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 96

• Permission Name: android.permission.ACCESS NETWORK STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/ConectivityUtils;->getNetType(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 40

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/ConectivityUtils;->getNetType(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 136

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->checkApnType(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 30

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/tencent/wxop/stat/b/l;->E(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 60

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_NETWORK_STATE$

- Used Type: Api
- $\bullet \quad Caller\ Code:\ Lcom/tencent/wxop/stat/b/I; -> v(Landroid/content/Context;) Lorg/apache/http/HttpHost;$
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 66

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/tencent/wxop/stat/b/l;->y(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getAllNetworkInfo()[Landroid/net/NetworkInfo;
- Path Index: 50

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/tencent/wxop/stat/b/r;->W(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 60

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/apv;->aiA()Z
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 16

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/apv;->nZ(I)Ljava/lang/String;
- $\bullet \quad \text{Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;}\\$
- Path Index: 106

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/aua;->dk(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 42

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/location/d;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;

- Path Index: 32
- Permission Name: android.permission.ACCESS_WIFI_STATE
- Used Type: Api
- Caller Code: Lcom/baidu/location/e\$a;->run()V
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- Path Index: 42

• Permission Name: android.permission.ACCESS_WIFI_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/location/e;->byte()Z
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- Path Index: 42

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->new()Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- Path Index: 186

• Permission Name: android.permission.ACCESS WIFI STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getMacAddress(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 20

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getWifiInfo(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 36

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Ap
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getWifiInfo(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
- Path Index: 166

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/c;->b(I)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
- Path Index: 124

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/c;->c()Z
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 16

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/e;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 26

• Permission Name: android.permission.ACCESS_WIFI_STATE

- · Used Type: Api
- Caller Code: Lcom/tencent/a/a/a/a/h;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 48

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_WIFI_STATE$

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/tencent/wxop/stat/b/r;->T (Landroid/content/Context;) Landroid/net/wifi/WifiInfo;}\\$
- $\bullet \quad \text{Callee Code: Landroid/net/wifi/WifilManager;->getConnectionInfo()Landroid/net/wifi/Wifilnfo;}\\$
- Path Index: 48

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/tencent/wxop/stat/b/r;->X(Landroid/content/Context;)Lorg/json/JSONArray;
- Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
- Path Index: 58

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/tencent/wxop/stat/b/r;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 48

• Permission Name: android.permission.BLUETOOTH

- Used Type: Api
- Caller Code: Lcom/baidu/input/ime/toucheffect/HeadsetPlugReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/bluetooth/BluetoothAdapter;->getProfileConnectionState(I)I
- Path Index: 140

• Permission Name: android.permission.BLUETOOTH

- · Used Type: Api
- Caller Code: Lcom/baidu/input/ime/toucheffect/a;->bA(Landroid/content/Context;)V
- Callee Code: Landroid/bluetooth/BluetoothAdapter;->getProfileConnectionState(I)I
- Path Index: 86

• Permission Name: android.permission.BLUETOOTH

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;} -> \text{getBlueToothDeviceName(Landroid/content/Context;}) L java/lang/String; -> \text{getBlueToothDeviceName(Landroid/context;}) L java/lang/String; -> \text{getBlueToothDevi$
- Callee Code: Landroid/bluetooth/BluetoothAdapter;->getName()Ljava/lang/String;
- Path Index: 30

• Permission Name: android.permission.BLUETOOTH

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/SapiUtils;->getBlueToothDeviceName(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/bluetooth/BluetoothAdapter;->getName()Ljava/lang/String;
- Path Index: 42

• Permission Name: android.permission.BLUETOOTH

- Used Type: Intent Action
- Callee Code: android.bluetooth.headset.profile.action.CONNECTION_STATE_CHANGED

• Permission Name: android.permission.BLUETOOTH

- Used Type: Intent Action
- Callee Code: android.bluetooth.adapter.action.STATE_CHANGED

• Permission Name: android.permission.CHANGE_WIFI_STATE

- Used Type: Ap
- Caller Code: Lcom/baidu/location/e\$a:->run()V
- Callee Code: Landroid/net/wifi/WifiManager;->startScan()Z
- Path Index: 62

• Permission Name: android.permission.CHANGE_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->byte()Z
- Callee Code: Landroid/net/wifi/WifiManager;->startScan()Z
- Path Index: 58

• Permission Name: android.permission.DISABLE_KEYGUARD

- Used Type: Api
- Caller Code: Lcom/baidu/speech/WakeUpService;->wakeUpAndUnlock(Landroid/content/Context;)V
- Callee Code: Landroid/app/KeyguardManager\$KeyguardLock;->disableKeyguard()V
- Path Index: 32

• Permission Name: android.permission.GET_TASKS

- Used Type: Api
- Caller Code: Lcom/baidu/browser/core/util/h;->e(Landroid/app/Activity;)Z
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 22

• Permission Name: android.permission.GET_TASKS

- · Used Type: Api
- Caller Code: Lcom/baidu/kl;->rP()Z
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 160

• Permission Name: android.permission.INTERNET

- Used Type: Api
- $\bullet \quad Caller \ Code: Lcom/baidu/dumper/c; -> do Upload([B\ Ljava/lang/String;)Z$
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 274

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/input/layout/widget/asyncimgload/t;->a(Ljava/lang/String; Ljava/io/OutputStream;)Z
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 86

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/dumper/Dumperd;->doUpload([B Ljava/lang/String;)Z
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 252

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/baidu/webkit/dumper/LogUploader;->doUpload([B Ljava/lang/String; Ljava/String; Ljava/Str
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 638

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->connect(Ljava/net/HttpURLConnection;)Z
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 28

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/BWebKitFactory\$JavaScriptInterface\$UploadTask\$1;->run()V
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 50

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/tencent/wxop/stat/ak;->a(Ljava/util/List; Lcom/tencent/wxop/stat/aj;)V
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 786

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/baidu/dumper/c;->doUpload([B Ljava/lang/String;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 76

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/baidu/input/layout/widget/asyncimgload/t;->a(Ljava/lang/String; Ljava/io/OutputStream;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 34

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/mint/cssparser/parser/a;->c(Lcom/baidu/mint/cssparser/w3c/css/sac/j;)Lcom/baidu/mint/cssparser/parser/d;
- Callee Code: Ljava/net/URL;->openStream()Ljava/io/InputStream;
- Path Index: 164

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/dumper/Dumperd;->doUpload([B Ljava/lang/String;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 54

• Permission Name: android.permission.INTERNET

- Used Type: Api
- $\bullet \quad Caller\ Code:\ Lcom/baidu/webkit/dumper/LogUploader; -> doUpload([B\ Ljava/lang/String;\ Ljava/lang/$
- $\bullet \quad \hbox{Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;}\\$
- Path Index: 408

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/dumper/LogUploader;->doUpload([B Ljava/lang/String; Ljava/String; Ljava/Str
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 804

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 74

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection;
- Callee Code: Liava/net/URL:->openConnection()Ljava/net/URLConnection;
- Path Index: 250

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 592
- Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/HttpUtils;->createConn(I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 710

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lorg/chromium/net/HttpUrlConnectionUrlRequest;->start()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- · Path Index: 54

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- · Callee Code: load

· Permission Name: android.permission.INTERNET

- · Used Type: Content Provider
- · Callee Code: download

• Permission Name: android.permission.INTERNET

- · Used Type: Content Provider
- · Callee Code: down

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- · Callee Code: ad

• Permission Name: android.permission.INTERNET

- · Used Type: Content Provider
- · Callee Code: ads

• Permission Name: android.permission.INTERNET

- · Used Type: Content Provider
- · Callee Code: w

• Permission Name: android.permission.INTERNET

- · Used Type: Content Provider
- · Callee Code: downloads

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Content Provider
- Callee Code: cc

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Content Provider
- · Callee Code: rect

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Content Provider
- Callee Code: x

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Content Provider
- Callee Code: ex

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Content Provider
- Callee Code: dir

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Content Provider
- · Callee Code: di

$\bullet \ \ Permission \ Name: and roid.permission. READ_EXTERNAL_STORAGE$

- Used Type: Content Provider
- Callee Code: ia

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/android/common/util/DeviceId;-->getIMEIFromSystem(Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 28

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/apv;->(Landroid/content/Context;)V
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;}\\$
- Path Index: 114

• Permission Name: android.permission.READ PHONE STATE

• Used Type: Api

- Caller Code: Lcom/baidu/browser/sailor/util/BdZeusUtil;->checkEmulator()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getLine1Number()Ljava/lang/String;
- Path Index: 592
- Permission Name: android.permission.READ_PHONE_STATE
- · Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/util/BdZeusUtil;->checkEmulator()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 778

• Permission Name: android.permission.READ PHONE STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/ci;->m(Landroid/content/Context; Ljava/lang/String;)[B
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 82

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/ci;->m(Landroid/content/Context; Ljava/lang/String;)[B
- Callee Code: Landroid/telephony/TelephonyManager;->getLine1Number()Ljava/lang/String;
- Path Index: 280

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/dumper/DumperService;->onStartCommand(Landroid/content/Intent; I I)I
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 394

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/input/pub/an;->cy(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 58

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/location/e;->f()I
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 210

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/SapiWebView;->i()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getLine1Number()Ljava/lang/String;
- Path Index: 54

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/share/c;->a(Landroid/content/Context;)Ljava/lang/String;
- $\bullet \quad \hbox{Callee Code: Landroid/telephony/TelephonyManager; -> getDeviceId()Ljava/lang/String;}\\$
- Path Index: 58

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/c;->(Landroid/content/Context;)V
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 106

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/sapi2/utils/e;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 26

$\bullet \ \ Permission \ Name: and roid.permission. READ_PHONE_STATE$

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/baidu/voicerecognition/android/Device;--} \\ \text{getIMEI(Landroid/content/Context;)Ljava/lang/String;} \\ \bullet \quad \text{Caller Code: Lcom/baidu/voicerecognition/android/Device;--} \\ \text{getIMEI(Landroid/content/Context;)Ljava/lang/String;} \\ \text{for all length of the local le$
- $\bullet \quad \hbox{Callee Code: Landroid/telephony/TelephonyManager; -> getDeviceId()Ljava/lang/String;}\\$
- Path Index: 34

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Ap
- Caller Code: Lcom/baidu/voicerecognition/android/DeviceId\$IMEIInfo;->getIMEI(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 24

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/Util;->pfm(Landroid/content/Context;)Ljava/lang/String;

- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 90

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/webkit/dumper/DumperService;->onStartCommand(Landroid/content/Intent; I I)I
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 466

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/BSevenZipUtils;->getDeviceId(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 30

• Permission Name: android.permission.READ PHONE STATE

- · Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/daemon/SdkLog;->getLongRawLog(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 842

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/baidu/webkit/sdk/internal/daemon/SdkLog;->getLongRawLog(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- $\bullet \quad \hbox{Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;}\\$
- Path Index: 848

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Ap
- Caller Code: Lcom/baidu/webkit/sdk/internal/daemon/SdkLog;->getLongRawLog(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;
- Path Index: 854

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/tencent/a/a/a/a/h;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 36

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/tencent/wxop/stat/b/r;->b(Landroid/content/Context;)Ljava/lang/String;
- $\bullet \quad \hbox{Callee Code: Landroid/telephony/TelephonyManager; -> getDeviceId() Ljava/lang/String;}\\$
- Path Index: 36

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Intent Action
- Callee Code: android.intent.action.PHONE STATE

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Intent Action
- Callee Code: android.intent.action.PHONE_STATE

• Permission Name: android.permission.RECEIVE_BOOT_COMPLETED

- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

• Permission Name: android.permission.RECEIVE_BOOT_COMPLETED

- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

• Permission Name: android.permission.RECORD_AUDIO

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/lightapp/BdLightappKernelClient\$3;->run()V
- Callee Code: Landroid/media/MediaRecorder;->setAudioSource(I)V
- Path Index: 80

• Permission Name: android.permission.RECORD_AUDIO

- Used Type: Api
- Caller Code: Lcom/baidu/afx;->c(B J)V
- $\bullet \quad \text{Callee Code: Landroid/speech/SpeechRecognizer;} -> set Recognition Listener (Landroid/speech/Recognition Listener;) \\ Verball the Code: Landroid/speech/Recognition Listener (Landroid/speech/Recognition Listener (Landroi$
- Path Index: 88

• Permission Name: android.permission.RECORD_AUDIO

- Used Type: Api
- Caller Code: Lcom/baidu/afx;->c(B J)V
- $\bullet \quad \text{Callee Code: Landroid/speech/SpeechRecognizer;->startListening(Landroid/content/Intent;)} \\ Verification of the landroid of the landro$
- Path Index: 174
- Permission Name: android.permission.RECORD_AUDIO

- Used Type: Api
- Caller Code: Lcom/baidu/afx;->onCancel()V
- Callee Code: Landroid/speech/SpeechRecognizer;->cancel()V
- Path Index: 20

• Permission Name: android.permission.RECORD AUDIO

- · Used Type: Api
- Caller Code: Lcom/baidu/afx;->onStop()V
- Callee Code: Landroid/speech/SpeechRecognizer;->stopListening()V
- Path Index: 28

• Permission Name: android.permission.RECORD_AUDIO

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/ui/BaiduASRDialog;->cancleRecognition()V
- Callee Code: Landroid/speech/SpeechRecognizer;->cancel()V
- Path Index: 4

• Permission Name: android.permission.RECORD_AUDIO

- · Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/ui/BaiduASRDialog;->onCreate(Landroid/os/Bundle;)V
- Callee Code: Landroid/speech/SpeechRecognizer;->setRecognitionListener(Landroid/speech/RecognitionListener;)V
- Path Index: 192

• Permission Name: android.permission.RECORD_AUDIO

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/ui/BaiduASRDialog;->onPause()V
- Callee Code: Landroid/speech/SpeechRecognizer;->cancel()V
- Path Index: 10

• Permission Name: android.permission.RECORD_AUDIO

- · Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/ui/BaiduASRDialog;->speakFinish()V
- Callee Code: Landroid/speech/SpeechRecognizer;->stopListening()V
- Path Index: 4

• Permission Name: android.permission.RECORD_AUDIO

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/ui/BaiduASRDialog;->startRecognition(Z)V
- $\bullet \quad \text{Callee Code: Landroid/speech/SpeechRecognizer; -> startListening(Landroid/content/Intent;) Version of the Code of the$
- Path Index: 128

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/network/task/NotificationTask;->a(I Ljava/lang/String; Landroid/content/Intent; Lcom/baidu/input/network/task/NotificationTask\$IntentType;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 110

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/ams;->a(I Lcom/baidu/amp;)I
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 38

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/ams;->a(Lcom/baidu/amp;)I
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 22

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/anq;->aex()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 198

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/ImeGuiderActivity;->onStop()V
- $\bullet \quad \text{Callee Code: Landroid/app/NotificationManager; -> notify (I \ Landroid/app/Notification;) V and the landroid of the la$
- Path Index: 244

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/ImeService;->onStartInputView(Landroid/view/inputmethod/EditorInfo; Z)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 986
- Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/ime/front/note/a;->Cg()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 396

· Permission Name: android.permission.VIBRATE

- · Used Type: Api
- Caller Code: Lcom/baidu/input/ime/front/note/a;->p(Ljava/lang/String; Z)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 612

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/layout/store/plugin/PluginStatusButton;->UX()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 262

• Permission Name: android.permission.VIBRATE

- · Used Type: Api
- Caller Code: Lcom/baidu/input/layout/store/plugin/process/b;->ff(Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 134

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/baidu/input/network/x;->analyseResults([B)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 968

• Permission Name: android.permission.VIBRATE

- · Used Type: Api
- Caller Code: Lcom/baidu/input/switchguide/b;->handleMessage(Landroid/os/Message;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 554

• Permission Name: android.permission.VIBRATE

- · Used Type: Api
- Caller Code: Lcom/baidu/uj;->run()V
- $\bullet \quad \text{Callee Code: Landroid/app/NotificationManager; -> notify (I \ Landroid/app/Notification;) V} \\$
- Path Index: 352

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/lightapp/BdLightappKernelClient\$5;->run()V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 78

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/lightapp/BdLightappKernelClient\$5;->run()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 110

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/lightapp/BdLightappKernelClient\$5;->run()V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 210

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/lightapp/BdLightappKernelClient;->prepareAudio(Ljava/lang/String;)V
- Callee Code: Landroid/media/MediaPlayer;->reset()V
- Path Index: 46

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/baidu/browser/sailor/lightapp/BdLightappKernelClient;-} \\ \text{releaseMediaPlayer()V} \\$
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 12

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/browser/sailor/lightapp/BdLightappKernelClient;->stopBackgroundWork()V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 30

• Permission Name: android.permission.WAKE_LOCK

• Used Type: Api

- Caller Code: Lcom/baidu/input/layout/widget/ImeGifView;->onDraw(Landroid/graphics/Canvas;)V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 230

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/layout/widget/ImeGifView;->reStartGif()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 74

• Permission Name: android.permission.WAKE LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/layout/widget/ImeGifView;->release()V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 52

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/layout/widget/ImeGifView;->startGif()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 74

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Ap
- Caller Code: Lcom/baidu/input/layout/widget/ImeGifView;->stopGIF()V
- Callee Code: Landroid/media/MediaPlayer;->pause()V
- Path Index: 62

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/layout/widget/ao;->oT()V
- Callee Code: Landroid/media/MediaPlayer;->pause()V
- Path Index: 28

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/speech/AsrSession\$2;->onCompletion(Landroid/media/MediaPlayer;)V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 10

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/speech/AsrSession;->play(Landroid/content/Context; Ljava/lang/Object; Z)V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 170

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/speech/AsrSession;->createMicrophoneInputStream(Landroid/content/Context; Ljava/util/Map;)Ljava/io/InputStream;
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 130

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/speech/AsrSession;->createMicrophoneInputStream(Landroid/content/Context; Ljava/util/Map;)Ljava/io/InputStream;
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 232

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/speech/EventStreamPly\$SoundPlay;->cancel()V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 10

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- $\bullet \quad Caller \ Code: Lcom/baidu/speech/EventStreamPly \$ SoundPlay; -> write ([B\ I\ I) Vertical formula of the property of the$
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 70

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->completeWakefulIntent(Landroid/content/Intent;)Z
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 50

• Permission Name: android.permission.WAKE_LOCK

• Used Type: Api

• Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->startWakefulService(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/ComponentName;

- Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire(J)V
- Path Index: 156

• Permission Name: android.permission.WAKE LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/afx;->Qo()V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 28

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/afx;->Z(Z)V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 88

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/afx;->onReady()V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
- Path Index: 88

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/afy;->handleMessage(Landroid/os/Message;)V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 126

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/ImeUpdateActivity;->onStart()V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
- Path Index: 50

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/ImeUpdateActivity;->onStop()V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 18

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/speech/WakeUpService;->wakeUpAndUnlock(Landroid/content/Context;)V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
- Path Index: 76

• Permission Name: android.permission.WAKE LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/speech/WakeUpService;->wakeUpAndUnlock(Landroid/content/Context;)V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 82

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/browser/core/ui/BdNormalEditText;->onLongPress(Landroid/view/MotionEvent;)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 54

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/browser/core/ui/BdNormalEditText;->onPreDraw()Z
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 134

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/baidu/input/ime/editor/e;->onProgressChanged(Landroid/widget/SeekBar; IZ)} V \\$
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 132

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/input/ime/editor/i;->onProgressChanged(Landroid/widget/SeekBar; I Z)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 144

• Permission Name: android.permission.WAKE_LOCK

· Used Type: Api

- Caller Code: Lcom/baidu/input/ime/front/floatwindow/FloatIconView;->Bh()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 32
- Permission Name: android.permission.WAKE_LOCK
- · Used Type: Api
- Caller Code: Lcom/baidu/input/ime/keymap/emoji/a;->FR()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 60

• Permission Name: android.permission.WAKE LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/ime/keymap/emoji/h;->FR()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 74

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/ime/toucheffect/a;->I(Landroid/content/Context; I)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 156

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/input/ime/toucheffect/j;->I(Landroid/content/Context; I)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- · Path Index: 96

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/lazy/b;->ke(I)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 58

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/pref/SeekBarPref;->onProgressChanged(Landroid/widget/SeekBar; I Z)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 208

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/qj;->yd()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 26

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/qj;->yd()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 42

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/qj;->ye()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 34

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/qj;->O(B)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 94

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/qj;->o(J)V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 50

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/qj;->onFinish()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 86

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/qj;->onFinish()V

- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 150

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/ty;->bC(I I)Z
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 164

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/theme/SkinDetailPopupView;->ahb()V
- Callee Code: Landroid/widget/VideoView;->setVideoPath(Ljava/lang/String;)V
- Path Index: 112

• Permission Name: android.permission.WAKE LOCK

- · Used Type: Api
- Caller Code: Lcom/baidu/input/theme/SkinDetailPopupView;->ahb()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 144

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/input/theme/SkinDetailPopupView;->ahb()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 170

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/baidu/input/theme/SkinDetailPopupView;->stopVideoPlay()V
- Callee Code: Landroid/widget/VideoView;->suspend()V
- Path Index: 18

• Permission Name: android.permission.WRITE_SETTINGS

- · Used Type: Api
- Caller Code: Lcom/baidu/android/common/util/DeviceId;->tryPutSystemSettingValue(Ljava/lang/String;)Z
- Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 12

• Permission Name: android.permission.WRITE_SETTINGS

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/DeviceId\$IMEIInfo;-
 - $\verb|\colored| > \verb|\colored| > \verb|\colored| = \verb|\colored| =$
- Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 72

• Permission Name: android.permission.WRITE_SETTINGS

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/DeviceId;->getDeviceID(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 234

• Permission Name: android.permission.WRITE_SETTINGS

- Used Type: Api
- · Caller Code: Lcom/baidu/voicerecognition/android/DeviceId;->getDeviceID(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 254

• Permission Name: android.permission.WRITE_SETTINGS

- · Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/DeviceId;->getDeviceID(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String;)Z
- Path Index: 354

• Permission Name: android.permission.WRITE_SETTINGS

- Used Type: Api
- Caller Code: Lcom/baidu/voicerecognition/android/DeviceId;->getDeviceID(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 374

• Permission Name: android.permission.WRITE_SETTINGS

- Used Type: Ap
- Caller Code: Lcom/baidu/voicerecognition/android/DeviceId;->getDeviceID(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 494

• Permission Name: android.permission.WRITE_SETTINGS

- Used Type: Api
- Caller Code: Lcom/tencent/a/a/a/a/e;->b(Ljava/lang/String;)V

• Callee Code: Landroid/provider/Settings\$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z

- Path Index: 46
- Permission Name: android.permission.WRITE_SETTINGS
- · Used Type: Content Provider
- · Callee Code:
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: :/
- Permission Name: android.permission.WRITE_SETTINGS
- · Used Type: Content Provider
- Callee Code: :
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: settings
- Permission Name: android.permission.WRITE_SETTINGS
- · Used Type: Content Provider
- Callee Code: s
- Permission Name: android.permission.WRITE_SETTINGS
- · Used Type: Content Provider
- · Callee Code: content
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: tt
- Permission Name: android.permission.WRITE_SETTINGS
- · Used Type: Content Provider
- · Callee Code: in
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: /
- Permission Name: android.permission.WRITE SETTINGS
- · Used Type: Content Provider
- · Callee Code: en
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: et
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: t
- Permission Name: android.permission.WRITE_SETTINGS
- · Used Type: Content Provider
- Callee Code: e
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: o
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: c
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: i
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: ://
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: n
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: setting
- $\bullet \ \ Permission \ Name: and roid.permission. WRITE_SETTINGS$
- Used Type: Content Provider
- Callee Code: on

- Permission Name: android.permission.WRITE SETTINGS
- Used Type: Content Provider
- Callee Code: //
- Permission Name: com.android.launcher.permission.INSTALL_SHORTCUT
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.INSTALL_SHORTCUT
- Permission Name: com.android.launcher.permission.UNINSTALL_SHORTCUT
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.UNINSTALL_SHORTCUT
- Permission Name: com.android.launcher.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: 2
- Permission Name: com.android.launcher.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: launcher

Log Message

Tag Message

May Log Message

Tag	Message	Caller Code	Path Index
0	0	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	134
0	0	Landroid/support/v4/app/FragmentActivity;- >onCreate(Landroid/os/Bundle;)V	178
0	0	Landroid/support/v4/app/FragmentActivity;- >onRequestPermissionsResult(I [Ljava/lang/String; [I)V	132
0	0	Landroid/support/v4/app/aj;->onCreateView(Landroid/view/View; Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View;	368
0	1	Landroid/support/v4/app/aj;->restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	1124
0	2	Landroid/support/v4/media/aa;->run()V	94
0	2	Landroid/support/v4/media/ab;->run()V	94
0	Landroid/support/v4/media/ar;	Landroid/support/v4/media/aq;->a(Ljava/lang/String; Landroid/os/ResultReceiver;)V	68
0	3	Landroid/support/v7/widget/RecyclerView;- >onTouchEvent(Landroid/view/MotionEvent;)Z	410
0	3	Landroid/support/v7/widget/bl;->o(Z)V	76
0	0	Lcom/baidu/browser/core/database/BdDbDataModel;- >convertFromCursor(Landroid/database/Cursor;)V	124
0	1	Lcom/baidu/browser/sailor/util/c;->a()Z	130
0	0	Lcom/baidu/dumper/c;->doClean(Ljava/lang/String;)V	90
0	0	Lcom/baidu/dumper/e;->run()V	152
0	3	Lcom/baidu/htmlNotification/WebNotificationManagerService\$ServiceHandler;->handleMessage(Landroid/os/Message;)V	764
0	3	Lcom/baidu/htmlNotification/WebNotificationManagerService;- >onStartCommand(Landroid/content/Intent; I I)I	186

Tag	Message	Caller Code	Path Index
0	3	Lcom/baidu/megapp/util/f;->I(Ljava/lang/String; Z) [Landroid/content/pm/Signature;	328
0	12	Lcom/baidu/megapp/util/f;->I(Ljava/lang/String; Z) [Landroid/content/pm/Signature;	486
0	1	Lcom/baidu/voicerecognition/android/Device;- >generateDeviceID(Landroid/content/Context;)Ljava/lang/String;	114
0	8	Lcom/baidu/webkit/dumper/LogUploader;->doUpload([B Ljava/lang/String; Ljava/lang/String; Ljava/lang/StringBuffer;)Z	798
0	1	Lcom/baidu/webkit/sdk/BLoadErrorCode\$Statistics;- >readJSON()Lorg/json/JSONObject;	122
0	1	Lcom/baidu/webkit/sdk/BVideoCloudSetting;->canUploadVideoErrorLog()Z	64
0	1	Lcom/baidu/webkit/sdk/BVideoCloudSetting;->getVideoPvCount()I	64
0	0	Lcom/baidu/webkit/sdk/BVideoCloudSetting;->hasCyberSdkVersion()Z	62
0	1	Lcom/baidu/webkit/sdk/BVideoStatisticsUpload;- >getLogFileName(Landroid/content/Context;)Ljava/lang/String;	456
0	1	Lcom/baidu/webkit/sdk/BVideoStatisticsUpload;- >init(Landroid/content/Context;)V	26
0	0	Lcom/baidu/webkit/sdk/internal/blink/WebSettingsGlobalBlink;->getDnsInfo(Ljava/lang/String;)Ljava/lang/String;	100
0	0	Lcom/baidu/webkit/sdk/internal/blink/WebSettingsGlobalBlink;->setCloudSettings(Ljava/lang/String;)V	270
0	0	Lcom/baidu/webkit/sdk/internal/blink/WebSettingsGlobalBlink;->setHttpDnsCache(Ljava/lang/String;)V	126
0	4	Lcom/baidu/webkit/sdk/internal/daemon/CloudSettings;->tryToUploadCloudSettings()Z	72
0	0	Lcom/baidu/webkit/sdk/internal/daemon/CloudSettings;->run()V	486
0	Lcom/baidu/webkit/sdk/internal/daemon/PacDow nload\$CheckListener;	Lcom/baidu/webkit/sdk/internal/daemon/PacDownload;->run()V	430
0	1	Lcom/baidu/webkit/sdk/internal/daemon/SdkLog;- >getLongRawLog(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;	444
0	0	Lcom/baidu/webkit/sdk/internal/wormholeSDK/Http2Wormhole;->Stop(Landroid/content/Context;)V	134
0	0	Lorg/chromium/net/urlconnection/UrlRequestContext;- >createCronetContext(Landroid/content/Context; Lorg/chromium/net/urlconnection/UrlRequestContextConfig;)Lorg/chromium/net/urlconnection/UrlRequestContext;	174
1	11	Landroid/support/v4/app/aj;->a(Landroid/support/v4/app/Fragment; I I I Z)V	1260
1	11	Landroid/support/v4/app/aj;->a(Landroid/support/v4/app/Fragment; I I I Z)V	1330
1	10	Landroid/support/v4/app/aj;->a(Landroid/os/Handler; Ljava/lang/String; I I)Z	486
1	0	Landroid/support/v4/app/aj;->aM()Ljava/util/ArrayList;	158
1	0	Landroid/support/v4/app/aj;->restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	904
1	5	Landroid/support/v4/app/bm;->destroy()V	160
1	3	Landroid/support/v4/app/cp;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	178
1	3	Landroid/support/v4/app/cp;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	210

Tag	Message	Caller Code	Path Index
1	0	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	188
1	1	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	612
1	3	Landroid/support/v4/view/ag;->a(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	142
1	3	Landroid/support/v4/view/ag;->a(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	212
1	2	Landroid/support/v4/widget/NestedScrollView;->onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	126
1	0	Landroid/support/v4/widget/SwipeRefreshLayout;->onTouchEvent(Landroid/view/MotionEvent;)Z	254
1	2	Lcom/baidu/aqa;->aiN()V	130
1	3	Lcom/baidu/browser/sailor/webkit/BdWebView;->b()Z	80
1	3	Lcom/baidu/browser/sailor/platform/eventcenter/a;->run()V	374
1	1	Lcom/baidu/browser/sailor/util/c;->a()Z	166
1	Ljava/io/FileReader;	Lcom/baidu/browser/sailor/util/c;->a()Z	186
1	1	Lcom/baidu/dumper/c;->a(Ljava/lang/String; Ljava/lang/String; Lcom/baidu/dumper/f;)Z	130
1	20	Lcom/baidu/fg;->z()V	94
1	2	Lcom/baidu/htmlNotification/WebContentActivity;->onCreate(Landroid/os/Bundle;)V	166
1	0	Lcom/baidu/htmlNotification/WebNotificationManagerService\$ServiceHandler;->handleMessage(Landroid/os/Message;)V	580
1	0	Lcom/baidu/megapp/api/e;->onTargetLoaded(Ljava/lang/String;)V	154
1	1	Lcom/baidu/speech/easr/easrNativeJni;->Load(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Z)I	890
1	2	Lcom/baidu/voicerecognition/android/Device;- >generateDeviceID(Landroid/content/Context;)Ljava/lang/String;	182
1	0	Lcom/baidu/voicerecognition/android/Device;- >generateDeviceID(Landroid/content/Context;)Ljava/lang/String;	294
1	1	Lcom/baidu/webkit/dumper/LogUploader;- >uploadLogWithDir(Ljava/lang/String; Ljava/lang/String; Z Lcom/baidu/webkit/dumper/LogUploader\$OnFinishedListener;)Z	102
1	2	Lcom/baidu/webkit/dumper/LogUploader;- >uploadCrashLogWhenCrash(Ljava/lang/String; Lcom/baidu/webkit/dumper/LogUploader\$OnFinishedListener;)Z	138
1	3	Lcom/baidu/webkit/dumper/LogUploader;- >uploadCrashLogWhenCrash(Ljava/lang/String; Lcom/baidu/webkit/dumper/LogUploader\$OnFinishedListener;)Z	232
1	1	Lcom/baidu/webkit/sdk/BVideoStatisticsUpload;- >init(Landroid/content/Context;)V	264
1	2	Lcom/baidu/webkit/sdk/internal/HttpUtils;->(Landroid/content/Context; Ljava/lang/String; Lcom/baidu/webkit/sdk/internal/HttpUtils\$OnNetListener;)V	310
1	4	Lcom/baidu/webkit/sdk/internal/blink/WebKitInitBlink;- >initWebKit(Landroid/content/Context; Z)Z	334

Tag	Message	Caller Code	Path Index
1	2	Lcom/baidu/webkit/sdk/internal/blink/WebKitVersionBlink;->isFrameAndKernelMatch(Ljava/lang/String; Ljava/lang/String; Z)Z	154
1	0	Lcom/baidu/webkit/sdk/internal/blink/WebSettingsGlobalBlink;->GetHttpDnsCache(Ljava/lang/String;)Z	234
1	0	Lcom/baidu/webkit/sdk/internal/daemon/CloudSettings;- >restoreLastSentTimeFromCfg()V	108
1	0	Lcom/baidu/webkit/sdk/internal/daemon/EngineStat;- >restoreLastSentTimeFromCfg()V	210
1	0	Lcom/baidu/webkit/sdk/internal/daemon/UrlSecurityCheckTask\$CheckListe ner;->parseKeywordExtension(Lorg/json/JSONObject;)V	74
1	0	Lcom/baidu/webkit/sdk/internal/daemon/UrlSecurityCheckTask;- >tryCheckUrlSecurityAsync(Lcom/baidu/webkit/sdk/BWebView; Ljava/lang/String; Ljava/lang/String;)V	118
1	3	Lcom/tencent/a/a/a/a/b;->b()Ljava/lang/String;	192
10000	Lcom/baidu/webkit/sdk/internal/daemon/EngineSt at\$CheckListener;	Lcom/baidu/webkit/sdk/internal/daemon/EngineStat;->run()V	386
11	14	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	374
11	14	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	404
14	1	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	510
2	11	Landroid/support/v4/app/aj;->a(Landroid/support/v4/app/Fragment; I I I Z)V	1754
2	6	Landroid/support/v4/app/aj;->saveAllState()Landroid/os/Parcelable;	958
2	4	Landroid/support/v4/widget/NestedScrollView;- >onTouchEvent(Landroid/view/MotionEvent;)Z	364
2	8	Lcom/baidu/dumper/e;->run()V	368
2	3	Lcom/baidu/speech/easr/easrNativeJni;->Load(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Z)l	588
2	0	Lcom/baidu/voicerecognition/android/ResourceParameters;- >generateDeviceInfo()Ljava/lang/String;	214
2	0	Lcom/baidu/voicerecognition/android/ResourceParameters;- >generatePu(Landroid/content/Context;)Ljava/lang/String;	176
2	0	Lcom/baidu/voicerecognition/android/ResourceParameters;->generateUA(Landroid/content/Context;)Ljava/lang/String;	226
2	0	Lcom/baidu/voicerecognition/android/ui/BaiduASRDialog;->onCreate(Landroid/os/Bundle;)V	276
2	2	Lcom/baidu/webkit/dumper/LogUploader;->(Ljava/lang/String; Ljava/lang/String;)V	146
2	3	Lcom/baidu/webkit/dumper/LogUploader;->doClean(Ljava/lang/String;)Z	112
2	3	Lcom/baidu/webkit/dumper/LogUploader;- >uploadLogWithDir(Ljava/lang/String; Ljava/lang/String; Z Lcom/baidu/webkit/dumper/LogUploader\$OnFinishedListener;)Z	196
2	3	Lorg/chromium/net/ChromiumUrlRequestContext;- >getInstance(Landroid/content/Context;)Lorg/chromium/net/ChromiumUrlR equestContext;	82
3	0	Landroid/support/v4/app/FragmentStatePagerAdapter;- >restoreState(Landroid/os/Parcelable; Ljava/lang/ClassLoader;)V	274

Tag	Message	Caller Code	Path Index
3	3	Landroid/support/v7/widget/bc;->b(IIZ)Landroid/support/v7/widget/bl;	248
3	12	Lcom/baidu/megapp/util/f;->I(Ljava/lang/String; Z) [Landroid/content/pm/Signature;	636
3	12	Lcom/baidu/megapp/util/f;->I(Ljava/lang/String; Z) [Landroid/content/pm/Signature;	688
3	4	Lcom/baidu/voicerecognition/android/ui/BaiduASRDigitalDialog;->onFinish(I I)V	120
3	1	Lcom/baidu/webkit/dumper/LogUploader;->doDelete(Ljava/lang/String; Ljava/lang/StringBuffer;)Z	216
3	5	Lcom/baidu/webkit/sdk/BVideoCloudSetting\$VideoSettings;->canErrorLogUpload(Ljava/lang/String;)Z	270
3	2	Lcom/baidu/webkit/sdk/BVideoStatisticsUpload;- >getLogFileName(Landroid/content/Context;)Ljava/lang/String;	668
3	25	Lcom/baidu/webkit/sdk/internal/blink/WebKitInitBlink;->initWebKit(Landroid/content/Context; Z)Z	118
3	4	Lcom/baidu/webkit/sdk/internal/daemon/EngineStat\$1;->run()V	194
3	2	Lcom/baidu/webkit/sdk/internal/daemon/EngineStat;->restoreLastSentTimeFromCfg()V	106
3	0	Lcom/baidu/webkit/sdk/internal/daemon/SdkLog;- >getLongRawLog(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;	236
1	5	Landroid/support/v4/app/aj;->restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	678
4	4	Landroid/support/v4/app/bl;->aQ()V	136
1	4	Landroid/support/v4/app/bl;->aR()V	136
4	4	Landroid/support/v4/app/bl;->aS()V	136
4	2	Landroid/support/v4/widget/bf;->ah(I)Z	100
5	11	Landroid/support/v4/app/aj;->a(Landroid/support/v4/app/Fragment; I I I Z)V	1542
5	11	Landroid/support/v4/app/aj;->a(Landroid/support/v4/app/Fragment; I I I Z)V	1612
5	11	Landroid/support/v4/app/aj;->a(Landroid/support/v4/app/Fragment; I I I Z)V	1682
5	3	Landroid/support/v4/app/aj;->restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	378
5	5	Landroid/support/v4/view/ViewPager;->arrowScroll(I)Z	312
5	5	Lcom/baidu/browser/sailor/feature/webViewpager/ViewPager;->bX(I)Z	312
5	2	Lcom/baidu/browser/sailor/platform/jsruntime/BdSailorJsBridge;- >exec(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V	258
5	6	Lcom/baidu/htmlNotification/WebNotificationManagerService;- >replaceNotificationProxyAL(Lcom/baidu/htmlNotification/WebNotificationManagerService\$NotificationProxy;)Z	156
5	3	Lcom/baidu/webkit/sdk/BVideoStatisticsUpload;- >init(Landroid/content/Context;)V	188
6	6	Landroid/support/v7/widget/GridLayoutManager;- >a(Landroid/support/v7/widget/bc; Landroid/support/v7/widget/bi; I)I	90
6	6	Landroid/support/v7/widget/GridLayoutManager;- >b(Landroid/support/v7/widget/bc; Landroid/support/v7/widget/bi; I)I	106

Тад	Message	Caller Code	Path Index
6	6	Landroid/support/v7/widget/GridLayoutManager;- >c(Landroid/support/v7/widget/bc; Landroid/support/v7/widget/bi; I)I	102
6	2	Landroid/support/v7/widget/RecyclerView;- >onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	404
6	0	Lcom/baidu/browser/sailor/j;- >shouldOverrideSpecialUrlLoading(Lcom/baidu/webkit/sdk/BWebView; Ljava/lang/String;)Z	140
6	3	Lcom/baidu/fg;->a(Lcom/baidu/browser/sailor/webkit/BdWebView; Z)V	110
6	0	Lcom/baidu/location/LocationClient;->getLocation()I	116
7	8	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	280
8	2	Lcom/baidu/speech/Args;->(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V	178
Landroid/content/pm/Si gnature;	3	Lcom/baidu/megapp/util/f;->I(Ljava/lang/String; Z) [Landroid/content/pm/Signature;	584
Lcom/baidu/browser/co re/e;	1	Lcom/baidu/browser/core/b;->gP()Lcom/baidu/browser/core/e;	150
Lcom/baidu/webkit/du mper/LogUploader;	1	Lcom/baidu/webkit/sdk/BVideoStatisticsUpload;- >init(Landroid/content/Context;)V	336
Lcom/baidu/webkit/sdk/ internal/HttpUtils;	0	Lcom/baidu/webkit/sdk/internal/daemon/UrlSecurityCheckTask;->run()V	270
Lcom/baidu/webkit/sdk/ internal/daemon/PacD ownload\$CheckListene r;	0	Lcom/baidu/webkit/sdk/internal/daemon/PacDownload;->run()V	410
Ljava/io/ByteArrayInput Stream;	0	Lcom/baidu/df;->O(Ljava/lang/String;)Ljava/lang/String;	124
Ljava/io/InputStreamR eader;	6	Lcom/baidu/acs/c/a;->a(Ljava/lang/String;)Ljava/lang/String;	168
Ljava/io/PrintWriter;	0	Landroid/support/v4/app/aj;->a(Ljava/lang/RuntimeException;)V	156
Ljava/lang/IllegalState Exception;	7	Landroid/support/v4/app/aj;->e(Landroid/support/v4/app/Fragment; I I)V	228
Ljava/lang/IllegalState Exception;	8	Landroid/support/v4/app/aj;->saveAllState()Landroid/os/Parcelable;	790
Ljava/lang/IllegalState Exception;	4	Landroid/support/v4/app/l;->e(Z)I	82
Ljava/lang/IllegalState Exception;	10	Landroid/support/v7/widget/RecyclerView;->a(J Landroid/support/v7/widget/bl; Landroid/support/v7/widget/bl;)V	304
Ljava/lang/String;	2	Lcom/baidu/webkit/sdk/internal/daemon/EngineStat;- >saveLastSentTimeToCfg()V	210
Ljava/lang/String;	0	Lcom/baidu/webkit/sdk/internal/daemon/UrlSecurityCheckTask\$CheckListe ner;->parserData()V	120
Ljava/lang/StringBuilde r;	0	Lcom/tencent/a/a/a/a/h;->c(Landroid/content/Context;)Ljava/lang/String;	106
Ljava/lang/StringBuilde r;	0	Lcom/tencent/a/a/a/a/h;->c(Landroid/content/Context;)Ljava/lang/String;	132
Ljava/util/ArrayList;	9	Landroid/support/v4/app/BackStackState;- >a(Landroid/support/v4/app/aj;)Landroid/support/v4/app/l;	386

Tag	Message	Caller Code	Path Index
Lorg/chromium/net/Htt pUrlConnectionUrlReq uestFactory;	3	Lorg/chromium/net/HttpUrlRequestFactory;- >getFactory(Landroid/content/Context;)Lorg/chromium/net/HttpUrlRequest Factory;	196
Lorg/json/JSONObject;	5	Lcom/baidu/webkit/sdk/BWebView;- >getPageInfo()Lcom/baidu/webkit/sdk/BWebView\$BWebPageInfoList;	136

ScreenShots

