



General Information

Analysis Start Time	2016-12-18 12:26:43
Analysis End Time	2016-12-18 12:29:00
File MD5	41E7A8697D38C110096EDE7E8E369342
File Size	1.15 MB
File Name	33.apk
Package Name	com.centuryutils.laepkooo
Version Code	350
Version Name	3.5.0
Min SDK	8
Target SDK	8
Max SDK	N/A
Pcap File	 (/file_download?md5=41E7A8697D38C110096EDE7E8E369342&type=pcap)
Logcat File	 (/file_download?md5=41E7A8697D38C110096EDE7E8E369342&type=logcat)



Risk Score




Risky Behaviors

Connects to the Internet
Executes a Internet request
Exist unused permissions
Gets packages installed on the device
Loads code dynamically
Utilizes Java reflection

Malware Detected by VirusTotal

(<https://www.virustotal.com/en/file/45b322c9afd30c0d1f66244736452890fd072a1cce4483c3a929a6abbd98370b/an>)


AVG	Android/DownloaderAdload
Ad-Aware	Android.Adware.AppQuanta.B
Baidu-International	
BitDefender	Android.Adware.AppQuanta.B
ESET-NOD32	a variant of Android/Adload.A potentially unwanted
F-Secure	Android.Adware.AppQuanta.B

Fortinet	✔
Kaspersky	✔
McAfee	Artemis!41E7A8697D38
Qihoo-360	✔
Symantec	✔

Certificate

Content	Owner: CN=cn, OU=ou, O=o, L=l, ST=st, C=CN Issuer: CN=cn, OU=ou, O=o, L=l, ST=st, C=CN Serial number: 676c2392 Valid from: Tue Jul 16 15:03:25 CST 2013 until: Sun Jul 16 15:03:25 CST 2113 Certificate fingerprints: MD5: E2:37:71:86:8C:D3:37:BF:E7:1D:73:83:5D:18:A1:50 SHA1: E2:6F:03:A7:6B:E6:DA:D3:2B:18:F2:52:71:B7:02:D7:C6:16:21:9E SHA256: 12:06:61:E6:8D:B3:B3:DD:52:59:C6:B6:AA:70:29:C4:EE:9E:08:EC:B4:C5:69:56:E6:6C:C7:04:75:33:90:5A Signature algorithm name: SHA256withRSA Version: 3 Extensions: #1: ObjectId: 2.5.29.14 Criticality=false SubjectKeyIdentifier [ KeyIdentifier [ 0000: 07 AC BC C1 80 F1 7D DF D9 7D 9A EF 32 6D 5F 1D .....2m_. 0010: 53 BB EB 67 S.g ] ]
Sha1	E26F03A76BE6DAD32B18F25271B702D7C616219E

Classification



Code Features

Code Feature	Used
Native Code	✖
Dynamic Loader	✔
Java Reflection	✔
Crypto	✖

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_NETWORK_STATE	normal	<div><div></div></div>	✖	✖	✔	Allows applications to access information about networks
android.permission.ACCESS_WIFI_STATE	normal	<div><div></div></div>	✖	✖	✖	Allows applications to access information about Wi-Fi networks
android.permission.GET_TASKS	dangerous	<div><div></div></div>	✖	✖	✖	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INTERNET	dangerous	<div><div></div></div>	✖	✖	✔	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.READ_PHONE_STATE	dangerous	<div><div></div></div>	✖	✖	✖	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.RECEIVE_BOOT_COMPLETED	normal	<div><div></div></div>	✖	✖	✔	Allows an application to receive the to the user.
android.permission.VIBRATE	normal	<div><div></div></div>	✖	✖	✖	Allows access to the vibrator
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	<div><div></div></div>	✖	✖	✖	Allows an application to write to external storage. { android.content.Context#getExternalCacheDir}.
com.android.launcher.permission.INSTALL_SHORTCUT	dangerous	<div><div></div></div>	✖	✖	✖	N/A
com.android.launcher.permission.UNINSTALL_SHORTCUT	dangerous	<div><div></div></div>	✖	✖	✖	N/A

Activities

Name	Main Activity	Exposed
com.appquanta.wk.MainActivity	✖	✖
com.centuryutils.laepkooo.MyActivity <ul style="list-style-type: none"><li>android.intent.action.MAIN</li></ul>	✔	✔

Services

Name	Exposed
com.appquanta.wk.MainService	✖

Broadcast Receivers

Name	Dynamically Registered	Exposed
com.appquanta.dll.bookreader.BookReader\$AppPingReceiver	✓	?
com.appquanta.wk.k	✓	?
com.appquanta.wk.s	✓	?
com.centuryutils.laepkooo.MyReceiver <ul style="list-style-type: none"><li>android.intent.action.BOOT_COMPLETED</li></ul>	✖	✓

Content Providers

N/A
-----

Features

N/A
-----

Libraries

N/A
-----

Advertisement Modules

N/A
-----




IP Distribution

--



Urls

Country	Url	IP
China	a.appquanta.com/m/init.jsp	117.121.21.114
China	c1.apkads.com/get/m/20141120/53064141867841c4baa6a8d1ff5ba1a5.718934.45608.data	121.194.5.219
China	sf.h5gogo.com/m/a.jsp	117.121.21.121
China	N/A	117.121.21.121
China	N/A	121.194.5.219

Country	Url	IP
 China	N/A	121.194.5.218
 China	N/A	117.121.21.114
 China	N/A	121.195.115.79

## Sensitive Files

N/A

## Native Codes

N/A

## Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/com.centuryutils.laepkooo-1.apk	N/A	N/A	N/A
/data/data/com.centuryutils.laepkooo/files/cookiemanager-53.zip	N/A	N/A	N/A

## Crypto Operation

N/A

## Network Operations

N/A

## Socket Connections

N/A

## File Operations

Operation	File Path	Data
read	/data/data/com.centuryutils.laepkooo/files/app_settings	x\x01:\!x\xfb\xbdE\xfb\xbdz#x7fx\xfb\xbd\x12B\xfb\xbd\x117\xfb\xbd\x0c\x0f>\xfb\xbd\xbd\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbdQ\x14\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbd\x10\x1b\x0e\xfb\xbdz\bh\xfb\xbd\xc3\x9d\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbd\x15\xfb\xbd@=\xfb\xbd\xd9\x90qr\x04\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbd\x03r\xfb\xbd\x04-vs"\xfb\xbd\xfb\xbdWl\xfb\xbdY\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbd&LW\xfb\xbd\xfb\xbd\xfb\xbd\x0d\x9e\xc2\xaf+8\xfb\xbd\xfb\xbdv;\xfb\xbd
read	/data/data/com.centuryutils.laepkooo/files/a4afe57e-d9f9-49f1-a1a5-2c7aeed04e50	#_\$_\xfb\xbd\xfb\xbdB\xfb\xbd\xfb\xbd\x0b\xfb\xbd-\xfb\xbd\xcc\xa6\xfb\xbd\x19\xfb\xbd7\xfb\xbdO\xfb\xbd\xfb\xbd\xfb\xbd\x0b\xfb\xbd\xbd\xfb\xbd\x17\xfb\xbdF\xfb\xbdp?\xfb\xbd\xfb\xbd\xfb\xbd\xfb\xbdw\xfb\xbd\xfb\xbdq\xfb\xbd\x0eyl\xfb\xbd\xfb\xbd\xfb\xbd\x10\xfb\xbd\xfb\xbd\x11\xfb\xbd\xfb\xbd\x1fxl\xfb\xbd\xfb\xbd\x0b\xfb\xbd\xfb\xbdF\xfb\xbd\xfb\xbd\xfb\xbd<\x0am#x\xfb\xbd\xdf\x87\xfb\xbd'=\xfb\xbd\xfb\xbd\x0c\x05q\xfb\xbd\xfb\xbd.\xfb\xbd\xbd63\x0d\xfb\xbdS\xfb\xbdg\xfb\xbd\xfb\xbd

6/14

Operation	File Path	Data
read	/data/data/com.centuryutils.laepkooo/files/a4afe57e-d9f9-49f1-a1a5-2c7aeed04e50	<pre> \xef\xbf\xbd\x10\xef\xbf\xbd\xef\xbf\xbd*\xef\xbf\xbdgF\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd \xef\xbf\xbd\x10\xef\xbf\xbd\x18\xef\xbf\xbd\x09\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf \xbd\xef\xbf\xbd.\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x7f\x017\xef\xbf\xbd\x17\xca\x9a\x198W\x02\x 8e\xef\xbf\xbd\xef\xbf\xbd\x1b\xef\xbf\xbd\xef\xbf\xbd\x0c4\x8e\x13_#\x01\xef\xbf\xbd\xef\xbf\xbd\xef\x bf\xbd }\xef\xbf\xbd\xef\xbf\xbdS\xef\xbf\xbdH\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xce\x01\xef\xbf\xbd\xef\xbf \xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1f\xef\xbf\xbd\xef\xbf\xbd\x02\xef\xbf\xbd\xef\xbf\xbd_(\x0b e)\xef\xbf\xbd"\xef\xbf\xbd </pre>
read	/mnt/sdcard/.mydata/.94631404c1179a8a	<pre> x\x01:!\xef\xbf\xbdB\xef\xbf\xbd7z\$\xef\xbf\xbdT\x09\xef\xbf\xbd9\x1e\xef\xbf\xbdB\x00\x0e\xef\xbf\xbd d\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd*\$,\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdK\x11\xef\xbf\xbd\xef\xbf\xbd \xef\xbf\xbd\x13\x0e\x06\xef\xbf\xbd9-% (\xef\xbf\xbd\x0c4\x80\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd~\xef\xbf\xbd\x16e\xef \xbf\xbd\xef\xbf\xbd\xef\xbf\xbd- (S\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x137m":\xef\xbf\xbd\xef\xbf\xbd\x06 </pre>
read	/data/data/com.centuryutils.laepkooo/files/cookie manager-53.zip	<pre> 7\xef\xbf\xbd\xef\xbf\xbdw3\xef\xbf\xbd\xef\xbf\xbd\x0c5\xbf3\xef\xbf\xbd{\xef\xbf\xbd\x07\xef\xbf\xbd \x08\x17\xef\xbf\xbd\x11\xef\xbf\xbd~\xef\xbf\xbd\x1b\xef\xbf\xbd}\x0d\xef\xbf\xbd\xef\xbf\xbd\x0b;\}\xef\xbf\xbd\xef \xbf\xbdz\xef\xbf\xbd\xef\xbf\xbdG9\xef\xbf\xbdJM\x0d;\xef\xbf\xbd\xef\xbf\xbdN\x0b;\}\xef\xbf\xbd\xef \xbf\xbd\xef\xbf\xbd\xef\xbf\xbd;M\xef\xbf\xbd\x0c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x06\x9c\xbcB\x ef\xbf\xbd\x1d\x1f^\xef\xbf\xbd1\xef\xbf\xbd\xef\xbf\xbd\x0f\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf \xbd\xef\xbf\xbd\xef\xbf\xbdfr)-#\xef\xbf\xbd*\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd </pre>
read	/data/data/com.centuryutils.laepkooo/files/cookie manager-53.zip	<pre> PK\x01\x02\x14\x03\x0a\x00\x00\x00\x08\x00\x19'\xef\xbf\xbdG{\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd d\x00\x00\x10\xef\xbf\xbd\x01\x00\x0b\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00 \xbf\xbd\x00\x00\x00\x00classes.dexPK\x05\x06\x00\x00\x00\x00\x01\x00\x01\x009\x00\x00\x00\x00\x0d9\ xb1\x00\x00\x00\x00 </pre>
read	/data/data/com.centuryutils.laepkooo/files/cookie manager-53.zip	<pre> \x00\x00\x00\x00\x01\x00\x01\x009\x00\x00\x00\x0d9\xb1\x00\x00\x00\x00 </pre>
read	/dev/urandom	<pre> \xef\xbf\xbd@n\xe2\xa7\x98\x05\xef\xbf\xbdg\xef\xbf\xbd*\xef\xbf\xbd\xef\xbf\xbdxy\xef\xbf\xbdJ\xef \xbf\xbd </pre>
read	/data/data/com.centuryutils.laepkooo/files/cookie manager-53.zip	<pre> k=\xef\xbf\xbd\x0b\xef\xbf\xbd\xe6\x90\xb77v\xef\xbf\xbd\xef\xbf\xbd\x0a\xef\xbf\xbd\xef\xbf\xbd\x0f\x 1eqZ\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1f\xef\xbf\xbd\x07\x1f\xef\xbf\xbd\x1d0\x18\xef \xbf\xbdD\xef\xbf\xbd\xef\xbf\xbdQ\x15\xef\xbf\xbd@\x161.N'\xef\xbf\xbd\xcf\x0b1\xce\x0b1\xef\xbf\xbd\x ef\xbf\xbd\x1a\x17\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdN'\xef\xbf\xbd\x072\xef\xbf\xbd\xef \xbf\xbd\x0e\xef\xbf\xbd7\x14\xef\xbf\xbd\xef\xbf\xbd\x0d3\xbe\xef\xbf\xbd\x10\xef\xbf\xbd\x018G7\xef \xbf\xbd\xef\xbf\xbd7C\xef\xbf\xbd~\xef\xbf\xbd=\xef\xbf\xbd\x0c7\xb2\xef\xbf\xbd </pre>
write	/data/data/com.centuryutils.laepkooo/files/a4afe57e-d9f9-49f1-a1a5-2c7aeed04e50	<pre> \xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x7f\xef\xbf\xbdq\x19\xef\xbf\xbdw\xef\xbf\xbd\xef\xbf\xbdGw\xef \xbf\xbd&lt;\xdf\x91\xef\xbf\xbd\xef\xbf\xbd\xe8\x87\xa2\xef\xbf\xbdv\x16\xcf\xab\xef\xbf\xbd\xef\xbf\xbd\ \xef\xbf\xbd\xef\xbf\xbd\x1b\xef\xbf\xbdW5\xce\x94`{\xef\xbf\xbdpZ\x0d3\x94H\x1b\xef\xbf\xbd\xef\xbf\xbd bd~i\x10\xef\xbf\xbd\x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf \xbdLg_\x0eq\xef\xbf\xbd\xcb\xa7\x1c&gt;)\xef\xbf\xbd\xef\xbf\xbd&lt;\x13\xef\xbf\xbd\xef\xbf\xbdm\xef\xbf \xbdV\x00\xef\xbf\xbd\xef\xbf\xbd\x15s\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd? Z\xef\xbf\xbd\x09\x05L\xef\xbf\xbd </pre>
write	/data/data/com.centuryutils.laepkooo/files/app_settings	<pre> x\x01:!\xef\xbf\xbdE\xef\xbf\xbdz#\xa7\xef\xbf\xbd\x12B\xef\xbf\xbd\x117\xef\xbf\xbd\x0c\x0f&gt;\xef\xbf\x bd0\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0cjm\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0aA\xef\xbf\xbd\xef\xbf \xbd\xef\xbf\xbdHER\xef\xbf\xbd\x14!!h\xef\xbf\xbd\xef\x9d\xad\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdz\xef \xbf\xbd\x03%\xef\xbf\xbd\xef\xbf\xbdk=[\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd_? \xef\xbf\xbd\x0b*n":\xef\xbf\xbd\xef\xbf\xbdY\x07\xef\xbf\xbdE\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdj\x01 #\x0f\xef\xbf\xbd\xef\xbf\xbd\xcf\x8c\xef\xbf\xbd0`\xef\xbf\xbd\xef\xbf\xbd\x11v\xef\xbf\xbd </pre>
write	/data/data/com.centuryutils.laepkooo/files/a4afe57e-d9f9-49f1-a1a5-2c7aeed04e50	<pre> \xef\xbf\xbdB\xef\xbf\xbdxq\xef\xbf\xbd\xce\xa4\xcc\x81\xef\xbf\xbd\x04\xda\xac\xef\xbf\xbd\xef\xbf\x bd\xef\xbf\xbd\$\xef\xbf\xbd\x09\xef\xbf\xbd`\x08&amp;\xef\xbf\xbdB9\x0dm\xef\xbf\xbd\x16\xef\xbf\xbd X\xef\xbf\xbd1- \x15\xef\xbf\xbdp@\xef\xbf\xbd\x12%\xef\xbf\xbd\x1f\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef \xbf\xbd\xef\xbf\xbd\x0c3\x89T\x07\xef\xbf\xbd\xef\xbf\xbd\x13s\xef\xbf\xbd\x0c\xef\xbf\xbd6\xef\xbf\xbd d\x09_\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0d7\xa2ua\x0c\xef\xbf\xbdh\xef\xbf \xbd \x1f\xef\xbf\xbd\xef\xbf\xbd08\xef\xbf\xbd, </pre>
write	/mnt/sdcard/.mydata/.94631404c1179a8a	<pre> x\x01:!\xef\xbf\xbdB\xef\xbf\xbd7z\$\xef\xbf\xbdT\x09\xef\xbf\xbd9\x1e\xef\xbf\xbdB\x00\x0e\xef\xbf\xbd d\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd*\$\x0a\xef\xbf\xbd\xef\xbf\xbd\x0fP\xef\xbf\xbd\xef\xbf\xbdxQ </pre>

## DNS Query

## HTTP Data

## Files Recovered From Http

8/14



Domain	File Name	File Type	Is APK
sf.h5gogo.com	_m_a_jspindex.obj (/http_file? apk=41E7A8697D38C110096EDE7E8E369342&domain=sf.h5gog o.com&file=_m_a_jspindex.obj)	VAX COFF executable	

### Execute Shells

N/A

### Started Services

- Intent { cmp=com.centuryutils.laepkooo/com.appquanta.wk.MainService }
- Intent { cmp=com.centuryutils.laepkooo/com.appquanta.wk.MainService }

### May Send SMS

N/A

### Send SMS

N/A

### Block SMS

N/A

### Phone Call

N/A

### Data Leakage

N/A

### Sensitive APIs

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
  - Description: Gets packages installed on the device
  - Caller Code: Lcom/appquanta/dll/bookreader/BasePage;->i()Z
  - Threat Level:
  - Path Index: 14
- **API: Ldalvik/system/DexClassLoader;->loadClass**
  - Description: Loads code dynamically
  - Caller Code: Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DlInfo;Ljava/io/File;Ljava/lang/String;Lcom/appquanta/wkbase/WkClassLoaderInspector;)V
  - Threat Level:
  - Path Index: 424
- **API: Ldalvik/system/DexClassLoader;->loadClass**
  - Description: Loads code dynamically
  - Caller Code: Lcom/appquanta/wk/WkApplication;->loadWkClass(Landroid/content/Context;Ljava/lang/String;Ljava/lang/String;Lcom/appquanta/wkbase/WkClassLoaderInspector;)V
  - Threat Level:
  - Path Index: 248
- **API: Ljava/lang/reflect/Method;->invoke**
  - Description: Utilizes Java reflection
  - Caller Code: Lcom/a/c/a;->a(Ljava/lang/Object;Ljava/lang/String;Z[Ljava/lang/Class;[Ljava/lang/Class;[Ljava/lang/Object;)Ljava/lang/Object;
  - Threat Level:
  - Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
  - Description: Utilizes Java reflection
  - Caller Code: Lcom/a/c/a;->a(Ljava/lang/Object; Ljava/lang/String; Z [Ljava/lang/Class; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;
  - Threat Level:
  - Path Index: 86
- **API: Ljava/lang/reflect/Method;->invoke**
  - Description: Utilizes Java reflection
  - Caller Code: Lcom/a/c/a;->a(Ljava/lang/Object; Ljava/lang/String; Z [Ljava/lang/Class; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;
  - Threat Level:
  - Path Index: 112
- **API: Ljava/net/URL;->openConnection**
  - Description: Connects to the Internet
  - Caller Code: Lcom/a/b/a;->c(Ljava/lang/String; Ljava/util/Map; Ljava/util/Map; Lcom/a/b/d;)V
  - Threat Level:
  - Path Index: 26
- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
  - Description: Executes a Internet request
  - Caller Code: Lcom/a/b/a;->a(Lorg/apache/http/client/methods/HttpRequest; Ljava/lang/String; Ljava/util/Map; Lcom/a/b/d;)V
  - Threat Level:
  - Path Index: 394
- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
  - Description: Executes a Internet request
  - Caller Code: Lcom/a/b/a;->a(Lorg/apache/http/client/methods/HttpRequest; Ljava/lang/String; Ljava/util/Map; Lcom/a/b/d;)V
  - Threat Level:
  - Path Index: 726
- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
  - Description: Executes a Internet request
  - Caller Code: Lcom/appquanta/ntask/b;->a(Ljava/lang/String; Ljava/io/File;)Ljava/io/File;
  - Threat Level:
  - Path Index: 34
- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
  - Description: Executes a Internet request
  - Caller Code: Lcom/appquanta/wk/WkApplication;->b(Z)V
  - Threat Level:
  - Path Index: 58
- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
  - Description: Executes a Internet request
  - Caller Code: Lcom/appquanta/wk/p;->a(Ljava/lang/String; Ljava/io/File; Lcom/appquanta/wkbase/WkBaseInspector;)V
  - Threat Level:
  - Path Index: 56

## Permission Usage

- **Permission Name: android.permission.ACCESS\_NETWORK\_STATE**
  - Used Type: Api
  - Caller Code: Lcom/appquanta/dll/bookreader/BookReader;->j()Ljava/lang/Boolean;
  - Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
  - Path Index: 20
- **Permission Name: android.permission.INTERNET**
  - Used Type: Api
  - Caller Code: Lcom/a/b/a;->c(Ljava/lang/String; Ljava/util/Map; Ljava/util/Map; Lcom/a/b/d;)V
  - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
  - Path Index: 26
- **Permission Name: android.permission.INTERNET**
  - Used Type: Api
  - Caller Code: Lcom/a/b/a;->a(Lorg/apache/http/client/methods/HttpRequest; Ljava/lang/String; Ljava/util/Map; Lcom/a/b/d;)V
  - Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpRequest; Lorg/apache/http/protocol/HttpContext;)Lorg/apache/http/HttpResponse;
  - Path Index: 394
- **Permission Name: android.permission.INTERNET**
  - Used Type: Api
  - Caller Code: Lcom/a/b/a;->a(Lorg/apache/http/client/methods/HttpRequest; Ljava/lang/String; Ljava/util/Map; Lcom/a/b/d;)V
  - Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpRequest; Lorg/apache/http/protocol/HttpContext;)Lorg/apache/http/HttpResponse;
  - Path Index: 726
- **Permission Name: android.permission.INTERNET**

- Used Type: Api
  - Caller Code: Lcom/appquanta/ntask/b;->a(Ljava/lang/String;Ljava/io/File;)Ljava/io/File;
  - Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpRequest;)Lorg/apache/http/HttpResponse;
  - Path Index: 34
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
  - Caller Code: Lcom/appquanta/wk/WkApplication;->b(Z)V
  - Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpRequest;)Lorg/apache/http/HttpResponse;
  - Path Index: 58
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
  - Caller Code: Lcom/appquanta/wk/p;->a(Ljava/lang/String;Ljava/io/File;Lcom/appquanta/wkbase/WkBaseInspector;)V
  - Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpRequest;)Lorg/apache/http/HttpResponse;
  - Path Index: 56
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
  - Caller Code: Lcom/a/b/a;->c(Ljava/lang/String;Ljava/util/Map;Ljava/util/Map;Lcom/a/b/d;)V
  - Callee Code: Ljava/net/URLConnection;->connect()V
  - Path Index: 254
- **Permission Name: android.permission.RECEIVE\_BOOT\_COMPLETED**
- Used Type: Intent Action
  - Callee Code: android.intent.action.BOOT\_COMPLETED

Log Message

Tag	Message
-----	---------

May Log Message

Tag	Message	Caller Code	Path Index
AQuery	2	Lcom/a/c/a;->a(Ljava/lang/Object;)V	38
AQuery	4	Lcom/a/c/a;->a(Ljava/lang/Object;Ljava/lang/Object;)V	50
AQuery	4	Lcom/a/c/a;->b(Ljava/lang/Object;Ljava/lang/Object;)V	58
Http	Error	Lcom/appquanta/ntask/b;->a(Ljava/lang/String;Ljava/io/File;)Ljava/io/File;	222
WKAPP	6	Lcom/appquanta/dll/bookreader/BasePage;->a(Lcom/appquanta/dll/bookreader/d;)V	148
WKAPP	0	Lcom/appquanta/dll/bookreader/BasePage;->a(Lcom/appquanta/dll/bookreader/d;)V	434
WKAPP	0	Lcom/appquanta/dll/bookreader/BookReader\$AppPingReceiver;->onReceive(Landroid/content/Context;Landroid/content/Intent;)V	112
WKAPP	0	Lcom/appquanta/dll/bookreader/BookReader;->t()V	100
WKAPP	3	Lcom/appquanta/dll/bookreader/BookReader;->onCreate(Lcom/appquanta/wkbase/WkFramework;Landroid/app/Activity;)V	114
WKAPP	2	Lcom/appquanta/wk/MainActivity;->onBackPressed()V	94
WKAPP	3	Lcom/appquanta/wk/MainActivity;->onCreate(Landroid/os/Bundle;)V	96
WKAPP	4	Lcom/appquanta/wk/MainActivity;->onCreate(Landroid/os/Bundle;)V	230
WKAPP	2	Lcom/appquanta/wk/MainActivity;->onDestroy()V	96
WKAPP	2	Lcom/appquanta/wk/MainActivity;->onPause()V	94
WKAPP	2	Lcom/appquanta/wk/MainActivity;->onRestart()V	94
WKAPP	2	Lcom/appquanta/wk/MainActivity;->onResume()V	94

Tag	Message	Caller Code	Path Index
WKAPP	2	Lcom/appquanta/wk/MainActivity;->onStart()V	94
WKAPP	2	Lcom/appquanta/wk/MainActivity;->onStop()V	94
WKAPP	MainService.onBind()	Lcom/appquanta/wk/MainService;->onBind(Landroid/content/Intent;)Landroid/os/IBinder;	24
WKAPP	MainService.onCreate()	Lcom/appquanta/wk/MainService;->onCreate()V	24
WKAPP	MainService.onDestroy()	Lcom/appquanta/wk/MainService;->onDestroy()V	24
WKAPP	MainService.onLowMemory()	Lcom/appquanta/wk/MainService;->onLowMemory()V	24
WKAPP	MainService.onStart()	Lcom/appquanta/wk/MainService;->onStart(Landroid/content/Intent; I)V	24
WKAPP	MainService.onStartCommand()	Lcom/appquanta/wk/MainService;->onStartCommand(Landroid/content/Intent; I I)I	24
WKAPP	2	Lcom/appquanta/wk/WkAppServiceBase;->e()V	62
WKAPP	WkAppServiceBase.onCreate()	Lcom/appquanta/wk/WkAppServiceBase;->onCreate()V	38
WKAPP	loadWkClassFromFile position 1	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	26
WKAPP	loadWkClassFromFile position 2	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	70
WKAPP	2	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	142
WKAPP	3	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	234
WKAPP	loadWkClassFromFile position 5	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	292
WKAPP	0	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	418
WKAPP	loadWkClassFromFile position 7	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	456
WKAPP	loadWkClassFromFile position 8	Lcom/appquanta/wk/WkApplication;->a(Lcom/appquanta/wkbase/WkConf\$DIIIInfo; Ljava/io/File; Ljava/lang/String; Lcom/appquanta/wkbase/WkClassLoadInspector;)V	496
WKAPP	WkApplication.loadAppConf()	Lcom/appquanta/wk/WkApplication;->e()Z	24
WKAPP	WkApplicatoin: loadAppConf error	Lcom/appquanta/wk/WkApplication;->e()Z	124
WKAPP	4	Lcom/appquanta/wk/WkApplication;->e()Z	206
WKAPP	loadWkClass step (1)	Lcom/appquanta/wk/WkApplication;->loadWkClass(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; I Lcom/appquanta/wkbase/WkClassLoadInspector;)V	86
WKAPP	loadWkClass step (2)	Lcom/appquanta/wk/WkApplication;->loadWkClass(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; I Lcom/appquanta/wkbase/WkClassLoadInspector;)V	194
WKAPP	WkApplication.onCreate()	Lcom/appquanta/wk/WkApplication;->onCreate()V	202
WKAPP	3	Lcom/appquanta/wk/WkApplication;->onCreate()V	306
WKAPP	WkApplication.onTerminate()	Lcom/appquanta/wk/WkApplication;->onTerminate()V	24

Tag	Message	Caller Code	Path Index
WKAPP	6	Lcom/appquanta/wk/WkApplication;- >setCookie(Lcom/appquanta/wkbase/ICookie; Z)Z	84
WKAPP	setCookie() replacing null old cookie	Lcom/appquanta/wk/WkApplication;- >setCookie(Lcom/appquanta/wkbase/ICookie; Z)Z	128
WKAPP	setCookie() replacing old cookie	Lcom/appquanta/wk/WkApplication;- >setCookie(Lcom/appquanta/wkbase/ICookie; Z)Z	192
WKAPP	setCookie() ignored	Lcom/appquanta/wk/WkApplication;- >setCookie(Lcom/appquanta/wkbase/ICookie; Z)Z	224
WKAPP	DllCreateInspector.onCreateSuccess(object): object type incorrect	Lcom/appquanta/wk/d;->onSuccess(Ljava/lang/Object;)V	68
WKAPP	InitDllMapInspector.onCreateSuccess(object): object type incorrect	Lcom/appquanta/wk/h;->onSuccess(Ljava/lang/Object;)V	88
WKAPP	before calling wkApp.takeTaskFromQueue();	Lcom/appquanta/wk/l;->run()V	36
WKAPP	got a task and start it.	Lcom/appquanta/wk/l;->run()V	102
WKAPP	task ended, loop for another task	Lcom/appquanta/wk/l;->run()V	176
WKAPP	0	Lcom/appquanta/wk/l;->run()V	244
WKAPP	loadWkClass() position 1	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	28
WKAPP	loadWkClass() position 2	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	66
WKAPP	loadWkClass() position 3	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	104
WKAPP	loadWkClass() position 4	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	142
WKAPP	loadWkClass() position 5	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	182
WKAPP	loadWkClass() position 6	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	240
WKAPP	loadWkClass() position 7	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	270
WKAPP	loadWkClass() position 8	Lcom/appquanta/wk/v;->onSuccess(Ljava/lang/Class; Ljava/lang/String; I)V	320
WKAPP	loadWkClass step (3)	Lcom/appquanta/wk/w;- >runAt(Lcom/appquanta/threads/PriorityTask\$Control;)V	28
WKAPP	loadWkClass step (4)	Lcom/appquanta/wk/w;- >runAt(Lcom/appquanta/threads/PriorityTask\$Control;)V	114
WKAPP	6	Lcom/appquanta/wk/w;- >runAt(Lcom/appquanta/threads/PriorityTask\$Control;)V	202
WKAPP	loadWkClass step (5)	Lcom/appquanta/wk/w;- >runAt(Lcom/appquanta/threads/PriorityTask\$Control;)V	368
WKAPP	6	Lcom/appquanta/wk/w;- >runAt(Lcom/appquanta/threads/PriorityTask\$Control;)V	734
WKAPP	2	Lcom/appquanta/wk/w;- >runAt(Lcom/appquanta/threads/PriorityTask\$Control;)V	936
WKAPP	Fatal error: downloaded file corrupted.	Lcom/appquanta/wk/w;- >runAt(Lcom/appquanta/threads/PriorityTask\$Control;)V	1038
WKAPP	CmDllCreateInspector.onFailure()	Lcom/appquanta/wk/x;->onFailure(Ljava/lang/String; Ljava/lang/Throwable;)V	46
WKAPP	CmDllCreateInspector.onCreateSuccess(object): object type incorrect	Lcom/appquanta/wk/x;->onSuccess(Ljava/lang/Object;)V	74
WKAPP	4	Lcom/appquanta/wkbase/WkConf;- >createConf(Lorg/json/JSONObject;)Lcom/appquanta/wkbase/WkConf;	382
WKAPP	##### -- attempting to gotoMainActivity twice, ignored! -- #####	Lcom/centuryutils/laepkooo/MyActivity;->a()V	42

Tag	Message	Caller Code	Path Index
WKAPP	4	Lcom/centuryutils/laepkooo/MyActivity;->onCreate(Landroid/os/Bundle;)V	58
WKAPP	2	Lcom/centuryutils/laepkooo/MyActivity;->onCreate(Landroid/os/Bundle;)V	172
WKAPP	2	Lcom/centuryutils/laepkooo/MyActivity;->onDestroy()V	62
WKAPP	2	Lcom/centuryutils/laepkooo/MyActivity;->onPause()V	62
WKAPP	2	Lcom/centuryutils/laepkooo/MyActivity;->onRestart()V	62
WKAPP	4	Lcom/centuryutils/laepkooo/MyActivity;->onRestoreInstanceState(Landroid/os/Bundle;)V	58
WKAPP	2	Lcom/centuryutils/laepkooo/MyActivity;->onResume()V	62
WKAPP	4	Lcom/centuryutils/laepkooo/MyActivity;->onSaveInstanceState(Landroid/os/Bundle;)V	58
WKAPP	2	Lcom/centuryutils/laepkooo/MyActivity;->onStop()V	62
ZTextStream	new	Lcom/appquanta/dll/bookreader/a/j;->a()Lcom/appquanta/dll/bookreader/wtext/x;	46
bmp	3	Lcom/appquanta/dll/bookreader/a/a;->a(I Ljava/io/File;I)Landroid/graphics/Bitmap;	186

ScreenShots

