

### **General Information**

Analysis Start Time	2016-12-22 17:31:39
Analysis End Time	2016-12-22 17:33:30
File MD5	77F4E89D95937867329BDAD2F2592FB5
File Size	767.06 KB
File Name	com.media-1.apk
Package Name	com.media
Version Code	1
Version Name	1.0
Min SDK	11
Target SDK	23
Max SDK	N/A
Pcap File	(/file_download?md5=77F4E89D95937867329BDAD2F2592FB5&type=pcap)
Logcat File	(/file_download?md5=77F4E89D95937867329BDAD2F2592FB5&type=logcat)

### **Risk Score**

100

## **Risky Behaviors**

Exist unused permissions		
Gets geographic location		
Utilizes Java reflection		

## Malware Detected by VirusTotal

# (https://www.virustotal.com/en/file/4231411ba49435521436fe05d4a065b63eeacb0bbda5b81a6abbab68b2e1e4fc/ar


AVG	Android/G2P.LC.0BCB9DD69549
Ad-Aware	Android.Trojan.HiddenAds.CV
BitDefender	Android.Trojan.HiddenAds.CV
ESET-NOD32	Android/Hiddad.BB
F-Secure	Android.Trojan.HiddenAds.CV
Fortinet	Android/Hiddad.AX!tr
Kaspersky	HEUR:Trojan.AndroidOS.Hiddad.ax
McAfee	Artemis!77F4E89D9593
Qihoo-360	Android mobile malware

Symantec	Trojan.Gen.2

## Certificate

Content	Owner: CN=com.media Issuer: CN=com.media Serial number: 5c93e3d1 Valid from: Thu Sep 29 02:37:38 CST 2016
	until: Mon Sep 23 02:37:38 CST 2041 Certificate fingerprints: MD5:
	33:46:80:4E:5C:8F:A9:6A:86:A5:C5:78:D0:13:C5:AF SHA1:
	98:BA:1E:87:10:29:20:BF:87:63:0E:04:2E:7A:0D:50:7D:9C:16:C8 SHA256:
	7B:C8:80:8F:7E:4C:BE:D2:74:33:C7:41:EF:D8:F1:02:FF:77:40:56:BC:F4:7F:7D:94:35:0D:54:1B:4F:C8:4E Signature
	algorithm name: SHA256withRSA Version: 3 Extensions: #1: ObjectId: 2.5.29.14 Criticality=false SubjectKeyIdentifier [
	Keyldentifier [ 0000: B4 BB 2E 80 86 7D 25 41 9F A4 16 8B 3D 37 72 07%A=7r. 0010: E4 A6 22 A0". ] ]
Sha1	98BA1E87102920BF87630E042E7A0D507D9C16C8

### Classification



### **Code Features**

Native Code  Dynamic Loader	
Dynamic Loader	•
	•
Java Reflection	<b>⊘</b>

Code Feature	Used
Crypto	0

## **Permissions**

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_N ETWORK_STATE	normal		8	0	•	Allows applications to access information about networks
android.permission.INTERNET	dangerous	8000000	8	8	•	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.WRITE_EX TERNAL_STORAGE	dangerous	000000	8	8	0	Allows an application to write to external storage. { android.content.Context#getExternalCa cheDir}.

## **Activities**

Name	Main Activity	Exposed
com.example.android.scheduler.AlertActivity	•	8
com.example.android.scheduler.Browser	0	8
com.example.android.scheduler.Launcher  android.intent.action.MAIN	•	•
com.example.android.scheduler.ScreenPermission	8	0

## **Services**

Name	Exposed
com.example.android.scheduler.android.RequestIntentService	0
com.example.android.scheduler.android.SchedulingService	0

### **Broadcast Receivers**

Name	Dynamically Registered	Exposed
android.support.v4.b.o	•	0
com.example.android.scheduler.ScreenPermission\$MyAdmin  • android.app.action.DEVICE_ADMIN_ENABLED	0	0
com.example.android.scheduler.android.AlarmReceiver	<b>©</b>	•
com.example.android.scheduler.android.BootReceiver	O	•
Name	Dynamically Registered	Exposed

com.example.android.scheduler.  • android.intent.action.USEF	android.UserPresentBroadcastReceiver R_PRESENT		0	<b>©</b>	
Content Providers					~
		N/A			
Features					
		N/A			
Libraries					
		N/A			
Advantage of Mark Inc.					
Advertisement Module		NIA			
IP Distribution		N/A			
ir Distribution					
		•			
	, and the second				
Urls					
Country	Url			IP	
Germany	www.imedia-studio.com/imedia_api.php			136.243.6.35	
Germany	www.imedia-studio.com/imedia_api.php			136.243.6.35	
Germany	N/A			136.243.6.35	
United States	http://play.google.com/store/apps/			172.217.24.14	_
Sensitive Files					
		N/A			
Native Codes					
		N/A			
Dynamic Loaders					

		Lib Pa	th Caller (	
/data/app/com	ı.media-1.apk	N/A	N/A	N/A
rypto Ope	eration			
			N/A	
etwork O <sub>l</sub>	perations			
			N/A	
ocket Cor	nections			
			N/A	
ile Operat	ions			
Operation	File Path		Data	
write	/data/data/com.media/shared preferences.xml	_prefs/com.media_	xml version='1.0' encoding='utf-8' standa<br {"url&qu	alone='yes' ?>\x0a <map>\x0a<string name="response"></string></map>
NS Query		QType	IPs	
www.imedia-s	tudio.com	A	136.243.6.35	
www.imedia-s	tudio.com  Host	A Path	136.243.6.35	Status Line
TTP Data		Path	136.243.6.35 a_api.php	Status Line HTTP/1.1 200 OK
TTP Data	Host	<b>Path</b> /imedia		
Method GET GET	Host www.imedia-studio.com	<b>Path</b> /imedia	a_api.php	HTTP/1.1 200 OK
Method GET GET	Host www.imedia-studio.com www.imedia-studio.com	<b>Path</b> /imedia	a_api.php	HTTP/1.1 200 OK
Method GET GET	Host  www.imedia-studio.com  www.imedia-studio.com	<b>Path</b> /imedia	a_api.php a_api.php	HTTP/1.1 200 OK
Method  GET  GET	Host  www.imedia-studio.com  www.imedia-studio.com	<b>Path</b> /imedia	a_api.php a_api.php	HTTP/1.1 200 OK
Method  GET  GET	Host  www.imedia-studio.com  www.imedia-studio.com  /ered From Http	<b>Path</b> /imedia	a_api.php a_api.php N/A	HTTP/1.1 200 OK
Method  GET  GET  iles Recov	Host  www.imedia-studio.com  www.imedia-studio.com  /ered From Http	<b>Path</b> /imedia	a_api.php a_api.php N/A	HTTP/1.1 200 OK
Method  GET  GET  illes Recov	www.imedia-studio.com www.imedia-studio.com  vered From Http	<b>Path</b> /imedia	a_api.php a_api.php  N/A	HTTP/1.1 200 OK
Method  GET  GET  iles Recov	www.imedia-studio.com www.imedia-studio.com  vered From Http	<b>Path</b> /imedia	a_api.php a_api.php  N/A	HTTP/1.1 200 OK
Method  GET  GET  illes Recov	www.imedia-studio.com www.imedia-studio.com  vered From Http	<b>Path</b> /imedia	a_api.php a_api.php  N/A  N/A	HTTP/1.1 200 OK

2018, 4, 9. SandDroid

N/A **Block SMS** N/A **Phone Call** N/A **Data Leakage** N/A Sensitive APIs • API: Landroid/location/LocationManager;->getLastKnownLocation · Description: Gets geographic location • Caller Code: Landroid/support/v7/a/ba;->a(Ljava/lang/String;)Landroid/location/Location; Threat Level: • Path Index: 28 • API: Ljava/lang/reflect/Method;->invoke · Description: Utilizes Java reflection • Caller Code: Landroid/support/v4/c/a/n;->a(Landroid/graphics/drawable/Drawable;)I Threat Level: • Path Index: 70 • API: Ljava/lang/reflect/Method;->invoke • Description: Utilizes Java reflection • Caller Code: Landroid/support/v4/f/f;->a(Ljava/util/Locale;)Ljava/lang/String; Threat Level: Path Index: 18 · API: Ljava/lang/reflect/Method;->invoke · Description: Utilizes Java reflection • Caller Code: Landroid/support/v4/f/g;->a(Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 28 • API: Ljava/lang/reflect/Method;->invoke · Description: Utilizes Java reflection • Caller Code: Landroid/support/v4/f/g;->b(Ljava/util/Locale;)Ljava/lang/String; Threat Level: • Path Index: 34 • API: Ljava/lang/reflect/Method;->invoke · Description: Utilizes Java reflection • Caller Code: Landroid/support/v4/widget/aq;->a(Landroid/widget/PopupWindow; I)V Threat Level: · Path Index: 94 · API: Ljava/lang/reflect/Method;->invoke · Description: Utilizes Java reflection • Caller Code: Landroid/support/v7/a/au;->onClick(Landroid/view/View;)V Threat Level: • Path Index: 50 • API: Ljava/lang/reflect/Method;->invoke • Description: Utilizes Java reflection • Caller Code: Landroid/support/v7/view/j;->onMenuItemClick(Landroid/view/MenuItem;)Z Threat Level: • Path Index: 42 • API: Ljava/lang/reflect/Method;->invoke · Description: Utilizes Java reflection • Caller Code: Landroid/support/v7/view/j;->onMenuItemClick(Landroid/view/MenuItem;)Z Threat Level: • Path Index: 84

API: Ljava/lang/reflect/Method;->invokeDescription: Utilizes Java reflection

	Caller Code: Landroid/support/v7/view/menu/o;->a(Z)V
•	Threat Level: Path Index: 84
	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Landroid/support/v7/widget/by;->a(Landroid/view/View; I Z)I  Threat Level:  Path Index: 56
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Landroid/support/v7/widget/by;->b(Z)V  Threat Level:  Path Index: 36
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Landroid/support/v7/widget/ct;->a(Landroid/widget/AutoCompleteTextView;)V  Threat Level: Path Index: 18
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Landroid/support/v7/widget/ct;->a(Landroid/widget/AutoCompleteTextView; Z)V  Threat Level:  Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Landroid/support/v7/widget/ct;->b(Landroid/widget/AutoCompleteTextView;)V  Threat Level:  Path Index: 18
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Landroid/support/v7/widget/dt;->a(Landroid/view/View; Landroid/graphics/Rect; Landroid/graphics/Rect;)V  Threat Level:  Path Index: 30
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Landroid/support/v7/widget/dt;->b(Landroid/view/View;)V  Threat Level:  Path Index: 64
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Lcom/google/gson/internal/UnsafeAllocator;->create()Lcom/google/gson/internal/UnsafeAllocator;  Threat Level:  Path Index: 142
:	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Lcom/google/gson/internal/UnsafeAllocator\$1;->newInstance(Ljava/lang/Class;)Ljava/lang/Object;  Threat Level:  Path Index: 20
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Lcom/google/gson/internal/UnsafeAllocator\$2;->newInstance(Ljava/lang/Class;)Ljava/lang/Object;  Threat Level:  Path Index: 36
•	API: Ljava/lang/reflect/Method;->invoke  Description: Utilizes Java reflection  Caller Code: Lcom/google/gson/internal/UnsafeAllocator\$3;->newInstance(Ljava/lang/Class;)Ljava/lang/Object;  Threat Level:   Path Index: 28
m	ission Usage

## Peri

- Permission Name: android.permission.ACCESS\_NETWORK\_STATE
- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/example/android/scheduler/android/SchedulingService;->c() Z}\\$
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 16

- Permission Name: android.permission.ACCESS\_NETWORK\_STATE
- Used Type: Api
- Caller Code: Lcom/example/android/scheduler/android/SchedulingService;->c()Z
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 28
- Permission Name: android.permission.INTERNET
- Used Type: Content Provider
- Callee Code: download

## Log Message

Tag	Message
AsyncHttpResponseHandler	Progress 171 from 1 (17100%)
Choreographer	Skipped 358 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 37 frames! The application may be doing too much work on its main thread.
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in android.view.ViewRootImpl@410a4ef8 0: sent at 177611000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_SCROLL_LOCK, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=177611, downTime=177611, deviceId=-1, source=0x101 } recent events 1: sent at 177292000000, MotionEvent { action=ACTION_UP, id[0]=0, x[0]=184.0, y[0]=37.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, eh0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=177292, downTime=177286, deviceId=0, source=0x1002 } 2: sent at 177286000000, MotionEvent { action=ACTION_DOWN, id[0]=0, x[0]=183.0, y[0]=32.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=177286, downTime=177286, deviceId=0, source=0x1002 } 3: sent at 177244000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_MENU, scanCode=0, metaState=0, flags=0x8, repeatCount=0unt=0, eventTime=177244, downTime=177244, deviceId=-1, source=0x101 } 4: sent at 177235000000, KeyEvent { action=ACTION_DOWN, keyCode=KEYCODE_MENU, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=177235, downTime=177235, deviceId=-1, source=0x101 } 5: sent at 177229000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_MENU, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=177229, downTime=177229, deviceId=-1, source=0x101 }

## **May Log Message**

Tag	Message	Caller Code	Path Index
ActionProvider(support )	2	Landroid/support/v4/h/n;->a(Landroid/support/v4/h/p;)V	82
AppCompatDelegate	0	Landroid/support/v7/a/ae;->e(I Landroid/view/KeyEvent;)Z	258
AppCompatDelegate	You should now use the AppCompatDelegate.FEATURE_SUPPORT_AC TION_BAR id when requesting this feature.	Landroid/support/v7/a/ae;->h(I)I	16
AppCompatDelegate	You should now use the AppCompatDelegate.FEATURE_SUPPORT_AC TION_BAR_OVERLAY id when requesting this feature.	Landroid/support/v7/a/ae;->h(I)I	44
AppCompatDelegate	AppCompatDelegate	Landroid/support/v7/a/ae;->g()V	56
AppCompatDrawableM anager	Mutated drawable is not the same instance as the input.	Landroid/support/v7/widget/ao;->a(Landroid/graphics/drawable/Drawable; Landroid/support/v7/widget/de; [I)V	32
AppCompatDrawableM anager	Exception while inflating drawable	Landroid/support/v7/widget/ao;->c(Landroid/content/Context; I)Landroid/graphics/drawable/Drawable;	282
AppCompatPopupWin dow	Exception while installing workaround OnScrollChangedListener	Landroid/support/v7/widget/az;->a(Landroid/widget/PopupWindow;)V	88
AppCompatSpinner	Could not read android:spinnerMode	Landroid/support/v7/widget/bg;->(Landroid/content/Context; Landroid/util/AttributeSet; I I Landroid/content/res/Resources\$Theme;)V	432
AppCompatViewInflate r	app:theme is now deprecated. Please move to using android:theme instead.	Landroid/support/v7/a/at;->a(Landroid/content/Context; Landroid/util/AttributeSet; Z Z)Landroid/content/Context;	62

Tag	Message	Caller Code	Path Index
AsyncHttpClient	getUrlWithQueryString encoding URL	Lcom/a/a/a/a;->a(Z Ljava/lang/String; Lcom/a/a/a/o;)Ljava/lang/String;	262
AsyncHttpClient	Invalid HTTP port number specified, defaulting to 80	Lcom/a/a/a;->a(Z I I)Lorg/apache/http/conn/scheme/SchemeRegistry;	36
AsyncHttpClient	Invalid HTTPS port number specified, defaulting to 443	Lcom/a/a/a/a;->a(Z I I)Lorg/apache/http/conn/scheme/SchemeRegistry;	58
AsyncHttpClient	Cannot close input stream	Lcom/a/a/a/a;->a(Ljava/io/InputStream;)V	22
AsyncHttpClient	wrappedEntity consume	Lcom/a/a/a/a;->a(Lorg/apache/http/HttpEntity;)V	114
AsyncHttpClient	Passed contentType will be ignored because HttpEntity sets content type	Lcom/a/a/a/a;->b(Lorg/apache/http/impl/client/DefaultHttpClient; Lorg/apache/http/protocol/HttpContext; Lorg/apache/http/client/methods/HttpUriRequest; Ljava/lang/String; Lcom/a/a/a/p; Landroid/content/Context;)Lcom/a/a/a/n;	134
AsyncHttpClient	5	Lcom/a/a/a/b;->process(Lorg/apache/http/HttpRequest; Lorg/apache/http/protocol/HttpContext;)V	184
AsyncHttpRequest	Unhandled exception origin cause	Lcom/a/a/a/f;->d()V	164
AsyncHttpRequest	makeRequestWithRetries returned error	Lcom/a/a/a/f;->run()V	158
AsyncHttpResponseHa ndler	2	Lcom/a/a/a/g;->a(I)V	36
AsyncHttpResponseHa ndler	4	Lcom/a/a/a/g;->a(J J)V	94
AsyncHttpResponseHa ndler	1	Lcom/a/a/a/g;->a(Landroid/os/Message;)V	112
AsyncHttpResponseHa ndler	1	Lcom/a/a/a/g;->a(Landroid/os/Message;)V	216
AsyncHttpResponseHa ndler	custom onProgress contains an error	Lcom/a/a/a/g;->a(Landroid/os/Message;)V	318
AsyncHttpResponseHa ndler	AsyncHttpResponseHandler	Lcom/a/a/a/g;->a(Landroid/os/Message;)V	336
AsyncHttpResponseHa ndler	0	Lcom/a/a/a/g;->a(Landroid/os/Message;)V	404
AsyncHttpResponseHa ndler	User-space exception detected!	Lcom/a/a/a/g;->a(Ljava/lang/Throwable;)V	8
AsyncHttpResponseHa ndler	Current thread has not called Looper.prepare(). Forcing synchronous mode.	Lcom/a/a/a/g;->a(Z)V	22
AsyncHttpResponseHa ndler	Request got cancelled	Lcom/a/a/a/g;->e()V	8
AvdcInflateDelegate	Exception while inflating	Landroid/support/v7/widget/aq;->a(Landroid/content/Context; Lorg/xmlpull/v1/XmlPullParser; Landroid/util/AttributeSet; Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable;	28
CompoundButtonCom patDonut	Failed to retrieve mButtonDrawable field	Landroid/support/v4/widget/k;- >a(Landroid/widget/CompoundButton;)Landroid/graphics/drawable/Drawable;	84
CompoundButtonCom patDonut	Failed to get button drawable via reflection	Landroid/support/v4/widget/k;- >a(Landroid/widget/CompoundButton;)Landroid/graphics/drawable/Drawable;	102
DrawableCompatJellyb eanMr1	Failed to retrieve getLayoutDirection() method	Landroid/support/v4/c/a/n;->a(Landroid/graphics/drawable/Drawable;)l	102
DrawableCompatJellyb eanMr1	Failed to invoke getLayoutDirection() via reflection	Landroid/support/v4/c/a/n;->a(Landroid/graphics/drawable/Drawable;)l	120

Tag	Message	Caller Code	Path Index
FragmentActivity	Activity result delivered for unknown Fragment.	Landroid/support/v4/a/w;->onActivityResult(I I Landroid/content/Intent;)V	60
FragmentActivity	0	Landroid/support/v4/a/w;->onActivityResult(I I Landroid/content/Intent;)V	126
FragmentActivity	Invalid requestCode mapping in savedInstanceState.	Landroid/support/v4/a/w;->onCreate(Landroid/os/Bundle;)V	164
FragmentActivity	2	Landroid/support/v4/a/w;->onRequestPermissionsResult(I [Ljava/lang/String; [I)V	90
FragmentActivity	2	Landroid/support/v4/a/w;->onRequestPermissionsResult(I [Ljava/lang/String; [I)V	186
FragmentManager	Activity state:	Landroid/support/v4/a/af;->a(Ljava/lang/RuntimeException;)V	26
FragmentManager	Failed dumping state	Landroid/support/v4/a/af;->a(Ljava/lang/RuntimeException;)V	98
FragmentManager	Failed dumping state	Landroid/support/v4/a/af;->a(Ljava/lang/RuntimeException;)V	136
FragmentManager	No field with the name mListener is found in Animation class	Landroid/support/v4/a/af;->b(Landroid/view/View; Landroid/view/animation/Animation;)V	108
FragmentManager	No field with the name mListener is found in Animation class	Landroid/support/v4/a/af;->b(Landroid/view/View; Landroid/view/animation/Animation;)V	128
FragmentManager	0	Landroid/support/v4/a/af;->a(Landroid/view/View; Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View;	354
FragmentManager	6	Landroid/support/v4/a/af;->a(I Landroid/support/v4/a/j;)V	110
FragmentManager	0	Landroid/support/v4/a/af;->a(I Landroid/support/v4/a/j;)V	218
FragmentManager	6	Landroid/support/v4/a/af;->a(I Landroid/support/v4/a/j;)V	318
FragmentManager	0	Landroid/support/v4/a/af;->a(Landroid/os/Parcelable; Ljava/util/List;)V	102
FragmentManager	3	Landroid/support/v4/a/af;->a(Landroid/os/Parcelable; Ljava/util/List;)V	366
FragmentManager	0	Landroid/support/v4/a/af;->a(Landroid/os/Parcelable; Ljava/util/List;)V	474
FragmentManager	5	Landroid/support/v4/a/af;->a(Landroid/os/Parcelable; Ljava/util/List;)V	656
FragmentManager	0	Landroid/support/v4/a/af;->a(Landroid/os/Parcelable; Ljava/util/List;)V	874
FragmentManager	1	Landroid/support/v4/a/af;->a(Landroid/os/Parcelable; Ljava/util/List;)V	1084
FragmentManager	3	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I)V	78
FragmentManager	2	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	244
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	306
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	802
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	1220
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	1286
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	1494
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	1560
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	1626
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	1694
FragmentManager	11	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; I I I Z)V	1910
FragmentManager	5	Landroid/support/v4/a/af;->a(Landroid/support/v4/a/t; Z)V	74
FragmentManager	10	Landroid/support/v4/a/af;->a(Landroid/os/Handler; Ljava/lang/String; I I)Z	482
FragmentManager	4	Landroid/support/v4/a/af;->b(I)V	86
FragmentManager	5	Landroid/support/v4/a/af;->b(Landroid/support/v4/a/t; I I)V	52

Тад	Message	Caller Code	Path Index
FragmentManager	4	Landroid/support/v4/a/af;->c(Landroid/support/v4/a/t;)V	138
FragmentManager	6	Landroid/support/v4/a/af;->c(Landroid/support/v4/a/t; I I)V	54
FragmentManager	4	Landroid/support/v4/a/af;->d(Landroid/support/v4/a/t;)V	60
FragmentManager	7	Landroid/support/v4/a/af;->d(Landroid/support/v4/a/t; I I)V	54
FragmentManager	7	Landroid/support/v4/a/af;->d(Landroid/support/v4/a/t; I I)V	138
FragmentManager	7	Landroid/support/v4/a/af;->e(Landroid/support/v4/a/t; I I)V	54
FragmentManager	7	Landroid/support/v4/a/af;->e(Landroid/support/v4/a/t; I I)V	218
FragmentManager	0	Landroid/support/v4/a/af;->f()Ljava/util/ArrayList;	154
FragmentManager	2	Landroid/support/v4/a/af;->g()Landroid/os/Parcelable;	460
FragmentManager	saveAllState: no fragments!	Landroid/support/v4/a/af;->g()Landroid/os/Parcelable;	510
FragmentManager	8	Landroid/support/v4/a/af;->g()Landroid/os/Parcelable;	758
FragmentManager	6	Landroid/support/v4/a/af;->g()Landroid/os/Parcelable;	920
FragmentManager	2	Landroid/support/v4/a/ao;->a(Landroid/support/v4/a/ac; Landroid/support/v4/a/t;)Landroid/support/v4/a/t;	268
FragmentManager	11	Landroid/support/v4/a/j;->a(Z Landroid/support/v4/a/o; Landroid/util/SparseArray; Landroid/util/SparseArray;)Landroid/support/v4/a/o;	58
FragmentManager	7	Landroid/support/v4/a/j;->a(I)V	80
FragmentManager	3	Landroid/support/v4/a/j;->a(I)V	200
FragmentManager	0	Landroid/support/v4/a/j;->a(I)V	336
FragmentManager	13	Landroid/support/v4/a/j;->run()V	50
FragmentManager	0	Landroid/support/v4/a/j;->run()V	446
FragmentManager	12	Landroid/support/v4/a/j;->run()V	610
FragmentManager	5	Landroid/support/v4/a/p;- >a(Landroid/support/v4/a/af;)Landroid/support/v4/a/j;	152
FragmentManager	9	Landroid/support/v4/a/p;- >a(Landroid/support/v4/a/af;)Landroid/support/v4/a/j;	372
LayoutInflaterCompatH C	3	Landroid/support/v4/h/ai;->a(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	134
LayoutInflaterCompatH C	3	Landroid/support/v4/h/ai;->a(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	198
ListPopupWindow	Could not find method setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/by;->()V	104
ListPopupWindow	Could not find method getMaxAvailableHeight(View, int, boolean) on PopupWindow. Oh well.	Landroid/support/v7/widget/by;->()V	122
ListPopupWindow	Could not call getMaxAvailableHeightMethod(View, int, boolean) on PopupWindow. Using the public version.	Landroid/support/v7/widget/by;->a(Landroid/view/View; I Z)I	88
ListPopupWindow	8	Landroid/support/v7/widget/by;->b()I	288
ListPopupWindow	Could not call setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/by;->b(Z)V	54
LoaderManager	4	Landroid/support/v4/a/ba;->b()V	50

Тад	Message	Caller Code	Path Index
LoaderManager	4	Landroid/support/v4/a/ba;->b()V	126
LoaderManager	4	Landroid/support/v4/a/ba;->c()V	50
LoaderManager	4	Landroid/support/v4/a/ba;->c()V	126
LoaderManager	4	Landroid/support/v4/a/ba;->d()V	50
LoaderManager	4	Landroid/support/v4/a/ba;->d()V	126
LoaderManager	3	Landroid/support/v4/a/ba;->e()V	58
LoaderManager	3	Landroid/support/v4/a/ba;->h()V	58
LoaderManager	3	Landroid/support/v4/a/ba;->h()V	176
LoaderManager	4	Landroid/support/v4/a/bb;->a()V	86
LoaderManager	3	Landroid/support/v4/a/bb;->a(Landroid/support/v4/b/k; Ljava/lang/Object;)V	150
LoaderManager	3	Landroid/support/v4/a/bb;->b()V	50
LoaderManager	3	Landroid/support/v4/a/bb;->c()V	58
LoaderManager	4	Landroid/support/v4/a/bb;->e()V	52
LoaderManager	5	Landroid/support/v4/a/bb;->f()V	54
LoaderManager	5	Landroid/support/v4/a/bb;->f()V	152
MenuItemCompat	setActionProvider: item does not implement SupportMenuItem; ignoring	Landroid/support/v4/h/ar;->a(Landroid/view/MenuItem; Landroid/support/v4/h/n;)Landroid/view/MenuItem;	30
NavUtils	3	Landroid/support/v4/a/be;- >a(Landroid/app/Activity;)Landroid/content/Intent;	124
NestedScrollView	2	Landroid/support/v4/widget/NestedScrollView;->onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	120
NestedScrollView	4	Landroid/support/v4/widget/NestedScrollView;- >onTouchEvent(Landroid/view/MotionEvent;)Z	358
PathParser	Points are coincident	Landroid/support/a/a/i;->a(Landroid/graphics/Path; F F F F F F Z Z)V	210
PopupWindowCompat Api21	Could not fetch mOverlapAnchor field from PopupWindow	Landroid/support/v4/widget/ao;->()V	44
PopupWindowCompat Api21	Could not set overlap anchor field in PopupWindow	Landroid/support/v4/widget/ao;->a(Landroid/widget/PopupWindow; Z)V	38
Share records file does not start with historical-records tag.	4	Landroid/support/v7/widget/z;->j()V	146
Share records file not well-formed.	4	Landroid/support/v7/widget/z;->j()V	302
SuggestionsAdapter	5	Landroid/support/v7/widget/cz;- >a(Ljava/lang/String;)Landroid/graphics/drawable/Drawable;	230
SuggestionsAdapter	unexpected error retrieving valid column from cursor, did the remote process die?	Landroid/support/v7/widget/cz;->a(Landroid/database/Cursor; I)Ljava/lang/String;	30
SuggestionsAdapter	3	Landroid/support/v7/widget/cz;- >b(Landroid/content/ComponentName;)Landroid/graphics/drawable/Drawable;	156
SuggestionsAdapter	0	Landroid/support/v7/widget/cz;- >b(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	160
SuggestionsAdapter	7	Landroid/support/v7/widget/cz;- >b(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	306

Tag	Message	Caller Code	Path Index
SuggestionsAdapter	7	Landroid/support/v7/widget/cz;- >b(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	370
SuggestionsAdapter	Search suggestions query threw an exception.	Landroid/support/v7/widget/cz;- >a(Ljava/lang/CharSequence;)Landroid/database/Cursor;	94
SuggestionsAdapter	Tried to change cursor after adapter was closed.	Landroid/support/v7/widget/cz;->a(Landroid/database/Cursor;)V	16
SuggestionsAdapter	error changing cursor and caching columns	Landroid/support/v7/widget/cz;->a(Landroid/database/Cursor;)V	152
SuggestionsAdapter	Search suggestions cursor threw exception.	Landroid/support/v7/widget/cz;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	20
SupportMenuInflater	5	Landroid/support/v7/view/k;->a(Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;	98
SupportMenuInflater	The android:onClick attribute cannot be used within a restricted context	Landroid/support/v7/view/k;->a(Landroid/view/MenuItem;)V	372
TaskStackBuilder	Bad ComponentName while traversing activity parent metadata	Landroid/support/v4/a/bk;- >a(Landroid/content/ComponentName;)Landroid/support/v4/a/bk;	70
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/widget/dp;->f()V	8
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/widget/dp;->g()V	8
TwilightManager	Failed to get last known location	Landroid/support/v7/a/ba;->a(Ljava/lang/String;)Landroid/location/Location;	48
TwilightManager	Could not get last known location. This is probably because the app does not have any location permissions. Falling back to hardcoded sunrise/sunset values.	Landroid/support/v7/a/ba;->a()Z	54
VdcInflateDelegate	Exception while inflating	Landroid/support/v7/widget/at;->a(Landroid/content/Context; Lorg/xmlpull/v1/XmlPullParser; Landroid/util/AttributeSet; Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable;	28
VectorDrawableCompa t	parser error	Landroid/support/a/a/l;->a(Landroid/content/res/Resources; I Landroid/content/res/Resources\$Theme;)Landroid/support/a/a/l;	128
VectorDrawableCompa t	parser error	Landroid/support/a/a/l;->a(Landroid/content/res/Resources; I Landroid/content/res/Resources\$Theme;)Landroid/support/a/a/l;	158
ViewParentCompat	3	Landroid/support/v4/h/dg;->a(Landroid/view/ViewParent; Landroid/view/View;)V	76
ViewParentCompat	3	Landroid/support/v4/h/dg;->a(Landroid/view/ViewParent; Landroid/view/View; I I I I)V	76
ViewParentCompat	3	Landroid/support/v4/h/dg;->a(Landroid/view/ViewParent; Landroid/view/View; I I [I)V	76
ViewParentCompat	3	Landroid/support/v4/h/dg;->a(Landroid/view/ViewParent; Landroid/view/View; F F)Z	78
ViewParentCompat	3	Landroid/support/v4/h/dg;->a(Landroid/view/ViewParent; Landroid/view/View; F F Z)Z	78
ViewParentCompat	3	Landroid/support/v4/h/dg;->a(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)Z	78
ViewParentCompat	3	Landroid/support/v4/h/dg;->b(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)V	76
ViewUtils	Could not find method computeFitSystemWindows. Oh well.	Landroid/support/v7/widget/dt;->()V	98
ViewUtils	Could not find method makeOptionalFitsSystemWindows. Oh well	Landroid/support/v7/widget/dt;->b(Landroid/view/View;)V	82
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/widget/dt;->b(Landroid/view/View;)V	100

Тад	Message	Caller Code	Path Index
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/widget/dt;->b(Landroid/view/View;)V	118
WakefulBroadcastRece iver	2	Landroid/support/v4/b/o;->a(Landroid/content/Intent;)Z	112

## ScreenShots

