

Report

General Information

Analysis Start Time	2016-12-13 18:12:04
Analysis End Time	2016-12-13 19:31:49
File MD5	ECBC9E9DFC71A6EC31F9C1ECF77FFAB2
File Size	34.43 MB
File Name	ws.coverme.im.apk
Package Name	ws.coverme.im
Version Code	2006011
Version Name	2.6.11
Min SDK	9
Target SDK	N/A
Max SDK	N/A
Pcap File	Pcap (/file_download?md5=ECBC9E9DFC71A6EC31F9C1ECF77FFAB2&type=pcap)
Logcat File	Logcat (/file_download?md5=ECBC9E9DFC71A6EC31F9C1ECF77FFAB2&type=logcat)



Risk Score

 100

Risky Behaviors

Connects to the Internet
Contain sensitive files
Encrypt or Decrypt data
Executes shell code
Exist unused permissions
Gets geographic location
Gets packages installed on the device
Gets the ISO country code equivalent for the SIM provider's country code
Gets the ISO country code equivalent of the current registered operator's MCC
Gets the MCC+MNC of the provider of the SIM
Gets the Service Provider Name(SPN)
Gets the alphabetic name of current registered operator
Gets the current location of the device
Gets the numeric name (MCC+MNC) of current registered operator
Gets the phone number string for line 1

Gets the serial number of SIM

Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones

Loads and links the dynamic library

Loads code dynamically

Open camera

Records audio

Sends a text based SMS

Takes picture

Utilizes Java reflection

Malware Detected by VirusTotal


(<https://www.virustotal.com/en/file/481a25f109415a44c4ee84ada19ac600b8a4445bdf1248f7bd1f1d0afee12996/analysis/>)


N/A

Certificate

Content	Owner: CN=CoverMe, OU=CoverMe, O=CoverMe, L=San Jose, ST=California, C=1 Issuer: CN=CoverMe, OU=CoverMe, O=CoverMe, L=San Jose, ST=California, C=1 Serial number: 51d298ea Valid from: Tue Jul 02 17:10:02 CST 2013 until: Thu Jun 08 17:10:02 CST 2113 Certificate fingerprints: MD5: AB:BA:CC:76:25:2B:AC:F5:E4:0E:3B:2E:54:89:DB:8F SHA1: 09:32:82:59:FF:F8:59:29:8C:BF:6D:09:04:4A:E8:63:7C:AC:C0:2B SHA256: C9:1D:BD:F8:31:A8:E4:AF:0C:FF:FF:83:93:69:39:D9:86:54:E8:2D:8F:CF:91:8B:25:0F:CD:81:2A:22:5C:45 Signature algorithm name: SHA1withRSA Version: 3
Sha1	09328259FFF859298CBF6D09044AE8637CACC02B

Classification





Code Features

Code Feature	Used
Native Code	✓
Dynamic Loader	✓
Java Reflection	✓
Crypto	✓

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_COARSE_LOCATION	normal	<div style="width: 20%;">██████</div>	✗	✗	✗	N/A
android.permission.ACCESS_FINE_LOCATION	dangerous	<div style="width: 80%;">██████████</div>	✗	✗	✓	Allows an app to access approximate location derived from network location sources such as cell towers and Wi-Fi.
android.permission.ACCESS_DOWNLOAD_MANAGER	normal	<div style="width: 20%;">██████</div>	✗	✗	✗	N/A
android.permission.ACCESS_NETWORK_STATE	dangerous	<div style="width: 80%;">██████████</div>	✗	✗	✓	Used for permissions that allow access to the user's current location. Allows an app to access precise location from location sources such as GPS, cell towers, and Wi-Fi.
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	normal	<div style="width: 20%;">██████</div>	✗	✗	✗	Allows an application to access extra location provider commands
android.permission.ACCESS_WIFI_STATE	normal	<div style="width: 20%;">██████</div>	✗	✗	✓	Allows applications to access information about networks
android.permission.BLUETOOTH_ADMIN	dangerous	<div style="width: 80%;">██████████</div>	✗	✗	✓	Used for permissions that provide access to other devices through Bluetooth. Allows applications to connect to paired bluetooth devices
android.permission.BLUETOOTH	dangerous	<div style="width: 80%;">██████████</div>	✗	✗	✗	Allows applications to discover and pair bluetooth devices

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.CALL_PHONE	dangerous		✗	✗	✓	Allows an application to initiate a phone call without going through being placed.
android.permission.CALL_PRIVILEGED	normal		✗	✗	✗	N/A
android.permission.CAMERA	dangerous		✗	✗	✓	Used for permissions that are associated with accessing camera or capturing images/video from the device. Required to be able to access the camera device. install on devices that don't support all camera features.
android.permission.CHANGE_CONFIGURATION	signature system development		✗	✗	✗	Allows an application to modify the current configuration, such as locale.
android.permission.CHANGE_WIFI_STATE	dangerous		✗	✗	✓	Allows applications to change Wi-Fi connectivity state
android.permission.DISABLE_KEYGUARD	dangerous		✗	✗	✗	Group of permissions that are related to the screenlock. Allows applications to disable the keyguard
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	normal		✗	✗	✗	N/A
android.permission.FLASHLIGHT	normal		✗	✗	✗	Allows access to the flashlight
android.permission.GET_ACCOUNTS	normal		✗	✗	✓	Permissions for direct access to the accounts managed by the Account Manager. Allows access to the list of accounts in the Accounts Service
android.permission.GET_TASKS	dangerous		✗	✗	✓	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INTERNET	dangerous		✗	✗	✓	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.KILL_BACKGROUND_PROCESSES	normal		✗	✗	✗	Allows an application to call { android.app.ActivityManager#killBackgroundProcesses}.
android.permission.MODIFY_AUDIO_SETTINGS	normal		✗	✗	✓	Used for permissions that provide direct access to speaker settings the device. Allows an application to modify global audio settings
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	system signature		✗	✗	✗	Allows mounting and unmounting file systems for removable storage. Not for use by third-party applications.
android.permission.PROCESS_OUTGOING_CALLS	dangerous		✗	✗	✓	Used for permissions that are associated with accessing and modifying and modifying the phone state. Allows an application to monitor, modify, or abort outgoing calls.
android.permission.READ_CALL_LOG	dangerous		✗	✗	✓	Allows an application to read the user's call log. targetSdkVersion is 16 or higher.

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.READ_CONTACTS	dangerous		✗	✗	✓	Used for permissions that provide access to the user's social connections, expressed as two distinct permissions). Allows an application to read the user's contacts data.
android.permission.READ_EXTERNAL_STORAGE	normal		✗	✗	✓	Group of permissions that are related to SD card access. Allows an application to read from external storage. targetSdkVersion is 4 or higher.
android.permission.READ_LOGS	signature system development		✗	✗	✗	Allows an application to read the low-level system log files. Log entries can contain the user's private information.
android.permission.READ_PHONE_STATE	dangerous		✗	✗	✓	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.READ_SMS	dangerous		✗	✗	✓	Allows an application to read SMS messages.
android.permission.RECEIVE_BOOT_COMPLETED	normal		✗	✗	✓	Allows an application to receive the to the user.
android.permission.RECEIVE_SMS	dangerous		✗	✗	✓	Allows an application to monitor incoming SMS messages, to record or perform processing on them.
android.permission.RECEIVE_USER_PRESENT	normal		✗	✗	✗	N/A
android.permission.RECEIVE_WAP_PUSH	dangerous		✗	✗	✗	Allows an application to monitor incoming WAP push messages.
android.permission.RECORD_AUDIO	dangerous		✗	✗	✓	Used for permissions that are associated with accessing but are in a separate (more visible) permission group. Allows an application to record audio
android.permission.SEND_SMS	dangerous		✗	✗	✓	Used for permissions that allow an application to send messages receiving or reading an MMS. Allows an application to send SMS messages.
android.permission.SYSTEM_ALERT_WINDOW	dangerous		✗	✗	✗	Group of permissions that allow manipulation of how another application displays UI to the user. Allows an application to open windows using the type system-level interaction with the user.
android.permission.VIBRATE	normal		✗	✗	✓	Allows access to the vibrator
android.permission.WAKE_LOCK	normal		✗	✗	✓	Allows using PowerManager WakeLocks to keep processor from sleeping or screen from dimming
android.permission.WRITE_CONTACTS	dangerous		✗	✗	✗	Allows an application to write (but not read) the user's contacts data.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous		✗	✗	✗	Allows an application to write to external storage. { android.content.Context#getExternalCacheDir}.
android.permission.WRITE_SETTINGS	normal		✗	✗	✓	Allows an application to read or write the system settings.
android.permission.WRITE_SMS	dangerous		✗	✗	✗	Allows an application to write SMS messages.

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.reenable_K EYGUARD	normal		✗	✗	✗	N/A
com.android.launcher.permission. n.INSTALL_SHORTCUT	dangerous		✗	✗	✓	N/A
com.android.launcher.permission. n.READ_SETTINGS	normal		✗	✗	✗	N/A
com.android.launcher.permission. n.UNINSTALL_SHORTCUT	dangerous		✗	✗	✓	N/A
com.android.launcher.permission. n.WRITE_SETTINGS	normal		✗	✗	✓	N/A
com.android.vending.BILLING	normal		✗	✗	✗	N/A
com.google.android.c2dm.permission. RECEIVE	normal		✗	✗	✗	N/A
com.google.android.providers.gsf.permission. READ_GSERVICES	normal		✗	✗	✗	N/A
ws.coverme.im.permission.C2D _MESSAGE	signature		✓	✗	✗	N/A
ws.coverme.im.permission.MAP S_RECEIVE	signature		✓	✗	✗	N/A

Activities

Name	Main Activity	Exposed
com.alipay.sdk.app.H5PayActivity	✗	✗
com.alipay.sdk.auth.AuthActivity	✗	✗
com.baidu.android.pushservice.PushKeepAlive	✗	✗
com.baidu.android.pushservice.richmedia.MediaListActivity	✗	✗
com.baidu.android.pushservice.richmedia.MediaViewActivity	✗	✗
com.dropbox.client2.android.AuthActivity • android.intent.action.VIEW	✗	✓
com.facebook.FacebookActivity	✗	✗
compaypal.android.sdk.payments.LoginActivity	✗	✗
compaypal.android.sdk.payments.PaymentActivity	✗	✗
compaypal.android.sdk.payments.PaymentConfirmActivity	✗	✗
compaypal.android.sdk.payments.PaymentMethodActivity	✗	✗
com.supersonicads.sdk.controller.ControllerActivity	✗	✗
com.supersonicads.sdk.controller.InterstitialActivity	✗	✗
com.supersonicads.sdk.controller.OpenUrlActivity	✗	✗

Name	Main Activity	Exposed
com.tapjoy.TJAdUnitView	✗	✗
com.tapjoy.TJCOffersWebView	✗	✗
com.tapjoy.TapjoyDailyRewardAdWebView	✗	✗
com.tapjoy.TapjoyFullScreenAdWebView	✗	✗
com.tapjoy.TapjoyVideoView	✗	✗
com.tapjoy.mraids.view.ActionHandler	✗	✗
com.tapjoy.mraids.view.Browser	✗	✗
mm.purchasesdk.iapservice.BillingLayoutActivity	✗	✓
• ws.coverme.vault.com.mmiap.activity		
safiap.framework.ui.UpdateHintActivity	✗	✓
• safiap.framework.ACTION_TO_INSTALL		
• safiap.framework.ACTION_TO_INSTALL_IAP		
• safiap.framework.ACTION_NETWORK_ERROR_IAP		
• safiap.framework.ACTION_NETWORK_ERROR_FRAMEWORK		
ws.coverme.im.model.hide_app.ManageSpaceActivity	✗	✗
ws.coverme.im.model.purchase.PayActivity	✗	✗
ws.coverme.im.model.purchase.PayMainActivity	✗	✗
ws.coverme.im.net.SinaBindActivity	✗	✗
ws.coverme.im.net.SinaShareActivity	✗	✗
ws.coverme.im.ui.MainActivity	✗	✗
ws.coverme.im.ui.TempMainUI	✗	✗
ws.coverme.im.ui.albums.AlbumCameraActivity	✗	✗
ws.coverme.im.ui.albums.AlbumDataListActivity	✗	✗
ws.coverme.im.ui.albums.AlbumsActivity	✗	✗
ws.coverme.im.ui.albums.AlbumsActivity1	✗	✗
ws.coverme.im.ui.albums.DropboxSinglePhotoActivity	✗	✗
ws.coverme.im.ui.albums.ImportPhotosGridActivity	✗	✗
ws.coverme.im.ui.albums.ImportVideosGridActivity	✗	✗
ws.coverme.im.ui.albums.PhotoSwitcher	✗	✗
ws.coverme.im.ui.albums.PhotosActivity	✗	✗
ws.coverme.im.ui.albums.PlayVideoActivity	✗	✗
ws.coverme.im.ui.albums.ReceivedActivity	✗	✗
ws.coverme.im.ui.albums.SelectAlbumActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.albums.SelectPhotosActivity	✗	✗
ws.coverme.im.ui.albums.SelectReceiveActivity	✗	✗
ws.coverme.im.ui.albums.SelectSendPhotosActivity	✗	✗
ws.coverme.im.ui.albums.SelectSendSinglePhotoActivity	✗	✗
ws.coverme.im.ui.albums.ShareActivity	✗	✗
ws.coverme.im.ui.albums.SharePhotoActivity	✗	✗
ws.coverme.im.ui.albums.SinglePhotoActivity	✗	✗
ws.coverme.im.ui.albums.SinglePhotoActivity1	✗	✗
ws.coverme.im.ui.albums.VideosActivity	✗	✗
ws.coverme.im.ui.albums.video.SelectVideoWayActivity	✗	✗
ws.coverme.im.ui.applockmanager.AppLockChoiceActivity	✗	✗
ws.coverme.im.ui.applockmanager.AppLockManagerActivity	✗	✗
ws.coverme.im.ui.applockmanager.AppLockPwdActivity	✗	✗
ws.coverme.im.ui.applockmanager.AppLockScreenActivity	✗	✗
ws.coverme.im.ui.applockmanager.AppLockSettingActivity	✗	✗
ws.coverme.im.ui.applockmanager.AppLockedManagerActivity	✗	✗
ws.coverme.im.ui.call.AddPrivateNumberGuideActivity	✗	✗
ws.coverme.im.ui.call.CallActivity	✗	✗
ws.coverme.im.ui.call.CallHistoryActivity	✗	✗
ws.coverme.im.ui.call.CallHistoryManagerActivity	✗	✗
ws.coverme.im.ui.call.CallLogActivity	✗	✗
ws.coverme.im.ui.call.ChooseVoipDialFriendActivity	✗	✗
ws.coverme.im.ui.call.ReceiveCallActivity	✗	✓
ws.coverme.im.ui.call.RemoteAnswerCallActivity	✗	✗
ws.coverme.im.ui.chat.AddPhotoActivity	✗	✗
ws.coverme.im.ui.chat.AddVideoActivity	✗	✗
ws.coverme.im.ui.chat.ChatContactsActivity	✗	✗
ws.coverme.im.ui.chat.ChatSinglePhotoActivity	✗	✗
ws.coverme.im.ui.chat.ChooseChatContactsActivity	✗	✗
ws.coverme.im.ui.chat.DialogMessageIn	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.chat.InfoFriendListActivity	✗	✗
ws.coverme.im.ui.chat.MessageChooseActivity	✗	✗
ws.coverme.im.ui.chat.MessageChooseFriendActivity	✗	✗
ws.coverme.im.ui.chat.MessagesEditActivity	✗	✗
ws.coverme.im.ui.chat.TranslucentCircleMessageActivity	✗	✗
ws.coverme.im.ui.chat.map.GoogleMapV2Activity	✗	✗
ws.coverme.im.ui.chat.map.GoogleMapV2RouteActivity	✗	✗
ws.coverme.im.ui.chat.map.baidumap.LocationActivity	✗	✗
ws.coverme.im.ui.chat.map.baidumap.RoutePlan	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatActivitySearchActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatChooseLockActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatEditMsgActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatFaceStick	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatListViewActivity	✗	✓
ws.coverme.im.ui.chat.nativechat.ChatLockIllustrateActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatRecordInputSearchActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatRecordSearchActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChatTalkActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChooseAllContactsActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChooseAllContactsActivitySearchActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.ChooseContactsActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.EmptyActivity	✗	✓
ws.coverme.im.ui.chat.nativechat.MessageSettingsActivity	✗	✗
ws.coverme.im.ui.chat.nativechat.unread.ChatListViewActivityUnreadMsg	✗	✗
ws.coverme.im.ui.chat.secretary.SecretaryListViewActivity	✗	✗
ws.coverme.im.ui.chat.secretary.SecretaryStartActivity	✗	✓
ws.coverme.im.ui.chat.secretary.ServerSecretaryActivity	✗	✗
ws.coverme.im.ui.chat.vcard.VcardContactShowActivity	✗	✗
ws.coverme.im.ui.chat.vcard.VcardSavePopupActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.cloud.CloudBackupExpiredActivity	✗	✗
ws.coverme.im.ui.cloud.CloudBackupExpiredCancelBackupActivity	✗	✗
ws.coverme.im.ui.cloud.CloudBackupHistoryActivity	✗	✗
ws.coverme.im.ui.cloud.CloudBackupOperationActivity	✗	✗
ws.coverme.im.ui.cloud.CloudBackupSettingActivity	✗	✗
ws.coverme.im.ui.cloud.CloudDemoActivity	✗	✗
ws.coverme.im.ui.cloud.CloudExceptionDialogActivity	✗	✗
ws.coverme.im.ui.cloud.CloudFirstRestoreOperationActivity	✗	✗
ws.coverme.im.ui.cloud.CloudOperationChooseActivity	✗	✗
ws.coverme.im.ui.cloud.CloudPackageInfoActivity	✗	✗
ws.coverme.im.ui.cloud.CloudPackageRefillUpgradeActivity	✗	✗
ws.coverme.im.ui.cloud.CloudPackageRefillUpgradeNewActivity	✗	✗
ws.coverme.im.ui.cloud.CloudPlanSubscribeActivity	✗	✗
ws.coverme.im.ui.cloud.CloudRestoreOperationActivity	✗	✗
ws.coverme.im.ui.cmn.QueryUserIdActivity	✗	✓
• ws.coverme.im.ui.cmn.QueryUserIdActivity		
ws.coverme.im.ui.cmn.RssAddSourceActivity	✗	✗
ws.coverme.im.ui.cmn.RssEditSourceActivity	✗	✗
ws.coverme.im.ui.cmn.RssGuideActivity	✗	✗
ws.coverme.im.ui.cmn.RssNewsDetailActivity	✗	✗
ws.coverme.im.ui.cmn.RssNewsListActivity	✗	✗
ws.coverme.im.ui.contacts.AddContactsActivity	✗	✗
ws.coverme.im.ui.contacts.ChoosePhoneNumberToCallActivity	✗	✗
ws.coverme.im.ui.contacts.ContactNavigationActivity	✗	✗
ws.coverme.im.ui.contacts.ContactsActivity	✗	✗
ws.coverme.im.ui.contacts.ContactsDetailsEditActivity1	✗	✗
ws.coverme.im.ui.contacts.ContactsDetailsShowActivity1	✗	✗
ws.coverme.im.ui.contacts.ContactsGroupActivity	✗	✗
ws.coverme.im.ui.contacts.ContactsGroupSMSActivity	✗	✗
ws.coverme.im.ui.contacts.EditHiddenContactsActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.contacts.EditHiddenContactsPopActivity	✗	✗
ws.coverme.im.ui.contacts.ImportContactsActivity	✗	✗
ws.coverme.im.ui.contacts.PopNeedSendInviteSMSActivity	✗	✗
ws.coverme.im.ui.contacts.PrivateContactDetailActivity	✗	✗
ws.coverme.im.ui.contacts.PullInContactsActivity	✗	✗
ws.coverme.im.ui.contacts.SelectContactActivity	✗	✗
ws.coverme.im.ui.contacts.SelectGroupActivity	✗	✗
ws.coverme.im.ui.contacts.SelectPhoneActivity	✗	✗
ws.coverme.im.ui.contacts.SendSmsActivity	✗	✗
ws.coverme.im.ui.contacts.private_number.AddNumberToContact	✗	✗
ws.coverme.im.ui.contacts.private_number.DialChooseContactActivity	✗	✗
ws.coverme.im.ui.contacts.private_number.DialToContact	✗	✗
ws.coverme.im.ui.facebook.FriendsList	✗	✗
ws.coverme.im.ui.friends.AddCircleMemberActivity	✗	✗
ws.coverme.im.ui.friends.AddFriendActivity	✗	✗
ws.coverme.im.ui.friends.AddFriendAppendActivity	✗	✗
ws.coverme.im.ui.friends.AutoAddFriendActivity • android.intent.action.VIEW	✗	✓
ws.coverme.im.ui.friends.ChooseCallActivity	✗	✗
ws.coverme.im.ui.friends.ChooseFriendActivity	✗	✗
ws.coverme.im.ui.friends.ChooseMessageWayActivity	✗	✗
ws.coverme.im.ui.friends.CoverMeldIntroduceActivity	✗	✗
ws.coverme.im.ui.friends.DialogFriendRequestIn	✗	✗
ws.coverme.im.ui.friends.DialogFriendRequestIn1	✗	✗
ws.coverme.im.ui.friends.DialogFriendResponseIn	✗	✗
ws.coverme.im.ui.friends.FindFriendsActivity	✗	✗
ws.coverme.im.ui.friends.FriendChangeName	✗	✗
ws.coverme.im.ui.friends.FriendDetailsActivity	✗	✗
ws.coverme.im.ui.friends.FriendInfoActivity	✗	✗
ws.coverme.im.ui.friends.FriendToCircleActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.friends.FriendVoipLogActivity	✗	✗
ws.coverme.im.ui.friends.ManageNumberActivity	✗	✗
ws.coverme.im.ui.friends.MsgChooseFriendActivity	✗	✗
ws.coverme.im.ui.friends.NotAllowActivity	✗	✗
ws.coverme.im.ui.friends.NotificationsOptActivity	✗	✗
ws.coverme.im.ui.friends.NotificationsSetActivity	✗	✗
ws.coverme.im.ui.friends.RemoveNOConfirmActivity	✗	✗
ws.coverme.im.ui.friends.RemoveNumberActivity	✗	✗
ws.coverme.im.ui.friends.SMSInviteFriendActivity	✗	✗
ws.coverme.im.ui.friends.SearchContactsActivity	✗	✗
ws.coverme.im.ui.friends.SearchContactsResultActivity	✗	✗
ws.coverme.im.ui.friends.SearchFriendActivity	✗	✗
ws.coverme.im.ui.friends.SearchResultActivity	✗	✗
ws.coverme.im.ui.gift.ChooseFriendToUseActivity	✗	✗
ws.coverme.im.ui.gift.GiftChooseActivity	✗	✗
ws.coverme.im.ui.gift.GiftRefilledToOldPlanActivity	✗	✗
ws.coverme.im.ui.gift.GiftRefilledToOldPlanDetailActivity	✗	✗
ws.coverme.im.ui.gift.ReceiveGiftUseToSelectActivity	✗	✗
ws.coverme.im.ui.graphical_psw.AnswerResetActivity	✗	✗
ws.coverme.im.ui.graphical_psw.ChangeGraphicalPswActivity	✗	✗
ws.coverme.im.ui.graphical_psw.CreateDotLockActivity	✗	✗
ws.coverme.im.ui.graphical_psw.DrawDotLockActivity	✗	✗
ws.coverme.im.ui.graphical_psw.ForgetGraphicalPasswordActivity	✗	✗
ws.coverme.im.ui.graphical_psw.PinResetActivity	✗	✗
ws.coverme.im.ui.graphical_psw.SecurityQuestionActivity	✗	✗
ws.coverme.im.ui.graphical_psw.SelectSecurityQuestionActivity	✗	✗
ws.coverme.im.ui.graphical_psw.SetLockActivity	✗	✗
ws.coverme.im.ui.graphical_psw.TurnOffGraphicalPswActivity	✗	✗
ws.coverme.im.ui.graphical_psw.vault.VaultSetLockActivity	✗	✗
ws.coverme.im.ui.group.GroupActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.group.GroupAddDeleteMemberActivity	✗	✗
ws.coverme.im.ui.group.GroupAddFriendToMixChatGroupActivity	✗	✗
ws.coverme.im.ui.group.GroupAddMemberActivity	✗	✗
ws.coverme.im.ui.group.GroupAddMemberWhenCreateActivity	✗	✗
ws.coverme.im.ui.group.GroupAddRecommendActivity	✗	✗
ws.coverme.im.ui.group.GroupDeleteAcitivity	✗	✗
ws.coverme.im.ui.group.GroupDetailActivity	✗	✗
ws.coverme.im.ui.group.GroupManagerActivity	✗	✗
ws.coverme.im.ui.group.GroupMemberInfoActivity	✗	✗
ws.coverme.im.ui.group.GroupMemberListActivity	✗	✗
ws.coverme.im.ui.group.GroupNameEditActivity	✗	✗
ws.coverme.im.ui.group.GroupNewActivity	✗	✗
ws.coverme.im.ui.group.GroupPresetActivity	✗	✗
ws.coverme.im.ui.group.GroupRecommendInfoActivity	✗	✗
ws.coverme.im.ui.group.GroupRequestActivity	✗	✗
ws.coverme.im.ui.group.GroupSelectActivity	✗	✗
ws.coverme.im.ui.group.GroupTransferOwnerActivity	✗	✗
ws.coverme.im.ui.group.GroupUpdateGuide	✗	✗
ws.coverme.im.ui.guide_page.GuidePageAddCoverMeFriendActivity	✗	✗
ws.coverme.im.ui.guide_page.GuidePageCloudStorageActivity	✗	✗
ws.coverme.im.ui.guide_page.GuidePageFriendRequestActivity	✗	✗
ws.coverme.im.ui.guide_page.GuidePagePrivateNumberActivity	✗	✗
ws.coverme.im.ui.guide_page.version2.GuidePagePrivateNumberNewActivity	✗	✗
ws.coverme.im.ui.guide_page_new.GuidePageAllActivity	✗	✗
ws.coverme.im.ui.guide_page_new.GuidePageChooseContactsActivity	✗	✗
ws.coverme.im.ui.guide_page_new.GuidePageNewPrivateNumberActivity	✗	✗
ws.coverme.im.ui.hidemode.HideModeActivity	✗	✗
ws.coverme.im.ui.hidemode.HideModifyPwActivity	✗	✗
ws.coverme.im.ui.hidemode.HideSetActivity	✗	✗
ws.coverme.im.ui.hidemode.HideSetPasswordActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.hidemode.TestDialActivity	✗	✗
ws.coverme.im.ui.login_registe.ActivateActivity	✗	✗
ws.coverme.im.ui.login_registe.AdActivity <ul style="list-style-type: none"> • android.intent.action.VIEW • ws.coverme.im.ui.login_registe.AdActivity 	✗	✓
ws.coverme.im.ui.login_registe.AppDefenderActivity	✗	✓
ws.coverme.im.ui.login_registe.CloudRecoverPickupActivity	✗	✗
ws.coverme.im.ui.login_registe.ForgotMainPasswordStep2Activity	✗	✗
ws.coverme.im.ui.login_registe.LauncherActivity <ul style="list-style-type: none"> • android.intent.action.MAIN 	✓	✓
ws.coverme.im.ui.login_registe.LoginFailedListActivity	✗	✗
ws.coverme.im.ui.login_registe.LoginSuccessListActivity	✗	✗
ws.coverme.im.ui.login_registe.ReActivateActivity	✗	✗
ws.coverme.im.ui.login_registe.SetupActivity	✗	✗
ws.coverme.im.ui.login_registe.SetupPasswordActivity	✗	✗
ws.coverme.im.ui.login_registe.SignInActivity	✗	✗
ws.coverme.im.ui.login_registe.SignInCameraActivity	✗	✗
ws.coverme.im.ui.login_registe.SignInFeedBackActivity	✗	✗
ws.coverme.im.ui.login_registe.WelcomeActivity	✗	✗
ws.coverme.im.ui.login_registe.vault.VaultSetupPasswordActivity	✗	✗
ws.coverme.im.ui.market.MarketContentActivity	✗	✗
ws.coverme.im.ui.market.MarketQuestionActivity	✗	✗
ws.coverme.im.ui.market.MarketResultActivity	✗	✗
ws.coverme.im.ui.market.MarketStartActivity	✗	✗
ws.coverme.im.ui.messages.ChatActivity	✗	✗
ws.coverme.im.ui.messages.ChatEditActivity	✗	✗
ws.coverme.im.ui.messages.MediaCameraActivity	✗	✗
ws.coverme.im.ui.messages.MediaMapViewActivity	✗	✗
ws.coverme.im.ui.messages.MediaVideoCameraActivity	✗	✗
ws.coverme.im.ui.messages.MessagesActivity	✗	✗
ws.coverme.im.ui.messages.MessagesEditActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.messages.WebViewActivity	✗	✗
ws.coverme.im.ui.my_account.CheckSuccessActivity	✗	✗
ws.coverme.im.ui.my_account.ConfirmEmailActivity	✗	✗
ws.coverme.im.ui.my_account.DestroyAccountActivity	✗	✗
ws.coverme.im.ui.my_account.EmailReceiveActivity	✗	✗
ws.coverme.im.ui.my_account.FirstLoginActivity	✗	✗
ws.coverme.im.ui.my_account.FirstLoginAlertActivity	✗	✗
ws.coverme.im.ui.my_account.FirstLoginHelpActivity	✗	✗
ws.coverme.im.ui.my_account.ForgotMainPasswordActivity	✗	✗
ws.coverme.im.ui.my_account.MasterPasswordSecondAlertActivity	✗	✗
ws.coverme.im.ui.my_account.ModifySuperPasswordConfirmEmailActivity	✗	✗
ws.coverme.im.ui.my_account.MyAccountActivity	✗	✗
ws.coverme.im.ui.my_account.MyLoginAccountActivity	✗	✗
ws.coverme.im.ui.my_account.NeverSetSafePasswordActivity	✗	✗
ws.coverme.im.ui.my_account.ReSetSuperPasswordFirstActivity	✗	✗
ws.coverme.im.ui.my_account.ReSetSuperPasswordSecondActivity	✗	✗
ws.coverme.im.ui.my_account.ReSetSuperPasswordVeryifyLocationActivity	✗	✗
ws.coverme.im.ui.my_account.SetAccountPasswordActivity	✗	✗
ws.coverme.im.ui.my_account.SetEmailSuccessActivity	✗	✗
ws.coverme.im.ui.my_account.SetSuperPasswordActivity	✗	✗
ws.coverme.im.ui.my_account.SetSuperPasswordAlertActivity	✗	✗
ws.coverme.im.ui.my_account.SetSuperPasswordSuccessActivity	✗	✗
ws.coverme.im.ui.my_account.SetupAccountActivity	✗	✗
ws.coverme.im.ui.my_account.SetupEmailActivity	✗	✗
ws.coverme.im.ui.my_account.SuperPasswordInputAlertContentActivity	✗	✗
ws.coverme.im.ui.my_account.SuperPasswordSearchActivity	✗	✗
ws.coverme.im.ui.my_account.SuperPasswordSecurityLocationActivity	✗	✗
ws.coverme.im.ui.my_account.SuperPasswordSecurityQuestionActivity	✗	✗
ws.coverme.im.ui.my_account.SuperPasswordSetupGeoFenceChooseActivity	✗	✗
ws.coverme.im.ui.newfriends.AddPrivateContactGuideActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.newfriends.FriendActivity	✗	✗
ws.coverme.im.ui.newfriends.NewFriendsActivity	✗	✗
ws.coverme.im.ui.newfriends.SearchContactFriendActivity	✗	✗
ws.coverme.im.ui.note.DeleteNotePopActivity	✗	✗
ws.coverme.im.ui.note.DisplayNoteContentActivity	✗	✗
ws.coverme.im.ui.note.ForwardNotePopActivity	✗	✗
ws.coverme.im.ui.note.NewNoteActivity	✗	✗
ws.coverme.im.ui.note.NoteActivity	✗	✗
ws.coverme.im.ui.note.ShareNoteActivity	✗	✗
ws.coverme.im.ui.notification_set.CircleNotifyActivity	✗	✗
ws.coverme.im.ui.notification_set.DisturbDurationActivity	✗	✗
ws.coverme.im.ui.notification_set.FriendNotifyActivity	✗	✗
ws.coverme.im.ui.notification_set.MsgNotificationsRingtonActivity	✗	✗
ws.coverme.im.ui.notification_set.NotificationsActivity	✗	✗
ws.coverme.im.ui.notification_set.NotificationsRingtonActivity	✗	✗
ws.coverme.im.ui.notification_set.NotifyContentSetActivity	✗	✗
ws.coverme.im.ui.notification_set.NotifyPersonalizeActivity	✗	✗
ws.coverme.im.ui.notification_set.NotifySwitchActivity	✗	✗
ws.coverme.im.ui.others.AboutActivity	✗	✗
ws.coverme.im.ui.others.AppearPSWShowActivity	✗	✗
ws.coverme.im.ui.others.AppearRestoreActivity	✗	✗
ws.coverme.im.ui.others.AppearanceActivity	✗	✗
ws.coverme.im.ui.others.ChangeLogoSetActivity	✗	✗
ws.coverme.im.ui.others.ChatBgSetActivity	✗	✗
ws.coverme.im.ui.others.ChatFontSizeActivity	✗	✗
ws.coverme.im.ui.others.ChooseServerActivity	✗	✗
ws.coverme.im.ui.others.CountryListActivity	✗	✗
ws.coverme.im.ui.others.CropPictureActivity	✗	✗
ws.coverme.im.ui.others.EmailSetActivity	✗	✗
ws.coverme.im.ui.others.EmailSetConfirmActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.others.FeedbackActivity	✗	✗
ws.coverme.im.ui.others.HelpAndAboutActivity	✗	✗
ws.coverme.im.ui.others.InviteFriendsActivity • android.intent.action.VIEW	✗	✓
ws.coverme.im.ui.others.InviteKexinActivity	✗	✗
ws.coverme.im.ui.others.LockScreenPhotoActivity	✗	✗
ws.coverme.im.ui.others.LockScreenSetActivity	✗	✗
ws.coverme.im.ui.others.LockoutActivity	✗	✗
ws.coverme.im.ui.others.MigrateFirstStepActivity	✗	✗
ws.coverme.im.ui.others.MigrateFourthStepActivity	✗	✗
ws.coverme.im.ui.others.MigrateSecondStepActivity	✗	✗
ws.coverme.im.ui.others.MigrateThirdStepActivity	✗	✗
ws.coverme.im.ui.others.MoreActivity	✗	✗
ws.coverme.im.ui.others.NewPasswordActivity	✗	✗
ws.coverme.im.ui.others.NotificationActivity	✗	✗
ws.coverme.im.ui.others.PasswordActivity	✗	✗
ws.coverme.im.ui.others.RecommendPhotoActivity	✗	✗
ws.coverme.im.ui.others.RecommendAppActivity	✗	✗
ws.coverme.im.ui.others.SafeBoxSettingActivity	✗	✗
ws.coverme.im.ui.others.SecuritySettingsActivity	✗	✗
ws.coverme.im.ui.others.SetPasswordsActivity	✗	✗
ws.coverme.im.ui.others.SlideShowSettingsActivity	✗	✗
ws.coverme.im.ui.others.UpgradeFormalVersionActivity	✗	✗
ws.coverme.im.ui.others.UsageActivity	✗	✗
ws.coverme.im.ui.others.VaultMenuActivity	✗	✗
ws.coverme.im.ui.others.VisibleAlbumGridActivity	✗	✗
ws.coverme.im.ui.others.VisibleAlbumListActivity	✗	✗
ws.coverme.im.ui.others.advancedversion.AdvancedVerSetActivity	✗	✗
ws.coverme.im.ui.others.advancedversion.AdvancedVersionActivity	✗	✗
ws.coverme.im.ui.others.advancedversion.PremiumFeaturesChlidActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.others.firstguide.FirstGuideActivity	✗	✗
ws.coverme.im.ui.others.help.FeedBackHelpActivity	✗	✗
ws.coverme.im.ui.others.help.FriendTipsTricksActivity	✗	✗
ws.coverme.im.ui.others.help.HelpActivity	✗	✗
ws.coverme.im.ui.others.help.IssueTypeActivity	✗	✗
ws.coverme.im.ui.others.help.PhoneNumberTipsTricksActivity	✗	✗
ws.coverme.im.ui.others.help.TipsTricksActivity	✗	✗
ws.coverme.im.ui.others.vault.VaultAdvancedVersionActivity	✗	✗
ws.coverme.im.ui.others.vault.VaultEmailSetConfirmActivity	✗	✗
ws.coverme.im.ui.others.vaultfirstguide.VaultFirstGuideActivity	✗	✗
ws.coverme.im.ui.passwordmanager.DropBox	✗	✗
ws.coverme.im.ui.passwordmanager.PasswordAddColumnsActivity	✗	✗
ws.coverme.im.ui.passwordmanager.PasswordAddPhotoActivity	✗	✗
ws.coverme.im.ui.passwordmanager.PasswordChildManagerActivity	✗	✗
ws.coverme.im.ui.passwordmanager.PasswordCreateActivity	✗	✗
ws.coverme.im.ui.passwordmanager.PasswordDetalisActivity	✗	✗
ws.coverme.im.ui.passwordmanager.PasswordManagerActivity	✗	✗
ws.coverme.im.ui.passwordmanager.PasswordSelectActivity	✗	✗
ws.coverme.im.ui.pay.AndroidPayMainActivity	✗	✗
ws.coverme.im.ui.private_document.ChatPrivateDocInfoActivity	✗	✗
ws.coverme.im.ui.private_document.DropboxListActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocCheckListActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocFolderActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocIntroductionActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocLimitActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocPropertyActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocSelectFileActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocShareActivity	✗	✗
ws.coverme.im.ui.private_document.PrivateDocumentActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateBlockCallActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.privatenumber.PrivateCallActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateConfirmPhoneNumberActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateContactPermissionActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateDialActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateFilterActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateGetAPhoneNumberActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateHistoryActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateInterimActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateIntroductionActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateModifyPhoneNumberActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateMultiCountryListActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateMultiCountryPackageDetailsActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateMultiCountrySelectNumberActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateMultiCountrySelectPackageActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateNotificationActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateNumberHelpActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePackageDetailsActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePackagePaypalActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberDetailsActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberManagerActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberSelectToUseActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberSelectToUseForRestActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivatePhoneSelectMainActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateReceiveCallActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateRenewActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateRenewDetailActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateSelectContactsActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateSelectCountryActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateSelectLiangNumberActivity	✗	✗

Name	Main Activity	Exposed
ws.coverme.im.ui.privatenumber.PrivateSelectPackageActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateSelectPhoneNumberActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateSendPhoneNumberActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateSetNumListActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateTransferActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateTrialPackageDetailsActivity	✗	✗
ws.coverme.im.ui.privatenumber.PrivateVoiceMailActivity	✗	✗
ws.coverme.im.ui.privatenumber.VoiceMailSetActivity	✗	✗
ws.coverme.im.ui.purchase.BrainTreeCVVExplanationActivity	✗	✗
ws.coverme.im.ui.purchase.BrainTreePurchaseActivity	✗	✗
ws.coverme.im.ui.purchase.vault.VaultBrainTreePurchaseActivity	✗	✗
ws.coverme.im.ui.record.RecordDetailActivity	✗	✗
ws.coverme.im.ui.record.RecordListActivity	✗	✗
ws.coverme.im.ui.record.RecordMsgDetailActivity	✗	✗
ws.coverme.im.ui.record.RecordMsgListActivity	✗	✗
ws.coverme.im.ui.record.RecordSendActivity	✗	✗
ws.coverme.im.ui.record.RecordShareActivity	✗	✗
ws.coverme.im.ui.superaccount.SetSuperAccountAlertActivity	✗	✗
ws.coverme.im.ui.twitter.SendTwitterActivity	✗	✗
ws.coverme.im.ui.twitter.WebsiteActivity	✗	✗
ws.coverme.im.ui.update.DownloadCMActivity	✗	✗
ws.coverme.im.ui.user.AddPortraitActivity	✗	✗
ws.coverme.im.ui.user.MyProfileEditActivity	✗	✗
ws.coverme.im.ui.user.MyProfileEditItemActivity	✗	✗
ws.coverme.im.ui.user.ShareCoverMeActivity	✗	✗
ws.coverme.im.ui.vault.SafeboxActivity	✗	✗
ws.coverme.im.ui.vault.SetLockAlertActivity	✗	✗
ws.coverme.im.ui.vault.doc.DownloadUploadInfoActivity	✗	✗

Services

Name	Exposed
com.baidu.android.pushservice.CommandService	✓
com.baidu.android.pushservice.PushService <ul style="list-style-type: none"> • com.baidu.android.pushservice.action.PUSH_SERVICE 	✓
com.baidu.location.f	✗
com.google.analytics.tracking.android.CampaignTrackingService	✗
com.parse.PushService	✗
com.paypal.android.sdk.payments.PayPalService	✗
ws.coverme.im.model.push.GCMIntentService	✗
ws.coverme.im.service.CMCoreService	✗
ws.coverme.im.ui.privatenumber.PrivateNumberReadyService	✗

Broadcast Receivers

Name	Dynamically Registered	Exposed
com.appsflyer.AppsFlyerLib	✓	?
com.appsflyer.MultipleInstallBroadcastReceiver <ul style="list-style-type: none"> • com.android.vending.INSTALL_REFERRER 	✗	✓
com.appsflyer.TestReciever	✓	?
com.baidu.android.pushservice.PushMessageReceiver	✓	?
com.baidu.android.pushservice.PushServiceReceiver <ul style="list-style-type: none"> • android.intent.action.BOOT_COMPLETED • android.net.conn.CONNECTIVITY_CHANGE • com.baidu.android.pushservice.action.notification.SHOW • com.baidu.android.pushservice.action.media.CLICK • android.intent.action.MEDIA_MOUNTED • android.intent.action.USER_PRESENT • android.intent.action.ACTION_POWER_CONNECTED • android.intent.action.ACTION_POWER_DISCONNECTED 	✗	✓
com.baidu.android.pushservice.RegistrationReceiver <ul style="list-style-type: none"> • com.baidu.android.pushservice.action.METHOD • com.baidu.android.pushservice.action.BIND_SYNC • android.intent.action.PACKAGE_REMOVED 	✗	✓
com.baidu.android.pushservice.SDcardRemovedReceiver	✓	?
com.baidu.location.e\$a	✓	?
com.baidu.location.e\$b	✓	?
com.baidu.location.f\$c\$a	✓	?
com.baidu.location.i\$b	✓	?
com.baidu.platform.comapi.a	✓	?

Name	Dynamically Registered	Exposed
com.baidu.vi.a	✓	?
com.facebook.AccessTokenTracker\$CurrentAccessTokenBroadcastReceiver	✓	?
com.facebook.FacebookBroadcastReceiver	✓	?
com.facebook.ProfileTracker\$ProfileBroadcastReceiver	✓	?
com.facebook.internal.BoltsMeasurementEventListener	✓	?
com.facebook.share.widget.LikeView\$LikeControllerBroadcastReceiver	✓	?
com.google.analytics.tracking.android.CampaignTrackingReceiver • com.android.vending.INSTALL_REFERRER	✗	✓
com.google.android.gcm.GCMBroadcastReceiver • com.google.android.c2dm.intent.RECEIVE • com.google.android.c2dm.intent.REGISTRATION	✗	✗
com.google.android.gms.internal.ci\$a	✓	?
com.parse.ParseBroadcastReceiver • android.intent.action.BOOT_COMPLETED • android.intent.action.USER_PRESENT	✗	✓
ws.coverme.im.model.hide_app.ManageSpaceReceiver • ws.coverme.im.action.MANAGE_SPACE	✗	✗
ws.coverme.im.model.hide_app.OutGoingCallReceiver • android.intent.action.NEW_OUTGOING_CALL	✗	✓
ws.coverme.im.model.push.BaiduPushReceiver • com.baidu.android.pushservice.action.MESSAGE • com.baidu.android.pushservice.action.RECEIVE • com.baidu.android.pushservice.action.notification.CLICK	✗	✓
ws.coverme.im.model.push.JPushReceiver	✓	?
ws.coverme.im.model.push.ParseReceiver • cm.im	✗	✗
ws.coverme.im.model.push.PushNotiClickReceiver • ws.coverme.im.push.notification.CLICK	✗	✓
ws.coverme.im.service.BootCompleteReceiver • android.intent.action.BOOT_COMPLETED • android.intent.action.USER_PRESENT • android.net.conn.CONNECTIVITY_CHANGE	✗	✓
ws.coverme.im.service.CMCoreService\$ScreenBroadcastReceiver	✓	?
ws.coverme.im.service.Holder\$1	✓	?
ws.coverme.im.service.Holder\$2	✓	?
ws.coverme.im.service.Lockouter\$1	✓	?
ws.coverme.im.service.Lockouter\$2	✓	?
ws.coverme.im.service.Lockouter\$MyBroadcastRecive	✓	?

Name	Dynamically Registered	Exposed
ws.coverme.im.service.NetWorkManager\$1	✓	?
ws.coverme.im.ui.MainActivity\$1	✓	?
ws.coverme.im.ui.MainActivity\$4	✓	?
ws.coverme.im.ui.ScanSdFilesReceiver	✗	✗
ws.coverme.im.ui.UsbBroadCastReceiver	✓	?
ws.coverme.im.ui.albums.AlbumDataListActivity\$1	✓	?
ws.coverme.im.ui.albums.AlbumsActivity\$2	✓	?
ws.coverme.im.ui.albums.SinglePhotoActivity\$1\$1	✓	?
ws.coverme.im.ui.applockmanager.AppLockManagerActivity\$1	✓	?
ws.coverme.im.ui.call.AddPrivateNumberGuideActivity\$1	✓	?
ws.coverme.im.ui.call.CallActivity\$4	✓	?
ws.coverme.im.ui.call.CallHistoryManagerActivity\$2	✓	?
ws.coverme.im.ui.call.CallHistoryManagerActivity\$4	✓	?
ws.coverme.im.ui.call.ReceiveCallActivity\$4	✓	?
ws.coverme.im.ui.call.RemoteAnswerCallActivity\$4	✓	?
ws.coverme.im.ui.call.network.qulity.CMNetworkQulityMonitor	✗	✗
ws.coverme.im.ui.chat.ChatSinglePhotoActivity\$2	✓	?
ws.coverme.im.ui.chat.broadcast.AlarmReceiver	✗	✗
ws.coverme.im.ui.chat.broadcast.ChatListViewActivityBroadcastReceiver	✓	?
ws.coverme.im.ui.chat.broadcast.MsgDeleteBroadcastReceiver	✓	?
ws.coverme.im.ui.chat.broadcast.NormalSmsDeliveryBroadcastReceiver	✗	✓
• SMS_DELIVERED		
ws.coverme.im.ui.chat.nativechat.ChatActivity\$2	✓	?
ws.coverme.im.ui.chat.nativechat.ChatTalkActivity\$2	✓	?
ws.coverme.im.ui.chat.nativechat.unread.ChatListViewActivityUnreadMsg\$1	✓	?
ws.coverme.im.ui.chat.secretary.SecretaryListViewActivity\$6	✓	?
ws.coverme.im.ui.chat.secretary.SecretaryReceiver	✗	✓
• ACTION_SECRETARY		
ws.coverme.im.ui.cloud.CloudBackupExpiredCancelBackupActivity\$2	✓	?
ws.coverme.im.ui.cloud.CloudBackupOperationActivity\$1	✓	?
ws.coverme.im.ui.cloud.CloudBackupSettingActivity\$2	✓	?

Name	Dynamically Registered	Exposed
ws.coverme.im.ui.cloud.CloudPackageRefillUpgradeActivity\$1	✓	?
ws.coverme.im.ui.cloud.CloudRestoreOperationActivity\$1	✓	?
ws.coverme.im.ui.contacts.ContactsActivity\$15	✓	?
ws.coverme.im.ui.contacts.ContactsDetailsShowActivity\$12	✓	?
ws.coverme.im.ui.contacts.PrivateContactDetailActivity\$12	✓	?
ws.coverme.im.ui.friends.FriendDetailsActivity\$1	✓	?
ws.coverme.im.ui.friends.FriendInfoActivity\$2	✓	?
ws.coverme.im.ui.friends.FriendVoipLogActivity\$1	✓	?
ws.coverme.im.ui.friends.SearchResultActivity\$1	✓	?
ws.coverme.im.ui.gift.ChooseFriendToUseActivity\$1	✓	?
ws.coverme.im.ui.gift.GiftChooseActivity\$1	✓	?
ws.coverme.im.ui.gift.GiftRefilledToOldPlanDetailActivity\$1	✓	?
ws.coverme.im.ui.graphical_psw.DrawDotLockActivity\$2	✓	?
ws.coverme.im.ui.graphical_psw.SetLockActivity\$3	✓	?
ws.coverme.im.ui.graphical_psw.vault.VaultSetLockActivity\$3	✓	?
ws.coverme.im.ui.group.GroupActivity\$2	✓	?
ws.coverme.im.ui.group.GroupAddDeleteMemberActivity\$5	✓	?
ws.coverme.im.ui.group.GroupAddRecommendActivity\$1	✓	?
ws.coverme.im.ui.group.GroupDetailActivity\$2	✓	?
ws.coverme.im.ui.group.GroupMemberInfoActivity\$1	✓	?
ws.coverme.im.ui.group.GroupRecommendInfoActivity\$2	✓	?
ws.coverme.im.ui.group.GroupRequestActivity\$1	✓	?
ws.coverme.im.ui.group.GroupSelectActivity\$1	✓	?
ws.coverme.im.ui.group.GroupTransferOwnerActivity\$2	✓	?
ws.coverme.im.ui.guide_page.GuidePageFriendRequestActivity\$1	✓	?
ws.coverme.im.ui.hidemode.TestDialActivity\$1	✓	?
ws.coverme.im.ui.login_registe.ActivateActivity\$1	✓	?
ws.coverme.im.ui.login_registe.SignInActivity\$12	✓	?
ws.coverme.im.ui.login_registe.WelcomeActivity\$2	✓	?
ws.coverme.im.ui.my_account.ConfirmEmailActivity\$2	✓	?

Name	Dynamically Registered	Exposed
ws.coverme.im.ui.my_account.EmailReceiveActivity\$2	✓	?
ws.coverme.im.ui.my_account.FirstLoginActivity\$2	✓	?
ws.coverme.im.ui.my_account.ForgotMainPasswordActivity\$3	✓	?
ws.coverme.im.ui.my_account.ModifySuperPasswordConfirmEmailActivity\$2	✓	?
ws.coverme.im.ui.my_account.MyAccountActivity\$2	✓	?
ws.coverme.im.ui.my_account.ReSetSuperPasswordFirstActivity\$3	✓	?
ws.coverme.im.ui.my_account.ReSetSuperPasswordSecondActivity\$2	✓	?
ws.coverme.im.ui.my_account.ReSetSuperPasswordVeryifyLocationActivity\$2	✓	?
ws.coverme.im.ui.my_account.SetSuperPasswordActivity\$1	✓	?
ws.coverme.im.ui.my_account.SetupEmailActivity\$2	✓	?
ws.coverme.im.ui.my_account.SuperPasswordInputAlertContentActivity\$2	✓	?
ws.coverme.im.ui.my_account.SuperPasswordSecurityLocationActivity\$2	✓	?
ws.coverme.im.ui.newfriends.FriendActivity\$16	✓	?
ws.coverme.im.ui.newfriends.FriendActivity\$17	✓	?
ws.coverme.im.ui.note.DisplayNoteContentActivity\$1	✓	?
ws.coverme.im.ui.note.NoteActivity\$1	✓	?
ws.coverme.im.ui.others.InviteFriendsActivity\$SampleEventProcessor	✓	?
ws.coverme.im.ui.others.LockoutActivity\$5	✓	?
ws.coverme.im.ui.others.MoreActivity\$1	✓	?
ws.coverme.im.ui.others.SecuritySettingsActivity\$1	✓	?
ws.coverme.im.ui.others.SetPasswordsActivity\$1	✓	?
ws.coverme.im.ui.others.UpgradeFormalVersionActivity\$1	✓	?
ws.coverme.im.ui.others.advancedversion.AdvancedVersionActivity\$1	✓	?
ws.coverme.im.ui.others.vault.VaultAdvancedVersionActivity\$3	✓	?
ws.coverme.im.ui.others.vault.VaultEmailSetConfirmActivity\$2	✓	?
ws.coverme.im.ui.passwordmanager.PasswordManagerActivity\$1	✓	?
ws.coverme.im.ui.pay.AndroidPayMainActivity\$1	✓	?
ws.coverme.im.ui.private_document.ChatPrivateDocInfoActivity\$1	✓	?
ws.coverme.im.ui.private_document.DropboxListActivity\$2	✓	?
ws.coverme.im.ui.private_document.PrivateDocSelectFileActivity\$1	✓	?

Name	Dynamically Registered	Exposed
ws.coverme.im.ui.private_document.PrivateDocumentActivity\$2	✓	?
ws.coverme.im.ui.privatenumber.BasePrivateActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateBlockCallActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateCallActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateConfirmPhoneNumberActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateContactPermissionActivity\$2	✓	?
ws.coverme.im.ui.privatenumber.PrivateModifyPhoneNumberActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateMultiCountryPackageDetailsActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateMultiCountrySelectNumberActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateMultiCountrySelectPackageActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivatePackageDetailsActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberDetailsActivity\$2	✓	?
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberManagerActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberSelectToUseActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivatePhoneNumberSelectToUseForRestActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateReceiveCallActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateRenewActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateRenewDetailActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateSelectLiangNumberActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateSelectPackageActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateSelectPhoneNumberActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateSetNumListActivity\$2	✓	?
ws.coverme.im.ui.privatenumber.PrivateTransferActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.PrivateTrialPackageDetailsActivity\$1	✓	?
ws.coverme.im.ui.privatenumber.VoiceMailSetActivity\$2	✓	?
ws.coverme.im.ui.purchase.BrainTreePurchaseActivity\$2	✓	?
ws.coverme.im.ui.purchase.vault.VaultBrainTreePurchaseActivity\$2	✓	?
ws.coverme.im.ui.record.RecordListActivity\$1	✓	?
ws.coverme.im.ui.record.RecordMsgListActivity\$2	✓	?
ws.coverme.im.ui.record.RecordSendActivity\$1	✓	?

Name	Dynamically Registered	Exposed
ws.coverme.im.ui.update.DownloadAPKReceiver	✗	✓
• android.intent.action.DOWNLOAD_COMPLETE • android.intent.action.DOWNLOAD_NOTIFICATION_CLICKED		
ws.coverme.im.ui.vault.SafeboxActivity\$2	✓	?
ws.coverme.im.ui.vault.receiver.CloudReceiver	✓	?
ws.coverme.im.ui.view BaseActivity\$LockScreenReceiver	✓	?
ws.coverme.im.ui.view BaseFragmentActivity\$2	✓	?
ws.coverme.im.ui.view BaseGoogleMapActivity\$2	✓	?
ws.coverme.im.ui.view BaseMapActivity\$2	✓	?
ws.coverme.im.util.RegisterUtil	✗	✗

Content Providers

Name	Authority	Read Permission	Write Permission	Exposed
com.facebook.FacebookContentProvider	com.facebook.app.FacebookContentProvider463247103694738	✗	✗	✓

Features

N/A


Libraries

N/A

Advertisement Modules

- AdMob ↗ (<http://www.google.com/ads/admob/>)
- Tapjoy ↗ (<http://home.tapjoy.com/>)

IP Distribution



Urls

Country	Url	IP
🇨🇳 China	http://api.map.baidu.com/geosearch/v2/detail/	112.80.255.107
🇨🇳 China	http://media.admob.com/mraid/v1/mraid_app_banner.js	203.208.39.249
🇨🇳 China	http://dl.ops.baidu.com/appsearch_androidphone_1426l.apk	123.125.112.68
🇨🇳 China	http://api.t.sina.com.cn/oauth/request_token	123.125.106.196
🇨🇳 China	http://apk.goapk.com/apk/201310/09/anzhi_shoufatongyongbao_v4.1_20131008_1381285971.apk	121.195.115.79
🇨🇳 China	https://sapi.map.baidu.com/sdkcs/verify	112.80.255.107
🇨🇳 China	http://loc.map.baidu.com/sdk_ep.php	61.135.185.33
🇨🇳 China	http://weibo.com/u/1942324963	123.125.104.197
🇨🇳 China	http://media.admob.com/mraid/v1/mraid_app_expanded_banner.js	203.208.48.58
🇨🇳 China	http://m.baidu.com/lightapp/	119.75.222.92
🇨🇳 China	http://api7.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://api.t.sina.com.cn/oauth/access_token	180.149.135.224
🇨🇳 China	http://googleads.g.doubleclick.net	203.208.43.89
🇨🇳 China	http://img0.ph.126.net/sxch-lhqgbfpib7mt6u0wg==/2690900777371697600.jpg	218.197.116.214
🇨🇳 China	http://api.tuisong.baidu.com/rest/3.0/clientad/update_ad_status	202.108.23.109
🇨🇳 China	http://loc.map.baidu.com/sdk.php	112.80.255.99
🇨🇳 China	http://weixin.qq.com	182.254.42.91
🇨🇳 China	http://api.map.baidu.com/geosearch/v2/bound	112.80.255.107
🇨🇳 China	http://api5.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://api9.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://api.t.sina.com.cn/oauth/authorize	180.149.135.224
🇨🇳 China	http://www.tianya.cn/mobile/client/tianya-android.apk	124.225.65.154
🇨🇳 China	http://shaishufang.com/assets/shaishufang3_3.apk	121.41.60.81
🇨🇳 China	http://dl.sj.91.com/business/91soft/91assistant_andphone181.apk	124.167.232.94
🇨🇳 China	http://dl.sj.91.com/msoft/91assistant_3.9.1_295_1227.apk	124.167.232.94
🇨🇳 China	http://api.map.baidu.com/geosearch/v2/local	112.80.255.107
🇨🇳 China	http://statsonline.pushct.baidu.com/pushlog_special	123.125.112.76
🇨🇳 China	http://api2.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://restapi.amap.com/v3/assistant/coordinate/convert?locations=	140.205.174.76
🇨🇳 China	http://mo.baidu.com/map/	111.202.114.83
🇨🇳 China	http://220.181.3.9:8091/loc_addr_all.php	220.181.3.9
🇨🇳 China	http://api.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://api8.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://api.tuisong.baidu.com/rest/3.0/oem/upload_unbind_oem	202.108.23.109
🇨🇳 China	http://down.360safe.com/360mobilemgr/360box_web.apk	101.4.60.107
🇨🇳 China	http://daohang.map.baidu.com/mobile/#navi/naving/start=	123.125.115.21

Country	Url	IP
🇨🇳 China	http://api6.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://api4.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://api3.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://media.admob.com/mraid/v1/mraid_app_interstitial.js	203.208.51.77
🇨🇳 China	http://daohang.map.baidu.com/mobile/#search/search/qt=nav&sn=2\$\$\$	123.125.115.21
🇨🇳 China	http://bs.baidu.com/lapp-runtime/picture/runtime_baidu.png	180.149.132.52
🇨🇳 China	http://bb.vmall.com/hispace.apk	122.11.38.134
🇨🇳 China	http://api1.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://apk.mmarket.com/rs/publish1/prepublish6/21/2014/05/14/a201/209/35209201/mm4.1.0_online_hd_nolog_5410007927.apk	202.117.4.71
🇨🇳 China	http://lsonline.pushct.baidu.com/lbsupload	123.125.112.76
🇨🇳 China	http://api.map.baidu.com/geosearch/v2/nearby	112.80.255.107
🇨🇳 China	http://api.t.sina.com.cn/oauth/authenticate	123.125.106.196
🇨🇳 China	http://api0.tuisong.baidu.com	202.108.23.109
🇨🇳 China	http://m.baidu.com	119.75.222.91
🇭🇰 Hong Kong	https://fb.me/1614125182192242	31.13.95.36
🇭🇰 Hong Kong	https://api.weibo.com/oauth2/access_token	114.134.80.166
🇭🇰 Hong Kong	https://api.weibo.com/oauth2/authorize	114.134.80.166
🇭🇰 Hong Kong	https://api.weibo.com/2/	114.134.80.166
🇮🇪 Ireland	https://track.appsflyer.com/api/v2.3/uninstall?buildnumber=1.15	54.76.22.101
🇮🇪 Ireland	https://track.appsflyer.com/api/v2.3/androidevent?buildnumber=1.15&app_id=	54.171.36.141
🇮🇪 Ireland	https://api.appsflyer.com/install_data/v3/	54.76.205.218
🇮🇪 Ireland	https://twitter.com/oauth/request_token	78.16.49.15
🇮🇪 Ireland	http://plus.google.com/	78.16.49.15
🇮🇹 Italy	http://www.google.com	93.46.8.89
🇮🇹 Italy	https://facebook.com	93.46.8.89
🇮🇹 Italy	N/A	93.46.8.89
🇰🇷 Republic of Kore	https://twitter.com/oauth/access_token	59.24.3.173
N/A	http://cdn.market.hiapk.com/data/upload/marketclient/himarket4.2_1231145057_50.apk	N/A
N/A	http://([^\"]+)"	N/A
N/A	https://graph-video.%s	N/A
N/A	https://graph.%s	N/A
🇺🇸 United States	https://play.google.com/store/apps/details?id=ws.coverme.im&hl=en	216.58.200.46
🇺🇸 United States	https://www.googleapis.com/auth/games.firstparty	216.58.200.234
🇺🇸 United States	http://play.google.com/store/apps/details?id=com.facebook.orca	172.217.27.142
🇺🇸 United States	http://dl.coverme.ws/android/bg_photo/chat_background_03.jpg	52.222.234.231
🇺🇸 United States	http://www.coverme.ws	54.241.19.139
🇺🇸 United States	http://dl.coverme.ws/android/bg_photo/chat_background_05_land.jpg	52.222.234.110

Country	Url	IP
United States	http://www.coverme.ws/d/simple_version_redirect.html	54.241.19.139
United States	http://dl.coverme.ws/android/bg_photo/chat_background_03_land.jpg	52.222.234.110
United States	https://twitter.com/oauth/authorize	159.106.121.75
United States	http://dl.coverme.ws/android/bg_photo/chat_background_02.jpg	52.222.234.110
United States	http://mms.cmshare.me/mmssvc/c.html?token=	184.72.41.140
United States	https://maps.google.com/maps?q=	172.217.24.14
United States	https://www.googleapis.com/auth/plus.login	172.217.24.10
United States	https://maps.googleapis.com/maps/api/directions/	172.217.24.10
United States	http://dl.coverme.ws/android/bg_photo/chat_background_05.jpg	52.222.234.110
United States	http://maps.google.com/maps?q=login@	172.217.27.142
United States	http://dl.coverme.ws/android/bg_photo/chat_background_02_land.jpg	52.222.234.154
United States	https://www.googleapis.com/auth/appstate	172.217.27.138
United States	http://www.coverme.ws/faq?scrollto=decoy	54.241.19.139
United States	http://www.coverme.ws/tos	54.241.19.139
United States	http://checkip.dyndns.org	216.146.38.70
United States	http://dl.coverme.ws/android/bg_photo/chat_background_01_land.jpg	52.222.234.154
United States	http://www.coverme.ws/ro/r/cu	54.241.19.139
United States	http://dl.coverme.ws/stick/aa1/	52.222.234.98
United States	http://50.18.188.44:8080/mmssvc/c.html?token=	50.18.188.44
United States	http://maps.googleapis.com/maps/api/staticmap?center=	172.217.24.10
United States	http://dl.coverme.ws/android/bg_photo/chat_background_01.jpg	52.222.234.98
United States	http://maps.googleapis.com/maps/api/directions/xml?origin=	216.58.200.42
United States	http://dl.coverme.ws/android/bg_photo/chat_background_04_land.jpg	52.222.234.98
United States	http://dl.coverme.ws/android/bg_photo/chat_background_06.jpg	52.222.234.231
United States	http://coverme.ws	54.241.19.139
United States	http://www.coverme.ws/ro/r/qb?kexnid=	54.241.19.139
United States	https://www.googleapis.com/auth/games	216.58.200.234
United States	http://www.coverme.ws/inviteimage.png	54.241.19.139
United States	http://dl.coverme.ws/android/bg_photo/chat_background_04.jpg	52.222.234.223
United States	http://www.coverme.ws/i/a/qcoverme?q=coverme	54.241.19.139
United States	http://dl.coverme.ws/android/bg_photo/chat_background_06_land.jpg	52.222.234.223
United States	http://coverme.ws/a?p=	54.241.19.139
United States	http://www.coverme.ws/pp	54.241.19.139
United States	http://coverme.ws/i/a/s	54.241.19.139
United States	http://www.coverme.ws/ro/r/qp?phoneno=	54.241.19.139
United States	http://www.coverme.ws/d/simple_version_update_normal_redirect.html	54.241.19.139
United States	http://www.coverme.ws	54.241.19.139
United States	http://maps.google.com/maps?hl=zh&mrt=loc&q=	216.58.200.238

Country	Url	IP
United States	http://www.coverme.ws/faq	54.241.19.139

Sensitive Files

File Path	File Type	APK
assets/defender	elf 32-bit lsb executable, arm, version 1 (sysv)	✖
assets/defender-pie	elf 32-bit lsb shared object, arm, version 1 (sysv)	✖
assets/ffmpeg	elf 32-bit lsb executable, arm, version 1 (sysv)	✖
assets/ffmpeg-pie	elf 32-bit lsb shared object, arm, version 1 (sysv)	✖

Native Codes

Lib Name	Caller Code	Path Index
1024	Lcom/baidu/location/Jni;->()V	68
32	Lcom/baidu/android/pushservice/jni/PushSocket;->()V	48
N/A	Lcom/baidu/android/pushservice/jni/BaiduAppSSOJni;->()V	6
N/A	Lcom/baidu/android/pushservice/jni/PushSocket;->a()Z	14
N/A	Lws/coverme/im/JucoreAdp/AdaptorToJni/Api/JucoreAdpApi;->()V	6
N/A	Lws/coverme/im/model/local_crypto/NativeAESEncrypt;->()V	6
N/A	Lcom/baidu/mapapi/a;->()V	22

Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/ws.coverme.im-1.apk	N/A	N/A	N/A
/data/data/ws.coverme.im/app_apk/libs.apk	N/A	N/A	N/A

Crypto Operation

N/A

Network Operations

N/A

Socket Connections

N/A

File Operations

DNS Query

QName	QType	IPs
graph.facebook.com	A	93.46.8.89

HTTP Data

N/A

Files Recovered From Http

N/A

Execute Shells

N/A

Started Services

N/A

May Send SMS

Destination Number	Message Body	Caller Code	Path Index
N/A	N/A	Lws/coverme/im/util/PhoneUtil;->sendChatMessage(Ljava/lang/String; Ljava/lang/String; Landroid/content/Context;)V	138
N/A	N/A	Lws/coverme/im/util/PhoneUtil;->sendChatMessage(Ljava/lang/String; Ljava/lang/String; Landroid/content/Context;)V	184
N/A	N/A	Lws/coverme/im/util/PhoneUtil;->sendMessage(Ljava/util/List; Ljava/lang/String; Landroid/content/Context;)V	180
N/A	N/A	Lws/coverme/im/util/PhoneUtil;->sendMessageInBackground(Ljava/lang/String; Ljava/lang/String; Landroid/content/Context;)V	92

Send SMS

Destination Number	Message Body

Block SMS

N/A

Phone Call






N/A




Data Leakage

N/A

Sensitive APIs

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lws/coverme/im/ui/others/advancedversion/AdvancedVersionActivity\$4;->run()V
- Threat Level:
- Path Index: 72

- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/ui/privatenumber/PrivateMultiCountryPackageDetailsActivity\$6;=>run()V
 - Threat Level: 
 - Path Index: 60
- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/ui/privatenumber/PrivatePackageDetailsActivity\$6;=>run()V
 - Threat Level: 
 - Path Index: 60
- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/ui/privatenumber/PrivateRenewActivity\$3;=>run()V
 - Threat Level: 
 - Path Index: 60
- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/ui/privatenumber/PrivateRenewDetailActivity\$3;=>run()V
 - Threat Level: 
 - Path Index: 60
- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/ui/wx/WhatsAppShare;=>checkWhatsAppAndWeChatInstall(Landroid/content/Context;)V
 - Threat Level: 
 - Path Index: 20
- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/util/OtherHelper;=>getInstalledApp(Landroid/content/Context;)V
 - Threat Level: 
 - Path Index: 10
- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/ui/applockmanager/AppLockManagerActivity;=>getListData(I)V
 - Threat Level: 
 - Path Index: 120
- **API: Landroid/content/pm/PackageManager;=>getInstalledPackages**
 - Description: Gets packages installed on the device
 - Caller Code: Lws/coverme/im/ui/applockmanager/AppLockedManagerActivity;=>getListData()V
 - Threat Level: 
 - Path Index: 94
- **API: Landroid/hardware/Camera;=>open**
 - Description: Open camera
 - Caller Code: Lws/coverme/im/ui/albums/AlbumCameraActivity\$SurfaceCallback;=>surfaceCreated(Landroid/view/SurfaceHolder;)V
 - Threat Level: 
 - Path Index: 52
- **API: Landroid/hardware/Camera;=>open**
 - Description: Open camera
 - Caller Code: Lws/coverme/im/ui/login_registe/SignInCameraActivity\$SurfaceCallback;=>surfaceCreated(Landroid/view/SurfaceHolder;)V
 - Threat Level: 
 - Path Index: 38
- **API: Landroid/hardware/Camera;=>open**
 - Description: Open camera
 - Caller Code: Lws/coverme/im/util/CameraUtil;=>OpenCamera(Landroid/view/SurfaceHolder;)Z
 - Threat Level: 
 - Path Index: 60
- **API: Landroid/hardware/Camera;=>open**
 - Description: Open camera
 - Caller Code: Lws/coverme/im/ui/albums/AlbumCameraActivity;=>onClick(Landroid/view/View;)V
 - Threat Level: 
 - Path Index: 302
- **API: Landroid/hardware/Camera;=>open**
 - Description: Open camera
 - Caller Code: Lws/coverme/im/ui/albums/AlbumCameraActivity;=>onClick(Landroid/view/View;)V
 - Threat Level: 
 - Path Index: 652
- **API: Landroid/hardware/Camera;=>open**

- Description: Open camera
- Caller Code: Lws/coverme/im/ui/messages/MediaCameraActivity;->surfaceCreated(Landroid/view/SurfaceHolder;)V
- Threat Level: 
- Path Index: 0
- **API: Landroid/hardware/Camera;=>open**
- Description: Open camera
- Caller Code: Lws/coverme/im/ui/messages/MediaVideoCameraActivity;->onCreate(Landroid/os/Bundle;)V
- Threat Level: 
- Path Index: 46
- **API: Landroid/hardware/Camera;=>takePicture**
- Description: Takes picture
- Caller Code: Lws/coverme/im/util/CameraUtil;->TakePicture(Lws/coverme/im/util/CameraCallback\$MyPictureCallback; Lws/coverme/im/util/CameraCallback\$MyShutterCallback;)Z
- Threat Level: 
- Path Index: 110
- **API: Landroid/hardware/Camera;=>takePicture**
- Description: Takes picture
- Caller Code: Lws/coverme/im/ui/albums/AlbumCameraActivity;->takePhoto()V
- Threat Level: 
- Path Index: 80
- **API: Landroid/hardware/Camera;=>takePicture**
- Description: Takes picture
- Caller Code: Lws/coverme/im/ui/login_registe/SignInCameraActivity;->takePhoto()V
- Threat Level: 
- Path Index: 14
- **API: Landroid/hardware/Camera;=>takePicture**
- Description: Takes picture
- Caller Code: Lws/coverme/im/ui/messages/MediaCameraActivity;->onKeyDown(I Landroid/view(KeyEvent;)Z
- Threat Level: 
- Path Index: 152
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;->getLocation(Landroid/content/Context;)Landroid/location/Location;
- Threat Level: 
- Path Index: 10
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;->getLocation(Landroid/content/Context;)Landroid/location/Location;
- Threat Level: 
- Path Index: 40
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;->getLocation(Landroid/content/Context;)Landroid/location/Location;
- Threat Level: 
- Path Index: 10
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;->getLocation(Landroid/content/Context;)Landroid/location/Location;
- Threat Level: 
- Path Index: 40
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;->getLocation(Landroid/content/Context;)Landroid/location/Location;
- Threat Level: 
- Path Index: 158
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
- Threat Level: 
- Path Index: 470
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
- Threat Level: 
- Path Index: 160
- **API: Landroid/location/LocationManager;=>getLastKnownLocation**

- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/util/LocationHelperGps;:->getCurrentLocation()V
- Threat Level: 
- Path Index: 488
- **API: Landroid/location/LocationManager;:->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/util/GPSHelper;:->getLocation(Landroid/content/Context;)V
- Threat Level: 
- Path Index: 92
- **API: Landroid/location/LocationManager;:->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/util/OtherHelper;:->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
- Threat Level: 
- Path Index: 46
- **API: Landroid/location/LocationManager;:->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/util/OtherHelper;:->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
- Threat Level: 
- Path Index: 92
- **API: Landroid/location/LocationManager;:->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/util/OtherHelper;:->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
- Threat Level: 
- Path Index: 138
- **API: Landroid/location/LocationManager;:->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;:->getLocation(Landroid/content/Context;)Landroid/location/Location;
- Threat Level: 
- Path Index: 10
- **API: Landroid/location/LocationManager;:->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;:->getLocation(Landroid/content/Context;)Landroid/location/Location;
- Threat Level: 
- Path Index: 40
- **API: Landroid/media/AudioRecord;:->startRecording**
- Description: Records audio
- Caller Code: Lws/coverme/im/model/virtual_number/voicemail/RecordMedia;:->startRecordAndFile()
- Threat Level: 
- Path Index: 32
- **API: Landroid/telephony/SmsManager;:->sendTextMessage**
- Description: Sends a text based SMS
- Caller Code: Lws/coverme/im/util/PhoneUtil;:->sendChatMessage(Ljava/lang/String; Ljava/lang/String; J Landroid/content/Context;)V
- Threat Level: 
- Path Index: 138
- **API: Landroid/telephony/SmsManager;:->sendTextMessage**
- Description: Sends a text based SMS
- Caller Code: Lws/coverme/im/util/PhoneUtil;:->sendChatMessage(Ljava/lang/String; Ljava/lang/String; J Landroid/content/Context;)V
- Threat Level: 
- Path Index: 184
- **API: Landroid/telephony/SmsManager;:->sendTextMessage**
- Description: Sends a text based SMS
- Caller Code: Lws/coverme/im/util/PhoneUtil;:->sendMessage(Ljava/util/List; Ljava/lang/String; Landroid/content/Context;)V
- Threat Level: 
- Path Index: 180
- **API: Landroid/telephony/SmsManager;:->sendTextMessage**
- Description: Sends a text based SMS
- Caller Code: Lws/coverme/im/util/PhoneUtil;:->sendMessageInBackgroup(Ljava/lang/String; Ljava/lang/String; Landroid/content/Context;)V
- Threat Level: 
- Path Index: 92
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
- Description: Gets the current location of the device
- Caller Code: Lcom/baidu/android/pushservice/util/g;:->e(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: 
- Path Index: 66
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
- Description: Gets the current location of the device

- Caller Code: Lcom/baidu/android/pushservice/util/g;:->e(Landroid/content/Context;)Ljava/lang/String;
• Threat Level: 
• Path Index: 82
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
• Description: Gets the current location of the device
• Caller Code: Lcom/baidu/android/pushservice/util/g;:->e(Landroid/content/Context;)Ljava/lang/String;
• Threat Level: 
• Path Index: 168
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
• Description: Gets the current location of the device
• Caller Code: Lcom/baidu/location/c\$b;:->onCellLocationChanged(Landroid/telephony/CellLocation;)V
• Threat Level: 
• Path Index: 22
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
• Description: Gets the current location of the device
• Caller Code: Lcom/baidu/location/c;:->a()Lcom/baidu/location/c\$a;
• Threat Level: 
• Path Index: 52
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
• Description: Gets the current location of the device
• Caller Code: Lcom/baidu/location/c;:->for()Ljava/lang/String;
• Threat Level: 
• Path Index: 38
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
• Description: Gets the current location of the device
• Caller Code: Lcom/baidu/loctp/str/BDLocManager;:->a(I)Ljava/lang/String;
• Threat Level: 
• Path Index: 14
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
• Description: Gets the current location of the device
• Caller Code: Lcom/baidu/vi/VDeviceAPI;:->getCellId()Ljava/lang/String;
• Threat Level: 
• Path Index: 34
- **API: Landroid/telephony/TelephonyManager;:->getCellLocation**
• Description: Gets the current location of the device
• Caller Code: Lcom/baidu/vi/VDeviceAPI;:->getLac()Ljava/lang/String;
• Threat Level: 
• Path Index: 34
- **API: Landroid/telephony/TelephonyManager;:->getDeviceId**
• Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
• Caller Code: Lcom/baidu/android/bbalbs/common/util/a\$a;:->a(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
• Threat Level: 
• Path Index: 24
- **API: Landroid/telephony/TelephonyManager;:->getDeviceId**
• Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
• Caller Code: Lcom/baidu/android/pushservice/j/d\$a;:->a(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
• Threat Level: 
• Path Index: 24
- **API: Landroid/telephony/TelephonyManager;:->getDeviceId**
• Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
• Caller Code: Lcom/baidu/location/c;:->a(Landroid/telephony/CellLocation;)V
• Threat Level: 
• Path Index: 32
- **API: Landroid/telephony/TelephonyManager;:->getDeviceId**
• Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
• Caller Code: Lcom/baidu/location/c;:->do()V
• Threat Level: 
• Path Index: 104
- **API: Landroid/telephony/TelephonyManager;:->getDeviceId**
• Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
• Caller Code: Lcom/baidu/location/j\$b;:->do(Landroid/content/Context;)Ljava/lang/String;
• Threat Level: 
• Path Index: 28
- **API: Landroid/telephony/TelephonyManager;:->getDeviceId**
• Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
• Caller Code: Lcom/baidu/loctp/str/BDLocManager;:->(Landroid/content/Context;)V

- Threat Level: 
- Path Index: 136
- **API: Landroid/telephony/TelephonyManager;=>getDeviceId**
 - Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
 - Caller Code: Lcom/baidu/platform/comapi/c/c;->k(Landroid/content/Context;)Ljava/lang/String;
 - Threat Level: 
 - Path Index: 24
- **API: Landroid/telephony/TelephonyManager;=>getDeviceId**
 - Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
 - Caller Code: Lcom/baidu/vi/VDeviceAPI;=>getImei()Ljava/lang/String;
 - Threat Level: 
 - Path Index: 30
- **API: Landroid/telephony/TelephonyManager;=>getDeviceId**
 - Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
 - Caller Code: Lws/coverme/im/util/DeviceID;=>getUUID(Landroid/content/Context;)Ljava/lang/String;
 - Threat Level: 
 - Path Index: 20
- **API: Landroid/telephony/TelephonyManager;=>getDeviceId**
 - Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
 - Caller Code: Lws/coverme/im/util/PhoneUtil;=>getDeviceId(Landroid/content/Context;)Ljava/lang/String;
 - Threat Level: 
 - Path Index: 26
- **API: Landroid/telephony/TelephonyManager;=>getDeviceId**
 - Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
 - Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;=>getMacAddress()Ljava/lang/String;
 - Threat Level: 
 - Path Index: 132
- **API: Landroid/telephony/TelephonyManager;=>getDeviceId**
 - Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
 - Caller Code: Lws/coverme/im/ui/TempMainUI;=>registerSkipPhoneNumber()
 - Threat Level: 
 - Path Index: 164
- **API: Landroid/telephony/TelephonyManager;=>getDeviceId**
 - Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
 - Caller Code: Lws/coverme/im/ui/others/FeedbackActivity;=>sendEmail([Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Z
 - Threat Level: 
 - Path Index: 140
- **API: Landroid/telephony/TelephonyManager;=>getLine1Number**
 - Description: Gets the phone number string for line 1
 - Caller Code: Lws/coverme/im/util/PhoneUtil;=>getPhoneNumber(Landroid/content/Context;)Ljava/lang/String;
 - Threat Level: 
 - Path Index: 18
- **API: Landroid/telephony/TelephonyManager;=>getNetworkCountryIso**
 - Description: Gets the ISO country code equivalent of the current registered operator's MCC
 - Caller Code: Lws/coverme/im/util/PhoneUtil;=>getCurrentGeoCountry(Landroid/content/Context;)Lws/coverme/im/model/others/Country;
 - Threat Level: 
 - Path Index: 18
- **API: Landroid/telephony/TelephonyManager;=>getNetworkCountryIso**
 - Description: Gets the ISO country code equivalent of the current registered operator's MCC
 - Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;=>getISOCode()Ljava/lang/String;
 - Threat Level: 
 - Path Index: 40
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
 - Description: Gets the numeric name (MCC+MNC) of current registered operator
 - Caller Code: Lcom/appsflyer/AppsFlyerLib;=>sendTrackingWithEvent(Landroid/content/Context;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
 - Threat Level: 
 - Path Index: 1534
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
 - Description: Gets the numeric name (MCC+MNC) of current registered operator
 - Caller Code: Lcom/baidu/android/pushservice//a/b;->g(Landroid/content/Context;)Lorg/json/JSONObject;
 - Threat Level: 
 - Path Index: 58
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
 - Description: Gets the numeric name (MCC+MNC) of current registered operator
 - Caller Code: Lcom/baidu/android/pushservice//a/b;->g(Landroid/content/Context;)Lorg/json/JSONObject;

- Threat Level:
- Path Index: 96
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/baidu/location/c;->a(Landroid/telephony/CellLocation;)V
- Threat Level:
- Path Index: 100
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/baidu/loctp/str/BDLocManager;->a(Landroid/telephony/CellLocation;)V
- Threat Level:
- Path Index: 34
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/facebook/internal/Utility;->refreshCarrierName(Landroid/content/Context;)V
- Threat Level:
- Path Index: 40
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/google/android/gms/internal/cd;->(Landroid/content/Context;)V
- Threat Level:
- Path Index: 154
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;->getCarrierInfo()Lws/coverme/im/JucoreAdp/AdaptorToJni/SystemContext/CarrierInfo;
- Threat Level:
- Path Index: 38
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;->getCarrierInfo()Lws/coverme/im/JucoreAdp/AdaptorToJni/SystemContext/CarrierInfo;
- Threat Level:
- Path Index: 292
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lcom/appsflyer/AppsFlyerLib;->sendTrackingWithEvent(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
- Threat Level:
- Path Index: 1534
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lcom/baidu/android/pushservice//a/b;->g(Landroid/content/Context;)Lorg/json/JSONObject;
- Threat Level:
- Path Index: 58
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lcom/facebook/internal/Utility;->refreshCarrierName(Landroid/content/Context;)V
- Threat Level:
- Path Index: 40
- **API: Landroid/telephony/TelephonyManager;=>getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;->getCarrierInfo()Lws/coverme/im/JucoreAdp/AdaptorToJni/SystemContext/CarrierInfo;
- Threat Level:
- Path Index: 292
- **API: Landroid/telephony/TelephonyManager;=>getSimCountryIso**
- Description: Gets the ISO country code equivalent for the SIM provider's country code
- Caller Code: Lws/coverme/im/service/Holder;->init()V
- Threat Level:
- Path Index: 34
- **API: Landroid/telephony/TelephonyManager;=>getSimCountryIso**
- Description: Gets the ISO country code equivalent for the SIM provider's country code
- Caller Code: Lws/coverme/im/util/PhoneUtil;->getCurrentCountry(Landroid/content/Context;)Lws/coverme/im/model/others/Country;
- Threat Level:
- Path Index: 32
- **API: Landroid/telephony/TelephonyManager;=>getSimCountryIso**
- Description: Gets the ISO country code equivalent for the SIM provider's country code
- Caller Code: Lws/coverme/im/util/PhoneUtil;->getCurrentGeoCountry(Landroid/content/Context;)Lws/coverme/im/model/others/Country;



- Threat Level: 
- Path Index: 68
- **API: Landroid/telephony/TelephonyManager;=>getSimCountryIso**
- Description: Gets the ISO country code equivalent for the SIM provider's country code
- Caller Code: Lws/coverme/im/util/ZoneUtil;=>getZoneCode(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: 
- Path Index: 32
- **API: Landroid/telephony/TelephonyManager;=>getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lcom/appsflyer/AppsFlyerLib;=>sendTrackingWithEvent(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)
- Threat Level: 
- Path Index: 1514
- **API: Landroid/telephony/TelephonyManager;=>getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lcom/baidu/android/pushservice/message/f;=>f()Ljava/lang/String;
- Threat Level: 
- Path Index: 22
- **API: Landroid/telephony/TelephonyManager;=>getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lws/coverme/im/ui/others/FeedbackActivity;=>sendEmail([Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z
- Threat Level: 
- Path Index: 148
- **API: Landroid/telephony/TelephonyManager;=>getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lws/coverme/im/ui/others/FeedbackActivity;=>sendEmail([Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z
- Threat Level: 
- Path Index: 182
- **API: Landroid/telephony/TelephonyManager;=>getSimOperatorName**
- Description: Gets the Service Provider Name(SPN)
- Caller Code: Lcom/appsflyer/AppsFlyerLib;=>sendTrackingWithEvent(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)
- Threat Level: 
- Path Index: 1514
- **API: Landroid/telephony/TelephonyManager;=>getSimOperatorName**
- Description: Gets the Service Provider Name(SPN)
- Caller Code: Lws/coverme/im/ui/others/FeedbackActivity;=>sendEmail([Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z
- Threat Level: 
- Path Index: 148
- **API: Landroid/telephony/TelephonyManager;=>getSimSerialNumber**
- Description: Gets the serial number of SIM
- Caller Code: Lws/coverme/im/service/Holder;=>init()V
- Threat Level: 
- Path Index: 44
- **API: Ldalvik/system/DexClassLoader;=>loadClass**
- Description: Loads code dynamically
- Caller Code: Lws/coverme/im/util/dex/PluginLoader;=>newInstance(Ljava/lang/String;)Ljava/lang/Object;
- Threat Level: 
- Path Index: 16
- **API: Ldalvik/system/DexClassLoader;=>loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/f;=>e(Landroid/content/Context;)V
- Threat Level: 
- Path Index: 196
- **API: Ldalvik/system/DexClassLoader;=>loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/f;=>e(Landroid/content/Context;)V
- Threat Level: 
- Path Index: 220
- **API: Ldalvik/system/DexClassLoader;=>loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/f;=>e(Landroid/content/Context;)V
- Threat Level: 
- Path Index: 244
- **API: Ldalvik/system/DexClassLoader;=>loadClass**
- Description: Loads code dynamically

- Caller Code: Lcom/google/android/gms/internal/f;:->e(Landroid/content/Context;)V
 - Threat Level:
 - Path Index: 268
- API: Ldalvik/system/DexClassLoader;->loadClass
 - Description: Loads code dynamically
 - Caller Code: Lcom/google/android/gms/internal/f;:->e(Landroid/content/Context;)V
 - Threat Level:
 - Path Index: 292
- API: Ldalvik/system/DexClassLoader;->loadClass
 - Description: Loads code dynamically
 - Caller Code: Lcom/google/android/gms/internal/f;:->e(Landroid/content/Context;)V
 - Threat Level:
 - Path Index: 316
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lcom/baidu/android/pushservice/util/q;:->d(Ljava/lang/String;)I
 - Threat Level:
 - Path Index: 52
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lws/coverme/im/ffmpeg/Ffmpeg;:->execCMD(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
 - Threat Level:
 - Path Index: 76
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lws/coverme/im/model/AppDefender;:->execCMD(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
 - Threat Level:
 - Path Index: 104
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lws/coverme/im/ui/applockmanager/AppLockRootHandler\$1;:->run()V
 - Threat Level:
 - Path Index: 62
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lws/coverme/im/ui/applockmanager/AppLockRootHandler\$2;:->run()V
 - Threat Level:
 - Path Index: 62
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lws/coverme/im/ui/applockmanager/AppLockRootHandler\$3;:->run()V
 - Threat Level:
 - Path Index: 126
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lws/coverme/im/ui/applockmanager/AppLockRootHandler;:->CheckRoot(Landroid/content/Context;)Z
 - Threat Level:
 - Path Index: 30
- API: Ljava/lang/Runtime;->exec
 - Description: Executes shell code
 - Caller Code: Lws/coverme/im/ui/applockmanager/AppLockRootHandler;:->HideAllApp(Landroid/content/Context; Ljava/util/ArrayList;)Z
 - Threat Level:
 - Path Index: 120
- API: Ljava/lang/System;->load
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/android/pushservice/jni/BaiduAppSSOJni;:->()V
 - Threat Level:
 - Path Index: 6
- API: Ljava/lang/System;->load
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/android/pushservice/jni/PushSocket;:->()V
 - Threat Level:
 - Path Index: 48
- API: Ljava/lang/System;->load
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/android/pushservice/jni/PushSocket;:->a()Z
 - Threat Level:
 - Path Index: 48

- Threat Level:
• Path Index: 14
- **API: Ljava/lang/System;.>load**
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/location/Jni;.>()V
 - Threat Level:
• Path Index: 68
- **API: Ljava/lang/System;.>load**
 - Description: Loads and links the dynamic library
 - Caller Code: Lws/coverme/im/JucoreAdp/AdaptorToJni/Api/JucoreAdpApi;.>()V
 - Threat Level:
• Path Index: 6
- **API: Ljava/lang/System;.>load**
 - Description: Loads and links the dynamic library
 - Caller Code: Lws/coverme/im/model/local_crypto/NativeAESEncrypt;.>()V
 - Threat Level:
• Path Index: 6
- **API: Ljava/lang/System;.>load**
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/mapapi/a;.>()V
 - Threat Level:
• Path Index: 22
- **API: Ljava/lang/System;.>loadLibrary**
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/android/pushservice/jni/BaiduAppSSOJni;.>()V
 - Threat Level:
• Path Index: 6
- **API: Ljava/lang/System;.>loadLibrary**
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/android/pushservice/jni/PushSocket;.>()V
 - Threat Level:
• Path Index: 48
- **API: Ljava/lang/System;.>loadLibrary**
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/android/pushservice/jni/PushSocket;.>a()Z
 - Threat Level:
• Path Index: 14
- **API: Ljava/lang/System;.>loadLibrary**
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/location/Jni;.>()V
 - Threat Level:
• Path Index: 68
- **API: Ljava/lang/System;.>loadLibrary**
 - Description: Loads and links the dynamic library
 - Caller Code: Lws/coverme/im/JucoreAdp/AdaptorToJni/Api/JucoreAdpApi;.>()V
 - Threat Level:
• Path Index: 6
- **API: Ljava/lang/System;.>loadLibrary**
 - Description: Loads and links the dynamic library
 - Caller Code: Lws/coverme/im/model/local_crypto/NativeAESEncrypt;.>()V
 - Threat Level:
• Path Index: 6
- **API: Ljava/lang/System;.>loadLibrary**
 - Description: Loads and links the dynamic library
 - Caller Code: Lcom/baidu/mapapi/a;.>()V
 - Threat Level:
• Path Index: 22
- **API: Ljava/lang/reflect/Method;.>invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lbolts/MeasurementEvent;.>sendBroadcast()V
 - Threat Level:
• Path Index: 128
- **API: Ljava/lang/reflect/Method;.>invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lbolts/MeasurementEvent;.>sendBroadcast()V
 - Threat Level:

- Path Index: 196
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/appsflyer/AppsFlyerLib;:->addDeviceTracking(Landroid/content/Context; Ljava/util/Map;)V
- Threat Level: 
- Path Index: 160
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/android/pushservice/CommandService;:->a(Landroid/content/Intent;)V
- Threat Level: 
- Path Index: 332
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/android/pushservice/PushServiceReceiver;:->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Threat Level: 
- Path Index: 1124
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/android/pushservice/util/k;:->a(Landroid/content/Context;)Z
- Threat Level: 
- Path Index: 198
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/location/c;:->a(Landroid/telephony/CellLocation;)V
- Threat Level: 
- Path Index: 736
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/location/c;:->a(Landroid/telephony/CellLocation;)V
- Threat Level: 
- Path Index: 782
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/location/c;:->a(Landroid/telephony/CellLocation;)V
- Threat Level: 
- Path Index: 816
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/location/e;:->new()Z
- Threat Level: 
- Path Index: 106
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/loctp/str/BDLocManager;:->a(Landroid/telephony/CellLocation;)V
- Threat Level: 
- Path Index: 434
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/loctp/str/BDLocManager;:->a(Landroid/telephony/CellLocation;)V
- Threat Level: 
- Path Index: 480
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/loctp/str/BDLocManager;:->a(Landroid/telephony/CellLocation;)V
- Threat Level: 
- Path Index: 514
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/loctp/str/BDLocManager;:->startWifiScan()Z
- Threat Level: 
- Path Index: 116
- **API: Ljava/lang/reflect/Method;:->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/baidu/mapapi/utils/e;:->c(Landroid/content/Context;)V
- Threat Level: 
- Path Index: 144

- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/baidu/mapapi/utils/e;->c(Landroid/content/Context;)V
 - Threat Level: 
 - Path Index: 184
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/baidu/mapapi/utils/e;->c(Landroid/content/Context;)V
 - Threat Level: 
 - Path Index: 230
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/baidu/mapapi/utils/e;->c(Landroid/content/Context;)V
 - Threat Level: 
 - Path Index: 256
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/facebook(GraphRequestAsyncTask;:->executeOnSettingsExecutor()Lcom/facebook/GraphRequestAsyncTask;
 - Threat Level: 
 - Path Index: 42
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/facebook/internal/Utility;:->invokeMethodQuietly(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
 - Threat Level: 
 - Path Index: 2
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/google/android/gms/internal/dw;->b(Lcom/google/android/gms/internal/dw\$a;)Ljava/lang/Object;
 - Threat Level: 
 - Path Index: 250
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/google/protobuf/GeneratedMessageLite\$SerializedForm;:->readResolve()Ljava/lang/Object;
 - Threat Level: 
 - Path Index: 40
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/google/protobuf/nano/MessageNanoPrinter;:->print(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V
 - Threat Level: 
 - Path Index: 614
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/google/protobuf/nano/MessageNanoPrinter;:->print(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V
 - Threat Level: 
 - Path Index: 772
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lws/coverme/im/service/Holder;:->init()V
 - Threat Level: 
 - Path Index: 92
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lws/coverme/im/util/SoftInputUtil;:->hideSoftInputFromWindow(Landroid/app/Activity; Landroid/widget/EditText;)V
 - Threat Level: 
 - Path Index: 118
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lws/coverme/im/util/SoftInputUtil;:->hideSoftInputFromWindow(Landroid/app/Activity; Landroid/widget/EditText;)V
 - Threat Level: 
 - Path Index: 194
- **API: Ljava/lang/reflect/Method;:->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lws/coverme/im/util/SoftInputUtil;:->showSoftInputFocus(Landroid/app/Activity; Landroid/widget/EditText;)V
 - Threat Level: 
 - Path Index: 118
- **API: Ljava/lang/reflect/Method;:->invoke**

- Description: Utilizes Java reflection
- Caller Code: Lws/coverme/im/util/SoftInputUtil; -> showSoftInputFocus(Landroid/app/Activity; Landroid/widget/EditText;)V
- Threat Level: 
- Path Index: 194
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/f; -> a(Landroid/content/Context; Lcom/google/android/gms/internal/j;)Ljava/lang/String;
- Threat Level: 
- Path Index: 38
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/f; -> a(Landroid/view/MotionEvent; Landroid/util/DisplayMetrics;)Ljava/util/ArrayList;
- Threat Level: 
- Path Index: 48
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/f; -> b(Landroid/content/Context; Lcom/google/android/gms/internal/j;)Ljava/lang/String;
- Threat Level: 
- Path Index: 38
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/f; -> d(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: 
- Path Index: 38
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/f; -> e()Ljava/lang/Long;
- Threat Level: 
- Path Index: 32
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/f; -> f()Ljava/lang/String;
- Threat Level: 
- Path Index: 32
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lws/coverme/im/service/CMCoreService; -> getSerialNumber()Ljava/lang/String;
- Threat Level: 
- Path Index: 68
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lws/coverme/im/service/CMCoreService; -> getSerialNumber()Ljava/lang/String;
- Threat Level: 
- Path Index: 130
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/protobuf/GeneratedMessageLite; -> invokeOrDie(Ljava/lang/reflect/Method; Ljava/lang/Object; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level: 
- Path Index: 0
- **API: Ljava/lang/reflect/Method; -> invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/protobuf/GeneratedMessage; -> invokeOrDie(Ljava/lang/reflect/Method; Ljava/lang/Object; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level: 
- Path Index: 0
- **API: Ljava/net/URL; -> openConnection**
- Description: Connects to the Internet
- Caller Code: Lbolts/WebViewAppLinkResolver\$3; -> call()Ljava/lang/Void;
- Threat Level: 
- Path Index: 28
- **API: Ljava/net/URL; -> openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/appsflyer/AppsFlyerLib\$AttributionIdFetcher; -> run()V
- Threat Level: 
- Path Index: 384
- **API: Ljava/net/URL; -> openConnection**
- Description: Connects to the Internet

- Caller Code: Lcom/appsflyer/AppsFlyerLib;:->callServer(Ljava/net/URL; Ljava/lang/String; Ljava/lang/String; Ljava/lang/ref/WeakReference; Ljava/lang/String; Ljava/lang/String; Z)V
• Threat Level: 
• Path Index: 14
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lcom/appsflyer/AppsFlyerLib;:->sendUninstall(Ljava/lang/String; Landroid/content/Context;)V
• Threat Level: 
• Path Index: 158
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lcom/baidu/android/pushservice/f/c;:->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Ljava/net/HttpURLConnection;
• Threat Level: 
• Path Index: 12
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lcom/baidu/android/pushservice/richmedia/a;:->a(Ljava/lang/String;)I
• Threat Level: 
• Path Index: 10
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lcom/facebook/GraphRequest;:->createConnection(Ljava/net/URL;)Ljava/net/HttpURLConnection;
• Threat Level: 
• Path Index: 0
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lcom/facebook/internal/ImageDownloader;:->download(Lcom/facebook/internal/ImageDownloader\$RequestKey; Landroid/content/Context;)V
• Threat Level: 
• Path Index: 40
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lws/coverme/im/model/messages/chat/Util;:->getHtmlByteArray(Ljava/lang/String;)IB
• Threat Level: 
• Path Index: 14
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lws/coverme/im/model/messages/chat/VirtualNumberMmsDownloadUtil;:->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
• Threat Level: 
• Path Index: 14
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lws/coverme/im/model/messages/voicemail/download/VoiceMailDownloadUtil;:->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
• Threat Level: 
• Path Index: 14
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lws/coverme/im/model/push/GCMServerUtilities;:->post(Ljava/lang/String; Ljava/util/Map;)V
• Threat Level: 
• Path Index: 280
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lws/coverme/im/net/WeiboDialog;:->getHtml(Ljava/lang/String;)Ljava/lang/String;
• Threat Level: 
• Path Index: 54
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;:->downloadUrl(Ljava/lang/String;)Ljava/lang/String;
• Threat Level: 
• Path Index: 38
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet
 - Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;:->saveLocationImgToSDCard(I)V
• Threat Level: 
• Path Index: 20
- **API: Ljava/net/URL;->openConnection**
 - Description: Connects to the Internet

- Caller Code: Lws/coverme/im/ui/cmn/util/HttpUtils;:->getInputStream(Ljava/lang/String;)Ljava/io/InputStream;
• Threat Level: 
• Path Index: 18
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/contacts/util/ContactVCardUtil;:->exportContacts(Landroid/content/Context; Ljava/net/URL;)V
• Threat Level: 
• Path Index: 80
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/login_registe/ActivateActivity\$16;:->run()V
• Threat Level: 
• Path Index: 90
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/market/MarketContentActivity\$2;:->run()V
• Threat Level: 
• Path Index: 82
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/others/RecommandPhotoActivity\$DownloadThread;:->downloadFile(Ljava/lang/String; Ljava/lang/String;)Z
• Threat Level: 
• Path Index: 28
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/wx/Util;:->getHtmlByteArray(Ljava/lang/String;)IB
• Threat Level: 
• Path Index: 14
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/util/ImageUtil;:->getRequest(Ljava/lang/String;)Ljava/io/InputStream;
• Threat Level: 
• Path Index: 10
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/util/OtherHelper;:->getBitmapFromUrl(Ljava/lang/String;)Landroid/graphics/Bitmap;
• Threat Level: 
• Path Index: 12
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lcom/google/android/gms/internal/cl;:->ac()V
• Threat Level: 
• Path Index: 64
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lcom/google/android/gms/internal/ct;:->b(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Landroid/webkit/WebResourceResponse;
• Threat Level: 
• Path Index: 10
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/chat/async/DealStickerAsync;:->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
• Threat Level: 
• Path Index: 14
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/chat/async/DealStickerZipDownloadAsync;:->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
• Threat Level: 
• Path Index: 14
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lws/coverme/im/ui/friends/AutoAddFriendActivity;:->accessServer()Ljava/lang/String;
• Threat Level: 
• Path Index: 26
- **API: Ljava/net/URL;:->openConnection**
• Description: Connects to the Internet
• Caller Code: Lcom/google/android/gms/internal/bz;:->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Lcom/google/android/gms/internal/bw;

- Threat Level:  5
- Path Index: 30
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/bbalbs/common/a/a;->a(Ljava/lang/String; Ljava/lang/String; [B)[B]
- Threat Level:  5
- Path Index: 64
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/bbalbs/common/a/a;->b(Ljava/lang/String; Ljava/lang/String; [B)[B]
- Threat Level:  5
- Path Index: 64
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/pushservice/j/a;->a(Ljava/lang/String; Ljava/lang/String; [B)[B]
- Threat Level:  5
- Path Index: 64
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/pushservice/j/a;->b(Ljava/lang/String; Ljava/lang/String; [B)[B]
- Threat Level:  5
- Path Index: 64
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/pushservice/j/f;->a([B Ljava/lang/String;) [B]
- Threat Level:  5
- Path Index: 70
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/pushservice/j/f;->a([B Ljava/lang/String; I) [B]
- Threat Level:  5
- Path Index: 128
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/pushservice/j/f;->b([B Ljava/lang/String;) [B]
- Threat Level:  5
- Path Index: 70
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/baidu/android/pushservice/j/f;->c([B Ljava/lang/String;) [B]
- Threat Level:  5
- Path Index: 70
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/google/android/gms/internal/l;->c([B Ljava/lang/String;) [B]
- Threat Level:  5
- Path Index: 168
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/local_crypto/LocalAESKeyManager;->LocalAES128KeyRenewPasswordWithKey([B Ljava/lang/String;) [B]
- Threat Level:  5
- Path Index: 224
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/local_crypto/LocalAESKeyManager;->fetchLocalAES128Key(Ljava/lang/String; [B)Z
- Threat Level:  5
- Path Index: 242
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/local_crypto/LocalAESKeyManager;->generateLocalAES128Key(Ljava/lang/String;) [B]
- Threat Level:  5
- Path Index: 250
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/local_crypto/LocalAESKeyManager;->generateLocalAES128KeyForNewUser(Ljava/lang/String; [B [B) [B]
- Threat Level:  5

- Path Index: 194
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/local_crypto/LocalAESKeyManager;:->localAES128KeyRenewPassword(Ljava/lang/String; Ljava/lang/String; [B Ljava/lang/String; I)[B
- Threat Level: 
- Path Index: 256
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/local_crypto/LocalAESKeyManager;:->localAES128KeyRenewPassword(Ljava/lang/String; Ljava/lang/String; [B Ljava/lang/String; I)[B
- Threat Level: 
- Path Index: 652
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AES256Decrypt([B [B)[B
- Threat Level: 
- Path Index: 114
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AES256Encrypt([B [B)[B
- Threat Level: 
- Path Index: 114
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AESDecrypt([B [B)[B
- Threat Level: 
- Path Index: 118
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AESDecryptNoPadding([B [B)[B
- Threat Level: 
- Path Index: 118
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AESDecryptNoPadding([B [B)[B
- Threat Level: 
- Path Index: 186
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AESEncrypt([B [B)[B
- Threat Level: 
- Path Index: 118
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AESEncryptNoPadding([B [B)[B
- Threat Level: 
- Path Index: 118
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/normal_crypto/STD_AES_Crypto;:->AESEncryptNoPadding([B [B)[B
- Threat Level: 
- Path Index: 186
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/purchase/alipay/Rsa;:->decrypt(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: 
- Path Index: 44
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/alipay/Rsa;:->encrypt(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: 
- Path Index: 50
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;:->AESDecrypt([B J J I)[B

- Threat Level:
• Path Index: 128
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->AESDecrypt([B [B][B
• Threat Level:
• Path Index: 130
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->AESEncrypt([B J J I)[B
• Threat Level:
• Path Index: 128
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->AESEncrypt([B [B][B
• Threat Level:
• Path Index: 130
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->RSADecryptWithFriendPubKey(J [B)[B
• Threat Level:
• Path Index: 72
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->RSADecryptWithMyPriKey([B)[B
• Threat Level:
• Path Index: 68
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->RSADecryptWithPriKey(Ljava/security/PrivateKey; [B)[B
• Threat Level:
• Path Index: 60
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->RSAEncryptWithMyPriKey([B)[B
• Threat Level:
• Path Index: 68
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->RSAEncryptWithFriendPubKey(J [B)[B
• Threat Level:
• Path Index: 92
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/model/transfer_crypto/TransferCrypto;->RSAEncryptWithPubKey(Ljava/security/PublicKey; [B)[B
• Threat Level:
• Path Index: 54
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/ui/contacts/util/DESEncode;->decryptDES(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
• Threat Level:
• Path Index: 68
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/ui/contacts/util/DESEncode;->encryptDES(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
• Threat Level:
• Path Index: 68
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/util/CMDDataCrypto;->AESEncrypt([B I I)[B
• Threat Level:
• Path Index: 168
- **API: Ljavax/crypto/Cipher;:->doFinal**
• Description: Encrypt or Decrypt data
• Caller Code: Lws/coverme/im/util/CMDDataCrypto;->getEncryptedAESKey()[]B
• Threat Level:

- Path Index: 104
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->decryptByPrivateKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 98
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->decryptByPrivateKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 130
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->decryptByPublicKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 98
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->decryptByPublicKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 130
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->encryptByPrivateKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 98
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->encryptByPrivateKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 130
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->encryptByPublicKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 98
- **API: Ljavax/crypto/Cipher;:->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lws/coverme/im/model/purchase/utils/RSACoder;:->encryptByPublicKey([B Ljava/lang/String;)I[B
- Threat Level: 
- Path Index: 130

Permission Usage

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/util/g;:->e(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;:->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 66
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/util/g;:->e(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;:->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 82
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/util/g;:->e(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;:->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 168
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/c\$a;:->int()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;:->getNeighboringCellInfo()Ljava/util/List;
- Path Index: 14
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**

- Used Type: Api
- Caller Code: Lcom/baidu/location/c\$b; ->onCellLocationChanged(Landroid/telephony/CellLocation;)V
- Callee Code: Landroid/telephony/TelephonyManager; ->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 22
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/c; ->a()Lcom/baidu/location/c\$a;
- Callee Code: Landroid/telephony/TelephonyManager; ->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 52
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/c; ->byte()V
- Callee Code: Landroid/telephony/TelephonyManager; ->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 38
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/c; ->do()V
- Callee Code: Landroid/telephony/TelephonyManager; ->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 94
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/c; ->for()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 38
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/loctp/str/BDLocManager; ->a(I)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 14
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/vi/VDeviceAPI; ->getCellId()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 34
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/vi/VDeviceAPI; ->getLac()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 34
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/service/Holder; ->registerReceiver()V
- Callee Code: Landroid/telephony/TelephonyManager; ->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 124
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/b; ->a(D D F)V
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 178
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/b; ->a(D D F)V
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 610
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/b; ->i()V
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 92
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/platform/comapi/c/c; ->c(Landroid/content/Context;)V
- Callee Code: Landroid/location/LocationManager; ->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 176
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api

- Caller Code: Lcom/baidu/platform/comapi/c/c;=>c(Landroid/content/Context;)V
- Callee Code: Landroid/location/LocationManager;=>isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 200
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;=>getLocation(Landroid/content/Context;)Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;=>getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 10
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;=>getLocation(Landroid/content/Context;)Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;=>getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 40
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;=>registeListener()V
- Callee Code: Landroid/location/LocationManager;=>isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 32
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;=>registeListener()V
- Callee Code: Landroid/location/LocationManager;=>isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 72
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;=>registeListener()V
- Callee Code: Landroid/location/LocationManager;=>getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 116
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity;=>registeListener()V
- Callee Code: Landroid/location/LocationManager;=>requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 218
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;=>getLocation(Landroid/content/Context;)Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;=>getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 10
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;=>getLocation(Landroid/content/Context;)Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;=>getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 40
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;=>getProviderName()Ljava/lang/String;
- Callee Code: Landroid/location/LocationManager;=>getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 48
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;=>registeListener()V
- Callee Code: Landroid/location/LocationManager;=>isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 36
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;=>registeListener()V
- Callee Code: Landroid/location/LocationManager;=>isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 76
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;=>registeListener()V
- Callee Code: Landroid/location/LocationManager;=>getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 120
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;=>registeListener()V

- Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
• Path Index: 200
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;->openGPS()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
• Path Index: 12
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;->openGPS()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
• Path Index: 34
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
• Path Index: 94
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
• Path Index: 142
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
• Path Index: 158
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
• Path Index: 406
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
• Path Index: 454
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelper;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
• Path Index: 470
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelperGps;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
• Path Index: 96
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelperGps;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
• Path Index: 144
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelperGps;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
• Path Index: 160
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelperGps;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
• Path Index: 424
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/LocationHelperGps;->getCurrentLocation()V
 - Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V

- Path Index: 472
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/util/LocationHelperGps; ->getCurrentLocation()V
- Callee Code: Landroid/location/LocationManager; ->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 488
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/ReSetSuperPasswordVerifyLocationActivity\$8; ->onStatusChanged(Ljava/lang/String; I Landroid/os/Bundle;)V
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 36
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSearchActivity\$2; ->onStatusChanged(Ljava/lang/String; I Landroid/os/Bundle;)V
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 36
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSecurityLocationActivity\$8; ->onStatusChanged(Ljava/lang/String; I Landroid/os/Bundle;)V
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 36
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/GPSHelper; ->getLocation(Landroid/content/Context;)V
- Callee Code: Landroid/location/LocationManager; ->getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 78
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/GPSHelper; ->getLocation(Landroid/content/Context;)V
- Callee Code: Landroid/location/LocationManager; ->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 92
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/GPSHelper; ->getLocation(Landroid/content/Context;)V
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 126
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper; ->checkGps(Landroid/content/Context;)Z
- Callee Code: Landroid/location/LocationManager; ->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 24
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper; ->checkGps(Landroid/content/Context;)Z
- Callee Code: Landroid/location/LocationManager; ->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 42
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper; ->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
- Callee Code: Landroid/location/LocationManager; ->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 28
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper; ->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
- Callee Code: Landroid/location/LocationManager; ->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 46
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper; ->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
- Callee Code: Landroid/location/LocationManager; ->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 80
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper; ->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
- Callee Code: Landroid/location/LocationManager; ->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 92

- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/OtherHelper;->getCurrentLocation(Landroid/content/Context;)Lws/coverme/im/model/location/MyLocation;
 - Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
 - Path Index: 138
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;->getLocation(Landroid/content/Context;)Landroid/location/Location;
 - Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
 - Path Index: 10
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;->getLocation(Landroid/content/Context;)Landroid/location/Location;
 - Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
 - Path Index: 40
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
 - Path Index: 32
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
 - Path Index: 72
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
 - Path Index: 116
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2Activity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
 - Path Index: 196
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/my_account/ReSetSuperPasswordVerifyLocationActivity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
 - Path Index: 36
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/my_account/ReSetSuperPasswordVerifyLocationActivity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
 - Path Index: 136
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/my_account/ReSetSuperPasswordVerifyLocationActivity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
 - Path Index: 168
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSearchActivity;->isOPen(Landroid/content/Context;)Z
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
 - Path Index: 24
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSearchActivity;->isOPen(Landroid/content/Context;)Z
 - Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
 - Path Index: 38
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSearchActivity;->registeListener()V
 - Callee Code: Landroid/location/LocationManager;->getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
 - Path Index: 36
- **Permission Name:** android.permission.ACCESS_COARSE_LOCATION

- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSearchActivity; -> registerListener()V
- Callee Code: Landroid/location/LocationManager; -> isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 136
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSearchActivity; -> registerListener()V
- Callee Code: Landroid/location/LocationManager; -> requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 168
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSecurityLocationActivity; -> isOPen(Landroid/content/Context;)Z
- Callee Code: Landroid/location/LocationManager; -> isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 24
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSecurityLocationActivity; -> isOPen(Landroid/content/Context;)Z
- Callee Code: Landroid/location/LocationManager; -> isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 38
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSecurityLocationActivity; -> registerListener()V
- Callee Code: Landroid/location/LocationManager; -> getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 36
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSecurityLocationActivity; -> registerListener()V
- Callee Code: Landroid/location/LocationManager; -> isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 136
- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/my_account/SuperPasswordSecurityLocationActivity; -> registerListener()V
- Callee Code: Landroid/location/LocationManager; -> requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener;)V
- Path Index: 168
- **Permission Name: android.permission.ACCESS_FINE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/b; -> i()V
- Callee Code: Landroid/location/LocationManager; -> addGpsStatusListener(Landroid/location/GpsStatus\$Listener;)Z
- Path Index: 106
- **Permission Name: android.permission.ACCESS_FINE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/baidu/location/b; -> i()V
- Callee Code: Landroid/location/LocationManager; -> addNmeaListener(Landroid/location/GpsStatus\$NmeaListener;)Z
- Path Index: 120
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/appsflyer/AppsFlyerLib; -> getNetwork(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager; -> getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 20
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/appsflyer/AppsFlyerLib; -> getNetwork(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager; -> getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 50
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/util/j; -> c(Landroid/content/Context;)Landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 44
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/lbsapi/auth/c; -> a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 24
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api

- Caller Code: Lcom/baidu/lbsapi/auth/c;:->a(Lorg/apache/http/client/HttpClient;)Z
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 46
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/location/e;:->goto()V
- Callee Code: Landroid/net/ConnectivityManager;:->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 30
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/location/g;:->if(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 32
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/platform/comapi/c/b;:->b(Landroid/content/Context;)Landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/vi/VDeviceAPI;:->getCurrentNetworkType()I
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 28
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/vi/VDeviceAPI;:->getNetworkInfo(I)Lcom/baidu/vi/c;
- Callee Code: Landroid/net/ConnectivityManager;:->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 54
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/vi/VDeviceAPI;:->getNetworkInfo(I)Lcom/baidu/vi/c;
- Callee Code: Landroid/net/ConnectivityManager;:->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 68
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/vi/VDeviceAPI;:->isWifiConnected()Z
- Callee Code: Landroid/net/ConnectivityManager;:->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 28
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/cd;:->a(Landroid/content/Context; Landroid/net/ConnectivityManager; Landroid/content/pm/PackageManager;)I
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 28
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/model/cloud/cloudutils/CloudUtils;:->isCanTransferBy3g4g(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 38
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/privatenumber/BasePrivateActivity\$1;:->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 38
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/NetworkMonitor;:->getNetworkStatus()Lws/coverme/im/util/NetworkMonitor\$NetworkStatus;
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 42
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper;:->checkNetworkStatus(Landroid/content/Context; Z)Z
- Callee Code: Landroid/net/ConnectivityManager;:->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 34
- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/others/FeedbackActivity;:->sendEmail([Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z

- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
• Path Index: 88
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice//a/b\$b;->(Landroid/content/Context;)V
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
• Path Index: 458
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/util/g;->e(Landroid/content/Context;)Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
• Path Index: 18
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/lbsapi/auth/b;->c(Landroid/content/Context;)Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
• Path Index: 38
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/e;->if()V
 - Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
• Path Index: 14
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/e;->byte()Lcom/baidu/location/e\$c;
 - Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
• Path Index: 44
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/e;->char()Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
• Path Index: 6
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/e;->int()Lcom/baidu/location/e\$c;
 - Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
• Path Index: 44
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/e;->new()Z
 - Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
• Path Index: 46
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/loctp/str/BDLocManager;->a(I)Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
• Path Index: 82
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/loctp/str/BDLocManager;->a()Z
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
• Path Index: 16
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/loctp/str/BDLocManager;->startWifiScan()Z
 - Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
• Path Index: 56
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/platform/comapi/c/c;->i(Landroid/content/Context;)V
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
• Path Index: 40
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/vi/DeviceAPI;->getWifiHotpot()[[Landroid/net/wifi/ScanResult;
 - Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;

- Path Index: 26
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/net/Utility;->getHttpClient(Landroid/content/Context;)Lorg/apache/http/client/HttpClient;
 - Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
 - Path Index: 64
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/net/Utility;->getNewHttpClient(Landroid/content/Context;)Lorg/apache/http/client/HttpClient;
 - Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
 - Path Index: 238
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/DeviceID;->getLocalMacAddress(Landroid/content/Context;)Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
 - Path Index: 18
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/message/f;->h()Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
 - Path Index: 24
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;->getMacAddress()Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
 - Path Index: 44
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;->getMacAddress()Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
 - Path Index: 56
- **Permission Name: android.permission.ACCESS_WIFI_STATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext;->getWifiBssid()Ljava/lang/String;
 - Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
 - Path Index: 36
- **Permission Name: android.permission.BLUETOOTH**
 - Used Type: Intent Action
 - Callee Code: android.bluetooth.adapter.action.STATE_CHANGED
- **Permission Name: android.permission.CALL_PHONE**
 - Used Type: Api
 - Caller Code: Lcom/android/internal/telephony/ITelephony\$Stub;->onTransact(I Landroid/os/Parcel; Landroid/os/Parcel; I)Z
 - Callee Code: Lcom/android/internal/telephony/ITelephony\$Stub;->endCall()Z
 - Path Index: 44
- **Permission Name: android.permission.CALL_PHONE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/Holder\$TelListener;->onCallStateChanged(I Ljava/lang/String;)V
 - Callee Code: Lcom/android/internal/telephony/ITelephony;->endCall()Z
 - Path Index: 428
- **Permission Name: android.permission.CALL_PHONE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/Holder\$TelListener;->onCallStateChanged(I Ljava/lang/String;)V
 - Callee Code: Lcom/android/internal/telephony/ITelephony;->endCall()Z
 - Path Index: 640
- **Permission Name: android.permission.CALL_PHONE**
 - Used Type: Intent Action
 - Callee Code: android.intent.action.CALL
- **Permission Name: android.permission.CAMERA**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/messages/MediaVideoCameraActivity;->startRecording()V
 - Callee Code: Landroid/media/MediaRecorder;->setVideoSource(I)V
 - Path Index: 66
- **Permission Name: android.permission.CAMERA**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/albums/AlbumCameraActivity\$SurfaceCallback;->surfaceCreated(Landroid/view/SurfaceHolder;)V

- Callee Code: Landroid/hardware/Camera;->open(I)Landroid/hardware/Camera;
- Path Index: 52
- **Permission Name: android.permission.CAMERA**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/login_registe/SignInCameraActivity\$SurfaceCallback;->surfaceCreated(Landroid/view/SurfaceHolder;)V
- Callee Code: Landroid/hardware/Camera;->open()Landroid/hardware/Camera;
- Path Index: 38
- **Permission Name: android.permission.CAMERA**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/CameraUtil;->OpenCamera(Landroid/view/SurfaceHolder;)Z
- Callee Code: Landroid/hardware/Camera;->open(I)Landroid/hardware/Camera;
- Path Index: 60
- **Permission Name: android.permission.CAMERA**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/albums/AlbumCameraActivity;->onClick(Landroid/view/View;)V
- Callee Code: Landroid/hardware/Camera;->open(I)Landroid/hardware/Camera;
- Path Index: 302
- **Permission Name: android.permission.CAMERA**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/albums/AlbumCameraActivity;->onClick(Landroid/view/View;)V
- Callee Code: Landroid/hardware/Camera;->open(I)Landroid/hardware/Camera;
- Path Index: 652
- **Permission Name: android.permission.CAMERA**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/messages/MediaCameraActivity;->surfaceCreated(Landroid/view/SurfaceHolder;)V
- Callee Code: Landroid/hardware/Camera;->open()Landroid/hardware/Camera;
- Path Index: 0
- **Permission Name: android.permission.CAMERA**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/messages/MediaVideoCameraActivity;->onCreate(Landroid/os/Bundle;)V
- Callee Code: Landroid/hardware/Camera;->open()Landroid/hardware/Camera;
- Path Index: 46
- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->new()Z
- Callee Code: Landroid/net/wifi/WifiManager;->startScan()Z
- Path Index: 148
- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/location/e;->new()Z
- Callee Code: Landroid/net/wifi/WifiManager;->startScan()Z
- Path Index: 164
- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/loctp/str/BDLocManager;->startWifiScan()Z
- Callee Code: Landroid/net/wifi/WifiManager;->startScan()Z
- Path Index: 144
- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/loctp/str/BDLocManager;->startWifiScan()Z
- Callee Code: Landroid/net/wifi/WifiManager;->startScan()Z
- Path Index: 156
- **Permission Name: android.permission.GET_ACCOUNTS**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/OtherHelper;->hasGoogleAccount(Landroid/content/Context;)Z
- Callee Code: Landroid/accounts/AccountManager;->getAccountsByType(Ljava/lang/String;)Landroid/accounts/Account;
- Path Index: 14
- **Permission Name: android.permission.GET_ACCOUNTS**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/contacts>SelectContactActivity;->onClick(Landroid/view/View;)V
- Callee Code: Landroid/accounts/AccountManager;->getAccounts()Landroid/accounts/Account;
- Path Index: 468
- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/StateUtil;->getTopActivity(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;

- Path Index: 32
- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/StateUtil; -> isAppRunning(Landroid/content/Context;)Z
- Callee Code: Landroid/app/ActivityManager; -> getRunningTasks(I)Ljava/util/List;
- Path Index: 22
- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/StateUtil; -> isTopActivity(Landroid/content/Context;)Z
- Callee Code: Landroid/app/ActivityManager; -> getRunningTasks(I)Ljava/util/List;
- Path Index: 30
- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/StateUtil; -> isTopActivity(Ljava/lang/String; Landroid/content/Context;)Z
- Callee Code: Landroid/app/ActivityManager; -> getRunningTasks(I)Ljava/util/List;
- Path Index: 26
- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lws/coverme/im/service/Lockouter; -> getTopActivity()Ljava/lang/String;
- Callee Code: Landroid/app/ActivityManager; -> getRunningTasks(I)Ljava/util/List;
- Path Index: 32
- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lws/coverme/im/service/CMCoreService; -> CheckLock()Z
- Callee Code: Landroid/app/ActivityManager; -> getRunningTasks(I)Ljava/util/List;
- Path Index: 162
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/appsflyer/AppsFlyerLib\$AttributionIdFetcher; -> run()V
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 458
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/f/c; -> a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 196
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lws/coverme/im/model/messages/chat/VirtualNumberMmsDownloadUtil; -> getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 70
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lws/coverme/im/model/messages/voicemail/download/VoiceMailDownloadUtil; -> getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 70
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapV2RouteActivity; -> downloadUrl(Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 54
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/others/RecommandPhotoActivity\$DownloadThread; -> downloadFile(Ljava/lang/String; Ljava/lang/String;)Z
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 64
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/ct; -> b(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Landroid/webkit/WebResourceResponse;
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 30
- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/async/DealStickerAsync; -> getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
- Callee Code: Ljava/net/HttpURLConnection; -> connect()V
- Path Index: 70

- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/async/DealStickerZipDownloadAsync;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
 - Callee Code: Ljava/net/URLConnection;->connect()V
 - Path Index: 70
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lbolts/WebViewAppLinkResolver\$3;->call()Ljava/lang/Void;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 28
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/appsflyer/AppsFlyerLib\$AttributionIdFetcher;->run()V
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 384
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/appsflyer/AppsFlyerLib;->callServer(Ljava/net/URL; Ljava/lang/String; Ljava/lang/String; Ljava/lang/ref/WeakReference; Ljava/lang/String; Ljava/lang/String; Z)V
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 14
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/appsflyer/AppsFlyerLib;->sendUninstall(Ljava/lang/String; Landroid/content/Context;)V
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 158
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/e;->run()V
 - Callee Code: Ljava/net/URL;->openStream()Ljava/io/InputStream;
 - Path Index: 456
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/f/c;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Ljava/net/HttpURLConnection;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 12
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/g;->run()V
 - Callee Code: Ljava/net/URL;->openStream()Ljava/io/InputStream;
 - Path Index: 24
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/richmedia/a;->a(Ljava/lang/String;)I
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 10
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/facebook/GraphRequest;->createConnection(Ljava/net/URL;)Ljava/net/HttpURLConnection;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 0
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lcom/facebook/internal/ImageDownloader;->download(Lcom/facebook/internal/ImageDownloader\$RequestKey; Landroid/content/Context;)V
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 40
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/chat/Util;->getHtmlByteArray(Ljava/lang/String;)IB
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 14
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/chat/VirtualNumberMmsDownloadUtil;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 14

- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/voicemail/download/VoiceMailDownloadUtil;:->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 14
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/GCMServerUtilities;:->post(Ljava/lang/String; Ljava/util/Map;)V
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 280
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/net/WeiboDialog;:->getHtml(Ljava/lang/String;)Ljava/lang/String;
 - Callee Code: Ljava/net/URL;:->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
 - Path Index: 54
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/map/GoogleMapView2RouteActivity;:->downloadUrl(Ljava/lang/String;)Ljava/lang/String;
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 38
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/nativechat/LocationHelp;:->saveLocationImgToSDCard(I)V
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 20
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/cmn/util/HttpUtils;:->getInputStream(Ljava/lang/String;)Ljava/io/InputStream;
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 18
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/contacts/util/ContactVCardUtil;:->exportContacts(Landroid/content/Context; Ljava/net/URL;)V
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 80
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/login_registe/ActivateActivity\$16;:->run()V
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 90
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/market/MarketContentActivity\$2;:->run()V
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 82
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/others/RecommandPhotoActivity\$DownloadThread;:->downloadFile(Ljava/lang/String; Ljava/lang/String;)Z
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 28
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/wx/Util;:->getHtmlByteArray(Ljava/lang/String;)IB
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 14
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/ImageUtil;:->getRequest(Ljava/lang/String;)Ljava/io/InputStream;
 - Callee Code: Ljava/net/URL;:->openConnection()Ljava/net/URLConnection;
 - Path Index: 10
- **Permission Name:** android.permission.INTERNET
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/ImageUtil;:->loadImageFromUrl(Ljava/lang/String;)Landroid/graphics/drawable/Drawable;
 - Callee Code: Ljava/net/URL;:->getContent()Ljava/lang/Object;
 - Path Index: 12
- **Permission Name:** android.permission.INTERNET

- Used Type: Api
 - Caller Code: Lws/coverme/im/util/OtherHelper;->getBitmapFromUrl(Ljava/lang/String;)Landroid/graphics/Bitmap;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 12
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/internal/cl;->ac()V
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 64
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/internal/ct;->b(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Landroid/webkit/WebResourceResponse;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 10
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/maps/model/UrlTileProvider;->getTile(I I)Lcom/google/android/gms/maps/model/Tile;
 - Callee Code: Ljava/net/URL;->openStream()Ljava/io/InputStream;
 - Path Index: 30
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/async/DealStickerAsync;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 14
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/async/DealStickerZipDownloadAsync;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 14
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/friends/AutoAddFriendActivity;->accessServer()Ljava/lang/String;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 26
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/internal/bz;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Lcom/google/android/gms/internal/bw;
 - Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
 - Path Index: 30
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lbolts/WebViewAppLinkResolver\$3;->call()Ljava/lang/Void;
 - Callee Code: Ljava/net/URLConnection;->connect()V
 - Path Index: 76
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/OtherHelper;->getBitmapFromUrl(Ljava/lang/String;)Landroid/graphics/Bitmap;
 - Callee Code: Ljava/net/URLConnection;->getInputStream()Ljava/io/InputStream;
 - Path Index: 20
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lbolts/WebViewAppLinkResolver;->readFromConnection(Ljava/net/URLConnection;)Ljava/lang/String;
 - Callee Code: Ljava/net/URLConnection;->getInputStream()Ljava/io/InputStream;
 - Path Index: 14
- **Permission Name: android.permission.INTERNET**
 - Used Type: Api
 - Caller Code: Lbolts/WebViewAppLinkResolver;->readFromConnection(Ljava/net/URLConnection;)Ljava/lang/String;
 - Callee Code: Ljava/net/URLConnection;->getInputStream()Ljava/io/InputStream;
 - Path Index: 88
- **Permission Name: android.permission.INTERNET**
 - Used Type: Content Provider
 - Callee Code: w
- **Permission Name: android.permission.INTERNET**
 - Used Type: Content Provider
 - Callee Code: load

- **Permission Name:** android.permission.INTERNET
 - Used Type: Content Provider
 - Callee Code: I
- **Permission Name:** android.permission.INTERNET
 - Used Type: Content Provider
 - Callee Code: download
- **Permission Name:** android.permission.INTERNET
 - Used Type: Content Provider
 - Callee Code: ads
- **Permission Name:** android.permission.INTERNET
 - Used Type: Content Provider
 - Callee Code: down
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> restoreVoiceState()V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 22
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> restoreVoiceState()V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 36
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> setVoiceRoute(I)V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 142
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> setVoiceRoute(I)V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 152
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> setVoiceRoute(I)V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 164
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> setVoiceRoute(I)V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 174
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> setVoiceRoute(I)V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 250
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; -> setVoiceRoute(I)V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 260
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> isPlugHeadset(Landroid/content/Context;)Z
 - Callee Code: Landroid/media/ AudioManager; -> isWiredHeadsetOn()Z
 - Path Index: 18
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> openSpeaker(Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 20
- **Permission Name:** android.permission.MODIFY_AUDIO_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> playSound(I Landroid/content/Context;)V

- Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 30
- **Permission Name: android.permission.MODIFY_AUDIO_SETTINGS**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> playSound(I Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 38
- **Permission Name: android.permission.MODIFY_AUDIO_SETTINGS**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> playSound(I Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 46
- **Permission Name: android.permission.MODIFY_AUDIO_SETTINGS**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> playSound(I Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 54
- **Permission Name: android.permission.MODIFY_AUDIO_SETTINGS**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> playSound(I Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 62
- **Permission Name: android.permission.MODIFY_AUDIO_SETTINGS**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> playSound(I Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 68
- **Permission Name: android.permission.MODIFY_AUDIO_SETTINGS**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> resetSpeakerphoneOnToSystem(Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setSpeakerphoneOn(Z)V
 - Path Index: 22
- **Permission Name: android.permission.MODIFY_AUDIO_SETTINGS**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/voice/VoiceUtil; -> resetSpeakerphoneOnToSystem(Landroid/content/Context;)V
 - Callee Code: Landroid/media/ AudioManager; -> setMode(I)V
 - Path Index: 32
- **Permission Name: android.permission.PROCESS_OUTGOING_CALLS**
 - Used Type: Intent Action
 - Callee Code: android.intent.action.NEW_OUTGOING_CALL
- **Permission Name: android.permission.PROCESS_OUTGOING_CALLS**
 - Used Type: Intent Action
 - Callee Code: android.intent.action.NEW_OUTGOING_CALL
- **Permission Name: android.permission.READ_CALL_LOG**
 - Used Type: Content Provider
 - Callee Code: content://call_log/calls
- **Permission Name: android.permission.READ_CALL_LOG**
 - Used Type: Content Provider
 - Callee Code: log
- **Permission Name: android.permission.READ_CALL_LOG**
 - Used Type: Content Provider
 - Callee Code: call
- **Permission Name: android.permission.READ_CALL_LOG**
 - Used Type: Content Provider
 - Callee Code: ll
- **Permission Name: android.permission.READ_CALL_LOG**
 - Used Type: Content Provider
 - Callee Code: og
- **Permission Name: android.permission.READ_CALL_LOG**
 - Used Type: Content Provider
 - Callee Code: all
- **Permission Name: android.permission.READ_CONTACTS**
 - Used Type: Content Provider
 - Callee Code: x

- **Permission Name:** android.permission.READ_CONTACTS
 - Used Type: Content Provider
 - Callee Code: .d
- **Permission Name:** android.permission.READ_EXTERNAL_STORAGE
 - Used Type: Content Provider
 - Callee Code: media
- **Permission Name:** android.permission.READ_EXTERNAL_STORAGE
 - Used Type: Content Provider
 - Callee Code: content://media/external/video/media
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/bbalbs/common/util/a\$a; ->a(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 24
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/j/d\$a; ->a(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 24
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/c; ->a(Landroid/telephony/CellLocation;)V
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 32
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/c; ->do()V
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 104
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/location/\$b; ->do(Landroid/content/Context;)Ljava/lang/String;
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 28
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/loctp/str/BDLocManager; ->(Landroid/content/Context;)V
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 136
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/platform/comapi/c/c; ->g(Landroid/content/Context;)V
 - Callee Code: Landroid/telephony/TelephonyManager; ->getSubscriberId()Ljava/lang/String;
 - Path Index: 34
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/platform/comapi/c/c; ->k(Landroid/content/Context;)Ljava/lang/String;
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 24
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/vi/VDeviceAPI; ->getImei()Ljava/lang/String;
 - Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
 - Path Index: 30
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lcom/baidu/vi/VDeviceAPI; ->getImsi()Ljava/lang/String;
 - Callee Code: Landroid/telephony/TelephonyManager; ->getSubscriberId()Ljava/lang/String;
 - Path Index: 30
- **Permission Name:** android.permission.READ_PHONE_STATE
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/Holder; ->init()V
 - Callee Code: Landroid/telephony/TelephonyManager; ->getSimSerialNumber()Ljava/lang/String;
 - Path Index: 44
- **Permission Name:** android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lws/coverme/im/util/DeviceID; ->getUUID(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
- Path Index: 20
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/PhoneUtil; ->getDeviceId(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
- Path Index: 26
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/PhoneUtil; ->getPhoneNumber(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getLine1Number()Ljava/lang/String;
- Path Index: 18
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/message/f; ->g()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getSubscriberId()Ljava/lang/String;
- Path Index: 24
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/JucoreAdp/SystemContext/SystemContext; ->getMacAddress()Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
- Path Index: 132
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/TmpMainUI; ->registerSkipPhoneNumber()
- Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
- Path Index: 164
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/others/FeedbackActivity; ->sendEmail([Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Z
- Callee Code: Landroid/telephony/TelephonyManager; ->getDeviceId()Ljava/lang/String;
- Path Index: 140
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Intent Action
- Callee Code: android.intent.action.PHONE_STATE
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/failed
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: sms
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/draft
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/outbox
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: m
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/queued
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/conversations/
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/

- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: content://sms/sent
- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: ms
- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: -
- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: content://sms/inbox
- **Permission Name:** android.permission.RECEIVE_BOOT_COMPLETED
 - Used Type: Intent Action
 - Callee Code: android.intent.action.BOOT_COMPLETED
- **Permission Name:** android.permission.RECEIVE_BOOT_COMPLETED
 - Used Type: Intent Action
 - Callee Code: android.intent.action.BOOT_COMPLETED
- **Permission Name:** android.permission.RECEIVE_BOOT_COMPLETED
 - Used Type: Intent Action
 - Callee Code: android.intent.action.BOOT_COMPLETED
- **Permission Name:** android.permission.RECEIVE_BOOT_COMPLETED
 - Used Type: Intent Action
 - Callee Code: android.intent.action.BOOT_COMPLETED
- **Permission Name:** android.permission.RECEIVE_SMS
 - Used Type: Intent Action
 - Callee Code: android.provider.Telephony.SMS_RECEIVED
- **Permission Name:** android.permission.RECORD_AUDIO
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/messages/MediaVideoCameraActivity;->startRecording()V
 - Callee Code: Landroid/media/MediaRecorder;->setAudioSource(I)V
 - Path Index: 76
- **Permission Name:** android.permission.SEND_SMS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/PhoneUtil;->sendChatMessage(Ljava/lang/String; Ljava/lang/String; J Landroid/content/Context;)V
 - Callee Code: Landroid/telephony/SmsManager;->sendTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Landroid/app/PendingIntent; Landroid/app/PendingIntent;)V
 - Path Index: 138
- **Permission Name:** android.permission.SEND_SMS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/PhoneUtil;->sendChatMessage(Ljava/lang/String; Ljava/lang/String; J Landroid/content/Context;)V
 - Callee Code: Landroid/telephony/SmsManager;->sendTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Landroid/app/PendingIntent; Landroid/app/PendingIntent;)V
 - Path Index: 184
- **Permission Name:** android.permission.SEND_SMS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/PhoneUtil;->sendMessage(Ljava/util/List; Ljava/lang/String; Landroid/content/Context;)V
 - Callee Code: Landroid/telephony/SmsManager;->sendTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Landroid/app/PendingIntent; Landroid/app/PendingIntent;)V
 - Path Index: 180
- **Permission Name:** android.permission.SEND_SMS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/PhoneUtil;->sendMessageInBackground(Ljava/lang/String; Ljava/lang/String; Landroid/content/Context;)V
 - Callee Code: Landroid/telephony/SmsManager;->sendTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Landroid/app/PendingIntent; Landroid/app/PendingIntent;)V
 - Path Index: 92
- **Permission Name:** android.permission.VIBRATE
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/others/RecommendAppUtil;->downloadApp(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)J
 - Callee Code: Landroid/app/DownloadManager;->enqueue(Landroid/app/DownloadManager\$Request;)J
 - Path Index: 248
- **Permission Name:** android.permission.VIBRATE
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/others/RecommendAppUtil;->downloadAppAuto(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)J
 - Callee Code: Landroid/app/DownloadManager;->enqueue(Landroid/app/DownloadManager\$Request;)J

- Path Index: 236
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/update/DownloadAPKUtils; ->downloadAPK(Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/app/DownloadManager; ->enqueue(Landroid/app/DownloadManager\$Request;)J
- Path Index: 178
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/ReceiveCallActivity\$1; ->handleMessage(Landroid/os/Message;)V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 542
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/RemoteAnswerCallActivity\$1; ->handleMessage(Landroid/os/Message;)V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 614
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/VibrateManager; ->cancelVibrator()V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 48
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/util/VibrateManager; ->vibrate(Landroid/content/Context;)V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 40
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/ReceiveCallActivity; ->answer()V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 116
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/ReceiveCallActivity; ->decline()V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 124
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/RemoteAnswerCallActivity; ->answer()V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 122
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/RemoteAnswerCallActivity; ->decline()V
- Callee Code: Landroid/os/Vibrator; ->cancel()V
- Path Index: 68
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/PushServiceReceiver; ->b(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Lcom/baidu/android/pushservice/message/PublicMsg; Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager; ->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 380
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/PushServiceReceiver; ->c(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Lcom/baidu/android/pushservice/message/PublicMsg; Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager; ->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 328
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/d; ->a(Landroid/content/Context; Landroid/app/PendingIntent; Landroid/app/PendingIntent; Lcom/baidu/android/pushservice/message/PublicMsg; Z)V
- Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
- Path Index: 356
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api

- Caller Code: Lcom/baidu/android/pushservice/d; ->a(Landroid/content/Context; Landroid/app/PendingIntent; Landroid/app/PendingIntent; Lcom/baidu/android/pushservice/message/PublicMsg; Z)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
- Path Index: 432
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/e; ->run()V
 - Callee Code: Landroid/app/NotificationManager; ->notify(Ljava/lang/String; I Landroid/app/Notification;)V
 - Path Index: 722
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/e; ->run()V
 - Callee Code: Landroid/app/NotificationManager; ->notify(Ljava/lang/String; I Landroid/app/Notification;)V
 - Path Index: 894
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/f; ->a(Landroid/content/Context; Landroid/app/PendingIntent; Ljava/lang/String;)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 204
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/g; ->run()V
 - Callee Code: Landroid/app/NotificationManager; ->notify(Ljava/lang/String; I Landroid/app/Notification;)V
 - Path Index: 210
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/message/a/g; ->a(Landroid/content/Context; Lcom/baidu/android/pushservice/message/PublicMsg; Ljava/lang/String;)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 372
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lcom/baidu/android/pushservice/message/a/g; ->a(Landroid/content/Context; Lcom/baidu/android/pushservice/message/PublicMsg; Ljava/lang/String;)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 452
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/auth/GoogleAuthUtil; ->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Landroid/os/Bundle;)Ljava/lang/String;
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 210
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/group/GroupNotificationManager; ->notifyClient(Ljava/lang/String; I Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; I Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 316
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/group/GroupNotificationManager; ->notifyClient(Ljava/lang/String; I Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; I Ljava/lang/String; Ljava/lang/String; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 680
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/read_alert_push/ReadAlertPushMessageIn; ->sendNotification(Landroid/content/Context; J Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 506
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/PushNotification; ->showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
 - Callee Code: Landroid/app/NotificationManager; ->notify(I Landroid/app/Notification;)V
 - Path Index: 6118
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api

- Caller Code: Lws/coverme/im/model/push/PushNotification; -> showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 6280
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/PushNotification; -> showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 6390
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/PushNotification; -> showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 6482
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/PushNotification; -> showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 6602
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/PushNotification; -> showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 6884
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/PushNotification; -> showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 7078
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/push/PushNotification; -> showNotification(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 7124
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/virtual_number/call/PSTNCallMessageIn;->OnPSTNCallMessageIn(Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)Z
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 2490
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService; -> notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 1078
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService; -> notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 1462
- **Permission Name: android.permission.VIBRATE**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/CallMsgManage; -> onCallMessageFrom(Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage; Landroid/content/Context; Lws/coverme/im/service/IJucoreServiceCallback;)V
• Callee Code: Landroid/app/NotificationManager; -> notify(I Landroid/app/Notification;)V
• Path Index: 1484
- **Permission Name: android.permission.VIBRATE**

- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/CallPlusManager;->updateNotification(Ljava/lang/String; Ljava/lang/String; I Landroid/app/PendingIntent; I I)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 122
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/notification/SmsNotification;->sendNotification(Landroid/content/Context; J J Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 234
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/secretary/SecretaryReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 1322
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/vault/receiver/CloudNotification;->showBackupFinishNotification()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 204
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/PushServiceReceiver\$a;->a(Lcom/baidu/android/pushservice/richmedia/a; Lcom/baidu/android/pushservice/richmedia/k;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 314
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/a/b/d;->a([Landroid/graphics/Bitmap;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 162
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/a/b/e;->a([Landroid/graphics/Bitmap;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 118
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/richmedia/g;->a(Lcom/baidu/android/pushservice/richmedia/a; Lcom/baidu/android/pushservice/richmedia/k;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 372
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/service/CMCoreService\$6;->showDefaultNotification(Lws/coverme/im/model/friends/Friend; Lws/coverme/im/model/call/CallLog;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 384
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/service/CMCoreService\$6;->showMissedVoipCallNotificationAsPush(Lws/coverme/im/model/friends/Friend;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 496
- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lws/coverme/im/service/CMCoreService\$6;->showNewVoipCallNotificationAsPush(Lws/coverme/im/model/friends/Friend; Lws/coverme/im/model/call/CallLog;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 586
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/util/MsgSound;->ring(Landroid/content/Context;)V
- Callee Code: Landroid/media/Ringtone;->play()V
- Path Index: 26
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/chat/util/MsgSound;->ringInChatting(Landroid/content/Context;)V
- Callee Code: Landroid/media/Ringtone;->play()V
- Path Index: 100

- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/voicemail/VoiceMailPlayer; ->onPrepared(Landroid/media/MediaPlayer;)V
 - Callee Code: Landroid/media/MediaPlayer; ->start()V
 - Path Index: 26
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/voicemail/VoiceMailPlayer; ->pause()V
 - Callee Code: Landroid/media/MediaPlayer; ->pause()V
 - Path Index: 4
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/voicemail/VoiceMailPlayer; ->play()V
 - Callee Code: Landroid/media/MediaPlayer; ->start()V
 - Path Index: 10
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/voicemail/VoiceMailPlayer; ->playUrl(Ljava/lang/String; I)V
 - Callee Code: Landroid/media/MediaPlayer; ->reset()V
 - Path Index: 88
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/voicemail/VoiceMailPlayer; ->releaseVoiceMailPlayer()V
 - Callee Code: Landroid/media/MediaPlayer; ->release()V
 - Path Index: 42
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/messages/voicemail/VoiceMailPlayer; ->stop()V
 - Callee Code: Landroid/media/MediaPlayer; ->stop()V
 - Path Index: 18
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/albums/video/VideoUtil; ->getVideoDuration(Landroid/content/Context; Landroid/net/Uri;)I
 - Callee Code: Landroid/media/MediaPlayer; ->release()V
 - Path Index: 68
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/albums/video/VideoUtil; ->getVideoDuration(Landroid/content/Context; Landroid/net/Uri;)I
 - Callee Code: Landroid/media/MediaPlayer; ->release()V
 - Path Index: 96
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager\$1; ->onPrepared(Landroid/media/MediaPlayer;)V
 - Callee Code: Landroid/media/MediaPlayer; ->start()V
 - Path Index: 38
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager\$2; ->onPrepared(Landroid/media/MediaPlayer;)V
 - Callee Code: Landroid/media/MediaPlayer; ->start()V
 - Path Index: 38
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; ->playMsgRingTone(Landroid/content/Context; I)V
 - Callee Code: Landroid/media/MediaPlayer; ->reset()V
 - Path Index: 156
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; ->playRingTone(Landroid/content/Context; I)V
 - Callee Code: Landroid/media/MediaPlayer; ->reset()V
 - Path Index: 156
- **Permission Name:** android.permission.WAKE_LOCK
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/SoundManager; ->stopRingTone()V
 - Callee Code: Landroid/media/MediaPlayer; ->stop()V
 - Path Index: 42
- **Permission Name:** android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/SoundManager;->stopRingTone()V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 52
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/vault/doc/DropboxDownloadFile;->onPostExecute(Ljava/lang/Boolean;)V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 1746
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/vault/doc/DropboxDownloadFile;->onPostExecute(Ljava/lang/Boolean;)V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 2224
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/CallActivity;->RefuseCall()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 104
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/CallActivity;->selfPopViewController()V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 142
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/call/CallActivity;->selfPopViewController()V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 152
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/privatenumber/VoiceMailSetActivity;->createMPlayer()Landroid/media/MediaPlayer;
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 40
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/privatenumber/VoiceMailSetActivity;->playVoice(I)V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 66
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/privatenumber/VoiceMailSetActivity;->stopVoice(I)V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 34
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/privatenumber/VoiceMailSetActivity;->stopVoice(I)V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 44
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/privatenumber/VoiceMailSetActivity;->onDestroy()V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 94
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/privatenumber/VoiceMailSetActivity;->onDestroy()V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 104
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/baidu/vi/VDeviceAPI;->setScreenAlwaysOn(Z)V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
- Path Index: 64
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api

- Caller Code: Lcom/baidu/vi/DeviceAPI;->setScreenAlwaysOn(Z)V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 100
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/HeartbeatRunnable;->acquireWakeLock()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
 - Path Index: 54
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/model/HeartbeatRunnable;->releaseWakeLock()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 28
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService;->notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
 - Path Index: 642
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService;->notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 694
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService;->notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 1092
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService;->notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
 - Path Index: 1208
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService;->notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 1260
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/GenericService;->notifyClient(Lws/coverme/im/model/messages/ChatGroupMessage; Z Lws/coverme/im/model/messages/ChatGroup; Lws/coverme/im/ui/chat/nativechat/DownloadAdapter; Lws/coverme/im/JucoreAdp/Types/DataStructs/IncomingMessage;)V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 1476
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/Lockouter;->acquireWakeLock()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
 - Path Index: 76
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/service/Lockouter;->releaseWakeLock()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 28
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api

- Caller Code: Lws/coverme/im/ui/call/ReceiveCallActivity;->initData()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
 - Path Index: 810
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/ReceiveCallActivity;->onDestroy()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 76
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/privatenumber/PrivateReceiveCallActivity;->initData()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire()V
 - Path Index: 388
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/privatenumber/PrivateReceiveCallActivity;->onDestroy()V
 - Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
 - Path Index: 26
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/VibrateManager;->VoiceCallVibrate()V
 - Callee Code: Landroid/os/Vibrator;->vibrate([J)I)V
 - Path Index: 90
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/VibrateManager;->VoiceIncomingCallVibrate()V
 - Callee Code: Landroid/os/Vibrator;->vibrate([J)I)V
 - Path Index: 74
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/util/VibrateManager;->vibrate(Landroid/content/Context;)V
 - Callee Code: Landroid/os/Vibrator;->vibrate(J)V
 - Path Index: 50
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/CallActivity;->OnStreamCreate()V
 - Callee Code: Landroid/os/Vibrator;->vibrate(J)V
 - Path Index: 444
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/call/CallActivity;->OnStreamJoin()V
 - Callee Code: Landroid/os/Vibrator;->vibrate(J)V
 - Path Index: 172
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/MsgSound;->ring(Landroid/content/Context;)V
 - Callee Code: Landroid/media/RingtoneManager;->getRingtone(Landroid/content/Context; Landroid/net/Uri;)Landroid/media/Ringtone;
 - Path Index: 18
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/chat/util/MsgSound;->ringInChatting(Landroid/content/Context;)V
 - Callee Code: Landroid/media/RingtoneManager;->getRingtone(Landroid/content/Context; Landroid/net/Uri;)Landroid/media/Ringtone;
 - Path Index: 92
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/internal/bj;->Z()V
 - Callee Code: Landroid/widget/VideoView;->setVideoPath(Ljava/lang/String;)V
 - Path Index: 24
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/internal/bj;->destroy()V
 - Callee Code: Landroid/widget/VideoView;->stopPlayback()V
 - Path Index: 14
- **Permission Name: android.permission.WAKE_LOCK**
 - Used Type: Api
 - Caller Code: Lcom/google/android/gms/internal/bj;->pause()V

- Callee Code: Landroid/widget/VideoView;:->pause()V
- Path Index: 4
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/bj;:->play()V
- Callee Code: Landroid/widget/VideoView;:->start()V
- Path Index: 4
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/albums/PlayVideoActivity;:->onPause()V
- Callee Code: Landroid/widget/VideoView;:->stopPlayback()V
- Path Index: 20
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/albums/PlayVideoActivity;:->onStart()V
- Callee Code: Landroid/widget/VideoView;:->setVideoURI(Landroid/net/Uri;)V
- Path Index: 26
- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lws/coverme/im/ui/albums/PlayVideoActivity;:->onStart()V
- Callee Code: Landroid/widget/VideoView;:->start()V
- Path Index: 36
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/bbalbs/common/util/a;:->a(Landroid/content/Context;)Lcom/baidu/android/bbalbs/common/util/a\$;a;
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 70
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/bbalbs/common/util/a;:->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 266
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/bbalbs/common/util/a;:->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 318
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/bbalbs/common/util/a;:->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 338
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/bbalbs/common/util/a;:->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 438
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/bbalbs/common/util/a;:->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 458
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/util/e;:->a(Landroid/content/Context; Ljava/lang/String; I)V
- Callee Code: Landroid/provider/Settings\$System;:->putInt(Landroid/content/ContentResolver; Ljava/lang/String; I)Z
- Path Index: 16
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/android/pushservice/util/e;:->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 16
- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/baidu/location/j\$b;:->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/provider/Settings\$System;:->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z

- Path Index: 304
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Api
 - Caller Code: Lws/coverme/im/ui/others/SecuritySettingsActivity;->setScreenOffTime(I)V
 - Callee Code: Landroid/provider/Settings\$System;->putInt(Landroid/content/ContentResolver; Ljava/lang/String; I)Z
 - Path Index: 14
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code:
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: settings
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: s
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: set
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: :
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: /
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: o
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: t
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: e
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: i
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: en
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: content
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: content://
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: n
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: setting
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: on
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: c
- **Permission Name:** android.permission.WRITE_SETTINGS
 - Used Type: Content Provider
 - Callee Code: g
- **Permission Name:** com.android.launcher.permission.INSTALL_SHORTCUT
 - Used Type: Intent Action

- Callee Code: com.android.launcher.action.INSTALL_SHORTCUT
- **Permission Name: com.android.launcher.permission.UNINSTALL_SHORTCUT**
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.UNINSTALL_SHORTCUT
- **Permission Name: com.android.launcher.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: 2
- **Permission Name: com.android.launcher.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: s

Log Message

Tag	Message
ActivityThread	Pub com.facebook.app.FacebookContentProvider463247103694738: com.facebook.FacebookContentProvider
AppsFlyer_1.15	Start tracking package: ws.coverme.im
AppsFlyer_1.15-446766598	***** sendTrackingWithEvent: Launch
AppsFlyer_1.15-446766598	AppsFlyer dev key is missing!!! Please use AppsFlyerLib.setAppsFlyerKey(...) to set it.
AppsFlyer_1.15-446766598	AppsFlyer will not track this event.
Choreographer	Skipped 33 frames! The application may be doing too much work on its main thread.
GAV2	Thread[main,5,main]: TIME=1381896380000 FINGERPRINT=Android/full/generic:4.1.1/JRO03R/eng.mindmac.20131015.210508:eng/test-keys HARDWARE=goldfish UNKNOWN=unknown RADIO=unknown BOARD=unknown versionCode=2006011 PRODUCT=full versionName=2.6.11.33565 DISPLAY=full-eng 4.1.1 JRO03R eng.mindmac.20131015.210508 test-keys USER=mindmac HOST=ubuntu DEVICE=generic TAGS=test-keys MODEL=Full Android on Emulator BOOTLOADER=unknown CPU_ABI=armeabi-v7a CPU_ABI2=armeabi IS_DEBUGGABLE=true true ID=JRO03R SERIAL=unknown MANUFACTURER=unknown BRAND=Android TYPE=eng java.lang.ExceptionInInitializerError at com.baidu.mapapi.SDKInitializer.initialize(Unknown Source) at com.baidu.mapapi.SDKInitializer.initialize(Unknown Source) at ws.coverme.im.ui.KexinApp.onCreate(KexinApp.java:158) at android.app.Instrumentation.callApplicationOnCreate(Instrumentation.java:999) at android.app.ActivityThread.handleBindApplication(ActivityThread.java:4159) at android.app.ActivityThread.access\$1300(ActivityThread.java:132) at android.app.ActivityThread\$H.handleMessage(ActivityThread.java:1257) at android.os.Handler.dispatchMessage(Handler.java:99) at android.os.Looper.loop(Looper.java:137) at android.app.ActivityThread.main(ActivityThread.java:4753) at java.lang.reflect.Method.invokeNative(Native Method) at java.lang.reflect.Method.invoke(Method.java:544) at com.android.internal.os.ZygoteInit\$MethodAndArgsCaller.run(ZygoteInit.java:786) at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:553) at dalvik.system.NativeStart.main(Native Method) Caused by: java.lang.UnsatisfiedLinkError: unknown failure at java.lang.Runtime.loadLibrary(Runtime.java:403) at java.lang.System.loadLibrary(System.java:535) at com.baidu.mapapi.a.(Unknown Source) ... 15 more java.lang.UnsatisfiedLinkError: unknown failure at java.lang.Runtime.loadLibrary(Runtime.java:403) at java.lang.System.loadLibrary(System.java:535) at com.baidu.mapapi.a.(Unknown Source) at com.baidu.mapapi.SDKInitializer.izer.initialize(Unknown Source) at com.baidu.mapapi.SDKInitializer.initialize(Unknown Source) at ws.coverme.im.ui.KexinApp.onCreate(KexinApp.java:158) at android.app.Instrumentation.callApplicationOnCreate(Instrumentation.java:999) at android.app.ActivityThread.handleBindApplication(ActivityThread.java:4159) at android.app.ActivityThread.access\$1300(ActivityThread.java:132) at android.app.ActivityThread\$H.handleMessage(ActivityThread.java:1257) at android.os.Handler.dispatchMessage(Handler.java:99) at android.os.Looper.loop(Looper.java:137) at android.app.ActivityThread.main(ActivityThread.java:4753) at java.lang.reflect.Method.invokeNative(Native Method) at java.lang.reflect.Method.invoke(Method.java:544) at com.android.internal.os.ZygoteInit\$MethodAndArgsCaller.run(ZygoteInit.java:786) at com.android.internal.os.ZygoteInit.main(ZygoteInit.java:553) at dalvik.system.NativeStart.main(Native Method)
PluginLoader	Begin loadPluginApk pluginName = libs.apk
PluginLoader	Begin savePluginApkToStorage loadApkState = 0 pluginName
PluginLoader	pluginFilePath = /data/data/ws.coverme.im/app_apk/libs.apk
PluginLoader	End savePluginApkToStorage
PluginLoader	createDexClassLoader pluginName = libs.apk

Tag	Message
PluginLoader	apkPath = /data/data/ws.coverme.im/app_apk/libs.apk dexOutputPath = /data/data/ws.coverme.im/app_dex
PluginLoader	native library path = /data/data/ws.coverme.im/lib
PluginLoader	get parent class loader = java.lang.BootClassLoader@40a25ba8
PluginLoader	after new class loader classLoader = dalvik.system.DexClassLoader[/data/data/ws.coverme.im/app_apk/libs.apk]
PluginLoader	End load apk
PluginLoader	path class loader class = class dalvik.system.PathClassLoader
PluginLoader	pathListObj = dalvik.system.DexPathList@41095e88
PluginLoader	getDexElements pathListObj = dalvik.system.DexPathList@41095e88
PluginLoader	dexElements = [Ldalvik.system.DexPathList\$Element;@410dcc48
PluginLoader	pathListObj = dalvik.system.DexPathList@41221420
PluginLoader	getDexElements pathListObj = dalvik.system.DexPathList@41221420
PluginLoader	dexElements = [Ldalvik.system.DexPathList\$Element;@411d9f10
PluginLoader	array 1 = [Ldalvik.system.DexPathList\$Element;@410dcc48 array2 = [Ldalvik.system.DexPathList\$Element;@411d9f10
PluginLoader	element 1 = dalvik.system.DexPathList\$Element@4118a518
PluginLoader	element 2 = dalvik.system.DexPathList\$Element@41179910
PluginLoader	combineArray result array = [Ldalvik.system.DexPathList\$Element;@4116e120
PluginLoader	inject pahtClassLoader = dalvik.system.PathClassLoader[/data/app/ws.coverme.im-1.apk]
PluginLoader	End loadPluginApk
PluginLoader	savePluginApkToStorage the plugin file = /data/data/ws.coverme.im/app_apk/libs.apk exist already
PluginLoader	pathListObj = dalvik.system.DexPathList@41096f08
PluginLoader	getDexElements pathListObj = dalvik.system.DexPathList@41096f08
PluginLoader	dexElements = [Ldalvik.system.DexPathList\$Element;@410c7a28
PluginLoader	pathListObj = dalvik.system.DexPathList@412310c8
PluginLoader	getDexElements pathListObj = dalvik.system.DexPathList@412310c8
PluginLoader	dexElements = [Ldalvik.system.DexPathList\$Element;@410865a0
PluginLoader	array 1 = [Ldalvik.system.DexPathList\$Element;@410c7a28 array2 = [Ldalvik.system.DexPathList\$Element;@410865a0
PluginLoader	element 1 = dalvik.system.DexPathList\$Element@41106408
PluginLoader	element 2 = dalvik.system.DexPathList\$Element@41261000
PluginLoader	combineArray result array = [Ldalvik.system.DexPathList\$Element;@410893a0

May Log Message

Tag	Message	Caller Code	Path Index
0	Lcom/baidu/android/bbalbs/common/util/a\$a;	Lcom/baidu/android/bbalbs/common/util/a\$a;->a(Landroid/content/Context;)Lcom/baidu/android/bbalbs/common/util/a\$a;	108
0	0	Lcom/baidu/android/pushservice/e/c;->b(Ljava/util/HashMap;)V	286
0	0	Lcom/baidu/android/pushservice/g/d;->a(I Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; I)Ljava/lang/String;	208

Tag	Message	Caller Code	Path Index
0	0	Lcom/baidu/android/pushservice/g;->run()V	274
0	0	Lcom/baidu/android/pushservice/i/a/b\$;-->(Landroid/content/Context;)V	624
0	0	Lcom/baidu/android/pushservice/i/a/b;->a(Ljava/io/InputStream;)Ljava/lang/String;	114
0	0	Lcom/baidu/android/pushservice/i/a/b;->a(Ljava/io/InputStream;)Ljava/lang/String;	200
0	0	Lcom/baidu/android/pushservice/i/a/b;->a(Ljava/io/InputStream;)Ljava/lang/String;	264
0	2	Lcom/baidu/android/pushservice/i/a/b;->b()J	164
0	2	Lcom/baidu/android/pushservice/i/a/b;->b()J	248
0	1	Lcom/baidu/android/pushservice/i/a/b;->e()I	136
0	0	Lcom/baidu/android/pushservice/util/l;->a(Landroid/content/Context; Ljava/lang/String; I)V	94
0	0	Lcom/baidu/android/pushservice/util/l;->a(Landroid/content/Context; Ljava/lang/String; J)V	94
0	0	Lcom/baidu/android/pushservice/util/l;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V	94
0	1	Lcom/google/android/gms/common/GooglePlayServicesUtil;->isGooglePlayServicesAvailable(Landroid/content/Context;)I	140
0	8	Lws/coverme/im/dll/NoteTableOperation;->saveNote(Lws/coverme/im/model/others/Note; Landroid/content/Context;)Z	396
0	12	Lws/coverme/im/dll/NoteTableOperation;->saveNote(Lws/coverme/im/model/others/Note; Landroid/content/Context;)Z	456
0	7	Lws/coverme/im/model/messages/chat/VirtualNumberMmsDownloadUtil;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	308
0	7	Lws/coverme/im/model/messages/chat/VirtualNumberMmsDownloadUtil;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	378
0	7	Lws/coverme/im/model/messages/voicemail/download/VoiceMailDownloadUtil;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	308
0	7	Lws/coverme/im/model/messages/voicemail/download/VoiceMailDownloadUtil;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	378
0	3	Lws/coverme/im/ui/chat/SMS/SMSUtil;->displaySmsLog(Landroid/content/Context;)V	226
0	13	Lws/coverme/im/util/dex/PluginLoader;->savePluginApkToStorage(Ljava/lang/String;)Z	502
0	3	Lws/coverme/im/ui/chat/async/DealStickerAsync;->downFile(Ljava/lang/String; Ljava/lang/String;)I	132
0	7	Lws/coverme/im/ui/chat/async/DealStickerAsync;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	244
0	7	Lws/coverme/im/ui/chat/async/DealStickerAsync;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	314
0	7	Lws/coverme/im/ui/chat/async/DealStickerZipDownloadAsync;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	226
0	7	Lws/coverme/im/ui/chat/async/DealStickerZipDownloadAsync;->getInputStreamFromURL(Ljava/lang/String;)Ljava/io/InputStream;	296

Tag	Message	Caller Code	Path Index
0	2	Lws/coverme/im/ui/chat/nativechat/ChatListViewActivity;->getVoiceVolume()	82
1	3	Lcom/appsflyer/AppsFlyerLib;->sendTrackingWithEvent(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V	108
1	0	Lcom/baidu/android/pushservice/CommandService;->onStartCommand(Landroid/content/Intent; I I)	94
1	5	Lcom/google/android/gms/plus/PlusOneButtonWithPopup;->cT()Lcom/google/android/gms/internal/fj;	60
1	0	Lws/coverme/im/model/messages/chat/Util;->extractThumbNail(Ljava/lang/String; I I Z)Landroid/graphics/Bitmap;	142
1	0	Lws/coverme/im/ui/wx/Util;->extractThumbNail(Ljava/lang/String; I I Z)Landroid/graphics/Bitmap;	184
1	0	Lws/coverme/im/util/dex/PluginLoader;->getDexElements(Ljava/lang/Object;)Ljava/lang/Object;	136
1	1	Lws/coverme/im/util/dex/PluginLoader;->getPathList(Ljava/lang/Object;)Ljava/lang/Object;	80
1	1	Lws/coverme/im/util/dex/PluginLoader;->getRawDexPathList(Ljava/lang/Object;)Ljava/lang/Object;	88
1	5	Lws/coverme/im/util/dex/PluginLoader;->getRawDexPathList(Ljava/lang/Object;)Ljava/lang/Object;	162
1	7	Lws/coverme/im/util/dex/PluginLoader;->inject(Ldalvik/system/DexClassLoader;)Z	292
1	8	Lws/coverme/im/util/dex/PluginLoader;->inject_2_x(Ldalvik/system/DexClassLoader;)Z	364
1	2	Lws/coverme/im/ui/chat/nativechat/ChatListViewActivity;->dealAdvancedLockMessage(Landroid/os/Message; Z)V	306
11	4	Lcom/facebook/internal/AttributionIdentifiers;->getAttributionIdentifiers(Landroid/content/Context;)Lcom/facebook/internal/AttributionIdentifiers;	444
12	10	Lws/coverme/im/ui/update/DownloadAPKReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	308
12	11	Lws/coverme/im/ui/update/DownloadAPKReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	360
13	14	Lcom/appsflyer/AppsFlyerLib;->referrerStringToMap(Ljava/lang/String; Landroid/content/Context;)Ljava/util/Map;	290
2	3	Lws/coverme/im/ui/chat/SMS/SMSUtil;->displaySmsLog(Landroid/content/Context;)V	160
2	4	Lws/coverme/im/ui/chat/adapter/ChatListViewAdapter;->initialReceiveStickerContent(Lws/coverme/im/model/messages/ChatGroupMessage; Lws/coverme/im/ui/chat/adapter/ViewHolder;)V	146
2	4	Lws/coverme/im/ui/chat/nativechat/unread/ChatListViewUnreadMsgAdapter;r;->initialReceiveStickerContent(Lws/coverme/im/model/messages/ChatGroupMessage; Lws/coverme/im/ui/chat/adapter/ViewHolder;)V	146
2	16	Lws/coverme/im/ui/note>NoteAdapter;->getTimeDescription(Ljava/lang/String;)Ljava/lang/String;	132
2	16	Lws/coverme/im/ui/note>NoteAdapter;->getTimeDescription(Ljava/lang/String;)Ljava/lang/String;	164
2	4	Lws/coverme/im/ui/note>NoteAdapter;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	172

Tag	Message	Caller Code	Path Index
2	5	Lws/coverme/im/util/dex/PluginLoader;->loadPluginApk(Ljava/lang/String;)V	88
2048	1	Lcom/baidu/android/pushservice/a/b;i;->a(Landroid/content/Intent;)V	140
3	1	Lcom/facebook/FacebookContentProvider;->openFile(Landroid/net/Uri; Ljava/lang/String;)Landroid/os/ParcelFileDescriptor;	108
3	1	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(Landroid/content/pm/PackageManager; [[B])B	316
3	4	Lws/coverme/im/ui/chat/adapter/ChatFaceStickGridViewAdapter;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	328
3	4	Lws/coverme/im/ui/chat/adapter/ChatListViewAdapter;->initialReceiveStickerContent(Lws/coverme/im/model/messages/ChatGroupMessage; Lws/coverme/im/ui/chat/adapter/ViewHolder;)V	294
3	4	Lws/coverme/im/ui/chat/nativechat/unread/ChatListViewUnreadMsgAdapter;->initialReceiveStickerContent(Lws/coverme/im/model/messages/ChatGroupMessage; Lws/coverme/im/ui/chat/adapter/ViewHolder;)V	294
3	1	Lcom/baidu/android/pushservice/a/b/h;->a(Landroid/content/Intent;)V	162
3	1	Lcom/baidu/android/pushservice/a/b/a;->a(Landroid/content/Intent;)V	170
4	1	Lcom/baidu/android/pushservice/i/a/b;->e()I	416
4	0	Lcom/baidu/android/pushservice/util/I;->c(Landroid/content/Context; Ljava/lang/String; I)V	94
4	5	Lcom/facebook/TestUserManager;->populateTestAccounts(Lorg/json.JSONArray; Lorg/json/JSONObject;)V	98
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(ILandroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	124
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(ILandroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	256
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(ILandroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	296
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(ILandroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	336
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(ILandroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	376
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(ILandroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	416
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;->a(ILandroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	458

Tag	Message	Caller Code	Path Index
4	4	Lcom/google/android/gms/common/GooglePlayServicesUtil;:->a(I Landroid/app/Activity; I Landroid/content/DialogInterface\$OnCancelListener; I)Landroid/app/Dialog;	500
4	8	Lws/coverme/im/ui/chat/adapter/ChatFaceStickGridViewAdapter;:->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	448
4	3	Lws/coverme/in/ui/passwordmanager/photogallery;:->getChildStaticTransformation(Landroid/view/View; Landroid/view/animation/Transformation;)Z	116
5	1	Lcom/baidu/android/pushservice/i/a/b;:->e(I	266
5	3	Lcom/google/android/gms/internal/de;:->registerConnectionCallbacks(Lcom/google/android/gms/common/GooglePlayServicesClient\$ConnectionCallbacks;)V	88
5	3	Lcom/google/android/gms/internal/de;:->registerConnectionFailedListener(Lcom/google/android/gms/common/GooglePlayServicesClient\$OnConnectionFailedListener;)V	88
5	3	Lcom/google/android/gms/internal/de;:->unregisterConnectionCallbacks(Lcom/google/android/gms/common/GooglePlayServicesClient\$ConnectionCallbacks;)V	122
5	3	Lcom/google/android/gms/internal/de;:->unregisterConnectionFailedListener(Lcom/google/android/gms/common/GooglePlayServicesClient\$OnConnectionFailedListener;)V	122
500	0	Lws/coverme/im/ui/chat/secretary/SecretaryReceiver;:->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	1176
6	6	Lcom/baidu/android/pushservice/e/c;:->a(Landroid/content/Context; Ljava/util/ArrayList;)V	200
6	9	Lws/coverme/im/model/purchase/alixpay/Rsa;:->doCheck(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z	126
6	10	Lws/coverme/im/model/purchase/alixpay/Rsa;:->doCheck(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z	178
6	5	Lcom/facebook/AccessTokenManager\$2;:->onCompleted(Lcom/facebook/GraphResponse;)V	246
7	8	Lcom/appsflyer/MultipleInstallBroadcastReceiver;:->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	228
7	2	Lws/coverme/im/util/CMDDataCrypto;:->getEncryptedAESKey() B	50
7	2	Lws/coverme/im/util/CMDDataCrypto;:->getEncryptedAESKey() B	74
Lcom/baidu/location/f\$ c;	2	Lcom/baidu/location/f;:->onCreate()V	220
Ljava/io/FileOutputStream; am;	8	Lws/coverme/im/util/dex/PluginLoader;:->savePluginApkToStorage(Ljava/lang/String;)Z	348
Lorg/apache/http/mess age/BasicNameValuePair; air;	0	Lcom/baidu/android/pushservice/e/c;:->a(Ljava/util/List;)V	326

ScreenShots

