≣ Report

General Information

Analysis Start Time	2016-12-13 15:40:51
Analysis End Time	2016-12-13 15:45:42
File MD5	6AE37C82485CD5A33E4A604438C2208A
File Size	682.40 KB
File Name	update_20161212.apk
Package Name	ugm.llslaitlpmshcfnydczdfwkzzoeqtj
Version Code	1
Version Name	1.0
Min SDK	9
Target SDK	18
Max SDK	N/A
Pcap File	🅿 (/file_download?md5=6AE37C82485CD5A33E4A604438C2208A&type=pcap)
Logcat File	⟨/⟩ (/file_download?md5=6AE37C82485CD5A33E4A604438C2208A&type=logcat)

Risk Score

▨▨▨▨▨▨▨▨▨ *100*

Risky Behaviors

Abort the broadcast
Exist unused permissions
Gets applications installed on the device
Gets the ISO country code equivalent for the SIM provider's country code
Gets the ISO country code equivalent of the current registered operator's MCC
Gets the phone number string for line 1
Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
Sends a multi-part text based SMS
Utilizes Java reflection

Malware Detected by VirusTotal
## (https://www.virustotal.com/en/file/60d077f18a67e16189b8793ca7f7cad07aa020c0e7580b53ad5007052d4040c3/an

|	
AVG	✔
Ad-Aware	✔
BitDefender	✔

ESET-NOD32	a variant of Android/Spy.Banker.HA
F-Secure	✓
Fortinet	✓
Kaspersky	✓
McAfee	Artemis!6AE37C82485C
Qihoo-360	Android mobile malware
Symantec	✓

Certificate

Content	Owner: CN=Unknown, OU=Unknown, O=Unknown, L=Unknown, ST=Unknown, C=Unknown Issuer: CN=Unknown, OU=Unknown, O=Unknown, L=Unknown, ST=Unknown, C=Unknown Serial number: 45958e84 Valid from: Tue Dec 13 00:06:38 CST 2016 until: Sat Apr 30 00:06:38 CST 2044 Certificate fingerprints: MD5: 80:F9:BA:D0:A6:90:36:52:11:0B:3B:F7:9C:46:1C:12 SHA1: BB:31:49:54:F6:DA:2F:A8:D0:F0:69:21:D5:97:9B:2E:AB:65:3B:EA SHA256: EF:A1:20:BE:6D:DA:30:73:08:07:2D:65:F8:FC:CC:AB:BB:38:97:9A:06:F3:69:7B:E6:9B:61:87:2D:79:57:54 Signature algorithm name: SHA256withRSA Version: 3 Extensions: #1: ObjectId: 2.5.29.14 Criticality=false SubjectKeyIdentifier [KeyIdentifier [0000: 20 8A EE 23 7C 30 6C 9D 08 13 42 69 35 52 D8 C8 ..#.0l...Bi5R.. 0010: A5 B5 BB E1 ....]]
Sha1	BB314954F6DA2FA8D0F06921D5979B2EAB653BEA

Classification

Id3

NaiveBayes

DecisionTable

- map
- network
- normal
- system
- camera
- callsms

Highcharts.com

J48

- map
- network
- normal
- system
- camera
- callsms

Highcharts.com

Code Features

Code Feature	Used
Native Code	✖
Dynamic Loader	✔
Java Reflection	✔
Crypto	✖

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_NETWORK_STATE	normal	▮▮▮	✖	✖	✔	Allows applications to access information about networks
android.permission.ACCESS_WIFI_STATE	normal	▮▮▮	✖	✖	✔	Allows applications to access information about Wi-Fi networks
android.permission.CALL_PHONE	dangerous	▮▮▮▮▮▮▮	✖	✖	✖	Allows an application to initiate a phone call without going through being placed.
android.permission.CHANGE_NETWORK_STATE	normal	▮▮▮	✖	✖	✖	Allows applications to change network connectivity state
android.permission.CHANGE_WIFI_STATE	dangerous	▮▮▮▮▮▮▮	✖	✖	✔	Allows applications to change Wi-Fi connectivity state
android.permission.GET_TASKS	dangerous	▮▮▮▮▮▮▮	✖	✖	✖	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INTERNET	dangerous	▮▮▮▮▮▮▮	✖	✖	✖	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.READ_CONTACTS	dangerous	▮▮▮▮▮▮▮	✖	✖	✖	Used for permissions that provide access to the user's social connections, expressed as two distinct permissions). Allows an application to read the user's contacts data.

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.READ_PHONE_STATE	dangerous		✖	✖	✔	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.READ_SMS	dangerous		✖	✖	✖	Allows an application to read SMS messages.
android.permission.RECEIVE_BOOT_COMPLETED	normal		✖	✖	✔	Allows an application to receive the to the user.
android.permission.RECEIVE_SMS	dangerous		✖	✖	✔	Allows an application to monitor incoming SMS messages, to record or perform processing on them.
android.permission.SEND_SMS	dangerous		✖	✖	✔	Used for permissions that allow an application to send messages receiving or reading an MMS. Allows an application to send SMS messages.
android.permission.USES_POLICY_FORCE_LOCK	normal		✖	✖	✖	N/A
android.permission.VIBRATE	normal		✖	✖	✖	Allows access to the vibrator
android.permission.WAKE_LOCK	normal		✖	✖	✔	Allows using PowerManager WakeLocks to keep processor from sleeping or screen from dimming
android.permission.WRITE_SETTINGS	normal		✖	✖	✔	Allows an application to read or write the system settings.
android.permission.WRITE_SMS	dangerous		✖	✖	✖	Allows an application to write SMS messages.

Activities

Name	Main Activity	Exposed
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p022w	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p033o	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p038q	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p062l	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p085p	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p019h	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p034s	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p049i	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p091s • android.intent.action.MAIN	✔	✔

Services

Name	Exposed
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p018e	✖

Name	Exposed
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p049h	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.C024p.p093e	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p017a • com.android.ussd.IExtendedNetworkService	✔
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p086y	✖

Broadcast Receivers

Name	Dynamically Registered	Exposed
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p017a$1	✔	❓
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p031e • android.intent.action.BOOT_COMPLETED • android.intent.action.QUICKBOOT_POWERON	✖	✔
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p046j • android.app.action.DEVICE_ADMIN_ENABLED	✖	✖
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p050y	✔	❓
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p059a • android.provider.Telephony.SMS_RECEIVED	✖	✔
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p086k • p091s.AlarmAction	✖	✔
ugm.llslaitlpmshcfnydczdfwkzzoeqtj.p086y$a	✔	❓

Content Providers

N/A

Features

N/A

Libraries

N/A

Advertisement Modules

N/A

IP Distribution

Urls

Country	Url	IP
🇺🇦 Ukraine	https://wandgerdzq.at/startfamily/|https://coniheal.at/startfamily/|https://travilev.at/startfamily/	176.119.28.107

Sensitive Files

N/A

Native Codes

N/A

Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/ugm.llslaitlpmshcfnydczdfwkzzoeqtj-1.apk	N/A	N/A	N/A

Crypto Operation

N/A

Network Operations

N/A

Socket Connections

N/A

File Operations

Operation	File Path	Data
read	/proc/1/cmdline	\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/proc/3/stat	3 (ksoftirqd/0) S 2 0 0 0 -1 2216722496 0 0 0 0 0 0 0 0 15 -5 1 0 23 0 0 4294967295 0 0 0 0 0 0 0 21
read	/proc/8/cgroup	2:cpu:/\x0a4:cpuacct:/\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00

Operation	File Path	Data
read	/proc/9/stat	9 (kseriod) S 2 0 0 0 -1 2149580864 0 0 0 0 0 0 0 0 15 -5 1 0 25 0 0 4294967295 0 0 0 0 0 0 0 214748
read	/proc/5/stat	5 (khelper) S 2 0 0 0 -1 2149613632 0 0 0 0 0 0 0 0 15 -5 1 0 23 0 0 4294967295 0 0 0 0 0 0 0 214748
read	/proc/12/stat	12 (pdflush) S 2 0 0 0 -1 2157973568 0 0 0 0 0 0 0 0 20 0 1 0 30 0 0 4294967295 0 0 0 0 0 0 0 214748
read	/proc/4/stat	4 (events/0) S 2 0 0 0 -1 2216722496 0 0 0 0 0 1 0 0 15 -5 1 0 23 0 0 4294967295 0 0 0 0 0 0 0 21474
read	/proc/1/cmdline	/init\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/proc/8/stat	8 (cqueue) S 2 0 0 0 -1 2149613632 0 0 0 0 0 0 0 0 15 -5 1 0 25 0 0 4294967295 0 0 0 0 0 0 0 2147483
read	/proc/10/stat	10 (kmmcd) S 2 0 0 0 -1 2149613632 0 0 0 0 0 1 0 0 15 -5 1 0 25 0 0 4294967295 0 0 0 0 0 0 0 2147483
read	/proc/6/stat	6 (suspend) S 2 0 0 0 -1 2149613632 0 0 0 0 0 0 0 0 15 -5 1 0 24 0 0 4294967295 0 0 0 0 0 0 0 214748
read	/proc/7/stat	7 (kblockd/0) S 2 0 0 0 -1 2216722496 0 0 0 0 0 0 0 0 15 -5 1 0 25 0 0 4294967295 0 0 0 0 0 0 0 2147
read	/proc/2/stat	2 (kthreadd) S 0 0 0 0 -1 2149613888 0 0 0 0 0 0 0 0 15 -5 1 0 23 0 0 4294967295 0 0 0 0 0 0 0 21474
read	/proc/11/stat	11 (pdflush) S 2 0 0 0 -1 2157973568 0 0 0 0 0 0 0 0 20 0 1 0 30 0 0 4294967295 0 0 0 0 0 0 0 214748
write	/data/data/ugm.llslaitlpmshcfnydczdfwkzzoeqtj/shared_prefs/main_prefs.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="dialog_finish" value="
write	/data/data/ugm.llslaitlpmshcfnydczdfwkzzoeqtj/shared_prefs/main_prefs.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<string name="app_put">android|com.an

DNS Query

N/A

HTTP Data

N/A

Files Recovered From Http

N/A

Execute Shells

N/A

Started Services

- Intent { cmp=ugm.llslaitlpmshcfnydczdfwkzzoeqtj/.C024p.p018e }
- Intent { cmp=ugm.llslaitlpmshcfnydczdfwkzzoeqtj/.C024p.p018e }
- Intent { cmp=ugm.llslaitlpmshcfnydczdfwkzzoeqtj/.C024p.p049h }
- Intent { cmp=ugm.llslaitlpmshcfnydczdfwkzzoeqtj/.C024p.p049h }
- Intent { cmp=ugm.llslaitlpmshcfnydczdfwkzzoeqtj/.C024p.p093e }

- Intent { cmp=ugm.llslaitlpmshcfnydczdfwkzzoeqtj/.C024p.p093e }

May Send SMS

N/A

Send SMS

N/A

Block SMS

N/A

Phone Call

N/A

Data Leakage

N/A

Sensitive APIs

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/a;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level: ▭▭▭▭▭▭▭▭▭
- Path Index: 36

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/c;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level: ▭▭▭▭▭▭▭▭▭
- Path Index: 84

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/c;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level: ▭▭▭▭▭▭▭▭▭
- Path Index: 164

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/c;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level: ▭▭▭▭▭▭▭▭▭
- Path Index: 232

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/d;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level: ▭▭▭▭▭▭▭▭▭
- Path Index: 150

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/e;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level: ▭▭▭▭▭▭▭▭▭
- Path Index: 244

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/f;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level: ▭▭▭▭▭▭▭▭▭
- Path Index: 228

- **API: Landroid/content/BroadcastReceiver;->abortBroadcast**
- Description: Abort the broadcast
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/g;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V

- Threat Level:
- Path Index: 140

- **API: Landroid/content/pm/PackageManager;->getInstalledApplications**
- Description: Gets applications installed on the device
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->b(Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 12

- **API: Landroid/telephony/SmsManager;->sendMultipartTextMessage**
- Description: Sends a multi-part text based SMS
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/d;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level:
- Path Index: 144

- **API: Landroid/telephony/SmsManager;->sendMultipartTextMessage**
- Description: Sends a multi-part text based SMS
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/d;->a(Ljava/lang/String; Ljava/lang/String;)V
- Threat Level:
- Path Index: 32

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->c(Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->c(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Threat Level:
- Path Index: 0

- **API: Landroid/telephony/TelephonyManager;->getLine1Number**
- Description: Gets the phone number string for line 1
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->e(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Threat Level:
- Path Index: 0

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->a(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Threat Level:
- Path Index: 0

- **API: Landroid/telephony/TelephonyManager;->getSimCountryIso**
- Description: Gets the ISO country code equivalent for the SIM provider's country code
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->b(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Threat Level:
- Path Index: 0

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: La/b/a/a/a/f;->a(Landroid/content/SharedPreferences$Editor;)V
- Threat Level:
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/e/b;->a(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 28

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/e/b;->b(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 26

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/e$a;->onMenuItemClick(Landroid/view/MenuItem;)Z
- Threat Level:
- Path Index: 42

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/e$a;->onMenuItemClick(Landroid/view/MenuItem;)Z
- Threat Level:

- Path Index: 84

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/menu/i;->a(Z)V
- Threat Level: ☐☐☐☐☐
- Path Index: 84

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/m;->b(Z)V
- Threat Level: ☐☐☐☐☐
- Path Index: 36

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/widget/v;->a(Landroid/view/View; Landroid/graphics/Rect; Landroid/graphics/Rect;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 30

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/widget/v;->b(Landroid/view/View;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$a;->a(Landroid/widget/AutoCompleteTextView;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$a;->a(Landroid/widget/AutoCompleteTextView; Z)V
- Threat Level: ☐☐☐☐☐
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$a;->b(Landroid/widget/AutoCompleteTextView;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/a;->b(Landroid/content/Context;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 170

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/a;->b(Landroid/content/Context;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 242

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/a;->b(Landroid/content/Context;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 314

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/a;->b(Landroid/content/Context;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 386

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/a;->b(Landroid/content/Context;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 458

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/a;->b(Landroid/content/Context;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 530

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/p062l;->onCreate(Landroid/os/Bundle;)V
- Threat Level:
- Path Index: 576

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b/a/a;->a(Landroid/content/Context; Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b/a/b;)V
- Threat Level:
- Path Index: 224

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b/a/a;->a(Landroid/content/Context; Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b/a/b;)V
- Threat Level:
- Path Index: 304

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b/a/a;->a(Landroid/content/Context; Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b/a/b;)V
- Threat Level:
- Path Index: 386

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->d(Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 82

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->d(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Threat Level:
- Path Index: 36

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->d(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Threat Level:
- Path Index: 88

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/p074t;->a(Ljava/lang/String;)Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/a;
- Threat Level:
- Path Index: 56

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/b/b;->d()J
- Threat Level:
- Path Index: 40

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/b/b;->d()J
- Threat Level:
- Path Index: 84

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/b/b;->e()J
- Threat Level:
- Path Index: 40

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/b/b;->e()J
- Threat Level:
- Path Index: 84

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/e;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level:
- Path Index: 238

- **API: Ljava/lang/reflect/Method;->invoke**

- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/f;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Threat Level:
- Path Index: 222

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/c;->a(Ljava/lang/String; Ljava/lang/String;)V
- Threat Level:
- Path Index: 50

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/c;->a(Ljava/lang/String; Ljava/util/ArrayList;)V
- Threat Level:
- Path Index: 50

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/e;->a(Landroid/content/Context; Z)V
- Threat Level:
- Path Index: 78

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p017a;->a(Landroid/content/IntentFilter;)Landroid/content/IntentFilter;
- Threat Level:
- Path Index: 166

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p017a;->a(Landroid/content/IntentFilter;)Landroid/content/IntentFilter;
- Threat Level:
- Path Index: 188

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p017a;->a(Landroid/content/IntentFilter;)Landroid/content/IntentFilter;
- Threat Level:
- Path Index: 210

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p017a;->a(Landroid/content/IntentFilter;)Landroid/content/IntentFilter;
- Threat Level:
- Path Index: 240

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p017a;->a(Landroid/content/IntentFilter;)Landroid/content/IntentFilter;
- Threat Level:
- Path Index: 278

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p050y;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Threat Level:
- Path Index: 60

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p050y;->processIncomingMessages(Landroid/content/Context; Landroid/content/Intent;)V
- Threat Level:
- Path Index: 120

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p073y;->a([Landroid/telephony/SmsMessage;)Ljava/lang/String;
- Threat Level:
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p073y;->a([Landroid/telephony/SmsMessage;)Ljava/lang/String;
- Threat Level:
- Path Index: 204

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection

- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p073y;->a(Landroid/content/Context; [Landroid/telephony/SmsMessage;)Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/b;
- Threat Level: ▭▭▭▭▭
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p086y;->c()V
- Threat Level: ▭▭▭▭▭
- Path Index: 40

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p086y;->onDestroy()V
- Threat Level: ▭▭▭▭▭
- Path Index: 48

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p091s;->onCreate(Landroid/os/Bundle;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 298

Permission Usage

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/a/a;->c()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/e;->a(Landroid/content/Context;)V
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- Path Index: 16

- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/e;->a(Landroid/content/Context;)V
- Callee Code: Landroid/net/wifi/WifiManager;->setWifiEnabled(Z)Z
- Path Index: 30

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->c(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 0

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->e(Landroid/telephony/TelephonyManager;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getLine1Number()Ljava/lang/String;
- Path Index: 0

- **Permission Name: android.permission.RECEIVE_BOOT_COMPLETED**
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

- **Permission Name: android.permission.RECEIVE_SMS**
- Used Type: Intent Action
- Callee Code: android.provider.Telephony.SMS_RECEIVED

- **Permission Name: android.permission.SEND_SMS**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/c/d;->a(Landroid/content/BroadcastReceiver; Landroid/content/Context; [Landroid/telephony/SmsMessage;)V
- Callee Code: Landroid/telephony/SmsManager;->sendMultipartTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/util/ArrayList; Ljava/util/ArrayList; Ljava/util/ArrayList;)V
- Path Index: 144

- **Permission Name: android.permission.SEND_SMS**
- Used Type: Api

- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/d;->a(Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Landroid/telephony/SmsManager;->sendMultipartTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/util/ArrayList; Ljava/util/ArrayList; Ljava/util/ArrayList;)V
- Path Index: 32

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p091s;->onCreate(Landroid/os/Bundle;)V
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire()V
- Path Index: 160

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p091s;->onCreate(Landroid/os/Bundle;)V
- Callee Code: Landroid/net/wifi/WifiManager$WifiLock;->acquire()V
- Path Index: 218

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p091s;->onCreate(Landroid/os/Bundle;)V
- Callee Code: Landroid/provider/Settings$System;->putInt(Landroid/content/ContentResolver; Ljava/lang/String; I)Z
- Path Index: 110

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code:

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: content

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: /

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: :

Log Message

Tag	Message
Choreographer	Skipped 40 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 119 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 64 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 1614 frames! The application may be doing too much work on its main thread.
messageReceiver	ERROR: null

May Log Message

Tag	Message	Caller Code	Path Index
0	5	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/b;->d(Landroid/telephony/TelephonyManager;)Ljava/lang/String;	164
0	3	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p091s;->onCreate(Landroid/os/Bundle;)V	392
ActionProvider(support)	2	Landroid/support/v4/g/a;->a(Landroid/support/v4/g/a$b;)V	82
Alarm	0	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/p086k;->a(Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/a/f;)V	50
AppCompatDelegate	0	Landroid/support/v7/a/i;->e(I Landroid/view/KeyEvent;)V	254
AppCompatDelegate	AppCompatDelegate	Landroid/support/v7/a/i;->c()V	40

Tag	Message	Caller Code	Path Index
AppCompatPopupWindow	Exception while installing workaround OnScrollChangedListener	Landroid/support/v7/internal/widget/g;->a(Landroid/widget/PopupWindow;)V	88
AppCompatViewInflater	app:theme is now deprecated. Please move to using android:theme instead.	Landroid/support/v7/internal/a/a;->a(Landroid/content/Context; Landroid/util/AttributeSet; Z Z)Landroid/content/Context;	62
CommanManager	0	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/a;->a(Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C086j/a/f;)V	50
CustomWeb	2	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/p022w$b;->onReceivedSslError(Landroid/webkit/WebView; Landroid/webkit/SslErrorHandler; Landroid/net/http/SslError;)V	50
FragmentActivity	2	Landroid/support/v4/app/h;->onActivityResult(I I Landroid/content/Intent;)V	108
FragmentActivity	2	Landroid/support/v4/app/h;->onActivityResult(I I Landroid/content/Intent;)V	190
FragmentManager	11	Landroid/support/v4/app/d;->a(Z Landroid/support/v4/app/d$b; Landroid/util/SparseArray; Landroid/util/SparseArray;)Landroid/support/v4/app/d$b;	58
FragmentManager	7	Landroid/support/v4/app/d;->a(I)V	80
FragmentManager	3	Landroid/support/v4/app/d;->a(I)V	200
FragmentManager	0	Landroid/support/v4/app/d;->a(I)V	336
FragmentManager	15	Landroid/support/v4/app/d;->run()V	56
FragmentManager	0	Landroid/support/v4/app/d;->run()V	430
FragmentManager	13	Landroid/support/v4/app/d;->run()V	600
FragmentManager	5	Landroid/support/v4/app/e;->a(Landroid/support/v4/app/k;)Landroid/support/v4/app/d;	152
FragmentManager	9	Landroid/support/v4/app/e;->a(Landroid/support/v4/app/k;)Landroid/support/v4/app/d;	372
FragmentManager	Activity state:	Landroid/support/v4/app/k;->a(Ljava/lang/RuntimeException;)V	26
FragmentManager	Failed dumping state	Landroid/support/v4/app/k;->a(Ljava/lang/RuntimeException;)V	98
FragmentManager	Failed dumping state	Landroid/support/v4/app/k;->a(Ljava/lang/RuntimeException;)V	136
FragmentManager	0	Landroid/support/v4/app/k;->a(Landroid/view/View; Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View;	346
FragmentManager	6	Landroid/support/v4/app/k;->a(I Landroid/support/v4/app/d;)V	110
FragmentManager	0	Landroid/support/v4/app/k;->a(I Landroid/support/v4/app/d;)V	218
FragmentManager	6	Landroid/support/v4/app/k;->a(I Landroid/support/v4/app/d;)V	318
FragmentManager	0	Landroid/support/v4/app/k;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	102
FragmentManager	3	Landroid/support/v4/app/k;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	358
FragmentManager	0	Landroid/support/v4/app/k;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	466
FragmentManager	5	Landroid/support/v4/app/k;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	648
FragmentManager	0	Landroid/support/v4/app/k;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	866
FragmentManager	1	Landroid/support/v4/app/k;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	1076
FragmentManager	3	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I)V	78

Tag	Message	Caller Code	Path Index
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	194
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	670
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	1078
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	1144
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	1356
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	1426
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	1492
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	1560
FragmentManager	11	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; I I I Z)V	1772
FragmentManager	5	Landroid/support/v4/app/k;->a(Landroid/support/v4/app/g; Z)V	74
FragmentManager	10	Landroid/support/v4/app/k;->a(Landroid/os/Handler; Ljava/lang/String; I I)Z	482
FragmentManager	4	Landroid/support/v4/app/k;->b(I)V	86
FragmentManager	5	Landroid/support/v4/app/k;->b(Landroid/support/v4/app/g; I I)V	52
FragmentManager	4	Landroid/support/v4/app/k;->c(Landroid/support/v4/app/g;)V	138
FragmentManager	6	Landroid/support/v4/app/k;->c(Landroid/support/v4/app/g; I I)V	54
FragmentManager	4	Landroid/support/v4/app/k;->d(Landroid/support/v4/app/g;)V	60
FragmentManager	7	Landroid/support/v4/app/k;->d(Landroid/support/v4/app/g; I I)V	54
FragmentManager	7	Landroid/support/v4/app/k;->d(Landroid/support/v4/app/g; I I)V	138
FragmentManager	7	Landroid/support/v4/app/k;->e(Landroid/support/v4/app/g; I I)V	54
FragmentManager	7	Landroid/support/v4/app/k;->e(Landroid/support/v4/app/g; I I)V	218
FragmentManager	0	Landroid/support/v4/app/k;->f()Ljava/util/ArrayList;	154
FragmentManager	2	Landroid/support/v4/app/k;->g()Landroid/os/Parcelable;	460
FragmentManager	saveAllState: no fragments!	Landroid/support/v4/app/k;->g()Landroid/os/Parcelable;	510
FragmentManager	8	Landroid/support/v4/app/k;->g()Landroid/os/Parcelable;	758
FragmentManager	6	Landroid/support/v4/app/k;->g()Landroid/os/Parcelable;	920
FragmentManager	2	Landroid/support/v4/app/m;->a(Landroid/support/v4/app/h; Landroid/support/v4/app/g;)Landroid/support/v4/app/g;	260
LayoutInflaterCompatHC	3	Landroid/support/v4/g/f;->a(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater$Factory2;)V	134
LayoutInflaterCompatHC	3	Landroid/support/v4/g/f;->a(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater$Factory2;)V	198
ListPopupWindow	Could not find method setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/m;->()V	48
ListPopupWindow	Could not call setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/m;->b(Z)V	54
ListPopupWindow	5	Landroid/support/v7/widget/m;->i()I	288
LoaderManager	4	Landroid/support/v4/app/q$a;->a()V	86
LoaderManager	3	Landroid/support/v4/app/q$a;->a(Landroid/support/v4/a/c; Ljava/lang/Object;)V	138
LoaderManager	3	Landroid/support/v4/app/q$a;->b()V	50
LoaderManager	3	Landroid/support/v4/app/q$a;->c()V	58

Tag	Message	Caller Code	Path Index
LoaderManager	4	Landroid/support/v4/app/q$a;->e()V	52
LoaderManager	5	Landroid/support/v4/app/q$a;->f()V	54
LoaderManager	5	Landroid/support/v4/app/q$a;->f()V	152
LoaderManager	4	Landroid/support/v4/app/q;->b()V	50
LoaderManager	4	Landroid/support/v4/app/q;->b()V	126
LoaderManager	4	Landroid/support/v4/app/q;->c()V	50
LoaderManager	4	Landroid/support/v4/app/q;->c()V	126
LoaderManager	4	Landroid/support/v4/app/q;->d()V	50
LoaderManager	4	Landroid/support/v4/app/q;->d()V	126
LoaderManager	3	Landroid/support/v4/app/q;->e()V	58
LoaderManager	3	Landroid/support/v4/app/q;->h()V	58
LoaderManager	3	Landroid/support/v4/app/q;->h()V	176
MenuItemCompat	setActionProvider: item does not implement SupportMenuItem; ignoring	Landroid/support/v4/g/k;->a(Landroid/view/MenuItem; Landroid/support/v4/g/a;)Landroid/view/MenuItem;	30
NotificationCompat	Notification.extras field is not of type Bundle	Landroid/support/v4/app/ac;->a(Landroid/app/Notification;)Landroid/os/Bundle;	78
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/ac;->a(Landroid/app/Notification;)Landroid/os/Bundle;	168
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/ac;->a(Landroid/app/Notification;)Landroid/os/Bundle;	196
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/ac;->a(Landroid/app/Notification; I Landroid/support/v4/app/yaa; Landroid/support/v4/app/ag$a$a;)Landroid/support/v4/app/y$a;	132
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/ac;->a()Z	152
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/ac;->a()Z	174
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/ac;->g(Landroid/app/Notification;) [Ljava/lang/Object;	66
Share records file does not start with historical-records tag.	4	Landroid/support/v7/internal/widget/e;->j()V	144
Share records file not well-formed.	4	Landroid/support/v7/internal/widget/e;->j()V	300
SuggestionsAdapter	5	Landroid/support/v7/widget/n;->a(Ljava/lang/String;)Landroid/graphics/drawable/Drawable;	230
SuggestionsAdapter	unexpected error retrieving valid column from cursor, did the remote process die?	Landroid/support/v7/widget/n;->a(Landroid/database/Cursor; I)Ljava/lang/String;	30
SuggestionsAdapter	3	Landroid/support/v7/widget/n;->b(Landroid/content/ComponentName;)Landroid/graphics/drawable/Drawable;	156
SuggestionsAdapter	0	Landroid/support/v7/widget/n;->b(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	160
SuggestionsAdapter	7	Landroid/support/v7/widget/n;->b(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	306
SuggestionsAdapter	7	Landroid/support/v7/widget/n;->b(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	370

Tag	Message	Caller Code	Path Index
SuggestionsAdapter	Search suggestions query threw an exception.	Landroid/support/v7/widget/n;->a(Ljava/lang/CharSequence;)Landroid/database/Cursor;	94
SuggestionsAdapter	Tried to change cursor after adapter was closed.	Landroid/support/v7/widget/n;->a(Landroid/database/Cursor;)V	16
SuggestionsAdapter	error changing cursor and caching columns	Landroid/support/v7/widget/n;->a(Landroid/database/Cursor;)V	152
SuggestionsAdapter	Search suggestions cursor threw exception.	Landroid/support/v7/widget/n;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	20
SupportMenuInflater	5	Landroid/support/v7/internal/view/e$b;->a(Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;	90
SupportMenuInflater	The android:onClick attribute cannot be used within a restricted context	Landroid/support/v7/internal/view/e$b;->a(Landroid/view/MenuItem;)V	372
TAG	onPause finish	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/p022w;->onPause()V	14
TAG	Back	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/C024p/p038q;->onBackPressed()V	8
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/internal/widget/u;->g()V	8
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/internal/widget/u;->h()V	8
Utils	0	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/e;->a(Landroid/content/Context;)V	90
Utils	CIS detected in Network; stop	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/e;->c(Landroid/content/Context;)Z	250
Utils	CIS detected in SIM; stop	Lugm/llslaitlpmshcfnydczdfwkzzoeqtj/d/e;->c(Landroid/content/Context;)Z	492
ViewUtils	Could not find method computeFitSystemWindows. Oh well.	Landroid/support/v7/internal/widget/v;->()V	98
ViewUtils	Could not find method makeOptionalFitsSystemWindows. Oh well...	Landroid/support/v7/internal/widget/v;->b(Landroid/view/View;)V	82
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/internal/widget/v;->b(Landroid/view/View;)V	100
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/internal/widget/v;->b(Landroid/view/View;)V	118

ScreenShots