

General Information

Analysis Start Time	2016-12-18 18:02:00
Analysis End Time	2016-12-18 18:03:25
File MD5	5909E5F4CBA217E1F98052BFA5CA6A9F
File Size	14.00 MB
File Name	BT宅-观影神器.ver.2.0.build.1.apk
Package Name	com.ceq.bthouse
Version Code	1
Version Name	2.0
Min SDK	16
Target SDK	25
Max SDK	N/A
Pcap File	P (/file_download?md5=5909E5F4CBA217E1F98052BFA5CA6A9F&type=pcap)
Logcat File	(/file_download?md5=5909E5F4CBA217E1F98052BFA5CA6A9F&type=logcat)

Risk Score

100

Risky Behaviors

Connects to the Internet
Encrypt or Decrypt data
Executes a Internet request
Executes shell code
Exist unused permissions
Gets geographic location
Gets packages installed on the device
Gets the MCC+MNC of the provider of the SIM
Gets the Service Provider Name(SPN)
Gets the current location of the device
Gets the numeric name (MCC+MNC) of current registered operator
Gets the phone number string for line 1
Gets the serial number of SIM
Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
Loads and links the dynamic library

Open camera

Utilizes Java reflection

Malware Detected by VirusTotal


(https://www.virustotal.com/en/file/77b5642d96bd4357ae3203e917c965635c4be641da6c6d17c3bd1931fb74bab9/a

N/A

Certificate

Owner: C=US, O=Android, CN=Android Debug Issuer: C=US, O=Android, CN=Android Debug Serial number: 1 Valid
from: Mon Aug 01 12:05:36 CST 2016 until: Wed Jul 25 12:05:36 CST 2046 Certificate fingerprints: MD5:
89:BD:23:5E:E3:66:BA:B7:18:39:BA:7F:72:85:C4:A4 SHA1:
6F:93:A6:30:27:04:63:87:69:2B:63:4B:B5:A5:43:FF:8E:6D:F1:19 SHA256:
14:47:0E:77:C0:24:17:0D:70:AF:F2:90:A0:7B:D7:74:89:57:CE:70:4F:BE:E3:8E:8D:16:44:2C:2F:A8:53:F7 Signature
algorithm name: SHA1withRSA Version: 1
6F93A63027046387692B634BB5A543FF8E6DF119

Classification



Code Features

Code Feature	Used
Native Code	•
Dynamic Loader	•
Java Reflection	•
Crypto	•

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_C OARSE_LOCATION	dangerous	000000	0	O	•	Allows an app to access approximate location derived from network location sources such as cell towers and Wi-Fi.
android.permission.ACCESS_FI NE_LOCATION	dangerous	0000000	0	⊗	8	Used for permissions that allow access to the user's current location. Allows an app to access precise location from location sources such as GPS, cell towers, and Wi-Fi.
android.permission.ACCESS_N ETWORK_STATE	normal		8	•	9	Allows applications to access information about networks
android.permission.ACCESS_ WIFI_STATE	normal	333	8	Ø	9	Allows applications to access information about Wi-Fi networks
android.permission.BLUETOOT H	dangerous	8000000	8	O	0	Used for permissions that provide access to other devices through Bluetooth. Allows applications to connect to paired bluetooth devices
android.permission.BLUETOOT H_ADMIN	dangerous		8	8	8	Allows applications to discover and pair bluetooth devices
android.permission.CAMERA	dangerous	2000000	0	©	•	Used for permissions that are associated with accessing camera or capturing images/video from the device. Required to be able to access the camera device. install on devices that don't support all camera features.
android.permission.CHANGE_C ONFIGURATION	signature system devel opment	00000000	8	0	8	Allows an application to modify the current configuration, such as locale.
android.permission.CHANGE_ WIFI_STATE	dangerous		8	0	8	Allows applications to change Wi-Fi connectivity state
android.permission.GET_ACCO UNTS	normal	000	O	O	0	Permissions for direct access to the accounts managed by the Account Manager. Allows access to the list of accounts in the Accounts Service
android.permission.GET_TASK S	dangerous	000000	•	⊗	8	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INTERNET	dangerous	200000	0	•	•	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.MANAGE_A	dangerous	000000	•	0	0	Allows an application to manage the list of accounts in the AccountManager

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.MANAGE_ DOCUMENTS	signature system	00000000	•	0	⊙	Allows an application to manage access to documents, usually as part of a document picker.
android.permission.MODIFY_A UDIO_SETTINGS	normal	000	8	0	8	Used for permissions that provide direct access to speaker settings the device. Allows an application to modify global audio settings
android.permission.MOUNT_U NMOUNT_FILESYSTEMS	system signature	00000000	0	0	0	Allows mounting and unmounting file systems for removable storage. Not for use by third-party applications.
android.permission.READ_CON TACTS	dangerous	0100000	0	0	•	Used for permissions that provide access to the user's social connections, expressed as two distinct permissions). Allows an application to read the user's contacts data.
android.permission.READ_EXT ERNAL_STORAGE	normal	000	©	©	©	Group of permissions that are related to SD card access. Allows an application to read from external storage. targetSdkVersion is 4 or higher.
android.permission.READ_PHO NE_STATE	dangerous		8	•	•	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.READ_SMS	dangerous		0	0	•	Allows an application to read SMS messages.
android.permission.RECEIVE_ SMS	dangerous	000000	8	0	8	Allows an application to monitor incoming SMS messages, to record or perform processing on them.
android.permission.RECORD_A UDIO	dangerous	0000000	0	O	O	Used for permissions that are associated with accessing but are in a separate (more visible) permission group. Allows an application to record audio
android.permission.WRITE_EX TERNAL_STORAGE	dangerous	000000	©	•	•	Allows an application to write to external storage. { android.content.Context#getExternalCa cheDir}.

Activities

Name	Main Activity	Exposed
cn.sharesdk.demo.wxapi.WXEntryActivity	8	•
com.ceq.app.core.activity.Act_Login_ForgetPassword	0	0
com.ceq.app.core.activity.Act_Login_Register	8	0
com.ceq.app.core.activity.Act_Main • android.intent.action.MAIN	0	•
com.ceq.app.core.activity.Act_Main_ImagePicker	0	0
com.ceq.app.core.activity.Act_Main_Login	0	0
com.ceq.app.core.activity.Act_Main_Module	8	0
com.ceq.app.core.framework.Framework_Dialog	8	0

Name	Main Activity	Exposed
com.ceq.app.main.activity.Act_Module_Collection	8	•
com.ceq.app.main.activity.Act_Module_Open	8	8
com.ceq.app.main.activity.Act_Module_User	8	8
com.ceq.app.main.activity.Act_Pay_ZFB	8	8
com.ceq.app.main.activity.Act_Player	8	8
com.ceq.app.main.activity.Act_User_AlterSecret	8	8
com.ceq.app.main.activity.Act_User_Pay	8	8
com.cwvs.microlife.Act_Main_Search	0	8
com.karics.library.zxing.android.CaptureActivity	0	8
com.mob.tools.MobUlShell • android.intent.action.VIEW • com.sina.weibo.sdk.action.ACTION_SDK_REQ_ACTIVITY	0	•

Services

N/A

Broadcast Receivers

Name	Dynamically Registered	Exposed
android.support.v4.content.WakefulBroadcastReceiver	•	0
android.support.v4.media.TransportMediatorJellybeanMR2\$3	•	0
android.support.v4.media.session.MediaButtonReceiver	•	Ø
android.support.v7.app.AppCompatDelegateImplV14\$AutoNightModeManager\$1	•	Ø
com.google.vr.cardboard.NFCUtils\$1	•	0
com.google.vrtoolkit.cardboard.sensors.NfcSensor\$1	0	0
com.tencent.bugly.crashreport.crash.BuglyBroadcastRecevier	•	0

Content Providers

N/A

Features

N/A

Libraries

N/A

Advertisement Modules

N/A

IP Distribution





Urls

Country	Url	IP
China	http://tj-btfs.yunup.ftn.qq.com/	123.151.177.26
China	http://sz.ctfs.ftn.qq.com/	182.254.38.40
China	http://tj.btfs.ftn.qq.com/	123.151.176.101
China	http://xa.ctfs.ftn.qq.com/	113.142.21.88
China	http://h5.m.taobao.com/trade/paysuccess.html?bizorderid=\$orderid{0}amp;	121.194.7.254
China	http://xflx.cd.ftn.qq.com/	182.131.9.14
China	http://xg.yunup.ftn.qq.com/	103.7.29.83
China	http://sh.yunup.ftn.qq.com/	61.151.225.220
China	http://sz.btfs.ftn.qq.com/	182.254.5.155
China	http://hydra.alibaba.com/	140.205.33.195
China	http://disk.sz.ftn.qq.com/	183.60.13.176
China	http://tj.yun.ftn.qq.com/	182.254.21.107
China	http://m.alipay.com/?action=h5quit	110.76.19.120
China	http://www.kandianying.tv/jx_php/xf_zm.php	120.55.166.3
China	http://hz.yunup.ftn.qq.com/	211.80.158.145
China	http://cd.ctfs.ftn.qq.com/	182.140.167.32
China	http://android.bugly.qq.com/rqd/async	220.249.245.91
China	http://hz.yun.ftn.qq.com/	115.236.148.179
China	http://www.kandianying.tv/jx_php/xf_btxx.php	120.55.166.3
China	https://mobilegw.alipay.com/mgw.htm	110.75.236.15
China	http://sz-btfs.yun.ftn.qq.com/	182.254.5.235
China	http://xg.ctfs.ftn.qq.com/	182.254.33.120
China	http://tj.ctfs.ftn.qq.com/	123.151.71.121

Country	Url	IP
China	http://cd.yun.ftn.qq.com/	182.254.41.126
China	http://sh-btfs.yunup.ftn.qq.com/	101.226.51.103
China	http://xflx.sz.ftn.qq.com/	182.254.104.19
China	http://xg.yun.ftn.qq.com/	182.254.104.23
China	http://hz.ftn.qq.com/	211.80.158.17
China	http://sz-btfs.yunup.ftn.qq.com/	182.254.110.89
China	http://sh.ctfs.ftn.qq.com/	115.25.209.19
China	http://tj.mail.ftn.qq.com/	111.30.131.43
China	http://api.fanyi.baidu.com/api/trans/vip/translate	202.108.23.153
China	http://tj-btfs.yun.ftn.qq.com/	123.151.152.103
China	http://xflx.tjbtfs.ftn.qq.com/	123.151.15.175
China	http://xfsh.ctfs.ftn.qq.com/	115.25.209.85
China	http://xflx.shbtfs.ftn.qq.com/	182.254.44.199
China	http://sz.yunup.ftn.qq.com/	59.37.109.93
China	http://xflx.cdbtfs.ftn.qq.com/	182.140.185.160
China	http://tjmail.tfs.ftn.qq.com/	123.151.15.172
China	http://xflx.tj.ftn.qq.com/	125.39.57.26
China	http://xa.yunup.ftn.qq.com/	113.142.44.28
China	http://szmail.tfs.ftn.qq.com/	182.254.104.20
China	http://mobilegw.alipay.com/mgw.htm	110.75.244.90
China	http://sz.disk.ftn.qq.com/	14.17.29.30
China	http://xa-btfs.yunup.ftn.qq.com/	113.142.8.169
China	http://cdsrc.ctfs.ftn.qq.com/	182.140.134.35
China	http://xflx.xabtfs.ftn.qq.com/	113.142.21.94
China	http://xflx.xa.ftn.qq.com/	123.138.149.14
China	http://xfcd.ctfs.ftn.qq.com/	182.140.185.146
China	http://cd.btfs.ftn.qq.com/	182.140.185.141
China	http://sz.yun.ftn.qq.com/	182.254.104.21
China	http://xa.btfs.ftn.qq.com/	113.142.21.92
China	http://sz.mail.ftn.qq.com/	163.177.83.168
China	http://cd.yunup.ftn.qq.com/	182.131.19.236
China	http://cd-btfs.yun.ftn.qq.com/	182.140.185.151
China	http://xa-btfs.yun.ftn.qq.com/	113.142.26.27
China	http://xflx.hz.ftn.qq.com/	122.225.213.74
China	http://rqd.uu.qq.com/rqd/sync	103.7.30.157
China	http://www.kandianying.tv/	120.55.166.3
China	http://sh.btfs.ftn.qq.com/	115.25.209.125
China	http://xflx.szbtfs.ftn.qq.com/	182.254.34.59

China Inter/Anyur.Int.qq.com/ 115.25.29.78 China Inter/Anyur.Int.qq.com/ 211.80.158.16 China Inter/Anyur.Int.qq.com/ 182.254.128 China Inter/Anyur.Int.qq.com/ 115.422.191 China Inter/Anyur.Int.qq.com/ 125.39.210.41 China Inter/Anyur.Int.qq.com/ 182.240.778.16 China Inter/Anyur.Int.qq.com/ 182.240.778.16 China Inter/Anyur.Int.qq.com/ 182.245.33.21 China Inter/Anyur.Int.qq.com/ 180.978.122 China NA 180.978.122 China NA 180.977.190 China NA 180.977.190 China NA 180.977.190 <th>Country</th> <th>Url</th> <th>IP</th>	Country	Url	IP
China http://xa yun.ftn.qq.com/ 182.254.41.28 China http://xba.ctfs.ftn.qq.com/ 131.42.21.91 China http://xj.yun.ptfn.qq.com/ 125.39.210.41 China http://sb-btfs.yun.ftn.qq.com/ 101.256.68.83 China http://cd-btfs.yun.ptfn.qq.com/ 182.140.178.154 China http://cd-btfs.yun.ptfn.qq.com/ 182.254.33.21 China http://cd-btfs.yun.ptfn.qq.com/ 182.254.33.21 China http://cd-btfs.yun.ptfn.qq.com/ 182.254.33.21 China http://cd-btfs.yun.ptm.qq.com/ 182.254.33.21 China http://cd-btfs.yun.ptm.qq.com/ 182.254.33.21 China ntp://chixash.ftn.qq.com/ 182.254.33.21 China android bugly.qq.com/rq/async?raid=eed82f31-bf96-4e98-8a81-3040e366c2 220.249.245.90 China NA 183.177.67.190 China NA 183.177.67.190 China NA 183.177.67.180 China NA 183.177.67.188 China NA 58.251.60.33 China NA 58.251.60.33	China	http://sh.yun.ftn.qq.com/	115.25.209.78
China http://dx.adfs.ftn.qq.com/ 113.142.21.91 China http://ly.yunp.ftn.qq.com/ 125.99.210.41 China http://sh.bifs.yunf.nq.com/ 101.226.68.83 China http://sh.bifs.yunp.ftn.qq.com/ 182.140.178.154 China http://ferx.lang.qq.com/upload/index.php/upload/upload_c/parsebt 182.243.321 China http://fix.sh.ftn.qq.com/ 180.978.122 China android.bugly.qq.com/rgd/async?aid=eed82313-bi96-4e69-8a81-30040e3b6622 202.249.245.90 China www.kandlanying.tv/server/?r=wwwidefault/pc&do=appimage 120.55.166.3 China N/A 120.55.166.3 China N/A 183.177.67.190 China N/A 183.177.67.188 China N/A 183.177.67.188 China N/A 183.177.67.188 China N/A 183.177.67.18 China N/A 183.177.67.18 China N/A 183.177.67.18 China N/A 282.51.60.31 China N/A 282.51.60.31 China N/A	China	http://hzsrc.ctfs.ftn.qq.com/	211.80.158.16
China http://tyunup.fin.qq.com/ 125.39.210.41 China http://sh-bifs.yun.fin.qq.com/ 101.226.88.83 China http://ch-bifs.yunup.fin.qq.com/ 182.140.178.154 China http://china.gq.q.com/upload/index.php/upload/upload_c/parsebt 182.254.33.21 China http://sh.x.sh.fin.qq.com/ 180.97.8.122 China android.bugly.qq.com/rq/aisync?aid=eed82f31-bi96-4e68-881-30440e3b66c2 220.249.245.90 China www.kandianying.tv/server/?r=www/default/pc8do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 163.177.67.180 China N/A 163.177.67.180 China N/A 163.177.67.180 China N/A 163.177.67.180 China N/A 58.251.60.3 China N/A 200.249.245.93	China	http://xa.yun.ftn.qq.com/	182.254.41.28
China http://sh-btfs.yun.ftn.qq.com/ 101.226.88.83 China http://sh-btfs.yun.pfn.qq.com/ 182.140.178.154 China http://sh-btfs.yun.pfn.qq.com/ 182.244.33.21 China http://sfl.xsh.ftn.qq.com/ 180.978.122 China android.bugly.qq.com/rq/dssync?aid=eed82731-bf96-4e69-8a81-30d40e3b66c2 220.249.245.90 China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 163.177.67.189 China N/A 163.177.67.189 China N/A 163.177.67.18 China N/A 163.177.67.189 China N/A 163.177.67.18 China N/A 163.177.67.18 China N/A 82.251.60.32 China N/A 82.251.60.32 China N/A 82.251.60.33 China N/A 82.251.60.33 China N/A 220.249.245.93 China N/A 220.249.245.93 China	China	http://xfxa.ctfs.ftn.qq.com/	113.142.21.91
China http://cdr-btts.yunup.ftn.qq.com/ 182.140.178.154 China http://fenxiang.qq.com/upload/index.php/upload/upload_oparsebt 182.254.33.21 China http://xlk.sh.ftn.qq.com/ 180.97.8.122 China android.bugly.qq.com/rg/lasync?aid=eed82f31-bf96-4669-8a81-30d40e3b66c2 220.249.245.90 China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 163.177.67.189 China N/A 58.251.60.32 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 58.251.60.31 China N/A 202.249.245.93 China N/A 202.249.245.91 C	China	http://tj.yunup.ftn.qq.com/	125.39.210.41
China http://fenxiang.qq.com/upload/index.php/upload/upload_c/parsebt 182.254.33.21 China http://ixfix.sh.ftn.qq.com/ 180.97.8.122 China android bugly.qq.com/rqd/async?aid=eed82731-bf96-4e69-8a81-30d40e3b66c2 220.249.245.90 China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 163.177.67.189 China N/A 58.251.60.32 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 200.249.245.93 China N/A 200.249.245.92 China N/A 200.249.245.91 China N/A 200.249.245.91 China N/A<	China	http://sh-btfs.yun.ftn.qq.com/	101.226.68.83
China http://xfx.sh.ftn.qq.com/ 180.97.8.122 China android bugly qq.com/rqd/async?aid=eed82/31-b/96-4e69-8a81-30d40e3b66c2 220.249.245.90 China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 163.177.67.189 China N/A 163.177.67.188 China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.93 China N/A 220.249.245.91 China N/A 220.249.245.91 China N/A 220.249.245.91 China N/A 220.249.245.91	China	http://cd-btfs.yunup.ftn.qq.com/	182.140.178.154
China android.bugly.qq.com/rqd/async?aid=eed82f31-bf96-4e69-8a81-30d40e3b66c2 220.249.245.90 China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 163.177.67.189 China N/A 163.177.67.189 China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.32 China N/A 58.251.60.31 China N/A 58.251.60.31 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.93 China N/A 220.249.245.91 China N/A 220.249.245.91 China N/A 220.249.245.91 China N/A 220.249.245.91 China N/A 220.249.245.91 <td>China</td> <td>http://fenxiang.qq.com/upload/index.php/upload/upload_c/parsebt</td> <td>182.254.33.21</td>	China	http://fenxiang.qq.com/upload/index.php/upload/upload_c/parsebt	182.254.33.21
China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 163.177.67.198 China N/A 163.177.67.188 China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 220.249.245.93 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.90 China N/A <td>China</td> <td>http://xflx.sh.ftn.qq.com/</td> <td>180.97.8.122</td>	China	http://xflx.sh.ftn.qq.com/	180.97.8.122
China www.kandianying.tv/server/?r=www/default/pc&do=appimage 120.55.166.3 China N/A 163.177.67.190 China N/A 120.55.166.3 China N/A 163.177.67.189 China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.32 China N/A 58.251.60.31 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.93 China N/A 220.249.245.91 China N/A 220.249.245.90	China	android.bugly.qq.com/rqd/async?aid=eed82f31-bf96-4e69-8a81-30d40e3b66c2	220.249.245.90
China N/A 163.177.67.190 China N/A 120.55.166.3 China N/A 163.177.67.189 China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 200.249.245.93 China N/A 200.249.245.93 China N/A 200.249.245.91 China N/A 200.249.245.91 China N/A 200.249.245.90 China N/A 200.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://mpull.org/v1/doc/features.html#indent-output 74.50.62.00	China	www.kandianying.tv/server/?r=www/default/pc&do=appimage	120.55.166.3
China N/A 120.55.166.3 China N/A 163.177.67.189 China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.91 China N/A 220.249.245.90 China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://smlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	www.kandianying.tv/server/?r=www/default/pc&do=appimage	120.55.166.3
China N/A 163.177.67.189 China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	163.177.67.190
China N/A 163.177.67.188 China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	120.55.166.3
China N/A 163.177.66.11 China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.91 China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	163.177.67.189
China N/A 58.251.60.32 China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	163.177.67.188
China N/A 58.251.60.33 China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	163.177.66.11
China N/A 58.251.60.31 China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.91 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	58.251.60.32
China N/A 220.249.245.93 China N/A 220.249.245.92 China N/A 220.249.245.91 China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	58.251.60.33
■ China N/A 220.249.245.92 ■ China N/A 220.249.245.91 ■ China N/A 220.249.245.90 ■ United States http://google.com/cardboard/cfg 172.217.27.142 ■ United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	58.251.60.31
China N/A 220.249.245.91 China N/A 220.249.245.90 ■ United States http://google.com/cardboard/cfg 172.217.27.142 ■ United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	220.249.245.93
China N/A 220.249.245.90 United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	220.249.245.92
United States http://google.com/cardboard/cfg 172.217.27.142 United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	220.249.245.91
United States http://xmlpull.org/v1/doc/features.html#indent-output 74.50.62.60	China	N/A	220.249.245.90
	United States	http://google.com/cardboard/cfg	172.217.27.142
■ United States http://mcow.alinay.com/sdklog.do 109.11.196.07	United States	http://xmlpull.org/v1/doc/features.html#indent-output	74.50.62.60
= onico otatos — mtp.//mogw.aiipay.com/sukiog.uo	United States	http://mcgw.alipay.com/sdklog.do	198.11.186.97

Sensitive Files

N/A

Native Codes

Lib Name	Caller Code	Path Index
N/A	Lcom/google/vrtoolkit/cardboard/CardboardViewNativeImpl;->(Landroid/content/Context; Landroid/opengl/GLSurfaceView;)V	
N/A	Lcom/tencent/bugly/crashreport/crash/jni/NativeCrashHandler;->a(Ljava/lang/String; Z)Z	60
N/A	Lcom/tencent/bugly/crashreport/crash/jni/NativeCrashHandler;->a(Ljava/lang/String; Z)Z	30
aplayer_android	Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V	200

Lib Name	Caller Code	Path Index
aplayer_ffmpeg	Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V	190

Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/com.ceq.bthouse-1.apk	N/A	N/A	N/A

Crypto Operation

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	AES/GCM/No Padding	0e0a47efbfbdefbfbd04efbfbd5f3b43efbfbd58efbf bd1defbfbd1a	RAW	▼□J@¶gîgîh ("Ф3d* 『¶BIVb□T□j.][d¹8=r^;*Qi~無 hîeb†○▼「&E4₺jU-&¹^(z4L qlL&N<調▲M□k···< Z`•Ap!a☆610*◀L¹AH◀ĊIA- so9SF↑が」「□ 4_QV□ tq) ◀『Jè7 ?Ng─:!w <pz¹m4c♂ 'n^-·lb□見~「bw」<="" odoknm-"ah="" td=""><td> </td></pz¹m4c♂>	

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	AES/GCM/No Padding	0e0a47efbfbdefbfbd04efbfbd5f3b43efbfbd58efbf bd1defbfbd1a	RAW	▼□J@¶gîgîh ("Ф3d* ℴၛBIVb□T□j.][d¹8=r^;°Qi~無 hîeb†○▼。&E4₺jU-&¹^(z4L qlL&N<瓤▲MDk·-< Z`•Ap!a☆610*4L¹AH◀ĊIA- so9sFîペッ⊑₀'D= 4_QV□ tq) ◀。{Jè7 ?Ng-:!w <pz¹m4c♂ 'n^-lb□,e~,bw,<="" odoknm-"ah="" td=""><td> </td></pz¹m4c♂>	

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	AES/GCM/No Padding	0e0a47efbfbdefbfbd04efbfbd5f3b43efbfbd58efbfbd1defbfbd1a	RAW	▼DJ@¶g1g1h ("Ф3d* 『¶BIVb□T□j.][d ¹ 8=r^;°Qi~無 h1eb+O▼「&E44iJU-& ¹ ^(z4L qil.&N<∰AMDk·-< Z`◆AP!a☆610*4L ¹ AH4ĊiA- so9sF1が□『O= 4_QV□ tq) 4『Jè7 ?Ng─:!w <pz<sup>1m4C♂ ODOKnm-"AH 'n^-LB□『E~「BW「</pz<sup>	I\x87\xc6R\xc2\x8a:h\xe3\xfc\xb\ 1\xb0\xf9*\xc4\xf6\x1d\x1e\xa0\xf\ xf3X\x8bC\x91\k\x10;\x08\xf4\x\ 09[0\xb6\x1b\x94\xc4R#\x81&\x\ bf\x91c\x8a\x02\x1f\x12\xf6\xfe\x\ x6\xb8\xba\x12\xfa\xd2\xf4\x18\x\ d0\x08\xb1\xac\xad\xf8\x9b\\% U>\xb8\xea^\xf1'\x02\xf8\x5\x\ d0\x08\xb1\xac\xad\xf8\x9b\\% U>\xb8\xea^\xf1'\x02\xc5\x\ bG\xf3\xb8\xea^\xf1'\x02\xc5\x\ bG\xf3\xb8\xea^\xf1'\x02\xc5\x\ bG\xf3\xb8\xea^\xf1'\x02\xc5\x\ bG\xf3\xb8\xea^\xf1'\x02\xc5\x\ bG\xf3\xb8\xea^\xf1'\x02\xc5\x\ bG\xf3\xb8\xea^\xf6\x10\xb8\xf6\xc5\x\ d\xd0\x08\xc1\xf6\xf8\xf0\x10\x5\x\ d\xd0\x01\xf8\xf0\x10\xf8\x\ d\x08\xc8\x6\x\xb9\xc4\x\ d\xd0\x\d0\x\d5\xb0\\ Q\x00\xd9? M\xd8\xd4\xb9\xc5\x98\xe3\x8a\x\ 1a\xb1\xb2\xb0q\e\xf4\xa9\xfa\x\ eb@\x1dz\xea\xd054H\xd1\x\ xd5\xe8\xb8g\x04\x07\x\ 8\xb1\x13\x\1\xb2\xb0\y\ x\d1\x\d1\xf2\xd1\x\ \x6\x6\xc3\x\x0\\\x1\x\ \x6\x\d1\x\ \x6\x\d1\x\d1\x\d1\x\d2\x\ \x\d5\x\d2\x\d1\x\d1\x\d1\x\d2\x\ \x\d5\x\d2\x\d1\x\d1\x\d1\x\d2\x\ \x\d5\x\d2\x\d1\x\d1\x\d1\x\d2\x\ \x\d5\x\d2\x\d1\x\d1\x\d1\x\d2\x\d2\x\ \x\d5\x\d2\x\d1\x\d1\x\d1\x\d2\x\d2\x\ \x\d5\x\d2\x\d1\x\d1\x\d1\x\d2\x\d2\x\ \x\d5\x\d2\x\d1\x\d1\x\d1\x\d2\x\d2\x\ \x\d2\x\d1\x\d1\x\d1\x\d1\x\d2\x\d2\x\d2

### Padding but derbited ta **FBIVALET************************************	Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
CS1Padding 0d010101050003efbfbdefbfbd0030efbfbdefbfbd0 (xxd0x82\x05/{;\xr7\xf5\x64} 2efbfbdefbfbd00efbfbdefbfbd1defbfbddfefbfbdefb 3\xc7\xd0x00x0dxxed\xxcfxxed\x05/{;\xr7\xf5\x64} 4 5\xcfxc5\xcg97\xsfbfbdefbfbd	decryption			RAW	ⅆ園IVb□T□j.][d ^L 8=r^;°Qi~潕 hîeb†O▼┌&E4₺jU-& [⊥] ^(z4L qIL&N<瓤▲M□k···< Z`●Ap!aÿ6l0*◀L [⊥] AH ∢ ĊIA- so9sFîⅆУ」ⅆU= 4_QVロ tq) ◀♂{Jè7 ?Ng~:!w <pz<sup>⊥m4C♂</pz<sup>	M\xd8\xddxB\xc5\x98\xe3\x8a\\ 1a\xb1\xb2\xb0qe\xf4\xa9\xfa\xa\\ eb@\x1dz\xea\xd054H\xd1\xa\\ kxd5\xe8k\xb8g\x04\x07\xa1\xb\\ 8\xbf\x13K\N\xa4\xb4\xd3\xc7q\\ xad.s9oP\xad\xb9\W\x10\x07\xf\\ \x86Q\xc34\x0d\\x18AE\xe5\x1\\ \xf2\xda\xa7\x1e\xee\xd4\\xac\\ de\xd5\\x13\xc1\x14\x8e\xc6\y\\ \x99\xc9\x90\x9b\xfeX\x14\x81\\ xab\xb99On\xc2\x83\g\xc3\x80\\ x1c\x93\xffG\xf0\xe7\xa9\\ \xfdy\xf0\xd1\xf1\xbb\\xcf8?\\ \x8a\xae\xaaN\xe0ct\xe2\xf5\\\\ x99\x17W\\x971\xbb\X\x8a5\xc\\ 5,\x0d)\n\x90\xae\x91\x8d\xd2\x\\ 6\xfb\x11J60\xa4\xd8\\\ kx4\x99\xc2\x93\xe9\xae\xae\\\ 6\xfb\x11J60\xa4\xd8\\\ xb4\x99\xc2\x93\xe9\xae\xae\\\ kx6\x98\x2e\xae\xae\xae\\\ 6\xfb\x11J60\xa4\xd8\\\ xb4\x99\xc2\x93\xe9\xae\xae\xae\\\ kx6\x98\x2e\xae\xae\xae\xae\xae\xae\xae\xae\xae\xa
ocket Connections	encryption		0d010101050003efbfbdefbfbd0030efbfbdefbfbd0 2efbfbdefbfbd00efbfbdefbfbd1defbfbd4fefbfbdefb fbd57cc9073efbfbd65efbfbdefbfbdefbfbdd3bd53e fbfbdefbfbd1befbfbdefbfbdefbfbdefbfbdd4875a07 173f7c1eefbfbd6c7668702f53efbfbd7975efbfbd5 e0058efbfbd455befbfbdefbfbdefbfbdc3932ed0a3 cd8cefbfbd1d0f56efbfbd1920442f30efbfbd4a53ef bfbd6c310a29efbfbd0b0eefbfbd6824487270efbf bd6762efbfbdefbfbd52efbfbd29efbfbdefbfbddfbfb d3aefbfbd5c0f516d75efbfbdefbfbdefbfbdd788efb fbd51efbfbd6aefbfbd604eefbfbd23efbfbdefbfbd0	X.509	நீ G ^J _;CX	
ocket Connections N/A	stwork On	orations				
ocket Connections N/A	stwork Op	erations				
N/A	akat Can	a a a ti a m a	IV	<i>I</i> A		
	CKET CONI	iections		/A		
	le Oneratio	ons				

Operation	File Path	Data
read	pipe:[1913]	\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	g
read	pipe:[1997]	\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	t
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x01
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x05
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	J
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x13
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	x
read	/sys/devices/platform/goldfish_mmc.0/mmc_host/ mmc0/mmc0:e118/name	\$U02G\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	2.0
read	/dev/urandom	K\xef\xbf\xbdY/F\xef\xbf\xbdP\x15\xef\xbf\xbd9dW\x13\xef\xbf\xbdG\xef\xbf\xbd\x04Gq
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x00\x00\x0c
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	е
read	/proc/667/cmdline	com.ceq.bthouse\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	a
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x00\x00\x01
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x03
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	Ljava/lang/String;
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\\x0f\x14\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd
read	/dev/urandom	\x0e\x0aG\xef\xbf\xbd\xef\xbf\xbd\x04\xef\xbf\xbd\;C\xef\xbf\xbdX\xef\xbf\xbd\x1d\xef\xbf\xbd\x1a

Operation	File Path	Data
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x04
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	L
read	pipe:[1980]	Android/full/generic:4.1.1/JRO03R/eng.mindmac.20131015.210508:eng/test-keys\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 229200 kB\x0aBuffers: 2056 kB\x0aCached:
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	b
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00~\x00\x03
read	pipe:[2016]	1\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/sys/devices/platform/goldfish_mmc.0/mmc_host/ mmc0/mmc0:e118/type	\$D\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x00\x00\x00\x00\x00\x00\x03\xef\xbf\xbd
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	q
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	d
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x0f
read	/dev/urandom	\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd(\xef\xbf\xbd6\xef\xbf\xbd-\xef\xbf\xbd\x1a\xef\xbf\xbd\x1a\xef\xbf\xbd\x1a\xef\xbf\xbd\xbd\x1a\xef\xbf\xbd\xbd\x1a\xef\xbf\xbd\xbd\x1a\xef\xbf\xbd\xbd\xbd\xbd\x1a\xef\xbf\xbd\xbd\xbd\xbd\xbd\xbd\xbd\xbd\xbd\xbd
read	pipe:[2021]	READY\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	pipe:[1919]	su is /system/xbin/su\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	com.ceq.bthouse
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x00\x01J\x06d.)
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	r
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x12
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	р

Operation	File Path	Data
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	f
read	/sys/devices/platform/goldfish_mmc.0/mmc_host/ mmc0/mmc0:e118/cid	$035344535530324780000f74e6006c55\\\times0a\\\times00\\\times00\\\times00\\\times00\\\times00\\\times00\\\times00\\\times00\\\times00$
read	/sys/devices/platform/goldfish- battery.0/power_supply/battery/capacity	$50 \times 0a \times 00 \times 00 \times 00 \times 00 \times 00 \times 00 \times $
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	com.tencent.bugly.proguard.l
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	I
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\xef\xbf\xbf\xbf\xbf\xbf\xbd
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x07
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	java.util.ArrayList
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x03
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x02
read	/proc/667/status	Name:\x09com.ceq.bthouse\x0aState:\x09S (sleeping)\x0aTgid:\x09667\x0aPid:\x09667\x0aPPid:\x0937\x0aTracerPid:\x090\x0aUid:\x0910050\x 0910050\x09
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	s
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	w
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x00\x01J\x06d
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	2.3.1
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 232464 kB\x0aBuffers: 2052 kB\x0aCached:
read	pipe:[2001]	none\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	size
read	pipe:[2005]	0\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x04

Operation	File Path	Data
read	/proc/uptime	103.85 0.00\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	С
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	x\xef\xbf\xbd\xef\xbf\xbd\x1d\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd
read	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x1c
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x01b
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x04size
write	/data/data/com.ceq.bthouse/shared_prefs/multid ex.version.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<long 1004_com.ceq.bthouse"<="" name="timestamp" td="" value="1417446</td></tr><tr><td>write</td><td>/data/data/com.ceq.bthouse/app_crashrecord/10
04</td><td>t\x00\x0fcom.ceq.bthouse</td></tr><tr><td>write</td><td>/data/data/com.ceq.bthouse/app_crashrecord/10
04</td><td>\x00\x1ccom.tencent.bugly.proguard.l</td></tr><tr><td>write</td><td>/data/data/com.ceq.bthouse/app_crashrecord/10
04</td><td>t\x00\x052.3.1</td></tr><tr><td>write</td><td>/data/data/com.ceq.bthouse/app_crashrecord/10
04</td><td>\x00\x01c</td></tr><tr><td>write</td><td>/data/data/com.ceq.bthouse/shared_prefs/crashr ecord.xml</td><td><?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="></long></map>
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x01e
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x13java.util.ArrayList
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	t\x00\x032.0
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	t\x00\x12Ljava/lang/String;
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x01f
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x01g
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x01d
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x01a
write	/data/data/com.ceq.bthouse/app_crashrecord/10 04	\x00\x00\x00\x00
write	/mnt/sdcard/bthouse/crashLog/crashLog_141744 6445072	java.lang.RuntimeException:Unable to instantiate activity ComponentInfo{com.ceq.bthouse/cn.sharesdk.

DNS Query

QName	QType	IPs
android.bugly.qq.com	Α	163.177.67.189, 163.177.67.190, 220.249.245.90, 220.249.245.91, 220.249.245.92, 220.249.245. 93, 58.251.60.31, 58.251.60.32, 58.251.60.33, 163.177.66.11, 163.177.67.188
www.kandianying.tv	Α	120.55.166.3
www.kandianying.tv	Α	120.55.166.3

HTTP Data

Method	Host	Path	Status Line
POST	android.bugly.qq.com	/rqd/async?aid=eed82f31-bf96-4e69-8a81-30d40e3b66c2	HTTP/1.1 200 OK
GET	www.kandianying.tv	/server/?r=www/default/pc&do=appimage	HTTP/1.1 200 OK
GET	www.kandianying.tv	/server/?r=www/default/pc&do=appimage	HTTP/1.1 200 OK

Files Recovered From Http

Domain	File Name	File Type	Is APK
android.bugly.qq.com	_rqd_async_aid_eed82f31_bf96_4e69_8a81_30d40e3b66c2index .txt (/http_file? apk=5909E5F4CBA217E1F98052BFA5CA6A9F&domain=android. bugly.qq.com&file=_rqd_async_aid_eed82f31_bf96_4e69_8a81_3 0d40e3b66c2index.txt)	data	O
www.kandianying.tv	_serverr_www_default_pc_do_appimageindex.json (/http_file? apk=5909E5F4CBA217E1F98052BFA5CA6A9F&domain=www.ka ndianying.tv&file=_serverr_www_default_pc_do_appimageindex .json)	ASCII text, with no line terminators	0

Execute Shells

- /system/bin/sh,-c,getprop androVM.vbox_dpi
- /system/bin/sh,-c,getprop gsm.sim.state
- /system/bin/sh,-c,getprop gsm.sim.state2
- /system/bin/sh,-c,getprop qemu.sf.fake_camera
- /system/bin/sh,-c,getprop ro.aa.romver
- /system/bin/sh,-c,getprop ro.board.platform
- /system/bin/sh,-c,getprop ro.build.fingerprint
- /system/bin/sh,-c,getprop ro.build.nubia.rom.name
- /system/bin/sh,-c,getprop ro.build.rom.id
- /system/bin/sh,-c,getprop ro.build.tyd.kbstyle_version
- /system/bin/sh,-c,getprop ro.build.version.emui
- /system/bin/sh,-c,getprop ro.build.version.opporom
- /system/bin/sh,-c,getprop ro.debuggable
- /system/bin/sh,-c,getprop ro.debuggable
- /system/bin/sh,-c,getprop ro.genymotion.version
- /system/bin/sh,-c,getprop ro.gn.gnromvernumber
- /system/bin/sh,-c,getprop ro.lenovo.series
- /system/bin/sh,-c,getprop ro.lewa.version
- /system/bin/sh,-c,getprop ro.meizu.product.model
- /system/bin/sh,-c,getprop ro.miui.ui.version.name
- /system/bin/sh,-c,getprop ro.secure

- /system/bin/sh,-c,getprop ro.secure
- /system/bin/sh,-c,getprop ro.secure
- /system/bin/sh,-c,getprop ro.secure
- /system/bin/sh,-c,getprop ro.secure
- /system/bin/sh,-c,getprop ro.secure
- /system/bin/sh,-c,getprop ro.secure
- /system/bin/sh,-c,getprop ro.vivo.os.build.display.id
- /system/bin/sh,-c,type su

Started Services		
	N/A	
May Send SMS		
	N/A	
Send SMS		
	N/A	
Block SMS		
	N/A	
Phone Call		
	N/A	
Data Leakage		
	N/A	

Sensitive APIs

- API: Landroid/content/pm/PackageManager;->getInstalledPackages
- Description: Gets packages installed on the device
- $\bullet \quad \text{Caller Code: Lcom/alipay/sdk/util/e; -> a (Ljava/lang/String; Landroid/content/Intent;) Ljava/lang/String; \\$
- Threat Level:
- Path Index: 118
- API: Landroid/content/pm/PackageManager;->getInstalledPackages
- Description: Gets packages installed on the device
- Caller Code: Lcom/alipay/sdk/util/i;->a(Landroid/content/Context; Ljava/lang/String;)Lcom/alipay/sdk/util/i\$a;
- Path Index: 12
- API: Landroid/content/pm/PackageManager;->getInstalledPackages
- Description: Gets packages installed on the device
- $\bullet \quad Caller\ Code:\ Lcom/alipay/sdk/util/i; -> h(Landroid/content/Context;) Ljava/lang/String;$
- Threat Level:
- Path Index: 10
- API: Landroid/content/pm/PackageManager;->getInstalledPackages
- Description: Gets packages installed on the device
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/a;->a(Landroid/content/Context; Ljava/lang/String;)[B
- Threat Level:
- Path Index: 12
- API: Landroid/content/pm/PackageManager;->getInstalledPackages
- Description: Gets packages installed on the device
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->m(Landroid/content/Context;)Ljava/util/Map;
- Threat Level:
- Path Index: 20
- API: Landroid/hardware/Camera;->open

- · Description: Open camera • Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->a(Landroid/content/Context; I)Ljava/lang/String; Threat Level: · Path Index: 26 • API: Landroid/location/LocationManager;->getLastKnownLocation · Description: Gets geographic location • Caller Code: Landroid/support/v7/app/TwilightManager;->getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location; Threat Level: Path Index: 28 • API: Landroid/location/LocationManager;->getLastKnownLocation · Description: Gets geographic location • Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Threat Level: • Path Index: 304 · API: Landroid/telephony/TelephonyManager;->getCellLocation · Description: Gets the current location of the device • Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Path Index: 68 • API: Landroid/telephony/TelephonyManager;->getCellLocation Description: Gets the current location of the device Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Threat Level: • Path Index: 430 • API: Landroid/telephony/TelephonyManager;->getCellLocation · Description: Gets the current location of the device • Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Threat Level: • Path Index: 790 · API: Landroid/telephony/TelephonyManager;->getDeviceId · Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones Caller Code: Lcom/alipay/sdk/util/a;->(Landroid/content/Context;)V Threat Level: • Path Index: 22 • API: Landroid/telephony/TelephonyManager;->getDeviceId · Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones • Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->a(Landroid/content/Context;)Ljava/lang/String; Threat Level: • Path Index: 26 • API: Landroid/telephony/TelephonyManager;->getDeviceId · Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/d;->a(Landroid/content/Context;)Z Threat Level: Path Index: 88 • API: Landroid/telephony/TelephonyManager;->getDeviceId • Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones Caller Code: Lcom/ta/utdid2/android/utils/PhoneInfoUtils;->getImei(Landroid/content/Context;)Ljava/lang/String; Threat Level: • Path Index: 26 · API: Landroid/telephony/TelephonyManager;->getDeviceId • Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones Caller Code: Lcom/tencent/bugly/crashreport/common/info/b;->a(Landroid/content/Context;)Ljava/lang/String; Threat Level: · Path Index: 64 • API: Landroid/telephony/TelephonyManager;->getLine1Number
- Description: Gets the phone number string for line 1
- $\bullet \quad \text{Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->c(Landroid/content/Context;) Ljava/lang/String;}\\$
- Threat Level:
- Path Index: 28

$\bullet \ \ API: Landroid/telephony/TelephonyManager; \hbox{--} getNetworkOperator$

- Description: Gets the numeric name (MCC+MNC) of current registered operator
- $\bullet \quad \textbf{Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e; ->} a (Landroid/content/Context;) Lcom/alipay/security/mobile/modul$
- Threat Level:
- Path Index: 100

• API: Landroid/telephony/TelephonyManager;->getNetworkOperator

• Description: Gets the numeric name (MCC+MNC) of current registered operator

•	Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Threat Level: Path Index: 806
:	API: Landroid/telephony/TelephonyManager;->getNetworkOperator Description: Gets the numeric name (MCC+MNC) of current registered operator Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Threat Level: Path Index: 834
:	API: Landroid/telephony/TelephonyManager;->getNetworkOperator Description: Gets the numeric name (MCC+MNC) of current registered operator Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Threat Level: Path Index: 854
:	API: Landroid/telephony/TelephonyManager;->getSimOperator Description: Gets the MCC+MNC of the provider of the SIM Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->n(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 26
:	API: Landroid/telephony/TelephonyManager;->getSimOperator Description: Gets the MCC+MNC of the provider of the SIM Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->o(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 26
:	API: Landroid/telephony/TelephonyManager;->getSimOperatorName Description: Gets the Service Provider Name(SPN) Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->o(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 26
:	API: Landroid/telephony/TelephonyManager;->getSimSerialNumber Description: Gets the serial number of SIM Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->i(Landroid/content/Context;)Ljava/lang/String; Threat Level: Path Index: 20
•	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->b()Ljava/lang/String; Threat Level: Path Index: 18
•	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->k()Ljava/lang/String; Threat Level: Path Index: 18
•	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/tencent/bugly/proguard/a;->a(Landroid/content/Context; I Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 104
:	API: Ljava/lang/Runtime;->exec Description: Executes shell code Caller Code: Lcom/tencent/bugly/proguard/a;->a(Landroid/content/Context; [Ljava/lang/String;)Ljava/util/ArrayList; Threat Level: Path Index: 72
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V Threat Level: Path Index: 190
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V Threat Level: Path Index: 200
	API: Ljava/lang/System;->load Description: Loads and links the dynamic library

• Caller Code: Lcom/google/vrtoolkit/cardboard/CardboardViewNativeImpl;->(Landroid/content/Context; Landroid/opengl/GLSurfaceView;)V

,	Threat Level: • Path Index: 304
•	 API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/tencent/bugly/crashreport/crash/jni/NativeCrashHandler;->a(Ljava/lang/String; Z)Z Threat Level:
•	 API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/tencent/bugly/crashreport/crash/jni/NativeCrashHandler;->a(Ljava/lang/String; Z)Z Threat Level:
•	 API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V Threat Level:
•	 API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V Threat Level:
•	 API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/google/vrtoolkit/cardboard/CardboardViewNativeImpl;->(Landroid/content/Context; Landroid/opengl/GLSurfaceView;)V Threat Level:
•	 API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/tencent/bugly/crashreport/crash/jni/NativeCrashHandler;->a(Ljava/lang/String; Z)Z Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/multidex/MultiDex\$V14;->makeDexElements(Ljava/lang/Object; Ljava/util/ArrayList; Ljava/io/File;)[Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/multidex/MultiDex\$V19;->makeDexElements(Ljava/lang/Object; Ljava/util/ArrayList; Ljava/io/File; Ljava/util/ArrayList;)[Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/multidex/MultiDexExtractor;->apply(Landroid/content/SharedPreferences\$Editor;)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object; Threat Level: Path Index: 82
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

•	Caller Code: Landroid/support/v4/app/BundleCompatGingerbread;->getBinder(Landroid/os/Bundle; Ljava/lang/String;)Landroid/os/IBinder; Threat Level: Path Index: 88
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/BundleCompatGingerbread;->putBinder(Landroid/os/Bundle; Ljava/lang/String; Landroid/os/IBinder;)V Threat Level: Path Index: 102
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/NotificationManagerCompatKitKat;->areNotificationsEnabled(Landroid/content/Context;)Z Threat Level: Path Index: 192
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->getLayoutDirection(Landroid/graphics/drawable/Drawable;)I Threat Level: Path Index: 70
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->setLayoutDirection(Landroid/graphics/drawable/Drawable; I)Z Threat Level: Path Index: 96
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/session/MediaSessionCompatApi24;->getCallingPackage(Ljava/lang/Object;)Ljava/lang/String; Threat Level: Path Index: 38
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/text/ICUCompatApi23;->maximizeAndGetScript(Ljava/util/Locale;)Ljava/lang/String; Threat Level: Path Index: 18
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/text/ICUCompatlcs;->addLikelySubtags(Ljava/util/Locale;)Ljava/lang/String; Threat Level: Path Index: 34
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/text/ICUCompatlcs;->getScript(Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 28
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V Threat Level: Path Index: 32
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V Threat Level: Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->setChildrenDrawingOrderEnabled(Landroid/view/ViewGroup; Z)V Threat Level: Path Index: 80
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V Threat Level: Path Index: 78
	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

• Caller Code: Landroid/support/v4/widget/PopupWindowCompat\$BasePopupWindowImpl;->getWindowLayoutType(Landroid/widget/PopupWindow;)I

	Path Index: 72
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/widget/PopupWindowCompat\$BasePopupWindowImpl;->setWindowLayoutType(Landroid/widget/PopupWindow; I)V Threat Level: Path Index: 94
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB;->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V Threat Level: Path Index: 38
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarDescription(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Landroid/app/Activity; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/app/AppCompatViewInflater\$DeclaredOnClickListener;->onClick(Landroid/view/View;)V Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/view/SupportMenuInflater\$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/view/SupportMenuInflater\$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z Threat Level: Path Index: 84
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/view/menu/MenuItemWrapperICS;->setExclusiveCheckable(Z)V Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/ListPopupWindow;->getMaxAvailableHeight(Landroid/view/View; I Z)I Threat Level:

• Path Index: 56

• API: Ljava/lang/reflect/Method;->invoke

Description: Utilizes Java reflection

 $\bullet \quad \text{Caller Code: Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V} \\$

Threat Level:

• Path Index: 36

• API: Ljava/lang/reflect/Method;->invoke

• Description: Utilizes Java reflection

•	Caller Code: Landroid/support/v7/widget/ListPopupWindow;->show()V Threat Level: Path Index: 398
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/DrawableUtils;->getOpticalBounds(Landroid/graphics/drawable/Drawable;)Landroid/graphics/Rect; Threat Level: Path Index: 50
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/MenuPopupWindow;->setTouchModal(Z)V Threat Level: Path Index: 36
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->doAfterTextChanged(Landroid/widget/AutoCompleteTextView;)V Threat Level: Path Index: 18
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->doBeforeTextChanged(Landroid/widget/AutoCompleteTextView;)V Threat Level: Path Index: 18
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->ensureImeVisible(Landroid/widget/AutoCompleteTextView; Z)V Threat Level: Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->showSoftInputUnchecked(Landroid/view/inputmethod/InputMethodManager; Landroid/view/View; I)V Threat Level: Path Index: 40
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/ViewUtils;->computeFitSystemWindows(Landroid/view/View; Landroid/graphics/Rect; Landroid/graphics/Rect;)V Threat Level: Path Index: 30
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V Threat Level: Path Index: 64
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/FieldDeserializer;->setValue(Ljava/lang/Object; Ljava/lang/Object;)V Threat Level: Path Index: 72
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/FieldDeserializer;->setValue(Ljava/lang/Object; Ljava/lang/Object;)V Threat Level: Path Index: 190
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/FieldDeserializer;->setValue(Ljava/lang/Object; Ljava/lang/Object;)V Threat Level: Path Index: 248
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/FieldDeserializer;->setValue(Ljava/lang/Object; Ljava/lang/Object;)V Threat Level: Path Index: 316
	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

•	 Caller Code: Lcom/alibaba/fastjson/parser/deserializer/FieldDeserializer;->setValue(Ljava/lang/Object; Ljava/lang/Object;)V Threat Level: Path Index: 352
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/FieldDeserializer;->setValue(Ljava/lang/Object; Ljava/lang/Object;)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/JavaBeanDeserializer;->createInstance(Ljava/util/Map; Lcom/alibaba/fastjson/parser/ParserConfig;)Ljava/lang/Object; Threat Level: Path Index: 278
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/JavaBeanDeserializer;->createInstance(Ljava/util/Map; Lcom/alibaba/fastjson/parser/ParserConfig;)Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/JavaBeanDeserializer;->deserialze(Lcom/alibaba/fastjson/parser/DefaultJSONParser; Ljava/lang/reflect/Type Ljava/lang/Object; Ljava/lang/Object; I)Ljava/lang/Object; Threat Level: Path Index: 3376
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/parser/deserializer/JavaBeanDeserializer;->deserialze(Lcom/alibaba/fastjson/parser/DefaultJSONParser; Ljava/lang/reflect/Type Ljava/lang/Object; Ljava/lang/Object; I)Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/serializer/MiscCodec;->deserialze(Lcom/alibaba/fastjson/parser/DefaultJSONParser; Ljava/lang/reflect/Type; Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/util/FieldInfo;->get(Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/util/FieldInfo;->set(Ljava/lang/Object; Ljava/lang/Object;)V Threat Level: ••••• Path Index: 24
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/util/TypeUtils;->castToDate(Ljava/lang/Object;)Ljava/util/Date; Threat Level: Path Index: 526
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alibaba/fastjson/util/TypeUtils;->castToDate(Ljava/lang/Object;)Ljava/util/Date; Threat Level: Path Index: 652
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/apmobilesecuritysdk/d/b;->a(Landroid/content/Context;)Ljava/lang/String; Threat Level: ■■■■■ Path Index: 58
	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

• Caller Code: Lcom/alipay/sdk/app/H5AuthActivity;->onCreate(Landroid/os/Bundle;)V

•	Threat Level: Path Index: 530
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/app/H5AuthActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 668
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/app/H5AuthActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 694
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/app/H5AuthActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 720
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/app/H5PayActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 594
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/app/H5PayActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 732
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/app/H5PayActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 758
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/app/H5PayActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 784
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/auth/AuthActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 546
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/auth/AuthActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 684
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/auth/AuthActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 710
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/sdk/auth/AuthActivity;->onCreate(Landroid/os/Bundle;)V Threat Level: Path Index: 736
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/security/mobile/module/commonutils/crypto/h;->a(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 24
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->i()Ljava/lang/String; Threat Level:

•	Path Index: 86
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/d;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level:
•	Path Index: 70 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/protobuf/nano/MessageNanoPrinter;->print(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V Threat Level:
•	Path Index: 600 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/protobuf/nano/MessageNanoPrinter;->print(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V Threat Level: Path Index: 756
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/ta/utdid2/android/utils/DebugUtils;->get(Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 28
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/ta/utdid2/android/utils/DebugUtils;->getInt(Ljava/lang/String; I)I Threat Level: Path Index: 40
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/tencent/bugly/proguard/a;->a(Ljava/lang/String; Ljava/lang/Object; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 28
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/tencent/bugly/proguard/x;->b(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z Threat Level: Path Index: 84
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/Logger;->invokePrint(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V Threat Level: Path Index: 66
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/Logger;->invokePrint(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/Throwable;)V Threat Level: Path Index: 90
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/URLConnectionNetworkExecutor;->execute(Lcom/yolanda/nohttp/IBasicRequest;)Lcom/yolanda/nohttp/Network; Threat Level: Path Index: 674
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/IOUtils;->getStatFsSize(Landroid/os/StatFs; Ljava/lang/String; Ljava/lang/String;)J Threat Level: Path Index: 78
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/IOUtils;->getStatFsSize(Landroid/os/StatFs; Ljava/lang/String; Ljava/lang/String;)J Threat Level: Path Index: 104
•	API: Ljava/lang/reflect/Method;->invoke

http://sanddroid.xjtu.edu.cn/report?apk_md5=5909E5F4CBA217E1F98052BFA5CA6A9F

 $\bullet \quad \text{Caller Code: Lcom/yolanda/nohttp/tools/IOUtils;-->getStatFsSize(Landroid/os/StatFs; Ljava/lang/String; Ljava/lang/String;)J} \\$

• Description: Utilizes Java reflection

Threat Level:Path Index: 136

•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/IOUtils;->getStatFsSize(Landroid/os/StatFs; Ljava/lang/String; Ljava/lang/String;)J Threat Level: Path Index: 164
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/NetUtil;->isGPRSOpen()Z Threat Level: Path Index: 56
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/NetUtil;->isNetworkAvailable(Lcom/yolanda/nohttp/tools/NetUtil\$NetType;)Z Threat Level: Path Index: 66
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/NetUtil;->isNetworkAvailable(Lcom/yolanda/nohttp/tools/NetUtil\$NetType;)Z Threat Level: Path Index: 158
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/NetUtil;->isNetworkAvailable(Lcom/yolanda/nohttp/tools/NetUtil\$NetType;)Z Threat Level: Path Index: 232
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/NetUtil;->setGPRSEnable(Z)V Threat Level: Path Index: 78
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/ResCompat;->getColor(I Landroid/content/res/Resources\$Theme;)I Threat Level: Path Index: 108
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/ResCompat;->getColor(I Landroid/content/res/Resources\$Theme;)I Threat Level: Path Index: 186
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/ResCompat;->getColorStateList(I Landroid/content/res/Resources\$Theme;)Landroid/content/res/ColorStateList; Threat Level: Path Index: 108
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/ResCompat;->getColorStateList(I Landroid/content/res/Resources\$Theme;)Landroid/content/res/ColorStateList; Threat Level: Path Index: 178
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/ResCompat;->getDrawable(I Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable; Threat Level: Path Index: 108
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/ResCompat;->getDrawable(I Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable; Threat Level: Path Index: 178
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/yolanda/nohttp/tools/ResCompat;->setBackground(Ljava/lang/String; Landroid/view/View; Landroid/graphics/drawable/Drawable;)V Threat Level:

• API: Ljava/net/URL;->openConnection

· Description: Connects to the Internet • Caller Code: Lcom/ceq/app/core/java/Java_Language;->useTranslateByBaidu(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 206 • API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/ceq/app/core/utils/Util_Apk\$2;->run()V Threat Level: Path Index: 16 • API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/ceq/app/main/activity/Act_Module_Open\$6;->run()V Threat Level: • Path Index: 30 • API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/ceq/app/main/activity/Act_Player\$11;->run()V Threat Level: • Path Index: 28 • API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/tencent/bugly/proguard/r;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/net/HttpURLConnection; Threat Level: • Path Index: 98 • API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/tencent/bugly/proguard/r;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/net/HttpURLConnection; Threat Level: • Path Index: 174 • API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/yolanda/nohttp/URLConnectionNetworkExecutor;->execute(Lcom/yolanda/nohttp/IBasicRequest;)Lcom/yolanda/nohttp/Network; Threat Level: • Path Index: 38 • API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/yolanda/nohttp/URLConnectionNetworkExecutor;->execute(Lcom/yolanda/nohttp/IBasicRequest;)Lcom/yolanda/nohttp/Network; Threat Level: • Path Index: 540 · API: Ljava/net/URL;->openConnection · Description: Connects to the Internet • Caller Code: Lcom/yolanda/nohttp/tools/ImageDownloader\$DownlmageThread;->run()V Threat Level: • Path Index: 68 • API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/alipay/sdk/encrypt/b;->a(I Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level: • Path Index: 54 · API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/alipay/sdk/encrypt/d;->a(Ljava/lang/String; Ljava/lang/String;)[B Threat Level: • Path Index: 112 · API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data • Caller Code: Lcom/alipay/sdk/encrypt/e;->a(Ljava/lang/String; [B)[B Threat Level: • Path Index: 62 • API: Ljavax/crypto/Cipher;->doFinal · Description: Encrypt or Decrypt data • Caller Code: Lcom/alipay/sdk/encrypt/e;->b(Ljava/lang/String; [B)[B Threat Level: • Path Index: 62 · API: Ljavax/crypto/Cipher;->doFinal

· Description: Encrypt or Decrypt data

•	Caller Code: Lcom/alipay/security/mobile/module/commonutils/crypto/i;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 82
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/alipay/security/mobile/module/commonutils/crypto/i;->b(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 80
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/ta/utdid2/android/utils/AESUtils;->decrypt([B [B)[B Threat Level:
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/ta/utdid2/android/utils/AESUtils;->encrypt([B [B)[B Threat Level:
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/tencent/bugly/proguard/a;->a(I [B [B)[B Threat Level: Path Index: 42
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/tencent/bugly/proguard/a;->b(I [B [B)[B Threat Level:
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/tencent/bugly/proguard/ae;->a([B)[B Threat Level: Path Index: 158
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/tencent/bugly/proguard/ae;->b([B)[B Threat Level: Path Index: 158
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/tencent/bugly/proguard/af;->a([B)[B Threat Level: Path Index: 108
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/tencent/bugly/proguard/af;->b([B)[B Threat Level: Path Index: 108
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/yolanda/nohttp/tools/Encryption;->decrypt([B)[B Threat Level: Path Index: 4
•	API: Ljavax/crypto/Cipher;->doFinal Description: Encrypt or Decrypt data Caller Code: Lcom/yolanda/nohttp/tools/Encryption;->encrypt([B)[B Threat Level: Path Index: 4
•	API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/client/ResponseHandler;)Ljava/lang/Object Threat Level: Path Index: 4
	API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute

Description: Executes a Internet request

 Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/client/ResponseHandler; Lorg/apache/http/protocol/HttpContext;)Ljava/lang/Object; Threat Level:	
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/client/ResponseHandler;)Ljava/lang/Object; Threat Level: Path Index: 4 	
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/client/ResponseHandler; Lorg/apache/http/protocol/HttpContext;)Ljava/lang/Object; Threat Level: Path Index: 4 	
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest;)Lorg/apache/http/HttpResponse; Threat Level: Path Index: 4 	
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/protocol/HttpContext;)Lorg/apache/http/HttpResponse; Threat Level: Path Index: 4 	
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/protocol/HttpContext;)Lorg/apache/http/HttpReservices Threat Level: Path Index: 4 	sponse;
 API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute Description: Executes a Internet request Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse; Threat Level:	
Permission Usage	
 Permission Name: android.permission.ACCESS_COARSE_LOCATION Used Type: Api Caller Code: Landroid/support/v7/app/TwilightManager;->getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location/Location; Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z Path Index: 12 	
 Permission Name: android.permission.ACCESS_COARSE_LOCATION Used Type: Api Caller Code: Landroid/support/v7/app/TwilightManager;->getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location/Location; Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location; Path Index: 28 	
 Permission Name: android.permission.ACCESS_COARSE_LOCATION Used Type: Api Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e; Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z Path Index: 246 	

- Permission Name: android.permission.ACCESS_COARSE_LOCATION
- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e; -> a (Landroid/content/Context;) Lcom/alipay/security/mobile/module/deviceinfo/e; -> a (Landroid/context;) Lcom/alipay/sec$
- $\bullet \quad \text{Callee Code: Landroid/location/LocationManager;} \\ -\text{requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener; Landroid/os/Looper;)} \\ \text{V} \quad \text{Callee Code: Landroid/location/LocationManager;} \\ -\text{RequestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener; Landroid/location/LocationManager;} \\ \text{Callee Code: Landroid/location/LocationManager;} \\ -\text{Callee Code: Landroid/location/LocationManager;} \\ -\text{Callee Code: Landroid/location/LocationManager;} \\ \text{Callee Code: Landroid/location/LocationManager;} \\ -\text{Callee Code: Landroid/location/Location/LocationManager;} \\ -\text{Callee Code: Landroid/location/Locatio$
- Path Index: 288
- Permission Name: android.permission.ACCESS_COARSE_LOCATION
- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- $\bullet \quad \text{Callee Code: Landroid/location/LocationManager; -> getLastKnownLocation(Ljava/lang/String;)} \\ Landroid/location/Location$
- Path Index: 304
- $\bullet \ \ Permission \ Name: and roid.permission. ACCESS_COARSE_LOCATION$
- Used Type: Api

- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->d()Z
- Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 46

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e; -> a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- Callee Code: Landroid/telephony/TelephonyManager;->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 68

• Permission Name: android.permission.ACCESS COARSE LOCATION

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e; -> a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- Callee Code: Landroid/telephony/TelephonyManager;->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 430

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- Callee Code: Landroid/telephony/TelephonyManager;->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 790

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- Callee Code: Landroid/telephony/TelephonyManager;->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 936

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/f;->onSignalStrengthsChanged(Landroid/telephony/SignalStrength;)V
- Callee Code: Landroid/telephony/TelephonyManager;->listen(Landroid/telephony/PhoneStateListener; I)V
- Path Index: 32

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- $\bullet \quad \text{Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat} \\ \text{HoneycombMR2ConnectivityManagerCompatImpl;} \\$
 - $\verb|\cite{Connectivity}Manager|;) Z$
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- $\bullet \quad Caller\ Code: Landroid/support/v4/net/ConnectivityManagerCompat\$ JellyBeanConnectivityManagerCompatlmpl; Caller\ Code: Landroid/support/v4/net/ConnectivityManagerCompatlmpl; Caller\ Code: Landroid/support/v4/net/Code: Landroid/support/v4/net/Code: Landroid/support/v4/net/Code: Landroid/support/v4/net/Code: Landroid/support/v4/net$
 - $\verb|\colored| Sactive Network Metered (Landroid/net/Connectivity Manager;) Z$
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatJellyBean;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- $\bullet \quad Caller\ Code: Landroid/support/v4/net/Connectivity Manager Compat; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager Compat; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager Compat; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager Compat; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager Compat; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager Compat; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zero and Connectivity Manager; -> is Active Network Metered (Landroid/net/Network Metered (Landroid/net/Ne$
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompat\$ConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 4

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- $\bullet \quad \text{Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat\$BaseConnectivityManagerCompat\$mpl;} \\$
- >isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat;->getNetworkInfoFromBroadcast(Landroid/net/ConnectivityManager; Landroid/content/Intent;)Landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 28

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

• Permission Name: android.permission.ACCESS NETWORK STATE

- Used Type: Ap
- $\bullet \quad Caller\ Code:\ Landroid/support/v4/net/Connectivity Manager Compat Jelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Connectivity Manager;) Zelly Bean; -> is Active Network Metered (Landroid/net/Network Metered (Landroid/net/Network Metered$
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> is Active Network Metered () Z}\\$

- · Path Index: 0
- Permission Name: android.permission.ACCESS_NETWORK_STATE
- Used Type: Ap
- Caller Code: Lcom/alipay/android/phone/mrpc/core/x;->d()Lcom/alipay/android/phone/mrpc/core/ab;
- Callee Code: Landroid/net/ConnectivityManager;->getAllNetworkInfo()[Landroid/net/NetworkInfo;
- Path Index: 30

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/alipay/android/phone/mrpc/core/x;->d()Lcom/alipay/android/phone/mrpc/core/ab;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 552

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/apmobilesecuritysdk/a/a;->a(Ljava/util/Map;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 1310

• Permission Name: android.permission.ACCESS NETWORK STATE

- · Used Type: Api
- Caller Code: Lcom/alipay/apmobilesecuritysdk/b/b;->a(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 98

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/a;->f()Landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 22

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Ap
- Caller Code: Lcom/alipay/sdk/util/a;->b(Landroid/content/Context;)Lcom/alipay/sdk/util/d;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 16

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/d;->b(Landroid/content/Context;)Ljava/lang/String;
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 16

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/d;->b(Landroid/content/Context;)Ljava/lang/String;
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 36

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/d;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 82

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 600

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_NETWORK_STATE$

- Used Type: Api
- Caller Code: Lcom/ceq/app/core/utils/Util_Net;->isConnecting()Z
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 24

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/ceq/app/core/utils/Util_Net;->isGPRS()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 24

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/ceq/app/core/utils/Util_Net;->isWifi()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

• Permission Name: android.permission.ACCESS NETWORK STATE

- Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/NetworkUtils;->getNetworkState(Landroid/content/Context;)[Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 108

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/NetworkUtils;->getNetworkState(Landroid/content/Context;)[Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 152

• Permission Name: android.permission.ACCESS NETWORK STATE

- Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/NetworkUtils;->isConnected(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 12

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/NetworkUtils;->isConnectedToWeakNetwork(Landroid/content/Context;)Z
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 14

• Permission Name: android.permission.ACCESS NETWORK STATE

- · Used Type: Api
- Caller Code: Lcom/tencent/bugly/crashreport/common/info/b;->e(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

• Permission Name: android.permission.ACCESS_WIFI_STATE

- · Used Type: Api
- Caller Code: Lcom/alipay/sdk/data/c;->a(Lcom/alipay/sdk/tid/b;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 666

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/data/c;->a(Lcom/alipay/sdk/tid/b;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 704

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/data/c;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 16

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/alipay/sdk/data/c;->c(Landroid/content/Context;)Ljava/lang/String;}\\$
- $\bullet \quad \text{Callee Code: Landroid/net/wifi/WifiManager; -> getConnectionInfo() Landroid/net/wifi/WifiInfo;}\\$
- Path Index: 16

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/packet/d;->a(Ljava/lang/String; Lorg/json/JSONObject;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 764

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/packet/d;->a(Ljava/lang/String; Lorg/json/JSONObject;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 802

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_WIFI_STATE$

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/util/a;->(Landroid/content/Context;)V
- $\bullet \quad \text{Callee Code: Landroid/net/wifi/WifiManager; -> getConnectionInfo() Landroid/net/wifi/WifiInfo;}\\$
- Path Index: 120

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->h(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 16
- Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->I(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- · Path Index: 16

• Permission Name: android.permission.ACCESS WIFI STATE

- · Used Type: Api
- · Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->l(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 28

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- Path Index: 662

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Ap
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->a(Landroid/content/Context;)Lcom/alipay/security/mobile/module/deviceinfo/e;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 674

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->c()Ljava/util/List;
- Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
- Path Index: 50

• Permission Name: android.permission.ACCESS_WIFI_STATE

- · Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->e()Z
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 50

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/e;->e()Z
- $\bullet \quad \text{Callee Code: Landroid/net/wifi/WifiManager; -> getConfiguredNetworks() Ljava/util/List;}\\$
- Path Index: 116

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/NetworkUtils;->getWifiAddress(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 20

• Permission Name: android.permission.ACCESS WIFI STATE

- Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/NetworkUtils:->qetWifilpAddress(Landroid/content/Context:)Liava/land/String:
- $\bullet \quad \text{Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()} \\ \text{Landroid/net/wifi/WifiInfo;} \\ \text{Callee Code: Landroid/net/wifi/WifiInfo;} \\ \text{Callee Code: Landroid/net/wifi/WifiInfo} \\ \text{Callee Code: Callee Code: Landroid/net/wifi/WifiInfo} \\ \text{Callee Code: Callee Code: Callee Code: Calle$
- Path Index: 22

• Permission Name: android.permission.ACCESS_WIFI_STATE

- Used Type: Api
- Caller Code: Lcom/tencent/bugly/crashreport/common/info/b;->d(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 30

• Permission Name: android.permission.BLUETOOTH

- · Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->h()Ljava/lang/String;
- Callee Code: Landroid/bluetooth/BluetoothAdapter;->isEnabled()Z
- Path Index: 12

Permission Name: android.permission.BLUETOOTH

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->h()Ljava/lang/String;}\\$
- Callee Code: Landroid/bluetooth/BluetoothAdapter;->getAddress()Ljava/lang/String;
- Path Index: 30

• Permission Name: android.permission.BLUETOOTH

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->o()Z
- Callee Code: Landroid/bluetooth/BluetoothAdapter;->isEnabled()Z
- Path Index: 12

• Permission Name: android.permission.CAMERA

• Used Type: Api

- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->a(Landroid/content/Context; I)Ljava/lang/String;
- Callee Code: Landroid/hardware/Camera;->open(I)Landroid/hardware/Camera;
- Path Index: 26

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/tencent/bugly/proguard/r;->a(Ljava/lang/String; [B Ljava/lang/String; Ljava/util/Map;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 252

· Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/yolanda/nohttp/URLConnectionNetworkExecutor; -> execute(Lcom/yolanda/nohttp/lBasicRequest;)Lcom/yolanda/nohttp/Network;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 722

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/yolanda/nohttp/tools/ImageDownloader\$DownImageThread;->run()V
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 10⁴

· Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/client/ResponseHandler;)Ljava/lang/Object;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpHost; Lorg/apache/http/client/ResponseHandler;)Ljava/lang/Object;
- Path Index: 4

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/client/ResponseHandler; Lorg/apache/http/protocol/HttpContext;)Ljava/lang/Object;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpHost; Lorg/apache/http/lent/ResponseHandler; Lorg/apache/http/protocol/HttpContext;)Ljava/lang/Object;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/client/ResponseHandler;)Ljava/lang/Object;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/client/ResponseHandler;)Ljava/lang/Object;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/client/ResponseHandler; Lorg/apache/http/protocol/HttpContext;)Ljava/lang/Object;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/client/ResponseHandler; Lorg/apache/http/protocol/HttpContext;)Ljava/lang/Object;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest;)Lorg/apache/http/HttpResponse;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/alipay/sdk/net/b; -> a (Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/HttpRequest; Lorg/apache/http/HttpRequest; Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/HttpRequest; Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/HttpRequ$

Lorg/apache/http/protocol/HttpContext:)Lorg/apache/http/HttpResponse;

- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/HttpHost; Lorg/apache/http/HttpRequest; Lorg/apache/http/protocol/HttpContext;)Lorg/apache/http/HttpResponse;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/protocol/HttpContext;)Lorg/apache/http/HttpResponse;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest; Lorg/apache/http/protocol/HttpContext;)Lorg/apache/http/HttpResponse;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/alipay/sdk/net/b;->a(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/alibaba/fastjson/util/ServiceLoader;->load(Ljava/net/URL; Ljava/util/Set;)V
- Callee Code: Ljava/net/URL;->openStream()Ljava/io/InputStream;
- Path Index: 4

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/ceq/app/core/java/Java_Language;->useTranslateByBaidu(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 206

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/ceq/app/core/utils/Util_Apk\$2;->run()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 16

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/ceq/app/main/activity/Act_Module_Open\$6;->run()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 30

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/ceq/app/main/activity/Act_Player\$11;->run()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 28

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/tencent/bugly/proguard/r;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 98

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/tencent/bugly/proguard/r;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 174

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/yolanda/nohttp/URLConnectionNetworkExecutor;->execute(Lcom/yolanda/nohttp/lBasicRequest;)Lcom/yolanda/nohttp/Network;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 38

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/yolanda/nohttp/URLConnectionNetworkExecutor;->execute(Lcom/yolanda/nohttp/lBasicRequest;)Lcom/yolanda/nohttp/Network;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 540

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/yolanda/nohttp/tools/ImageDownloader\$DownImageThread;->run()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 68

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- · Callee Code: do

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- Callee Code: w

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- Callee Code: nl

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Api
- Caller Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat\$AccessibilityNodeProviderJellyBeanImpl\$1;->performAction(I I Landroid/os/Bundle:)Z
- Callee Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat;->performAction(I I Landroid/os/Bundle;)Z
- Path Index: 4

• Permission Name: android.permission.READ CONTACTS

- Used Type: Api
- Caller Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat\$AccessibilityNodeProviderKitKatImpl\$1;->performAction(I I Landroid/os/Bundle;)Z
- Callee Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat;->performAction(I I Landroid/os/Bundle;)Z
- Path Index: 4

• Permission Name: android.permission.READ_CONTACTS

- · Used Type: Api
- Caller Code: Landroid/support/v4/view/accessibility/Accessibility/NodeProviderCompatJellyBean\$1;->performAction(I I Landroid/os/Bundle;)Z
- Callee Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompatJellyBean\$AccessibilityNodeInfoBridge;->performAction(I I Landroid/os/Bundle;)Z
- · Path Index: 4

• Permission Name: android.permission.READ_CONTACTS

- Used Type: Content Provider
- · Callee Code: x

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- Caller Code: Lcom/alipay/sdk/util/a;->(Landroid/content/Context;)V
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 22

• Permission Name: android.permission.READ PHONE STATE

- · Used Type: Api
- Caller Code: Lcom/alipay/sdk/util/a;->(Landroid/content/Context;)V
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 36

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 26

• Permission Name: android.permission.READ_PHONE_STATE

- · Used Type: Api
- · Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 26

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getLine1Number()Ljava/lang/String;
- Path Index: 28

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;} \\ -\text{i} (\text{Landroid/content/Context;}) \\ \text{Ljava/lang/String;} \\ +\text{i} (\text{Landroid/content/Context;}) \\ +\text$
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;}\\$
- Path Index: 20

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Ap
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->p(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getVoiceMailNumber()Ljava/lang/String;
- Path Index: 26

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/b;->q(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getVoiceMailAlphaTag()Ljava/lang/String;
- Path Index: 26

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/alipay/security/mobile/module/deviceinfo/d;->a(Landroid/content/Context;)Z
- $\bullet \quad \text{Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;}\\$
- Path Index: 88

• Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/PhoneInfoUtils;->getImei(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 26
- Permission Name: android.permission.READ_PHONE_STATE

- Used Type: Api
- Caller Code: Lcom/ta/utdid2/android/utils/PhoneInfoUtils;->getImsi(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 26
- Permission Name: android.permission.READ PHONE STATE
- · Used Type: Api
- Caller Code: Lcom/tencent/bugly/crashreport/common/info/b;->a(Landroid/content/Context;)Ljava/lang/String;
- $\bullet \quad \hbox{Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;}\\$
- Path Index: 64
- Permission Name: android.permission.READ_PHONE_STATE
- Used Type: Api
- Caller Code: Lcom/tencent/bugly/crashreport/common/info/b;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 64
- Permission Name: android.permission.READ_SMS
- Used Type: Content Provider
- Callee Code: mm
- Permission Name: android.permission.READ_SMS
- Used Type: Content Provider
- Callee Code: -
- Permission Name: android.permission.READ_SMS
- Used Type: Content Provider
- Callee Code: -s

Log Message

Тад	Message
Choreographer	Skipped 56 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 48 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 43 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 130 frames! The application may be doing too much work on its main thread.
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in com.android.internal.policy.impl.PhoneWindow\$DecorView@41086190 0: sent at 104298000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_DOWN, scanCode=0, metaState=0, flags=0x400, repeatCount=0, eventTime=104298, downTime=104298, deviceld=-1, source=0x101 } recent events 1: sent at 104219000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=0.0, y[0]=3.0, toolType[0]=TOOL_TYPE_UNKNOWN, oWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=104219, downTime=-1, deviceld=0, source=0x10004 } 2: sent at 101665000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=1.0, y[0]=-1.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=101665, downTime=-1, deviceld=0, source=0x10004 }
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in com.android.internal.policy.impl.PhoneWindow\$DecorView@41086190 0: sent at 104937000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_CENTER, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=104937, downTime=104937, deviceld=-1, source=0x101 } recent events 1: sent at 104903000000, (unhandled) MotionEvent { action=ACTION_UP, id[0]=0, x[0]=137.0, y[0]=52.0, toolType[0]=TOOL_TYPE_UNKNOWN, DWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=104903, downTime=104876, deviceld=0, source=0x1002 } 2: sent at 104902000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=127.0, y[0]=52.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=2, eventTime=104902, downTime=104876, deviceld=0, source=0x1002 } 3: sent at 104878000000, (unhandled) MotionEvent { action=ACTION_DOWN, iWN, id[0]=0, x[0]=108.0, y[0]=56.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=104878, downTime=104876, deviceld=0, source=0x1002 } 4: sent at 104854000000, (unhandled) KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_CENTER, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=104854, downTime=104854, deviceld=-1, source=0x101 } 5: sent at 104277000000, (unhandled) KeyEvent { action=ACTION_DOWN, keyCode=KEYCODE_DPAD_CENTER, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=104854, downTime=104277, downTime=104277, deviceld=-1, source=0x101 }

Tag Message KevEvent: ACTION UP but key was not down. in InputEventConsistencyVerifier com.android.internal.policy.impl.PhoneWindow\$DecorView@41086190 0: sent at 105014000000, KeyEvent { action=ACTION UP, keyCode=KEYCODE DPAD DOWN, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=105014, downTime=105014, deviceId=-1, source=0x101 } -- recent events -- 1: sent at 104970000000, (unhandled) MotionEvent { action=ACTION_UP, id[0]=0, x[0]=263.0, y[0]=415.0, toolType[0]=TOOL TYPE UNKNOWN, oWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=104970, downTime=104964, deviceId=0, source=0x1002 } 2: sent at 104964000000, (unhandled) MotionEvent { action=ACTION_DOWN, id[0]=0, x[0]=262.0, y[0]=412.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=104964, downTime=104964, deviceId=0, source=0x1002 } 3: sent at 104937000000, (unhandled) KeyEvent { action=ACTION UP, keyCodeyCode=KEYCODE DPAD CENTER, scanCode=0, metaState=0, flags=0x80000008, repeatCount=0, eventTime=104937, downTime=104937, deviceId=-1, source=0x101 } 4: sent at 104903000000, (unhandled) MotionEvent { action=ACTION UP, id[0]=0, x[0]=137.0, y[0]=52.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=104903, downTime=104876, deviceId=0, source=0x1002 } 5: sent at 104902000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0+0]=0, x[0]=127.0, y[0]=52.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=2, eventTime=104902, downTime=104876, deviceId=0, source=0x1002 } InputEventConsistencyVerifier TrackballEvent: Trackball is down but pressure is not greater than 0. in android.view.ViewRootImpl@4110cc58 0: sent at 105181000000, MotionEvent { action=ACTION DOWN, id[0]=0, x[0]=0.0, y[0]=0.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105181, downTime=105162, deviceId=0, source=0x10004 } -- recent events -- 1: sent at 105180000000, MotionEvent { action=ACTION MOVE, idU, id[0]=0, x[0]=-4.0, y[0]=-2.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=9, eventTime=105180, downTime=-1, deviceId=0, source=0x10004 } 2: sent at 105154000000, MotionEvent { action=ACTION_UP, id[0]=0, x[0]=148.0, y[0]=374.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105154, downTime=105148, deviceId=0, source=0x1002 } 3: sent at 105148000000, Moti MotionEvent { action=ACTION DOWN, id[0]=0, x[0]=132.0, y[0]=384.0, toolType[0]=TOOL TYPE UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105148, downTime=105148, deviceId=0, source=0x1002 } 4: sent at 105140000000, KeyEvent { action=ACTION UP, keyCode=KEYCODE_DPAD_DOWN, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=105140, downTime=105140, deviceId=-1, source=0x101 } 5: sent at 105137000000, KeyEvent { action=ACTION_DOWN, keyCode=KOde=KEYCODE_DPAD_DOWN, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=105137, downTime=105137, deviceId=-1, source=0x101 } InputEventConsistencyVerifier KeyEvent: ACTION_UP but key was not down. in com.android.internal.policy.impl.PhoneWindow\$DecorView@41086190 0: sent at 105238000000, KeyEvent { action=ACTION UP, keyCode=KEYCODE DPAD LEFT, scanCode=0, metaState=0, flags=0x400, repeatCount=0, eventTime=105238, downTime=105238, deviceId=-1, source=0x101 } -- recent events -- 1: sent at 105219000000, (unhandled) MotionEvent { action=ACTION UP, id[0]=0, x[0]=29.0, y[0]=257.0, toolType[0]=TOOL_TYPE_UNKNOWN,.OWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105219, downTime=105211, deviceId=0, source=0x1002 } 2: sent at 105218000000, (unhandled) MotionEvent { action=ACTION MOVE, id[0]=0, x[0]=26.0, y[0]=250.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=1, eventTime=105218, downTime=105211, deviceId=0, source=0x1002 } 3: sent at 105212000000, (unhandled) MotionEvent { action=ACTION_DOWN, iWN, id[0]=0, x[0]=13.0, y[0]=241.0, toolType[0]=TOOL TYPE UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105212, downTime=105211, deviceId=0, source=0x1002 } 4: sent at 105183000000, $(unhandled)\ Motion Event\ \{\ action = ACTION_UP,\ id[0]=0,\ x[0]=0.0,\ y[0]=0.0,\ tool Type[0]=TOOL_TYPE_UNKNOWN,\ Action = ACTION_UP,\ id[0]=0.0,\ x[0]=0.0,\ y[0]=0.0,\ tool Type[0]=TOOL_TYPE_UNKNOWN,\ Action = ACTION_UP,\ id[0]=0.0,\ x[0]=0.0,\ y[0]=0.0,\ y[0$ buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105183, downTime=105162, deviceId=0, source=0x10004 } 5: sent at 1054 105181000000, (unhandled) MotionEvent { action=ACTION DOWN, id[0]=0, x[0]=0.0, y[0]=0.0, toolType[0]=TOOL TYPE UNKNOWN, buttonState=0, metaState=0, flags=0x80000000, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105181, downTime=105162, deviceId=0, source=0x10004 }

Tag	Message
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in com.android.internal.policy.impl.PhoneWindow\$DecorView@41086190 0: sent at 105600000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=105600, downTime=105600, deviceld=-1, source=0x101 } recent events 1: sent at 105564000000, (unhandled) MotionEvent { action=ACTION_UP, id[0]=0, x[0]=117.0, y[0]=105.0, toolType[0]=TOOL_TYPE_UNKNOWN, bu-, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105564, downTime=105554, deviceld=0, source=0x1002 } 2: sent at 105562000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=106.0, y[0]=110.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105562, downTime=105554, deviceld=0, source=0x1002 } 3: sent at 105554000000, (unhandled) MotionEvent { action=ACTION_DOWN, id[, id[0]=0, x[0]=104.0, y[0]=116.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105554, downTime=105554, deviceld=0, source=0x1002 } 4: sent at 105548000000, (unhandled) MotionEvent { action=ACTION_UP, id[0]=0, x[0]=240.0, y[0]=427.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=0, eventTime=105548, downTime=105471, deviceld=0, source=0x1002 } 5: sent at 10at 105546000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=243.0, y[0]=423.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=5, eventTime=105548, downTime=105471, deviceld=0, source=0x1002 } 5: sent at 10at 105546000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=233.0, y[0]=423.0, y[0]=423.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=5, eventTime=105546, downTime=105471, deviceld=0, source=0x1002
MultiDex	VM with version 1.6.0 does not have multidex support
MultiDex	MultiDexExtractor.load(/data/app/com.ceq.bthouse-1.apk, false)
MultiDex	load found 0 secondary dex files
Util_Log===>>>	======>APP日志=====>>GET提交参数======>http://www.kandianying.tv/server/
Util_Log===>>>>	======>APP日志=====>异常 =====>java.lang.ClassNotFoundException=====>cn.sharesdk.demo.wxapi.WXEntryActivity ======>java.lang.RuntimeException:Unable to instantiate activity ComponentInfo{com.ceq.bthouse/cn.sharesdk.demo.wxapi.WXEntryActivity}: java.lang.ClassNotFoundException: cn.sharesdk.demo.wxapi.WXEntryActivity android.app.ActivityThread.performLaunchActivity(ActivityThread.java:1985) Caused by: java.lang.ClassNotFoundExceptioeption:cn.sharesdk.demo.wxapi.WXEntryActivity dalvik.system.BaseDexClassLoader.findClass(BaseDexClassLoader.java:66) java.lang.ClassLoader.loadClass(ClassLoader.java:501) java.lang.ClassLoader.loadClass(ClassLoader.java:461) android.app.Instrumentation.newActivity(Instrumentation.java:1053) android.app.ActivityThread.performLaunchActivity(ActivityThread.java:1976) android.app.ActivityThread.handleLaunchActivity(ActivityThread.java:2086) android.app.ActivityThread.access\$600(ActivityThread.java:1197) android.os.Handler.dispatchMessage(Handler.java:99) android.os.Looper.loop(Looper.java:137) android.app.ActivityThread.main(ActivityThread.java:4753) java.lang.reflect.Method.invokeNative(Native Method) java.lang.reflect.Method.invoke(Method.java:544) com.android.internal.os.ZygoteInit\$MethodAndArgsCaller.run(ZygoteInit.java:786) com.android.internal.os.ZygoteInit.main(ZygoteInit.java:553) dalvik.system.NativeStart.main(Native Method)

May Log Message

Tag	Message	Caller Code	Path Index
.NativeProxy	2	Lcom/google/vrtoolkit/cardboard/CardboardViewNativeImpl;-> (Landroid/content/Context; Landroid/opengl/GLSurfaceView;)V	298
0	Got ACTION_POINTER_DOWN event but have an invalid action index.	Landroid/support/v4/widget/SwipeRefreshLayout;- >onTouchEvent(Landroid/view/MotionEvent;)Z	214
0	Got ACTION_POINTER_DOWN event but have an invalid action index.	Landroid/support/v4/widget/SwipeRefreshLayout;- >onTouchEvent(Landroid/view/MotionEvent;)Z	268
0	5	Landroid/support/v7/widget/ActivityChooserModel\$PersistHistoryAsyncTask;->doInBackground([Ljava/lang/Object;)Ljava/lang/Void;	270
0	15	Landroid/support/v7/widget/ActivityChooserModel\$PersistHistoryAsyncTask;->doInBackground([Ljava/lang/Object;)Ljava/lang/Void;	382
0	6	Lcom/aplayer/aplayerandroid/APlayerAndroid;->setConfig(I Ljava/lang/String;)I	58

Tag	Message	Caller Code	Path Index
0	HardwareDecoder21 Decode java INFO_TRY_AGAIN_LATER	Lcom/aplayer/aplayerandroid/HardwareDecoder;->Decode21(Ljava/nio/ByteBuffer; J Ljava/nio/ByteBuffer;)I	702
0	4	Lcom/google/vrtoolkit/cardboard/PhoneParams;- >readFromExternalStorage()Lcom/google/vrtoolkit/cardboard/proto/nano/P hone\$PhoneParams;	224
)	Can not put SDK extra data because bugly is disable.	Lcom/tencent/bugly/crashreport/CrashReport;- >setSdkExtraData(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V	20
)	null	Lcom/tencent/bugly/proguard/w;->a(I Ljava/lang/String; [Ljava/lang/Object;)Z	34
1	6	Lcom/aplayer/aplayerandroid/APlayerAndroid;->stateChange(I I Ljava/lang/Object;)V	136
1	1	Lcom/google/vrtoolkit/cardboard/CardboardViewNativeImpl;->onDetachedFromWindow()V	98
1	0	Lcom/ta/utdid2/aid/AidRequester;->getAidFromJsonRsp(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;	286
1	Webview is null.	Lcom/tencent/bugly/crashreport/CrashReport;- >setJavascriptMonitor(Landroid/webkit/WebView; Z Z)Z	16
1	Can not set JavaScript monitor because bugly is disable.	Lcom/tencent/bugly/crashreport/CrashReport;- >setJavascriptMonitor(Landroid/webkit/WebView; Z Z)Z	82
2	Native library loaded	Lcom/google/vrtoolkit/cardboard/CardboardViewNativeImpl;-> (Landroid/content/Context; Landroid/opengl/GLSurfaceView;)V	318
3	1	Landroid/support/v4/widget/SwipeRefreshLayout;- >onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	184
4	Got ACTION_MOVE event but have an invalid active pointer id.	Landroid/support/v4/widget/SwipeRefreshLayout;- >onTouchEvent(Landroid/view/MotionEvent;)Z	134
5	6	Lcom/aplayer/aplayerandroid/HardwareDecoder;- >CreateCodec(Ljava/nio/ByteBuffer;)I	378
5	0	Lcom/aplayer/aplayerandroid/HardwareDecoder;- >FindHardWareDecoder16()I	210
5	Applying phone param override.	Lcom/google/vrtoolkit/cardboard/PhoneParams;- >registerOverridesInternal(Ljava/util/List; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V	64
6	9	Lcom/aplayer/aplayerandroid/HardwareDecoder;- >CreateCodec(Ljava/nio/ByteBuffer;)I	470
3	0	Lcom/aplayer/aplayerandroid/HardwareDecoder;- >FindHardWareDecoder21()I	364
779508118	Error parsing param record: incorrect sentinel.	Lcom/google/vrtoolkit/cardboard/PhoneParams;- >readFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/cardbo ard/proto/nano/Phone\$PhoneParams;	108
8	0	Lcom/ta/utdid2/aid/AidStorageController;- >getEncodedAppName(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;	80
9	0	Lcom/aplayer/aplayerandroid/HardwareDecoder;->FindHardWareDecoder21()I	426
??	=======App_Main======	Lcom/ceq/app/core/application/App_Main;->onCreate()V	60
APlayerAndroid	surface Destroyed	Lcom/aplayer/aplayerandroid/APlayerAndroid\$3;->surfaceDestroyed(Landroid/view/SurfaceHolder;)V	8
APlayerAndroid	CreateBallModel	Lcom/aplayer/aplayerandroid/APlayerVRRender;->CreateBallModel()V	8
APlayerAndroid	onSurfaceCreated enter	Lcom/aplayer/aplayerandroid/APlayerVRRender;->Init()V	26

Tag	Message	Caller Code	Path Index
APlayerAndroid	onSurfaceCreated leave	Lcom/aplayer/aplayerandroid/APlayerVRRender;->Init()V	386
APlayerAndroid	0	Lcom/aplayer/aplayerandroid/APlayerVRRender;->checkGLError(Ljava/lang/String;)V	64
APlayerAndroid	4	Lcom/aplayer/aplayerandroid/APlayerVRRender;->loadGLShader(I Ljava/lang/String;)I	90
APlayerAndroid	GetSurface enter	Lcom/aplayer/aplayerandroid/APlayerVRRender;->GetSurface()Landroid/view/Surface;	16
APlayerAndroid	lzmlsf awaitNewImage	Lcom/aplayer/aplayerandroid/APlayerVRRender;->awaitNewImage()V	28
APlayerAndroid	Izmlsf mSurfaceTexture.updateTexImage	Lcom/aplayer/aplayerandroid/APlayerVRRender;->onDrawEye(Lcom/google/vrtoolkit/cardboard/Eye;)V	238
APlayerAndroid	Izmlsf new frame available	Lcom/aplayer/aplayerandroid/APlayerVRRender;- >onFrameAvailable(Landroid/graphics/SurfaceTexture;)V	8
APlayerAndroid	lzmlsf mFrameAvailable = true	Lcom/aplayer/aplayerandroid/APlayerVRRender;->onFrameAvailable(Landroid/graphics/SurfaceTexture;)V	34
APlayerAndroid	setRenderModel	Lcom/aplayer/aplayerandroid/APlayerVRRender;->setRenderModel(I)V	28
APlayerAndroid	Izmlsfe updataData	Lcom/aplayer/aplayerandroid/APlayerVRRender;- >updataData(Ljava/nio/ByteBuffer;)V	8
ActionBarDrawerToggl e	DrawerToggle may not show up because NavigationIcon is not visible. You may need to call actionbar.setDisplayHomeAsUpEnabled(true);	Landroid/support/v7/app/ActionBarDrawerToggle;- >setActionBarUpIndicator(Landroid/graphics/drawable/Drawable; I)V	32
ActionBarDrawerToggl eHoneycomb	19	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;- >setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object;	104
ActionBarDrawerToggl eHoneycomb	1	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	100
ActionBarDrawerToggl eHoneycomb	1	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	136
ActionBarDrawerToggl eHoneycomb	19	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarDescription(Landroid/support/v7/app/ActionBarDrawerToggle Honeycomb\$SetIndicatorInfo; Landroid/app/Activity; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo;	98
ActionBarDrawerToggl eHoneycomb	1	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggle Honeycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicato rInfo;	90
ActionBarDrawerToggl eHoneycomb	1	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggle Honeycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicato rInfo;	126
ActionProvider(support)	2	Landroid/support/v4/view/ActionProvider;- >setVisibilityListener(Landroid/support/v4/view/ActionProvider\$VisibilityList ener;)V	82
AnimatedVDCompat	parser error	Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;- >create(Landroid/content/Context; I)Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;	166

Tag	Message	Caller Code	Path Index
AnimatedVDCompat	parser error	Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;- >create(Landroid/content/Context; I)Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;	212
AppCompatDelegate	setDefaultNightMode() called with an unknown mode	Landroid/support/v7/app/AppCompatDelegate;->setDefaultNightMode(I)V	14
AppCompatDelegate	You should now use the AppCompatDelegate.FEATURE_SUPPORT_AC TION_BAR id when requesting this feature.	Landroid/support/v7/app/AppCompatDelegateImplV9;->sanitizeWindowFeatureId(I)I	16
AppCompatDelegate	You should now use the AppCompatDelegate.FEATURE_SUPPORT_AC TION_BAR_OVERLAY id when requesting this feature.	Landroid/support/v7/app/AppCompatDelegateImpIV9;->sanitizeWindowFeatureId(I)I	44
AppCompatDelegate	Exception while getting ActivityInfo	Landroid/support/v7/app/AppCompatDelegateImplV14;->shouldRecreateOnNightModeChange()Z	100
AppCompatDelegate	setLocalNightMode() called with an unknown mode	Landroid/support/v7/app/AppCompatDelegateImplV14;->setLocalNightMode(I)V	14
AppCompatDrawableM anager	Exception while inflating drawable	Landroid/support/v7/widget/AppCompatDrawableManager;- >loadDrawableFromDelegates(Landroid/content/Context; I)Landroid/graphics/drawable/Drawable;	324
AppCompatDrawableM anager	Mutated drawable is not the same instance as the input.	Landroid/support/v7/widget/AppCompatDrawableManager;- >tintDrawable(Landroid/graphics/drawable/Drawable; Landroid/support/v7/widget/TintInfo; [I)V	32
AppCompatPopupWin dow	Exception while installing workaround OnScrollChangedListener	Landroid/support/v7/widget/AppCompatPopupWindow;->wrapOnScrollChangedListener(Landroid/widget/PopupWindow;)V	88
AppCompatResources	Failed to inflate ColorStateList, leaving it to the framework	Landroid/support/v7/content/res/AppCompatResources;- >inflateColorStateList(Landroid/content/Context; I)Landroid/content/res/ColorStateList;	60
AppCompatSpinner	Could not read android:spinnerMode	Landroid/support/v7/widget/AppCompatSpinner;-> (Landroid/content/Context; Landroid/util/AttributeSet; I I Landroid/content/res/Resources\$Theme;)V	436
AppCompatViewInflate r	app:theme is now deprecated. Please move to using android:theme instead.	Landroid/support/v7/app/AppCompatViewInflater;- >themifyContext(Landroid/content/Context; Landroid/util/AttributeSet; Z Z)Landroid/content/Context;	64
AsyncLayoutInflater	Failed to inflate resource in the background! Retrying on the UI thread	Landroid/support/v4/view/AsyncLayoutInflater\$InflateThread;->run()V	96
AtomicFile	failWrite: Got exception:	Landroid/support/v4/util/AtomicFile;->failWrite(Ljava/io/FileOutputStream;)V	52
AtomicFile	finishWrite: Got exception:	Landroid/support/v4/util/AtomicFile;- >finishWrite(Ljava/io/FileOutputStream;)V	38
AtomicFile	6	Landroid/support/v4/util/AtomicFile;->startWrite()Ljava/io/FileOutputStream;	122
AvdcInflateDelegate	Exception while inflating	Landroid/support/v7/widget/AppCompatDrawableManager\$AvdcInflateDele gate;->createFromXmlInner(Landroid/content/Context; Lorg/xmlpull/v1/XmlPullParser; Landroid/util/AttributeSet; Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable;	28
BundleCompatGingerb read	Failed to retrieve getlBinder method	Landroid/support/v4/app/BundleCompatGingerbread;->getBinder(Landroid/os/Bundle; Ljava/lang/String;)Landroid/os/IBinder;	112
BundleCompatGingerb read	Failed to invoke getlBinder via reflection	Landroid/support/v4/app/BundleCompatGingerbread;->getBinder(Landroid/os/Bundle; Ljava/lang/String;)Landroid/os/IBinder;	130
CardboardDevicePara ms	4	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams\$VerticalAlignme ntType;- >fromProtoValue(I)Lcom/google/vrtoolkit/cardboard/CardboardDevicePara ms\$VerticalAlignmentType;	72

Tag	Message	Caller Code	Path Index
CardboardDevicePara ms	Error parsing param record: end of stream.	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	64
CardboardDevicePara ms	Error parsing param record: incorrect sentinel.	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	108
CardboardDevicePara ms	Error parsing param record: end of stream.	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	146
CardboardDevicePara ms	5	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;- >createFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/card board/CardboardDeviceParams;	238
CardboardDevicePara ms	5	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;- >createFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	306
CardboardDevicePara ms	Could not get contents from NFC tag.	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromNfcContents(Landroid/nfc/NdefMessage;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	14
CardboardDevicePara ms	8	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromUri(Landroid/net/Uri;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	70
CardboardDevicePara ms	Read cardboard params from URI.	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromUri(Landroid/net/Uri;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	142
CardboardDevicePara ms	5	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromUri(Landroid/net/Uri;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	206
CardboardDevicePara ms	No cardboard parameters in URI.	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->createFromUri(Landroid/net/Uri;)Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;	234
CardboardDevicePara ms	3	Lcom/google/vrtoolkit/cardboard/CardboardDeviceParams;->writeToOutputStream(Ljava/io/OutputStream;)Z	110
CompoundButtonCom patGingerbread	Failed to retrieve mButtonDrawable field	Landroid/support/v4/widget/CompoundButtonCompatGingerbread;- >getButtonDrawable(Landroid/widget/CompoundButton;)Landroid/graphics /drawable/Drawable;	84
CompoundButtonCom patGingerbread	Failed to get button drawable via reflection	Landroid/support/v4/widget/CompoundButtonCompatGingerbread;->getButtonDrawable(Landroid/widget/CompoundButton;)Landroid/graphics/drawable/Drawable;	102
ContextCompat	3	Landroid/support/v4/content/ContextCompat;- >createFilesDir(Ljava/io/File;)Ljava/io/File;	96
DistortionRenderer	0	Lcom/google/vrtoolkit/cardboard/DistortionRenderer;->checkGlError(Ljava/lang/String;)V	82
DistortionRenderer	Could not link program:	Lcom/google/vrtoolkit/cardboard/DistortionRenderer;- >createProgram(Ljava/lang/String; Ljava/lang/String;)I	136
DistortionRenderer	4	Lcom/google/vrtoolkit/cardboard/DistortionRenderer;->loadShader(I Ljava/lang/String;)I	110
DocumentFile	7	Landroid/support/v4/provider/DocumentsContractApi19;->exists(Landroid/content/Context; Landroid/net/Uri;)Z	116
DocumentFile	7	Landroid/support/v4/provider/DocumentsContractApi19;- >queryForLong(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; J)J	134

Tag	Message	Caller Code	Path Index
DocumentFile	7	Landroid/support/v4/provider/DocumentsContractApi19;- >queryForString(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; Ljava/lang/String;	134
DocumentFile	9	Landroid/support/v4/provider/DocumentsContractApi21;- >listFiles(Landroid/content/Context; Landroid/net/Uri;)[Landroid/net/Uri;	148
DocumentFile	0	Landroid/support/v4/provider/RawDocumentFile;->deleteContents(Ljava/io/File;)Z	102
DocumentFile	0	Landroid/support/v4/provider/RawDocumentFile;- >createFile(Ljava/lang/String; Ljava/lang/String;)Landroid/support/v4/provider/DocumentFile;	142
DrawableCompatJellyb eanMr1	Failed to retrieve getLayoutDirection() method	Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->getLayoutDirection(Landroid/graphics/drawable/Drawable;)I	102
DrawableCompatJellyb eanMr1	Failed to invoke getLayoutDirection() via reflection	Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->getLayoutDirection(Landroid/graphics/drawable/Drawable;)I	120
DrawableCompatJellyb eanMr1	Failed to retrieve setLayoutDirection(int) method	Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->setLayoutDirection(Landroid/graphics/drawable/Drawable; I)Z	114
DrawableCompatJellyb eanMr1	Failed to invoke setLayoutDirection(int) via reflection	Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->setLayoutDirection(Landroid/graphics/drawable/Drawable; I)Z	132
DrawableUtils	0	Landroid/support/v7/widget/DrawableUtils;- >getOpticalBounds(Landroid/graphics/drawable/Drawable;)Landroid/graphics/Rect;	238
EnvironmentCompat	2	Landroid/support/v4/os/EnvironmentCompat;- >getStorageState(Ljava/io/File;)Ljava/lang/String;	112
Error parsing param record: end of stream.	5	Lcom/google/vrtoolkit/cardboard/PhoneParams;- >readFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/cardbo ard/proto/nano/Phone\$PhoneParams;	226
Error parsing param record: end of stream.	5	Lcom/google/vrtoolkit/cardboard/PhoneParams;- >readFromInputStream(Ljava/io/InputStream;)Lcom/google/vrtoolkit/cardbo ard/proto/nano/Phone\$PhoneParams;	294
FragmentActivity	Activity result delivered for unknown Fragment.	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	60
FragmentActivity	2	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	126
FragmentActivity	Invalid requestCode mapping in savedInstanceState.	Landroid/support/v4/app/FragmentActivity;- >onCreate(Landroid/os/Bundle;)V	162
FragmentActivity	Activity result delivered for unknown Fragment.	Landroid/support/v4/app/FragmentActivity;- >onRequestPermissionsResult(I [Ljava/lang/String; [I)V	60
FragmentActivity	2	Landroid/support/v4/app/FragmentActivity;- >onRequestPermissionsResult(I [Ljava/lang/String; [I)V	126
FragmentManager	7	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	80
FragmentManager	5	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	198
FragmentManager	5	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	332
FragmentManager	6	Landroid/support/v4/app/BackStackRecord;->commitInternal(Z)I	76
FragmentManager	0	Landroid/support/v4/app/BackStackRecord;->popFromBackStack(Z Landroid/support/v4/app/BackStackRecord\$TransitionState; Landroid/util/SparseArray; Landroid/util/SparseArray;)Landroid/support/v4/app/BackStackRecord\$TransitionState;	54
FragmentManager	15	Landroid/support/v4/app/BackStackRecord;->run()V	50
FragmentManager	7	Landroid/support/v4/app/BackStackRecord;->run()V	440

Тад	Message	Caller Code	Path Index
FragmentManager	14	Landroid/support/v4/app/BackStackRecord;->run()V	600
FragmentManager	12	Landroid/support/v4/app/BackStackState;- >instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/sup port/v4/app/BackStackRecord;	150
FragmentManager	12	Landroid/support/v4/app/BackStackState;- >instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/support/v4/app/BackStackRecord;	370
FragmentManager	No field with the name mListener is found in Animation class	Landroid/support/v4/app/FragmentManagerImpl;- >setHWLayerAnimListenerIfAlpha(Landroid/view/View; Landroid/view/animation/Animation;)V	122
FragmentManager	No field with the name mListener is found in Animation class	Landroid/support/v4/app/FragmentManagerImpl;- >setHWLayerAnimListenerIfAlpha(Landroid/view/View; Landroid/view/animation/Animation;)V	140
FragmentManager	Activity state:	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	26
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	98
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;- >throwException(Ljava/lang/RuntimeException;)V	136
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;- >addFragment(Landroid/support/v4/app/Fragment; Z)V	74
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;- >allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	130
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;- >allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	262
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >attachFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >attachFragment(Landroid/support/v4/app/Fragment; I I)V	218
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >detachFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >detachFragment(Landroid/support/v4/app/Fragment; I I)V	138
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->freeBackStackIndex(I)V	86
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;- >hideFragment(Landroid/support/v4/app/Fragment; I I)V	52
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;- >makeActive(Landroid/support/v4/app/Fragment;)V	138
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;- >makeInactive(Landroid/support/v4/app/Fragment;)V	60
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	350
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	424
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1152
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1848
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1924

Tag	Message	Caller Code	Path Index
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	2296
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	2372
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	2448
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	2524
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	2862
FragmentManager	1	Landroid/support/v4/app/FragmentManagerImpl;- >onCreateView(Landroid/view/View; Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View;	346
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >popBackStackState(Landroid/os/Handler; Ljava/lang/String; I I)Z	512
FragmentManager	3	Landroid/support/v4/app/FragmentManagerImpl;- >removeFragment(Landroid/support/v4/app/Fragment; I I)V	78
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Landroid/support/v4/app/FragmentManagerNonConfig;)V	122
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Landroid/support/v4/app/FragmentManagerNonConfig;)V	428
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Landroid/support/v4/app/FragmentManagerNonConfig;)V	540
FragmentManager	13	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Landroid/support/v4/app/FragmentManagerNonConfig;)V	736
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Landroid/support/v4/app/FragmentManagerNonConfig;)V	956
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Landroid/support/v4/app/FragmentManagerNonConfig;)V	1166
FragmentManager	3	Landroid/support/v4/app/FragmentManagerImpl;- >retainNonConfig()Landroid/support/v4/app/FragmentManagerNonConfig;	156
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	460
FragmentManager	saveAllState: no fragments!	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	504
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	756
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	914
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	110
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	218
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	318

Tag	Message	Caller Code	Path Index
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->showFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentManager	3	Landroid/support/v4/app/FragmentState;- >instantiate(Landroid/support/v4/app/FragmentHostCallback; Landroid/support/v4/app/Fragment; Landroid/support/v4/app/FragmentManagerNonConfig;)Landroid/support/v4/app/Fragment;	274
FragmentStatePagerA dapter	5	Landroid/support/v4/app/FragmentStatePagerAdapter;- >restoreState(Landroid/os/Parcelable; Ljava/lang/ClassLoader;)V	266
HardwareDecoder	5	Lcom/aplayer/aplayerandroid/HardwareDecoder;- >Decode21(Ljava/nio/ByteBuffer; J Ljava/nio/ByteBuffer;)I	68
HeadMountedDisplayM anager	Successfully read device params from external storage	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createCardboardDeviceParams()Lcom/google/vrtoolkit/cardboard/Cardbo ardDeviceParams;	20
HeadMountedDisplayM anager	Successfully read device params from asset folder	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createCardboardDeviceParams()Lcom/google/vrtoolkit/cardboard/Cardbo ardDeviceParams;	50
HeadMountedDisplayM anager	4	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createCardboardDeviceParamsFromAssetFolder()Lcom/google/vrtoolkit/c ardboard/CardboardDeviceParams;	142
HeadMountedDisplayM anager	4	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createCardboardDeviceParamsFromAssetFolder()Lcom/google/vrtoolkit/c ardboard/CardboardDeviceParams;	226
HeadMountedDisplayM anager	4	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createCardboardDeviceParamsFromExternalStorage()Lcom/google/vrtool kit/cardboard/CardboardDeviceParams;	140
HeadMountedDisplayM anager	4	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createCardboardDeviceParamsFromExternalStorage()Lcom/google/vrtool kit/cardboard/CardboardDeviceParams;	224
HeadMountedDisplayM anager	Successfully read screen params from external storage	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;->createScreenParams()Lcom/google/vrtoolkit/cardboard/ScreenParams;	28
HeadMountedDisplayM anager	4	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createScreenParamsFromExternalStorage(Landroid/view/Display;)Lcom/ google/vrtoolkit/cardboard/ScreenParams;	140
HeadMountedDisplayM anager	4	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;- >createScreenParamsFromExternalStorage(Landroid/view/Display;)Lcom/ google/vrtoolkit/cardboard/ScreenParams;	224
HeadMountedDisplayM anager	Could not write Cardboard parameters to external storage.	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;->writeCardboardParamsToExternalStorage()V	80
HeadMountedDisplayM anager	5	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;->writeCardboardParamsToExternalStorage()V	166
HeadMountedDisplayM anager	5	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;->writeCardboardParamsToExternalStorage()V	260
HeadMountedDisplayM anager	Successfully wrote Cardboard parameters to external storage.	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;->writeCardboardParamsToExternalStorage()V	304
HeadMountedDisplayM anager	Successfully read updated device params from external storage	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;->onResume()V	54
HeadMountedDisplayM anager	Successfully read updated screen params from external storage	Lcom/google/vrtoolkit/cardboard/HeadMountedDisplayManager;->onResume()V	122
IntentReader	Could not retrieve icon for calling activity	Landroid/support/v4/app/ShareCompat\$IntentReader;->getCallingActivityIcon()Landroid/graphics/drawable/Drawable;	48
IntentReader	Could not retrieve icon for calling application	Landroid/support/v4/app/ShareCompat\$IntentReader;- >getCallingApplicationIcon()Landroid/graphics/drawable/Drawable;	48

Tag	Message	Caller Code	Path Index
IntentReader	Could not retrieve label for calling application	Landroid/support/v4/app/ShareCompat\$IntentReader;- >getCallingApplicationLabel()Ljava/lang/CharSequence;	58
Landroid/os/Handler;	NativeProxy not found	Lcom/google/vrtoolkit/cardboard/CardboardViewNativeImpl;-> (Landroid/content/Context; Landroid/opengl/GLSurfaceView;)V	622
LayoutInflaterCompatH C	3	Landroid/support/v4/view/LayoutInflaterCompatHC;- >forceSetFactory2(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	134
LayoutInflaterCompatH C	3	Landroid/support/v4/view/LayoutInflaterCompatHC;- >forceSetFactory2(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	198
Lcom/aplayer/aplayera ndroid/APlayerAndroid \$1;	APlayerAndroid construct	Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V	112
ListPopupWindow	Could not find method setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->()V	140
ListPopupWindow	Could not find method getMaxAvailableHeight(View, int, boolean) on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->()V	158
ListPopupWindow	Could not find method setEpicenterBounds(Rect) on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->()V	176
ListPopupWindow	5	Landroid/support/v7/widget/ListPopupWindow;->buildDropDown()I	394
ListPopupWindow	Could not call getMaxAvailableHeightMethod(View, int, boolean) on PopupWindow. Using the public version.	Landroid/support/v7/widget/ListPopupWindow;- >getMaxAvailableHeight(Landroid/view/View; I Z)I	88
ListPopupWindow	Could not call setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V	54
ListPopupWindow	Could not invoke setEpicenterBounds on PopupWindow	Landroid/support/v7/widget/ListPopupWindow;->show()V	564
Ljava/lang/ref/WeakRef erence;	4	Lcom/aplayer/aplayerandroid/APlayerAndroid;->()V	278
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->callOnLoadFinished(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	136
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->cancel()Z	50
LoaderManager	7	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->destroy()V	54
LoaderManager	7	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->destroy()V	152
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->finishRetain()V	58
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->onLoadCanceled(Landroid/support/v4/content/Loader;)V	52
LoaderManager	Ignoring load canceled destroyed	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->onLoadCanceled(Landroid/support/v4/content/Loader;)V	82
LoaderManager	Ignoring load canceled not active	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->onLoadCanceled(Landroid/support/v4/content/Loader;)V	130
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->onLoadCanceled(Landroid/support/v4/content/Loader;)V	196
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	52

Tag	Message	Caller Code	Path Index
LoaderManager	Ignoring load complete destroyed	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	82
LoaderManager	Ignoring load complete not active	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	130
LoaderManager	1	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	196
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->retain()V	50
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->start()V	86
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->stop()V	52
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl;->destroyLoader(I)V	94
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	58
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	172
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	50
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	126
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	50
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	126
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	50
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	126
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->finishRetain()V	58
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	110
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	178
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/supp ort/v4/content/Loader;	270
LoaderManager	8	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	112
LoaderManager	1	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	200
LoaderManager	Current loader is stopped; replacing	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	280
LoaderManager	Current loader is running; configuring pending loader	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	320

Тад	Message	Caller Code	Path Index
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	388
LoaderManager	Enqueuing as new pending loader	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	424
LoaderManager	1	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	502
LocalBroadcastManag er	0	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	190
LocalBroadcastManag er	9	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	278
LocalBroadcastManag er	0	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	374
LocalBroadcastManag er	0	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	400
LocalBroadcastManag er	0	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	500
LocalBroadcastManag er	12	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	600
MBServiceCompat	4	Landroid/support/v4/media/MediaBrowserServiceCompat\$1;->onResultSent(Ljava/util/List; I)V	122
MBServiceCompat	4	Landroid/support/v4/media/MediaBrowserServiceCompat\$1;->onResultSent(Ljava/util/List; I)V	254
MBServiceCompat	5	Landroid/support/v4/media/MediaBrowserServiceCompat\$MediaBrowserServiceImplBase\$1;->run()V	152
MBServiceCompat	5	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceBinderIm pl\$1;->run()V	194
MBServiceCompat	5	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceBinderIm pl\$1;->run()V	260
MBServiceCompat	5	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceBinderIm pl\$1;->run()V	398
MBServiceCompat	4	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceBinderIm pl\$3;->run()V	86
MBServiceCompat	4	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceBinderIm pl\$4;->run()V	86
MBServiceCompat	4	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceBinderIm pl\$4;->run()V	180
MBServiceCompat	4	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceBinderIm pl\$5;->run()V	86
MBServiceCompat	3	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceHandler;->handleMessage(Landroid/os/Message;)V	106
MBServiceCompat	3	Landroid/support/v4/media/MediaBrowserServiceCompat;->()V	6
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$CallbackHandler;->handleMessage(Landroid/os/Message;)V	166
MediaBrowserCompat	Remote error unregistering client messenger.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->disconnect()V	52

Тад	Message	Caller Code	Path Index
MediaBrowserCompat	Not connected, unable to retrieve the Medialtem.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	72
MediaBrowserCompat	6	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	204
MediaBrowserCompat	Remote error registering client messenger.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->onConnected()V	110
MediaBrowserCompat	7	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->onLoadChildren(Landroid/os/Messenger; Ljava/lang/String; Ljava/util/List; Landroid/os/Bundle;)V	80
MediaBrowserCompat	6	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->subscribe(Ljava/lang/String; Landroid/os/Bundle; Landroid/support/v4/media/MediaBrowserCompat\$SubscriptionCallback;)V	148
MediaBrowserCompat	9	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->unsubscribe(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$SubscriptionCallback;)V	224
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection\$1;->run()V	78
MediaBrowserCompat	ServiceCallbacks.onConnect	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection\$1;->run()V	252
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection\$1;->run()V	372
MediaBrowserCompat	ServiceCallbacks.onConnect	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection\$1;->run()V	394
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection\$2;->run()V	108
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection;->isCurrent(Ljava/lang/String;)Z	130
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->isCurrent(Landroid/os/Messenger; Ljava/lang/String;)Z	114
MediaBrowserCompat	connect	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->connect()V	380
MediaBrowserCompat	6	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->connect()V	442
MediaBrowserCompat	disconnect	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->disconnect()V	44
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->disconnect()V	106
MediaBrowserCompat	MediaBrowserCompat	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	8
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	60
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	112
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	164
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	224
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	276

Tag	Message	Caller Code	Path Index
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	328
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	380
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	432
MediaBrowserCompat	2	Land roid/support/v4/media/Media Browser Compat\$ Media Browser Impl Base ; -> dump() V	484
MediaBrowserCompat	Not connected, unable to retrieve the Medialtem.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	66
MediaBrowserCompat	Remote error getting media item.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	134
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->onConnectionFailed(Landroid/os/Messenger;)V	46
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onConnectionFailed(Landroid/os/Messenger;)V	146
MediaBrowserCompat	8	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onLoadChildren(Landroid/os/Messenger; Ljava/lang/String; Ljava/util/List; Landroid/os/Bundle;)V	94
MediaBrowserCompat	8	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onLoadChildren(Landroid/os/Messenger; Ljava/lang/String; Ljava/util/List; Landroid/os/Bundle;)V	170
MediaBrowserCompat	10	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onServiceConnected(Landroid/os/Messenger; Ljava/lang/String; Landroid/support/v4/media/session/MediaSessionCompat\$Token; Landroid/os/Bundle;)V	94
MediaBrowserCompat	ServiceCallbacks.onConnect	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onServiceConnected(Landroid/os/Messenger; Ljava/lang/String; Landroid/support/v4/media/session/MediaSessionCompat\$Token; Landroid/os/Bundle;)V	144
MediaBrowserCompat	addSubscription failed with RemoteException.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onServiceConnected(Landroid/os/Messenger; Ljava/lang/String; Landroid/support/v4/media/session/MediaSessionCompat\$Token; Landroid/os/Bundle;)V	326
MediaBrowserCompat	6	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->subscribe(Ljava/lang/String; Landroid/os/Bundle; Landroid/support/v4/media/MediaBrowserCompat\$SubscriptionCallback;)V	124
MediaBrowserCompat	10	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->unsubscribe(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$SubscriptionCallback;)V	216
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat;->()V	6
MediaButtonReceiver	The component name of media button receiver should be provided.	Landroid/support/v4/media/session/MediaButtonReceiver;- >buildMediaButtonPendingIntent(Landroid/content/Context; Landroid/content/ComponentName; J)Landroid/app/PendingIntent;	16
MediaButtonReceiver	More than one BroadcastReceiver that handles android.intent.action.MEDIA_BUTTON was found, returning null.	Landroid/support/v4/media/session/MediaButtonReceiver;- >getMediaButtonReceiverComponent(Landroid/content/Context;)Landroid/ content/ComponentName;	120
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->adjustVolume(I I)V	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->dispatchMediaButtonEvent(Landroid/view/KeyEvent;)Z	78

Tag	Message	Caller Code	Path Index
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getExtras()Landroid/os/Bundle;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getFlags()J	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >getMetadata()Landroid/support/v4/media/MediaMetadataCompat;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getPackageName()Ljava/lang/String;	58
MediaControllerCompa t	6	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >getPlaybackInfo()Landroid/support/v4/media/session/MediaControllerCompat\$PlaybackInfo;	88
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >getPlaybackState()Landroid/support/v4/media/session/PlaybackStateCompat;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getQueue()Ljava/util/List;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getQueueTitle()Ljava/lang/CharSequence;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getRatingType()I	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getSessionActivity()Landroid/app/PendingIntent;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >registerCallback(Landroid/support/v4/media/session/MediaControllerCompat\$Callback; Landroid/os/Handler;)V	120
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->sendCommand(Ljava/lang/String; Landroid/os/Bundle; Landroid/os/ResultReceiver;)V	66
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->setVolumeTo(I I)V	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >unregisterCallback(Landroid/support/v4/media/session/MediaControllerCompat\$Callback;)V	114
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->fastForward()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->pause()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->play()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->playFromMediaId(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->playFromSearch(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->playFromUri(Landroid/net/Uri; Landroid/os/Bundle;)V	56
MediaControllerCompa t	0	Land roid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase; -> prepare() V	56

Тад	Message	Caller Code	Path Index
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->prepareFromMediaId(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->prepareFromSearch(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->prepareFromUri(Landroid/net/Uri; Landroid/os/Bundle;)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->rewind()V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->seekTo(J)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->sendCustomAction(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->setRating(Landroid/support/v4/media/RatingCompat;)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->skipToNext()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->skipToPrevious()V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->skipToQueueItem(J)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->stop()V	56
MediaMetadata	Failed to retrieve a key as Bitmap.	Landroid/support/v4/media/MediaMetadataCompat;- >getBitmap(Ljava/lang/String;)Landroid/graphics/Bitmap;	34
MediaMetadata	Failed to retrieve a key as Rating.	Landroid/support/v4/media/MediaMetadataCompat;->getRating(Ljava/lang/String;)Landroid/support/v4/media/RatingCompat;	68
MediaSessionCompat Api18	Unable to register media button event receiver with PendingIntent, falling back to ComponentName.	Landroid/support/v4/media/session/MediaSessionCompatApi18;- >registerMediaButtonEventReceiver(Landroid/content/Context; Landroid/app/PendingIntent; Landroid/content/ComponentName;)V	56
MediaSessionCompat Api24	Cannot execute MediaSession.getCallingPackage()	Landroid/support/v4/media/session/MediaSessionCompatApi24;->getCallingPackage(Ljava/lang/Object;)Ljava/lang/String;	62
MenultemCompat	getActionProvider: item does not implement SupportMenuItem; returning null	Landroid/support/v4/view/MenuItemCompat;- >getActionProvider(Landroid/view/MenuItem;)Landroid/support/v4/view/Act ionProvider;	30
MenuItemCompat	setActionProvider: item does not implement SupportMenuItem; ignoring	Landroid/support/v4/view/MenuItemCompat;- >setActionProvider(Landroid/view/MenuItem; Landroid/support/v4/view/ActionProvider;)Landroid/view/MenuItem;	30
MenultemWrapper	Error while calling setExclusiveCheckable	Landroid/support/v7/view/menu/MenuItemWrapperICS;->setExclusiveCheckable(Z)V	102
MenuPopupWindow	Could not find method setTouchModal() on PopupWindow. Oh well.	Landroid/support/v7/widget/MenuPopupWindow;->()V	48
MenuPopupWindow	Could not invoke setTouchModal() on PopupWindow. Oh well.	Landroid/support/v7/widget/MenuPopupWindow;->setTouchModal(Z)V	54
MultiDex	Exception in makeDexElement	Landroid/support/multidex/MultiDex\$V19;->install(Ljava/lang/ClassLoader; Ljava/util/List; Ljava/io/File;)V	110
MultiDex	8	Landroid/support/multidex/MultiDex;- >clearOldDexDir(Landroid/content/Context;)V	96
MultiDex	8	Landroid/support/multidex/MultiDex;- >clearOldDexDir(Landroid/content/Context;)V	176

Tag	Message	Caller Code	Path Index
MultiDex	8	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	344
MultiDex	8	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	406
MultiDex	8	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	476
MultiDex	8	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	536
MultiDex	Failure while trying to obtain ApplicationInfo from Context. Must be running in test mode. Skip patching.	Landroid/support/multidex/MultiDex;- >getApplicationInfo(Landroid/content/Context;)Landroid/content/pm/ApplicationInfo;	38
MultiDex	install	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	14
MultiDex	VM has multidex support, MultiDex support library is disabled.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	36
MultiDex	Multidex installation failure	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	196
MultiDex	10	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	428
MultiDex	Context class loader is null. Must be running in test mode. Skip patching.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	454
MultiDex	Failure while trying to obtain Context class loader. Must be running in test mode. Skip patching.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	476
MultiDex	install done	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	550
MultiDex	Something went wrong when trying to clear old MultiDex extraction, continuing without cleaning.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	570
MultiDex	Files were not valid zip files. Forcing a reload.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	586
MultiDex	4	Landroid/support/multidex/MultiDex;- >isVMMultidexCapable(Ljava/lang/String;)Z	150
MultiDex	Failed to close resource	Landroid/support/multidex/MultiDexExtractor;- >closeQuietly(Ljava/io/Closeable;)V	18
MultiDex	9	Landroid/support/multidex/MultiDexExtractor;->extract(Ljava/util/zip/ZipFile; Ljava/util/zip/ZipEntry; Ljava/io/File; Ljava/lang/String;)V	80
MultiDex	9	Landroid/support/multidex/MultiDexExtractor;->extract(Ljava/util/zip/ZipFile; Ljava/util/zip/ZipEntry; Ljava/io/File; Ljava/lang/String;)V	252
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;- >load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	78
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;- >load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	192
MultiDex	Failed to reload existing extracted secondary dex files, falling back to fresh extraction	Landroid/support/multidex/MultiDexExtractor;- >load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	210
MultiDex	Detected that extraction must be performed.	Landroid/support/multidex/MultiDexExtractor;- >load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	262
MultiDex	loading existing secondary dex files	Landroid/support/multidex/MultiDexExtractor;- >loadExistingExtractions(Landroid/content/Context; Ljava/io/File; Ljava/io/File;)Ljava/util/List;	8

Tag	Message	Caller Code	Path Index
MultiDex	0	Landroid/support/multidex/MultiDexExtractor;- >loadExistingExtractions(Landroid/content/Context; Ljava/io/File; Ljava/io/File;)Ljava/util/List;	226
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;- >mkdirChecked(Ljava/io/File;)V	92
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;- >mkdirChecked(Ljava/io/File;)V	346
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;- >performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	240
MultiDex	12	Landroid/support/multidex/MultiDexExtractor;- >performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	474
MultiDex	Failed to close resource	Landroid/support/multidex/MultiDexExtractor;- >performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	676
MultiDex	Failed to close resource	Landroid/support/multidex/MultiDexExtractor;- >performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	694
MultiDex	9	Landroid/support/multidex/MultiDexExtractor;->prepareDexDir(Ljava/io/File; Ljava/lang/String;)V	104
MultiDex	9	Landroid/support/multidex/MultiDexExtractor;->prepareDexDir(Ljava/io/File; Ljava/lang/String;)V	272
MultiDex	9	Landroid/support/multidex/MultiDexExtractor;->prepareDexDir(Ljava/io/File; Ljava/lang/String;)V	334
MultiDex	5	Landroid/support/multidex/MultiDexExtractor;->verifyZipFile(Ljava/io/File;)Z	72
MultiDex	5	Landroid/support/multidex/MultiDexExtractor;->verifyZipFile(Ljava/io/File;)Z	146
MultiDex	5	Landroid/support/multidex/MultiDexExtractor;->verifyZipFile(Ljava/io/File;)Z	206
NavUtils	7	Landroid/support/v4/app/NavUtils\$NavUtilsImplBase;- >getParentActivityIntent(Landroid/app/Activity;)Landroid/content/Intent;	124
NestedScrollView	2	Landroid/support/v4/widget/NestedScrollView;- >onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	120
NestedScrollView	5	Landroid/support/v4/widget/NestedScrollView;- >onTouchEvent(Landroid/view/MotionEvent;)Z	362
NetworkUtils	context is null!	Lcom/ta/utdid2/android/utils/NetworkUtils;- >getConnManager(Landroid/content/Context;)Landroid/net/ConnectivityMa nager;	12
NetworkUtils	connManager is null!	Lcom/ta/utdid2/android/utils/NetworkUtils;- >isConnected(Landroid/content/Context;)Z	66
NetworkUtils	1	Lcom/ta/utdid2/android/utils/NetworkUtils;- >isConnectedToWeakNetwork(Landroid/content/Context;)Z	104
NetworkUtils	networkInfo is null!	Lcom/ta/utdid2/android/utils/NetworkUtils;- >isConnectedToWeakNetwork(Landroid/content/Context;)Z	148
NetworkUtils	connManager is null!	Lcom/ta/utdid2/android/utils/NetworkUtils;- >isConnectedToWeakNetwork(Landroid/content/Context;)Z	186
NfcSensor	2	Lcom/google/vrtoolkit/cardboard/sensors/NfcSensor;- >onNewNfcTag(Landroid/nfc/Tag;)V	364
NfcSensor	Ndef technology not available. Falling back to NdefFormattable.	Lcom/google/vrtoolkit/cardboard/sensors/NfcSensor;- >writeUri(Landroid/net/Uri;)V	496
NoHttpDownloader	Download request is canceled.	Lcom/yolanda/nohttp/download/Downloader;->download(I Lcom/yolanda/nohttp/download/DownloadRequest; Lcom/yolanda/nohttp/download/DownloadListener;)V	1994

Tag	Message	Caller Code	Path Index
NoHttpDownloader	Download request is canceled.	Lcom/yolanda/nohttp/download/Downloader;->download(I Lcom/yolanda/nohttp/download/DownloadRequest; Lcom/yolanda/nohttp/download/DownloadListener;)V	2168
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >ensureServiceBound(Landroid/support/v4/app/NotificationManagerComp at\$SideChannelManager\$ListenerRecord;)Z	124
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	108
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	166
NotifManCompat	1	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	220
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	296
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	354
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	410
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	160
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	198
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	264
NotifManCompat	10	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	234
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	302
NotifManCompat	0	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	356
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	452

Tag	Message	Caller Code	Path Index
NotifManCompat	9	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:	514
NotifManCompat	3	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;->onServiceConnected(Landroid/content/ComponentName; Landroid/os/IBinder;)V	60
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;->onServiceDisconnected(Landroid/content/ComponentName;)V	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->onServiceDisconnected(Landroid/content/ComponentName;)V	60
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->ensureActionReflectionReadyLocked()Z	152
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->ensureActionReflectionReadyLocked()Z	174
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;- >getAction(Landroid/app/Notification; I Landroid/support/v4/app/NotificationCompatBase\$Action\$Factory; Landroid/support/v4/app/RemoteInputCompatBase\$RemoteInput\$Factory;) Landroid/support/v4/app/NotificationCompatBase\$Action;	130
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;- >getActionObjectsLocked(Landroid/app/Notification;)[Ljava/lang/Object;	66
NotificationCompat	Notification.extras field is not of type Bundle	Landroid/support/v4/app/NotificationCompatJellybean;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	78
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	168
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	196
PathParser	Points are coincident	Landroid/support/graphics/drawable/PathParser\$PathDataNode;->drawArc(Landroid/graphics/Path; F F F F F F Z Z)V	226
PopupWindowCompat Api21	Could not fetch mOverlapAnchor field from PopupWindow	Landroid/support/v4/widget/PopupWindowCompatApi21;->()V	44
PopupWindowCompat Api21	Could not get overlap anchor field in PopupWindow	Landroid/support/v4/widget/PopupWindowCompatApi21;->getOverlapAnchor(Landroid/widget/PopupWindow;)Z	44
PopupWindowCompat Api21	Could not set overlap anchor field in PopupWindow	Landroid/support/v4/widget/PopupWindowCompatApi21;->setOverlapAnchor(Landroid/widget/PopupWindow; Z)V	38
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory\$Options;)Landroid/graphics/Bitmap;	82
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory\$Options;)Landroid/graphics/Bitmap;	114
Rating	Invalid percentage-based rating value	Landroid/support/v4/media/RatingCompat;- >newPercentageRating(F)Landroid/support/v4/media/RatingCompat;	30
Rating	4	Landroid/support/v4/media/RatingCompat;->newStarRating(IF)Landroid/support/v4/media/RatingCompat;	66
Rating	Trying to set out of range star-based rating	Landroid/support/v4/media/RatingCompat;->newStarRating(IF)Landroid/support/v4/media/RatingCompat;	104
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput\$ImplBase;- >addResultsToIntent([Landroid/support/v4/app/RemoteInput; Landroid/content/Intent; Landroid/os/Bundle;)V	8

Tag	Message	Caller Code	Path Index
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput\$ImplBase;->getResultsFromIntent(Landroid/content/Intent;)Landroid/os/Bundle;	8
RoundedBitmapDrawa bleFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/io/InputStream;)Landroid/support/v4/graphics/drawable/RoundedBitmapDrawable;	70
RoundedBitmapDrawa bleFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/lang/String;)Landroid/support/v4/graphics/drawable/RoundedBitmap Drawable;	70
SearchView	6	Landroid/support/v7/widget/SearchView;- >createIntentFromSuggestion(Landroid/database/Cursor; I Ljava/lang/String;)Landroid/content/Intent;	258
SearchView	5	Landroid/support/v7/widget/SearchView;->launchIntent(Landroid/content/Intent;)V	66
SearchView	Could not find voice search activity	Landroid/support/v7/widget/SearchView;->onVoiceClicked()V	64
SlidingPaneLayout	1	Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB; ->()V	76
SlidingPaneLayout	1	Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB; ->()V	94
SlidingPaneLayout	Error refreshing display list state	Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB; ->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V	62
SlidingPaneLayout	6	Landroid/support/v4/widget/SlidingPaneLayout;- >drawChild(Landroid/graphics/Canvas; Landroid/view/View; J)Z	322
SlidingPaneLayout	onMeasure: More than two child views are not supported.	Landroid/support/v4/widget/SlidingPaneLayout;->onMeasure(I I)V	156
SuggestionsAdapter	9	Landroid/support/v7/widget/SuggestionsAdapter;- >getActivityIcon(Landroid/content/ComponentName;)Landroid/graphics/dra wable/Drawable;	160
SuggestionsAdapter	7	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	160
SuggestionsAdapter	10	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	306
SuggestionsAdapter	10	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	370
SuggestionsAdapter	10	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawableFromResourceValue(Ljava/lang/String;)Landroid/graphics/dr awable/Drawable;	230
SuggestionsAdapter	unexpected error retrieving valid column from cursor, did the remote process die?	Landroid/support/v7/widget/SuggestionsAdapter;- >getStringOrNull(Landroid/database/Cursor; I)Ljava/lang/String;	30
SuggestionsAdapter	Tried to change cursor after adapter was closed.	Landroid/support/v7/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V	16
SuggestionsAdapter	error changing cursor and caching columns	Landroid/support/v7/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V	152
SuggestionsAdapter	Search suggestions cursor threw exception.	Landroid/support/v7/widget/SuggestionsAdapter;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	20
SuggestionsAdapter	Search suggestions query threw an exception.	Landroid/support/v7/widget/SuggestionsAdapter;- >runQueryOnBackgroundThread(Ljava/lang/CharSequence;)Landroid/data base/Cursor;	96

Tag	Message	Caller Code	Path Index
SupportMenuInflater	7	Landroid/support/v7/view/SupportMenuInflater\$MenuState;- >newInstance(Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;	94
SupportMenuInflater	The android:onClick attribute cannot be used within a restricted context	Landroid/support/v7/view/SupportMenuInflater\$MenuState;->setItem(Landroid/view/MenuItem;)V	370
SupportMenuInflater	1	Landroid/support/v7/view/SupportMenuInflater\$MenuState;->readItem(Landroid/util/AttributeSet;)V	468
TaskStackBuilder	Bad ComponentName while traversing activity parent metadata	Landroid/support/v4/app/TaskStackBuilder;- >addParentStack(Landroid/content/ComponentName;)Landroid/support/v4/ app/TaskStackBuilder;	70
TextViewCompatGinge rbread	4	Landroid/support/v4/widget/TextViewCompatGingerbread;- >retrieveField(Ljava/lang/String;)Ljava/lang/reflect/Field;	80
TextViewCompatGinge rbread	3	Landroid/support/v4/widget/TextViewCompatGingerbread;- >retrieveIntFromField(Ljava/lang/reflect/Field; Landroid/widget/TextView;)I	74
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/widget/ToolbarWidgetWrapper;- >initIndeterminateProgress()V	8
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/widget/ToolbarWidgetWrapper;->initProgress()V	8
TwilightManager	Failed to get last known location	Landroid/support/v7/app/TwilightManager;- >getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location;	48
TwilightManager	Could not get last known location. This is probably because the app does not have any location permissions. Falling back to hardcoded sunrise/sunset values.	Landroid/support/v7/app/TwilightManager;->isNight()Z	54
VdcInflateDelegate	Exception while inflating	Landroid/support/v7/widget/AppCompatDrawableManager\$VdcInflateDeleg ate;->createFromXmlInner(Landroid/content/Context; Lorg/xmlpull/v1/XmlPullParser; Landroid/util/AttributeSet; Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable;	28
VectorDrawableCompa t	4	Landroid/support/graphics/drawable/VectorDrawableCompat\$VPath;->printVPath(I)V	140
VectorDrawableCompa t	parser error	Landroid/support/graphics/drawable/VectorDrawableCompat;- >create(Landroid/content/res/Resources; I Landroid/content/res/Resources\$Theme;)Landroid/support/graphics/drawa ble/VectorDrawableCompat;	128
VectorDrawableCompa t	parser error	Landroid/support/graphics/drawable/VectorDrawableCompat;- >create(Landroid/content/res/Resources; I Landroid/content/res/Resources\$Theme;)Landroid/support/graphics/drawa ble/VectorDrawableCompat;	158
VectorDrawableCompa t	5	Landroid/support/graphics/drawable/VectorDrawableCompat;- >printGroupTree(Landroid/support/graphics/drawable/VectorDrawableCompat\$VGroup; I)V	136
VectorDrawableCompa t	5	Landroid/support/graphics/drawable/VectorDrawableCompat;- >printGroupTree(Landroid/support/graphics/drawable/VectorDrawableCompat\$VGroup; I)V	208
ViewCompat	dispatchFinishTemporaryDetach	Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpI;->bindTempDetach()V	70
viewCompat	Error calling dispatchFinishTemporaryDetach	Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V	50
viewCompat	Error calling dispatchStartTemporaryDetach	Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V	50
ViewDragHelper	2	Landroid/support/v4/widget/ViewDragHelper;- >isValidPointerForActionMove(I)Z	90

Tag	Message	Caller Code	Path Index
/iewPager	10	Landroid/support/v4/view/ViewPager;->arrowScroll(I)Z	304
√iewPager	3	Landroid/support/v4/view/ViewPager;->setOffscreenPageLimit(I)V	68
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedFling(Landroid/view/ViewParent; Landroid/view/View; F F Z)Z	78
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedPreFling(Landroid/view/ViewParent; Landroid/view/View; F F)Z	78
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedPreScroll(Landroid/view/ViewParent; Landroid/view/View; I I [I)V	76
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedScroll(Landroid/view/ViewParent; Landroid/view/View; I I I I)V	76
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedScrollAccepted(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)V	76
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onStartNestedScroll(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)Z	78
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onStopNestedScroll(Landroid/view/ViewParent; Landroid/view/View;)V	76
ViewUtils	Could not find method computeFitSystemWindows. Oh well.	Landroid/support/v7/widget/ViewUtils;->()V	98
ViewUtils	Could not find method makeOptionalFitsSystemWindows. Oh well	Landroid/support/v7/widget/ViewUtils;- >makeOptionalFitsSystemWindows(Landroid/view/View;)V	82
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/widget/ViewUtils;- >makeOptionalFitsSystemWindows(Landroid/view/View;)V	100
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/widget/ViewUtils;- >makeOptionalFitsSystemWindows(Landroid/view/View;)V	118
WakefulBroadcastRece iver	0	Landroid/support/v4/content/WakefulBroadcastReceiver;->completeWakefulIntent(Landroid/content/Intent;)Z	112
[init] initial Multi-times, ignore this.	[init] context of init() is null, check it.	Lcom/tencent/bugly/b;->a(Landroid/content/Context; Lcom/tencent/bugly/BuglyStrategy;)V	46
[init] initial Multi-times, ignore this.	[init] context of init() is null, check it.	Lcom/tencent/bugly/b;->a(Landroid/content/Context; Ljava/lang/String; Z Lcom/tencent/bugly/BuglyStrategy;)V	52
csd-0	2	Lcom/aplayer/aplayerandroid/HardwareDecoder;->CreateCodec(Ljava/nio/ByteBuffer;)I	270
csd-0	5	Lcom/aplayer/aplayerandroid/HardwareDecoder;->CreateCodec(Ljava/nio/ByteBuffer;)I	310
no context!	0	Lcom/ta/utdid2/aid/AidStorageController;- >getAidGenTimeFromSP(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)J	122
unknown	getUserDataValue args context should not be null	Lcom/tencent/bugly/crashreport/CrashReport;- >getUserData(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;	40
unknown	removeUserData args context should not be null	Lcom/tencent/bugly/crashreport/CrashReport;- >removeUserData(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;	44

ScreenShots

