

Report

General Information

| | |
|---------------------|--|
| Analysis Start Time | 2016-12-21 16:08:30 |
| Analysis End Time | 2016-12-21 16:11:37 |
| File MD5 | 0CBEE2044CBD7213EC975775FA3D8A50 |
| File Size | 1.45 MB |
| File Name | Safe_3.0.apk |
| Package Name | com.cafeappli.safe |
| Version Code | 930614 |
| Version Name | 3.0 |
| Min SDK | 7 |
| Target SDK | 19 |
| Max SDK | N/A |
| Pcap File |  (/file_download?md5=0CBEE2044CBD7213EC975775FA3D8A50&type=pcap) |
| Logcat File |  (/file_download?md5=0CBEE2044CBD7213EC975775FA3D8A50&type=logcat) |



Risk Score







Risky Behaviors

| |
|-----------------------------------|
| Connects to the Internet |
| Encrypt or Decrypt data |
| Exist unused permissions |
| Open camera |
| Sends a multi-part text based SMS |
| Sends a text based SMS |
| Takes picture |
| Utilizes Java reflection |

Malware Detected by VirusTotal

(<https://www.virustotal.com/en/file/7ffdba36089009ead8228c7dab4fab86eb24e53802302976d0c5caada67c1c5b/an>)


| | |
|-------------|---|
| AVG |  |
| Ad-Aware |  |
| BitDefender |  |
| ESET-NOD32 |  |

| | |
|-----------|----------------------------|
| F-Secure | Trojan:Android/Fakeinst.NG |
| Fortinet | ✓ |
| Kaspersky | ✓ |
| McAfee | ✓ |
| Qihoo-360 | ✓ |
| Symantec | ✓ |

Certificate

| | |
|---------|---|
| Content | Owner: CN=Mohsen Arsanjani, OU=Software, O=Algorithm City, L=Mashhad, ST=Khorasan Razavi, C=IR Issuer: CN=Mohsen Arsanjani, OU=Software, O=Algorithm City, L=Mashhad, ST=Khorasan Razavi, C=IR Serial number: 145815de Valid from: Sat Jan 11 02:54:48 CST 2014 until: Wed Jan 05 02:54:48 CST 2039 Certificate fingerprints: MD5: A1:97:8D:28:DA:97:BD:03:7B:94:E2:64:F1:5A:D6:4E SHA1: DA:CD:CC:74:C8:2F:2D:DC:14:C3:6D:30:ED:56:2A:65:B8:00:A4:60 SHA256: A7:20:ED:92:62:9C:11:C0:B6:33:FE:5B:1B:3F:99:DF:22:C4:46:69:C8:F9:03:E3:76:22:45:58:75:2C:88:6C Signature algorithm name: SHA256withRSA Version: 3 Extensions: #1: ObjectId: 2.5.29.14 Criticality=false SubjectKeyIdentifier [KeyIdentifier [0000: ED 9C D9 27 BB 74 4E 5E 22 E8 99 2C B8 B9 37 89 ...:tN^".....7. 0010: 80 37 37 F3 .77.]] |
| Sha1 | DACDCC74C82F2DDC14C36D30ED562A65B800A460 |














Classification



Code Features

| Code Feature | Used |
|-----------------|------|
| Native Code | ✖ |
| Dynamic Loader | ✖ |
| Java Reflection | ✔ |
| Crypto | ✔ |

Permissions

| Permission Name | Protection Level | Threat Level | Customized | Duplicated | Used | Description |
|---|------------------|---|------------|------------|------|---|
| android.permission.CALL_PHONE | dangerous |  | ✖ | ✖ | ✔ | Allows an application to initiate a phone call without going through being placed. |
| android.permission.CAMERA | dangerous |  | ✖ | ✖ | ✔ | Used for permissions that are associated with accessing camera or capturing images/video from the device. Required to be able to access the camera device. install on devices that don't support all camera features. |
| android.permission.PROCESS_OUTGOING_CALLS | dangerous |  | ✖ | ✖ | ✔ | Used for permissions that are associated with accessing and modifyign and modifying the phone state. Allows an application to monitor, modify, or abort outgoing calls. |
| android.permission.READ_CALL_LOG | dangerous |  | ✖ | ✖ | ✔ | Allows an application to read the user's call log. targetSdkVersion is 16 or higher. |
| android.permission.READ_CONTACTS | dangerous |  | ✖ | ✖ | ✔ | Used for permissions that provide access to the user's social connections, expressed as two distinct permissions). Allows an application to read the user's contacts data. |
| android.permission.READ_PHONE_STATE | dangerous |  | ✖ | ✖ | ✔ | Allows read only access to phone state. targetSdkVersion is 4 or higher. |
| android.permission.READ_SMS | dangerous |  | ✖ | ✖ | ✔ | Allows an application to read SMS messages. |
| android.permission.RECEIVE_BOOT_COMPLETED | normal |  | ✖ | ✖ | ✔ | Allows an application to receive the to the user. |
| android.permission.RECEIVE_SMS | dangerous |  | ✖ | ✖ | ✔ | Allows an application to monitor incoming SMS messages, to record or perform processing on them. |
| android.permission.SEND_SMS | dangerous |  | ✖ | ✖ | ✔ | Used for permissions that allow an application to send messages receiving or reading an MMS. Allows an application to send SMS messages. |
| android.permission.VIBRATE | normal |  | ✖ | ✖ | ✔ | Allows access to the vibrator |
| android.permission.WRITE_CALL_LOG | dangerous |  | ✖ | ✖ | ✖ | Allows an application to write (but not read) the user's targetSdkVersion is 16 or higher. |
| android.permission.WRITE_CONTACTS | dangerous |  | ✖ | ✖ | ✖ | Allows an application to write (but not read) the user's contacts data. |

| Permission Name | Protection Level | Threat Level | Customized | Duplicated | Used | Description |
|---|------------------|------------------------|------------|------------|------|---|
| android.permission.WRITE_EXTERNAL_STORAGE | dangerous | <div><div></div></div> | ✖ | ✖ | ✖ | Allows an application to write to external storage. { android.content.Context#getExternalCacheDir}. |
| android.permission.WRITE_SMS | dangerous | <div><div></div></div> | ✖ | ✖ | ✖ | Allows an application to write SMS messages. |

Activities

| Name | Main Activity | Exposed |
|---|---------------|---------|
| com.cafeappli.safe.activity.Contact_Info | ✖ | ✔ |
| com.cafeappli.safe.activity.Contact_List | ✖ | ✔ |
| com.cafeappli.safe.activity.Contacts_Search | ✖ | ✔ |
| com.cafeappli.safe.activity.LogViewer <ul style="list-style-type: none">android.intent.action.SENDandroid.intent.action.SENDTO | ✖ | ✔ |
| com.cafeappli.safe.activity.LoginActivity <ul style="list-style-type: none">android.intent.action.MAIN | ✔ | ✔ |
| com.cafeappli.safe.activity.MainActivity | ✖ | ✔ |
| com.cafeappli.safe.activity.NonUiActivity | ✖ | ✔ |
| com.cafeappli.safe.activity.PhotoActivity | ✖ | ✔ |
| com.cafeappli.safe.activity.PhotoSelectActivity | ✖ | ✔ |
| com.cafeappli.safe.activity.PreferenceActivity | ✖ | ✔ |
| com.cafeappli.safe.activity.Private_Contact_List | ✖ | ✔ |
| com.cafeappli.safe.activity.ThiefActivity | ✖ | ✔ |
| com.cafeappli.safe.activity.VideoActivity | ✖ | ✔ |
| com.cafeappli.safe.activity.VideoSelectActivity | ✖ | ✔ |
| com.cafeappli.safe.gallery.ImageGalleryActivity | ✖ | ✔ |

Services

| Name | Exposed |
|---|---------|
| com.cafeappli.safe.service.OutgoingSmsService | ✖ |
| com.cafeappli.safe.service.ResponseSmsService <ul style="list-style-type: none">android.intent.action.RESPOND_VIA_MESSAGE | ✔ |
| com.cafeappli.safe.service.SmsStatusReceiverService | ✖ |

Broadcast Receivers

| Name | Dynamically Registered | Exposed |
|---|------------------------|---------|
| com.cafeappli.safe.service.BootCompleted <ul style="list-style-type: none">android.intent.action.BOOT_COMPLETED | ✖ | ✔ |
| com.cafeappli.safe.service.DialBroadcastReceiver <ul style="list-style-type: none">android.intent.action.NEW_OUTGOING_CALL | ✖ | ✔ |
| com.cafeappli.safe.service.MMSBroadcastReceiver <ul style="list-style-type: none">android.provider.Telephony.WAP_PUSH_DELIVER | ✖ | ✖ |
| com.cafeappli.safe.service.PhoneStateReceiver <ul style="list-style-type: none">android.intent.action.PHONE_STATE | ✖ | ✔ |
| com.cafeappli.safe.service.SafeDeviceAdminReceiver <ul style="list-style-type: none">android.app.action.DEVICE_ADMIN_ENABLED | ✖ | ✖ |
| com.cafeappli.safe.service.SmsReceiver <ul style="list-style-type: none">android.provider.Telephony.SMS_RECEIVED | ✖ | ✔ |
| com.cafeappli.safe.service.SmsReceiver <ul style="list-style-type: none">android.provider.Telephony.SMS_RECEIVED | ✖ | ✔ |
| com.cafeappli.safe.service.a | ✔ | ? |
| com.cafeappli.safe.service.e | ✔ | ? |

Content Providers

N/A

Features

N/A

Libraries

N/A

Advertisement Modules

N/A

Urls

N/A

Sensitive Files

N/A

Native Codes

N/A

Dynamic Loaders

N/A

Crypto Operation

N/A

Network Operations

N/A

Socket Connections

N/A

File Operations

N/A

DNS Query

N/A

HTTP Data

N/A

Files Recovered From Http

N/A

Execute Shells

N/A

Started Services

N/A

May Send SMS

| Destination Number | Message Body | Caller Code | Path Index |
|--------------------|--------------|--|------------|
| N/A | 0 | Lcom/cafeappli/safe/service/ResponseSmsService;->onHandleIntent(Landroid/content/Intent;)V | 186 |
| autoReplyText | N/A | Lcom/cafeappli/safe/service/c;->a(Ljava/lang/String;)V | 228 |

Send SMS

| Destination Number | Message Body |
|--------------------|--------------|
|--------------------|--------------|

Block SMS

N/A

Phone Call














N/A







Data Leakage

N/A

Sensitive APIs

- **API: Landroid/hardware/Camera;->open**
 - Description: Open camera
 - Caller Code: Lcom/cafeappli/safe/activity/LoginActivity;->onResume()V
 - Threat Level:
 - Path Index: 126
- **API: Landroid/hardware/Camera;->takePicture**
 - Description: Takes picture
 - Caller Code: Lcom/cafeappli/safe/activity/LoginActivity;->a()V
 - Threat Level:
 - Path Index: 116
- **API: Landroid/telephony/SmsManager;->sendMultipartTextMessage**
 - Description: Sends a multi-part text based SMS
 - Caller Code: Lcom/cafeappli/safe/service/SmsStatusReceiverService;->onStartCommand(Landroid/content/Intent; I I)I
 - Threat Level:
 - Path Index: 448
- **API: Landroid/telephony/SmsManager;->sendTextMessage**
 - Description: Sends a text based SMS
 - Caller Code: Lcom/cafeappli/safe/service/ResponseSmsService;->onHandleIntent(Landroid/content/Intent;)V
 - Threat Level:
 - Path Index: 186
- **API: Landroid/telephony/SmsManager;->sendTextMessage**
 - Description: Sends a text based SMS
 - Caller Code: Lcom/cafeappli/safe/service/c;->a(Ljava/lang/String;)V
 - Threat Level:
 - Path Index: 228
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: La/a/a/c;->a(La/a/a/n; Ljava/lang/Object;)V
 - Threat Level:
 - Path Index: 24
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Landroid/support/v4/view/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V
 - Threat Level:
 - Path Index: 78
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Landroid/support/v4/widget/ad;->a(Landroid/support/v4/widget/SlidingPanelLayout; Landroid/view/View;)V
 - Threat Level:
 - Path Index: 38
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/internal/nineoldandroids/animation/PropertyValuesHolder;->setupValue(Ljava/lang/Object; Lcom/actionbarsherlock/internal/nineoldandroids/animation/Keyframe;)V
 - Threat Level:
 - Path Index: 32
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/internal/nineoldandroids/animation/PropertyValuesHolder;->setAnimatedValue(Ljava/lang/Object;)V
 - Threat Level:
 - Path Index: 34
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/internal/nineoldandroids/animation/PropertyValuesHolder;->setupSetterAndGetter(Ljava/lang/Object;)V
 - Threat Level:
 - Path Index: 100

- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/internal/nineolddroids/animation/PropertyValuesHolder\$FloatPropertyValuesHolder;->setAnimatedValue(Ljava/lang/Object;)V
 - Threat Level: 
 - Path Index: 38
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/internal/nineolddroids/animation/PropertyValuesHolder\$IntPropertyValuesHolder;->setAnimatedValue(Ljava/lang/Object;)V
 - Threat Level: 
 - Path Index: 38
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/view/MenuInflater\$InflatedOnMenuItemClickListener;->onMenuItemClick(Lcom/actionbarsherlock/view/MenuItem;)Z
 - Threat Level: 
 - Path Index: 42
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/view/MenuInflater\$InflatedOnMenuItemClickListener;->onMenuItemClick(Lcom/actionbarsherlock/view/MenuItem;)Z
 - Threat Level: 
 - Path Index: 84
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/widget/SearchView;->ensureImeVisible(Landroid/widget/AutoCompleteTextView; Z)V
 - Threat Level: 
 - Path Index: 60
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/widget/SearchView;->forceSuggestionQuery()V
 - Threat Level: 
 - Path Index: 70
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/widget/SearchView;->forceSuggestionQuery()V
 - Threat Level: 
 - Path Index: 86
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/widget/SearchView;->setText(Landroid/widget/AutoCompleteTextView; Ljava/lang/CharSequence; Z)V
 - Threat Level: 
 - Path Index: 76
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/actionbarsherlock/widget/SearchView;->showSoftInputUnchecked(Landroid/view/View; Landroid/view/inputmethod/InputMethodManager; I)V
 - Threat Level: 
 - Path Index: 82
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/cafeappli/safe/biz/ClsHangUp;->a()V
 - Threat Level: 
 - Path Index: 170
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/cafeappli/safe/biz/ClsHangUp;->a()V
 - Threat Level: 
 - Path Index: 202
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/cafeappli/safe/biz/ClsHangUp;->a()V
 - Threat Level: 
 - Path Index: 260
- **API: Ljava/lang/reflect/Method;->invoke**
 - Description: Utilizes Java reflection
 - Caller Code: Lcom/cafeappli/safe/biz/ClsHangUp;->a()V
 - Threat Level: 
 - Path Index: 312
- **API: Ljava/net/URL;->openConnection**

- Description: Connects to the Internet
- Caller Code: Lcom/b/a/b/d/a;->c(Ljava/lang/String;Ljava/lang/Object;)Ljava/net/URLConnection;
- Threat Level: 
- Path Index: 22
- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/cafeappli/a/e;->a([B[B[B
- Threat Level: 
- Path Index: 34
- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/cafeappli/a/e;->b([B[B[B
- Threat Level: 
- Path Index: 34
- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/cafeappli/a/f;->read([B[I)I
- Threat Level: 
- Path Index: 122
- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/cafeappli/a/g;->write([B[I)V
- Threat Level: 
- Path Index: 94
- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/cafeappli/a/g;->write([B[I)V
- Threat Level: 
- Path Index: 128

Permission Usage

- **Permission Name: android.permission.CALL_PHONE**
- Used Type: Intent Action
- Callee Code: android.intent.action.CALL
- **Permission Name: android.permission.CAMERA**
- Used Type: Api
- Caller Code: Lcom/cafeappli/safe/activity/LoginActivity;->onResume()V
- Callee Code: Landroid/hardware/Camera;->open()Landroid/hardware/Camera;
- Path Index: 126
- **Permission Name: android.permission.PROCESS_OUTGOING_CALLS**
- Used Type: Intent Action
- Callee Code: android.intent.action.NEW_OUTGOING_CALL
- **Permission Name: android.permission.PROCESS_OUTGOING_CALLS**
- Used Type: Intent Action
- Callee Code: android.intent.action.NEW_OUTGOING_CALL
- **Permission Name: android.permission.READ_CALL_LOG**
- Used Type: Content Provider
- Callee Code: content://call_log/calls
- **Permission Name: android.permission.READ_CALL_LOG**
- Used Type: Content Provider
- Callee Code: call
- **Permission Name: android.permission.READ_CONTACTS**
- Used Type: Content Provider
- Callee Code: x
- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Intent Action
- Callee Code: android.intent.action.PHONE_STATE
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: content://sms/
- **Permission Name: android.permission.READ_SMS**
- Used Type: Content Provider
- Callee Code: -

- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: content://sms/sent
-
- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: sms
-
- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: content://sms
-
- **Permission Name:** android.permission.READ_SMS
 - Used Type: Content Provider
 - Callee Code: content://sms/inbox
-
- **Permission Name:** android.permission.RECEIVE_BOOT_COMPLETED
 - Used Type: Intent Action
 - Callee Code: android.intent.action.BOOT_COMPLETED
-
- **Permission Name:** android.permission.RECEIVE_BOOT_COMPLETED
 - Used Type: Intent Action
 - Callee Code: android.intent.action.BOOT_COMPLETED
-
- **Permission Name:** android.permission.RECEIVE_SMS
 - Used Type: Intent Action
 - Callee Code: android.provider.Telephony.SMS_RECEIVED
-
- **Permission Name:** android.permission.SEND_SMS
 - Used Type: Api
 - Caller Code: Lcom/cafeappli/safe/service/ResponseSmsService;->onHandleIntent(Landroid/content/Intent;)V
 - Callee Code: Landroid/telephony/SmsManager;->sendTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Landroid/app/PendingIntent; Landroid/app/PendingIntent;)V
 - Path Index: 186
-
- **Permission Name:** android.permission.SEND_SMS
 - Used Type: Api
 - Caller Code: Lcom/cafeappli/safe/service/SmsStatusReceiverService;->onStartCommand(Landroid/content/Intent; I I)
 - Callee Code: Landroid/telephony/SmsManager;->sendMultipartTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/util/ArrayList; Ljava/util/ArrayList; Ljava/util/ArrayList;)V
 - Path Index: 448
-
- **Permission Name:** android.permission.SEND_SMS
 - Used Type: Api
 - Caller Code: Lcom/cafeappli/safe/service/c;->a(Ljava/lang/String;)V
 - Callee Code: Landroid/telephony/SmsManager;->sendTextMessage(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Landroid/app/PendingIntent; Landroid/app/PendingIntent;)V
 - Path Index: 228
-
- **Permission Name:** android.permission.VIBRATE
 - Used Type: Api
 - Caller Code: Lcom/cafeappli/safe/common/a;->a(Landroid/content/Context; Lcom/cafeappli/safe/common/b;)V
 - Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
 - Path Index: 266

Log Message

| Tag | Message |
|-----|---------|
|-----|---------|

May Log Message

| Tag | Message | Caller Code | Path Index |
|-------------------|--|---|------------|
| 3 | 10 | L/a/a/m;->a(Ljava/lang/Class; Ljava/lang/String;)Ljava/util/List; | 666 |
| ActionBarSherlock | Requested split action bar with incompatible window decor! Ignoring request. | Lcom/actionbarsherlock/internal/ActionBarSherlockCompat;->installDecor()V | 576 |
| ActionBarSherlock | 2 | Lcom/actionbarsherlock/internal/ActionBarSherlockCompat;->onMenuItemClick(Landroid/view/MenuItem;)Z | 76 |
| ActionBarView | Activity component name not found! | Lcom/actionbarsherlock/internal/widget/ActionBarView;->(Landroid/content/Context; Landroid/util/AttributeSet;)V | 716 |

| Tag | Message | Caller Code | Path Index |
|----------------------------------|------------------------------------|--|------------|
| ActionBarView | Activity component name not found! | Lcom/actionbarsherlock/internal/widget/ActionBarView;->(Landroid/content/Context; Landroid/util/AttributeSet;)V | 734 |
| Caller History: Service Started. | OutgoingSMSService | Lcom/cafeappli/safe/service/OutgoingSmsService;->onCreate()V | 70 |
| Caller History: Service Stopped. | OutgoingSMSService | Lcom/cafeappli/safe/service/OutgoingSmsService;->onDestroy()V | 14 |
| CupcakeGestureDetect or | Velocity tracker is null | Lb/a/a/a/a/a;->c(Landroid/view/MotionEvent;)Z | 90 |
| Event | 3 | La/a/a/b;->run()V | 128 |
| FragmentActivity | 2 | Landroid/support/v4/app/i;->onActivityResult(I I Landroid/content/Intent;)V | 108 |
| FragmentActivity | 2 | Landroid/support/v4/app/i;->onActivityResult(I I Landroid/content/Intent;)V | 190 |
| FragmentActivity | 1 | Landroid/support/v4/app/i;->onCreateView(Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View; | 360 |
| FragmentManager | 5 | Landroid/support/v4/app/BackStackState;->a(Landroid/support/v4/app/q;)Landroid/support/v4/app/b; | 152 |
| FragmentManager | 9 | Landroid/support/v4/app/BackStackState;->a(Landroid/support/v4/app/q;)Landroid/support/v4/app/b; | 372 |
| FragmentManager | 2 | Landroid/support/v4/app/FragmentState;->a(Landroid/support/v4/app/i; Landroid/support/v4/app/Fragment;)Landroid/support/v4/app/Fragment; | 260 |
| FragmentManager | 4 | Landroid/support/v4/app/b;->a(Z)I | 76 |
| FragmentManager | 7 | Landroid/support/v4/app/b;->a(I)V | 80 |
| FragmentManager | 3 | Landroid/support/v4/app/b;->a(I)V | 200 |
| FragmentManager | 0 | Landroid/support/v4/app/b;->a(I)V | 336 |
| FragmentManager | 7 | Landroid/support/v4/app/b;->b(Z)V | 56 |
| FragmentManager | 9 | Landroid/support/v4/app/b;->run()V | 54 |
| FragmentManager | 0 | Landroid/support/v4/app/b;->run()V | 332 |
| FragmentManager | 7 | Landroid/support/v4/app/b;->run()V | 506 |
| FragmentManager | Activity state: | Landroid/support/v4/app/q;->a(Ljava/lang/RuntimeException;)V | 26 |
| FragmentManager | Failed dumping state | Landroid/support/v4/app/q;->a(Ljava/lang/RuntimeException;)V | 98 |
| FragmentManager | Failed dumping state | Landroid/support/v4/app/q;->a(Ljava/lang/RuntimeException;)V | 136 |
| FragmentManager | 5 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/b;)I | 130 |
| FragmentManager | 5 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/b;)I | 260 |
| FragmentManager | 6 | Landroid/support/v4/app/q;->a(I Landroid/support/v4/app/b;)V | 110 |
| FragmentManager | 0 | Landroid/support/v4/app/q;->a(I Landroid/support/v4/app/b;)V | 218 |
| FragmentManager | 6 | Landroid/support/v4/app/q;->a(I Landroid/support/v4/app/b;)V | 318 |
| FragmentManager | 0 | Landroid/support/v4/app/q;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V | 102 |
| FragmentManager | 3 | Landroid/support/v4/app/q;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V | 350 |
| FragmentManager | 0 | Landroid/support/v4/app/q;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V | 458 |
| FragmentManager | 5 | Landroid/support/v4/app/q;->a(Landroid/os/Parcelable; Ljava/util/ArrayList;)V | 640 |

| Tag | Message | Caller Code | Path Index |
|-----------------|-----------------------------|--|------------|
| FragmentManager | 0 | Landroid/support/v4/app/q;->a(Landroid/os/Parcelable;Ljava/util/ArrayList;)V | 858 |
| FragmentManager | 1 | Landroid/support/v4/app/q;->a(Landroid/os/Parcelable;Ljava/util/ArrayList;)V | 1068 |
| FragmentManager | 3 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I)V | 78 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 194 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 642 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 1044 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 1110 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 1282 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 1352 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 1418 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 1486 |
| FragmentManager | 10 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; I I I Z)V | 1698 |
| FragmentManager | 5 | Landroid/support/v4/app/q;->a(Landroid/support/v4/app/Fragment; Z)V | 74 |
| FragmentManager | 7 | Landroid/support/v4/app/q;->a(Landroid/os/Handler; Ljava/lang/String; I I)Z | 400 |
| FragmentManager | 4 | Landroid/support/v4/app/q;->b(I)V | 86 |
| FragmentManager | 5 | Landroid/support/v4/app/q;->b(Landroid/support/v4/app/Fragment; I I)V | 52 |
| FragmentManager | 4 | Landroid/support/v4/app/q;->c(Landroid/support/v4/app/Fragment;)V | 138 |
| FragmentManager | 6 | Landroid/support/v4/app/q;->c(Landroid/support/v4/app/Fragment; I I)V | 54 |
| FragmentManager | 4 | Landroid/support/v4/app/q;->d(Landroid/support/v4/app/Fragment;)V | 60 |
| FragmentManager | 7 | Landroid/support/v4/app/q;->d(Landroid/support/v4/app/Fragment; I I)V | 54 |
| FragmentManager | 7 | Landroid/support/v4/app/q;->d(Landroid/support/v4/app/Fragment; I I)V | 138 |
| FragmentManager | 7 | Landroid/support/v4/app/q;->e(Landroid/support/v4/app/Fragment; I I)V | 54 |
| FragmentManager | 7 | Landroid/support/v4/app/q;->e(Landroid/support/v4/app/Fragment; I I)V | 218 |
| FragmentManager | 0 | Landroid/support/v4/app/q;->g()Ljava/util/ArrayList; | 154 |
| FragmentManager | 2 | Landroid/support/v4/app/q;->h()Landroid/os/Parcelable; | 460 |
| FragmentManager | saveAllState: no fragments! | Landroid/support/v4/app/q;->h()Landroid/os/Parcelable; | 510 |
| FragmentManager | 8 | Landroid/support/v4/app/q;->h()Landroid/os/Parcelable; | 758 |
| FragmentManager | 6 | Landroid/support/v4/app/q;->h()Landroid/os/Parcelable; | 920 |
| LoaderManager | 4 | Landroid/support/v4/app/ag;->b()V | 50 |
| LoaderManager | 4 | Landroid/support/v4/app/ag;->b()V | 126 |
| LoaderManager | 4 | Landroid/support/v4/app/ag;->c()V | 50 |
| LoaderManager | 4 | Landroid/support/v4/app/ag;->c()V | 126 |
| LoaderManager | 4 | Landroid/support/v4/app/ag;->d()V | 50 |
| LoaderManager | 4 | Landroid/support/v4/app/ag;->d()V | 126 |
| LoaderManager | 3 | Landroid/support/v4/app/ag;->e()V | 58 |
| LoaderManager | 3 | Landroid/support/v4/app/ag;->h()V | 58 |
| LoaderManager | 3 | Landroid/support/v4/app/ag;->h()V | 176 |

| Tag | Message | Caller Code | Path Index |
|----------------------|---|--|------------|
| LoaderManager | 4 | Landroid/support/v4/app/ah;->a()V | 86 |
| LoaderManager | 3 | Landroid/support/v4/app/ah;->a(Landroid/support/v4/a/a;Ljava/lang/Object;)V | 138 |
| LoaderManager | 3 | Landroid/support/v4/app/ah;->b()V | 50 |
| LoaderManager | 3 | Landroid/support/v4/app/ah;->c()V | 58 |
| LoaderManager | 4 | Landroid/support/v4/app/ah;->e()V | 52 |
| LoaderManager | 5 | Landroid/support/v4/app/ah;->f()V | 54 |
| LoaderManager | 5 | Landroid/support/v4/app/ah;->f()V | 152 |
| MenuInflater | 5 | Lcom/actionbarsherlock/view/MenuInflater\$MenuState;->newInstance(Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object; | 82 |
| MenuInflater | The android:onClick attribute cannot be used within a restricted context | Lcom/actionbarsherlock/view/MenuInflater\$MenuState;->setItem(Lcom/actionbarsherlock/view/MenuItem;)V | 352 |
| PhotoViewAttacher | 3 | Lb/a/a/a/c;->()V | 6 |
| PhotoViewAttacher | ImageView no longer exists. You should not use this PhotoViewAttacher any more. | Lb/a/a/a/c;->c()Landroid/widget/ImageView; | 44 |
| PhotoViewAttacher | onTouch getParent() returned null | Lb/a/a/a/c;->onTouch(Landroid/view/View; Landroid/view/MotionEvent;)Z | 150 |
| PropertyValuesHolder | 0 | Lcom/actionbarsherlock/internal/nineoldandroids/animation/PropertyValuesHolder;->getPropertyFunction(Ljava/lang/Class; Ljava/lang/String; Ljava/lang/Class;)Ljava/lang/reflect/Method; | 130 |
| PropertyValuesHolder | 3 | Lcom/actionbarsherlock/internal/nineoldandroids/animation/PropertyValuesHolder;->getPropertyFunction(Ljava/lang/Class; Ljava/lang/String; Ljava/lang/Class;)Ljava/lang/reflect/Method; | 286 |
| SearchView | 3 | Lcom/actionbarsherlock/widget/SearchView;->createIntentFromSuggestion(Landroid/database/Cursor; Ljava/lang/String;)Landroid/content/Intent; | 254 |
| SearchView | 5 | Lcom/actionbarsherlock/widget/SearchView;->launchIntent(Landroid/content/Intent;)V | 58 |
| SearchView | Could not find voice search activity | Lcom/actionbarsherlock/widget/SearchView;->onVoiceClicked()V | 64 |
| SlidingPanelLayout | 3 | Landroid/support/v4/widget/SlidingPanelLayout;->drawChild(Landroid/graphics/Canvas; Landroid/view/View; J)Z | 274 |
| SlidingPanelLayout | onMeasure: More than two child views are not supported. | Landroid/support/v4/widget/SlidingPanelLayout;->onMeasure(I I)V | 132 |
| SlidingPanelLayout | getDisplayList | Landroid/support/v4/widget/ad;->()V | 76 |
| SlidingPanelLayout | getDisplayList | Landroid/support/v4/widget/ad;->()V | 94 |
| SlidingPanelLayout | Error refreshing display list state | Landroid/support/v4/widget/ad;->a(Landroid/support/v4/widget/SlidingPanelLayout; Landroid/view/View;)V | 62 |
| SuggestionsAdapter | 3 | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->getActivityIcon(Landroid/content/ComponentName;)Landroid/graphics/drawable/Drawable; | 148 |
| SuggestionsAdapter | 0 | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable; | 144 |
| SuggestionsAdapter | 7 | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable; | 274 |
| SuggestionsAdapter | 7 | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable; | 328 |

| Tag | Message | Caller Code | Path Index |
|--------------------|---|---|------------|
| SuggestionsAdapter | 5 | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->getDrawableFromResourceValue(Ljava/lang/String;)Landroid/graphics/drawable/Drawable; | 222 |
| SuggestionsAdapter | unexpected error retrieving valid column from cursor, did the remote process die? | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->getStringOrNull(Landroid/database/Cursor; I)Ljava/lang/String; | 30 |
| SuggestionsAdapter | Tried to change cursor after adapter was closed. | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V | 16 |
| SuggestionsAdapter | error changing cursor and caching columns | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V | 152 |
| SuggestionsAdapter | Search suggestions cursor threw exception. | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->getView(ILandroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View; | 20 |
| SuggestionsAdapter | Search suggestions query threw an exception. | Lcom/actionbarsherlock/widget/SuggestionsAdapter;->runQueryOnBackgroundThread(Ljava/lang/CharSequence;)Landroid/database/Cursor; | 90 |
| Toast | This Toast was not created with IcsToast.makeText | Lcom/actionbarsherlock/internal/widget/IcsToast;->setText(Ljava/lang/CharSequence;)V | 62 |
| ViewPager | 5 | Landroid/support/v4/view/ViewPager;->c()Z | 306 |
| ViewPager | 0 | Landroid/support/v4/view/ViewPager;->setOffscreenPageLimit(I)V | 68 |
| key | =====Call End===== | Lcom/cafeappli/safe/biz/ClsHangUp;->a()V | 326 |