≣ Report

General Information

Analysis Start Time	2017-01-06 02:52:56
Analysis End Time	2017-01-06 03:02:20
File MD5	0E26FE635CE3C1F4BA76402B00871071
File Size	8.04 MB
File Name	1m_cracked_3_com.playrix.coa.full_quickdownload_309.apk
Package Name	me.onemobile.android
Version Code	6800
Version Name	6.8
Min SDK	9
Target SDK	21
Max SDK	N/A
Pcap File	▣ (/file_download?md5=0E26FE635CE3C1F4BA76402B00871071&type=pcap)
Logcat File	▣ (/file_download?md5=0E26FE635CE3C1F4BA76402B00871071&type=logcat)

Risk Score

▦▦▦▦▦▦▦▦ *100*

Risky Behaviors

Connects to the Internet
Encrypt or Decrypt data
Executes a Internet request
Executes shell code
Exist unused permissions
Gets applications installed on the device
Gets geographic location
Gets the ISO country code equivalent of the current registered operator's MCC
Gets the MCC+MNC of the provider of the SIM
Gets the alphabetic name of current registered operator
Gets the current location of the device
Gets the numeric name (MCC+MNC) of current registered operator
Gets the serial number of SIM
Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
Loads and links the dynamic library

| Loads code dynamically |
| Records audio |
| Utilizes Java reflection |

Malware Detected by VirusTotal
(https://www.virustotal.com/en/file/a03c15ee6232e0bd6c6d1a6a9c623005c214bb5e6488835675a38ff969fd16d8/an

AVG	Android/G3P.HE.3FBEF08BA3E2
Ad-Aware	Android.Riskware.Downloader.gXOEM
BitDefender	Android.Riskware.Downloader.gXOEM
ESET-NOD32	✅
F-Secure	Adware:Android/Dowgin
Fortinet	✅
Kaspersky	✅
McAfee	✅
Qihoo-360	✅
Symantec	✅

Certificate

Content	Owner: CN=1mobile, OU=1mobile, O=1mobile, L=BeiJing, ST=Beijing, C=86 Issuer: CN=1mobile, OU=1mobile, O=1mobile, L=BeiJing, ST=Beijing, C=86 Serial number: 4d0051bb Valid from: Thu Dec 09 11:49:15 CST 2010 until: Sat Dec 01 11:49:15 CST 2040 Certificate fingerprints: MD5: 4F:48:59:9B:80:63:1F:8F:A1:34:12:EE:45:CA:74:EF SHA1: AC:64:0E:83:72:E4:29:F9:89:4A:5E:1D:FF:10:81:E2:23:AA:94:E3 SHA256: 14:1B:FB:65:8A:FB:BE:BF:E4:90:B9:10:26:04:97:CC:7D:26:8F:98:C3:39:7D:FC:55:0F:6C:AA:92:29:C5:24 Signature algorithm name: SHA1withRSA Version: 3
Sha1	AC640E8372E429F9894A5E1DFF1081E223AA94E3

Classification

Id3

- map
- network
- normal
- system
- camera
- callsms

NaiveBayes

- map
- network
- normal
- system
- camera
- callsms

Highcharts.com   Highcharts.com

Code Features

Code Feature	Used
Native Code	✔
Dynamic Loader	✔
Java Reflection	✔
Crypto	✔

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_COARSE_LOCATION	dangerous		✖	✖	✔	Allows an app to access approximate location derived from network location sources such as cell towers and Wi-Fi.
android.permission.ACCESS_FINE_LOCATION	dangerous		✖	✖	✖	Used for permissions that allow access to the user's current location. Allows an app to access precise location from location sources such as GPS, cell towers, and Wi-Fi.
android.permission.ACCESS_NETWORK_STATE	normal		✖	✖	✔	Allows applications to access information about networks
android.permission.ACCESS_WIFI_STATE	normal		✖	✖	✔	Allows applications to access information about Wi-Fi networks
android.permission.BIND_ACCESSIBILITY_SERVICE	signature		✖	✖	✔	Must be required by an { android.accessibilityservice.Accessibility Service}, to ensure that only the system can bind to it.
android.permission.CAMERA	dangerous		✖	✖	✖	Used for permissions that are associated with accessing camera or capturing images/video from the device. Required to be able to access the camera device. install on devices that don't support all camera features.
android.permission.CHANGE_WIFI_STATE	dangerous		✖	✖	✔	Allows applications to change Wi-Fi connectivity state

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.EXPAND_STATUS_BAR	normal	▭▭▭	✗	✗	✗	Used for permissions that change the status bar Allows an application to expand or collapse the status bar.
android.permission.GET_TASKS	dangerous	▭▭▭▭▭▭	✗	✗	✓	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INTERNET	dangerous	▭▭▭▭▭▭	✗	✗	✓	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.MANAGE_DOCUMENTS	signature|system	▭▭▭▭▭▭▭	✗	✗	✗	Allows an application to manage access to documents, usually as part of a document picker.
android.permission.READ_CALENDAR	dangerous	▭▭▭▭▭▭	✗	✗	✗	Used for permissions that provide access to the device calendar to create / view events. Allows an application to read the user's calendar data.
android.permission.READ_EXTERNAL_STORAGE	normal	▭▭▭	✗	✗	✗	Group of permissions that are related to SD card access. Allows an application to read from external storage. targetSdkVersion is 4 or higher.
android.permission.READ_LOGS	signature|system|development	▭▭▭▭▭▭▭	✗	✗	✗	Allows an application to read the low-level system log files. Log entries can contain the user's private information.
android.permission.READ_PHONE_STATE	dangerous	▭▭▭▭▭▭	✗	✗	✓	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.RECEIVE_BOOT_COMPLETED	normal	▭▭▭	✗	✗	✓	Allows an application to receive the to the user.
android.permission.RECORD_AUDIO	dangerous	▭▭▭▭▭▭	✗	✗	✗	Used for permissions that are associated with accessing but are in a separate (more visible) permission group. Allows an application to record audio
android.permission.SET_WALLPAPER	normal	▭▭▭	✗	✗	✓	Group of permissions that allow manipulation of how another application displays UI to the user. Allows applications to set the wallpaper
android.permission.VIBRATE	normal	▭▭▭	✗	✗	✓	Allows access to the vibrator
android.permission.WAKE_LOCK	normal	▭▭▭	✗	✗	✓	Allows using PowerManager WakeLocks to keep processor from sleeping or screen from dimming
android.permission.WRITE_CALENDAR	dangerous	▭▭▭▭▭▭	✗	✗	✓	Allows an application to write (but not read) the user's calendar data.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	▭▭▭▭▭▭	✗	✗	✗	Allows an application to write to external storage. { android.content.Context#getExternalCacheDir}.
com.android.launcher.permission.INSTALL_SHORTCUT	dangerous	▭▭▭▭▭▭	✗	✗	✓	N/A
com.google.android.gms.permission.ACTIVITY_RECOGNITION	normal	▭▭▭	✗	✗	✗	N/A

Activities

Name	Main Activity	Exposed
com.facebook.ads.InterstitialAdActivity	✗	✗
com.google.android.gms.ads.AdActivity	✗	✗
com.inmobi.androidsdk.IMBrowserActivity	✗	✗
com.onemobile.ads.core.OMAdActivity	✗	✗
com.qihoo.security.mobilecharging.activity.MobileChargingActivity	✗	✗
me.onemobile.android.BrowserActivity	✗	✓
me.onemobile.android.accessbility.AutoInstallHintDialog	✗	✗
me.onemobile.android.accessbility.AutoInstallProgressDialog	✗	✗
me.onemobile.android.activity.AboutActicity	✗	✗
me.onemobile.android.activity.AllFeaturedActivity	✗	✗
me.onemobile.android.activity.ApkUrlDownloadActivity • android.intent.action.VIEW	✗	✓
me.onemobile.android.activity.AppDetailsActivity • android.intent.action.VIEW	✗	✓
me.onemobile.android.activity.AppDetailsReviewsActivity	✗	✗
me.onemobile.android.activity.AppsPagerActivity	✗	✗
me.onemobile.android.activity.BarcodeRequestActivity • android.intent.action.VIEW	✗	✓
me.onemobile.android.activity.CategoryDetailPagerActivity	✗	✗
me.onemobile.android.activity.CrackAppsActivity	✗	✗
me.onemobile.android.activity.CrackCategoryDetailPagerActivity	✗	✗
me.onemobile.android.activity.DevApplistActivity	✗	✗
me.onemobile.android.activity.GamesPagerActivity • android.intent.action.MAIN	✓	✓
me.onemobile.android.activity.GlobalHomeActivity	✗	✗
me.onemobile.android.activity.GuideActivity	✗	✗
me.onemobile.android.activity.ImageAcitivityReviewActivity	✗	✗
me.onemobile.android.activity.ImageAcitivityRulesActivity	✗	✗
me.onemobile.android.activity.ImageActivityHomeActivity	✗	✗
me.onemobile.android.activity.ImageActivityImageActivity	✗	✗
me.onemobile.android.activity.ImageShareActivity	✗	✗

Name	Main Activity	Exposed
me.onemobile.android.activity.ImageShareDetailsActivity	✖	✖
me.onemobile.android.activity.ImageShareNewActivity	✖	✖
me.onemobile.android.activity.ImageShareNewUserActivity	✖	✖
me.onemobile.android.activity.ImageShareSelectorActivity	✖	✖
me.onemobile.android.activity.ImageShareUploadActivity	✖	✖
me.onemobile.android.activity.ImageShareUserCenterActivity	✖	✖
me.onemobile.android.activity.InterceptAppActivity	✖	✖
me.onemobile.android.activity.LaunchActivity • android.intent.action.MAIN	✔	✔
me.onemobile.android.activity.MainActivity • android.intent.action.MAIN	✔	✔
me.onemobile.android.activity.MustHaveActivity	✖	✖
me.onemobile.android.activity.MyAccountActivity	✖	✖
me.onemobile.android.activity.MyAppsActivity • android.intent.action.MAIN	✔	✔
me.onemobile.android.activity.MyAppsApkManagerActivity • android.intent.action.VIEW	✖	✔
me.onemobile.android.activity.MyAppsBackupActivity	✖	✖
me.onemobile.android.activity.MyAppsCrackActivity	✖	✖
me.onemobile.android.activity.MyAppsDownloadActivity	✖	✖
me.onemobile.android.activity.MyAppsFragmentSyncActivity	✖	✖
me.onemobile.android.activity.MyAppsInstalledActivity	✖	✖
me.onemobile.android.activity.MyAppsMoveToSdActivity	✖	✖
me.onemobile.android.activity.MyAppsUpdateActivity	✖	✖
me.onemobile.android.activity.MyAppsWallPaperActivity	✖	✖
me.onemobile.android.activity.NotFoundActivity	✖	✖
me.onemobile.android.activity.OneKeyInstallActivity	✖	✖
me.onemobile.android.activity.PageableExtraListActivity	✖	✖
me.onemobile.android.activity.PageableExtraListByGroupActivity	✖	✖
me.onemobile.android.activity.RelatedAppListActivity	✖	✖
me.onemobile.android.activity.ScreenLockReminderDialog	✖	✖
me.onemobile.android.activity.ScreenShotActivity	✖	✖

Name	Main Activity	Exposed
me.onemobile.android.activity.SearchActivity	✖	✖
me.onemobile.android.activity.SearchWallpaperActivity	✖	✖
me.onemobile.android.activity.SettingsActivity	✖	✖
me.onemobile.android.activity.ShowWallPaperActivity	✖	✖
me.onemobile.android.activity.TopListActicity	✖	✖
me.onemobile.android.activity.TopicDetailsCommentActivity	✖	✖
me.onemobile.android.activity.TopicDetailsIconActivity	✖	✖
me.onemobile.android.activity.TopicDetailsRelatedActivity	✖	✖
me.onemobile.android.activity.TopicHomeActivity	✖	✖
me.onemobile.android.activity.TopicListActivity	✖	✖
me.onemobile.android.activity.UploadImageDetailsActivity	✖	✖
me.onemobile.android.activity.VoteDetailsActivity	✖	✖
me.onemobile.android.activity.VoteSignUpActivity	✖	✖
me.onemobile.android.activity.WallPaperCategoryActivity	✖	✖
me.onemobile.android.activity.WallPaperDetailsActivity	✖	✖
me.onemobile.android.activity.WallPaperPagerActivity	✖	✖
me.onemobile.android.activity.WebBrowserActivity	✖	✖
me.onemobile.android.activity.WebBrowserNewsActivity	✖	✖
me.onemobile.android.activity.WrapperGuideActivity	✖	✖
me.onemobile.android.push.PushWebViewActivity	✖	✖
me.onemobile.sdk.PivotActivity	✖	✖

Services

Name	Exposed
com.google.android.gms.analytics.CampaignTrackingService	✖
com.inmobi.commons.internal.ActivityRecognitionManager	✖
com.onemobile.adnetwork.nativead.AdService	✖
me.onemobile.ads.facebook.FacebookLoadAdsService	✖
me.onemobile.android.accessbility.MyAccessibilityService • android.accessibilityservice.AccessibilityService	✖
me.onemobile.android.download.DownloadService	✖

Name	Exposed
me.onemobile.android.service.ChargingAdService	✖
me.onemobile.android.service.SyncService	✖
me.onemobile.message.MessageService	✖
me.onemobile.server.ServerService	✖

Broadcast Receivers

Name	Dynamically Registered	Exposed
android.support.v4.content.WakefulBroadcastReceiver	✔	❓
android.support.v4.media.TransportMediatorJellybeanMR2$3	✔	❓
com.a.a.n	✔	❓
com.a.a.o	✔	❓
com.facebook.ads.NativeAd$b	✔	❓
com.facebook.ads.internal.adapters.c	✔	❓
com.facebook.ads.internal.h$c	✔	❓
com.flurry.android.InstallReceiver	✔	❓
com.flurry.sdk.fe	✔	❓
com.google.android.gms.analytics.AnalyticsReceiver	✔	❓
com.google.android.gms.analytics.CampaignTrackingReceiver • com.android.vending.INSTALL_REFERRER	✖	✔
com.google.android.gms.analytics.internal.j	✔	❓
com.google.android.gms.internal.kx	✔	❓
com.google.android.gms.internal.us	✔	❓
com.google.android.gms.tagmanager.InstallReferrerReceiver	✔	❓
com.google.android.gms.tagmanager.bn	✔	❓
com.google.android.gms.wallet.EnableWalletOptimizationReceiver	✔	❓
com.inmobi.androidsdk.impl.ConnBroadcastReciever	✔	❓
com.inmobi.commons.analytics.androidsdk.IMAdTrackerReceiver • com.android.vending.INSTALL_REFERRER	✖	✔
com.inmobi.commons.analytics.net.AnalyticsConnectivityReceiver	✔	❓
com.inmobi.commons.cache.CacheController$a	✔	❓
com.inmobi.commons.thinICE.wifi.a	✔	❓

Name	Dynamically Registered	Exposed
com.inmobi.re.controller.JSUtilityController$f	✓	❓
com.onemobile.adnetwork.adview.OMInstallReceiver	✓	❓
com.onemobile.adnetwork.nativead.receiver.InstallReceiver • android.intent.action.PACKAGE_ADDED	✗	✓
com.onemobile.adnetwork.nativead.receiver.NetworkChangeReceiver • android.net.conn.CONNECTIVITY_CHANGE	✗	✓
com.onemobile.ads.core.OMInstallReceiver	✓	❓
com.onemobile.ads.statistics.OMAdReceiver • com.onemobile.ads.core_ACTION_AD_ONCLICK	✗	✓
com.onemobile.ads.statistics.OMInstallReceiver • android.intent.action.PACKAGE_ADDED	✗	✓
com.qihoo.security.mobilecharging.activity.b	✓	❓
com.qihoo.security.mobilecharging.activity.e	✓	❓
eu.chainfire.libsuperuser.onemobile.HideOverlaysReceiver	✓	❓
me.onemobile.android.BsdiffPatchingReceiver • me.onemobile.android.BSDIFF_PATCH	✗	✓
me.onemobile.android.CommonNotificationReceiver • me.onemobile.android.UPDATES_NOTIFICATION_OPEN • me.onemobile.android.UPDATES_NOTIFICATION_UPDATE_ALL • me.onemobile.android.UPDATES_NOTIFICATION_DELETE • me.onemobile.android.INSTALLED_NOTIFICATION_OPEN • me.onemobile.android.INSTALLED_NOTIFICATION_LAUNCH • me.onemobile.android.INSTALLED_NOTIFICATION_SHARE • me.onemobile.android.NOT_INSTALL_NOTIFICATION_OPEN • me.onemobile.android.NOT_INSTALL_NOTIFICATION_INSTALL • me.onemobile.android.SELF_UPDATE_NOTIFICATION_OPEN • me.onemobile.android.SELF_UPDATE_NOTIFICATION_UPGRADE • me.onemobile.android.APK_CLEAN_NOTIFICATION_OPEN • android.intent.action.DETAILS • android.intent.action.DOWNLOAD_ERROR	✗	✓
me.onemobile.android.InstallOpkReceiver • me.onemobile.android.opk.UNZIP_COMPLETED • android.intent.action.PACKAGE_REMOVED • android.intent.action.PACKAGE_ADDED • android.intent.action.PACKAGE_REPLACED	✗	✓
me.onemobile.android.MediaMounteReceiver • android.intent.action.MEDIA_REMOVED • android.intent.action.MEDIA_MOUNTED • android.intent.action.MEDIA_UNMOUNTED • android.intent.action.MEDIA_SHARED	✗	✓
me.onemobile.android.OpenDetailsReceiver • android.intent.action.DETAILS • me.onemobile.android.DOWNLOAD_COMPLETE_INSTALLED_NOTIFICATION • me.onemobile.android.DOWNLOAD_COMPLETE_INSTALLED_NOTIFICATION_ENTIREROW • me.onemobile.android.DOWNLOAD_COMPLETE_NOTIFICATION_SHOW	✗	✓

Name	Dynamically Registered	Exposed
me.onemobile.android.UninstallReceiver • android.intent.action.PACKAGE_REMOVED • android.intent.action.PACKAGE_ADDED • android.intent.action.PACKAGE_REPLACED • me.onemobile.android.INSTALLED_NOTIFICATION	✘	✔
me.onemobile.android.UpdateNotificationReceiver • me.onemobile.android.UPDATES_NOTIFICATION_DELETE • me.onemobile.android.UPDATES_NOTIFICATION_OPEN	✘	✘
me.onemobile.android.activity.u	✔	❓
me.onemobile.android.base.bi	✔	❓
me.onemobile.android.download.DownloadReceiver • android.intent.action.BOOT_COMPLETED • android.net.conn.CONNECTIVITY_CHANGE • onemobile.intent.action.DOWNLOAD_COMPLETED • android.intent.action.DOWNLOAD_HIDE • android.intent.action.DOWNLOAD_OPEN • android.intent.action.DOWNLOAD_LIST • me.onemobile.android.DOWNLOAD_NETWORK_TYPE_LIMIT_SETTING	✘	✔
me.onemobile.android.myapps.MyAppsReceiver • onemobile.intent.action.DOWNLOAD_COMPLETED • android.intent.action.DOWNLOAD_ERROR • android.intent.action.DOWNLOAD_OPEN • android.intent.action.DOWNLOAD_LIST	✘	✔
me.onemobile.android.push.PushAlarmReceiver	✘	✘
me.onemobile.android.push.PushNotificationReceiver • me.onemobile.android.PUSH_NOTIFICATION_ACTION_CLICK	✘	✔
me.onemobile.android.service.a	✔	❓
me.onemobile.android.widget.DailyRecommendationWidgetProvider • android.appwidget.action.APPWIDGET_UPDATE	✘	✔
me.onemobile.android.widget.SearchWidgetProvider • android.appwidget.action.APPWIDGET_UPDATE	✘	✔
me.onemobile.cache.NetworkStateReceiver • android.net.conn.CONNECTIVITY_CHANGE	✘	✔
me.onemobile.message.MessageReceiver • android.intent.action.PACKAGE_ADDED • android.intent.action.PACKAGE_REPLACED • android.intent.action.PACKAGE_REMOVED • me.onemobile.android.INSTALLED_NOTIFICATION • me.onemobile.action_DOWNLOAD_APK_ERROR • android.net.conn.CONNECTIVITY_CHANGE • onemobile.intent.action.DOWNLOAD_COMPLETED • me.onemobile.android.ONEMOBILE_LAUNCHED • me.onemobile.action_SCREEN_OFF	✘	✔
me.onemobile.server.ServerAlarmReceiver	✘	✘

Content Providers

Name	Authority	Read Permission	Write Permission	Exposed

Name	Authority	Read Permission	Write Permission	Exposed
me.onemobile.android.download.DownloadProvider	me.onemobile.android.download	✖	✖	✖
me.onemobile.android.myapps.AppsStatusProvider	me.onemobile.android.appstatus	✖	✖	✖
me.onemobile.android.push.PushMessageProvider	me.onemobile.android.pushmsg	✖	✖	✖
me.onemobile.android.search.OneMobileSuggestionProvider	me.onemobile.android.searchsuggestion	✖	✖	✖
me.onemobile.android.search.WallpaperSuggestionProvider	me.onemobile.android.searchwallpaper	✖	✖	✖

Features

N/A

Libraries

N/A

Advertisement Modules

- AdMob ⬈ (http://www.google.com/ads/admob/)
- Flurry ⬈ (http://www.flurry.com/)
- InMobi ⬈ (http://www.inmobi.com/)

IP Distribution

Urls

Country	Url	IP
N/A	http://api4.1mobile.com/analytics	N/A
N/A	https://rules-ltvp.inmobi.com/v2/rules.json	N/A
N/A	https://d.appsdt.com/download/tracker/?	N/A
N/A	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/mraid/v2/mraid_app_expanded_banner.js	N/A

Country	Url	IP
N/A	http://rtb.adkmob.com/b/?version=1.0&publisherid=%s&app_id=%s&slotid=%s&lang=%s&timestamp=%s&platform=android&osv=%s&resolution=%s&dip=%s&tzone=%s&aid=%s&gaid=%s&nt=%s&dt=phone&model=%s&brand=%s&mcc=%s&mnc=%s&client_ua=%s&adn=%s&format=json	N/A
N/A	https://plus.google.com/+1mobile/posts	N/A
N/A	https://settings.crashlytics.com/spi/v2/platforms/android/apps/%s/settings	N/A
N/A	https://sdkm.w.inmobi.com/metrics/e.asm	N/A
N/A	http://d.1mobile.com/?pkg=	N/A
N/A	http://i.w.inmobi.com/showad.asm	N/A
N/A	http://www.google.com	N/A
N/A	http://openapi.1mobile.com/topupapi/user_login/	N/A
N/A	http://admin.1mobile.com/help/lite_help.html	N/A
N/A	https://www.facebook.com/dialog/feed?app_id=181821551957328&link=	N/A
N/A	http://advertise.1mobile.com/adconfig?appid=%s&di=%s&av=%s&l=%s&dm=%s&uid=%s&pkg=%s&imei=%s&dpi=%s&sessionid=%s	N/A
N/A	https://www.%s.facebook.com	N/A
N/A	http://gm.api.1mobile.com:30000	N/A
N/A	https://ad6.%s.liverail.com/	N/A
N/A	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/mraid/v2/mraid_app_banner.js	N/A
N/A	http://ads.1mobile.com/market/gp_ads_log.php	N/A
N/A	http://openapi.1mobile.com/topupapi/purchase/	N/A
N/A	https://www.facebook.com/1mobile	N/A
N/A	https://csi.gstatic.com/csi	N/A
N/A	https://ssl.google-analytics.com	N/A
N/A	https://www.googletagmanager.com	N/A
N/A	http://www.google-analytics.com	N/A
N/A	http://a.ai.inmobi.com/v2/ad.html	N/A
N/A	http://dock.inmobi.com/carb/v1/o	N/A
N/A	http://dock.inmobi.com/carb/v1/i	N/A
N/A	https://apt.md.inmobi.net/ruleserver/ruleservice	N/A
N/A	https://www.google-analytics.com	N/A
N/A	http://appgalleries.inmobi.com/inmobi_sdk	N/A
N/A	http://api4.1mobile.com	N/A
N/A	https://e.crashlytics.com/spi/v2/events	N/A
N/A	http://www.1mobile.com	N/A
N/A	https://d.appsdt.com/sdkdwnldbeacon.html	N/A
N/A	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/mraid/v2/mraid_app_interstitial.js	N/A
N/A	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/sdk-core-v40.html	N/A
N/A	http://data.flurry.com/aap.do	N/A
N/A	http://log.advertise.1mobile.com/statistics/	N/A

Country	Url	IP
N/A	https://graph.%s.facebook.com/network_ads_common/	N/A
N/A	http://openapi.1mobile.com/	N/A
N/A	https://d.appsdt.com/download/tracker/iatsdkconfs?	N/A
N/A	http://ads.share2w.com/gp_ads_config.php?appid=%s&di=%s&av=%s&l=%s&dm=%s&uid=%s&pkg=%s&imei=%s&dpi=%s&sessionid=%s	N/A
N/A	http://ads.1mobile.com/market/gp_ads_get.php	N/A
N/A	http://advertise.1mobile.com/ads?appid=%s&sessionid=%s&adgenre=%s&adsize=%s&gp=%s&vname=%s&vcode=%s&screen=%s&adposid=%s&channel=%s&ua=%s&adplat=%s	N/A
N/A	https://crashlytics.com/register/%s/android/%s	N/A
N/A	https://sdkm.w.inmobi.com/user/e.asm	N/A
N/A	http://hostname/?	N/A
N/A	http://d.1mobile.com/	N/A
N/A	http://api4.1mobile.com/image/uploadloadimage	N/A
N/A	http://openapi.1mobile.com/topupapi/recharge/	N/A
N/A	https://data.flurry.com/aap.do	N/A
N/A	https://e-ltvp.inmobi.com/storm/v1/event	N/A
N/A	http://ads-banner.1mobile.com/market/gp_ads_get_banner.php	N/A
N/A	https://www.facebook.com/	N/A
N/A	http://api.share2w.com/stat/adrequest	N/A
N/A	http://plus.google.com/	N/A
N/A	http://admin.1mobile.com/feedback/index.php	N/A
N/A	https://m.google.com/app/plus/x/?v=compose&content=	N/A
N/A	https://ad6.liverail.com/	N/A
N/A	https://graph.facebook.com/network_ads_common/	N/A
N/A	http://twitter.com/home?status=	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A

Country	Url	IP
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/user/install	N/A

Country	Url	IP
N/A	api4.1mobile.com/user/install	N/A
N/A	api4.1mobile.com/user/install	N/A
N/A	api4.1mobile.com/user/install	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A

Country	Url	IP
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A

Country	Url	IP
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A

Country	Url	IP
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/log/smart_update	N/A
N/A	api4.1mobile.com/log/smart_update	N/A
N/A	api4.1mobile.com/log/smart_update	N/A
N/A	api4.1mobile.com/log/smart_update	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/config/splash	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/myapps	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/analytics	N/A
N/A	api4.1mobile.com/push/message	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/push/message	N/A
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/push/message	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A

Country	Url	IP
N/A	api4.1mobile.com/config/init	N/A
N/A	api4.1mobile.com/push/message	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	advertise.1mobile.com/adconfig?appid=5671430893686970&di=bac1c9b14ef4b826&av=16&l=en-us&dm=generic&uid=00000000-1553-af4b-ffff-ffff99d603a9&pkg=me.onemobile.android&imei=357242043237511&dpi=320*480&sessionid=null	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/timestamp	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/config/tab_list	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/image/tablist	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	api4.1mobile.com/config/custom_tab_list	N/A
N/A	N/A	N/A

Sensitive Files

N/A

Native Codes

Lib Name	Caller Code	Path Index
RSSupport	Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;	232
bsdiff	Lme/onemobile/lib/bsdiff/BSDiff;->()V	10
pl_droidsonroids_gif	Lpl/droidsonroids/gif/GifInfoHandle;->()V	28
rsjni	Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;	242
uninstalled_moniter	Lme/onemobile/uninstall/UninstallSelfMonitor;->()V	10

Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/me.onemobile.android-1.apk	N/A	N/A	N/A

Crypto Operation

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
encryption	AES/ECB/PKCS7Padding	6333334386366383330623634373762653663653 5643136396531636561663664	RAW	{"android_id":"bac1c9b14ef4b826","model":"unknown\/Full Android on Emulator","application_installation_uuid":"25ff4e108e104ab29a345aa1e41018b7","android_serial":"unknown","os_version":"4.1.1\/eng.mindmac.20131015.210508"}	mXR8vO\xc7k\x9d\x1e\xd6jKe\x9e\x05\xe1,\x80\x1ef\xdb\x1bB(\xf9\xb5\xbb\xcfZ\xe6\x8d\x81\xa7\x81\xca2\x1c\x12\xdb1\xb3\x94R\xf7\x8cw\x1c\xa0\xf6Z\xec\xf5\xb5\x92\x0f\xea\xb7\x9d*\x93\x9dV\x01\xb4\x97.\x9dMG.m2V\xf9\xe1.\xa4\xd8j\xb1E\x17k\x96c0!^\xc5t\xb6t\xf0)\x90\x045\xeaZ5\xc8t\xef\xaaP\xba\x1e\xb14\x05}h\x14\xd8\x93\xcdh\xc3f\xfc~~Y\x92u\xfb\xc6\x8a@{3MX\xf68\xabE\x9b\xdfZ\x87<\xa3\x9b\x86\xcf\x0a\x8aa\xc2\x1a\x9df\xe2r\xb4\xbb%\x0e\xf00\xe1\x06\xb0Ws\xb3%\x09Ws\xb3%\x09\x80\xe8\x0fT\xa3*6\x9d\x1a\xe6\x90\xcf\xbd\xd6\xc1\xc0QB.`\x12\x07x3#\x96\x94\x0c#\x82\xc6X\xafK\x8f\xf4\xcd\xcfK\xd9\xd1\xd9\xc5\xd7\xd8-\x88\xaa\xc3\xfd\x85W\xa8

Network Operations

N/A

Socket Connections

N/A

File Operations

Operation	File Path	Data
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06.cl	ask\x1a\x17ThreadPoolExecutor.java\xef\xbf\xbd\x07(\x00\x1aS\x08\x00\x121java.util.concurrent.ThreadPoolExecutor.runWorker\x1a\x17ThreadPool
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	:q\x0a\x14me.onemobile.android\x12\x046800\x1a\x036.8**\x0a(0eee157b66990a3e64734f9137a4fd69ba9517f52 25ff4e108e104ab29a3
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06.cl	\x0a!Crashlytics Android SDK/1.1.13.29\x12#547C854601D3-0001-035C-175722B13C06\x18\xc6\x8a\xef\xbf\xbd\x05 \xd4\x8a\xef\xbf\xbd\x05(\x01:q\x0a\x14me.onemobi
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 218916 kB\x0aBuffers: 2076 kB\x0aCached:

Operation	File Path	Data
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	Jq\x0a\x10bac1c9b14ef4b826\x18\x06"\x18Full Android on Emulator(\x010\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x018\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd|P\x00Z\x0b\x08f\x12\x07unknownZ\x14\x08d\x12\x10bac1c9b14ef4b826`\x02
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x10\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	B\x10\x08\x03\x12\x054.1.1\x1a\x03REL \x01
read	/dev/urandom	T\x13\xef\xbf\xbdD \x0e\x1f\xef\xbf\xbdG\xef\xbf\xbd\x0dD\xef\xbf\xbd?\x04l\xef\xbf\xbd
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_f21fdb05-	\x1f\xef\xbf\xbd\x08\x00\x00\x00\x00\x00\x00\xef\xbf\xbdMn\xef\xbf\xbd0\x14\xef\xbf\xbd\xef\xbf\xbd\x0d8\x02\xef\xbf\xbd\x18\xdb\xb1\xef\xbf\xbd\xef\xbf\xbdV\xef\xbf\xbd\xef\xbf\xbdD\xd9\xb4\xea\x8a\x8d\xef\xbf\xbd<*\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdH\xef\xbf\xbdR!\xef\xbf\xbd^\x13Z\xef\xbf\xbd\x17\xef\xbf\xbd\xce\x9f4\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdl\xef\xbf\xbdE&Q\xd3\x9b&\xef\xbf\xbd3\xea\x8d\x83\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdE+\xef\xbf\xbdi\xef\xbf\xbdyY\xef\xbf\xbd\xef\xbf\xbd\x17t\xef\xbf\xbdd\xdb\xbe\xc2\xb13\xef\xbf\xbd
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06.cl	\x00\x12+android.app.Activity.startActivityForResult\x1a\x0dActivity.java\xef\xbf\xbd\x1a(\x04"C\x08\x00\x12+android.app.Activity.startAc
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x10\x00\x00\x00\x00\x01\x00\x00\x00\x10\x00\x00\x00\x10\x00\x00\x01x{"timestamp":1417446728431,"appVersionName":"6.8","osVersion":"4.1.1\eng.mindma
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06.cl	ava\xef\xbf\xbd\x01(\x00\x1au\x08\x00\x12Kjava.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt\x1a\x1fAbstractQ
read	/dev/urandom	W\xef\xbf\xbd\xef\xbf\xbd>\xef\xbf\xbdrX\xcf\x87d\x13\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdc\xc7\x93\xef\xbf\xbd"%
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06.cl	\x0a!Crashlytics Android SDK/1.1.13.29\x12#547C8554033D-0001-0409-175722B13C06\x18\xd4\x8a\xef\xbf\xbd\x05 \xef\xbf\xbd\xef\xbf\xbd\x05(\x01:q\x0a\x14me.onemobi
read	/mnt/sdcard/Android/data/me.onemobile.android/cache/uil-images/1evgh50a4k6dn10to4wm5aqb0	\xef\xbf\xbdPNG\x0d\x0a\x1a\x0a\x00\x00\x00\x0dIHDR\x00\x00\x000\x00\x00\x000\x08\x06\x00\x00\x00W\x02\xef\xbf\xbd\x00\x00\x00\x04sBIT\x08\x08\x08\x08|\x08d\xef\xbf\xbd\x00\x00\x02>IDATh\xef\xbf\xbd\xef\xbf\xbd?o\xef\xbf\xbd@\x18\xef\xbf\xbd\x7f\xef\xbf\xbd\x1a\xef\xbf\xbdQTB\xef\xbf\xbd\x05n@\x0c\x0c,\x15l\x0c\xef\xbf\xbd\xef\xbf\xbd\xc2\x90\xef\xbf\xbd\xd0\x91\xef\xbf\xbd\xef\xbf\xbdafGb
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x10\x00\x00\x00\x00\x01\x00\x00\x00\x10\x00\x00\x00\x10\x00\x00\x01\xef\xbf\xbd{"timestamp":1417446729197,"appVersionName":"6.8","osVersion":"4.1.1\eng.mindma
read	/mnt/sdcard/Android/data/me.onemobile.android/cache/uil-images/1p75u0lgjl1eafue6m8xq8q98	\xef\xbf\xbdPNG\x0d\x0a\x1a\x0a\x00\x00\x00\x0dIHDR\x00\x00\x00@\x00\x00\x00@\x08\x06\x00\x00\x00\xef\xbf\xbddiq\xef\xbf\xbd\x00\x00\x00\x04sBIT\x08\x08\x08\x08|\x08d\xef\xbf\xbd\x00\x00\x09\xef\xbf\xbdIDATx\xef\xbf\xbd\xef\xbf\xbdKl\x1b\xef\xbf\xbd\x15\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd!\xc5\x87l\xef\xbf\xbdi\xef\xbf\xbd\xef\xbf\xbd^\xef\xbf\xbd\x18\xef\xbf\xbdr\xef\xbf\xbd\xef\xbf\xbdv\x03\xdb\xa9\xef\xbf\xbd\xef\xbf\xbdj\xd3\xa8\x0e\xef\xbf\xbd,\xef\xbf\xbd\x06h\x17
read	/data/data/me.onemobile.android/shared_prefs/com.a.a.a.c.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="analytics_launched" va
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06Beg	\x0a!Crashlytics Android SDK/1.1.13.29\x12#547C854601D3-0001-035C-175722B13C06\x18\xc6\x8a\xef\xbf\xbd\x05
read	/data/data/me.onemobile.android/shared_prefs/aggregationads.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<string name="GUID">00000000-1553-af4
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	\x1f\xef\xbf\xbd\x08\x00\x00\x00\x00\x00\x00\xef\xbf\xbd\xef\xbf\xbdKN\xef\xbf\xbd0\x10\x06\xef\xbf\xbd\xef\xbf\xbd\x06\x1c\xef\xbf\xbd\xef\xbf\xbdI=~\xef\xbf\xbdIwm\x00\xef\xbf\xbd\x02\x16\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdv\xef\xbf\xbd("\xef\xbf\xbd\xef\xbf\xbd&\xe1\xa1\xaa\xef\xbf\xbd\xe1\x9a\xb8)\xef\xbf\xbdXr\x00\x7f\xef\xbf\xbdl\xef\xbf\xbd\xef\xbf\xbd\xc7\x8f\xef\xbf\xbd\xef\xbf\xbdj\x12LC]\xef\xbf\xbdk\xef\xbf\xbd} }\xef\xbf\xbd\xdb\xef\xbf\xbd\xef\xbf\xbdvG\xef\xbf\xbd@\x09\xef\xbf\xbd)V@\xef\xbf\xbd\xef\xbf\xbdD\xef\xbf\xbdv/\xef\xbf\xbd

Operation	File Path	Data
read	/mnt/sdcard/Android/data/me.onemobile.android/cache/uil-images/38f9at5ri3d4t4s4jy2groj73	\xef\xbf\xbdPNG\x0d\x0a\x1a\x0a\x00\x00\x00\x0dIHDR\x00\x00\x000\x00\x00\x000\x08\x06\x00\x00\x00W\x02\xef\xbf\xbd\x00\x00\x00\x04sBIT\x08\x08\x08\x08|\x08d\xef\xbf\xbd\x00\x00\x10\xef\xbf\xbdIDATh\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd{\xef\xbf\xbd\xef\xbf\xbdU\xef\xbf\xbd\xef\xbf\xbd?\xef\xbf\xbd\xef\xbf\xbd\x1e\xef\xbf\xbdI\xef\xbf\xbd<H\xef\xbf\xbd\xef\xbf\xbd\x111Q\xef\xbf\xbd\x0a\xef\xbf\xbdX0)\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd*\xef\xbf\xbd3\xcb\x8a\xef\xbf\xbd"
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Beg	\x0a!Crashlytics Android SDK/1.1.13.29\x12#547C8554033D-0001-0409-175722B13C06\x18\xd4\x8a\xef\xbf\xbd\x05
read	/data/data/me.onemobile.android/shared_prefs/com.crashlytics.prefs.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<string name="crashlytics.installatio
read	/data/data/me.onemobile.android/shared_prefs/com.google.android.gms.analytics.prefs.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<long name="monitoring:start" value="
read	/mnt/sdcard/Android/data/me.onemobile.android/cache/data/journal	libcore.io.DiskLruCache\x0a1\x0a1\x0a1\x0a\x0a\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06Ses	R\xef\xbf\xbd[\x08\xc7\x8a\xef\xbf\xbd\x05\x12\x05crash\x1a\xef\xbf\xbdZ\x0a\xef\xbf\xbdZ\x0a\xef\xbf\xbd\x06\x0a\x04main\x10\x04\x1aN\x08\x00\x120android.app.ActivityThread.performLaunchActivity\x1a\x13ActivityThr
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 218692 kB\x0aBuffers: 2064 kB\x0aCached:
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/com.crashlytics.settings.json	{"cache_duration":7200,"settings_version":2,"app":{"update_required":false,"reports_url":"https:\/\/
read	/data/data/me.onemobile.android/shared_prefs/me.onemobile.android_preferences.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<long name="FIRST_LAUNCH_TIME" value=
read	/mnt/sdcard/Android/data/me.onemobile.android/cache/uil-images/2pjvr5mrwe0d7ktdzr2ta8azb	\xef\xbf\xbdPNG\x0d\x0a\x1a\x0a\x00\x00\x00\x0dIHDR\x00\x00\x000\x00\x00\x000\x08\x06\x00\x00\x00W\x02\xef\xbf\xbd\x00\x00\x00\x04sBIT\x08\x08\x08\x08|\x08d\xef\xbf\xbd\x00\x00\x0c\xef\xbf\xbdIDATh\xef\xbf\xbd\xdd\x99\xcb\x8fe\xef\xbf\xbdU\xef\xbf\xbd\x7fk\xef\xbf\xbd}\xef\xbf\xbd}\xd4\xa3\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd;\xef\xbf\xbdp\x12\x0b\xef\xbf\xbd\xef\xbf\xbdv\xef\xbf\xbdd\xef\xbf\xbd\x01B@\xef\xbf\xbd\x18D\x01\x11)\x12
read	/data/data/me.onemobile.android/shared_prefs/multidex.version.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<long name="timestamp" value="1417446
read	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	R\xef\xbf\xbd\x01\x08\xdd\x8a\xef\xbf\xbd\x05\x12\x05crash\x1a\xc3\x86\x01\x0a\xef\xbf\xbd\xef\xbf\xbd\x01\x0a\xef\xbf\xbd\x08\x0a\x04main\x10\x04\x1aC\x08\x00\x12+android.app.Activity.startActivityForResult\x1a\x0dActivity.java
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	{"timestamp":1417446753473,"appVersionName":"6.8","osVersion":"4.1.1\/eng.mindmac.20131015.210508","
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	\x08\x00\x12\x15java.lang.Object.wait\x1a\x0bObject.java(\x00\x1a.\x08\x00\x12\x18java.lang.Thread.parkFor\x1a\x0bThread.java \xef\xbf\xbd\x09(\x00\x1a*\x08\x00\x12\x14sun.mi
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	\x00
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x01\xef\xbf\xbd
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06.cl	tart.run\x1a\x10NativeStart.java(\x00\x0a\xef\xbf\xbd\x01\x0a\x14ReferenceQueueDaemon\x10\x00\x1a(\x08\x00\x12\x15java.lang.Object.wait\x1a\x0bObject.java(\x00\x1a+\x08
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_f21fdb05-	\x10

Operation	File Path	Data
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	i
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	\x08
write	/mnt/sdcard/.omlog	&delay=4&ltimes=0
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	\xef\xbf\xbd
write	/data/data/me.onemobile.android/files/gaClientId	bdb9a347-b961-48cb-9bb4-4ebdf6ddffcb
write	/mnt/sdcard/Android/data/me.onemobile.android/cache/data/journal.tmp	libcore.io.DiskLruCache\x0a1\x0a1\x0a1\x0a\x0a
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	{"timestamp":1417446741618,"appVersionName":"6.8","osVersion":"4.1.1\/eng.mindmac.20131015.210508","
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_f21fdb05-	\xef\xbf\xbdMn\xef\xbf\xbd0\x14\xef\xbf\xbd\xef\xbf\xbd\x0d8\x02\xef\xbf\xbd\x18\xdb\xb1\xef\xbf\xbd\xef\xbf\xbdV\xef\xbf\xbd\xef\xbf\xbdD\xd9\xb4\xea\x8a\x8d\xef\xbf\xbd<*\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdH\xef\xbf\xbdR!\xef\xbf\xbd^\x13Z\xef\xbf\xbd\x17\xef\xbf\xbd\xce\x9f4\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdl\xef\xbf\xbdE&Q\xd3\x9b&\xef\xbf\xbd3\xea\x8d\x83\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdE+\xef\xbf\xbdi\xef\xbf\xbdyY\xef\xbf\xbd\xef\xbf\xbd\x17t\xef\xbf\xbdd\xdb\xbe\xc2\xb13\xef\xbf\xbd\xef\xbf\xbd\x03\xef\xbf\xbdB%\xef\xbf\xbd\xef\xbf\xbd\x1c\xef\xbf\xbd
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	{"timestamp":1417446742223,"appVersionName":"6.8","osVersion":"4.1.1\/eng.mindmac.20131015.210508","
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x10\x00\x00\x00\x00\x03\x00\x00\x00\x10\x00\x00\x03w
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06.cl	(\x00\x0a\xef\xbf\xbd\x05\x0a\x0fpool-1-thread-1\x10\x00\x1a(\x08\x00\x12\x15java.lang.Object.wait\x1a\x0bObject.java(\x00\x1a.\x08\x00\x12\x18java.lang.Thread.parkFor\x1a\x0bTh
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	\x1f
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	{"timestamp":1417446729197,"appVersionName":"6.8","osVersion":"4.1.1\/eng.mindmac.20131015.210508","
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	{"timestamp":1417446742072,"appVersionName":"6.8","osVersion":"4.1.1\/eng.mindmac.20131015.210508","
write	/mnt/sdcard/.omlog	&delay=1&ltimes=0
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_f21fdb05-	D
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_f21fdb05-	w
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06Ses	tibly\x1a\x1fAbstractQueuedSynchronizer.java \xef\xbf\xbd\x0a(\x00\x1aG\x08\x00\x12-java.util.concurrent.FutureTask$Sync.innerGet\x1a\x0fFutu
write	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65

Operation	File Path	Data
write	/data/data/me.onemobile.android/shared_prefs/me.onemobile.android_preferences.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<int name="COMMON_UPDATE_RECORD_COUNT
write	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name4="OMA_INIT_OLD_VERSION"
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x10\x00\x00\x00\x00\x01\x00\x00\x00\x10\x00\x00\x00\x10
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06.cl	X\x01`\x03
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	nder_1\x10\x00\x1a5\x08\x00\x12\x1ddalvik.system.NativeStart.run\x1a\x10NativeStart.java(\x00\x0a\xef\xbf\xbd\x03\x0a\x0fOneMobileThread\x10\x00\x1a(\x08\x00\x12\x15java.lang
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854601D3-0001-035C-175722B13C06Ses	nizer.java \xef\xbf\xbd\x0f(\x00\x1aP\x08\x00\x12-java.util.concurrent.LinkedBlockingQueue.take\x1a\x18LinkedBlockingQueue.java \xef\xbf\xbd\x03(\x00\x1aQ\x08
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x01x
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x10\x00\x00\x00\x00\x02\x00\x00\x00\x10\x00\x00\x01\xef\xbf\xbd
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C85620194-0002-0409-175722B13C06Beg	\x0a!Crashlytics Android SDK/1.1.13.29\x12#547C85620194-0002-0409-175722B13C06\x18\xef\xbf\xbd\xef\xbf\xbd\x05
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	agment.zh.a\x1a\x1bMyAppsFragmentMainMenu.java v(\x04"N\x08\x00\x12(me.onemobile.android.fragment.zo.onClick\x1a\x1bMyAppsFr
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C8554033D-0001-0409-175722B13C06Ses	.wait\x1a\x0bObject.java \xef\xbf\xbd\x03(\x00\x1a@\x08\x00\x12#java.lang.ref.ReferenceQueue.remove\x1a\x13ReferenceQueue.java f(\x00\x1a@\x08\x00\x12#java.
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	{"timestamp":1417446728431,"appVersionName":"6.8","osVersion":"4.1.1\eng.mindmac.20131015.210508","
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/547C854B0151-0002-035C-175722B13C06Beg	\x0a!Crashlytics Android SDK/1.1.13.29\x12#547C854B0151-0002-035C-175722B13C06\x18\xcb\x8a\xef\xbf\xbd\x05
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_f21fdb05-	(
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	*
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_f21fdb05-	\x1e
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics.tap	\x00\x00\x10\x00\x00\x00\x00\x04\x00\x00\x00\x10\x00\x00\x05+

Operation	File Path	Data
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	\xef\xbf\xbd\xef\xbf\xbdKN\xef\xbf\xbd0\x10\x06\xef\xbf\xbd\xef\xbf\xbd\x06\x1c\xef\xbf\xbd\xef\xbf\xbdI=~\xef\xbf\xbdIwm\x00\xef\xbf\xbd\x02\x16 \xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdv\xef\xbf\xbd("\xef\xbf\xbd\xef\xbf\xbd&\xe1\xa1\xaa\xef\xbf\xbd\xe1\x9a\xb8)\xef\xbf\xbdXr\x00\x7f\xef\xbf\xbdl\xef\xbf\xbd\xef\xbf\xbd\xc7\x8f\xef\xbf\xbd\xef\xbf\xbdj\x12LC]\xef\xbf\xbdk\xef\xbf\xbd} }\xef\xbf\xbdb\xef\xbf\xbd\xef\xbf\xbdvG\xef\xbf\xbd @\x09\xef\xbf\xbd)V@\xef\xbf\xbd\xef\xbf\xbdD\xef\xbf\xbdv/\xef\xbf\xbd\xef\xbf\xbdj\xef\xbf\xbd\x1eu\xef\xbf\xbddl\xef\xbf\xbd4
write	/data/data/me.onemobile.android/files/.TwitterSdk/cl/com.crashlytics.sdk.android/session_analytics_to_send/sa_ffdd8d54-	\x1a

DNS Query

QName	QType	IPs
advertise.1mobile.com	A	184.172.27.20
advertise.1mobile.com	A	184.172.27.20
api4.1mobile.com	A	108.168.142.26
api4.1mobile.com	A	108.168.142.26
e.crashlytics.com	A	184.73.235.122, 23.21.204.219, 23.21.166.36, 54.225.183.227, 184.73.226.68, 184.73.214.89, 54.225.161.73, 184.73.161.9
e.crashlytics.com	A	23.21.81.8, 23.23.140.207, 23.23.142.193, 23.23.72.114, 23.23.241.66, 23.23.195.103, 50.16.198.226, 50.16.207.53
e.crashlytics.com	A	54.235.137.55, 54.225.215.115, 54.225.221.229, 54.225.208.80, 54.235.121.58, 54.235.104.210, 54.235.186.187, 54.235.121.103
e.crashlytics.com	A	50.17.218.120, 184.73.224.125, 50.16.224.16, 54.235.90.174, 50.17.211.66, 184.73.227.86, 23.21.226.114, 54.243.182.104
reports.crashlytics.com	A	54.243.187.235, 54.243.173.45, 54.243.248.254, 54.243.28.21, 54.83.53.160, 54.83.201.104, 54.83.48.114, 54.243.82.11
reports.crashlytics.com	A	23.23.131.150, 107.22.180.88, 23.21.208.172, 107.21.204.104, 107.20.233.56, 23.23.139.224, 23.21.97.8, 23.23.115.103
settings.crashlytics.com	A	54.235.77.147, 54.204.4.24, 54.225.163.100, 54.225.215.77, 54.235.75.243, 54.235.69.83, 54.197.246.125, 54.243.104.248

HTTP Data

N/A

Files Recovered From Http

N/A

Execute Shells

N/A

Started Services

- Intent { cmp=me.onemobile.android/.service.ChargingAdService }
- Intent { cmp=me.onemobile.android/.service.ChargingAdService }
- Intent { cmp=me.onemobile.android/.service.ChargingAdService }
- Intent { cmp=me.onemobile.android/.service.ChargingAdService }
- Intent { cmp=me.onemobile.android/.service.SyncService }

- Intent { cmp=me.onemobile.android/.service.SyncService }
- Intent { cmp=me.onemobile.android/.service.SyncService }
- Intent { cmp=me.onemobile.android/.service.SyncService }
- Intent { cmp=me.onemobile.android/me.onemobile.ads.facebook.FacebookLoadAdsService (has extras) }
- Intent { cmp=me.onemobile.android/me.onemobile.ads.facebook.FacebookLoadAdsService (has extras) }
- Intent { cmp=me.onemobile.android/me.onemobile.server.ServerService }
- Intent { cmp=me.onemobile.android/me.onemobile.server.ServerService }
- Intent { dat=package:me.onemobile.android cmp=me.onemobile.android/me.onemobile.message.MessageService (has extras) }
- Intent { dat=package:me.onemobile.android cmp=me.onemobile.android/me.onemobile.message.MessageService (has extras) }
- Intent { dat=package:me.onemobile.android cmp=me.onemobile.android/me.onemobile.message.MessageService (has extras) }
- Intent { dat=package:me.onemobile.android cmp=me.onemobile.android/me.onemobile.message.MessageService (has extras) }

May Send SMS

N/A

Send SMS

N/A

Block SMS

N/A

Phone Call

N/A

Data Leakage

Leak Type	Tag	Leak Data	Destination
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<string name="GUID">00000000-1553-af4	/data/data/me.onemobile.android/shared_prefs/onemobile_analytics.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml
File Write	TAINT_ICCID,TAINT_IMEI	<?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<boolean name="MYAPPS_DB_IS_INITED_65	/data/data/me.onemobile.android/shared_prefs/ONEMOBILE.xml

Sensitive APIs

- **API: Landroid/content/pm/PackageManager;->getInstalledApplications**
- Description: Gets applications installed on the device
- Caller Code: Lcom/onemobile/ads/core/OMUtils;->getAllInstallAppList(Landroid/content/Context;)Ljava/util/List;
- Threat Level:

- Path Index: 12

- **API: Landroid/content/pm/PackageManager;->getInstalledApplications**
- Description: Gets applications installed on the device
- Caller Code: Lcom/onemobile/ads/core/OMUtils;->getAllInstallAppList(Landroid/content/Context;)Ljava/util/List;
- Threat Level:
- Path Index: 68

- **API: Landroid/location/LocationManager;->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lcom/flurry/sdk/ap;->a(Ljava/lang/String;)Landroid/location/Location;
- Threat Level:
- Path Index: 18

- **API: Landroid/location/LocationManager;->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lcom/inmobi/androidsdk/impl/UserInfo;->e()V
- Threat Level:
- Path Index: 138

- **API: Landroid/location/LocationManager;->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lcom/inmobi/androidsdk/impl/UserInfo;->f()Landroid/location/Location;
- Threat Level:
- Path Index: 114

- **API: Landroid/location/LocationManager;->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lcom/inmobi/commons/data/LocationInfo;->b()Landroid/location/Location;
- Threat Level:
- Path Index: 114

- **API: Landroid/location/LocationManager;->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lcom/inmobi/commons/data/LocationInfo;->updateBestKnownLocation()V
- Threat Level:
- Path Index: 138

- **API: Landroid/location/LocationManager;->getLastKnownLocation**
- Description: Gets geographic location
- Caller Code: Lcom/inmobi/commons/thinICE/location/LocationUtil;->a(Landroid/content/Context;
  Ljava/lang/String;)Lcom/inmobi/commons/thinICE/location/LocationInfo;
- Threat Level:
- Path Index: 16

- **API: Landroid/media/AudioRecord;->startRecording**
- Description: Records audio
- Caller Code: Lcom/inmobi/re/container/mraidimpl/AudioTriggerer;->d()V
- Threat Level:
- Path Index: 54

- **API: Landroid/telephony/TelephonyManager;->getCellLocation**
- Description: Gets the current location of the device
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil;->getCurrentCellTower(Landroid/content/Context;)Lcom/inmobi/commons/thinICE/cellular/CellTowerInfo;
- Threat Level:
- Path Index: 36

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lb/a/a/v;->f(Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lb/a/a/v;->i(Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 30

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/a/a/a/bm;->f()Ljava/util/Map;
- Threat Level:
- Path Index: 82

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/flurry/sdk/ao;->a()[B
- Threat Level:

- Path Index: 88

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/onemobile/a/c;->d(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/onemobile/a/c;->f(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭
- Path Index: 30

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/onemobile/ads/aggregationads/b/a;->d(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/onemobile/ads/aggregationads/b/b;->a(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭
- Path Index: 18

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lme/onemobile/android/service/SyncService;->m(Landroid/content/Context;)Lme/onemobile/b/m;
- Threat Level: ▭
- Path Index: 188

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lme/onemobile/sdk/k;->g(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭
- Path Index: 30

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lme/onemobile/utility/bh;->b(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭
- Path Index: 30

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lcom/inmobi/androidsdk/carb/CARB;->getCountryISO(Landroid/content/Context;)Ljava/lang/Object;
- Threat Level: ▭
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lcom/inmobi/androidsdk/carb/CARB;->getCountryISO(Landroid/content/Context;)Ljava/lang/Object;
- Threat Level: ▭
- Path Index: 70

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lcom/inmobi/commons/analytics/util/AnalyticsUtils;->getCountryISO(Landroid/content/Context;)Ljava/lang/Object;
- Threat Level: ▭
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lcom/inmobi/commons/analytics/util/AnalyticsUtils;->getCountryISO(Landroid/content/Context;)Ljava/lang/Object;
- Threat Level: ▭
- Path Index: 70

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lcom/onemobile/adnetwork/nativead/util/h;->a(Landroid/content/Context; Ljava/util/Map;)Ljava/lang/String;
- Threat Level: ▭
- Path Index: 294

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/facebook/ads/internal/dto/f;->c(Landroid/content/Context;)V
- Threat Level: ▭
- Path Index: 180

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/google/android/gms/internal/je;->(Landroid/content/Context;)V
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 174

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil;->getCellNetworkInfo(Landroid/content/Context;)Lcom/inmobi/commons/thinICE/cellular/CellOperatorInfo;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 30

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil;->getCurrentCellTower(Landroid/content/Context;)Lcom/inmobi/commons/thinICE/cellular/CellTowerInfo;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 20

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/onemobile/adnetwork/nativead/util/h;->a(Landroid/content/Context; Ljava/util/Map;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 316

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lme/onemobile/android/service/SyncService;->m(Landroid/content/Context;)Lme/onemobile/b/m;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 208

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lcom/facebook/ads/internal/dto/f;->c(Landroid/content/Context;)V
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 180

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lcom/onemobile/adnetwork/nativead/util/h;->a(Landroid/content/Context; Ljava/util/Map;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 316

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lme/onemobile/android/service/SyncService;->m(Landroid/content/Context;)Lme/onemobile/b/m;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 208

- **API: Landroid/telephony/TelephonyManager;->getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil;->getCellNetworkInfo(Landroid/content/Context;)Lcom/inmobi/commons/thinICE/cellular/CellOperatorInfo;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 62

- **API: Landroid/telephony/TelephonyManager;->getSimSerialNumber**
- Description: Gets the serial number of SIM
- Caller Code: Lb/a/a/v;->i(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 64

- **API: Landroid/telephony/TelephonyManager;->getSimSerialNumber**
- Description: Gets the serial number of SIM
- Caller Code: Lcom/onemobile/a/c;->f(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 64

- **API: Landroid/telephony/TelephonyManager;->getSimSerialNumber**
- Description: Gets the serial number of SIM
- Caller Code: Lcom/onemobile/ads/aggregationads/b/b;->b(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 18

- **API: Landroid/telephony/TelephonyManager;->getSimSerialNumber**
- Description: Gets the serial number of SIM
- Caller Code: Lme/onemobile/sdk/k;->g(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 64

- **API: Landroid/telephony/TelephonyManager;->getSimSerialNumber**

- Description: Gets the serial number of SIM
- Caller Code: Lme/onemobile/utility/bh;->b(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▯▯▯▯▯▯▯
- Path Index: 64

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 226

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 246

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 266

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 286

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 306

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 326

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 346

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 366

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 386

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 414

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Ljava/lang/String; Landroid/content/Context; Lcom/google/android/gms/internal/rp;)V
- Threat Level: ▯▯▯▯▯▯
- Path Index: 442

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lcom/inmobi/commons/analytics/iat/impl/AdTrackerUtils;->getReferrerFromLogs()Ljava/lang/String;
- Threat Level: ▯▯▯▯▯▯
- Path Index: 84

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code

- Caller Code: Leu/chainfire/libsuperuser/onemobile/c;->a(Ljava/lang/String; [Ljava/lang/String;)Ljava/util/List;
- Threat Level:
- Path Index: 122

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lme/onemobile/utility/bh;->b(Ljava/lang/String;)Z
- Threat Level:
- Path Index: 16

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lme/onemobile/utility/bh;->u(Ljava/lang/String;)Z
- Threat Level:
- Path Index: 12

- **API: Ljava/lang/System;->load**
- Description: Loads and links the dynamic library
- Caller Code: Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;
- Threat Level:
- Path Index: 232

- **API: Ljava/lang/System;->load**
- Description: Loads and links the dynamic library
- Caller Code: Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;
- Threat Level:
- Path Index: 242

- **API: Ljava/lang/System;->load**
- Description: Loads and links the dynamic library
- Caller Code: Lme/onemobile/lib/bsdiff/BSDiff;->()V
- Threat Level:
- Path Index: 10

- **API: Ljava/lang/System;->load**
- Description: Loads and links the dynamic library
- Caller Code: Lme/onemobile/uninstall/UninstallSelfMonitor;->()V
- Threat Level:
- Path Index: 10

- **API: Ljava/lang/System;->load**
- Description: Loads and links the dynamic library
- Caller Code: Lpl/droidsonroids/gif/GifInfoHandle;->()V
- Threat Level:
- Path Index: 28

- **API: Ljava/lang/System;->loadLibrary**
- Description: Loads and links the dynamic library
- Caller Code: Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;
- Threat Level:
- Path Index: 232

- **API: Ljava/lang/System;->loadLibrary**
- Description: Loads and links the dynamic library
- Caller Code: Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;
- Threat Level:
- Path Index: 242

- **API: Ljava/lang/System;->loadLibrary**
- Description: Loads and links the dynamic library
- Caller Code: Lme/onemobile/lib/bsdiff/BSDiff;->()V
- Threat Level:
- Path Index: 10

- **API: Ljava/lang/System;->loadLibrary**
- Description: Loads and links the dynamic library
- Caller Code: Lme/onemobile/uninstall/UninstallSelfMonitor;->()V
- Threat Level:
- Path Index: 10

- **API: Ljava/lang/System;->loadLibrary**
- Description: Loads and links the dynamic library
- Caller Code: Lpl/droidsonroids/gif/GifInfoHandle;->()V
- Threat Level:

- Path Index: 28

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/multidex/MultiDex$V14;->makeDexElements(Ljava/lang/Object; Ljava/util/ArrayList; Ljava/io/File;)[Ljava/lang/Object;
- Threat Level:
- Path Index: 50

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/multidex/MultiDex$V19;->makeDexElements(Ljava/lang/Object; Ljava/util/ArrayList; Ljava/io/File; Ljava/util/ArrayList;)[Ljava/lang/Object;
- Threat Level:
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/multidex/MultiDexExtractor;->apply(Landroid/content/SharedPreferences$Editor;)V
- Threat Level:
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object;
- Threat Level:
- Path Index: 60

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;
- Threat Level:
- Path Index: 52

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;
- Threat Level:
- Path Index: 82

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybean$GetDefaultRouteWorkaround;->getDefaultRoute(Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 24

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybean$SelectRouteWorkaround;->selectRoute(Ljava/lang/Object; I Ljava/lang/Object;)V
- Threat Level:
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->run()V
- Threat Level:
- Path Index: 22

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$IsConnectingWorkaround;->isConnecting(Ljava/lang/Object;)Z
- Threat Level:
- Path Index: 24

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/text/ICUCompatIcs;->addLikelySubtags(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 26

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/text/ICUCompatIcs;->getScript(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 28

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V

- Threat Level: ▭▭▭▭▭
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewCompatEclairMr1;->setChildrenDrawingOrderEnabled(Landroid/view/ViewGroup; Z)V
- Threat Level: ▭▭▭▭▭
- Path Index: 80

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V
- Threat Level: ▭▭▭▭▭
- Path Index: 78

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 34

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;
- Threat Level: ▭▭▭▭▭
- Path Index: 54

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;
- Threat Level: ▭▭▭▭▭
- Path Index: 42

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;
- Threat Level: ▭▭▭▭▭
- Path Index: 72

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/SupportMenuInflater$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z
- Threat Level: ▭▭▭▭▭
- Path Index: 42

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/SupportMenuInflater$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z
- Threat Level: ▭▭▭▭▭
- Path Index: 84

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/menu/o;->b()V
- Threat Level: ▭▭▭▭▭
- Path Index: 86

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/widget/DrawableUtils;->getOpticalBounds(Landroid/graphics/drawable/Drawable;)Landroid/graphics/Rect;
- Threat Level: ▭▭▭▭▭
- Path Index: 50

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection

- Caller Code: Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 36

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/widget/ViewUtils;->computeFitSystemWindows(Landroid/view/View; Landroid/graphics/Rect; Landroid/graphics/Rect;)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 30

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->doAfterTextChanged(Landroid/widget/AutoCompleteTextView;)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->doBeforeTextChanged(Landroid/widget/AutoCompleteTextView;)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->ensureImeVisible(Landroid/widget/AutoCompleteTextView; Z)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->showSoftInputUnchecked(Landroid/view/inputmethod/InputMethodManager; Landroid/view/View; I)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 40

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v8/renderscript/Allocation;->(I Landroid/support/v8/renderscript/RenderScript; Landroid/support/v8/renderscript/Type; I)V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 182

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v8/renderscript/Allocation;->finalize()V
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 40

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 146

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v8/renderscript/RenderScript;->setupThunk(I Landroid/content/Context;)Z
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 108

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v8/renderscript/RenderScript;->setupThunk(I Landroid/content/Context;)Z
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 234

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v8/renderscript/RenderScriptThunker;->create(Landroid/content/Context; I)Landroid/support/v8/renderscript/RenderScript;
- Threat Level: 🔸🔸🔸🔸🔸
- Path Index: 90

- **API: Ljava/lang/reflect/Method;->invoke**

- Description: Utilizes Java reflection
- Caller Code: Lcom/c/a/ag;->a(Ljava/lang/Object;)V
- Threat Level: ▮▮▮▮▮
- Path Index: 204

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/c/a/ag;->b(Ljava/lang/Object;)V
- Threat Level: ▮▮▮▮▮
- Path Index: 60

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/c/a/ah;->b(Ljava/lang/Object;)V
- Threat Level: ▮▮▮▮▮
- Path Index: 94

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/facebook/ads/internal/util/g;->a(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level: ▮▮▮▮▮
- Path Index: 0

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/facebook/ads/internal/util/h;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▮▮▮▮▮
- Path Index: 102

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/facebook/ads/internal/util/h;->a(Landroid/webkit/WebView;)V
- Threat Level: ▮▮▮▮▮
- Path Index: 66

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/facebook/ads/internal/util/h;->b(Landroid/webkit/WebView;)V
- Threat Level: ▮▮▮▮▮
- Path Index: 74

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/flurry/sdk/be;->a(Ljava/lang/String;)Lcom/flurry/sdk/bg;
- Threat Level: ▮▮▮▮▮
- Path Index: 50

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/ads/internal/purchase/zzb;->zzb(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Landroid/os/Bundle;
- Threat Level: ▮▮▮▮▮
- Path Index: 154

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/ads/internal/purchase/zzb;->zzh(Ljava/lang/String; Ljava/lang/String;)I
- Threat Level: ▮▮▮▮▮
- Path Index: 118

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/ads/internal/purchase/zzb;->zzi(Ljava/lang/String; Ljava/lang/String;)Landroid/os/Bundle;
- Threat Level: ▮▮▮▮▮
- Path Index: 138

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/ads/internal/purchase/zzb;->zzu(Landroid/os/IBinder;)V
- Threat Level: ▮▮▮▮▮
- Path Index: 66

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/ads/internal/purchase/zzd;->a()V
- Threat Level: ▮▮▮▮▮
- Path Index: 136

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection

- Caller Code: Lcom/google/android/gms/ads/internal/util/client/zza;->zzF(Landroid/content/Context;)Z
- Threat Level: ▮▮▮▮▮
- Path Index: 122

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/ads/internal/util/client/zza;->zzF(Landroid/content/Context;)Z
- Threat Level: ▮▮▮▮▮
- Path Index: 170

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/common/server/response/FastJsonResponse;->b(Lcom/google/android/gms/common/server/response/FastJsonResponse$Field;)Ljava/lang/Object;
- Threat Level: ▮▮▮▮▮
- Path Index: 162

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Landroid/content/Context; Lcom/google/android/gms/internal/rp;)Ljava/lang/String;
- Threat Level: ▮▮▮▮▮
- Path Index: 52

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->a(Landroid/view/MotionEvent; Landroid/util/DisplayMetrics;)Ljava/util/ArrayList;
- Threat Level: ▮▮▮▮▮
- Path Index: 48

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->b(Landroid/content/Context; Lcom/google/android/gms/internal/rp;)Ljava/lang/String;
- Threat Level: ▮▮▮▮▮
- Path Index: 52

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->c()Ljava/lang/Long;
- Threat Level: ▮▮▮▮▮
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->c(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▮▮▮▮▮
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->d()Ljava/lang/String;
- Threat Level: ▮▮▮▮▮
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->d(Landroid/content/Context;)Ljava/util/ArrayList;
- Threat Level: ▮▮▮▮▮
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->e()Ljava/lang/Long;
- Threat Level: ▮▮▮▮▮
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->e(Landroid/content/Context;)[I
- Threat Level: ▮▮▮▮▮
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/oa;->f(Landroid/content/Context;)I
- Threat Level: ▮▮▮▮▮
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection

- Caller Code: Lcom/google/android/gms/internal/oa;->g(Landroid/content/Context;)I
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/tx;->a(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 374

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/internal/tx;->a(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 446

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/huewu/pla/lib/internal/PLA_AbsListView;->(Landroid/content/Context;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 200

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager$b;->a(Landroid/os/Bundle;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 164

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager$b;->a(Landroid/os/Bundle;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 220

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager$b;->a(Landroid/os/Bundle;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 278

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager;->a(Landroid/content/Context;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 66

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager;->a(Landroid/content/Context;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 348

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager;->a(Landroid/content/Intent;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 54

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager;->a(Landroid/content/Intent;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 120

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager;->a(Landroid/content/Intent;)V
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 144

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ActivityRecognitionManager;->getDetectedActivity()I
- Threat Level: 🟧🟧🟧🟧🟧
- Path Index: 46

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ApplicationFocusManager;->b()V

- Threat Level: ▭▭▭▭▭
- Path Index: 184

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/ApplicationFocusManager;->c()V
- Threat Level: ▭▭▭▭▭
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->getDisplayRotation(Landroid/view/Display;)I
- Threat Level: ▭▭▭▭▭
- Path Index: 30

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->isGooglePlayServicesJarIncluded()Z
- Threat Level: ▭▭▭▭▭
- Path Index: 66

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/WrapperFunctions;->a(Landroid/webkit/WebView; I)V
- Threat Level: ▭▭▭▭▭
- Path Index: 74

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/WrapperFunctions;->getDisplayHeight(Landroid/view/Display;)I
- Threat Level: ▭▭▭▭▭
- Path Index: 62

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/WrapperFunctions;->getDisplayHeight(Landroid/view/Display;)I
- Threat Level: ▭▭▭▭▭
- Path Index: 122

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/WrapperFunctions;->getDisplayWidth(Landroid/view/Display;)I
- Threat Level: ▭▭▭▭▭
- Path Index: 62

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/WrapperFunctions;->getDisplayWidth(Landroid/view/Display;)I
- Threat Level: ▭▭▭▭▭
- Path Index: 122

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/WrapperFunctions;->getSSLErrorUrl(Landroid/net/http/SslError;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 36

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/internal/WrapperFunctions;->getVideoBitmap(Ljava/lang/String;)Landroid/graphics/Bitmap;
- Threat Level: ▭▭▭▭▭
- Path Index: 80

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->a(Landroid/content/Context;)I
- Threat Level: ▭▭▭▭▭
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->a(Landroid/content/Context;)I
- Threat Level: ▭▭▭▭▭
- Path Index: 92

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->a(Landroid/content/Context;)I
- Threat Level: ▭▭▭▭▭

- Path Index: 128

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->b(Landroid/content/Context;)I
- Threat Level:
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->b(Landroid/content/Context;)I
- Threat Level:
- Path Index: 92

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->b(Landroid/content/Context;)I
- Threat Level:
- Path Index: 128

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/uid/UIDHelper$a;->run()V
- Threat Level:
- Path Index: 74

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/uid/UIDHelper$a;->run()V
- Threat Level:
- Path Index: 98

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/uid/UIDHelper$a;->run()V
- Threat Level:
- Path Index: 162

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/inmobi/commons/uid/UIDHelper;->getPlatformId()Ljava/lang/String;
- Threat Level:
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/onemobile/adnetwork/nativead/util/l;->a()Ljava/lang/Object;
- Threat Level:
- Path Index: 86

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/onemobile/adnetwork/nativead/util/l;->a()Ljava/lang/Object;
- Threat Level:
- Path Index: 100

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lme/onemobile/android/download/DownloadReceiver;->a(Landroid/content/Context; Landroid/net/Uri;)V
- Threat Level:
- Path Index: 246

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lme/onemobile/utility/bh;->a(Landroid/app/Activity;)[I
- Threat Level:
- Path Index: 124

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lme/onemobile/utility/bh;->p(Landroid/content/Context;)V
- Threat Level:
- Path Index: 56

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/a/a/a/ab;->a(Ljava/net/URL;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 0

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/d/a/b/d/a;->b(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 22

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/facebook/ads/internal/thirdparty/http/f;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 10

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/analytics/internal/k;->b(Ljava/net/URL;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 2

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/internal/cf;->a(Lcom/google/android/gms/internal/cj;)Lcom/google/android/gms/internal/ck;
- Threat Level:
- Path Index: 12

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/internal/dg;->a(Ljava/lang/String;)Z
- Threat Level:
- Path Index: 670

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/internal/io;->a(Lcom/google/android/gms/ads/internal/request/AdRequestInfoParcel; Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Lcom/google/android/gms/internal/jd;)Lcom/google/android/gms/ads/internal/request/AdResponseParcel;
- Threat Level:
- Path Index: 74

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/internal/lj;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 10

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/internal/ln;->zzcX()V
- Threat Level:
- Path Index: 54

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/internal/mz;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Landroid/webkit/WebResourceResponse;
- Threat Level:
- Path Index: 10

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/google/android/gms/internal/te;->a(Ljava/lang/String;)Ljava/io/InputStream;
- Threat Level:
- Path Index: 14

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/androidsdk/carb/CARB$a;->a(Ljava/lang/String;)I
- Threat Level:
- Path Index: 56

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/androidsdk/carb/CARB$b;->a(Ljava/lang/String;)I
- Threat Level:
- Path Index: 60

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/androidsdk/impl/net/RequestResponseManager;->a(Ljava/lang/String; Lcom/inmobi/androidsdk/impl/UserInfo;)Ljava/net/HttpURLConnection;
- Threat Level:

- Path Index: 10

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/androidsdk/impl/net/RequestResponseManager;->processClickHttpClient(Ljava/lang/String; Z)Z
- Threat Level:
- Path Index: 80

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/commons/analytics/net/AnalyticsCommon;->setupConnection(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 10

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/commons/analytics/util/AnalyticsUtils;->asyncPingInternal(Ljava/lang/String;)V
- Threat Level:
- Path Index: 68

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/commons/cache/ProductCacheConfig;->c()Lcom/inmobi/commons/cache/ProductCacheConfig$b;
- Threat Level:
- Path Index: 166

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->getFinalRedirectedUrl(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 16

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/commons/internal/ThinICE;->b(Ljava/lang/String;)V
- Threat Level:
- Path Index: 34

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/commons/metric/MetricEndPoint;->sendData(Ljava/lang/String; Ljava/lang/String;)V
- Threat Level:
- Path Index: 10

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/monetization/internal/NativeAdRequestTask;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 10

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/re/container/IMWebView$i;->a([Ljava/lang/Void;)Ljava/lang/String;
- Threat Level:
- Path Index: 420

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/inmobi/re/controller/JSUtilityController$d;->run()V
- Threat Level:
- Path Index: 72

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/onemobile/adnetwork/adview/f;->a(Ljava/lang/String;)Landroid/graphics/Bitmap;
- Threat Level:
- Path Index: 26

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/onemobile/adnetwork/b/e;->b(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Lcom/onemobile/adnetwork/b/g;)Ljava/io/InputStream;
- Threat Level:
- Path Index: 14

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/onemobile/ads/core/OMUtils;->downloadUrlToFile(Ljava/lang/String; Ljava/io/File;)Z
- Threat Level:
- Path Index: 18

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lme/onemobile/android/fragment/sr;->a(Landroid/graphics/Bitmap;)Lme/onemobile/d/h;
- Threat Level:
- Path Index: 90

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/a/a/a/ar;->a(Ljava/lang/String; Ljava/lang/String; Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 480

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/google/android/gms/internal/ty;->a([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 162

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->a([B Ljava/lang/String; Ljava/lang/String;)[B
- Threat Level:
- Path Index: 80

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->a([B [B [B)[B
- Threat Level:
- Path Index: 46

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->b([B [B [B)[B
- Threat Level:
- Path Index: 46

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/inmobi/commons/uid/UIDHelper;->a([B I Ljavax/crypto/Cipher;)[B
- Threat Level:
- Path Index: 40

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/inmobi/commons/uid/UIDHelper;->a([B I Ljavax/crypto/Cipher;)[B
- Threat Level:
- Path Index: 96

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lme/onemobile/utility/bh;->t(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 142

- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
- Description: Executes a Internet request
- Caller Code: Lcom/inmobi/commons/analytics/iat/impl/net/AdTrackerNetworkInterface;->k()V
- Threat Level:
- Path Index: 120

- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
- Description: Executes a Internet request
- Caller Code: Lcom/inmobi/commons/analytics/iat/impl/net/AdTrackerRequestResponseBuilder;->sendHTTPRequest(Ljava/lang/String; Lcom/inmobi/commons/analytics/iat/impl/Goal; Ljava/lang/String;)Lcom/inmobi/commons/analytics/iat/impl/AdTrackerConstants$StatusCode;
- Threat Level:
- Path Index: 238

- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
- Description: Executes a Internet request
- Caller Code: Lcom/inmobi/monetization/internal/GetLtvpRuleRequestTask;->run()V
- Threat Level:
- Path Index: 192

- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
- Description: Executes a Internet request
- Caller Code: Lme/onemobile/e/a/a/e;->a(Lme/onemobile/e/a/a/r; Lme/onemobile/e/a/a/f; Lme/onemobile/e/a/a/k; Lme/onemobile/e/a/a/m; Lme/onemobile/e/a/a/b;)Lme/onemobile/e/a/a/p;
- Threat Level:

- Path Index: 86

- **API: Lorg/apache/http/impl/client/DefaultHttpClient;->execute**
- Description: Executes a Internet request
- Caller Code: Lme/onemobile/e/a/e;->a(Lme/onemobile/e/a/p; I Lme/onemobile/e/a/j; Lme/onemobile/e/a/l; Lme/onemobile/e/a/b;)Lme/onemobile/e/a/n;
- Threat Level: ▭▭▭▭▭
- Path Index: 82

Permission Usage

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/cellular/CellUtil;->getCurrentCellTower(Landroid/content/Context;)Lcom/inmobi/commons/thinICE/cellular/CellTowerInfo;
- Callee Code: Landroid/telephony/TelephonyManager;->getCellLocation()Landroid/telephony/CellLocation;
- Path Index: 36

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/flurry/sdk/ap;->a(Ljava/lang/String;)Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 18

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/flurry/sdk/ap;->h()V
- Callee Code: Landroid/location/LocationManager;->requestLocationUpdates(Ljava/lang/String; J F Landroid/location/LocationListener; Landroid/os/Looper;)V
- Path Index: 108

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/flurry/sdk/ap;->i()Ljava/lang/String;
- Callee Code: Landroid/location/LocationManager;->getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 40

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/impl/UserInfo;->e()V
- Callee Code: Landroid/location/LocationManager;->getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 114

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/impl/UserInfo;->e()V
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 138

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/impl/UserInfo;->f()Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->getProviders(Z)Ljava/util/List;
- Path Index: 64

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/impl/UserInfo;->f()Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 102

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/impl/UserInfo;->f()Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 114

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/data/LocationInfo;->b()Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->getProviders(Z)Ljava/util/List;
- Path Index: 64

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/data/LocationInfo;->b()Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 102

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**

- Used Type: Api
- Caller Code: Lcom/inmobi/commons/data/LocationInfo;->b()Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 114

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/data/LocationInfo;->updateBestKnownLocation()V
- Callee Code: Landroid/location/LocationManager;->getBestProvider(Landroid/location/Criteria; Z)Ljava/lang/String;
- Path Index: 114

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/data/LocationInfo;->updateBestKnownLocation()V
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 138

- **Permission Name: android.permission.ACCESS_COARSE_LOCATION**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/location/LocationUtil;->a(Landroid/content/Context; Ljava/lang/String;)Lcom/inmobi/commons/thinICE/location/LocationInfo;
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 16

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$GingerbreadConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatGingerbread;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$HoneycombMR2ConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompat$ConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 4

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$BaseConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat;->getNetworkInfoFromBroadcast(Landroid/net/ConnectivityManager; Landroid/content/Intent;)Landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 28

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatGingerbread;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatJellyBean;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->isActiveNetworkMetered()Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api

- Caller Code: Lb/a/a/s;->a()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/dto/f;->d(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 16

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/server/a;->a(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 38

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/flurry/sdk/fe;->a(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 34

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/j;->f()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 30

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/k;->b()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 38

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/je;->(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 312

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/je;->(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->isActiveNetworkMetered()Z
- Path Index: 486

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/je;->(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 498

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/je;->(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 510

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/tj;->run()V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 100

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/tagmanager/cs;->run()V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 44

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/tagmanager/dt;->a()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->checkNetworkAvailibility(Landroid/content/Context;)Z

- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->checkNetworkAvailibility(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 42

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->getConnectivityType(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 40

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/adnetwork/nativead/b/f;->a()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 72

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/adnetwork/nativead/receiver/NetworkChangeReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 18

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/adnetwork/nativead/util/h;->a(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 68

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/adnetwork/nativead/util/p;->a()Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 266

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/ads/aggregationads/b/d;->b(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/ads/core/OMUtils;->isNetworkAvailable(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getAllNetworkInfo()[Landroid/net/NetworkInfo;
- Path Index: 24

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/ads/statistics/j;->a()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/qihoo/security/mobilecharging/a/a/e;->a(Landroid/content/Context; Lcom/qihoo/security/mobilecharging/a/a/f;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 244

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/qihoo/security/mobilecharging/view/AvailableTimeView;->a(Lcom/qihoo/security/mobilecharging/b/a;)V
- Callee Code: Landroid/net/ConnectivityManager;->getAllNetworkInfo()[Landroid/net/NetworkInfo;
- Path Index: 46

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/qihoo/security/mobilecharging/view/AvailableTimeView;->a(Lcom/qihoo/security/mobilecharging/b/a;)V
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 120

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/DownloadReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;

- Path Index: 92

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/z;->b()Ljava/lang/Integer;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 44

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/z;->c()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 44

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/z;->d()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 44

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/cache/NetworkStateReceiver;->a(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/message/MessageReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 166

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/message/MessageReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 462

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/utility/bh;->e(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/utility/bh;->h(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 80

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/utility/bh;->r(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 28

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$JellyBeanConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatJellyBean;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/a/a/a/bm;->f()Ljava/util/Map;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 174

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/WifiScanner;->requestScan(Landroid/os/Looper; Landroid/content/Context; Lcom/inmobi/commons/thinICE/wifi/WifiScanListener; J Z)Z
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- Path Index: 38

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/WifiUtil;->getConnectedWifiInfo(Landroid/content/Context; Z Z)Lcom/inmobi/commons/thinICE/wifi/WifiInfo;

- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 18

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/a;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/wifi/WifiManager;->getScanResults()Ljava/util/List;
- Path Index: 42

- **Permission Name: android.permission.BIND_ACCESSIBILITY_SERVICE**
- Used Type: Intent Action
- Callee Code: android.accessibilityservice.AccessibilityService

- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/WifiScanner;->requestScan(Landroid/os/Looper; Landroid/content/Context; Lcom/inmobi/commons/thinICE/wifi/WifiScanListener; J Z)Z
- Callee Code: Landroid/net/wifi/WifiManager;->startScan()Z
- Path Index: 116

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/kv;->g(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 28

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lme/onemobile/android/activity/BarcodeRequestActivity;->onCreate(Landroid/os/Bundle;)V
- Callee Code: Landroid/app/ActivityManager;->getRecentTasks(I I)Ljava/util/List;
- Path Index: 76

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lme/onemobile/android/service/SyncService;->n(Landroid/content/Context;)V
- Callee Code: Landroid/app/ActivityManager;->getRecentTasks(I I)Ljava/util/List;
- Path Index: 170

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/thirdparty/http/a;->a(Ljava/lang/String; Lcom/facebook/ads/internal/thirdparty/http/j; Ljava/lang/String; [B)Lcom/facebook/ads/internal/thirdparty/http/n;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 56

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/k;->a(Ljava/net/URL;)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 26

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/k;->a(Ljava/net/URL; [B)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 90

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/k;->b(Ljava/net/URL; [B)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 242

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/ll;->call()Ljava/lang/Object;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 14

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/container/IMWebView$i;->a([Ljava/lang/Void;)Ljava/lang/String;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 666

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/onemobile/adnetwork/adview/f;->a(Ljava/lang/String;)Landroid/graphics/Bitmap;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V

- Path Index: 76

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lme/onemobile/server/c;->b()V
- Callee Code: Ljava/net/ServerSocket;->bind(Ljava/net/SocketAddress;)V
- Path Index: 44

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/analytics/iat/impl/net/AdTrackerNetworkInterface;->k()V
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 120

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/analytics/iat/impl/net/AdTrackerRequestResponseBuilder;->sendHTTPRequest(Ljava/lang/String; Lcom/inmobi/commons/analytics/iat/impl/Goal; Ljava/lang/String;)Lcom/inmobi/commons/analytics/iat/impl/AdTrackerConstants$StatusCode;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 238

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/monetization/internal/GetLtvpRuleRequestTask;->run()V
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 192

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lme/onemobile/e/a/a/e;->a(Lme/onemobile/e/a/a/r; Lme/onemobile/e/a/a/f; Lme/onemobile/e/a/a/k; Lme/onemobile/e/a/a/m; Lme/onemobile/e/a/a/b;)Lme/onemobile/e/a/a/p;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 86

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lme/onemobile/e/a/e;->a(Lme/onemobile/e/a/p; l Lme/onemobile/e/a/j; Lme/onemobile/e/a/l; Lme/onemobile/e/a/b;)Lme/onemobile/e/a/n;
- Callee Code: Lorg/apache/http/impl/client/DefaultHttpClient;->execute(Lorg/apache/http/client/methods/HttpUriRequest;)Lorg/apache/http/HttpResponse;
- Path Index: 82

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/a/a/a/ab;->a(Ljava/net/URL;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 0

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/d/a/b/d/a;->b(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 22

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/thirdparty/http/f;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/k;->b(Ljava/net/URL;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 2

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/cf;->a(Lcom/google/android/gms/internal/cj;)Lcom/google/android/gms/internal/ck;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 12

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/dg;->a(Ljava/lang/String;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 670

- **Permission Name: android.permission.INTERNET**
- Used Type: Api

- Caller Code: Lcom/google/android/gms/internal/io;->a(Lcom/google/android/gms/ads/internal/request/AdRequestInfoParcel; Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Lcom/google/android/gms/internal/jd;)Lcom/google/android/gms/ads/internal/request/AdResponseParcel;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 74

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/lj;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/ln;->zzcX()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 54

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/mz;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Landroid/webkit/WebResourceResponse;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/te;->a(Ljava/lang/String;)Ljava/io/InputStream;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 14

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/carb/CARB$a;->a(Ljava/lang/String;)I
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 56

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/carb/CARB$b;->a(Ljava/lang/String;)I
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 60

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/impl/net/RequestResponseManager;->a(Ljava/lang/String; Lcom/inmobi/androidsdk/impl/UserInfo;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/androidsdk/impl/net/RequestResponseManager;->processClickHttpClient(Ljava/lang/String; Z)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 80

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/analytics/net/AnalyticsCommon;->setupConnection(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/analytics/util/AnalyticsUtils;->asyncPingInternal(Ljava/lang/String;)V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 68

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/cache/ProductCacheConfig;->c()Lcom/inmobi/commons/cache/ProductCacheConfig$b;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 166

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/internal/InternalSDKUtil;->getFinalRedirectedUrl(Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 16

- **Permission Name: android.permission.INTERNET**

- Used Type: Api
- Caller Code: Lcom/inmobi/commons/internal/ThinICE;->b(Ljava/lang/String;)V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 34

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/metric/MetricEndPoint;->sendData(Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/monetization/internal/NativeAdRequestTask;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/container/IMWebView$i;->a([Ljava/lang/Void;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 420

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/controller/JSUtilityController$d;->run()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 72

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/onemobile/adnetwork/adview/f;->a(Ljava/lang/String;)Landroid/graphics/Bitmap;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 26

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/onemobile/adnetwork/b/e;->b(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Lcom/onemobile/adnetwork/b/g;)Ljava/io/InputStream;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 14

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/onemobile/ads/core/OMUtils;->downloadUrlToFile(Ljava/lang/String; Ljava/io/File;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 18

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lme/onemobile/android/fragment/sr;->a(Landroid/graphics/Bitmap;)Lme/onemobile/d/h;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 90

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/dg;->a(Ljava/lang/String;)Z
- Callee Code: Ljava/net/URLConnection;->getInputStream()Ljava/io/InputStream;
- Path Index: 1276

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: _d

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: w

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: load

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: /download

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: _download

- **Permission Name: android.permission.INTERNET**

- Used Type: Content Provider
- Callee Code: l

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: ds

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: my_downloads

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: download

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: ad

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: ads

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: /my_downloads

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/v;->f(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/v;->i(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 30

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/v;->i(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;
- Path Index: 64

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/a/a/a/bm;->f()Ljava/util/Map;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 82

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/flurry/sdk/ao;->a()[B
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 88

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/a/c;->d(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/a/c;->f(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 30

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/a/c;->f(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;
- Path Index: 64

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/ads/aggregationads/b/a;->d(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/ads/aggregationads/b/b;->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 18

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/onemobile/ads/aggregationads/b/b;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;
- Path Index: 18

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/service/SyncService;->m(Landroid/content/Context;)Lme/onemobile/b/m;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 188

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/sdk/k;->g(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 30

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/sdk/k;->g(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;
- Path Index: 64

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/utility/bh;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 30

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lme/onemobile/utility/bh;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;
- Path Index: 64

- **Permission Name: android.permission.RECEIVE_BOOT_COMPLETED**
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

- **Permission Name: android.permission.RECEIVE_BOOT_COMPLETED**
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

- **Permission Name: android.permission.SET_WALLPAPER**
- Used Type: Api
- Caller Code: Lme/onemobile/android/fragment/amd;->a(Landroid/os/Message;)V
- Callee Code: Landroid/app/WallpaperManager;->setStream(Ljava/io/InputStream;)V
- Path Index: 560

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/fr;->onClick(Landroid/content/DialogInterface; I)V
- Callee Code: Landroid/app/DownloadManager;->enqueue(Landroid/app/DownloadManager$Request;)J
- Path Index: 78

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/controller/JSUtilityController;->storePicture(Ljava/lang/String;)V
- Callee Code: Landroid/app/DownloadManager;->enqueue(Landroid/app/DownloadManager$Request;)J
- Path Index: 144

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/container/IMWebView;->onWindowVisibilityChanged(I)V
- Callee Code: Landroid/os/Vibrator;->cancel()V
- Path Index: 62

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/controller/JSUtilityController;->vibrate(Ljava/lang/String; I)V
- Callee Code: Landroid/os/Vibrator;->cancel()V
- Path Index: 180

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/app/NotificationManagerCompat$ImplBase;->postNotification(Landroid/app/NotificationManager; Ljava/lang/String; I Landroid/app/Notification;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 0

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/app/NotificationManagerCompatEclair;->postNotification(Landroid/app/NotificationManager; Ljava/lang/String; I Landroid/app/Notification;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 0

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/base/ac;->a(Landroid/content/Context; Z)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 220

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/h;->a()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 750

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/h;->a()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 2096

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/push/a;->a(Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 1450

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/push/a;->a(Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 1734

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/push/c;->a(Ljava/lang/String; Landroid/view/View; Landroid/graphics/Bitmap;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 28

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/service/SyncService;->a(Landroid/content/Context; J)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 256

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/service/SyncService;->a(Landroid/content/Context; Ljava/util/List;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 476

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/service/SyncService;->a(Landroid/content/Context; Lme/onemobile/b/g;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 832

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/android/service/SyncService;->a(Landroid/content/Context; Lme/onemobile/b/g;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 1330

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/message/a/b;->a()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V

- Path Index: 828

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/message/a/c;->a()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 1758

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/message/a/e;->a()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 742

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/message/a/i;->a()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 912

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lme/onemobile/message/a/j;->a()V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 358

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/a$1;->a(Landroid/media/MediaPlayer;)V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 12

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/a$1;->a(Landroid/media/MediaPlayer;)V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 18

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/support/d;->onPrepared(Landroid/media/MediaPlayer;)V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 28

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/support/d;->onSurfaceTextureAvailable(Landroid/graphics/SurfaceTexture; I I)V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 130

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/support/d;->pause()V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 30

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/support/d;->pause()V
- Callee Code: Landroid/media/MediaPlayer;->reset()V
- Path Index: 40

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/support/d;->pause()V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 50

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/support/d;->start()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 14

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/container/c;->onCompletion(Landroid/media/MediaPlayer;)V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 0

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->completeWakefulIntent(Landroid/content/Intent;)Z
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 48

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->startWakefulService(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/ComponentName;
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire(J)V
- Path Index: 138

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/AnalyticsReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire(J)V
- Path Index: 180

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/AnalyticsService;->onStartCommand(Landroid/content/Intent; I I)I
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 28

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/CampaignTrackingReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire(J)V
- Path Index: 252

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/CampaignTrackingService;->onStartCommand(Landroid/content/Intent; I I)I
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 28

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/WifiScanner;->g()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire()V
- Path Index: 74

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/WifiScanner;->h()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 28

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/p;->run()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire()V
- Path Index: 72

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/p;->run()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 528

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/p;->run()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 1036

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/p;->run()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 3300

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lme/onemobile/android/download/p;->run()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 3426

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lme/onemobile/android/push/PushAlarmReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire()V
- Path Index: 102

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lme/onemobile/android/push/PushAlarmReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 134

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/controller/JSUtilityController;->vibrate()V
- Callee Code: Landroid/os/Vibrator;->vibrate(J)V
- Path Index: 124

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/controller/JSUtilityController;->vibrate(Ljava/lang/String; I)V
- Callee Code: Landroid/os/Vibrator;->vibrate([J I)V
- Path Index: 542

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/WifiScanner;->i()V
- Callee Code: Landroid/net/wifi/WifiManager$WifiLock;->acquire()V
- Path Index: 74

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/commons/thinICE/wifi/WifiScanner;->j()V
- Callee Code: Landroid/net/wifi/WifiManager$WifiLock;->release()V
- Path Index: 28

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/g;->a()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 4

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/g;->b()V
- Callee Code: Landroid/widget/VideoView;->stopPlayback()V
- Path Index: 12

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/g;->setVideoURI(Landroid/net/Uri;)V
- Callee Code: Landroid/widget/VideoView;->setVideoURI(Landroid/net/Uri;)V
- Path Index: 8

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/facebook/ads/internal/view/video/support/g;->start()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 10

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/g;->run()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 50

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/g;->run()V
- Callee Code: Landroid/widget/VideoView;->pause()V
- Path Index: 68

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/zzg;->destroy()V
- Callee Code: Landroid/widget/VideoView;->stopPlayback()V
- Path Index: 32

- **Permission Name: android.permission.WAKE_LOCK**

- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/zzg;->pause()V
- Callee Code: Landroid/widget/VideoView;->pause()V
- Path Index: 4

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/zzg;->play()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 48

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/zzg;->zzdF()V
- Callee Code: Landroid/widget/VideoView;->setVideoPath(Ljava/lang/String;)V
- Path Index: 24

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/container/a$h;->onKey(Landroid/view/View; I Landroid/view/KeyEvent;)Z
- Callee Code: Landroid/widget/VideoView;->stopPlayback()V
- Path Index: 56

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/controller/util/AVPlayer;->pause()V
- Callee Code: Landroid/widget/VideoView;->pause()V
- Path Index: 26

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lcom/inmobi/re/controller/util/AVPlayer;->start()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 80

- **Permission Name: android.permission.WRITE_CALENDAR**
- Used Type: Content Provider
- Callee Code: ca

- **Permission Name: android.permission.WRITE_CALENDAR**
- Used Type: Content Provider
- Callee Code: calendar

- **Permission Name: android.permission.WRITE_CALENDAR**
- Used Type: Content Provider
- Callee Code: content://com.android.calendar/reminders

- **Permission Name: android.permission.WRITE_CALENDAR**
- Used Type: Content Provider
- Callee Code: le

- **Permission Name: android.permission.WRITE_CALENDAR**
- Used Type: Content Provider
- Callee Code: end

- **Permission Name: android.permission.WRITE_CALENDAR**
- Used Type: Content Provider
- Callee Code: content://com.android.calendar/events

- **Permission Name: com.android.launcher.permission.INSTALL_SHORTCUT**
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.INSTALL_SHORTCUT

Log Message

Tag	Message
1MobileMarket	>>>> C:309
1mobileAnalytics	Thread[main,5,main]: onmemobile analytics dispatchHits
1mobileAnalytics	Thread[OneMobileThread,5,main]: Dispatch running...
1mobileAnalytics	Thread[OneMobileThread,5,main]: ...nothing to dispatch
1mobileAnalytics	Thread[main,5,main]: tracker send

Tag	Message
1mobileAnalytics	Thread[OneMobileThread,5,main]: onemobileThread queueToThread
1mobileAnalytics	Thread[OneMobileThread,5,main]: putHit called
1mobileAnalytics	Thread[OneMobileThread,5,main]: Sending hit to store PARAMS: ln=first_launch, ht=1417446741661, t=log,
1mobileAnalytics	Thread[main,5,main]: current thread:Thread[main,5,main]
1mobileAnalytics	Thread[main,5,main]: onemobile thread state:true
1mobileAnalytics	Thread[OneMobileThread,5,main]: deleteStaleHits
1mobileAnalytics	Thread[OneMobileThread,5,main]: removeOldHitIfFull
1mobileAnalytics	Thread[OneMobileThread,5,main]: writeHitToDatabase
1mobileAnalytics	Thread[OneMobileThread,5,main]: store putHit into database
1mobileAnalytics	Thread[OneMobileThread,5,main]: dispatch basic info header:dWlkPTAwMDAwMDAwLTE1NTMtYWY0Yi1mZmZmLWZmZmY5OWQ2MDNhOSZpbWVpPTM1NzI0MjA0MzIzNzUxMSZkbT1nZW5lcmljJnNzPTMyMHg0ODAmcG49bWUub25lbW9iaWxlLmFuZHJvaWQmbD1lbi11cyZhaWQ9YmFjMWM5YjE0ZWY0YjgyNiZjdj02LjgmY2lkPTMwOSZhdj0xNg==
1mobileAnalytics	Thread[OneMobileThread,5,main]: dispatch JsonArray:["ln=first_launch&ht=1417446741661&t=log"]
1mobileAnalytics	Thread[OneMobileThread,5,main]: sent false of 1 hits
1mobileAnalytics	Thread[OneMobileThread,5,main]: store dispatchToStore
1mobileAnalytics	Thread[OneMobileThread,5,main]: diapstch end
1mobileAnalytics	Thread[IntentService[SyncService],5,main]: tracker send
1mobileAnalytics	Thread[OneMobileThread,5,main]: Sending hit to store PARAMS: ln=install, ht=1417446746374, t=log,
1mobileAnalytics	Thread[IntentService[SyncService],5,main]: current thread:Thread[IntentService[SyncService],5,main]
1mobileAnalytics	Thread[IntentService[SyncService],5,main]: onemobile thread state:true
1mobileAnalytics	Thread[OneMobileThread,5,main]: dispatch JsonArray: ["ln=first_launch&ht=1417446741661&t=log","ln=install&ht=1417446746374&t=log"]
1mobileAnalytics	Thread[OneMobileThread,5,main]: sent false of 2 hits
ActivityThread	Pub me.onemobile.android.searchwallpaper: me.onemobile.android.search.WallpaperSuggestionProvider
ActivityThread	Pub me.onemobile.android.appstatus: me.onemobile.android.myapps.AppsStatusProvider
ActivityThread	Pub me.onemobile.android.pushmsg: me.onemobile.android.push.PushMessageProvider
ActivityThread	Pub me.onemobile.android.download: me.onemobile.android.download.DownloadProvider
ActivityThread	Pub me.onemobile.android.searchsuggestion: me.onemobile.android.search.OneMobileSuggestionProvider
CacheManage	InitDiskCache:70
Choreographer	Skipped 136 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 993 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 119 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 125 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 213 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 58 frames! The application may be doing too much work on its main thread.
Choreographer	Skipped 787 frames! The application may be doing too much work on its main thread.
Crashlytics	Initializing Crashlytics 1.1.13.29
Crashlytics	Crashlytics report upload complete: 547C854601D3-0001-035C-175722B13C06.cls
Crashlytics	Crashlytics report upload complete: 547C8554033D-0001-0409-175722B13C06.cls

Tag	Message
GA_LOG	VIEW_NAME:myapps_main_myapps
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in com.android.internal.policy.impl.PhoneWindow$DecorView@411a9738 0: sent at 214051000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=214051, downTime=214051, deviceId=-1, source=0x101 }
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in android.support.v7.internal.widget.NativeActionModeAwareLayout@412044d0 0: sent at 214993000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_RIGHT, scanCode=0, metaState=0, flags=0x400, repeatCount=0, eventTime=214993, downTime=214993, deviceId=-1, source=0x101 }
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in android.support.v7.internal.widget.ActionBarContainer@41221280 0: sent at 214998000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=214998, downTime=214998, deviceId=-1, source=0x101 } -- recent events -- 1: sent at 214993000000, (unhandled) KeyEvent { action=ACTION_DOWN, keyCode=KEYCODE_DPAD_RIGHT, scanCode=0, metaState=0, flags=0x400, rep, repeatCount=0, eventTime=214993, downTime=214993, deviceId=-1, source=0x101 } 2: sent at 214398000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=3.0, y[0]=-2.0, toolType[0]=TOOL_TYPE_UNKNOWN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=19, eventTime=214398, downTime=-1, deviceId=0, source=0x10004 } 3: sent at 214051000000, (unhandled) KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=0x80000008, repeatCount=0, t=0, eventTime=214051, downTime=214051, deviceId=-1, source=0x101 }
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in android.support.v7.internal.widget.NativeActionModeAwareLayout@412044d0 0: sent at 215608000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_RIGHT, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=215608, downTime=215608, deviceId=-1, source=0x101 } -- recent events -- 1: sent at 214400000000, (unhandled) KeyEvent { action=ACTION_DOWN, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=
InputEventConsistencyVerifier	KeyEvent: ACTION_UP but key was not down. in com.android.internal.policy.impl.PhoneWindow$DecorView@411a9738 0: sent at 215832000000, KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=0x400, repeatCount=0, eventTime=215832, downTime=215832, deviceId=-1, source=0x101 } -- recent events -- 1: sent at 215688000000, (unhandled) MotionEvent { action=ACTION_MOVE, id[0]=0, x[0]=4.0, y[0]=-4.0, toolType[0]=TOOL_TYPE_UNKNOWN, bwN, buttonState=0, metaState=0, flags=0x0, edgeFlags=0x0, pointerCount=1, historySize=9, eventTime=215688, downTime=-1, deviceId=0, source=0x10004 } 2: sent at 215608000000, (unhandled) KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_RIGHT, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=215608, downTime=215608, deviceId=-1, source=0x101 } 3: sent at 215055000000, (unhandled) KeyEvent { action=ACTION_DOWN, keyCode=KEYCODE_DPAD_RIGHT, scanCode=0, metaState=0, flags=0x8, repeatCount=0, even eventTime=215055, downTime=215055, deviceId=-1, source=0x101 } 4: sent at 214998000000, (unhandled) KeyEvent { action=ACTION_UP, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=214998, downTime=214998, deviceId=-1, source=0x101 } 5: sent at 214400000000, (unhandled) KeyEvent { action=ACTION_DOWN, keyCode=KEYCODE_DPAD_UP, scanCode=0, metaState=0, flags=0x8, repeatCount=0, eventTime=214400, downTime=214400, deviceId=-1, source=0x101 }
MobileChargingHelper	init connectState=1
MobileChargingHelper	setScreenOntrue
MobileChargingHelper	收到手机充电广播action=android.intent.action.BATTERY_CHANGED
MultiDex	VM with version 1.6.0 does not have multidex support
MultiDex	MultiDexExtractor.load(/data/app/me.onemobile.android-1.apk, false)
MultiDex	load found 0 secondary dex files

May Log Message

Tag	Message	Caller Code	Path Index
0	Got ACTION_MOVE event but have an invalid active pointer id.	Landroid/support/v4/widget/SwipeRefreshLayout;->onTouchEvent(Landroid/view/MotionEvent;)Z	118
0	1	Landroid/support/v4/widget/SwipeRefreshLayout;->onTouchEvent(Landroid/view/MotionEvent;)Z	738

Tag	Message	Caller Code	Path Index
0	3	Lcom/facebook/ads/internal/h;->o()V	120
0	Sandbox SSL validation already disabled, ignoring...	Lcom/facebook/ads/internal/util/g;->b()V	142
1	3	Lcom/facebook/ads/AdSettings;->a(Ljava/lang/String;)V	50
1	2	Lcom/facebook/ads/AdSettings;->a(Ljava/lang/String;)V	102
16928	4	Lcom/facebook/ads/internal/util/k;->a([Ljava/lang/String;) [Landroid/graphics/Bitmap;	200
1MobileMarket	Refresh in background...	Lme/onemobile/a/a;->a(Z [Ljava/lang/String;)Ljava/lang/Object;	88
1MobileMarket	0	Lme/onemobile/a/a;->f([Ljava/lang/String;)Z	46
1MobileMarket	Refresh in background - Successfully!	Lme/onemobile/a/c;->run()V	124
1MobileMarket	Refresh in background - Error on parse response!	Lme/onemobile/a/c;->run()V	142
1MobileMarket	Refresh in background - No updates!	Lme/onemobile/a/c;->run()V	184
1MobileMarket	0	Lme/onemobile/android/MediaMounteReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	46
1MobileMarket	onConfigurationChanged!	Lme/onemobile/android/OneMobileApplication;->onConfigurationChanged(Landroid/content/res/Configuration;)V	14
1MobileMarket	2	Lme/onemobile/android/d;->run()V	46
1MobileMarket	SyncLoadUiTask get user info, network connection error.	Lme/onemobile/android/fragment/aah;->run()V	154
1MobileMarket	SyncToCloudTask SyncAppBean list parse to json array error	Lme/onemobile/android/fragment/aai;->f()Ljava/lang/Integer;	152
1MobileMarket	SyncToCloudTask get user info, network connection error.	Lme/onemobile/android/fragment/aai;->f()Ljava/lang/Integer;	194
1MobileMarket	Sync data...	Lme/onemobile/android/service/SyncService;->onHandleIntent(Landroid/content/Intent;)V	8
1MobileMarket	Sync data, end.	Lme/onemobile/android/service/SyncService;->onHandleIntent(Landroid/content/Intent;)V	1062
1MobileMarket	3	Lme/onemobile/utility/bh;->v(Ljava/lang/String;)Z	170
1MobileSDK	Status is null or not numeric, Server Error, return status code : 1000	Lme/onemobile/sdk/PivotActivity;->a(Lme/onemobile/sdk/PivotActivity; Lme/onemobile/sdk/f; Ljava/lang/String; Ljava/lang/String; Landroid/net/Uri;)V	690
1MobileSDK	Could not complete before login	Lme/onemobile/sdk/d;->a(Landroid/content/Context; Ljava/lang/String;)I	38
1MobileSDK	Could not complete before login	Lme/onemobile/sdk/d;->a(Landroid/content/Context; I)Lme/onemobile/sdk/a/g;	38
1MobileSDK	Could not complete before login	Lme/onemobile/sdk/d;->a(Landroid/content/Context;)Lme/onemobile/sdk/a/h;	38
1MobileSDK	Could not complete before login	Lme/onemobile/sdk/d;->b(Landroid/content/Context;)Lme/onemobile/sdk/a/a;	38
1MobileSDK	Could not complete before login	Lme/onemobile/sdk/d;->b(Landroid/content/Context; I)Lme/onemobile/sdk/a/e;	38
1MobileSDK	5	Lme/onemobile/sdk/g;->onReceivedError(Landroid/webkit/WebView; I Ljava/lang/String; Ljava/lang/String;)V	40
1MobileSDK	6	Lme/onemobile/sdk/g;->onReceivedError(Landroid/webkit/WebView; I Ljava/lang/String; Ljava/lang/String;)V	80
1MobileSDK	7	Lme/onemobile/sdk/g;->onReceivedError(Landroid/webkit/WebView; I Ljava/lang/String; Ljava/lang/String;)V	120

Tag	Message	Caller Code	Path Index
1MobileSDK	4	Lme/onemobile/sdk/j;->a(Lme/onemobile/sdk/gpv3/ad;)Lme/onemobile/sdk/a/c;	234
1Mobile_AD	5	Lcom/onemobile/adnetwork/nativead/b/a;->onPageStarted(Landroid/webkit/WebView; Ljava/lang/String; Landroid/graphics/Bitmap;)V	34
1Mobile_AD	2	Lcom/onemobile/adnetwork/nativead/b/b;->run()V	74
1Mobile_AD	2	Lcom/onemobile/adnetwork/nativead/b/b;->run()V	162
2	3	Lcom/facebook/ads/internal/action/d;->b()V	98
2	Event buffer full, flushing	Lcom/google/android/gms/location/places/internal/e;->a(Ljava/lang/String; Ljava/lang/String;)V	126
6	View already registered with a NativeAd. Auto unregistering and proceeding.	Lcom/facebook/ads/NativeAd;->registerViewForInteraction(Landroid/view/View; Ljava/util/List;)V	134
AbstractPendingResult	5	Lcom/google/android/gms/common/api/a;->b(Lcom/google/android/gms/common/api/p;)V	60
AccountAccessor	Remote account accessor probably died	Lcom/google/android/gms/common/internal/c;->a(Lcom/google/android/gms/common/internal/ad;)Landroid/accounts/Account;	40
ActionBarDrawerToggle	DrawerToggle may not show up because NavigationIcon is not visible. You may need to call actionbar.setDisplayHomeAsUpEnabled(true);	Landroid/support/v7/app/ActionBarDrawerToggle;->setActionBarUpIndicator(Landroid/graphics/drawable/Drawable; I)V	32
ActionBarDrawerToggleHoneycomb	19	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object;	104
ActionBarDrawerToggleHoneycomb	1	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	100
ActionBarDrawerToggleHoneycomb	ActionBarDrawerToggleHoneycomb	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	136
ActionBarDrawerToggleHoneycomb	1	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;	90
ActionBarDrawerToggleHoneycomb	ActionBarDrawerToggleHoneycomb	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;	126
ActionProvider(support)	2	Landroid/support/v4/view/ActionProvider;->setVisibilityListener(Landroid/support/v4/view/ActionProvider$VisibilityListener;)V	74
AdViewLayout	0	Lcom/onemobile/ads/aggregationads/core/AdViewLayout;->d()V	64
AdViewManager	5	Lcom/qihoo/security/mobilecharging/a/a/a;->a(Lorg/json/JSONArray;)Ljava/util/List;	218
AdViewManager	3	Lcom/qihoo/security/mobilecharging/a/a/a;->a(Lorg/json/JSONArray;)Ljava/util/List;	292
AdViewManager	Using stored config data	Lcom/qihoo/security/mobilecharging/a/a/a;->a()Z	652
AdvertisingIdClient	AdvertisingIdClient unbindService failed.	Lcom/google/android/gms/ads/identifier/AdvertisingIdClient;->finish()V	100

Tag	Message	Caller Code	Path Index
AdvertisingIdClient	GMS remote exception	Lcom/google/android/gms/ads/identifier/AdvertisingIdClient;->getInfo()Lcom/google/android/gms/ads/identifier/AdvertisingIdClient$Info;	202
AppCompatDelegate	0	Landroid/support/v7/app/AppCompatDelegateImplV7;->onKeyUpPanel(I Landroid/view/KeyEvent;)V	254
AppCompatDelegate	AppCompatDelegate	Landroid/support/v7/app/AppCompatDelegateImplV7;->installViewFactory()V	40
AppCompatPopupWindow	Exception while installing workaround OnScrollChangedListener	Landroid/support/v7/internal/widget/AppCompatPopupWindow;->wrapOnScrollChangedListener(Landroid/widget/PopupWindow;)V	88
AppDownloadedNotInstalledTask	execute	Lme/onemobile/message/a/b;->a()V	22
AppInstalledTask	return for a null packageName	Lme/onemobile/message/a/c;->a()V	66
AppInstalledTask	showInstalledNotification ...	Lme/onemobile/message/a/c;->a()V	264
Asserts	3	Lcom/google/android/gms/common/images/c;->run()V	124
Asserts	3	Lcom/google/android/gms/common/images/d;->run()V	124
AsyncHttpClient	Cannot close input stream	Lcom/b/a/a/a;->a(Ljava/io/InputStream;)V	22
AsyncHttpClient	wrappedEntity consume	Lcom/b/a/a/a;->a(Lorg/apache/http/HttpEntity;)V	114
AsyncHttpClient	Passed null Context to cancelRequests	Lcom/b/a/a/a;->a(Landroid/content/Context;)V	12
AsyncHttpClient	5	Lcom/b/a/a/b;->process(Lorg/apache/http/HttpRequest; Lorg/apache/http/protocol/HttpContext;)V	184
AsyncHttpRequest	Unhandled exception origin cause	Lcom/b/a/a/g;->run()V	256
AsyncHttpRequest	makeRequestWithRetries returned error, but handler is null	Lcom/b/a/a/g;->run()V	574
AsyncHttpResponseHandler	Current thread has not called Looper.prepare(). Forcing synchronous mode.	Lcom/b/a/a/h;->()V	48
AsyncHttpResponseHandler	4	Lcom/b/a/a/h;->a(I I)V	86
AsyncHttpResponseHandler	custom onProgress contains an error	Lcom/b/a/a/h;->a(Landroid/os/Message;)V	230
AsyncHttpResponseHandler	AsyncHttpResponseHandler	Lcom/b/a/a/h;->a(Landroid/os/Message;)V	246
AsyncHttpResponseHandler	3	Lcom/b/a/a/h;->a(Landroid/os/Message;)V	320
AsyncHttpResponseHandler	AsyncHttpResponseHandler	Lcom/b/a/a/h;->a(Landroid/os/Message;)V	338
AsyncHttpResponseHandler	Request got cancelled	Lcom/b/a/a/h;->a(Landroid/os/Message;)V	356
AtomicFile	failWrite: Got exception:	Landroid/support/v4/util/AtomicFile;->failWrite(Ljava/io/FileOutputStream;)V	52
AtomicFile	finishWrite: Got exception:	Landroid/support/v4/util/AtomicFile;->finishWrite(Ljava/io/FileOutputStream;)V	38
AtomicFile	2	Landroid/support/v4/util/AtomicFile;->startWrite()Ljava/io/FileOutputStream;	114
BaseRecipientAdapter	2	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/a; Ljava/lang/CharSequence; I Ljava/lang/Long;)Landroid/database/Cursor;	340
BaseRecipientAdapter	5	Lcom/android/ex/chips/a;->a(Landroid/content/Context; Landroid/database/Cursor; Landroid/accounts/Account;)Ljava/util/List;	220
BaseRecipientAdapter	5	Lcom/android/ex/chips/a;->a(Landroid/content/Context; Landroid/database/Cursor; Landroid/accounts/Account;)Ljava/util/List;	330

Tag	Message	Caller Code	Path Index
BaseRecipientAdapter	3	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/content/ContentResolver; Landroid/widget/BaseAdapter; Z I)V	106
BaseRecipientAdapter	Error closing photo output stream	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/net/Uri; Landroid/content/ContentResolver;)V	210
BaseRecipientAdapter	Error closing photo input stream	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/net/Uri; Landroid/content/ContentResolver;)V	228
BaseRecipientAdapter	Error opening InputStream for photo	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/net/Uri; Landroid/content/ContentResolver;)V	248
BaseRecipientAdapter	Error closing photo output stream	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/net/Uri; Landroid/content/ContentResolver;)V	286
BaseRecipientAdapter	Error closing photo input stream	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/net/Uri; Landroid/content/ContentResolver;)V	306
BaseRecipientAdapter	Error closing photo input stream	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/net/Uri; Landroid/content/ContentResolver;)V	352
BaseRecipientAdapter	Error closing photo output stream	Lcom/android/ex/chips/a;->a(Lcom/android/ex/chips/am; Landroid/net/Uri; Landroid/content/ContentResolver;)V	370
BaseRecipientAdapter	3	Lcom/android/ex/chips/c;->performFiltering(Ljava/lang/CharSequence;)Landroid/widget/Filter$FilterResults;	66
BaseRecipientAdapter	null cursor returned for default Email filter query.	Lcom/android/ex/chips/c;->performFiltering(Ljava/lang/CharSequence;)Landroid/widget/Filter$FilterResults;	156
BaseRecipientAdapter	2	Lcom/android/ex/chips/c;->performFiltering(Ljava/lang/CharSequence;)Landroid/widget/Filter$FilterResults;	396
BaseRecipientAdapter	3	Lcom/android/ex/chips/f;->performFiltering(Ljava/lang/CharSequence;)Landroid/widget/Filter$FilterResults;	92
BaseRecipientAdapter	9	Lcom/android/ex/chips/f;->performFiltering(Ljava/lang/CharSequence;)Landroid/widget/Filter$FilterResults;	334
BaseRecipientAdapter	3	Lcom/android/ex/chips/f;->publishResults(Ljava/lang/CharSequence; Landroid/widget/Filter$FilterResults;)V	68
BaseRecipientAdapter	2	Lcom/android/ex/chips/f;->publishResults(Ljava/lang/CharSequence; Landroid/widget/Filter$FilterResults;)V	306
BitmapTeleporter	Could not close stream	Lcom/google/android/gms/common/data/BitmapTeleporter;->a(Ljava/io/Closeable;)V	18
CacheManage	Disk cache initialized	Lme/onemobile/cache/b;->c()V	114
CacheManage	0	Lme/onemobile/cache/b;->c()V	182
CacheManage	Disk cache hit	Lme/onemobile/cache/b;->a(Ljava/lang/Class; Lme/onemobile/cache/a;)Lcom/google/a/a/e;	56
CacheManage	0	Lme/onemobile/cache/b;->a(Lcom/google/a/a/e; Lme/onemobile/cache/a;)V	154
CacheManage	0	Lme/onemobile/cache/b;->a(Lcom/google/a/a/e; Lme/onemobile/cache/a;)V	212
CacheManage	0	Lme/onemobile/cache/b;->a(Lcom/google/a/a/e; Lme/onemobile/cache/a;)V	270
CacheManage	Disk cache cleared	Lme/onemobile/cache/b;->b()V	54
CacheManage	0	Lme/onemobile/cache/b;->b()V	112

Tag	Message	Caller Code	Path Index
Check	updatell	Lme/onemobile/android/fragment/aba;->a(Z)V	8
CommonNotificationReceiver	================= Download Error Broadcast =================	Lme/onemobile/android/CommonNotificationReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	1516
ConnectionTracker	3	Lcom/google/android/gms/common/stats/b;->a(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/pm/ServiceInfo;	92
ConnectionTracker	4	Lcom/google/android/gms/common/stats/b;->a(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/pm/ServiceInfo;	158
ConnectionTracker	ConnectionTracker	Lcom/google/android/gms/common/stats/b;->a(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/pm/ServiceInfo;	208
ConnectionTracker	4	Lcom/google/android/gms/common/stats/b;->a(Landroid/content/Context; Landroid/content/ServiceConnection; Ljava/lang/String; Landroid/content/Intent; Ljava/lang/String;)V	378
ContextCompat	3	Landroid/support/v4/content/ContextCompat;->createFilesDir(Ljava/io/File;)Ljava/io/File;	88
Crashlytics	.	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	32
Crashlytics	. | |	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	46
Crashlytics	. | |	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	60
Crashlytics	. | |	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	74
Crashlytics	. \ | | /	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	88
Crashlytics	. \ /	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	102
Crashlytics	. \ /	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	116
Crashlytics	. \/	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	130
Crashlytics	.	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	144
Crashlytics	This app relies on Crashlytics. Configure your build environment here:	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	158
Crashlytics	2	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	198
Crashlytics	.	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	212
Crashlytics	. /\	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	226
Crashlytics	. / \	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	240
Crashlytics	. / \	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	254
Crashlytics	. / | | \	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	268
Crashlytics	. | |	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	282
Crashlytics	. | |	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	296
Crashlytics	. | |	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	310
Crashlytics	.	Lcom/a/a/ai;->a(Ljava/lang/String; Ljava/lang/String;)V	324
CrashlyticsInternal	3	Lcom/a/a/a/cl;->d()V	122
CupcakeGestureDetector	Velocity tracker is null	Luk/co/senab/photoview/a/a;->c(Landroid/view/MotionEvent;)Z	90
Current	11	Lme/onemobile/android/fragment/abe;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	3606
Current	11	Lme/onemobile/android/fragment/abe;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	4024

Tag	Message	Caller Code	Path Index
Current	11	Lme/onemobile/android/fragment/abe;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	4364
Current	11	Lme/onemobile/android/fragment/abe;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	4622
Current	11	Lme/onemobile/android/fragment/abe;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	4932
Current	11	Lme/onemobile/android/fragment/abe;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	6368
DataBuffer	2	Lcom/google/android/gms/common/data/DataHolder;->finalize()V	122
DataItem	3	Lcom/google/android/gms/wearable/internal/DataItemParcelable;->toString()Ljava/lang/String;	6
DataMap	3	Lcom/google/android/gms/wearable/PutDataRequest;->toString()Ljava/lang/String;	6
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi19;->exists(Landroid/content/Context; Landroid/net/Uri;)Z	110
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi19;->queryForLong(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; J)J	128
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi19;->queryForString(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;	128
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi21;->listFiles(Landroid/content/Context; Landroid/net/Uri;)[Landroid/net/Uri;	140
DocumentFile	5	Landroid/support/v4/provider/RawDocumentFile;->deleteContents(Ljava/io/File;)Z	96
DocumentFile	0	Landroid/support/v4/provider/RawDocumentFile;->createFile(Ljava/lang/String; Ljava/lang/String;)Landroid/support/v4/provider/DocumentFile;	134
DownloadManager	13	Lme/onemobile/android/download/DownloadProvider;->delete(Landroid/net/Uri; Ljava/lang/String; [Ljava/lang/String;)I	74
DownloadManager	14	Lme/onemobile/android/download/DownloadProvider;->insert(Landroid/net/Uri; Landroid/content/ContentValues;)Landroid/net/Uri;	90
DownloadManager	11	Lme/onemobile/android/download/DownloadProvider;->update(Landroid/net/Uri; Landroid/content/ContentValues; Ljava/lang/String; [Ljava/lang/String;)I	266
DownloadManager	null cursor in trimDatabase	Lme/onemobile/android/download/DownloadService;->b(Lme/onemobile/android/download/DownloadService;)V	62
DownloadManager	9	Lme/onemobile/android/download/Helpers;->deleteFile(Landroid/content/Context; Landroid/content/ContentResolver; J Ljava/lang/String; Ljava/lang/String;)V	104
DownloadManager	download aborted - can not find a dictionary for downloading	Lme/onemobile/android/download/Helpers;->getExternalDestination(Landroid/content/Context; J)Ljava/io/File;	60
DownloadManager	download aborted - not enough free space	Lme/onemobile/android/download/Helpers;->getExternalDestination(Landroid/content/Context; J)Ljava/io/File;	116
DownloadManager	0	Lme/onemobile/android/download/Helpers;->getPathForFileUri(Ljava/lang/String; J)Ljava/lang/String;	104
DownloadManager	no external storage	Lme/onemobile/android/download/Helpers;->isExternalMediaMounted()Z	36
DownloadManager	0	Lme/onemobile/android/download/Helpers;->validateSelection(Ljava/lang/String; Ljava/util/Set;)V	90
DownloadManager	3	Lme/onemobile/android/download/SizeLimitActivity;->a()V	152

Tag	Message	Caller Code	Path Index
DownloadManager	multiple UpdateThreads in DownloadService	Lme/onemobile/android/download/o;->run()V	228
DownloadManager	8	Lme/onemobile/android/download/p;->run()V	514
DownloadManager	4	Lme/onemobile/android/download/p;->run()V	1026
DownloadManager	Header:Content-Length is NULL !!!	Lme/onemobile/android/download/p;->run()V	2380
DownloadManager	IOException while closing synced file:	Lme/onemobile/android/download/p;->run()V	3410
DownloadManager	exception while closing file:	Lme/onemobile/android/download/p;->run()V	3534
DownloadManager	4	Lme/onemobile/android/download/p;->run()V	3608
DownloadManager	IOException while closing synced file:	Lme/onemobile/android/download/p;->run()V	3638
DownloadManager	exception while closing file:	Lme/onemobile/android/download/p;->run()V	3658
DownloadManager	4	Lme/onemobile/android/download/p;->run()V	3732
DownloadManager	IOException while closing synced file:	Lme/onemobile/android/download/p;->run()V	3762
DownloadManager	exception while closing file:	Lme/onemobile/android/download/p;->run()V	3782
DownloadManager	4	Lme/onemobile/android/download/p;->run()V	3856
DownloadManager	IOException while closing synced file:	Lme/onemobile/android/download/p;->run()V	3886
DownloadManager	exception while closing file:	Lme/onemobile/android/download/p;->run()V	3906
DownloadManager	exception while syncing file:	Lme/onemobile/android/download/p;->run()V	3926
DownloadManager	IOException while closing synced file:	Lme/onemobile/android/download/p;->run()V	3956
DownloadManager	exception while closing file:	Lme/onemobile/android/download/p;->run()V	3976
DownloadManager	IOException while closing synced file:	Lme/onemobile/android/download/p;->run()V	4010
DownloadManager	exception while closing file:	Lme/onemobile/android/download/p;->run()V	4028
DownloadManager	connectivity	Lme/onemobile/android/download/z;->b()Ljava/lang/Integer;	34
DownloadManager	connectivity	Lme/onemobile/android/download/z;->c()Z	34
DownloadManager	connectivity	Lme/onemobile/android/download/z;->d()Z	36
DownloadManager	1	Lme/onemobile/utility/bh;->h(Landroid/content/Context;)Z	70
DrawableUtils	4	Landroid/support/v7/internal/widget/DrawableUtils;->getOpticalBounds(Landroid/graphics/drawable/Drawable;)Landroid/graphics/Rect;	238
EnvironmentCompat	0	Landroid/support/v4/os/EnvironmentCompat;->getStorageState(Ljava/io/File;)Ljava/lang/String;	104
FBAudienceNetworkLog	No touch data recorded, please ensure touch events reach the ad View by returning false if you intercept the event.	Lcom/facebook/ads/NativeAd$a;->onClick(Landroid/view/View;)V	54
FBAudienceNetworkLog	2	Lcom/facebook/ads/internal/util/g;->a(Landroid/content/Context;Ljava/lang/String;)V	54
FadeView	0	Lcom/qihoo/security/mobilecharging/view/MobileChargingView;->a(Lcom/qihoo/security/mobilecharging/view/m;)V	74
Fb_Ads	2	Lme/onemobile/ads/facebook/b;->onAdError(Lcom/facebook/ads/AdError;)V	90
Fb_Ads	2	Lme/onemobile/ads/facebook/b;->onAdsLoaded()V	74
FragmentActivity	2	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	100

Tag	Message	Caller Code	Path Index
FragmentActivity	2	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	174
FragmentManager	7	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	72
FragmentManager	3	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	184
FragmentManager	0	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	312
FragmentManager	4	Landroid/support/v4/app/BackStackRecord;->commitInternal(Z)I	68
FragmentManager	11	Landroid/support/v4/app/BackStackRecord;->popFromBackStack(Z Landroid/support/v4/app/BackStackRecord$TransitionState; Landroid/util/SparseArray; Landroid/util/SparseArray;)Landroid/support/v4/app/BackStackRecord$TransitionState;	50
FragmentManager	15	Landroid/support/v4/app/BackStackRecord;->run()V	48
FragmentManager	0	Landroid/support/v4/app/BackStackRecord;->run()V	406
FragmentManager	13	Landroid/support/v4/app/BackStackRecord;->run()V	568
FragmentManager	5	Landroid/support/v4/app/BackStackState;->instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/support/v4/app/BackStackRecord;	144
FragmentManager	9	Landroid/support/v4/app/BackStackState;->instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/support/v4/app/BackStackRecord;	356
FragmentManager	Activity state:	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	26
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	98
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	136
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;->addFragment(Landroid/support/v4/app/Fragment; Z)V	66
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;->allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	122
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;->allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	244
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->attachFragment(Landroid/support/v4/app/Fragment; I I)V	46
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->attachFragment(Landroid/support/v4/app/Fragment; I I)V	194
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->detachFragment(Landroid/support/v4/app/Fragment; I I)V	46
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->detachFragment(Landroid/support/v4/app/Fragment; I I)V	122
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->freeBackStackIndex(I)V	78
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;->hideFragment(Landroid/support/v4/app/Fragment; I I)V	44
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->makeActive(Landroid/support/v4/app/Fragment;)V	130
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->makeInactive(Landroid/support/v4/app/Fragment;)V	52

Tag	Message	Caller Code	Path Index
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	186
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	646
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1038
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1096
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1300
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1362
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1420
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1480
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1684
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->onCreateView(Landroid/view/View; Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View;	338
FragmentManager	10	Landroid/support/v4/app/FragmentManagerImpl;->popBackStackState(Landroid/os/Handler; Ljava/lang/String; I I)Z	474
FragmentManager	3	Landroid/support/v4/app/FragmentManagerImpl;->removeFragment(Landroid/support/v4/app/Fragment; I I)V	70
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	94
FragmentManager	3	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	342
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	442
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	616
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	818
FragmentManager	1	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	1020
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->retainNonConfig()Ljava/util/ArrayList;	146
FragmentManager	2	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	436
FragmentManager	saveAllState: no fragments!	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	486
FragmentManager	8	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	718
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	872
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	102

Tag	Message	Caller Code	Path Index
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	202
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	294
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->showFragment(Landroid/support/v4/app/Fragment; I I)V	46
FragmentManager	2	Landroid/support/v4/app/FragmentState;->instantiate(Landroid/support/v4/app/FragmentActivity; Landroid/support/v4/app/Fragment;)Landroid/support/v4/app/Fragment;	252
FragmentStatePagerAdapter	0	Landroid/support/v4/app/FragmentStatePagerAdapter;->restoreState(Landroid/os/Parcelable; Ljava/lang/ClassLoader;)V	258
GAv4	1	Lcom/google/android/gms/internal/qv;->a()Lcom/google/android/gms/internal/re;	196
GAv4	6	Lcom/google/android/gms/internal/qy;->setException(Ljava/lang/Throwable;)V	48
GAv4	4	Lcom/google/android/gms/internal/qy;->setException(Ljava/lang/Throwable;)V	94
GAv4	UUID.randomUUID() returned 0.	Lcom/google/android/gms/internal/rk;->(Z)V	62
GmsClient	3	Lcom/google/android/gms/common/internal/l;->a(I Landroid/os/IInterface;)V	114
GmsClient	3	Lcom/google/android/gms/common/internal/l;->a(I Landroid/os/IInterface;)V	238
GmsClient	service died	Lcom/google/android/gms/common/internal/l;->zza(Lcom/google/android/gms/common/internal/ad;)V	86
GmsClient	Remote exception occurred	Lcom/google/android/gms/common/internal/l;->zza(Lcom/google/android/gms/common/internal/ad;)V	112
GmsClient	service died	Lcom/google/android/gms/common/internal/l;->zza(Lcom/google/android/gms/common/internal/ad; Ljava/util/Set;)V	170
GmsClient	Remote exception occurred	Lcom/google/android/gms/common/internal/l;->zza(Lcom/google/android/gms/common/internal/ad; Ljava/util/Set;)V	196
GmsClient	3	Lcom/google/android/gms/common/internal/o;->b()V	60
GmsClient	0	Lcom/google/android/gms/common/internal/n;->handleMessage(Landroid/os/Message;)V	314
GmsClient	1	Lcom/google/android/gms/common/internal/r;->a()Z	104
GmsClient	service probably died	Lcom/google/android/gms/common/internal/r;->a()Z	122
GmsClientEvents	3	Lcom/google/android/gms/common/internal/u;->a(Lcom/google/android/gms/common/api/j;)V	74
GmsClientEvents	3	Lcom/google/android/gms/common/internal/u;->a(Lcom/google/android/gms/common/api/k;)V	74
GmsClientEvents	1	Lcom/google/android/gms/common/internal/u;->handleMessage(Landroid/os/Message;)Z	102
GooGlePlayV3Activity	2	Lme/onemobile/sdk/gpv3/n;->onPostExecute(Ljava/lang/Object;)V	80
GooglePlayServicesUtil	The Google Play services resources were not found. Check your project configuration to ensure that the resources are included.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	202
GooglePlayServicesUtil	This should never happen.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	228
GooglePlayServicesUtil	Google Play services signature invalid.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	492

Tag	Message	Caller Code	Path Index
GooglePlayServicesUtil	Google Play services is missing.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	510
GooglePlayServicesUtil	Google Play Store signature invalid.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	560
GooglePlayServicesUtil	Google Play Store is updating.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	594
GooglePlayServicesUtil	Google Play services signature invalid.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	624
GooglePlayServicesUtil	Google Play services signature invalid.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	664
GooglePlayServicesUtil	Google Play Store is neither installed nor updating.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	680
GooglePlayServicesUtil	2	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	750
GooglePlayServicesUtil	Google Play services missing when getting application info.	Lcom/google/android/gms/common/e;->a(Landroid/content/Context;)I	808
GooglePlayServicesUtil	1	Lcom/google/android/gms/common/e;->b(Landroid/content/Context;)V	54
GooglePlayV3Activity	3	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->a(Lme/onemobile/sdk/gpv3/ad;)Z	94
GooglePlayV3Activity	2	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->b(Lme/onemobile/sdk/gpv3/ad;)V	40
GooglePlayV3Activity	4	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->a(Ljava/lang/String;)V	34
GooglePlayV3Activity	6	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->onActivityResult(I I Landroid/content/Intent;)V	74
GooglePlayV3Activity	onActivityResult handled by IABUtil.	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->onActivityResult(I I Landroid/content/Intent;)V	112
GooglePlayV3Activity	Creating IAB helper.	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->onCreate(Landroid/os/Bundle;)V	166
GooglePlayV3Activity	Starting setup.	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->onCreate(Landroid/os/Bundle;)V	202
GooglePlayV3Activity	Destroying helper.	Lme/onemobile/sdk/gpv3/GooglePlayV3Activity;->onDestroy()V	22
GooglePlayV3Activity	Query inventory finished.	Lme/onemobile/sdk/gpv3/c;->a(Lme/onemobile/sdk/gpv3/ab; Lme/onemobile/sdk/gpv3/ac;)V	8
GooglePlayV3Activity	Query inventory was successful.	Lme/onemobile/sdk/gpv3/c;->a(Lme/onemobile/sdk/gpv3/ab; Lme/onemobile/sdk/gpv3/ac;)V	34
GooglePlayV3Activity	1	Lme/onemobile/sdk/gpv3/c;->a(Lme/onemobile/sdk/gpv3/ab; Lme/onemobile/sdk/gpv3/ac;)V	260
GooglePlayV3Activity	9	Lme/onemobile/sdk/gpv3/d;->a(Lme/onemobile/sdk/gpv3/ab; Lme/onemobile/sdk/gpv3/ad;)V	56
GooglePlayV3Activity	Purchase successful.	Lme/onemobile/sdk/gpv3/d;->a(Lme/onemobile/sdk/gpv3/ab; Lme/onemobile/sdk/gpv3/ad;)V	294
GooglePlayV3Activity	5	Lme/onemobile/sdk/gpv3/e;->a(Lme/onemobile/sdk/gpv3/ad; Lme/onemobile/sdk/gpv3/ab;)V	54
GooglePlayV3Activity	Consumption successful. Provisioning.	Lme/onemobile/sdk/gpv3/e;->a(Lme/onemobile/sdk/gpv3/ad; Lme/onemobile/sdk/gpv3/ab;)V	80
GooglePlayV3Activity	2	Lme/onemobile/sdk/gpv3/e;->a(Lme/onemobile/sdk/gpv3/ad; Lme/onemobile/sdk/gpv3/ab;)V	124

Tag	Message	Caller Code	Path Index
GooglePlayV3Activity	2	Lme/onemobile/sdk/gpv3/e;->a(Lme/onemobile/sdk/gpv3/ad; Lme/onemobile/sdk/gpv3/ab;)V	168
GooglePlayV3Activity	End consumption flow.	Lme/onemobile/sdk/gpv3/e;->a(Lme/onemobile/sdk/gpv3/ad; Lme/onemobile/sdk/gpv3/ab;)V	192
GooglePlayV3Activity	Setup finished.	Lme/onemobile/sdk/gpv3/f;->a(Lme/onemobile/sdk/gpv3/ab;)V	8
GooglePlayV3Activity	Setup successful. Querying inventory.	Lme/onemobile/sdk/gpv3/f;->a(Lme/onemobile/sdk/gpv3/ab;)V	76
GooglePlayV3Activity	Cannot get order id from server	Lme/onemobile/sdk/gpv3/n;->onPostExecute(Ljava/lang/Object;)V	110
GoogleSignatureVerifier	Package has more than one signature.	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/i;)Lcom/google/android/gms/common/i;	24
GoogleSignatureVerifier	2	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/i;)Lcom/google/android/gms/common/i;	102
GoogleSignatureVerifier	1	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/i;)Lcom/google/android/gms/common/i;	164
GoogleSignatureVerifier	Package has more than one signature.	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageInfo; Z)Z	22
GoogleSignatureVerifier	2	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageInfo; Z)Z	102
GoogleSignatureVerifier	3	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageInfo; Z)Z	164
GoogleSignatureVerifier	3	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageManager; Ljava/lang/String;)Z	30
GoogleSignatureVerifier	3	Lcom/google/android/gms/common/hc;->a(Landroid/content/pm/PackageManager; Ljava/lang/String;)Z	88
GridLayoutManager	6	Landroid/support/v7/widget/GridLayoutManager;->getSpanGroupIndex(Landroid/support/v7/widget/RecyclerView$Recycler; Landroid/support/v7/widget/RecyclerView$State; I)I	78
GridLayoutManager	6	Landroid/support/v7/widget/GridLayoutManager;->getSpanIndex(Landroid/support/v7/widget/RecyclerView$Recycler; Landroid/support/v7/widget/RecyclerView$State; I)I	94
GridLayoutManager	6	Landroid/support/v7/widget/GridLayoutManager;->getSpanSize(Landroid/support/v7/widget/RecyclerView$Recycler; Landroid/support/v7/widget/RecyclerView$State; I)I	90
IABUtil/Security	Invalid key specification.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/lang/String;)Ljava/security/PublicKey;	64
IABUtil/Security	Base64 decoding failed.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/lang/String;)Ljava/security/PublicKey;	92
IABUtil/Security	data is null	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z	40
IABUtil/Security	signature does not match data.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z	88
IABUtil/Security	Signature verification failed.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/security/PublicKey; Ljava/lang/String; Ljava/lang/String;)Z	62
IABUtil/Security	NoSuchAlgorithmException.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/security/PublicKey; Ljava/lang/String; Ljava/lang/String;)Z	84

Tag	Message	Caller Code	Path Index
IABUtil/Security	Invalid key specification.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/security/PublicKey; Ljava/lang/String; Ljava/lang/String;)Z	102
IABUtil/Security	Signature exception.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/security/PublicKey; Ljava/lang/String; Ljava/lang/String;)Z	120
IABUtil/Security	Base64 decoding failed.	Lme/onemobile/sdk/gpv3/ae;->a(Ljava/security/PublicKey; Ljava/lang/String; Ljava/lang/String;)Z	138
IceDataCollector	Error getting cell tower signal strength	Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->a(Landroid/content/Context;)I	168
IceDataCollector	Error getting cell tower signal strength	Lcom/inmobi/commons/thinICE/cellular/CellUtil$a;->b(Landroid/content/Context;)I	168
IceDataCollector	-- flush()	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->flush()V	22
IceDataCollector	application does not have permission to access connected wifi ap	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->getConnectedWifiInfo(Landroid/content/Context;)Lcom/inmobi/commons/thinICE/wifi/WifiInfo;	98
IceDataCollector	Error getting wifi data	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->getConnectedWifiInfo(Landroid/content/Context;)Lcom/inmobi/commons/thinICE/wifi/WifiInfo;	126
IceDataCollector	-- getData()	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->getData()Ljava/util/List;	16
IceDataCollector	startSampling()	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->m()V	20
IceDataCollector	ignoring, already sampling	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->m()V	50
IceDataCollector	2	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->m()V	200
IceDataCollector	stopSampling()	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->n()V	18
IceDataCollector	ignoring, not currently sampling	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->n()V	48
IceDataCollector	sampling stopped	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->n()V	104
IceDataCollector	3	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->setConfig(Lcom/inmobi/commons/thinICE/icedatacollector/ThinICEConfig Settings;)V	60
IceDataCollector	aborting, config is null	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->setConfig(Lcom/inmobi/commons/thinICE/icedatacollector/ThinICEConfig Settings;)V	86
IceDataCollector	new sample history size, removing samples from start of list	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->setConfig(Lcom/inmobi/commons/thinICE/icedatacollector/ThinICEConfig Settings;)V	166
IceDataCollector	not restarting sampling, not currently sampling	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->setConfig(Lcom/inmobi/commons/thinICE/icedatacollector/ThinICEConfig Settings;)V	234
IceDataCollector	-- start()	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->start(Landroid/content/Context;)V	22
IceDataCollector	aborting, context is null	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->start(Landroid/content/Context;)V	48
IceDataCollector	ignoring, data collection is disabled in settings	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->start(Landroid/content/Context;)V	90
IceDataCollector	aborting, build < 14 and context is not an activity	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->start(Landroid/content/Context;)V	140
IceDataCollector	stop previously requested, clearing request	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->start(Landroid/content/Context;)V	202
IceDataCollector	-- stop()	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->stop()V	22

Tag	Message	Caller Code	Path Index
IceDataCollector	ignoring, not currently running	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->stop()V	44
IceDataCollector	ignoring, stop already requested	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->stop()V	70
IceDataCollector	3	Lcom/inmobi/commons/thinICE/icedatacollector/IceDataCollector;->stop()V	182
IceDataCollector	2	Lcom/inmobi/commons/thinICE/icedatacollector/a$a;->onResultsReceived(Ljava/util/List;)V	50
IceDataCollector	-- wifi scan:	Lcom/inmobi/commons/thinICE/icedatacollector/a$a;->onResultsReceived(Ljava/util/List;)V	88
IceDataCollector	0	Lcom/inmobi/commons/thinICE/icedatacollector/a$a;->onResultsReceived(Ljava/util/List;)V	160
IceDataCollector	Received Wi-Fi scan timeout	Lcom/inmobi/commons/thinICE/icedatacollector/a$a;->onTimeout()V	16
IceDataCollector	** sample runnable	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	24
IceDataCollector	sampling when looper is null, exiting	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	58
IceDataCollector	activity no longer has focus, terminating	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	114
IceDataCollector	4	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	294
IceDataCollector	5	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	490
IceDataCollector	5	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	610
IceDataCollector	-- locations:	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	708
IceDataCollector	0	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	788
IceDataCollector	Error getting location data	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	814
IceDataCollector	Error getting cell operator data	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	1004
IceDataCollector	application does not have permission to access current serving cell	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	1030
IceDataCollector	Error getting cell data	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	1058
IceDataCollector	application does not have permission to access location	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	1090
IceDataCollector	application does not have permission to scan for wifi access points	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	1116
IceDataCollector	Error scanning for wifi	Lcom/inmobi/commons/thinICE/icedatacollector/a;->run()V	1142
IceDataCollector	** stop runnable	Lcom/inmobi/commons/thinICE/icedatacollector/b;->run()V	22
IceDataCollector	ignoring, stop not requested	Lcom/inmobi/commons/thinICE/icedatacollector/b;->run()V	56
IceDataCollector	terminating sampling and flushing	Lcom/inmobi/commons/thinICE/icedatacollector/b;->run()V	82
ImageManager	5	Lcom/google/android/gms/common/images/c;->run()V	278
ImageManager	closed failed	Lcom/google/android/gms/common/images/c;->run()V	298
ImageManager	2	Lcom/google/android/gms/common/images/c;->run()V	346
IntentReader	Could not retrieve icon for calling activity	Landroid/support/v4/app/ShareCompat$IntentReader;->getCallingActivityIcon()Landroid/graphics/drawable/Drawable;	48
IntentReader	Could not retrieve icon for calling application	Landroid/support/v4/app/ShareCompat$IntentReader;->getCallingApplicationIcon()Landroid/graphics/drawable/Drawable;	48
IntentReader	Could not retrieve label for calling application	Landroid/support/v4/app/ShareCompat$IntentReader;->getCallingApplicationLabel()Ljava/lang/CharSequence;	58
Landroid/content/Intent ;	3	Lcom/facebook/ads/internal/action/c;->e()V	92

Tag	Message	Caller Code	Path Index
LayoutInflaterCompatHC	3	Landroid/support/v4/view/LayoutInflaterCompatHC;->forceSetFactory2(Landroid/view/LayoutInflater;Landroid/view/LayoutInflater$Factory2;)V	122
LayoutInflaterCompatHC	3	Landroid/support/v4/view/LayoutInflaterCompatHC;->forceSetFactory2(Landroid/view/LayoutInflater;Landroid/view/LayoutInflater$Factory2;)V	178
LinearLayoutManager	internal representation of views on the screen	Landroid/support/v7/widget/LinearLayoutManager;->logChildren()V	8
LinearLayoutManager	1	Landroid/support/v7/widget/LinearLayoutManager;->logChildren()V	110
LinearLayoutManager	==============	Landroid/support/v7/widget/LinearLayoutManager;->logChildren()V	130
LinearLayoutManager	4	Landroid/support/v7/widget/LinearLayoutManager;->validateChildOrder()V	46
LinearLayoutManager#LayoutState	2	Landroid/support/v7/widget/LinearLayoutManager$LayoutState;->log()V	134
LinearSmoothScroller	To support smooth scrolling, you should override LayoutManager#computeScrollVectorForPosition. Falling back to instant scroll	Landroid/support/v7/widget/LinearSmoothScroller;->updateActionForInterimTarget(Landroid/support/v7/widget/RecyclerView$SmoothScroller$Action;)V	66
ListPopupWindow	Could not find method setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->()V	48
ListPopupWindow	5	Landroid/support/v7/widget/ListPopupWindow;->buildDropDown()I	280
ListPopupWindow	Could not call setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V	54
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->callOnLoadFinished(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	130
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->destroy()V	46
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->destroy()V	136
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->finishRetain()V	50
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	44
LoaderManager	Ignoring load complete -- destroyed	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	74
LoaderManager	Ignoring load complete -- not active	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	122
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	180
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->retain()V	42
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->start()V	78
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->stop()V	44
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->destroyLoader(I)V	86
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	50
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	160
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	42
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	110
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	42

Tag	Message	Caller Code	Path Index
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	110
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	42
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	110
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->finishRetain()V	50
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	102
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	162
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	246
LoaderManager	7	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	104
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	184
LoaderManager	Current loader is stopped; replacing	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	260
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	338
LoaderManager	Enqueuing as new pending loader	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	374
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	444
LocalBroadcastManager	0	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	172
LocalBroadcastManager	8	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	252
LocalBroadcastManager	14	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	334
LocalBroadcastManager	14	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	360
LocalBroadcastManager	1	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	452
LocalBroadcastManager	1	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	540

Tag	Message	Caller Code	Path Index
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->adjustVolume(I I)V	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->dispatchMediaButtonEvent(Landroid/view/KeyEvent;)Z	70
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getExtras()Landroid/os/Bundle;	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getFlags()J	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getMetadata()Landroid/support/v4/media/MediaMetadataCompat;	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getPackageName()Ljava/lang/String;	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getPlaybackInfo()Landroid/support/v4/media/session/MediaControllerCompat$PlaybackInfo;	80
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getPlaybackState()Landroid/support/v4/media/session/PlaybackStateCompat;	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getQueue()Ljava/util/List;	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getQueueTitle()Ljava/lang/CharSequence;	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getRatingType()I	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getSessionActivity()Landroid/app/PendingIntent;	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->registerCallback(Landroid/support/v4/media/session/MediaControllerCompat$Callback; Landroid/os/Handler;)V	114
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->sendCommand(Ljava/lang/String; Landroid/os/Bundle; Landroid/os/ResultReceiver;)V	58
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->setVolumeTo(I I)V	50
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->unregisterCallback(Landroid/support/v4/media/session/MediaControllerCompat$Callback;)V	108
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->fastForward()V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->pause()V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->play()V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->playFromMediaId(Ljava/lang/String; Landroid/os/Bundle;)V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->playFromSearch(Ljava/lang/String; Landroid/os/Bundle;)V	48

Tag	Message	Caller Code	Path Index
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->rewind()V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->seekTo(J)V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->sendCustomAction(Ljava/lang/String; Landroid/os/Bundle;)V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->setRating(Landroid/support/v4/media/RatingCompat;)V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->skipToNext()V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->skipToPrevious()V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->skipToQueueItem(J)V	48
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->stop()V	48
MediaMetadata	Failed to retrieve a key as Bitmap.	Landroid/support/v4/media/MediaMetadataCompat;->getBitmap(Ljava/lang/String;)Landroid/graphics/Bitmap;	30
MediaMetadata	Failed to retrieve a key as Rating.	Landroid/support/v4/media/MediaMetadataCompat;->getRating(Ljava/lang/String;)Landroid/support/v4/media/RatingCompat;	30
MediaRouterJellybean	Cannot programmatically select non-user route because the platform is missing the selectRouteInt() method. Media routing may not work.	Landroid/support/v4/media/routing/MediaRouterJellybean$SelectRouteWorkaround;->selectRoute(Ljava/lang/Object; I Ljava/lang/Object;)V	122
MediaRouterJellybeanMr1	Cannot scan for wifi displays.	Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->run()V	54
MediaRouterJellybeanMr1	Cannot scan for wifi displays.	Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->run()V	72
MediaRouterJellybeanMr1	Cannot scan for wifi displays because the DisplayManager.scanWifiDisplays() method is not available on this device.	Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->setActiveScanRouteTypes(I)V	50
MenuItemCompat	getActionProvider: item does not implement SupportMenuItem; returning null	Landroid/support/v4/view/MenuItemCompat;->getActionProvider(Landroid/view/MenuItem;)Landroid/support/v4/view/ActionProvider;	30
MenuItemCompat	setActionProvider: item does not implement SupportMenuItem; ignoring	Landroid/support/v4/view/MenuItemCompat;->setActionProvider(Landroid/view/MenuItem; Landroid/support/v4/view/ActionProvider;)Landroid/view/MenuItem;	30
MobileChargingActivity	ChargingStateMonitor register fail	Lcom/qihoo/security/mobilecharging/activity/MobileChargingActivity;->onCreate(Landroid/os/Bundle;)V	568
MobileChargingActivity	2	Lcom/qihoo/security/mobilecharging/activity/e;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	46
MobileChargingHelper	????????	Lcom/qihoo/security/mobilecharging/b/f;-><init>(Landroid/content/Context;)V	130
MobileChargingHelper	3	Lcom/qihoo/security/mobilecharging/b/f;-><init>(Landroid/content/Context;)V	232
MobileChargingHelper	4	Lcom/qihoo/security/mobilecharging/b/f;->b(Z)V	34
MobileChargingHelper	????????	Lcom/qihoo/security/mobilecharging/b/f;->a(Landroid/content/Context; Lcom/qihoo/security/mobilecharging/b/a;)V	40
MobileChargingHelper	11	Lcom/qihoo/security/mobilecharging/b/f;->a(Landroid/content/Context; Lcom/qihoo/security/mobilecharging/b/a;)V	452
MobileChargingHelper	6	Lcom/qihoo/security/mobilecharging/b/f;->a(Landroid/content/Context; Lcom/qihoo/security/mobilecharging/b/a;)V	514

Tag	Message	Caller Code	Path Index
MobileChargingHelper	3	Lcom/qihoo/security/mobilecharging/b/f;->a(Landroid/content/Intent;)V	50
MobileChargingHelper	3	Lcom/qihoo/security/mobilecharging/b/f;->a(Landroid/content/Intent;)V	162
MobileChargingHelper	onScreenOn	Lcom/qihoo/security/mobilecharging/b/f;->b()V	8
MobileChargingHelper	2	Lcom/qihoo/security/mobilecharging/b/f;->c()V	90
MobileChargingScrollView	9	Lcom/qihoo/security/mobilecharging/view/MobileChargingScrollView;->onFling(Landroid/view/MotionEvent; Landroid/view/MotionEvent; F F)Z	42
MobileChargingScrollView	3	Lcom/qihoo/security/mobilecharging/view/MobileChargingScrollView;->onFling(Landroid/view/MotionEvent; Landroid/view/MotionEvent; F F)Z	96
MobileChargingScrollView	3	Lcom/qihoo/security/mobilecharging/view/MobileChargingScrollView;->onFling(Landroid/view/MotionEvent; Landroid/view/MotionEvent; F F)Z	204
MobileChargingScrollView	absorb	Lcom/qihoo/security/mobilecharging/view/MobileChargingScrollView;->onTouchEvent(Landroid/view/MotionEvent;)Z	62
MobileChargingView	onActivityResume	Lcom/qihoo/security/mobilecharging/view/MobileChargingView;->a()V	8
MobileChargingView	?????	Lcom/qihoo/security/mobilecharging/view/MobileChargingView;->a()V	22
MobileChargingView	???????onNewIntent	Lcom/qihoo/security/mobilecharging/view/MobileChargingView;->a(Z)V	10
MobileChargingView	??????????????????	Lcom/qihoo/security/mobilecharging/view/MobileChargingView;->a(Z)V	32
MobileChargingView	??????	Lcom/qihoo/security/mobilecharging/view/MobileChargingView;->a(Z)V	86
MobileChargingView	onActivityCreate	Lcom/qihoo/security/mobilecharging/view/MobileChargingView;->b(Z)V	8
MultiDex	Exception in makeDexElement	Landroid/support/multidex/MultiDex$V19;->install(Ljava/lang/ClassLoader; Ljava/util/List; Ljava/io/File;)V	110
MultiDex	3	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	88
MultiDex	2	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	160
MultiDex	4	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	310
MultiDex	4	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	364
MultiDex	1	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	426
MultiDex	1	Landroid/support/multidex/MultiDex;->clearOldDexDir(Landroid/content/Context;)V	478
MultiDex	Failure while trying to obtain ApplicationInfo from Context. Must be running in test mode. Skip patching.	Landroid/support/multidex/MultiDex;->getApplicationInfo(Landroid/content/Context;)Landroid/content/pm/ApplicationInfo;	38
MultiDex	install	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	8
MultiDex	VM has multidex support, MultiDex support library is disabled.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	30
MultiDex	Multidex installation failure	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	164
MultiDex	4	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	336
MultiDex	Context class loader is null. Must be running in test mode. Skip patching.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	362
MultiDex	Failure while trying to obtain Context class loader. Must be running in test mode. Skip patching.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	384
MultiDex	install done	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	458

Tag	Message	Caller Code	Path Index
MultiDex	Something went wrong when trying to clear old MultiDex extraction, continuing without cleaning.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	478
MultiDex	Files were not valid zip files. Forcing a reload.	Landroid/support/multidex/MultiDex;->install(Landroid/content/Context;)V	494
MultiDex	1	Landroid/support/multidex/MultiDex;->isVMMultidexCapable(Ljava/lang/String;)Z	142
MultiDex	Failed to close resource	Landroid/support/multidex/MultiDexExtractor;->closeQuietly(Ljava/io/Closeable;)V	18
MultiDex	4	Landroid/support/multidex/MultiDexExtractor;->extract(Ljava/util/zip/ZipFile; Ljava/util/zip/ZipEntry; Ljava/io/File; Ljava/lang/String;)V	70
MultiDex	4	Landroid/support/multidex/MultiDexExtractor;->extract(Ljava/util/zip/ZipFile; Ljava/util/zip/ZipEntry; Ljava/io/File; Ljava/lang/String;)V	234
MultiDex	2	Landroid/support/multidex/MultiDexExtractor;->load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	70
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;->load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	176
MultiDex	Failed to reload existing extracted secondary dex files, falling back to fresh extraction	Landroid/support/multidex/MultiDexExtractor;->load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	194
MultiDex	Detected that extraction must be performed.	Landroid/support/multidex/MultiDexExtractor;->load(Landroid/content/Context; Landroid/content/pm/ApplicationInfo; Ljava/io/File; Z)Ljava/util/List;	246
MultiDex	loading existing secondary dex files	Landroid/support/multidex/MultiDexExtractor;->loadExistingExtractions(Landroid/content/Context; Ljava/io/File; Ljava/io/File;)Ljava/util/List;	8
MultiDex	5	Landroid/support/multidex/MultiDexExtractor;->loadExistingExtractions(Landroid/content/Context; Ljava/io/File; Ljava/io/File;)Ljava/util/List;	218
MultiDex	9	Landroid/support/multidex/MultiDexExtractor;->performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	192
MultiDex	11	Landroid/support/multidex/MultiDexExtractor;->performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	410
MultiDex	Failed to close resource	Landroid/support/multidex/MultiDexExtractor;->performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	604
MultiDex	Failed to close resource	Landroid/support/multidex/MultiDexExtractor;->performExtractions(Ljava/io/File; Ljava/io/File;)Ljava/util/List;	622
MultiDex	2	Landroid/support/multidex/MultiDexExtractor;->prepareDexDir(Ljava/io/File; Ljava/lang/String;)V	144
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;->prepareDexDir(Ljava/io/File; Ljava/lang/String;)V	294
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;->prepareDexDir(Ljava/io/File; Ljava/lang/String;)V	348
MultiDex	2	Landroid/support/multidex/MultiDexExtractor;->verifyZipFile(Ljava/io/File;)Z	64
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;->verifyZipFile(Ljava/io/File;)Z	130
MultiDex	3	Landroid/support/multidex/MultiDexExtractor;->verifyZipFile(Ljava/io/File;)Z	182
NavUtils	3	Landroid/support/v4/app/NavUtils$NavUtilsImplBase;->getParentActivityIntent(Landroid/app/Activity;)Landroid/content/Intent;	116
NestedScrollView	2	Landroid/support/v4/widget/NestedScrollView;->onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	140

Tag	Message	Caller Code	Path Index
NestedScrollView	4	Landroid/support/v4/widget/NestedScrollView;->onTouchEvent(Landroid/view/MotionEvent;)Z	350
Nilanjana	10	Lcom/inmobi/re/container/IMWebView$i;->a([Ljava/lang/Void;)Ljava/lang/String;	502
Nilanjana	list_downloadTask not null	Lcom/inmobi/re/container/IMWebView;->removeSaveContentDir()V	20
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->ensureServiceBound(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)Z	120
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	6
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	100
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	178
NotifManCompat	0	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	224
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	258
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	308
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	378
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	152
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	190
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	248
NotifManCompat	5	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	226
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	294
NotifManCompat	0	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	340

Tag	Message	Caller Code	Path Index
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	436
NotifManCompat	5	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	490
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceConnected(Landroid/content/ComponentName; Landroid/os/IBinder;)V	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceConnected(Landroid/content/ComponentName; Landroid/os/IBinder;)V	52
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceDisconnected(Landroid/content/ComponentName;)V	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceDisconnected(Landroid/content/ComponentName;)V	52
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->ensureActionReflectionReadyLocked()Z	144
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->ensureActionReflectionReadyLocked()Z	166
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->getAction(Landroid/app/Notification; I Landroid/support/v4/app/NotificationCompatBase$Action$Factory; Landroid/support/v4/app/RemoteInputCompatBase$RemoteInput$Factory;) Landroid/support/v4/app/NotificationCompatBase$Action;	132
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->getActionObjectsLocked(Landroid/app/Notification;)[Ljava/lang/Object;	62
NotificationCompat	Notification.extras field is not of type Bundle	Landroid/support/v4/app/NotificationCompatJellybean;->getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	78
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;->getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	168
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;->getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	196
NullLog	holder.appName: null!	Lme/onemobile/android/fragment/afb;->a(Landroid/view/View; Ljava/lang/Object;)V	350
NullLog	holder.appName: null!	Lme/onemobile/android/fragment/cv;->a(Landroid/view/View; Ljava/lang/Object;)V	236
NullLog	holder.appName: null!	Lme/onemobile/android/fragment/de;->a(Landroid/view/View; Ljava/lang/Object;)V	254
NullLog	holder.appName: null!	Lme/onemobile/android/fragment/do;->a(Landroid/view/View; Ljava/lang/Object;)V	256
OMAd	4	Lcom/onemobile/ads/core/OMAdView$RequestAds;->run()V	334
OldVersionInstalledTask	return for a null packageName	Lme/onemobile/message/a/i;->a()V	90
OneMobile	3	Lme/onemobile/sdk/d;->a(Lme/onemobile/sdk/gpv3/ad;)Lme/onemobile/sdk/a/c;	94
PhotoViewAttacher	3	Luk/co/senab/photoview/d;->()V	6
PhotoViewAttacher	ImageView no longer exists. You should not use this PhotoViewAttacher any more.	Luk/co/senab/photoview/d;->e()Landroid/widget/ImageView;	44
PhotoViewAttacher	onTouch getParent() returned null	Luk/co/senab/photoview/d;->onTouch(Landroid/view/View; Landroid/view/MotionEvent;)Z	146

Tag	Message	Caller Code	Path Index
PrintHelperKitkat	Error writing printed content	Landroid/support/v4/print/PrintHelperKitkat$1;->onWrite([Landroid/print/PageRange; Landroid/os/ParcelFileDescriptor; Landroid/os/CancellationSignal; Landroid/print/PrintDocumentAdapter$WriteResultCallback;)V	198
PrintHelperKitkat	Error writing printed content	Landroid/support/v4/print/PrintHelperKitkat$2;->onWrite([Landroid/print/PageRange; Landroid/os/ParcelFileDescriptor; Landroid/os/CancellationSignal; Landroid/print/PrintDocumentAdapter$WriteResultCallback;)V	198
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory$Options;)Landroid/graphics/Bitmap;	82
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory$Options;)Landroid/graphics/Bitmap;	114
PullToRefresh	4	Lme/onemobile/pulltorefresh/internal/e;->a(Ljava/lang/String; Ljava/lang/String;)V	54
Rating	Invalid percentage-based rating value	Landroid/support/v4/media/RatingCompat;->newPercentageRating(F)Landroid/support/v4/media/RatingCompat;	30
Rating	3	Landroid/support/v4/media/RatingCompat;->newStarRating(I F)Landroid/support/v4/media/RatingCompat;	54
Rating	Trying to set out of range star-based rating	Landroid/support/v4/media/RatingCompat;->newStarRating(I F)Landroid/support/v4/media/RatingCompat;	92
RecipAlternates	3	Lcom/android/ex/chips/u;->a(Landroid/database/Cursor; Ljava/lang/Long;)Ljava/util/HashMap;	170
RecipAlternates	2	Lcom/android/ex/chips/u;->a(Landroid/database/Cursor; Ljava/lang/Long;)Ljava/util/HashMap;	306
RecipAlternates	3	Lcom/android/ex/chips/u;->a(Landroid/content/Context; Ljava/util/ArrayList; Landroid/accounts/Account; Lcom/android/ex/chips/w;)V	170
RecipAlternates	4	Lcom/android/ex/chips/u;->a(Landroid/content/Context; Ljava/util/ArrayList; Landroid/accounts/Account; Lcom/android/ex/chips/w;)V	224
RecipientEditTextView	Unable to draw a background for the chips as it was never set	Lcom/android/ex/chips/RecipientEditTextView;->a(Lcom/android/ex/chips/am; Landroid/text/TextPaint; Landroid/graphics/Bitmap; Landroid/graphics/drawable/Drawable;)Landroid/graphics/Bitmap;	12
RecipientEditTextView	3	Lcom/android/ex/chips/RecipientEditTextView;->a(Lcom/android/ex/chips/am; Landroid/text/TextPaint; Landroid/graphics/Bitmap; Landroid/graphics/drawable/Drawable;)Landroid/graphics/Bitmap;	280
RecipientEditTextView	6	Lcom/android/ex/chips/RecipientEditTextView;->a(Lcom/android/ex/chips/am; Landroid/text/TextPaint; Landroid/graphics/Bitmap; Landroid/graphics/drawable/Drawable;)Landroid/graphics/Bitmap;	326
RecipientEditTextView	The chip being selected no longer exists but should.	Lcom/android/ex/chips/RecipientEditTextView;->d(Lcom/android/ex/chips/a/b;)Lcom/android/ex/chips/a/b;	268
RecipientEditTextView	The chip being selected no longer exists but should.	Lcom/android/ex/chips/RecipientEditTextView;->d(Lcom/android/ex/chips/a/b;)Lcom/android/ex/chips/a/b;	450
RecipientEditTextView	0	Lcom/android/ex/chips/RecipientEditTextView;->m()V	62
RecipientEditTextView	The chip to replace does not exist but should.	Lcom/android/ex/chips/RecipientEditTextView;->a(Lcom/android/ex/chips/a/b; Lcom/android/ex/chips/am;)V	92
RecipientEditTextView	3	Lcom/android/ex/chips/RecipientEditTextView;->b()V	602
RecipientEditTextView	1	Lcom/android/ex/chips/RecipientEditTextView;->b()V	648
RecyclerView	You must override onLayoutChildren(Recycler recycler, State state)	Landroid/support/v7/widget/RecyclerView$LayoutManager;->onLayoutChildren(Landroid/support/v7/widget/RecyclerView$Recycler; Landroid/support/v7/widget/RecyclerView$State;)V	8

Tag	Message	Caller Code	Path Index
RecyclerView	You must override smoothScrollToPosition to support smooth scrolling	Landroid/support/v7/widget/RecyclerView$LayoutManager;->smoothScrollToPosition(Landroid/support/v7/widget/RecyclerView; Landroid/support/v7/widget/RecyclerView$State; I)V	8
RecyclerView	Passed over target position while smooth scrolling.	Landroid/support/v7/widget/RecyclerView$SmoothScroller;->onAnimation(I I)V	150
RecyclerView	3	Landroid/support/v7/widget/RecyclerView$Recycler;->getScrapViewForPosition(I I Z)Landroid/support/v7/widget/RecyclerView$ViewHolder;	216
RecyclerView	Smooth Scroll action is being updated too frequently. Make sure you are not changing it unless necessary	Landroid/support/v7/widget/RecyclerView$SmoothScroller$Action;->runIfNecessary(Landroid/support/v7/widget/RecyclerView;)V	90
RecyclerView	No adapter attached; skipping layout	Landroid/support/v7/widget/RecyclerView;->dispatchLayout()V	22
RecyclerView	2	Landroid/support/v7/widget/RecyclerView;->onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	322
RecyclerView	2	Landroid/support/v7/widget/RecyclerView;->onTouchEvent(Landroid/view/MotionEvent;)Z	284
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput$ImplBase;->addResultsToIntent([Landroid/support/v4/app/RemoteInput; Landroid/content/Intent; Landroid/os/Bundle;)V	8
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput$ImplBase;->getResultsFromIntent(Landroid/content/Intent;)Landroid/os/Bundle;	8
RenderScript_jni	0	Landroid/support/v8/renderscript/Allocation;->(I Landroid/support/v8/renderscript/RenderScript; Landroid/support/v8/renderscript/Type; I)V	226
RenderScript_jni	1	Landroid/support/v8/renderscript/RenderScript$MessageThread;->run()V	414
RenderScript_jni	RS native mode	Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;	50
RenderScript_jni	RS compat mode	Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;	264
RenderScript_jni	No GC methods	Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;	336
RenderScript_jni	0	Landroid/support/v8/renderscript/RenderScript;->create(Landroid/content/Context; I Landroid/support/v8/renderscript/RenderScript$ContextType;)Landroid/support/v8/renderscript/RenderScript;	392
RoundedBitmapDrawableFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/io/InputStream;)Landroid/support/v4/graphics/drawable/RoundedBitmapDrawable;	62
RoundedBitmapDrawableFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/lang/String;)Landroid/support/v4/graphics/drawable/RoundedBitmapDrawable;	62
Sandbox SSL validation disabled.	0	Lcom/facebook/ads/internal/util/g;->b()V	126
SearchView	3	Landroid/support/v7/widget/SearchView;->createIntentFromSuggestion(Landroid/database/Cursor; I Ljava/lang/String;)Landroid/content/Intent;	274

Tag	Message	Caller Code	Path Index
SearchView	5	Landroid/support/v7/widget/SearchView;->launchIntent(Landroid/content/Intent;)V	58
SearchView	Could not find voice search activity	Landroid/support/v7/widget/SearchView;->onVoiceClicked()V	64
Share records file does not start with historical-records tag.	4	Landroid/support/v7/internal/widget/ActivityChooserModel;->readHistoricalDataImpl()V	136
Share records file not well-formed.	4	Landroid/support/v7/internal/widget/ActivityChooserModel;->readHistoricalDataImpl()V	268
SignInButton	Sign in button not found, using placeholder instead	Lcom/google/android/gms/common/SignInButton;->setStyle(I I)V	192
SlidingPaneLayout	0	Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->()V	72
SlidingPaneLayout	0	Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->()V	90
SlidingPaneLayout	Error refreshing display list state	Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V	58
SlidingPaneLayout	3	Landroid/support/v4/widget/SlidingPaneLayout;->drawChild(Landroid/graphics/Canvas; Landroid/view/View; J)Z	306
SlidingPaneLayout	onMeasure: More than two child views are not supported.	Landroid/support/v4/widget/SlidingPaneLayout;->onMeasure(I I)V	144
SoftInput	onResume	Lme/onemobile/android/fragment/aer;->onResume()V	66
Spinner	Cannot set popup background for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat$DialogPopup;->setBackgroundDrawable(Landroid/graphics/drawable/Drawable;)V	8
Spinner	Cannot set horizontal offset for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat$DialogPopup;->setHorizontalOffset(I)V	8
Spinner	Cannot set vertical offset for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat$DialogPopup;->setVerticalOffset(I)V	8
Spinner	Cannot set dropdown width for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat;->setDropDownWidth(I)V	20
Spinner	setPopupBackgroundDrawable: incompatible spinner mode; ignoring...	Landroid/support/v7/internal/widget/SpinnerCompat;->setPopupBackgroundDrawable(Landroid/graphics/drawable/Drawable;)V	20
SuggestionsAdapter	3	Landroid/support/v7/widget/SuggestionsAdapter;->getActivityIcon(Landroid/content/ComponentName;)Landroid/graphics/drawable/Drawable;	148
SuggestionsAdapter	0	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	144
SuggestionsAdapter	7	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	274
SuggestionsAdapter	7	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	328
SuggestionsAdapter	5	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawableFromResourceValue(Ljava/lang/String;)Landroid/graphics/drawable/Drawable;	214
SuggestionsAdapter	unexpected error retrieving valid column from cursor, did the remote process die?	Landroid/support/v7/widget/SuggestionsAdapter;->getStringOrNull(Landroid/database/Cursor; I)Ljava/lang/String;	30
SuggestionsAdapter	Tried to change cursor after adapter was closed.	Landroid/support/v7/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V	16
SuggestionsAdapter	error changing cursor and caching columns	Landroid/support/v7/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V	152

Tag	Message	Caller Code	Path Index
SuggestionsAdapter	Search suggestions cursor threw exception.	Landroid/support/v7/widget/SuggestionsAdapter;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	20
SuggestionsAdapter	Search suggestions query threw an exception.	Landroid/support/v7/widget/SuggestionsAdapter;->runQueryOnBackgroundThread(Ljava/lang/CharSequence;)Landroid/database/Cursor;	94
SupportMenuInflater	5	Landroid/support/v7/internal/view/SupportMenuInflater$MenuState;->newInstance(Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;	82
SupportMenuInflater	The android:onClick attribute cannot be used within a restricted context	Landroid/support/v7/internal/view/SupportMenuInflater$MenuState;->setItem(Landroid/view/MenuItem;)V	358
SyncService	============syncMyAppDB============	Lme/onemobile/android/service/SyncService;->b(Landroid/content/Context; Z)V	14
SyncService	6	Lme/onemobile/android/service/SyncService;->l(Landroid/content/Context;)Lme/onemobile/b/g;	178
SyncService	4	Lme/onemobile/android/service/c;->run()V	362
SyncService	2	Lme/onemobile/android/service/c;->run()V	436
SyncServie	4	Lme/onemobile/android/service/SyncService;->l(Landroid/content/Context;)Lme/onemobile/b/g;	64
TAG~~~	5	Lcom/onemobile/ads/core/OMAdActivity;->getAdView(Lcom/onemobile/ads/core/AdInfo;)Landroid/view/View;	74
TAG~~~	2	Lcom/onemobile/ads/core/OMAdActivity;->onCreate(Landroid/os/Bundle;)V	90
TAG~~~	??OMAdActivity??	Lcom/onemobile/ads/core/OMAdActivity;->onCreate(Landroid/os/Bundle;)V	162
TAG~~~	1	Lcom/onemobile/ads/core/OMAdView$RequestAds;->run()V	374
TAG~~~	parseCustomJsonString() ??	Lcom/onemobile/ads/core/OMAdView;->handleResponse(Ljava/lang/String;)V	62
TaskStackBuilder	Bad ComponentName while traversing activity parent metadata	Landroid/support/v4/app/TaskStackBuilder;->addParentStack(Landroid/content/ComponentName;)Landroid/support/v4/app/TaskStackBuilder;	70
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/internal/widget/ToolbarWidgetWrapper;->initIndeterminateProgress()V	8
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/internal/widget/ToolbarWidgetWrapper;->initProgress()V	8
TopicListFragment	2	Lme/onemobile/android/fragment/alc;->onActivityCreated(Landroid/os/Bundle;)V	96
Utility	2	Lme/onemobile/utility/bo;->onClick(Landroid/content/DialogInterface; I)V	76
View	3	Landroid/support/v7/widget/RecyclerView$ViewHolder;->setIsRecyclable(Z)V	64
ViewCompat	0	Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->bindTempDetach()V	70
ViewCompat	Error calling dispatchFinishTemporaryDetach	Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V	50
ViewCompat	Error calling dispatchStartTemporaryDetach	Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V	50
ViewPager	5	Landroid/support/v4/view/ViewPager;->arrowScroll(I)Z	298
ViewPager	2	Landroid/support/v4/view/ViewPager;->setOffscreenPageLimit(I)V	50
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;->onNestedFling(Landroid/view/ViewParent; Landroid/view/View; F F Z)Z	58

Tag	Message	Caller Code	Path Index
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;->onNestedPreFling(Landroid/view/ViewParent; Landroid/view/View; F F)Z	58
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;->onNestedPreScroll(Landroid/view/ViewParent; Landroid/view/View; I I [I)V	56
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;->onNestedScroll(Landroid/view/ViewParent; Landroid/view/View; I I I I)V	56
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;->onNestedScrollAccepted(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)V	56
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;->onStartNestedScroll(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)Z	58
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;->onStopNestedScroll(Landroid/view/ViewParent; Landroid/view/View;)V	56
ViewUtils	Could not find method computeFitSystemWindows. Oh well.	Landroid/support/v7/internal/widget/ViewUtils;->()V	94
ViewUtils	Could not find method makeOptionalFitsSystemWindows. Oh well...	Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V	82
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V	100
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V	118
ViewUtils	app:theme is now deprecated. Please move to using android:theme instead.	Landroid/support/v7/internal/widget/ViewUtils;->themifyContext(Landroid/content/Context; Landroid/util/AttributeSet; Z Z)Landroid/content/Context;	62
WakefulBroadcastReceiver	2	Landroid/support/v4/content/WakefulBroadcastReceiver;->completeWakefulIntent(Landroid/content/Intent;)Z	104
[InMobi]-4.4.2	Integration Issue. Please include Google Play services in your project.	Lcom/inmobi/commons/InMobi;->a(Landroid/content/Context; Ljava/lang/String;)V	80
[InMobi]-[Analytics]-4.4.2	IMAppDatabaseManager->getEvents()-database is not open	Lcom/inmobi/commons/analytics/db/AnalyticsDatabaseManager;->c()Ljava/util/List;	50
[InMobi]-[Analytics]-4.4.2	IllegalStateException	Lcom/inmobi/commons/analytics/db/AnalyticsFunctions;->printWarning(Ljava/lang/String;)V	18
[InMobi]-[Analytics]-4.4.2	5	Lcom/inmobi/commons/analytics/net/AnalyticsCommon;->closeResource(Ljava/io/Closeable;)V	48
[InMobi]-[Monetization]	Failed to attach the view	Lcom/inmobi/monetization/IMNative$b;->run()V	84
[InMobi]-[Monetization]	Please attach the native ad view before calling detach	Lcom/inmobi/monetization/IMNative$c;->run()V	46
[InMobi]-[Monetization]	Please create an instance of native ad with valid appId	Lcom/inmobi/monetization/IMNative;->(Ljava/lang/String; Lcom/inmobi/monetization/IMNativeListener;)V	100
[InMobi]-[Monetization]	Please initialize inmobi before requesting for native ads	Lcom/inmobi/monetization/IMNative;->a(Ljava/lang/String; Lcom/inmobi/monetization/IMNativeListener;)V	22
[InMobi]-[Monetization]	Please create a native ad instance in the main thread	Lcom/inmobi/monetization/IMNative;->a(Ljava/lang/String; Lcom/inmobi/monetization/IMNativeListener;)V	100
[InMobi]-[Monetization]	Please initialize inmobi before requesting for native ads	Lcom/inmobi/monetization/IMNative;->attachToView(Landroid/view/ViewGroup;)V	20
[InMobi]-[Monetization]	Please load a native ad before attach	Lcom/inmobi/monetization/IMNative;->attachToView(Landroid/view/ViewGroup;)V	44
[InMobi]-[Monetization]	Please pass a valid view to attach	Lcom/inmobi/monetization/IMNative;->attachToView(Landroid/view/ViewGroup;)V	62

Tag	Message	Caller Code	Path Index
[InMobi]-[Monetization]	Please pass a valid view to attach	Lcom/inmobi/monetization/IMNative;->attachToView(Landroid/view/ViewGroup;)V	82
[InMobi]-[Monetization]	Please create a native ad instance in the main thread	Lcom/inmobi/monetization/IMNative;->attachToView(Landroid/view/ViewGroup;)V	154
[InMobi]-[Monetization]	Cannot attach an ad which is not ready or detached from view	Lcom/inmobi/monetization/IMNative;->attachToView(Landroid/view/ViewGroup;)V	202
[InMobi]-[Monetization]	Please initialize inmobi before requesting for native ads	Lcom/inmobi/monetization/IMNative;->detachFromView()V	20
[InMobi]-[Monetization]	Please load a native ad before detach	Lcom/inmobi/monetization/IMNative;->detachFromView()V	44
[InMobi]-[Monetization]	Please create a native ad instance in the main thread	Lcom/inmobi/monetization/IMNative;->detachFromView()V	84
[InMobi]-[Monetization]	Please initialize inmobi before requesting for native ads	Lcom/inmobi/monetization/IMNative;->handleClick(Ljava/util/HashMap;)V	20
[InMobi]-[Monetization]	Cannot handle click, native ad not loaded or detached from view	Lcom/inmobi/monetization/IMNative;->handleClick(Ljava/util/HashMap;)V	44
[InMobi]-[Monetization]	Please create a native ad instance in the main thread	Lcom/inmobi/monetization/IMNative;->handleClick(Ljava/util/HashMap;)V	84
[InMobi]-[Monetization]	Please initialize inmobi before requesting for native ads	Lcom/inmobi/monetization/IMNative;->loadAd()V	22
[InMobi]-[Monetization]	Please create a native ad instance in the main thread	Lcom/inmobi/monetization/IMNative;->loadAd()V	74
[InMobi]-[Monetization]	Ad is already loading. Please wait	Lcom/inmobi/monetization/IMNative;->loadAd()V	194
[InMobi]-[Network]-4.4.2	App does not have INTERNET permissions. Please provide INTERNET permissions	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	24
[InMobi]-[Network]-4.4.2	App does not have ACCESS_NETWORK_STATE permissions. Please provide ACCESS_NETWORK_STATE permissions	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	68
[InMobi]-[Network]-4.4.2	IMBrowserActivity not declared in the manifest. Please declare it in the app manifest	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	194
[InMobi]-[Network]-4.4.2	IMBrowserActivity in the manifest does not have android:configChanges attributes.Please add android:configChanges=keyboardHidden|orientation|keyboard|screenSize|smallestScreenSize to IMBrowserActivity in the app manifest	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	234
[InMobi]-[Network]-4.4.2	Missing Config keyboard from android:configChangesof IMBRowserActivity	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	270
[InMobi]-[Network]-4.4.2	Missing Config keyboardHidden from android:configChangesof IMBRowserActivity	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	306
[InMobi]-[Network]-4.4.2	Missing Config orientation from android:configChangesof IMBRowserActivity	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	342
[InMobi]-[Network]-4.4.2	Missing Config screenSize from android:configChangesof IMBRowserActivity	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	390
[InMobi]-[Network]-4.4.2	Missing Config smallestScreenSize from android:configChanges of IMBRowserActivity	Lcom/inmobi/androidsdk/impl/SDKUtil;->validateAdConfiguration(Landroid/content/Context;)V	426
android.intent.action.VIEW	1	Lcom/facebook/ads/internal/action/c;->e()V	206
android.support.v4.speech.tts	14	Landroid/support/v4/speech/tts/TextToSpeechICS;->construct(Landroid/content/Context;Landroid/speech/tts/TextToSpeech$OnInitListener;Ljava/lang/String;)Landroid/speech/tts/TextToSpeech;	36

Tag	Message	Caller Code	Path Index
brest	4	Lme/onemobile/android/fragment/anx;->a()Ljava/util/List;	144
brest	5	Lme/onemobile/android/fragment/pw;->a()Ljava/util/List;	206
com.google.android.g ms.measurement.Scre enViewService	AutoScreeViewTracking is not supported on API 14 or earlier devices	Lcom/google/android/gms/internal/rc;->b()V	22
com.google.android.g ms.measurement.inter nal.ActivityLifecycleTra	Invalid screenId in saved activity state	Lcom/google/android/gms/internal/rn;->onActivityCreated(Landroid/app/Activity; Landroid/os/Bundle;)V	46
deleteButton	status_pending 1	Lme/onemobile/android/fragment/xc;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	1000
ignored	2	Lme/onemobile/android/fragment/abk;->onClick(Landroid/view/View;)V	38
long	5	Lme/onemobile/android/download/p;->run()V	816
rs	2	Landroid/support/v8/renderscript/FieldPacker;->addU16(I)V	84
rs	2	Landroid/support/v8/renderscript/FieldPacker;->addU32(J)V	104
rs	2	Landroid/support/v8/renderscript/FieldPacker;->addU64(J)V	90

ScreenShots