≡ Report

General Information

Analysis Start Time	2016-12-18 21:20:11
Analysis End Time	2016-12-18 21:27:32
File MD5	CEA6BDFB06FC5D5A06E2777181B15EDF
File Size	2.71 MB
File Name	ef002.apk
Package Name	com.bazaraa.snake
Version Code	1
Version Name	1.0
Min SDK	10
Target SDK	22
Max SDK	N/A
Pcap File	📄 (/file_download?md5=CEA6BDFB06FC5D5A06E2777181B15EDF&type=pcap)
Logcat File	📄 (/file_download?md5=CEA6BDFB06FC5D5A06E2777181B15EDF&type=logcat)

Risk Score

▬▬▬▬▬▬▬ *100*

Risky Behaviors

Connects to the Internet
Encrypt or Decrypt data
Executes shell code
Exist unused permissions
Gets packages installed on the device
Gets the ISO country code equivalent for the SIM provider's country code
Gets the ISO country code equivalent of the current registered operator's MCC
Gets the MCC+MNC of the provider of the SIM
Gets the alphabetic name of current registered operator
Gets the numeric name (MCC+MNC) of current registered operator
Gets the phone number string for line 1
Gets the serial number of SIM
Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
Loads and links the dynamic library
Loads code dynamically

| Sends a text based SMS |
|---|
| Utilizes Java reflection |

Malware Detected by VirusTotal (https://www.virustotal.com/en/file/ef002a629319eaed04769adcfad03c58cbe19aa3a13674ad2be95e0ba1f5f59f/ana

AVG	Android/Fakengr
Ad-Aware	Android.Trojan.Triada.Z
BitDefender	Android.Trojan.Triada.Z
ESET-NOD32	a variant of Android/Agent.PI
F-Secure	Android.Trojan.Triada.Z
Fortinet	Android/AgentIop.AG!tr
Kaspersky	HEUR:Trojan.AndroidOS.Ztorg.ag
McAfee	Artemis!CEA6BDFB06FC
Qihoo-360	Trojan.Android.Gen
Symantec	✔

Certificate

Content	Owner: CN=CCM, OU=CCM, O=CCM, L=SZ, ST=SZ Issuer: CN=CCM, OU=CCM, O=CCM, L=SZ, ST=SZ Serial number: 6df9206e Valid from: Fri Nov 27 16:35:32 CST 2015 until: Thu Mar 30 16:35:32 CST 3015 Certificate fingerprints: MD5: 12:15:08:E9:A5:66:A9:E5:F2:B0:4B:9D:0B:C5:E0:EC SHA1: 7D:54:BE:0C:BB:B0:5D:56:2E:01:36:AA:C5:D6:AA:87:D5:63:CA:5E SHA256: 84:67:DC:F3:8F:59:CC:8B:D5:2D:E0:94:C5:0B:D2:E8:0B:11:2E:9A:5E:76:46:05:51:CA:10:89:40:83:2A:D5 Signature algorithm name: SHA256withRSA Version: 3 Extensions: #1: ObjectId: 2.5.29.14 Criticality=false SubjectKeyIdentifier [KeyIdentifier [0000: FA B5 27 9E CC 9C 6A 6D 81 28 3B 80 0A 92 7E AE ..'...jm.(;..... 0010: 88 C6 09 EB ....]]
Sha1	7D54BE0CBBB05D562E0136AAC5D6AA87D563CA5E

Classification

Id3

NaiveBayes

DecisionTable

● map ● network ● normal ● system ● camera ● callsms

Highcharts.com

J48

● map ● network ● normal ● system ● camera ● callsms

Highcharts.com

Code Features

Code Feature	Used
Native Code	✔
Dynamic Loader	✔
Java Reflection	✔
Crypto	✔

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.intent.action.BOOT_COMPLETED	normal		✖	✖	✖	N/A
android.permission.ACCESS_DOWNLOAD_MANAGER	normal		✖	✖	✖	N/A
android.permission.ACCESS_MTK_MMHW	normal		✖	✖	✖	N/A
android.permission.ACCESS_NETWORK_STATE	normal		✖	✔	✔	Allows applications to access information about networks
android.permission.ACCESS_WAKE_LOCK	normal		✖	✖	✖	N/A
android.permission.ACCESS_WIFI_STATE	normal		✖	✔	✔	Allows applications to access information about Wi-Fi networks
android.permission.CAMERA	dangerous		✖	✖	✖	Used for permissions that are associated with accessing camera or capturing images/video from the device. Required to be able to access the camera device. install on devices that don't support all camera features.
android.permission.CHANGE_NETWORK_STATE	normal		✖	✖	✖	Allows applications to change network connectivity state
android.permission.CHANGE_WIFI_STATE	dangerous		✖	✔	✔	Allows applications to change Wi-Fi connectivity state

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.DELETE_PACKAGES	signature|system	▮▮▮▮▮▮▮▮	✖	✖	✖	Allows an application to delete packages. Not for use by third-party applications.
android.permission.DISABLE_KEYGUARD	dangerous	▮▮▮▮▮▮▮	✖	✖	✔	Group of permissions that are related to the screenlock. Allows applications to disable the keyguard
android.permission.GET_ACCOUNTS	normal	▮▮▮	✖	✔	✔	Permissions for direct access to the accounts managed by the Account Manager. Allows access to the list of accounts in the Accounts Service
android.permission.GET_PACKAGE_SIZE	normal	▮▮▮	✖	✖	✖	Allows an application to find out the space used by any package.
android.permission.GET_TASKS	dangerous	▮▮▮▮▮▮▮	✖	✔	✔	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INSTALL_PACKAGES	signature|system	▮▮▮▮▮▮▮▮	✖	✖	✖	Allows an application to install packages. Not for use by third-party applications.
android.permission.INTERNET	dangerous	▮▮▮▮▮▮▮	✖	✔	✔	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.KILL_BACKGROUND_PROCESSES	normal	▮▮▮	✖	✖	✖	Allows an application to call { android.app.ActivityManager#killBackgroundProcesses}.
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	system|signature	▮▮▮▮▮▮▮▮	✖	✖	✖	Allows mounting and unmounting file systems for removable storage. Not for use by third-party applications.
android.permission.PACKAGE_USAGE_STATS	signature|system	▮▮▮▮▮▮▮▮	✖	✖	✖	Allows an application to collect component usage statistics
android.permission.READ_EXTERNAL_STORAGE	normal	▮▮▮	✖	✔	✔	Group of permissions that are related to SD card access. Allows an application to read from external storage. targetSdkVersion is 4 or higher.
android.permission.READ_LOGS	signature|system|development	▮▮▮▮▮▮▮▮	✖	✔	✖	Allows an application to read the low-level system log files. Log entries can contain the user's private information.
android.permission.READ_PHONE_STATE	dangerous	▮▮▮▮▮▮▮	✖	✔	✔	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.RECEIVE_BOOT_COMPLETED	normal	▮▮▮	✖	✔	✔	Allows an application to receive the to the user.
android.permission.RESTART_PACKAGES	normal	▮▮▮	✖	✖	✖	The { android.app.ActivityManager#restartPackage} API is no longer supported.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	▮▮▮▮▮▮▮	✖	✔	✖	Group of permissions that allow manipulation of how another application displays UI to the user. Allows an application to open windows using the type system-level interaction with the user.
android.permission.SYSTEM_OVERLAY_WINDOW	normal	▮▮▮	✖	✖	✖	N/A
android.permission.VIBRATE	normal	▮▮▮	✖	✖	✔	Allows access to the vibrator

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.WAKE_LOCK	normal		✖	✔	✔	Allows using PowerManager WakeLocks to keep processor from sleeping or screen from dimming
android.permission.WRITE_EXTERNAL_STORAGE	dangerous		✖	✔	✖	Allows an application to write to external storage. { android.content.Context#getExternalCacheDir}.
android.permission.WRITE_SETTINGS	normal		✖	✖	✔	Allows an application to read or write the system settings.
com.android.launcher.permission.INSTALL_SHORTCUT	dangerous		✖	✔	✔	N/A
com.android.launcher.permission.UNINSTALL_SHORTCUT	dangerous		✖	✔	✔	N/A
com.android.permission.UNINSTALL_SHORTCUT	normal		✖	✖	✖	N/A

Activities

Name	Main Activity	Exposed
com.bazaraa.snake.AboutActivity	✖	✖
com.bazaraa.snake.GameActivity	✖	✖
com.bazaraa.snake.HighscoreActivity	✖	✖
com.bazaraa.snake.MainActivity • android.intent.action.MAIN	✔	✔
com.bazaraa.snake.SettingsActivity	✖	✖
com.fak.seb.uu.LLeadActivity	✖	✖
com.ose.b.a	✖	✔
com.thir.matd.download.LDownActivity	✖	✖
com.thir.matd.uc.PAct	✖	✖
com.thir.matd.uc.SIAct	✖	✖
his.da.act.LScreenAct	✖	✖
his.da.act.LockBannerActivity	✖	✖
his.da.act.PageView • android.intent.action.MAIN	✔	✔

Services

Name	Exposed
com.amazon.cloudy.service.AnalyticsService	✖
com.fak.seb.in.Leaservice	✖

Name	Exposed
com.lx.a.ds	✕
com.lx.a.ms	✕
com.lx.a.s	✕
com.mintmobi.ad.MyService	✓
com.thir.matd.frame.StaService • com.net.action.ForGuide	✓
krue.hqm.vkd.Service	✕

Broadcast Receivers

Name	Dynamically Registered	Exposed
android.support.v4.content.WakefulBroadcastReceiver	✓	❓
android.support.v4.media.TransportMediatorJellybeanMR2$3	✓	❓
com.amazon.cli.terminal.NetworkBroadcastReceiver • android.intent.action.BOOT_COMPLETED • android.intent.action.USER_PRESENT • android.intent.action.SCREEN_ON • android.intent.action.SCREEN_OFF • android.net.conn.CONNECTIVITY_CHANGE • android.intent.action.PACKAGE_ADDED • android.intent.action.PACKAGE_REPLACED • android.intent.action.PACKAGE_REMOVED	✕	✕
com.bazaraa.snake.GameFragment$AlarmReceiver	✕	✕
com.fak.seb.dr.DSucReceiver • android.intent.action.DOWNLOAD_COMPLETE	✕	✓
com.fak.seb.in.Inreceiver • android.intent.action.PACKAGE_ADDED	✕	✓
com.fak.seb.in.Sysr • android.net.conn.CONNECTIVITY_CHANGE • android.intent.action.USER_PRESENT	✕	✓
com.lx.a.er • android.intent.action.USER_PRESENT • android.net.conn.CONNECTIVITY_CHANGE • android.intent.action.PACKAGE_ADDED	✕	✓
com.mintmobi.ad.MyReceiver • android.intent.action.USER_PRESENT	✕	✓
com.mintmobi.ad.MyService$1	✓	❓
com.offerscamp.r.ACR • android.intent.action.PACKAGE_ADDED • android.intent.action.USER_PRESENT • android.intent.action.BOOT_COMPLETED	✕	✓
com.offerscamp.r.AR	✓	❓

Name	Dynamically Registered	Exposed
com.ose.b.dr • android.intent.action.PACKAGE_ADDED • android.net.conn.CONNECTIVITY_CHANGE • android.intent.action.USER_PRESENT	✖	✔
com.thir.matd.download.LDSR • android.intent.action.DOWNLOAD_COMPLETE	✖	✔
com.thir.matd.frame.InReceiver • android.intent.action.PACKAGE_ADDED	✖	✔
com.thir.matd.frame.WakeReceiver • android.net.conn.CONNECTIVITY_CHANGE • android.intent.action.USER_PRESENT • android.intent.action.BOOT_COMPLETED • android.intent.action.PRE_BOOT_COMPLETED • android.intent.action.REBOOT • android.intent.action.PACKAGE_INSTALL • android.intent.action.SIG_STR	✖	✔
com.thir.matd.frame.c	✔	❓
com.thir.matd.uc.k	✔	❓
my.ad.InstallBroadcastReceiver	✔	❓
my.ad.style.UnInstallBroadcastReceiver	✔	❓

Content Providers

Name	Authority	Read Permission	Write Permission	Exposed
com.bazaraa.snake.data.ScoreProvider	com.bazaraa.snake	✖	✖	✖

Features

N/A

Libraries

N/A

Advertisement Modules

N/A

IP Distribution

Urls

Country	Url	IP
🇨🇳 China	http://www.bz55.com/upl... 30412/1-130412 ...50.jpg	218.77.77.17
🇯🇵 Japan	http://appapk.kemoge.com/... obi/300010.apk	203.114.28.23
🇰🇷 Republic of Kore	http://ad.adspoo.com/	52.78.136.181
🇰🇷 Republic of Kore	http://tongji.adspoo.com/	52.78.136.181
🇸🇬 Singapore	http://sdk.native123.com/config?	54.169.203.52
🇸🇬 Singapore	http://rt.api.glispa.com/native/v1/ad	54.251.245.47
🇺🇸 United States	http://interface.mccpublish.com	104.250.143.253
🇺🇸 United States	http://interface.234vs.com	104.250.133.114
🇺🇸 United States	http://interface2.mccpublish.com	104.250.143.253
🇺🇸 United States	http://interface.mccpublish.com/newservice/newopenorsale.action	104.250.143.253
🇺🇸 United States	http://adm.kemoge.net/adclient.jsp	216.121.96.28
🇺🇸 United States	https://play.google.com/store/	172.217.24.14
🇺🇸 United States	http://interface1.kokmobi.com	104.250.133.114
🇺🇸 United States	http://ws.sd4face.com/getdislist	104.250.133.114
🇺🇸 United States	http://interface.madpush.com/newservice/newjsapk.action	104.250.133.114
🇺🇸 United States	http://interface.kokmobi.com	104.250.133.114
🇺🇸 United States	http://interface.kokmobi.com/newservice/newbackdatas.action	104.250.133.114
🇺🇸 United States	http://interface1.mccpublish.com	104.250.143.253
🇺🇸 United States	http://interface.madpush.com/newservice/newopenorsale.action	104.250.133.114
🇺🇸 United States	http://interface.madpush.com/newservice/newbackdatas.action	104.250.133.114
🇺🇸 United States	http://adpic.kemoge.com/admobi/30000082.png	202.147.13.141
🇺🇸 United States	http://interface3.mccpublish.com	104.250.143.253
🇺🇸 United States	http://interface.madpush.com	104.250.133.114
🇺🇸 United States	https://play.google.com/store/apps/details?	216.58.200.46
🇺🇸 United States	http://interface.madpush.com/newservice/newgetapks.action	104.250.133.114
🇺🇸 United States	http://ad.ntnlife.com/	52.10.1.62

Sensitive Files

N/A

Native Codes

Lib Name	Caller Code	Path Index

Lib Name	Caller Code	Path Index
N/A	Lcom/appc/getapplication/b;->a(Landroid/content/Context;)V	132

Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/com.bazaraa.snake-1.apk	N/A	N/A	N/A
0	3	Lb/a/a/c/a;->a(Landroid/content/Context; Ljava/lang/String;)Ldalvik/system/DexClassLoader;	492
2	4	Lcom/pking/Udcts;->initRootFunction(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V	226

Crypto Operation

N/A

Network Operations

N/A

Socket Connections

N/A

File Operations

Operation	File Path	Data
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x07\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\xef\xbf\xbd\x00\x00\x1c\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x04\x00\x00\x00\x00\x00\x00\xef\xbf\xbd\x00\x00\x03\x00\x00p\x00\x00\x00\x00\x00\x00\x00\x10\xef\xbf\xbd\x00\x00+\x00\x00\x00\x00\x00\x00\x00\x00\x00\x01\x00\x00\x00\x00\x00\x00\x01\x00\x00\x00\x03\x00\x00\x00\x00\x00\x00\x00\x00\x00; \xef\xbf\xbd\x00\x00\xef\xbf\xbd\x00\x00\x00
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x10\xef\xbf\xbd\xef\xbf\xbd)\xef\xbf\xbdW6\xef\xbf\xbd*\x17\xef\xbf\xbd\xef\xbf\xbd\x09\xef\xbf\xbd7\xcf\x9b\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd{\xef\xbf\xbd\xef\xbf\xbd\xde\xa0\xef\xbf\xbd\xef\xbf\xbd}\x0d\xef\xbf\xbd\xef\xbf\xbdY\xef\xbf\xbd-\x07t\xef\xbf\xbd\xef\xbf\xbdz\x08\xef\xbf\xbd5'\xef\xbf\xbd\x00\xef\xbf\xbd&\x07T\xef\xbf\xbd\x11\x13\xef\xbf\xbd\xef\xbf\xbdR\xef\xbf\xbd\xef\xbf\xbdybS4_fky\xef\xbf\xbd7\x18\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdnJ\xef\xbf\xbdI\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xc2\x9f+D\xef\xbf\xbd\xef\xbf\xbd\x18[\x125\xd3\x9c]<Y\xef\xbf\xbdy\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xdc\xbc%r0\xef\xbf\xbd$K&\xef\xbf\xbdj\xef\xbf\xbd|\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd`!y\x1f\xef\xbf\xbdLBA8\xef\xbf\xbd>\x06.T|\xef\xbf\xbd\x01\xef\xbf\xbd\xef\xbf\xbdV|\xef\xbf\xbd\xef\xbf\xbd>\xef\xbf\xbd\x11\xef\xbf\xbd\xef\xbf\xbd=\x7fA\xef\xbf\xbd\xef\xbf\xbdhz=ei>@\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdy\x11\x0e_\xef\xbf\xbd\xef\xbf\xbd\x0e\xef\xbf\xbd]\xef\xbf\xbd\xc6\xb1\xef\xbf\xbdA\xef\xbf\xbd\xef\xbf\xbd\x1d\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xd1\x82\xef\xbf\xbd3I\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd13{\xef\xbf\xbd@\xd0\xb0r`\x1c
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\x05\x02\x1a\x0fC\xef\xbf\xbdBc\xef\xbf\xbd\xef\xbf\xbd\x1b\xef\xbf\xbdFZ\xef\xbf\xbda6g? \xef\xbf\xbd\x13sk_\x12\xef\xbf\xbdP\xef\xbf\xbd\xef\xbf\xbdK\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbds\xef\xbf\xbd4\xef\xbf\xbd\xef\xbf\xbd\x0ay\xef\xbf\xbdN\d\x07\xef\xbf\xbd\x0b\xef\xbf\xbd_)#\xef\xbf\xbdv\xef\xbf\xbdM'%\xef\xbf\xbd-!\xef\xbf\xbd\xef\xbf\xbdW\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd]|sj\xef\xbf\xbd\x0d\xef\xbf\xbd\x0a\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0c\x09\x00E\xef\xbf\xbdr\xef\xbf\xbd7\x01oE

Operation	File Path	Data
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdn\x113\xef\xbf\xbd\\xef\xbf\xbd\xef\xbf\xbd9\xef\xbf\xbd\xef\xbf\xbd Z,Ygcgp\xef\xbf\xbd\xef\xbf\xbdDV\x0c\x1f\xef\xbf\xbd\xef\xbf\xbdz\x05B\xef\xbf\xbdn\xef\xbf\xbd"u\x ef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdrT\x7f\xef\xbf\xbd\xef\xbf\xbd\0X\xef\xbf\xbd{\ xef\xbf\xbd\xef\xbf\xbd\x0e((E2*\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdwC\x7f\xef\xbf\xbdA\xc2\x90=U2v\ xef\xbf\xbd\x1a!\x09\"\x13\xef\xbf\xbd\x11m\xef\xbf\xbd\xef\xbf\xbd)\x13$:M\xef\xbf\xbd7\xef\xbf\xbd(. A\xef\xbf\xbd\x1cp
write	/data/data/com.bazaraa.snake/app_jni/libskin	(\x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x03\xef\xbf\xbd\x04\xef\xbf\xbd\xef\xbf\xbdB\x17\ xef\xbf\xbd\x05\xef\xbf\xbd\x087\xef\xbf\xbd\x19\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x04\x ef\xbf\xbd\xef\xbf\xbdB\x05\xef\xbf\xbd\x01\xef\xbf\xbd\xef\xbf\xbdB\x0a\xef\xbf\xbd\x01<\x02\xef\xbf\ xbd\xef\xbf\xbd\xef\xbf\xbd\x018\xef\xbf\xbdB\x09\xef\xbf\xbd\x014\x01\xef\xbf\xbd\xef\xbf\xbd\xef\xbf \xbd\x0d\x1c\x04\xef\xbf\xbd\x00%\x02\xef\xbf\xbd\x04\xef\xbf\xbd\xef\xbf\xbdB\xef\xbf\xbd\xef\xbf\xb d(\x1c\x07\xef\xbf\xbd\xef\xbf\xbd\x00\xef\xbf\xbd\x01(\x06\xef\xbf\xbd\x02(\x07\xef\xbf\xbd\x00(\x09\ xef\xbf\xbd\x05HxD\x04\xef\xbf\xbd\x05HxD\x01\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\x0684\xef\xbf\xbd-\xef\xbf\xbdqN? \xef\xbf\xbd\xef\xbf\xbd\x7f\xef\xbf\xbd;\xef\xbf\xbd\xef\xbf\xbd<\xef\xbf\xbd\xef\xbf\xbd\x09\xef\xbf\xb dT- \x1b\x12}\xef\xbf\xbd\xef\xbf\xbdy\xef\xbf\xbd\xef\xbf\xbd(J/\xef\xbf\xbd\xef\xbf\xbd\x00;\x0a\xef\xbf\x bd;\xef\xbf\xbd\xef\xbf\xbd\x0b\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdl\x15\xef\xbf\xbd\xef\xbf\xbd,\xef\xbf \xbd\xef\xbf\xbde\xef\xbf\xbd/W\xef\xbf\xbd? \xef\xbf\xbdV\xef\xbf\xbd\xef\xbf\xbdj2\xef\xbf\xbdu)\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdj\x0e}\xef\xbf\x bd\xef\xbf\xbd)\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdbL\xef\xbf\xbd+1\xef\xbf\xbdSl\xef\xbf\xbd\xef\xbf\x bd\x1e\xef\xbf\xbd~\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbdid\x11\x06\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdc\x13\x1f\xef\xbf\xbd\x12\x13tb- \xc8\x91\x04\xef\xbf\xbd\xef\xbf\xbd3\xef\xbf\xbd\xef\xbf\xbd4\xd3\x89\x06\xef\xbf\xbd\xef\xbf\xbdK\x ef\xbf\xbd\xef\xbf\xbd&8g\xef\xbf\xbdS\xef\xbf\xbdQ\x0e\xd1\x93\xd4\x8dy\xef\xbf\xbd\xc8\xadzbh\x1 d\xef\xbf\xbd\x07jd\xef\xbf\xbd\x04\xef\xbf\xbdy\xef\xbf\xbdF\x09\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x ef\xbf\xbdR\xef\xbf\xbd\xef\xbf\xbdhdO^\xef\xbf\xbd<\xef\xbf\xbd\xef\xbf\xbdj\xef\xbf\xbd\xef\xbf\xbd'= \xef\xbf\xbd\xef\xbf\xbd6o\xef\xbf\xbd+\xef\xbf\xbdb\x16
write	/data/data/com.bazaraa.snake/app_jni/libskin	per\x00getPackageName\x00()Ljava/lang/String;\x00java/lang/Thread\x00currentThread\x00()Ljava/l ang/Thread;\x00java/lan
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\x04\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd#\xef\xbf\xbdE\xef\xbf\xbd\x1f\xef\xbf\xbd\x0ed\xef\ xbf\xbdS\xef\xbf\xbd\xef\xbf\xbd5$X\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0c.\xef\xbf\xbdS\xef\xbf\xbd\ xef\xbf\xbd\x1f{\xef\xbf\xbd[+x\xef\xbf\xbd\x05\xef\xbf\xbd\xcd\x91\x19}jQ\xd7\x85\xef\xbf\xbd\xef\xbf\ xbd\xef\xbf\xbdcG|\xef\xbf\xbd\xef\xbf\xbd{\xef\xbf\xbdy\xef\xbf\xbd\xef\xbf\xbd\x16\xef\xbf\xbd\xef\xbf \xbdnar\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1b\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\ xbd\x08l\xef\xbf\xbdt2\xd1\x90\xef\xbf\xbdy\xef\xbf\xbd]hJ\xef\xbf\xbdW\xef\xbf\xbd@1\xef\xbf\xbd\x1 5\x1cF\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x03\xd2\xa7\xef\xbf\xbd}\xef\xbf\xbd\xef\xbf\xbd\x17\xef\xbf\xbd^\ xef\xbf\xbd\xc7\xb6\xef\xbf\xbd\xcd\x89\xef\xbf\xbdVK}p\xd8\x88\x0bT8\xef\xbf\xbd\xef\xbf\xbd\x03\x 10pr\xef\xbf\xbd\xef\xbf\xbdeE\x07Wd\x12\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd f;\xef\xbf\xbd}\xef\xbf\xbd4\x1d\xef\xbf\xbd\x0e\x115\xef\xbf\xbd\xef\xbf\xbd\x156\xef\xbf\xbd\x05IG\x ef\xbf\xbd"C\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdI\xef\xbf\xbd\x15\x0f\xef\xbf\xbd+m\xef\xbf\xbdT\x0b\x ef\xbf\xbd\xef\xbf\xbd\x1e\x0e\x7fw\x0f{\xef\xbf\xbd>z\xef\xbf\xbd\xef\xbf\xbd\x12
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdxG\xef\xbf\xbdF\x00\xef\xbf\xbd\xef\xbf\xbd\x0f\xef\xbf\xbd\xef\ xbf\xbdX\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdxG\xef\xbf\xbdF\x00\xef\xbf\xbd\xef\xbf\xbd\x0f\xef\xbf\xb d\xef\xbf\xbd8\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdxG\xef\xbf\xbdF\x00\xef\xbf\xbd\xef\xbf\xbd\x0f\xef\x bf\xbd\xef\xbf\xbdH\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x08\xef\xbf\xbd\x01\xef\xbf\xbd\xef\xbf\xbd\xef\ xbf\xbd\x00\xef\xbf\xbd\x00\x00\x00\x08\xef\xbf\xbd\x01\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x00\x ef\xbf\xbd\x00\x00\x00\x08\xef\xbf\xbd\x01\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x00\xef\xbf\xbd\x0 0\x00\x00\x03\xef\xbf\xbd\x01\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x01\xef\xbf\xbd\x00\x00\x00\x0 0
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x01\xef\xbf\xbdTo\x04\xef\xbf\xbd\xef\xbf\xbdG\x16\xef\xbf\xbd\x08\xef\xbf\xbd\x02\xef\xbf\xbd\x18G\ x08\xef\xbf\xbd\x03h\xef\xbf\xbdo\xef\xbf\xbdG\x08\xef\xbf\xbd\x10\xef\xbf\xbd\x04h\x084\xef\xbf\xbd o\xef\xbf\xbdG\x10\xef\xbf\xbd\x0c\xef\xbf\xbd\x13\xef\xbf\xbd\x04\xef\xbf\xbd\x04\xef\xbf\xbd\x02h\x 01\xef\xbf\xbd\xef\xbf\xbd2\x14h\x04\xef\xbf\xbd\xef\xbf\xbdG\x16\xef\xbf\xbd\x08\xef\xbf\xbd\x02\xef \xbf\xbd\x18G\x0c\xef\xbf\xbd\x13\xef\xbf\xbd\x04\xef\xbf\xbd\x04\xef\xbf\xbd\x02h\x01\xef\xbf\xbd\xe f\xbf\xbd2\x14h\x04\xef\xbf\xbd\xef\xbf\xbdG\x16\xef\xbf\xbd\x08\xef\xbf\xbd\x02\xef\xbf\xbd\x18G8\x ef\xbf\xbd\x05h\xef\xbf\xbd$

Operation	File Path	Data
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xda\x82j=o\x0e\x09Mu\xef\xbf\xbd\xef\xbf\xbd>\x1a\xef\xbf\xbddu[\xef\xbf\xbd7\xef\xbf\xbd\xef\xbf\xbdR\xef\xbf\xbd\xef\xbf\xbdk\xef\xbf\xbd\xef\xbf\xbd$\xef\xbf\xbd\xef\xbf\xbd5w>\xd0\xa5\xef\xbf\xbd\xcd\x8a\xef\xbf\xbd({\xef\xbf\xbd\x0f\xef\xbf\xbd\xef\xbf\xbd)\xd9\x92\xef\xbf\xbd@\x0e)\xef\xbf\xbd!\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd#\xef\xbf\xbdM\xef\xbf\xbd\x17\xef\xbf\xbd\x7f\xef\xbf\xbdmW\x08\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd)%]\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd+;\xef\xbf\xbdNmDX\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xd6\x96<\xef\xbf\xbdN\xef\xbf\xbd\xef\xbf\xbdT\xef\xbf\xbd\x1d
write	/data/data/com.bazaraa.snake/app_jni/libskin	Pv\xef\xbf\xbdM\xd9\xb3B\xef\xbf\xbd\x0c<\xef\xbf\xbd\xef\xbf\xbdHxec\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdv\x14d\xef\xbf\xbd.\xef\xbf\xbd\xef\xbf\xbds \xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd{\xef\xbf\xbd\xef\xbf\xbd\xd6\xa9Y\xef\xbf\xbdk+\xc6\x94\xef\xbf\xbd\x06\xef\xbf\xbd\x16\x18~\xef\xbf\xbd\x13X\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xe3\x91\x96\xef\xbf\xbd\x0b3\xef\xbf\xbd0{\xef\xbf\xbd\xc9\x84\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0c\xef\xbf\xbd\xc6\xbd4@}\x07\x02\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdZ\x11\xef\xbf\xbdL[pak\xc9\x87\xef\xbf\xbd!w\x0f}0
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x1c\xef\xbf\xbdMK\x1d\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0b\xef\xbf\xbd23TS\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdcr\xef\xbf\xbd=\xef\xbf\xbdB\xef\xbf\xbd\xef\xbf\xbdQ\xef\xbf\xbd\xef\xbf\xbd,g\xef\xbf\xbd\xef\xbf\xbdz\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdB8\xef\xbf\xbd\xef\xbf\xbd\xc6\xb1f\xef\xbf\xbd\xef\xbf\xbd\x05\xef\xbf\xbd\xef\xbf\xbd:\xef\xbf\xbd\x0c)v-\xef\xbf\xbd\xef\xbf\xbdh\xef\xbf\xbds\xef\xbf\xbdaK\xef\xbf\xbdQ#)\xc3\xb3\xef\xbf\xbdm\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1c\xef\xbf\xbd\xef\xbf\xbd\x1aqP\xef\xbf\xbd\xe2\x85\x9c\x18\xef\xbf\xbdt\xef\xbf\xbd\x11\xef\xbf\xbd\x00\xef\xbf\xbd\xef\xbf\xbd\x07\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x0a\xef\xbf\xbd\xef\xbf\xbd`z+\xef\xbf\xbd\x0f\xef\xbf\xbd=\xcd\x9b\xef\xbf\xbd#\xef\xbf\xbd\xef\xbf\xbd[\xef\xbf\xbd\xef\xbf\xbd2\xef\xbf\xbdS(8\xef\xbf\xbdv\xef\xbf\xbd{\xef\xbf\xbd*\xef\xbf\xbdPVd\xef\xbf\xbd\x08\xef\xbf\xbdW\xef\xbf\xbdY\xef\xbf\xbd\x05\xef\xbf\xbd^<\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0a\xef\xbf\xbde\xef\xbf\xbdw*\xcc\xad\xe2\x8c\x82A\xef\xbf\xbd`q\xef\xbf\xbd\x06C\x05\xef\xbf\xbd\xef\xbf\xbd\x0cP\xef\xbf\xbd\x1aM\xef\xbf\xbd{1P\xef\xbf\xbd\x15LM\xd6\xa9\xef\xbf\xbdAzS\x10^[\xef\xbf\xbdS\x0a\xef\xbf\xbd\xef\xbf\xbdU
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x00\x00\x00\x00
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x00!$\x05\x02\xef\xbf\xbd"\x0c(\x1c\x0b\x1c\xef\xbf\xbd\xef\xbf\xbdq\xef\xbf\xbd\x00(\xef\xbf\xbd\xef\xbf\xbd\x02\xef\xbf\xbd1B\xef\xbf\xbd\xef\xbf\xbd\x01"\x03\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd+\x14\xef\xbf\xbd\x0d#\x03@\x0d+\xef\xbf\xbd\xef\xbf\xbd\x02\x1c2@\x00!\x05\xef\xbf\xbd\x00\xef\xbf\xbd(\x1c\x0b\x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x00\xef\xbf\xbd\x00!(\x1c\x0d"\x0b\x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd+\x0f\xef\xbf\xbd\xef\xbf\xbd#\x1b\x01\x07"\xef\xbf\xbdC\x19\x1c\x11A\x0a\x1c\x1a@\x03\x07
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x7fELF\x01\x01\x01\x00\x00\x00\x00\x00\x00\x00\x00\x00\x03\x00(\x00\x01\x00\x00\x00\x00\x00\x00\x004\x00\x00\x00\xef\xbf\xbd\x00\x00\x00\x00\x054\x00\x00\x08\x00(\x00\x16\x00\x15\x00\x06\x00\x00\x004\x00\x00\x004\x00\x00\x004\x00\x00\x00\x01\x00\x00\x00\x01\x00\x00\x04\x00\x00\x00\x04\x00\x00\x00\x03\x00\x00\x004\x01\x00\x004\x01\x00\x004\x01\x00\x00
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\xca\xa9\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd{\x0b\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdE\x1dr\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd:\xc9\x9c\xef\xbf\xbd\xc8\xbe\xef\xbf\xbd\xef\xbf\xbdc."U\xdc\x99\x1b\xef\xbf\xbd$\xef\xbf\xbd\xef\xbf\xbdd,\xef\xbf\xbd\xef\xbf\xbd\x0f/x\xef\xbf\xbdk\xef\xbf\xbd\xef\xbf\xbd\x18\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbde\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd@\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd9\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdU\x09\xef\xbf\xbd2b\xef\xbf\xbdX\xef\xbf\xbd%u\xef\xbf\xbd\xef\xbf\xbd\x04c\x17Rr\xef\xbf\xbde,6\xc3\x94P\xcf\xa8H\xef\xbf\xbd\xef\xbf\xbd$\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbddg\xef\xbf\xbdFZ3\xef\xbf\xbdP[X\xd5\x90\x12\xef\xbf\xbd\xef\xbf\xbd\x11h\xef\xbf\xbd\xef\xbf\xbdV\xef\xbf\xbdmh\xef\xbf\xbd\xef\xbf\xbdv%\xef\xbf\xbdE\x18\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbddg\x18\x0e\xef\xbf\xbd\x1b\x0a\xef\xbf\xbd|\xef\xbf\xbdd\x104\x04\xdb\xa444\xef\xbf\xbd6\x08\xef\xbf\xbdj\x08m\xef\xbf\xbd^\xd1\x8a.\xef\xbf\xbdL\x11\xef\xbf\xbdO\xef\xbf\xbdN\xef\xbf\xbd\x10\xef\xbf\xbdw~\xef\xbf\xbd\xef\xbf\xbdF\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x7f\x06\xef\xbf\xbdc\xef\xbf\xbd\xef\xbf\xbd\x19\xc6\x9c\xef\xbf\xbdK<\x1eW

Operation	File Path	Data
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x16\xef\xbf\xbd\x16\xef\xbf\xbdhF!l\xef\xbf\xbd\xef\xbf\xbd8\xef\xbf\xbd\x00(\x01\xef\xbf\xbd\x09%\x14\xef\xbf\xbd \x1c\x0c!jF\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd \x1c9\x1c\xef\xbf\xbdG\x00(\xef\xbf\xbd\xef\xbf\xbd\x04\xef\xbf\xbd\x08 iF"\x1c\xef\xbf\xbdG\x05\x1e\x05-\x02\xef\xbf\xbd\x09(\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd \x1c\xef\xbf\xbd\xef\xbf\xbdl\xef\xbf\xbd(\x1c\xef\xbf\xbd#\xef\xbf\xbd\x00\xef\xbf\xbdD\xef\xbf\xbd\xef\xbf\xbdF\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0c\x1c\xef\xbf\xbd\xef\xbf\xbd\x03!\x03\xef\xbf\xbd\x07\xef\xbf\xbd\xef\xbf\xbdl\x08@
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\xef\xbf\xbd\x10/\x01\xef\xbf\xbd\x0f.\x01\xef\xbf\xbd\x02 \xef\xbf\xbd\xef\xbf\xbd\x00'#h\x01"\x13B\x12\xef\xbf\xbd\x18\x1c\xef\xbf\xbdC\x02\x1c ` \x1cH0\x05-\x05\xef\xbf\xbd\x02#\x1aC"`\x00\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x04\xef\xbf\xbd\x03"\xef\xbf\xbd C#`\x00\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x00/\x09\xef\xbf\xbd#h\x04"\x13B\x05\xd0\x93C \x1c#`\xef\xbf\xbd0\x00\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x01-\x05\xef\xbf\xbd$\xef\xbf\xbd\x00\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x00/\x0a\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	7_JNIEnv\x00sprintf\x00access\x00mkdir\x00_Z15__gnu_Unwind_14P7_JNIEnvPKcP8_jobject\x00_Z15__gnu_Unwind_18P7_JNIEnv
write	/data/data/com.bazaraa.snake/app_jni/libskin	_Unwind_RaiseException\x00___Unwind_Resume\x00_Unwind_Resume\x00___Unwind_Resume_or_Rethrow\x00_Unwind_Resume_or
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x09\x00\x00\x00\x04\x00\x00\x00GNU\x00gold 1.11\x00\x00\x00A*\x00\x00\x00aeabi\x00\x01\x00\x00\x00\x055TE\x00\x06\x04\x08\x01\x09\x01\x0a\x02\x12\x04\x14\x01\x15\x01\x17\x03\x18\x01\x1a\x02\x1e\x02\x00.shstrtab\x00.interp\x00.dynsym\x00.dynst
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x0aX2k\xef\xbf\xbd\xef\xbf\xbd\x00\x11#S\xef\xbf\xbd\xe8\xb5\x9100\x0f\xef\xbf\xbdK\xde\x9cX\xef\xbf\xbd0>\xef\xbf\xbdM\H\xc6\x97%SVwl\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd]\x0c\x0c@\x18\xc9\x9c\xef\xbf\xbdR\xef\xbf\xbd\x10\xef\xbf\xbdE&\x0b\xef\xbf\xbdG\xef\xbf\xbd\xef\xbf\xbdm\xef\xbf\xbd\x08\xef\xbf\xbd\xef\xbf\xbdj\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd0\xef\xbf\xbd*\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd@fW\x1bJ\x19\x13\xc8\xb3\x1a\xef\xbf\xbdP\xef\xbf\xbd \xef\xbf\xbdBu \xef\xbf\xbd\xef\xbf\xbdTx73R
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\x18\x0c`>\x08,\x19\xef\xbf\xbd\x04\x1a\xef\xbf\xbd\xc4\x8e0\xef\xbf\xbd\x00\xef\xbf\xbd\xef\xbf\xbd\x0f\xef\xbf\xbd\xef\xbf\xbd[\xef\xbf\xbd\x1d\x10\xef\xbf\xbd\xef\xbf\xbd\x15\xef\xbf\xbd_\xef\xbf\xbd\xd5\x8fKY\xef\xbf\xbd\xc6\xa12,\xef\xbf\xbd(-0S\xef\xbf\xbd\xef\xbf\xbd1\xef\xbf\xbd\x05h\xef\xbf\xbd\x029\xef\xbf\xbd\xef\xbf\xbdh\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x05\xef\xbf\xbd\xef\xbf\xbd8J\x0bJ\xef\xbf\xbdl\xef\xbf\xbd3\xef\xbf\xbdA\xef\xbf\xbd>\xef\xbf\xbd\xef\xbf\xbdk|l;5\x0a\xef\xbf\xbd\xef\xbf\xbd\x7fd\xef\xbf\xbdi
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x00__cxa_finalize\x00__cxa_atexit\x00memcpy\x00_Z14__gnu_Unwind_2PhiP7rc4_key\x00_Z14__gnu_Unwind_3PhiP7rc4_key\x00me
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xc6\xb8\xc6\x96\xef\xbf\xbdW\x17\xef\xbf\xbd\x0a\xef\xbf\xbd\xef\xbf\xbdR\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdm=\xef\xbf\xbd\xef\xbf\xbdL\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x032\x03\x17#\xef\xbf\xbde\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x04\xef\xbf\xbd\xef\xbf\xbdB\xef\xbf\xbd"\xef\xbf\xbd2\xef\xbf\xbd\xef\xbf\xbdncn^a\xef\xbf\xbd\x1f\xef\xbf\xbdc#0V\xef\xbf\xbd\xef\xbf\xbdn5\x03\x0d\xef\xbf\xbd'\xc2\xa6\xef\xbf\xbd\x14\xef\xbf\xbdq\xef\xbf\xbd\x1c\xef\xbf\xbd\xef\xbf\xbdUQm\xef\xbf\xbdq^\xef\xbf\xbdE\xef\xbf\xbdXR2\xef\xbf\xbd\xef\xbf\xbdU^L\xef\xbf\xbd\x12\x14
write	/data/data/com.bazaraa.snake/app_jni/libskin	Y-\xef\xbf\xbd<(\x0d&\xef\xbf\xbd\xef\xbf\xbda\x05\xef\xbf\xbd\xef\xbf\xbd\xce\xae\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdbl\xef\xbf\xbd\x1e;\xef\xbf\xbd\xef\xbf\xbd\x13\xef\xbf\xbd\xef\xbf\xbd\xcd\xb6\xef\xbf\xbd4E\xef\xbf\xbd+\xef\xbf\xbdK\x18\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x13\x11\xef\xbf\xbd\xef\xbf\xbdK\xef\xbf\xbd\xef\xbf\xbdb\xef\xbf\xbdwN\x19\x7f\xef\xbf\xbd@\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdr\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdB_{+\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd^?}(\xef\xbf\xbd+\xef\xbf\xbd\x07\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdH\x12\x15_\xe3\x8f\xb5\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdC\xef\xbf\xbd\xef\xbf\xbdA\xcd\x89n
write	/data/data/com.bazaraa.snake/app_jni/libskin	r%s\xcf\x92&t\x19g\xef\xbf\xbd\x0d\xd4\x88\x1b\xef\xbf\xbd\x08\xef\xbf\xbd_T!#<\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xc7\x9a\xef\xbf\xbdn\xef\xbf\xbd\xef\xbf\xbdur\xef\xbf\xbd\xef\xbf\xbd9]\xef\xbf\xbd6\x0e\x0e*\x0d\xef\xbf\xbdG%\x07\xef\xbf\xbd\xef\xbf\xbd.\xef\xbf\xbd\xef\xbf\xbd6\x01%\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd:\xef\xbf\xbd"\xef\xbf\xbd1\xef\xbf\xbd9\xdb\xa0\xef\xbf\xbd\xef\xbf\xbd!\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x03\xef\xbf\xbdz\xef\xbf\xbdz\xef\xbf\xbdHT_\xef\xbf\xbdjp\xef\xbf\xbdtC\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd

Operation	File Path	Data
write	/data/data/com.bazaraa.snake/app_jni/libskin	GH \xef\xbf\xbd J\xef\xbf\xbd\xd4\x8f5/\xef\xbf\xbd\xef\xbf\xbdv\xef\xbf\xbd\xef\xbf\xbd]1\xef\xbf\xbd$\x0c\x1c\x0b\xef\xbf\xbd\xef\xbf\xbdH\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdi\xef\xbf\xbd\xef\xbf\xbdf \xef\xbf\xbd,\x06\xef\xbf\xbd\xef\xbf\xbdmT\xef\xbf\xbd#\x12\xef\xbf\xbd\xef\xbf\xbdf\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1a,\x08p\xef\xbf\xbd\xef\xbf\xbd\x13\xef\xbf\xbd-\xef\xbf\xbd\x04\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdsO'8D\xef\xbf\xbd\xef\xbf\xbd].\x07\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x09\xef\xbf\xbd\xef\xbf\xbd\x1d\xef\xbf\xbd? \x0a%\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd|*\xef\xbf\xbd\xef\xbf\xbd\xd0\xb9
write	/data/data/com.bazaraa.snake/app_jni/libskin	6\x03\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x15\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd]\xef\xbf\xbdp\xef\xbf\xbdFI(,-\x11\xcc\x9f\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdg9\xef\xbf\xbd3\xef\xbf\xbd\xef\xbf\xbd\xf3\x80\x8e\xaa3:X\xef\xbf\xbd~\xef\xbf\xbd\xe5\xaa\x9fiI\xef\xbf\xbd\x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdJ\xef\xbf\xbdZD\xef\xbf\xbd\x03X\xef\xbf\xbd6$JZ\xef\xbf\xbd\x00J\x0by\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1d%4\x1a\xef\xbf\xbd<\xef\xbf\xbd\x04\xef\xbf\xbdX\xef\xbf\xbd\x11\\\x15u\x11\xde\x89\xef\xbf\xbd3\xef\xbf\xbd\x15\xef\xbf\xbd?e
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbdZ];\xd5\x95\xef\xbf\xbd\xef\xbf\xbd\x1c\xef\xbf\xbdB\xef\xbf\xbd\x01\xdd\x86W,\xef\xbf\xbdb\xef\xbf\xbd#G\xcf\xa4\xef\xbf\xbd\xef\xbf\xbd<\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\"n(\xef\xbf\xbd\xef\xbf\xbd!\xef\xbf\xbd\x1c4\xef\xbf\xbd\x13\xca\xa1\xef\xbf\xbdG\xef\xbf\xbd"\xef\xbf\xbdK\xef\xbf\xbd\xd|\x13*\xef\xbf\xbd\[R\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd-\xef\xbf\xbd\xef\xbf\xbd\d\xef\xbf\xbd\x11Ee\xef\xbf\xbd\xef\xbf\xbds\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd>\x0a\xef\xbf\xbdF^[i>\xef\xbf\xbdT7C\xef\xbf\xbd\xef\xbf\xbdJ\xef\xbf\xbdy
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x0c\x16\x00\x00\x0c\x16\x00\x00\x00\x00\x00%;\x00\x00);\x00\x00.;\x00\x003;\x00\x009;\x00\x00?;\x00\x00F;\x00\x00K;\x00\x00xx.zip\x00~\xef\xbf\xbd\xef\xbf\xbdz\x0eQI\xef\xbf\xbd\xef\xbf\xbdrwP^\xdf\xbd\xd4\x97Qw\x1a\xef\xbf\xbdn\xef\xbf\xbd\x08\xef\xbf\xbd\x1c\xef\xbf\xbd\xef\xbf\xbd|\x17\xef\xbf\xbdn\x15B\xef\xbf\xbd(Mm\xef\xbf\xbd\x0a\xef\xbf\xbd\xef\xbf\xbd\x00\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	G\xef\xbf\xbd\x16\xef\xbf\xbd^? x\xef\xbf\xbd\xef\xbf\xbd\x1a\Z\xef\xbf\xbd\xef\xbf\xbd\x0f~\xef\xbf\xbd=\xef\xbf\xbd\x0a\xef\xbf\xbdr\x1b\xef\xbf\xbd\xef\xbf\xbddjs\xef\xbf\xbd|\x1czL\x16{'\xef\xbf\xbd\xc6\xa4\x1f.\xef\xbf\xbd3K\xef\xbf\xbd\xef\xbf\xbd?\xef\xbf\xbd \x1ez\xd9\x85\xef\xbf\xbd\x17\xef\xbf\xbdp\xef\xbf\xbd\x06(h\xef\xbf\xbds\x15\xef\xbf\xbd\xef\xbf\xbd\x12\xef\xbf\xbd\xef\xbf\xbd\xce\x9b2(I\xef\xbf\xbd\x14k\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbde\x0c\xef\xbf\xbd\x0d\x05"\xef\xbf\xbd\xef\xbf\xbdB*s\xef\xbf\xbd\xef\xbf\xbdR\xef\xbf\xbd\xcf\xa3$o
write	/data/data/com.bazaraa.snake/app_jni/libskin	Tq\x0d\xef\xbf\xbd\xef\xbf\xbd\x0c\xef\xbf\xbdc^_.\xef\xbf\xbd0\x1a\xef\xbf\xbdd\xef\xbf\xbd\x00\x1b\xef\xbf\xbdh\xef\xbf\xbd\xef\xbf\xbd\x03F\x19\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdH\xef\xbf\xbdF\xef\xbf\xbdP\x0dG1\xef\xbf\xbd"\xef\xbf\xbd:\xef\xbf\xbd\x1d\xef\xbf\xbddgQ\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdV;\xef\xbf\xbd\x19\xef\xbf\xbdU\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x12#\xef\xbf\xbd+&\xef\xbf\xbdH\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdEyp\xef\xbf\xbdz\xef\xbf\xbdUq(\xef\xbf\xbdH,\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1d\x0b\xef\xbf\xbdt\xef\xbf\xbd\xe5\xb3\x93]P\x00
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x00\x00\x00\x00\x00\x00\x00\x00\x0a\x00\x00\x00\x00\x00\x00\x00 \x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00- \x00\x00\x00\x18\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00/\x00\x00\x00!\x00\x00\x003\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0f\x00\x00\x00\x00\x00\x00\x00\x00\x00\x001\x00\x00\x00\x16\x00\x00\x00
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdER\xef\xbf\xbd\xdb\x9f\xef\xbf\xbd\x13\xef\xbf\xbd?\xef\xbf\xbd\xef\xbf\xbddwg\x18\xef\xbf\xbd\xef\xbf\xbd\xce\xac\xef\xbf\xbd(\x07\xef\xbf\xbds~\xc3\xbe\xef\xbf\xbde\xef\xbf\xbd\xef\xbf\xbd6<\xef\xbf\xbd\x1at\xef\xbf\xbd\xef\xbf\xbdM{4\x01\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdk\xef\xbf\xbd\xef\xbf\xbd\x13\xef\xbf\xbd\xef\xbf\xbd\x00\xef\xbf\xbd*\xef\xbf\xbdq\\xef\xbf\xbdG\xef\xbf\xbdz.\x01C\xef\xbf\xbdQ\xef\xbf\xbd\xef\xbf\xbd|d^i\xef\xbf\xbdk\x1d\xef\xbf\xbd\xef\xbf\xbd\x04\x07\xef\xbf\xbd\xd0\x97\xd7\xa86v\xd7\x84L4\x07IB\x0d
write	/data/data/com.bazaraa.snake/app_jni/libskin	n0\xef\xbf\xbdw\xd4\xa0\x17G\xef\xbf\xbd4\xef\xbf\xbdC\xef\xbf\xbdd\xef\xbf\xbd\xef\xbf\xbd\x14\xef\xbf\xbde\xef\xbf\xbd\x0a\xef\xbf\xbdK\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbde\xef\xbf\xbd\x08o\x1d\x7fa\xef\xbf\xbd0[\x00\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd<P\xef\xbf\xbd\xef\xbf\xbd~)\xcd\x8aa"\xef\xbf\xbd\x10\x11\xef\xbf\xbd\x0e\x1b\xef\xbf\xbd\x10\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdT\xef\xbf\xbdME\x09P\xef\xbf\xbd[\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd9\x19G\xef\xbf\xbd2\xef\xbf\xbd\x1cn\xca\xb3m*\x0c\xef\xbf\xbd7\xef\xbf\xbd\xef\xbf\xbd<\x7f\xef\xbf\xbd\xc9\x95\x07\xef\xbf\xbdgM

Operation	File Path	Data
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\xef\xbf\xbd\x02H\x01\xef\xbf\xbd\x01 @B\x0e\xef\xbf\xbd\x04\x00\x01\x00\xef\xbf\xbd\x15\x1c\xef\xbf\xbd"\x01\xef\xbf\xbd\x0f\x1c\x00#R\x00\xef\xbf\xbdT\x013\xef\xbf\xbdB\xef\xbf\xbd\xef\xbf\xbd+\x1ch\x1c\x00&\xef\xbf\xbd3\xef\xbf\xbd0^p\xef\xbf\xbdp,\x1c\x00\xef\xbf\xbd1\x1c\x01\xef\xbf\xbd"xC\\\xef\xbf\xbd\xef\xbf\xbd\x18\xef\xbf\xbd\x19\x03@\x1e\x06\xef\xbf\xbd\x18\x18x6\x0e p\x1apH\x1c9\x1c\x00\xef\xbf\xbd\xef\xbf\xbd\x00\xef\xbf\xbd\x09\x06\x014\x09\x0e
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\x16\xef\xbf\xbd-P?\xef\xbf\xbd\xef\xbf\xbds\x0dU\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdbS\xef\xbf\xbd\\\xef\xbf\xbdu1\xef\xbf\xbdAr>G\xef\xbf\xbdfi=\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdi\xd9\x9e\x16\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x035:\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd=\xef\xbf\xbdt\xef\xbf\xbdq\x19u\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x07gNe.\\\xef\xbf\xbd6\xef\xbf\xbdtC`F\xef\xbf\xbdf^\xef\xbf\xbd8~#\xef\xbf\xbd&\xef\xbf\xbd\xc7\xb61\xef\xbf\xbd\x1d`H\xef\xbf\xbd\xef\xbf\xbdS\xef\xbf\xbd\xef\xbf\xbd'>\xef\xbf\xbd\x0ey
write	/data/data/com.bazaraa.snake/app_jni/libskin	zD{D \x1c\xef\xbf\xbd\xef\xbf\xbd\x08\xef\xbf\xbdQJQK1\x1c\x09\xef\xbf\xbdzD{D \x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd)\x1c\x0a\xef\xbf\xbd\x00\xef\xbf\xbd\x01\xef\xbf\xbd \x1c\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdKJ\x0c\xef\xbf\xbd\x01\xef\xbf\xbd\x0b\x1czDa\xef\xbf\xbda\xef\xbf\xbdb\xef\xbf\xbdb\xef\xbf\xbd\x03\xef\xbf\xbd\x03\xef\xbf\xbd"h\xef\xbf\xbd%\xef\xbf\xbd\x00SY \x1c\x05\xef\xbf\xbd\xef\xbf\xbdG\x00'\x0b\xef\xbf\xbd\x0b\xef\xbf\xbd\xef\xbf\xbdBJ\xef\xbf\xbd&h\xef\xbf\xbd \xef\xbf\xbd\x003X\x05\xef\xbf\xbd:\x1c
write	/data/data/com.bazaraa.snake/app_jni/libskin	g\xef\xbf\xbdfL\xef\xbf\xbdk\xef\xbf\xbd\xef\xbf\xbdN\xef\xbf\xbd\xef\xbf\xbdk\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdF\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd"\xef\xbf\xbd\xd4\xbf\xef\xbf\xbd%1\x0b\xef\xbf\xbd\xef\xbf\xbd\xd4\x87\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd*\xef\xbf\xbd\xef\xbf\xbdq\x05\xef\xbf\xbd8[\x14\xef\xbf\xbd<Y\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x0dW\xef\xbf\xbd\xef\xbf\xbd,!|\xef\xbf\xbd\xef\xbf\xbd\x08\xef\xbf\xbdc\x1a[g\xef\xbf\xbdx\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xcd\x94\xef\xbf\xbd\xef\xbf\xbd\x1b\x1e\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdp:\xef\xbf\xbdVFg\x03m\x16wp\xef\xbf\xbd9\xef\xbf\xbd
write	/data/data/com.bazaraa.snake/app_jni/libskin	v\x04\x00\x00\x00\x00\x00\x00\x00\x00\x00\x12\x00\x00\x00{\x04\x00\x00\x00\x00\x00\x00\x00\x00\x00\x12\x00\x00\x00\xef\xbf\xbd\x04\x00\x00\x00\x00\x00\x00\x00\x00\x12\x00\x00\x00\xef\xbf\xbd\x04\x00\x00\xef\xbf\xbd\x1f\x00\x00$\x00\x00\x00\x12\x00\x08\x00\xef\xbf\xbd\x04\x00\x00\xef\xbf\xbd#\x00\x00\x12\x00\x00\x00\x12\x00\x08\x00\xef\xbf\xbd\x04\x00\x00\xef\xbf\xbd\x00\x00\xef\xbf\xbd\x00\x00\x00\x12\x00\x08\x00\xef\xbf\xbd\x04\x00\x00
write	/data/data/com.bazaraa.snake/app_jni/libskin	\x01\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdYc\xef\xbf\xbd\x19\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd9\33\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd5k\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd0\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x1d#\xef\xbf\xbd\xef\xbf\xbds\xef\xbf\xbdqk\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdd\xef\xbf\xbd\x18\xef\xbf\xbd\x17\xef\xbf\xbd.\xef\xbf\xbd\x1b\xef\xbf\xbd,\xef\xbf\xbd\xef\xbf\xbd\x1f\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd:\x13\xef\xbf\xbd\x05\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdbr\xef\xbf\xbd\xce\xab\xef\xbf\xbd.\xef\xbf\xbd\xc6\xae\xef\xbf\xbdUjtS\xef\xbf\xbdt\xef\xbf\xbd^$f{\xef\xbf\xbd\xef\xbf\xbd`\xef\xbf\xbd>\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd]
write	/data/data/com.bazaraa.snake/app_jni/libskin	\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdh\x11\xef\xbf\xbd\x0c-+6?\x14\x14*\xef\xbf\xbd_5\xef\xbf\xbd\xef\xbf\xbd1/>LbW\x1b&\x17{\xef\xbf\xbd\xef\xbf\xbd+|\x00y.\xef\xbf\xbdd0(\x1e\xef\xbf\xbdq\xef\xbf\xbdQ[\xef\xbf\xbd\xd0\xaaa]]\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\x08\x1b\xef\xbf\xbdL_\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbdoO\xef\xbf\xbd\x1e\xef\xbf\xbdW\xef\xbf\xbdef\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd_\xef\xbf\xbd}\xef\xbf\xbd?\xef\xbf\xbd\xef\xbf\xbdzW\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd-\xef\xbf\xbd

DNS Query

N/A

HTTP Data

N/A

Files Recovered From Http

N/A

Execute Shells

N/A

Started Services

N/A

May Send SMS

Destination Number	Message Body	Caller Code	Path Index
N/A	N/A	Lmy/base/util/a;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V	52

Send SMS

Destination Number	Message Body

Block SMS

N/A

Phone Call

N/A

Data Leakage

N/A

Sensitive APIs

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lcom/fak/seb/d/b;->a(Landroid/content/Context; Ljava/lang/String; I)Z
- Threat Level:
- Path Index: 12

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lcom/thir/matd/c/e;->a(Landroid/content/Context; Ljava/lang/String;)Z
- Threat Level:
- Path Index: 10

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lkrue/hqm/vkd/f/c;->c(Landroid/content/Context;)Ljava/lang/String;
- Threat Level:
- Path Index: 14

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lmy/ad/b/g;->i()Lorg/json/JSONArray;
- Threat Level:
- Path Index: 28

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lmy/ad/d;->a(Lmy/base/AppContext;)V
- Threat Level:
- Path Index: 78

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device

- Caller Code: Lmy/ad/h;->f()V
- Threat Level: ☐☐☐☐☐☐
- Path Index: 102

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lmy/ad/style/b;->c()Z
- Threat Level: ☐☐☐☐☐☐
- Path Index: 30

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lmy/base/util/a;->a(Lmy/base/AppContext; Z)Ljava/util/List;
- Threat Level: ☐☐☐☐☐☐
- Path Index: 38

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lmy/base/util/a;->b(Lmy/base/AppContext; Ljava/util/Set;)Landroid/content/pm/PackageInfo;
- Threat Level: ☐☐☐☐☐☐
- Path Index: 42

- **API: Landroid/content/pm/PackageManager;->getInstalledPackages**
- Description: Gets packages installed on the device
- Caller Code: Lmy/base/util/a;->e(Lmy/base/AppContext; Ljava/lang/String;)Landroid/content/pm/PackageInfo;
- Threat Level: ☐☐☐☐☐☐
- Path Index: 38

- **API: Landroid/telephony/SmsManager;->sendTextMessage**
- Description: Sends a text based SMS
- Caller Code: Lmy/base/util/a;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V
- Threat Level: ■■■■■■■■■■
- Path Index: 52

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lb/a/a/b/j;->a(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐☐☐
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lb/a/a/b/l;->a(Landroid/content/Context; Ljava/lang/String; [Lb/a/a/b/b;)Lorg/json/JSONObject;
- Threat Level: ☐☐☐☐☐☐☐
- Path Index: 90

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/fak/seb/d/b;->c(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐☐☐
- Path Index: 58

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/pking/Udcts;->initLoad(Landroid/content/Context; Ljava/lang/String;)V
- Threat Level: ☐☐☐☐☐☐☐
- Path Index: 40

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->getImei(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐☐☐
- Path Index: 58

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->googlegetIMEI(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐☐☐
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lcom/thir/matd/c/e;->c(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐☐☐
- Path Index: 56

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lkrue/hqm/vkd/f/c;->f(Landroid/content/Context;)Z

- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 18

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lkrue/hqm/vkd/f/c;->h(Landroid/content/Context;)V
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 26

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lkrue/hqm/vkd/f/i;->b(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getDeviceId**
- Description: Gets the unique device ID, IMEI for GSM and MEID for ESN or ESN for CDMA phones
- Caller Code: Lmy/base/util/d;->a(Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 34

- **API: Landroid/telephony/TelephonyManager;->getLine1Number**
- Description: Gets the phone number string for line 1
- Caller Code: Lb/a/a/b/j;->b(Landroid/content/Context;)Lorg/json/JSONObject;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 420

- **API: Landroid/telephony/TelephonyManager;->getLine1Number**
- Description: Gets the phone number string for line 1
- Caller Code: Lmy/base/util/d;->d(Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 32

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lcom/mintmobi/ad/gp/c/c;->a(Landroid/content/Context; Ljava/util/Map;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 270

- **API: Landroid/telephony/TelephonyManager;->getNetworkCountryIso**
- Description: Gets the ISO country code equivalent of the current registered operator's MCC
- Caller Code: Lmy/base/util/d;->f(Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 76

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperator**
- Description: Gets the numeric name (MCC+MNC) of current registered operator
- Caller Code: Lcom/mintmobi/ad/gp/c/c;->a(Landroid/content/Context; Ljava/util/Map;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 292

- **API: Landroid/telephony/TelephonyManager;->getNetworkOperatorName**
- Description: Gets the alphabetic name of current registered operator
- Caller Code: Lcom/mintmobi/ad/gp/c/c;->a(Landroid/content/Context; Ljava/util/Map;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 292

- **API: Landroid/telephony/TelephonyManager;->getSimCountryIso**
- Description: Gets the ISO country code equivalent for the SIM provider's country code
- Caller Code: Lcom/mintmobi/ad/gp/c/f;->h(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getSimCountryIso**
- Description: Gets the ISO country code equivalent for the SIM provider's country code
- Caller Code: Lmy/base/util/d;->f(Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 26

- **API: Landroid/telephony/TelephonyManager;->getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lcom/fak/seb/d/b;->e(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->getYun(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▱▱▱▱▱▱▱▱

- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getSimOperator**
- Description: Gets the MCC+MNC of the provider of the SIM
- Caller Code: Lcom/thir/matd/c/e;->e(Landroid/content/Context;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 16

- **API: Landroid/telephony/TelephonyManager;->getSimSerialNumber**
- Description: Gets the serial number of SIM
- Caller Code: Lkrue/hqm/vkd/f/c;->h(Landroid/content/Context;)V
- Threat Level: ▭▭▭▭▭▭▭
- Path Index: 60

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lb/a/a/a;->a(Ldalvik/system/DexClassLoader; Ljava/lang/String; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 2

- **API: Ldalvik/system/DexClassLoader;->loadClass**
- Description: Loads code dynamically
- Caller Code: Lcom/pking/Udcts;->initRootFunction(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V
- Threat Level: ▭▭▭▭▭▭
- Path Index: 260

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lb/a/a/b/j;->a(Ljava/lang/String;)Ljava/util/ArrayList;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 20

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lcom/fak/seb/a/a;->b(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 18

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lkrue/hqm/vkd/f/a;->a(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 14

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lkrue/hqm/vkd/f/a;->a(Ljava/lang/String; Z)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 26

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lkrue/hqm/vkd/f/a;->b(Ljava/lang/String; Z)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 30

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lmy/ad/e/c;->b()Ljava/lang/String;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 18

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lmy/base/util/l;->a(Ljava/lang/String; Ljava/util/List; Z Ljava/io/BufferedWriter;)Lmy/base/d/b;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 26

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lmy/base/util/l;->a(Ljava/lang/String;)Z
- Threat Level: ▭▭▭▭▭▭
- Path Index: 26

- **API: Ljava/lang/Runtime;->exec**
- Description: Executes shell code
- Caller Code: Lmy/base/util/l;->b(Ljava/lang/String;)Z
- Threat Level: ▭▭▭▭▭▭
- Path Index: 30

- **API: Ljava/lang/System;->load**
- Description: Loads and links the dynamic library
- Caller Code: Lcom/appc/getapplication/b;->a(Landroid/content/Context;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 132

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object;
- Threat Level: ▭▭▭▭▭
- Path Index: 60

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;
- Threat Level: ▭▭▭▭▭
- Path Index: 52

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;
- Threat Level: ▭▭▭▭▭
- Path Index: 82

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybean$GetDefaultRouteWorkaround;->getDefaultRoute(Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level: ▭▭▭▭▭
- Path Index: 26

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybean$SelectRouteWorkaround;->selectRoute(Ljava/lang/Object; I Ljava/lang/Object;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 68

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->run()V
- Threat Level: ▭▭▭▭▭
- Path Index: 22

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$IsConnectingWorkaround;->isConnecting(Ljava/lang/Object;)Z
- Threat Level: ▭▭▭▭▭
- Path Index: 26

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/text/ICUCompatIcs;->addLikelySubtags(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 26

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/text/ICUCompatIcs;->getScript(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 28

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewCompatEclairMr1;->setChildrenDrawingOrderEnabled(Landroid/view/ViewGroup; Z)V
- Threat Level: ▭▭▭▭▭
- Path Index: 80

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V
- Threat Level: ▭▭▭▭▭
- Path Index: 78

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity;

I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;

- Threat Level: ▭▭▭▭▭
- Path Index: 54

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;
- Threat Level: ▭▭▭▭▭
- Path Index: 42

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;
- Threat Level: ▭▭▭▭▭
- Path Index: 72

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/SupportMenuInflater$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z
- Threat Level: ▭▭▭▭▭
- Path Index: 42

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/SupportMenuInflater$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z
- Threat Level: ▭▭▭▭▭
- Path Index: 84

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/widget/ViewUtils;->computeFitSystemWindows(Landroid/view/View; Landroid/graphics/Rect; Landroid/graphics/Rect;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 30

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 64

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V
- Threat Level: ▭▭▭▭▭
- Path Index: 36

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->doAfterTextChanged(Landroid/widget/AutoCompleteTextView;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->doBeforeTextChanged(Landroid/widget/AutoCompleteTextView;)V
- Threat Level: ▭▭▭▭▭
- Path Index: 18

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->ensureImeVisible(Landroid/widget/AutoCompleteTextView; Z)V
- Threat Level: ▭▭▭▭▭
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/widget/SearchView$AutoCompleteTextViewReflector;->showSoftInputUnchecked(Landroid/view/inputmethod/InputMethodManager; Landroid/view/View; I)V
- Threat Level: ▭▭▭▭▭
- Path Index: 40

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lb/a/a/a;->a(Ldalvik/system/DexClassLoader; Ljava/lang/String; Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;

- Threat Level:
- Path Index: 20

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/mintmobi/ad/gp/c/h;->a()Ljava/lang/Object;
- Threat Level:
- Path Index: 104

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/mintmobi/ad/gp/c/h;->a()Ljava/lang/Object;
- Threat Level:
- Path Index: 122

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/a/a;->a(Landroid/content/Context;)V
- Threat Level:
- Path Index: 70

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/a/a;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V
- Threat Level:
- Path Index: 102

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/a/a;->b(Landroid/content/Context;)V
- Threat Level:
- Path Index: 70

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/a/a;->c(Landroid/content/Context;)V
- Threat Level:
- Path Index: 108

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/a/a;->d(Landroid/content/Context;)V
- Threat Level:
- Path Index: 70

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/a/a;->e(Landroid/content/Context;)V
- Threat Level:
- Path Index: 70

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/a/b;->a(Landroid/content/Context; Landroid/content/Intent;)V
- Threat Level:
- Path Index: 152

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/offerscamp/r/ACA;->onCreate(Landroid/os/Bundle;)V
- Threat Level:
- Path Index: 134

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/pking/Udcts;->initRootFunction(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V
- Threat Level:
- Path Index: 396

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lcom/thir/matd/download/b;->a()[Ljava/lang/String;
- Threat Level:
- Path Index: 16

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lkrue/hqm/vkd/c/b;->run()V
- Threat Level:

- Path Index: 152

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lmy/ad/e/c;->a(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐
- Path Index: 56

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lmy/base/util/a;->b(Lmy/base/AppContext; Ljava/lang/String;)Lmy/base/d/a;
- Threat Level: ☐☐☐☐☐
- Path Index: 272

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Lmy/base/util/a;->b(Lmy/base/AppContext; Ljava/lang/String;)Lmy/base/d/a;
- Threat Level: ☐☐☐☐☐
- Path Index: 392

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 32

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V
- Threat Level: ☐☐☐☐☐
- Path Index: 38

- **API: Ljava/lang/reflect/Method;->invoke**
- Description: Utilizes Java reflection
- Caller Code: Landroid/support/v7/internal/view/menu/MenuItemWrapperICS;->setExclusiveCheckable(Z)V
- Threat Level: ☐☐☐☐☐
- Path Index: 84

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lb/a/a/d/b;->run()V
- Threat Level: ☐☐☐☐☐☐
- Path Index: 42

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/b/a/b/e;->a(Ljava/lang/String; Landroid/content/Context;)Ljava/net/HttpURLConnection;
- Threat Level: ☐☐☐☐☐☐
- Path Index: 86

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/b/a/b/e;->a(Ljava/lang/String; Landroid/content/Context;)Ljava/net/HttpURLConnection;
- Threat Level: ☐☐☐☐☐☐
- Path Index: 110

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/b/a/b/e;->a(Ljava/lang/String; Landroid/content/Context;)Ljava/net/HttpURLConnection;
- Threat Level: ☐☐☐☐☐☐
- Path Index: 134

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/fak/seb/c/b;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐☐
- Path Index: 36

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/mintmobi/ad/gp/b/a;->c(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ☐☐☐☐☐☐

- Path Index: 16

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/mintmobi/ad/gp/c/a;->a(Ljava/net/URL; Z)Landroid/graphics/Bitmap;
- Threat Level:
- Path Index: 38

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 90

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 226

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 266

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 280

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 294

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/offerscamp/b/a/c;->a(Z Landroid/content/Context; Ljava/net/URL; Ljava/lang/String;)Z
- Threat Level:
- Path Index: 22

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/offerscamp/b/a/c;->d(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 46

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/pking/Udcts;->getFile(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z
- Threat Level:
- Path Index: 572

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/tds/rtsr/network/HttpUtil;->post(Ljava/lang/String; [B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 24

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/thir/matd/b/a;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 36

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/thir/matd/c/e;->a(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 136

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/thir/matd/c/e;->a(Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 576

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lkrue/hqm/vkd/f/b;->a(Ljava/lang/String; Ljava/lang/String;)Z
- Threat Level:
- Path Index: 14

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lkrue/hqm/vkd/f/g;->a(Ljava/lang/String; [B)[B
- Threat Level:
- Path Index: 54

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/b;->a()Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 30

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/b;->a()Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 76

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Lmy/base/AppContext;)Landroid/graphics/Bitmap;
- Threat Level:
- Path Index: 62

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Lmy/base/AppContext;)Landroid/graphics/Bitmap;
- Threat Level:
- Path Index: 132

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level:
- Path Index: 120

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level:
- Path Index: 354

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level:
- Path Index: 90

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Threat Level:
- Path Index: 212

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/lang/String; Lmy/base/AppContext;)Z
- Threat Level:
- Path Index: 78

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/lang/String; Lmy/base/AppContext;)Z
- Threat Level:
- Path Index: 214

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lcom/nostra13/universalimageloader/core/download/BaseImageDownloader;->createConnection(Ljava/lang/String; Ljava/lang/Object;)Ljava/net/HttpURLConnection;
- Threat Level:
- Path Index: 22

- **API: Ljava/net/URL;->openConnection**
- Description: Connects to the Internet
- Caller Code: Lmy/base/e/c/b/d/a;->c(Ljava/lang/String; Ljava/lang/Object;)Ljava/net/HttpURLConnection;
- Threat Level: ▭▭▭▭▭▭
- Path Index: 22

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/b/a/a/a;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 138

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/b/a/a/a;->b(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 98

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/b/a/a/a;->c(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 58

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/b/a/a/a;->d(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 56

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/fak/seb/c/a;->a(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 72

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/fak/seb/c/a;->b(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 84

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/tds/rtsr/stapublic/DesUtils;->decryptDES(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 84

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/tds/rtsr/stapublic/DesUtils;->encryptDES(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 72

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/thir/matd/c/a;->a(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 72

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lcom/thir/matd/c/a;->b(Ljava/lang/String;)Ljava/lang/String;
- Threat Level: ▭▭▭▭▭
- Path Index: 84

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->b([B Ljava/lang/String;)[B
- Threat Level: ▭▭▭▭▭
- Path Index: 116

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->b([B Ljava/lang/String;)[B
- Threat Level: ▭▭▭▭▭
- Path Index: 152

- **API: Ljavax/crypto/Cipher;->doFinal**

- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->c([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 116

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->c([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 152

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->d([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 116

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->d([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 152

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->e([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 116

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/ad/e/f;->e([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 152

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/base/f/b;->a(Ljava/lang/String; Ljava/security/Key; Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 28

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/base/f/b;->b(Ljava/lang/String; Ljava/security/Key; Ljava/lang/String;)Ljava/lang/String;
- Threat Level:
- Path Index: 28

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/base/f/d;->a([B)[B
- Threat Level:
- Path Index: 4

- **API: Ljavax/crypto/Cipher;->doFinal**
- Description: Encrypt or Decrypt data
- Caller Code: Lmy/base/f/d;->b([B)[B
- Threat Level:
- Path Index: 4

Permission Usage

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$GingerbreadConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatGingerbread;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$HoneycombMR2ConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api

- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$JellyBeanConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatJellyBean;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompat$ConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 4

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat;->getNetworkInfoFromBroadcast(Landroid/net/ConnectivityManager; Landroid/content/Intent;)Landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 28

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatGingerbread;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatJellyBean;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->isActiveNetworkMetered()Z
- Path Index: 0

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/b/a;->c(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/b/l;->a(Landroid/content/Context; Ljava/lang/String; [Lb/a/a/b/b;)Lorg/json/JSONObject;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 192

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/b/a/b/e;->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 18

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/b/a/b/e;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 18

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/fak/seb/d/b;->f(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 24

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/fak/seb/d/b;->f(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 32

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/gp/c/a;->c(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**

- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/gp/c/a;->e(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 22

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/gp/c/c;->f(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 58

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 32

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 40

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->checkNetworkState(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 24

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->checkNetworkState(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 32

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->f(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 24

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->f(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 32

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lmy/base/e/k;->a(Lmy/base/AppContext;)I
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 16

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lmy/base/e/k;->a(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lmy/base/e/k;->b(Lmy/base/AppContext;)Ljava/net/Proxy;
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 16

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lmy/base/e/k;->b(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getAllNetworkInfo()[Landroid/net/NetworkInfo;
- Path Index: 18

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lmy/base/e/k;->c(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 22

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api

- Caller Code: Lmy/base/e/k;->d(Landroid/content/Context;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 22

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Lmy/base/e/k;->e(Landroid/content/Context;)I
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

- **Permission Name: android.permission.ACCESS_NETWORK_STATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat$BaseConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/b/l;->a(Landroid/content/Context; Ljava/lang/String; [Lb/a/a/b/b;)Lorg/json/JSONObject;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 372

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/b/a/b/a;->f()Lorg/json/JSONObject;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 252

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/b/a/b/c;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 320

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/fak/seb/d/b;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 114

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/pking/Udcts;->initLoad(Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 72

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->getImei(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 114

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 112

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lmy/ad/e/c;->a(Landroid/net/wifi/WifiManager;)Z
- Callee Code: Landroid/net/wifi/WifiManager;->getWifiState()I
- Path Index: 4

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lmy/base/util/d;->c(Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->isWifiEnabled()Z
- Path Index: 26

- **Permission Name: android.permission.ACCESS_WIFI_STATE**
- Used Type: Api
- Caller Code: Lmy/base/util/d;->c(Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->getConnectionInfo()Landroid/net/wifi/WifiInfo;
- Path Index: 44

- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api

- Caller Code: Lmy/ad/e/c;->a(Landroid/net/wifi/WifiManager;)Z
- Callee Code: Landroid/net/wifi/WifiManager;->setWifiEnabled(Z)Z
- Path Index: 24

- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lmy/ad/e/c;->b(Landroid/net/wifi/WifiManager;)V
- Callee Code: Landroid/net/wifi/WifiManager;->setWifiEnabled(Z)Z
- Path Index: 2

- **Permission Name: android.permission.CHANGE_WIFI_STATE**
- Used Type: Api
- Caller Code: Lmy/base/util/d;->c(Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Landroid/net/wifi/WifiManager;->setWifiEnabled(Z)Z
- Path Index: 38

- **Permission Name: android.permission.DISABLE_KEYGUARD**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/MyService;->m()V
- Callee Code: Landroid/app/KeyguardManager$KeyguardLock;->reenableKeyguard()V
- Path Index: 28

- **Permission Name: android.permission.DISABLE_KEYGUARD**
- Used Type: Api
- Caller Code: Lhis/da/act/LScreenAct;->a()V
- Callee Code: Landroid/app/KeyguardManager$KeyguardLock;->disableKeyguard()V
- Path Index: 42

- **Permission Name: android.permission.DISABLE_KEYGUARD**
- Used Type: Api
- Caller Code: Lhis/da/act/LockBannerActivity;->b()V
- Callee Code: Landroid/app/KeyguardManager$KeyguardLock;->disableKeyguard()V
- Path Index: 42

- **Permission Name: android.permission.GET_ACCOUNTS**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->m(Landroid/content/Context;)Z
- Callee Code: Landroid/accounts/AccountManager;->getAccountsByType(Ljava/lang/String;)[Landroid/accounts/Account;
- Path Index: 12

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lcom/fak/seb/d/b;->g(Landroid/content/Context;)Z
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 20

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lcom/fak/seb/uu/b;->a(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 20

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/MyService;->a(Ljava/lang/String;)Z
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 56

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->h(Landroid/content/Context;)Z
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 20

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lmy/ad/style/b;->b()Z
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 30

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lmy/ad/style/b;->c()Z
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 118

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lmy/ad/style/c;->a(Ljava/lang/String;)Z

- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 32

- **Permission Name: android.permission.GET_TASKS**
- Used Type: Api
- Caller Code: Lmy/ad/style/k;->b()V
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 64

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lb/a/a/d/b;->run()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 42

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/b/a/b/e;->a(Ljava/lang/String; Landroid/content/Context;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 86

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/b/a/b/e;->a(Ljava/lang/String; Landroid/content/Context;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 110

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/b/a/b/e;->a(Ljava/lang/String; Landroid/content/Context;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 134

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/fak/seb/c/b;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 36

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/gp/b/a;->c(Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 16

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/gp/c/a;->a(Ljava/net/URL; Z)Landroid/graphics/Bitmap;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 38

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 90

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 226

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 266

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 280

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Landroid/content/Context; Ljava/lang/String; I I)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;

- Path Index: 294

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Z Landroid/content/Context; Ljava/net/URL; Ljava/lang/String;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 22

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->d(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 46

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/pking/Udcts;->getFile(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 572

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/tds/rtsr/network/HttpUtil;->post(Ljava/lang/String; [B Ljava/lang/String;)[B
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 24

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/thir/matd/b/a;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 36

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->a(Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 136

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->a(Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 576

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/b;->a(Ljava/lang/String; Ljava/lang/String;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 14

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/g;->a(Ljava/lang/String; [B)[B
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 54

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/b;->a()Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 30

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/b;->a()Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 76

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Lmy/base/AppContext;)Landroid/graphics/Bitmap;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 62

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Lmy/base/AppContext;)Landroid/graphics/Bitmap;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 132

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 120

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 354

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 90

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 212

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/lang/String; Lmy/base/AppContext;)Z
- Callee Code: Ljava/net/URL;->openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
- Path Index: 78

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/lang/String; Lmy/base/AppContext;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 214

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/nostra13/universalimageloader/core/download/BaseImageDownloader;->createConnection(Ljava/lang/String; Ljava/lang/Object;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 22

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/c/b/d/a;->c(Ljava/lang/String; Ljava/lang/Object;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 22

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/gp/b/a;->c(Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URLConnection;->getInputStream()Ljava/io/InputStream;
- Path Index: 28

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->d(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URLConnection;->connect()V
- Path Index: 54

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->d(Landroid/content/Context; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Ljava/net/URLConnection;->getInputStream()Ljava/io/InputStream;
- Path Index: 68

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->a(Z Landroid/content/Context; Ljava/net/URL; Ljava/lang/String; Ljava/lang/String;)Z
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 106

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/offerscamp/b/a/c;->b(Landroid/content/Context; Ljava/lang/String; I I)Ljava/lang/String;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 50

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lcom/pking/Udcts;->getFile(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Z
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 688

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/b;->a(Ljava/lang/String; Ljava/lang/String;)Z
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 56

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Lmy/base/AppContext;)Landroid/graphics/Bitmap;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 96

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 220

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/util/HashMap; Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 168

- **Permission Name: android.permission.INTERNET**
- Used Type: Api
- Caller Code: Lmy/base/e/h;->a(Ljava/lang/String; Ljava/lang/String; Lmy/base/AppContext;)Z
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 120

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: ds

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: ad

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: w

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: ads

- **Permission Name: android.permission.INTERNET**
- Used Type: Content Provider
- Callee Code: download

- **Permission Name: android.permission.READ_EXTERNAL_STORAGE**
- Used Type: Content Provider
- Callee Code: a/

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/b/j;->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/b/j;->b(Landroid/content/Context;)Lorg/json/JSONObject;
- Callee Code: Landroid/telephony/TelephonyManager;->getLine1Number()Ljava/lang/String;
- Path Index: 420

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lb/a/a/b/l;->a(Landroid/content/Context; Ljava/lang/String; [Lb/a/a/b/b;)Lorg/json/JSONObject;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 48

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api

- Caller Code: Lb/a/a/b/l;->a(Landroid/content/Context; Ljava/lang/String; [Lb/a/a/b/b;)Lorg/json/JSONObject;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 90

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/b/a/b/c;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 232

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/fak/seb/d/b;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 58

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/fak/seb/d/b;->d(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/mintmobi/ad/gp/c/f;->d(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/pking/Udcts;->initLoad(Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 40

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/pking/Udcts;->initLoad(Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 48

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->getIMSI(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->getImei(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 58

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/tds/rtsr/stapublic/StaticUnit;->googlegetIMEI(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->c(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 56

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/thir/matd/c/e;->d(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/c;->f(Landroid/content/Context;)Z
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 18

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/c;->h(Landroid/content/Context;)V

- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 26

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/c;->h(Landroid/content/Context;)V
- Callee Code: Landroid/telephony/TelephonyManager;->getSimSerialNumber()Ljava/lang/String;
- Path Index: 60

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/i;->a(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 18

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lkrue/hqm/vkd/f/i;->b(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 16

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lmy/base/util/d;->a(Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getDeviceId()Ljava/lang/String;
- Path Index: 34

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lmy/base/util/d;->b(Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 34

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lmy/base/util/d;->d(Lmy/base/AppContext;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getLine1Number()Ljava/lang/String;
- Path Index: 32

- **Permission Name: android.permission.READ_PHONE_STATE**
- Used Type: Api
- Caller Code: Lcom/b/a/a/c;->a(Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;
- Callee Code: Landroid/telephony/TelephonyManager;->getSubscriberId()Ljava/lang/String;
- Path Index: 214

- **Permission Name: android.permission.RECEIVE_BOOT_COMPLETED**
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

- **Permission Name: android.permission.RECEIVE_BOOT_COMPLETED**
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

- **Permission Name: android.permission.RECEIVE_BOOT_COMPLETED**
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

- **Permission Name: android.permission.RECEIVE_BOOT_COMPLETED**
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/app/NotificationManagerCompatEclair;->postNotification(Landroid/app/NotificationManager; Ljava/lang/String; I Landroid/app/Notification;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 0

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/bazaraa/snake/GameFragment$AlarmReceiver;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 232

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/fak/seb/uu/b;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 348

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/thir/matd/uc/f;->a(Lcom/thir/matd/uc/f; Z)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 490

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lmy/ad/style/q;->a(Lmy/ad/d/a;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 544

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Landroid/support/v4/app/NotificationManagerCompat$ImplBase;->postNotification(Landroid/app/NotificationManager; Ljava/lang/String; I Landroid/app/Notification;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 0

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/fak/seb/dr/b;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Landroid/app/DownloadManager;->enqueue(Landroid/app/DownloadManager$Request;)J
- Path Index: 278

- **Permission Name: android.permission.VIBRATE**
- Used Type: Api
- Caller Code: Lcom/thir/matd/download/e;->(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V
- Callee Code: Landroid/app/DownloadManager;->enqueue(Landroid/app/DownloadManager$Request;)J
- Path Index: 1536

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->completeWakefulIntent(Landroid/content/Intent;)Z
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 48

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->startWakefulService(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/ComponentName;
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire(J)V
- Path Index: 150

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lmy/ad/style/o;->b()Z
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire()V
- Path Index: 408

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lmy/ad/style/o;->b()Z
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 414

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lmy/ad/style/p;->b()Z
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire()V
- Path Index: 240

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lmy/ad/style/p;->b()Z
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V
- Path Index: 246

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lmy/base/app/a;->k()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->acquire()V
- Path Index: 48

- **Permission Name: android.permission.WAKE_LOCK**
- Used Type: Api
- Caller Code: Lmy/base/app/a;->l()V
- Callee Code: Landroid/os/PowerManager$WakeLock;->release()V

- Path Index: 34

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/pking/a;->run()V
- Callee Code: Landroid/provider/Settings$System;->putInt(Landroid/content/ContentResolver; Ljava/lang/String; I)Z
- Path Index: 86

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/pking/a;->run()V
- Callee Code: Landroid/provider/Settings$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 150

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lcom/pking/b;->run()V
- Callee Code: Landroid/provider/Settings$System;->putString(Landroid/content/ContentResolver; Ljava/lang/String; Ljava/lang/String;)Z
- Path Index: 210

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lmy/base/util/e;->a(Landroid/app/Activity; I)V
- Callee Code: Landroid/provider/Settings$System;->getUriFor(Ljava/lang/String;)Landroid/net/Uri;
- Path Index: 4

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lmy/base/util/e;->a(Landroid/app/Activity; I)V
- Callee Code: Landroid/provider/Settings$System;->putInt(Landroid/content/ContentResolver; Ljava/lang/String; I)Z
- Path Index: 24

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lmy/base/util/e;->g(Landroid/app/Activity;)V
- Callee Code: Landroid/provider/Settings$System;->putInt(Landroid/content/ContentResolver; Ljava/lang/String; I)Z
- Path Index: 16

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Api
- Caller Code: Lmy/base/util/e;->h(Landroid/app/Activity;)V
- Callee Code: Landroid/provider/Settings$System;->putInt(Landroid/content/ContentResolver; Ljava/lang/String; I)Z
- Path Index: 16

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code:

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: /

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: o

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: en

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: s

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: content

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: i

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: c

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: :

- **Permission Name: android.permission.WRITE_SETTINGS**

- Used Type: Content Provider
- Callee Code: e

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: ://

- **Permission Name: android.permission.WRITE_SETTINGS**
- Used Type: Content Provider
- Callee Code: g

- **Permission Name: com.android.launcher.permission.INSTALL_SHORTCUT**
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.INSTALL_SHORTCUT

- **Permission Name: com.android.launcher.permission.UNINSTALL_SHORTCUT**
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.UNINSTALL_SHORTCUT

Log Message

Tag	Message
ActivityThread	Pub com.bazaraa.snake: com.bazaraa.snake.data.ScoreProvider

May Log Message

Tag	Message	Caller Code	Path Index
1	5	Landroid/support/v4/widget/SwipeRefreshLayout;->onTouchEvent(Landroid/view/MotionEvent;)Z	1238
ActionBarActivityDelegate	6	Landroid/support/v7/app/ActionBarActivityDelegate;->getUiOptionsFromMetadata()Ljava/lang/String;	140
ActionBarActivityDelegateBase	audio	Landroid/support/v7/app/ActionBarActivityDelegateBase;->onKeyUpPanel(I Landroid/view/KeyEvent;)V	258
ActionBarDrawerToggle	DrawerToggle may not show up because NavigationIcon is not visible. You may need to call actionbar.setDisplayHomeAsUpEnabled(true);	Landroid/support/v7/app/ActionBarDrawerToggle;->setActionBarUpIndicator(Landroid/graphics/drawable/Drawable; I)V	32
ActionBarDrawerToggleHoneycomb	19	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object;	104
ActionBarDrawerToggleHoneycomb	1	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	100
ActionBarDrawerToggleHoneycomb	1	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	136
ActionBarDrawerToggleHoneycomb	19	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;	98
ActionBarDrawerToggleHoneycomb	1	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicatorInfo;	90

Tag	Message	Caller Code	Path Index
ActionBarDrawerToggl eHoneycomb	1	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggle Honeycomb$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb$SetIndicato rInfo;	126
ActionProvider(support)	2	Landroid/support/v4/view/ActionProvider;->setVisibilityListener(Landroid/support/v4/view/ActionProvider$VisibilityList ener;)V	82
AtomicFile	failWrite: Got exception:	Landroid/support/v4/util/AtomicFile;->failWrite(Ljava/io/FileOutputStream;)V	52
AtomicFile	finishWrite: Got exception:	Landroid/support/v4/util/AtomicFile;->finishWrite(Ljava/io/FileOutputStream;)V	38
AtomicFile	6	Landroid/support/v4/util/AtomicFile;->startWrite()Ljava/io/FileOutputStream;	122
BaseLib	2	Lmy/base/app/a;->i()I	40
ContextCompat	3	Landroid/support/v4/content/ContextCompat;->createFilesDir(Ljava/io/File;)Ljava/io/File;	96
DocumentFile	7	Landroid/support/v4/provider/DocumentsContractApi19;->exists(Landroid/content/Context; Landroid/net/Uri;)Z	116
DocumentFile	7	Landroid/support/v4/provider/DocumentsContractApi19;->queryForLong(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; J)J	134
DocumentFile	7	Landroid/support/v4/provider/DocumentsContractApi19;->queryForString(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;	134
DocumentFile	9	Landroid/support/v4/provider/DocumentsContractApi21;->listFiles(Landroid/content/Context; Landroid/net/Uri;)[Landroid/net/Uri;	148
DocumentFile	1	Landroid/support/v4/provider/RawDocumentFile;->deleteContents(Ljava/io/File;)Z	104
DocumentFile	0	Landroid/support/v4/provider/RawDocumentFile;->createFile(Ljava/lang/String; Ljava/lang/String;)Landroid/support/v4/provider/DocumentFile;	142
EnvironmentCompat	2	Landroid/support/v4/os/EnvironmentCompat;->getStorageState(Ljava/io/File;)Ljava/lang/String;	112
FragmentActivity	4	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	108
FragmentActivity	4	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	190
FragmentManager	12	Landroid/support/v4/app/BackStackState;->instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/sup port/v4/app/BackStackRecord;	150
FragmentManager	12	Landroid/support/v4/app/BackStackState;->instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/sup port/v4/app/BackStackRecord;	370
FragmentManager	2	Landroid/support/v4/app/FragmentState;->instantiate(Landroid/support/v4/app/FragmentActivity; Landroid/support/v4/app/Fragment;)Landroid/support/v4/app/Fragment;	260
FragmentManager	7	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	80
FragmentManager	5	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	198
FragmentManager	5	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	332
FragmentManager	6	Landroid/support/v4/app/BackStackRecord;->commitInternal(Z)I	76

Tag	Message	Caller Code	Path Index
FragmentManager	0	Landroid/support/v4/app/BackStackRecord;->popFromBackStack(Z Landroid/support/v4/app/BackStackRecord$TransitionState; Landroid/util/SparseArray; Landroid/util/SparseArray;)Landroid/support/v4/app/BackStackRecord$TransitionState;	54
FragmentManager	14	Landroid/support/v4/app/BackStackRecord;->run()V	50
FragmentManager	6	Landroid/support/v4/app/BackStackRecord;->run()V	424
FragmentManager	13	Landroid/support/v4/app/BackStackRecord;->run()V	592
FragmentManager	Activity state:	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	26
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	98
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;->throwException(Ljava/lang/RuntimeException;)V	136
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;->addFragment(Landroid/support/v4/app/Fragment; Z)V	74
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	130
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	262
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->attachFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->attachFragment(Landroid/support/v4/app/Fragment; I I)V	218
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->detachFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->detachFragment(Landroid/support/v4/app/Fragment; I I)V	138
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->freeBackStackIndex(I)V	86
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->hideFragment(Landroid/support/v4/app/Fragment; I I)V	52
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->makeActive(Landroid/support/v4/app/Fragment;)V	138
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->makeInactive(Landroid/support/v4/app/Fragment;)V	60
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	196
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	690
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1108
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1176
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1402
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1476
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1544

Tag	Message	Caller Code	Path Index
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1612
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1836
FragmentManager	1	Landroid/support/v4/app/FragmentManagerImpl;->onCreateView(Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View;	340
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->popBackStackState(Landroid/os/Handler; Ljava/lang/String; I I)Z	492
FragmentManager	3	Landroid/support/v4/app/FragmentManagerImpl;->removeFragment(Landroid/support/v4/app/Fragment; I I)V	78
FragmentManager	1	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	104
FragmentManager	1	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	358
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	466
FragmentManager	9	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	646
FragmentManager	1	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	864
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->restoreAllState(Landroid/os/Parcelable; Ljava/util/ArrayList;)V	1072
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->retainNonConfig()Ljava/util/ArrayList;	152
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	460
FragmentManager	saveAllState: no fragments!	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	504
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	756
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	914
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	110
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	218
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	318
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;->showFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentStatePagerAdapter	6	Landroid/support/v4/app/FragmentStatePagerAdapter;->restoreState(Landroid/os/Parcelable; Ljava/lang/ClassLoader;)V	266
IntentReader	Could not retrieve icon for calling activity	Landroid/support/v4/app/ShareCompat$IntentReader;->getCallingActivityIcon()Landroid/graphics/drawable/Drawable;	48
IntentReader	Could not retrieve icon for calling application	Landroid/support/v4/app/ShareCompat$IntentReader;->getCallingApplicationIcon()Landroid/graphics/drawable/Drawable;	48
IntentReader	Could not retrieve label for calling application	Landroid/support/v4/app/ShareCompat$IntentReader;->getCallingApplicationLabel()Ljava/lang/CharSequence;	58

Tag	Message	Caller Code	Path Index
ListPopupWindow	Could not find method setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->()V	48
ListPopupWindow	4	Landroid/support/v7/widget/ListPopupWindow;->buildDropDown()I	392
ListPopupWindow	Could not call setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V	54
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->callOnLoadFinished(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	136
LoaderManager	7	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->destroy()V	54
LoaderManager	7	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->destroy()V	152
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->finishRetain()V	58
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	52
LoaderManager	Ignoring load complete -- destroyed	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	82
LoaderManager	Ignoring load complete -- not active	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	130
LoaderManager	1	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->onLoadComplete(Landroid/support/v4/content/Loader;Ljava/lang/Object;)V	196
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->retain()V	50
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->start()V	86
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl$LoaderInfo;->stop()V	52
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl;->destroyLoader(I)V	94
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	58
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	172
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	50
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	126
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	50
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	126
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	50
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	126
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->finishRetain()V	58
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(ILandroid/os/Bundle;Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	110
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(ILandroid/os/Bundle;Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	178
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(ILandroid/os/Bundle;Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	270

Tag	Message	Caller Code	Path Index
LoaderManager	8	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	112
LoaderManager	1	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	200
LoaderManager	Current loader is stopped; replacing	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	276
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	362
LoaderManager	Enqueuing as new pending loader	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	398
LoaderManager	1	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager$LoaderCallbacks;)Landroid/support/v4/content/Loader;	476
LocalBroadcastManager	0	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	190
LocalBroadcastManager	9	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	278
LocalBroadcastManager	0	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	374
LocalBroadcastManager	0	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	400
LocalBroadcastManager	0	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	500
LocalBroadcastManager	12	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	600
Log.debug	3	Lcom/offerscamp/b/a/e;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/Throwable;)V	102
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->adjustVolume(I I)V	58
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->dispatchMediaButtonEvent(Landroid/view/KeyEvent;)Z	78
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getExtras()Landroid/os/Bundle;	58
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getFlags()J	58
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getMetadata()Landroid/support/v4/media/MediaMetadataCompat;	58
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getPackageName()Ljava/lang/String;	58

Tag	Message	Caller Code	Path Index
MediaControllerCompact	6	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getPlaybackInfo()Landroid/support/v4/media/session/MediaControllerCompat$PlaybackInfo;	88
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getPlaybackState()Landroid/support/v4/media/session/PlaybackStateCompat;	58
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getQueue()Ljava/util/List;	58
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getQueueTitle()Ljava/lang/CharSequence;	58
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getRatingType()I	58
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->getSessionActivity()Landroid/app/PendingIntent;	58
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->registerCallback(Landroid/support/v4/media/session/MediaControllerCompat$Callback; Landroid/os/Handler;)V	122
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->sendCommand(Ljava/lang/String; Landroid/os/Bundle; Landroid/os/ResultReceiver;)V	66
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->setVolumeTo(I I)V	58
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$MediaControllerImplBase;->unregisterCallback(Landroid/support/v4/media/session/MediaControllerCompat$Callback;)V	116
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->fastForward()V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->pause()V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->play()V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->playFromMediaId(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->playFromSearch(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->rewind()V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->seekTo(J)V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->sendCustomAction(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->setRating(Landroid/support/v4/media/RatingCompat;)V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->skipToNext()V	56
MediaControllerCompact	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->skipToPrevious()V	56

Tag	Message	Caller Code	Path Index
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->skipToQueueItem(J)V	56
MediaControllerCompat	0	Landroid/support/v4/media/session/MediaControllerCompat$TransportControlsBase;->stop()V	56
MediaMetadata	Failed to retrieve a key as Bitmap.	Landroid/support/v4/media/MediaMetadataCompat;->getBitmap(Ljava/lang/String;)Landroid/graphics/Bitmap;	34
MediaMetadata	Failed to retrieve a key as Rating.	Landroid/support/v4/media/MediaMetadataCompat;->getRating(Ljava/lang/String;)Landroid/support/v4/media/RatingCompat;	34
MediaRouterJellybean	Cannot programmatically select non-user route. Media routing may not work.	Landroid/support/v4/media/routing/MediaRouterJellybean$SelectRouteWorkaround;->selectRoute(Ljava/lang/Object; I Ljava/lang/Object;)V	86
MediaRouterJellybean	Cannot programmatically select non-user route. Media routing may not work.	Landroid/support/v4/media/routing/MediaRouterJellybean$SelectRouteWorkaround;->selectRoute(Ljava/lang/Object; I Ljava/lang/Object;)V	110
MediaRouterJellybean	Cannot programmatically select non-user route because the platform is missing the selectRouteInt() method. Media routing may not work.	Landroid/support/v4/media/routing/MediaRouterJellybean$SelectRouteWorkaround;->selectRoute(Ljava/lang/Object; I Ljava/lang/Object;)V	126
MediaRouterJellybeanMr1	Cannot scan for wifi displays.	Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->run()V	54
MediaRouterJellybeanMr1	Cannot scan for wifi displays.	Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->run()V	72
MediaRouterJellybeanMr1	Cannot scan for wifi displays because the DisplayManager.scanWifiDisplays() method is not available on this device.	Landroid/support/v4/media/routing/MediaRouterJellybeanMr1$ActiveScanWorkaround;->setActiveScanRouteTypes(I)V	50
MenuItemCompat	getActionProvider: item does not implement SupportMenuItem; returning null	Landroid/support/v4/view/MenuItemCompat;->getActionProvider(Landroid/view/MenuItem;)Landroid/support/v4/view/ActionProvider;	30
MenuItemCompat	setActionProvider: item does not implement SupportMenuItem; ignoring	Landroid/support/v4/view/MenuItemCompat;->setActionProvider(Landroid/view/MenuItem; Landroid/support/v4/view/ActionProvider;)Landroid/view/MenuItem;	30
MenuItemWrapper	Error while calling setExclusiveCheckable	Landroid/support/v7/internal/view/menu/MenuItemWrapperICS;->setExclusiveCheckable(Z)V	102
MobNaitveAds	Please check your network	Lcom/mintmobi/ad/gp/a/l;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V	66
MobNaitveAds	trackping method should run in main thread	Lcom/mintmobi/ad/gp/a/l;->a(Ljava/lang/String; Ljava/lang/String; Landroid/content/Context; Lcom/mintmobi/ad/gp/d;)Z	38
MobNaitveAdsInit	Error executing sendEventToTrackUrl	Lcom/mintmobi/ad/gp/a/l;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V	98
MobNaitveAdsInit	Error executing sendEventToTrackUrl	Lcom/mintmobi/ad/gp/a/l;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)V	244
MobNaitveAdsInit	Error executing sendEventToTrackUrl	Lcom/mintmobi/ad/gp/a/m;->a(Ljava/lang/String;)V	32
NavUtils	7	Landroid/support/v4/app/NavUtils$NavUtilsImplBase;->getParentActivityIntent(Landroid/app/Activity;)Landroid/content/Intent;	124
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->ensureServiceBound(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)Z	128
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	6

Tag	Message	Caller Code	Path Index
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	108
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	166
NotifManCompat	1	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	220
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	296
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	354
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	410
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	160
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	198
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager$ListenerRecord;)V	264
NotifManCompat	10	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	234
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	302
NotifManCompat	0	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	356
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	452
NotifManCompat	10	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->updateListenerMap()V	514
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceConnected(Landroid/content/ComponentName;Landroid/os/IBinder;)V	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceConnected(Landroid/content/ComponentName;Landroid/os/IBinder;)V	60
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceDisconnected(Landroid/content/ComponentName;)V	6

Tag	Message	Caller Code	Path Index
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat$SideChannelManager;->onServiceDisconnected(Landroid/content/ComponentName;)V	60
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->ensureActionReflectionReadyLocked()Z	152
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->ensureActionReflectionReadyLocked()Z	174
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->getAction(Landroid/app/Notification; I Landroid/support/v4/app/NotificationCompatBase$Action$Factory; Landroid/support/v4/app/RemoteInputCompatBase$RemoteInput$Factory;)Landroid/support/v4/app/NotificationCompatBase$Action;	130
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->getActionObjectsLocked(Landroid/app/Notification;)[Ljava/lang/Object;	66
NotificationCompat	Notification.extras field is not of type Bundle	Landroid/support/v4/app/NotificationCompatJellybean;->getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	78
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;->getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	168
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;->getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	196
PrintHelperKitkat	Error writing printed content	Landroid/support/v4/print/PrintHelperKitkat$1;->onWrite([Landroid/print/PageRange; Landroid/os/ParcelFileDescriptor; Landroid/os/CancellationSignal; Landroid/print/PrintDocumentAdapter$WriteResultCallback;)V	202
PrintHelperKitkat	Error writing printed content	Landroid/support/v4/print/PrintHelperKitkat$2;->onWrite([Landroid/print/PageRange; Landroid/os/ParcelFileDescriptor; Landroid/os/CancellationSignal; Landroid/print/PrintDocumentAdapter$WriteResultCallback;)V	202
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory$Options;)Landroid/graphics/Bitmap;	82
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory$Options;)Landroid/graphics/Bitmap;	114
Rating	Invalid percentage-based rating value	Landroid/support/v4/media/RatingCompat;->newPercentageRating(F)Landroid/support/v4/media/RatingCompat;	30
Rating	4	Landroid/support/v4/media/RatingCompat;->newStarRating(I F)Landroid/support/v4/media/RatingCompat;	66
Rating	Trying to set out of range star-based rating	Landroid/support/v4/media/RatingCompat;->newStarRating(I F)Landroid/support/v4/media/RatingCompat;	104
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput$ImplBase;->addResultsToIntent([Landroid/support/v4/app/RemoteInput; Landroid/content/Intent; Landroid/os/Bundle;)V	8
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput$ImplBase;->getResultsFromIntent(Landroid/content/Intent;)Landroid/os/Bundle;	8
RootTest	4	Lcom/fak/seb/d/b;->b(Landroid/content/Context; Ljava/lang/String;)Z	206
RoundedBitmapDrawableFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/io/InputStream;)Landroid/support/v4/graphics/drawable/RoundedBitmapDrawable;	70
RoundedBitmapDrawableFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/lang/String;)Landroid/support/v4/graphics/drawable/RoundedBitmapDrawable;	70

Tag	Message	Caller Code	Path Index
SearchView	6	Landroid/support/v7/widget/SearchView;->createIntentFromSuggestion(Landroid/database/Cursor; I Ljava/lang/String;)Landroid/content/Intent;	278
SearchView	5	Landroid/support/v7/widget/SearchView;->launchIntent(Landroid/content/Intent;)V	66
SearchView	Could not find voice search activity	Landroid/support/v7/widget/SearchView;->onVoiceClicked()V	64
SlidingPaneLayout	6	Landroid/support/v4/widget/SlidingPaneLayout;->drawChild(Landroid/graphics/Canvas; Landroid/view/View; J)Z	322
SlidingPaneLayout	onMeasure: More than two child views are not supported.	Landroid/support/v4/widget/SlidingPaneLayout;->onMeasure(I I)V	156
SlidingPaneLayout	1	Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->()V	76
SlidingPaneLayout	1	Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->()V	94
SlidingPaneLayout	Error refreshing display list state	Landroid/support/v4/widget/SlidingPaneLayout$SlidingPanelLayoutImplJB;->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V	62
Spinner	Cannot set popup background for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat$DialogPopup;->setBackgroundDrawable(Landroid/graphics/drawable/Drawable;)V	8
Spinner	Cannot set horizontal offset for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat$DialogPopup;->setHorizontalOffset(I)V	8
Spinner	Cannot set vertical offset for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat$DialogPopup;->setVerticalOffset(I)V	8
Spinner	Cannot set dropdown width for MODE_DIALOG, ignoring	Landroid/support/v7/internal/widget/SpinnerCompat;->setDropDownWidth(I)V	20
Spinner	setPopupBackgroundDrawable: incompatible spinner mode; ignoring...	Landroid/support/v7/internal/widget/SpinnerCompat;->setPopupBackgroundDrawable(Landroid/graphics/drawable/Drawable;)V	20
SuggestionsAdapter	9	Landroid/support/v7/widget/SuggestionsAdapter;->getActivityIcon(Landroid/content/ComponentName;)Landroid/graphics/drawable/Drawable;	160
SuggestionsAdapter	7	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	160
SuggestionsAdapter	10	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	306
SuggestionsAdapter	10	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	370
SuggestionsAdapter	10	Landroid/support/v7/widget/SuggestionsAdapter;->getDrawableFromResourceValue(Ljava/lang/String;)Landroid/graphics/drawable/Drawable;	230
SuggestionsAdapter	unexpected error retrieving valid column from cursor, did the remote process die?	Landroid/support/v7/widget/SuggestionsAdapter;->getStringOrNull(Landroid/database/Cursor; I)Ljava/lang/String;	30
SuggestionsAdapter	Tried to change cursor after adapter was closed.	Landroid/support/v7/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V	16
SuggestionsAdapter	error changing cursor and caching columns	Landroid/support/v7/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V	152
SuggestionsAdapter	Search suggestions cursor threw exception.	Landroid/support/v7/widget/SuggestionsAdapter;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	20
SuggestionsAdapter	Search suggestions query threw an exception.	Landroid/support/v7/widget/SuggestionsAdapter;->runQueryOnBackgroundThread(Ljava/lang/CharSequence;)Landroid/database/Cursor;	96

Tag	Message	Caller Code	Path Index
SupportMenuInflater	7	Landroid/support/v7/internal/view/SupportMenuInflater$MenuState;->newInstance(Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;	90
TaskStackBuilder	Bad ComponentName while traversing activity parent metadata	Landroid/support/v4/app/TaskStackBuilder;->addParentStack(Landroid/content/ComponentName;)Landroid/support/v4/app/TaskStackBuilder;	70
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/internal/widget/ToolbarWidgetWrapper;->initIndeterminateProgress()V	8
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/internal/widget/ToolbarWidgetWrapper;->initProgress()V	8
ViewCompat	dispatchFinishTemporaryDetach	Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->bindTempDetach()V	70
ViewCompat	Error calling dispatchFinishTemporaryDetach	Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V	50
ViewCompat	Error calling dispatchStartTemporaryDetach	Landroid/support/v4/view/ViewCompat$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V	50
ViewPager	10	Landroid/support/v4/view/ViewPager;->arrowScroll(I)Z	304
ViewPager	3	Landroid/support/v4/view/ViewPager;->setOffscreenPageLimit(I)V	68
ViewUtils	Could not find method computeFitSystemWindows. Oh well.	Landroid/support/v7/internal/widget/ViewUtils;->()V	98
ViewUtils	Could not find method makeOptionalFitsSystemWindows. Oh well...	Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V	82
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V	100
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/internal/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V	118
WakefulBroadcastReceiver	0	Landroid/support/v4/content/WakefulBroadcastReceiver;->completeWakefulIntent(Landroid/content/Intent;)Z	112
android.support.v4.speech.tts	14	Landroid/support/v4/speech/tts/TextToSpeechICS;->construct(Landroid/content/Context; Landroid/speech/tts/TextToSpeech$OnInitListener; Ljava/lang/String;)Landroid/speech/tts/TextToSpeech;	36
sendEventToLogUrl	4	Lcom/mintmobi/ad/gp/c/i;->a(Landroid/content/Context; Ljava/lang/String; Z Ljava/util/Map;)V	188
sendEventToLogUrl	Network not available,cancel sendEventToTrackUrl	Lcom/mintmobi/ad/gp/c/i;->a(Landroid/content/Context; Ljava/lang/String; Z Ljava/util/Map;)V	252
width	1	Lmy/ad/style/ScreenAdLayout;->a(I Lmy/ad/d/a;)V	228

ScreenShots