

General Information

Analysis Start Time	2016-12-19 16:36:32
Analysis End Time	2016-12-19 16:40:46
File MD5	8D41847561BEEABEE38C3C7195053DE8
File Size	4.49 MB
File Name	Mulm.apk
Package Name	com.applock.fast.switch.multiple.accounts
Version Code	5
Version Name	1.0.4
Min SDK	15
Target SDK	19
Max SDK	N/A
Pcap File	P (/file_download?md5=8D41847561BEEABEE38C3C7195053DE8&type=pcap)
Logcat File	(/file_download?md5=8D41847561BEEABEE38C3C7195053DE8&type=logcat)

Risk Score

100

Risky Behaviors

Connects to the Internet	
Encrypt or Decrypt data	
Exist unused permissions	
Gets geographic location	
Gets packages installed on the device	
Gets the alphabetic name of current registered operator	
Gets the numeric name (MCC+MNC) of current registered operator	
Loads and links the dynamic library	
Loads code dynamically	
Utilizes Java reflection	

Malware Detected by VirusTotal

(https://www.virustotal.com/en/file/29 caf 4955 af 2a159b1c67fd 7eb573c23b5461e9399b6cfff 747f4193d919fa1f/analystal.com/en/file/29 caf 4955 af 2a159b1c67fd 7eb573c23b5461e9399b6cfff 7eb573c25b1c67fd 7eb575c25b1c67fd 7eb575c25b1c6


AVG	•
Ad-Aware	Android.Trojan.HiddenAds.gQMT


BitDefender	Android.Trojan.HiddenAds.gQMT
ESET-NOD32	•
F-Secure	Android.Trojan.HiddenAds.gQMT
Fortinet	•
Kaspersky	•
McAfee	•
Qihoo-360	•
Symantec	•

Certificate

Content	Owner: CN=(SS), OU=(SS), O=(SS), L=(BJ), ST=(BJ), C=(CN) Issuer: CN=(SS), OU=(SS), O=(SS), L=(BJ), ST=(BJ),
	C=(CN) Serial number: 7d0f1527 Valid from: Wed Oct 12 15:24:50 CST 2016 until: Fri Sep 18 15:24:50 CST 2116
	Certificate fingerprints: MD5: 29:BE:1D:23:93:7C:8A:BE:74:7E:D9:AE:12:84:76:9D SHA1:
	55:57:E2:AE:F9:66:7D:53:8F:62:30:71:A2:AC:C9:DF:03:4E:37:AA SHA256:
	18:AD:0A:81:8A:62:33:19:37:54:6A:84:01:20:D7:B2:6D:0E:51:61:E9:27:A5:DC:1E:0B:E6:6E:66:B2:99:54 Signature
	algorithm name: SHA256withRSA Version: 3 Extensions: #1: ObjectId: 2.5.29.14 Criticality=false SubjectKeyIdentifier
	Keyldentifier [0000: 5B 72 7E AD F0 08 B4 9D B4 7C 67 07 11 BF 83 C3 [rg 0010: CE DA 75 04u.]]
Sha1	5557E2AEF9667D538F623071A2ACC9DF034E37AA

Classification





Code Features

Code Feature	Used
Native Code	•
Dynamic Loader	•
Java Reflection	•
Crypto	•

Permissions

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCESS_C ACHE_FILESYSTEM	signature system		8	0	8	Allow an application to read and write the cache partition.
android.permission.ACCESS_C OARSE_LOCATION	dangerous	000000	0	0	•	Allows an app to access approximate location derived from network location sources such as cell towers and Wi-Fi.
android.permission.ACCESS_D OWNLOAD_MANAGER	normal	333	8	8	8	N/A
android.permission.ACCESS_FI NE_LOCATION	dangerous	000000	0	0	0	Used for permissions that allow access to the user's current location. Allows an app to access precise location from location sources such as GPS, cell towers, and Wi-Fi.
android.permission.ACCESS_L OCATION_EXTRA_COMMAND S	normal		8	0	0	Allows an application to access extra location provider commands
android.permission.ACCESS_M OCK_LOCATION	dangerous		8	8	8	Allows an application to create mock location providers for testing
android.permission.ACCESS_N ETWORK_STATE	normal		8	8	•	Allows applications to access information about networks
android.permission.ACCESS_ WIFI_STATE	normal	111	8	8	8	Allows applications to access information about Wi-Fi networks
android.permission.ACCESS_ WIMAX_STATE	normal	333	8	0	8	N/A

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.ACCOUNT_ MANAGER	signature		•	•	8	Allows applications to call into AccountAuthenticators. Not for use by third-party applications.
android.permission.AUTHENTI CATE_ACCOUNTS	dangerous	000000	0	0	•	Allows an application to act as an AccountAuthenticator for the AccountManager
android.permission.BATTERY_ STATS	signature system		8	8	8	Allows an application to collect battery statistics
android.permission.BIND_APP WIDGET	signature system	00000000	0	0	0	Allows an application to tell the AppWidget service which application Not for use by third-party applications.
android.permission.BLUETOOT H	dangerous	000000	8	8	O	Used for permissions that provide access to other devices through Bluetooth. Allows applications to connect to paired bluetooth devices
android.permission.BLUETOOT H_ADMIN	dangerous		8	8	8	Allows applications to discover and pair bluetooth devices
android.permission.BODY_SEN SORS	normal	200	8	8	0	N/A
android.permission.BROADCA ST_STICKY	normal	333	8	8	0	Allows an application to broadcast sticky intents. These are to wait for the next broadcast.
android.permission.CALL_PHO NE	dangerous		8	8	•	Allows an application to initiate a phone call without going through being placed.
android.permission.CAMERA	dangerous	8889808	0	0	8	Used for permissions that are associated with accessing camera or capturing images/video from the device. Required to be able to access the camera device. install on devices that don't support all camera features.
android.permission.CHANGE_C ONFIGURATION	signature system devel opment		8	8	8	Allows an application to modify the current configuration, such as locale.
android.permission.CHANGE_N ETWORK_STATE	normal	333	8	8	0	Allows applications to change network connectivity state
android.permission.CHANGE_ WIFI_MULTICAST_STATE	dangerous	000000	8	8	0	Used for permissions that provide direct access to the hardware on flashlight, etc. Allows applications to enter Wi-Fi Multicast mode
android.permission.CHANGE_ WIFI_STATE	dangerous		8	8	8	Allows applications to change Wi-Fi connectivity state
android.permission.CHANGE_ WIMAX_STATE	dangerous		8	8	8	N/A
android.permission.CLEAR_AP P_CACHE	dangerous	000000	0	0	0	Allows an application to clear the caches of all installed applications on the device.
android.permission.CLEAR_AP P_USER_DATA	signature	99999999	•	•	0	Allows an application to clear user data. Not for use by third-party applications.
android.permission.DELETE_P ACKAGES	signature system	00000000	8	8	8	Allows an application to delete packages. Not for use by third-party applications.
android.permission.DEVICE_P OWER	signature		8	8	0	Allows low-level access to power management. Not for use by third-party

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.DISABLE_K EYGUARD	dangerous	0000000	0	O	•	Group of permissions that are related to the screenlock. Allows applications to disable the keyguard
android.permission.DOWNLOA D_WITHOUT_NOTIFICATION	normal	333	8	8	8	N/A
android.permission.EXPAND_S TATUS_BAR	normal	333	8	8	8	Used for permissions that change the status bar Allows an application to expand or collapse the status bar.
android.permission.FLASHLIGH T	normal	888	8	8	0	Allows access to the flashlight
android.permission.GET_ACCO UNTS	normal	100	8	8	•	Permissions for direct access to the accounts managed by the Account Manager. Allows access to the list of accounts in the Accounts Service
android.permission.GET_PACK AGE_SIZE	normal	000	8	8	8	Allows an application to find out the space used by any package.
android.permission.GET_TASK S	dangerous	000000	O	O	•	Group of permissions that are related to the other applications running apps, or killing background processes. Allows an application to get information about the currently or recently running tasks.
android.permission.INSTALL_P ACKAGES	signature system	00000000	O	0	0	Allows an application to install packages. Not for use by third-party applications.
android.permission.INTERACT_ ACROSS_USERS	signature system devel opment	99999999	8	0	8	Allows an application to call APIs that allow it to do interactions third party applications.
android.permission.INTERNET	dangerous	0000000	€	•	•	Used for permissions that provide access to networking services. The or other related network operations. Allows applications to open network sockets.
android.permission.KILL_BACK GROUND_PROCESSES	normal	100	8	8	8	Allows an application to call { android.app.ActivityManager#killBackgr oundProcesses}.
android.permission.MANAGE_A	dangerous	0000000	8	8	•	Allows an application to manage the list of accounts in the AccountManager
android.permission.MEDIA_CO NTENT_CONTROL	signature system	90000000	0	0	8	Allows an application to know what content is playing and control its playback. Not for use by third-party applications due to privacy of media consumption
android.permission.MODIFY_A UDIO_SETTINGS	normal	100	8	8	0	Used for permissions that provide direct access to speaker settings the device. Allows an application to modify global audio settings
android.permission.MOUNT_U NMOUNT_FILESYSTEMS	system signature	00000000	8	8	8	Allows mounting and unmounting file systems for removable storage. Not for use by third-party applications.
android.permission.NFC	dangerous	000000	0	0	0	Allows applications to perform I/O operations over NFC
android.permission.PACKAGE_ USAGE_STATS	signature system	00000000	8	8	8	Allows an application to collect component usage statistics

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.PERSISTE NT_ACTIVITY	normal	333	©	O	0	This functionality will be removed in the future; please do not use. Allow an application to make its activities persistent.
android.permission.PROCESS_ OUTGOING_CALLS	dangerous	000000	0	8	O	Used for permissions that are associated with accessing and modifyign and modifying the phone state. Allows an application to monitor, modify, or abort outgoing calls.
android.permission.READ_CAL ENDAR	dangerous	000000	8	O	0	Used for permissions that provide access to the device calendar to create / view events. Allows an application to read the user's calendar data.
android.permission.READ_CAL L_LOG	dangerous	000000	0	•	•	Allows an application to read the user's call log. targetSdkVersion is 16 or higher.
android.permission.READ_CEL L_BROADCASTS	dangerous	000000	8	O	•	Allows an application to read previously received cell broadcast Pending API council approval
android.permission.READ_CON TACTS	dangerous	000000	0	8	•	Used for permissions that provide access to the user's social connections, expressed as two distinct permissions). Allows an application to read the user's contacts data.
android.permission.READ_EXT ERNAL_STORAGE	normal		8	6	•	Group of permissions that are related to SD card access. Allows an application to read from external storage. targetSdkVersion is 4 or higher.
android.permission.READ_INST ALL_SESSIONS	normal	300	8	8	8	N/A
android.permission.READ_LOG S	signature system devel opment	00000000	0	•	0	Allows an application to read the low-level system log files. Log entries can contain the user's private information.
android.permission.READ_OW NER_DATA	normal	888	8	8	0	N/A
android.permission.READ_PHO NE_STATE	dangerous	000000	8	8	•	Allows read only access to phone state. targetSdkVersion is 4 or higher.
android.permission.READ_PRO FILE	dangerous	000000	0	8	O	Used for permissions that provide access to information about the device distinct permissions). Allows an application to read the user's personal profile data.
android.permission.READ_SMS	dangerous	000000	•	8	•	Allows an application to read SMS messages.
android.permission.READ_SOC IAL_STREAM	dangerous	000000	0	0	0	Allows an application to read from the user's social stream.
android.permission.READ_SYN C_SETTINGS	normal	000	©	0	0	Used for permissions that access the sync settings or sync related information. Allows applications to read the sync settings
android.permission.READ_SYN C_STATS	normal	000	•	0	0	Allows applications to read the sync stats

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.READ_USE R_DICTIONARY	dangerous	8000000	0	0	•	Used for permissions that provide access to the user calendar to create / view events. Allows an application to read the user dictionary. This should the Settings app.
android.permission.RECEIVE_ BOOT_COMPLETED	normal	333	8	8	•	Allows an application to receive the to the user.
android.permission.RECEIVE_ MMS	dangerous	000000	0	0	•	Allows an application to monitor incoming MMS messages, to record or perform processing on them.
android.permission.RECEIVE_ SMS	dangerous	800000	•	©	8	Allows an application to monitor incoming SMS messages, to record or perform processing on them.
android.permission.RECEIVE_ WAP_PUSH	dangerous	000000	8	8	8	Allows an application to monitor incoming WAP push messages.
android.permission.RECORD_A UDIO	dangerous	5000000	8	8	0	Used for permissions that are associated with accessing but are in a separate (more visible) permission group. Allows an application to record audio
android.permission.REORDER_ TASKS	normal	333	8	8	•	Allows an application to change the Z-order of tasks
android.permission.RESTART_ PACKAGES	normal		•	0	•	The { android.app.ActivityManager#restartPac kage} API is no longer supported.
android.permission.SEND_SMS	dangerous	9999999	9	•	•	Used for permissions that allow an application to send messages receiving or reading an MMS. Allows an application to send SMS messages.
android.permission.SET_TIME_ ZONE	normal	000	8	8	0	Allows applications to set the system time zone
android.permission.SET_WALL PAPER	normal	202	0	0	O	Group of permissions that allow manipulation of how another application displays UI to the user. Allows applications to set the wallpaper
android.permission.SET_WALL PAPER_HINTS	normal	888	8	8	8	Allows applications to set the wallpaper hints
android.permission.SUBSCRIB ED_FEEDS_READ	normal	000	8	8	0	Allows an application to allow access the subscribed feeds ContentProvider.
android.permission.SUBSCRIB ED_FEEDS_WRITE	dangerous	000000	8	8	8	N/A
android.permission.SYSTEM_A LERT_WINDOW	dangerous	030000	O	G	8	Group of permissions that allow manipulation of how another application displays UI to the user. Allows an application to open windows using the type system-level interaction with the user.
android.permission.TRANSMIT _IR	normal	1111	8	8	8	Allows using the device's IR transmitter, if available
android.permission.USE_CRED ENTIALS	dangerous	000000	8	8	8	Allows an application to request authtokens from the AccountManager
android.permission.USE_FING ERPRINT	normal		8	8	8	N/A
android.permission.USE_SIP	dangerous	000000	0	0	8	Allows an application to use SIP service

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
android.permission.VIBRATE	normal	000	8	8	•	Allows access to the vibrator
android.permission.WAKE_LOC K	normal	333	8	8	•	Allows using PowerManager WakeLocks to keep processor from sleeping or screen from dimming
android.permission.WRITE_AP N_SETTINGS	signature system	***************************************	•	•	0	Allows applications to write the apn settings. Not for use by third-party applications.
android.permission.WRITE_CA LENDAR	dangerous	0000000	•	•	•	Allows an application to write (but not read) the user's calendar data.
android.permission.WRITE_CA LL_LOG	dangerous	0000000	0	0	0	Allows an application to write (but not read) the user's targetSdkVersion is 16 or higher.
android.permission.WRITE_CO	dangerous	888888	6	6	8	Allows an application to write (but not read) the user's contacts data.
android.permission.WRITE_EX TERNAL_STORAGE	dangerous	000000	8	8	8	Allows an application to write to external storage. { android.content.Context#getExternalCa cheDir}.
android.permission.WRITE_ME DIA_STORAGE	signature system	00000000	8	8	8	Allows an application to write to internal media storage
android.permission.WRITE_OW NER_DATA	normal	300	8	8	8	N/A
android.permission.WRITE_PR OFILE	dangerous	0000000	8	8	8	Allows an application to write (but not read) the user's personal profile data.
android.permission.WRITE_SE TTINGS	normal	300	8	8	Ø	Allows an application to read or write the system settings.
android.permission.WRITE_SM S	dangerous	333333	8	6	8	Allows an application to write SMS messages.
android.permission.WRITE_SO CIAL_STREAM	dangerous	333333	8	6	8	Allows an application to write (but not read) the user's social stream data.
android.permission.WRITE_SY NC_SETTINGS	normal	300	8	8	8	Allows applications to write the sync settings
android.permission.WRITE_US ER_DICTIONARY	normal	000	8	8	•	Used for permissions that provide access to the user calendar to create / view events. Allows an application to write to the user dictionary.
cn.nubia.launcher.permission.R EAD_SETTINGS	normal	300	8	6	8	N/A
com.actionlauncher.playstore.p ermission.READ_SETTINGS	normal	000	8	0	8	N/A
com.anddoes.launcher.permissi on.READ_SETTINGS	normal	000	0	0	•	N/A
com.android.alarm.permission. SET_ALARM	normal	200	8	8	8	Used for permissions that provide access to the user voicemail box. Allows an application to broadcast an Intent to set an alarm for the user.
com.android.browser.permissio n.READ_HISTORY_BOOKMAR KS	dangerous	000000	O	© .	O	Used for permissions that provide access to the user bookmarks and browser history. Allows an application to read (but not write) the user's browsing history and bookmarks.

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
com.android.browser.permissio n.WRITE_HISTORY_BOOKMA RKS	dangerous	000000	0	©	0	Allows an application to write (but not read) the user's browsing history and bookmarks.
com.android.launcher.permissio n.INSTALL_SHORTCUT	dangerous	0000000	8	8	•	N/A
com.android.launcher.permissio n.READ_SETTINGS	normal	000	8	8	8	N/A
com.android.launcher.permissio n.UNINSTALL_SHORTCUT	dangerous	3333300	8	8	0	N/A
com.android.launcher.permissio n.WRITE_SETTINGS	normal	333	8	8	0	N/A
com.android.launcher2.permissi on.READ_SETTINGS	normal	333	8	8	8	N/A
com.android.launcher3.permissi on.READ_SETTINGS	normal	333	8	8	8	N/A
com.android.vending.CHECK_L ICENSE	normal	000	8	8	•	N/A
com.android.voicemail.permissi on.ADD_VOICEMAIL	dangerous	3005000	O	O	0	Used for permissions that provide access to the user voicemail box. Allows an application to add voicemails into the system.
com.apusapps.launcher.permis sion.READ_SETTINGS	normal	000	8	8	8	N/A
com.bbk.launcher2.permission. READ_SETTINGS	normal	000	8	8	8	N/A
com.google.android.c2dm.permi ssion.RECEIVE	normal	333	8	8	8	N/A
com.google.android.gms.permis sion.ACTIVITY_RECOGNITION	normal	000	8	8	8	N/A
com.google.android.gms.permis sion.AD_ID_NOTIFICATION	normal	000	8	8	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH	normal	000	8	8	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.O THER_SERVICES	normal		0	•	O	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.Y ouTubeUser	normal		0	©	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.a dsense	normal		0	0	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.a dwords	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.a h	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.bl ogger	normal	000	0	0	0	N/A

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
com.google.android.googleapps .permission.GOOGLE_AUTH.cl	normal	333	8	8	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.c p	normal	000	©	©	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.d odgeball	normal		0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.fi nance	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.g base	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.gr andcentral	normal		0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.gr oups2	normal	100	0	8	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.h ealth	normal		0	8	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.ig	normal	333	8	8	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.jo tspot	normal		0	Ø	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.k nol	normal		0	0	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.lh 2	normal	000	8	0	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.lo cal	normal		0	8	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.m ail	normal	lana .	0	8	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.m obile	normal	lana .	0	8	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.n ews	normal		8	8	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.n otebook	normal		8	8	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.or kut	normal		8	8	8	N/A

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
com.google.android.googleapps .permission.GOOGLE_AUTH.pr int	normal	000	0	0	O	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.sit emaps	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.s peech	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.s peechpersonalization	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.ta lk	normal	000	0	0	0	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.wi fi	normal		0	0	O	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.wi se	normal	100	8	0	O	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.w ritely	normal		0	0	8	N/A
com.google.android.googleapps .permission.GOOGLE_AUTH.y outube	normal		0	0	O	N/A
com.google.android.launcher.pe rmission.READ_SETTINGS	normal	333	8	8	8	N/A
com.google.android.providers.g sf.permission.READ_GSERVIC ES	normal	300	0	0	0	N/A
com.google.android.providers.ta	normal	000	•	0	0	N/A
com.google.android.providers.ta	normal	333	8	8	0	N/A
com.htc.launcher.permission.R EAD_SETTINGS	normal	333	8	8	0	N/A
com.huawei.android.launcher.p ermission.CHANGE_BADGE	normal	333	8	8	•	N/A
com.huawei.android.launcher.p ermission.READ_SETTINGS	normal		8	8	•	N/A
com.lenovo.launcher.permission .READ_SETTINGS	normal		0	0	8	N/A
com.lody.virtual.permission.VIR TUAL_BROADCAST	normal		•	8	8	N/A
com.mx.launcher.permission.R EAD_SETTINGS	normal	333	0	8	8	N/A
com.oppo.launcher.permission. READ_SETTINGS	normal	111	8	8	8	N/A
com.s.launcher.permission.REA D_SETTINGS	normal	000	8	8	8	N/A

Permission Name	Protection Level	Threat Level	Customized	Duplicated	Used	Description
com.teslacoilsw.launcher.permis sion.READ_SETTINGS	normal	333	8	8	8	N/A
com.tsf.shell.permission.READ_ SETTINGS	normal	888	0	0	0	N/A

Activities

Name	Main Activity	Exposed
com.android.client.Unity3dPlayerActivity	0	8
com.android.our.MoreGameActivity		•
com.applock.fast.switch.multiple.accounts.enter.EnterActivity • android.intent.action.MAIN	•	•
com.applock.fast.switch.multiple.accounts.home.HomeActivity	•	8
com.applock.fast.switch.multiple.accounts.home.LoadingActivity	•	0
com.applock.fast.switch.multiple.accounts.util.ListAppActivity	0	0
com.facebook.ads.InterstitialAdActivity	0	0
com.google.android.gms.ads.AdActivity	•	8
com.ivy.module.clean.Huojian • android.intent.action.MAIN	•	•
com.ivy.module.cropview.main.CropPictureActivity android.intent.action.MAIN	•	•
com.ivy.module.loading.StartAnimActivity	•	0
com.ivy.module.locks.applock.SecurityQuestionActivity	0	8
com.ivy.module.locks.applock.SettingPasswordActivity	0	8
com.ivy.module.locks.applock.SetupPattern	0	•
com.ivy.module.locks.applock.UnlockActivity intent.ivy.module.launch.unlock	0	0
com.lody.virtual.client.stub.InstallerActivity	9	O
com.lody.virtual.client.stub.ShortcutHandleActivity	0	•
com.lody.virtual.client.stub.StubActivity\$C0	0	0
com.lody.virtual.client.stub.StubActivity\$C1	0	0
com.lody.virtual.client.stub.StubActivity\$C10	0	0
com.lody.virtual.client.stub.StubActivity\$C11	0	0
com.lody.virtual.client.stub.StubActivity\$C12	8	8

com lody witual client situ. StabActiviy6C19 com lody witual clien	Name	Main Activity	Exposed
concludy with aut client status StaubActivity\$C175 Concludy with aut client status StaubActivity\$C176 Concludy with aut client status StaubActivity\$C176 Concludy with aut client status StaubActivity\$C176 Concludy with aut client status StaubActivity\$C276 Concludy with aut client status StaubActivity\$C277 Concludy with aut client status StaubActivity\$C278 Concludy with aut client status StaubActivity\$C278 Concludy with aut client status StaubActivity\$C278 Concludy with aut client status StaubActivity\$C279 Conclu	com.lody.virtual.client.stub.StubActivity\$C13	O	O
com lody virtual client situb. StubActiviy6C19 com lody virtual client situb. StubActiviy6C29 com lody virtual client situb. StubActiviy6C31 com lody virtual client situb. StubActiviy6C31 com lody virtual client situb. StubActiviy6C31 com lody virtual client situb. StubActiviy6C33 com lody virtual client situb. StubActiviy6C34 com lody virtual client situb.	com.lody.virtual.client.stub.StubActivity\$C14	0	0
Come Indexy virtual client stub. Stub Activity 3C18 Come Indexy virtual client stub. Stub Activity 3C18 Come Indexy virtual client stub. Stub Activity 3C22 Come Indexy virtual client stub. Stub Activity 3C23 Come Indexy virtual client stub. Stub Activity 3C33 Come Indexy virtua	com.lody.virtual.client.stub.StubActivity\$C15	0	0
combody virtual client stub. StubActivity\$C18 O Combody virtual client stub. StubActivity\$C22 O Combody virtual client stub. StubActivity\$C23 O Combody virtual client stub. StubActivity\$C24 O Combody virtual client stub. StubActivity\$C25 O Combody virtual client stub. StubActivity\$C26 O Combody virtual client stub. StubActivity\$C30	com.lody.virtual.client.stub.StubActivity\$C16	0	0
Com lody virtual client stub StubActivitySC19 Com lody virtual client stub StubActivitySC20 Com lody virtual client stub StubActivitySC20 Com lody virtual client stub StubActivitySC21 Com lody virtual client stub StubActivitySC22 Com lody virtual client stub StubActivitySC22 Com lody virtual client stub StubActivitySC23 Com lody virtual client stub StubActivitySC23 Com lody virtual client stub StubActivitySC24 Com lody virtual client stub StubActivitySC25 Com lody virtual client stub StubActivitySC26 Com lody virtual client stub StubActivitySC26 Com lody virtual client stub StubActivitySC28 Com lody virtual client stub StubActivitySC30 Com lody virtual client stub StubActivitySC31 Com lody virtual client stub StubActivitySC31 Com lody virtual client stub StubActivitySC33 Com lody virtual client stub StubActivitySC34 Com lody virtual client stub StubActivitySC34 Com lody virtual client stub StubActivitySC34 Com lody virtual client stub StubActivitySC35 Com lody virtual client stub StubActivitySC36 Com lody virtual client stub StubActivitySC37 Com lody virtual client stub StubActivitySC33	com.lody.virtual.client.stub.StubActivity\$C17	0	0
com/lody, virtual client stub: StubActivity\$C20 0 com/lody, virtual client stub: StubActivity\$C20 0 com/lody, virtual client stub: StubActivity\$C21 0 com/lody, virtual client stub: StubActivity\$C22 0 com/lody, virtual client stub: StubActivity\$C23 0 com/lody, virtual client stub: StubActivity\$C23 0 com/lody, virtual client stub: StubActivity\$C24 0 com/lody, virtual client stub: StubActivity\$C25 0 com/lody, virtual client stub: StubActivity\$C28 0 com/lody, virtual client stub: StubActivity\$C29 0 com/lody, virtual client stub: StubActivity\$C29 0 com/lody, virtual client stub: StubActivity\$C3 0 com/lody, virtual client stub: StubActivity\$C3 0 com/lody, virtual client stub: StubActivity\$C3 0 com/lody, virtual client stub: StubActivity\$C31 0 com/lody, virtual client stub: StubActivity\$C32 0 com/lody, virtual client stub: StubActivity\$C33 0 com/lody, virtual client stub: StubActivity\$C34 0 com/lody, virtual client stub: StubActivity\$C35 0 com/lody, virtual client stub: StubActivity\$C36 0 <td>com.lody.virtual.client.stub.StubActivity\$C18</td> <td>0</td> <td>0</td>	com.lody.virtual.client.stub.StubActivity\$C18	0	0
Corn. lody virtual client stub: StubActivity\$C22	com.lody.virtual.client.stub.StubActivity\$C19	0	0
com. lody, virtual client stub. StubActivitySC22 O O com. lody, virtual client stub. StubActivitySC22 O O com. lody, virtual client stub. StubActivitySC23 O O com. lody, virtual client stub. StubActivitySC24 O O com. lody, virtual client stub. StubActivitySC25 O O com. lody, virtual client stub. StubActivitySC26 O O com. lody, virtual client stub. StubActivitySC27 O O com. lody, virtual client stub. StubActivitySC28 O O com. lody, virtual client stub. StubActivitySC39 O O com. lody, virtual client stub. StubActivitySC39 O O com. lody, virtual client stub. StubActivitySC31 O O com. lody, virtual client stub. StubActivitySC33 O O com. lody, virtual client stub. StubActivitySC33 O O com. lody, virtual client stub. StubActivitySC34 O O com. lody, virtual client stub. StubActivitySC35 O O com. lody, virtual client stub. StubActivitySC36 O O com. lody, virtual client stub. StubActivitySC37	com.lody.virtual.client.stub.StubActivity\$C2	0	0
com Lody virtual client stub. Stub Activity\$C22 com Lody virtual client stub. Stub Activity\$C23 com Lody virtual client stub. Stub Activity\$C24 com Lody virtual client stub. Stub Activity\$C25 com Lody virtual client stub. Stub Activity\$C26 com Lody virtual client stub. Stub Activity\$C27 com Lody virtual client stub. Stub Activity\$C27 com Lody virtual client stub. Stub Activity\$C27 com Lody virtual client stub. Stub Activity\$C29 com Lody virtual client stub. Stub Activity\$C29 com Lody virtual client stub. Stub Activity\$C39 com Lody virtual client stub. Stub Activity\$C30 com Lody virtual client stub. Stub Activity\$C30 com Lody virtual client stub. Stub Activity\$C31 com Lody virtual client stub. Stub Activity\$C33 com Lody virtual client stub. Stub Activity\$C33 com Lody virtual client stub. Stub Activity\$C34 com Lody virtual client stub. Stub Activity\$C34 com Lody virtual client stub. Stub Activity\$C34 com Lody virtual client stub. Stub Activity\$C35 com Lody virtual client stub. Stub Activity\$C36 com Lody virtual client stub. Stub Activity\$C38 com Lody virtual client stub. Stub Activity\$C39 com Lody virtual client stub. Stub Ac	com.lody.virtual.client.stub.StubActivity\$C20	0	0
com.lody.virtual.client.stub.StubActivity\$C23 Com.lody.virtual.client.stub.StubActivity\$C24 Com.lody.virtual.client.stub.StubActivity\$C25 Com.lody.virtual.client.stub.StubActivity\$C26 Com.lody.virtual.client.stub.StubActivity\$C27 Com.lody.virtual.client.stub.StubActivity\$C28 Com.lody.virtual.client.stub.StubActivity\$C28 Com.lody.virtual.client.stub.StubActivity\$C28 Com.lody.virtual.client.stub.StubActivity\$C30 Com.lody.virtual.client.stub.StubActivity\$C30 Com.lody.virtual.client.stub.StubActivity\$C30 Com.lody.virtual.client.stub.StubActivity\$C30 Com.lody.virtual.client.stub.StubActivity\$C31 Com.lody.virtual.client.stub.StubActivity\$C32 Com.lody.virtual.client.stub.StubActivity\$C33 Com.lody.virtual.client.stub.StubActivity\$C33 Com.lody.virtual.client.stub.StubActivity\$C33 Com.lody.virtual.client.stub.StubActivity\$C34 Com.lody.virtual.client.stub.StubActivity\$C35 Com.lody.virtual.client.stub.StubActivity\$C36 Com.lody.virtual.client.stub.StubActivity\$C36 Com.lody.virtual.client.stub.StubActivity\$C36 Com.lody.virtual.client.stub.StubActivity\$C37 Com.lody.virtual.client.stub.StubActivity\$C37 Com.lody.virtual.client.stub.StubActivity\$C38 Com.lody.virtual.client.stub.StubActivity\$C39 Com.lody.virtual.client.stub.StubActivity\$C39 Com.lody.virtual.client.stub.StubActivity\$C39 Com.lody.virtual.client.stub.StubActivity\$C39 Com.lody.virtual.client.stub.StubActivity\$C39 Com.lody.virtual.clien	com.lody.virtual.client.stub.StubActivity\$C21	0	0
com lody virtual client stub. StubActivity\$C25 0 com lody virtual client stub. StubActivity\$C26 0 com lody virtual client stub. StubActivity\$C26 0 com lody virtual client stub. StubActivity\$C27 0 com lody virtual client stub. StubActivity\$C28 0 com lody virtual client stub. StubActivity\$C29 0 com lody virtual client stub. StubActivity\$C3 0 com lody virtual client stub. StubActivity\$C30 0 com lody virtual client stub. StubActivity\$C31 0 com lody virtual client stub. StubActivity\$C32 0 com lody virtual client stub. StubActivity\$C33 0 com lody virtual client stub. StubActivity\$C34 0 com lody virtual client stub. StubActivity\$C34 0 com lody virtual client stub. StubActivity\$C35 0 com lody virtual client stub. StubActivity\$C36 0 com lody virtual client stub. StubActivity\$C37 0 com lody virtual client stub. StubActivity\$C38 0 <	com.lody.virtual.client.stub.StubActivity\$C22	0	0
com.lody.virtual.client.stub.StubActivity\$C26 © © com.lody.virtual.client.stub.StubActivity\$C27 © © com.lody.virtual.client.stub.StubActivity\$C27 © © com.lody.virtual.client.stub.StubActivity\$C28 © © com.lody.virtual.client.stub.StubActivity\$C29 © © com.lody.virtual.client.stub.StubActivity\$C30 © © com.lody.virtual.client.stub.StubActivity\$C31 © © com.lody.virtual.client.stub.StubActivity\$C32 © © com.lody.virtual.client.stub.StubActivity\$C33 © © com.lody.virtual.client.stub.StubActivity\$C34 © © com.lody.virtual.client.stub.StubActivity\$C35 © © com.lody.virtual.client.stub.StubActivity\$C36 © © com.lody.virtual.client.stub.StubActivity\$C37 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C39 © © <td>com.lody.virtual.client.stub.StubActivity\$C23</td> <td>0</td> <td>0</td>	com.lody.virtual.client.stub.StubActivity\$C23	0	0
com.lody.virtual.client.stub.StubActivity\$C27 © © com.lody.virtual.client.stub.StubActivity\$C28 © © com.lody.virtual.client.stub.StubActivity\$C28 © © com.lody.virtual.client.stub.StubActivity\$C3 © © com.lody.virtual.client.stub.StubActivity\$C30 © © com.lody.virtual.client.stub.StubActivity\$C31 © © com.lody.virtual.client.stub.StubActivity\$C32 © © com.lody.virtual.client.stub.StubActivity\$C33 © © com.lody.virtual.client.stub.StubActivity\$C34 © © com.lody.virtual.client.stub.StubActivity\$C35 © © com.lody.virtual.client.stub.StubActivity\$C36 © © com.lody.virtual.client.stub.StubActivity\$C37 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C39 © ©	com.lody.virtual.client.stub.StubActivity\$C24	0	0
com.lody.virtual.client.stub.StubActivity\$C27 © © com.lody.virtual.client.stub.StubActivity\$C28 © © com.lody.virtual.client.stub.StubActivity\$C29 © © com.lody.virtual.client.stub.StubActivity\$C30 © © com.lody.virtual.client.stub.StubActivity\$C31 © © com.lody.virtual.client.stub.StubActivity\$C32 © © com.lody.virtual.client.stub.StubActivity\$C33 © © com.lody.virtual.client.stub.StubActivity\$C34 © © com.lody.virtual.client.stub.StubActivity\$C35 © © com.lody.virtual.client.stub.StubActivity\$C36 © © com.lody.virtual.client.stub.StubActivity\$C37 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C39 © ©	com.lody.virtual.client.stub.StubActivity\$C25	8	8
com.lody.virtual.client.stub.StubActivity\$C29 • • com.lody.virtual.client.stub.StubActivity\$C3 • • com.lody.virtual.client.stub.StubActivity\$C3 • • com.lody.virtual.client.stub.StubActivity\$C30 • • com.lody.virtual.client.stub.StubActivity\$C31 • • com.lody.virtual.client.stub.StubActivity\$C32 • • com.lody.virtual.client.stub.StubActivity\$C33 • • com.lody.virtual.client.stub.StubActivity\$C34 • • com.lody.virtual.client.stub.StubActivity\$C35 • • com.lody.virtual.client.stub.StubActivity\$C36 • • com.lody.virtual.client.stub.StubActivity\$C37 • • com.lody.virtual.client.stub.StubActivity\$C38 • • com.lody.virtual.client.stub.StubActivity\$C39 • •	com.lody.virtual.client.stub.StubActivity\$C26	0	0
com.lody.virtual.client.stub.StubActivity\$C29 • • com.lody.virtual.client.stub.StubActivity\$C3 • • com.lody.virtual.client.stub.StubActivity\$C30 • • com.lody.virtual.client.stub.StubActivity\$C31 • • com.lody.virtual.client.stub.StubActivity\$C32 • • com.lody.virtual.client.stub.StubActivity\$C33 • • com.lody.virtual.client.stub.StubActivity\$C34 • • com.lody.virtual.client.stub.StubActivity\$C35 • • com.lody.virtual.client.stub.StubActivity\$C36 • • com.lody.virtual.client.stub.StubActivity\$C37 • • com.lody.virtual.client.stub.StubActivity\$C38 • • com.lody.virtual.client.stub.StubActivity\$C39 • •	com.lody.virtual.client.stub.StubActivity\$C27	0	0
com.lody.virtual.client.stub.StubActivity\$C3 • • com.lody.virtual.client.stub.StubActivity\$C30 • • com.lody.virtual.client.stub.StubActivity\$C31 • • com.lody.virtual.client.stub.StubActivity\$C32 • • com.lody.virtual.client.stub.StubActivity\$C33 • • com.lody.virtual.client.stub.StubActivity\$C34 • • com.lody.virtual.client.stub.StubActivity\$C35 • • com.lody.virtual.client.stub.StubActivity\$C36 • • com.lody.virtual.client.stub.StubActivity\$C37 • • com.lody.virtual.client.stub.StubActivity\$C38 • • com.lody.virtual.client.stub.StubActivity\$C39 • •	com.lody.virtual.client.stub.StubActivity\$C28	0	0
com.lody.virtual.client.stub.StubActivity\$C31 • • com.lody.virtual.client.stub.StubActivity\$C31 • • com.lody.virtual.client.stub.StubActivity\$C32 • • com.lody.virtual.client.stub.StubActivity\$C33 • • com.lody.virtual.client.stub.StubActivity\$C34 • • com.lody.virtual.client.stub.StubActivity\$C35 • • com.lody.virtual.client.stub.StubActivity\$C36 • • com.lody.virtual.client.stub.StubActivity\$C37 • • com.lody.virtual.client.stub.StubActivity\$C38 • • com.lody.virtual.client.stub.StubActivity\$C39 • •	com.lody.virtual.client.stub.StubActivity\$C29	0	0
com.lody.virtual.client.stub.StubActivity\$C32 © © com.lody.virtual.client.stub.StubActivity\$C33 © © com.lody.virtual.client.stub.StubActivity\$C33 © © com.lody.virtual.client.stub.StubActivity\$C34 © © com.lody.virtual.client.stub.StubActivity\$C35 © © com.lody.virtual.client.stub.StubActivity\$C36 © © com.lody.virtual.client.stub.StubActivity\$C37 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C39 © ©	com.lody.virtual.client.stub.StubActivity\$C3	0	0
com.lody.virtual.client.stub.StubActivity\$C32 © © com.lody.virtual.client.stub.StubActivity\$C33 © © com.lody.virtual.client.stub.StubActivity\$C34 © © com.lody.virtual.client.stub.StubActivity\$C35 © © com.lody.virtual.client.stub.StubActivity\$C36 © © com.lody.virtual.client.stub.StubActivity\$C37 © © com.lody.virtual.client.stub.StubActivity\$C38 © © com.lody.virtual.client.stub.StubActivity\$C39 © ©	com.lody.virtual.client.stub.StubActivity\$C30	8	8
com.lody.virtual.client.stub.StubActivity\$C33 com.lody.virtual.client.stub.StubActivity\$C34 com.lody.virtual.client.stub.StubActivity\$C35 com.lody.virtual.client.stub.StubActivity\$C36 com.lody.virtual.client.stub.StubActivity\$C37 com.lody.virtual.client.stub.StubActivity\$C38 com.lody.virtual.client.stub.StubActivity\$C38 com.lody.virtual.client.stub.StubActivity\$C39	com.lody.virtual.client.stub.StubActivity\$C31	0	0
com.lody.virtual.client.stub.StubActivity\$C35 com.lody.virtual.client.stub.StubActivity\$C35 com.lody.virtual.client.stub.StubActivity\$C36 com.lody.virtual.client.stub.StubActivity\$C37 com.lody.virtual.client.stub.StubActivity\$C38 com.lody.virtual.client.stub.StubActivity\$C38	com.lody.virtual.client.stub.StubActivity\$C32	0	0
com.lody.virtual.client.stub.StubActivity\$C35 com.lody.virtual.client.stub.StubActivity\$C36 com.lody.virtual.client.stub.StubActivity\$C37 com.lody.virtual.client.stub.StubActivity\$C38 com.lody.virtual.client.stub.StubActivity\$C38	com.lody.virtual.client.stub.StubActivity\$C33	8	8
com.lody.virtual.client.stub.StubActivity\$C37 com.lody.virtual.client.stub.StubActivity\$C37 com.lody.virtual.client.stub.StubActivity\$C38 com.lody.virtual.client.stub.StubActivity\$C38	com.lody.virtual.client.stub.StubActivity\$C34	0	0
com.lody.virtual.client.stub.StubActivity\$C37 com.lody.virtual.client.stub.StubActivity\$C38 com.lody.virtual.client.stub.StubActivity\$C39	com.lody.virtual.client.stub.StubActivity\$C35	0	8
com.lody.virtual.client.stub.StubActivity\$C38 com.lody.virtual.client.stub.StubActivity\$C39	com.lody.virtual.client.stub.StubActivity\$C36	0	8
com.lody.virtual.client.stub.StubActivity\$C39	com.lody.virtual.client.stub.StubActivity\$C37	0	8
	com.lody.virtual.client.stub.StubActivity\$C38	0	0
com lody virtual client stub Stub Activity &C/	com.lody.virtual.client.stub.StubActivity\$C39	0	8
Confidudy. Virtual. Gliefit. Stub. Gtub. Activity \$64	com.lody.virtual.client.stub.StubActivity\$C4	0	0

com. body virtual alerta stub. Stub-Activity 6C42 0 com. body virtual alerta stub. Stub-Activity 6C42 0 com. body virtual alerta stub. Stub-Activity 6C42 0 com. body virtual alerta stub. Stub-Activity 6C44 0 com. body virtual alerta stub. Stub-Activity 6C44 0 com. body virtual alerta stub. Stub-Activity 6C44 0 com. body virtual alerta stub. Stub-Activity 6C47 0 com. body virtual alerta stub. Stub-Activity 6C49 0 com. body virtual alerta stub. Stub-Oaleg 6C1 0 com. body virtual alerta stub. Stub-Oaleg 6C1 0 com. body virtual alerta stub. Stub-	Name	Main Activity	Exposed
com. body, virtual client, stub. Stub ActivitySC42 0 0 com. body, virtual client, stub. Stub ActivitySC44 0 0 com. body, virtual client, stub. Stub ActivitySC45 0 0 com. body, virtual client, stub. Stub ActivitySC45 0 0 com. body, virtual client, stub. Stub ActivitySC46 0 0 com. body, virtual client, stub. Stub ActivitySC48 0 0 com. body, virtual client, stub. Stub ActivitySC49 0 0 com. body, virtual client, stub. Stub ActivitySC5 0 0 com. body, virtual client, stub. Stub ActivitySC6 0 0 com. body, virtual client, stub. Stub ActivitySC6 0 0 com. body, virtual client, stub. Stub DialogSC10 0 0 com. body, virtual client, stub. Stub DialogSC10 0 0 com. body, virtual client, stub. Stub DialogSC11 0 0 com. body, virtual client, stub. Stub DialogSC12 0 0 com. body, virtual client, stub. Stub DialogSC13 0 0 com. body, virtual client, stub. Stub DialogSC16 0 0 com. body, virtual client, stub. Stub	com.lody.virtual.client.stub.StubActivity\$C40	0	O
comitody virtual client stub. Stub-ActivitySC43 Comitody virtual client stub. Stub-ActivitySC45 Comitody virtual client stub. Stub-ActivitySC46 Comitody virtual client stub. Stub-ActivitySC46 Comitody virtual client stub. Stub-ActivitySC46 Comitody virtual client stub. Stub-ActivitySC49 Comitody virtual client stub. Stub-ActivitySC5 Comitody virtual client stub. Stub-ActivitySC6 Comitody virtual client stub. Stub-ActivitySC6 Comitody virtual client stub. Stub-ActivitySC9 Comitody virtual client stub. Stub-ActivitySC9 Comitody virtual client stub. Stub-DislogSC1 Comitody virtual client stub. Stub-DislogSC11 Comitod	com.lody.virtual.client.stub.StubActivity\$C41	•	0
com body virtual client shub Stub Activity 9C46 com Jody virtual client shub Stub Activity 9C46 com Jody virtual client shub Stub Activity 9C46 com Jody virtual client shub Stub Activity 9C47 com Jody virtual client shub Stub Activity 9C47 com Jody virtual client shub Stub Activity 9C48 com Jody virtual client shub Stub Activity 9C48 com Jody virtual client shub Stub Activity 9C49 com Jody virtual client shub Stub Activity 9C5 com Jody virtual client shub Stub Activity 9C5 com Jody virtual client shub Stub Activity 9C6 com Jody virtual client shub Stub Activity 9C6 com Jody virtual client shub Stub Activity 9C6 com Jody virtual client shub Stub Dialog 9C1 com Jody virtual client shub Stub Dialog 9C1 com Jody virtual client shub Stub Dialog 9C1 com Jody virtual client shub Stub Dialog 9C12 com Jody virtual client shub Stub Dialog 9C14 com Jody virtual client shub Stub Dialog 9C12 com Jody virtual client shub Stub Dialog 9C14 com Jody virtual client shub Stub Dialog 9C16 com Jody virtual client shub Stub Dialog 9C16 com Jody virtual client shub Stub Dialog 9C16 com Jody virtual client shub Stub Dialog 9C19	com.lody.virtual.client.stub.StubActivity\$C42	•	0
com lody virtual client stub: Stub-Activity9C45 com lody virtual client stub: Stub-Activity9C47 com lody virtual client stub: Stub-Activity9C48 com lody virtual client stub: Stub-Activity9C49 com lody virtual client stub: Stub-Activity9C49 com lody virtual client stub: Stub-Activity9C5 com lody virtual client stub: Stub-Activity9C7 com lody virtual client stub: Stub-Activity9C8 com lody virtual client stub: Stub-Activity9C8 com lody virtual client stub: Stub-Daleig9SC0 com lody virtual client stub: Stub-Daleig9SC0 com lody virtual client stub: Stub-Daleig9SC1 com lody virtual client stub: Stub-Daleig9SC2	com.lody.virtual.client.stub.StubActivity\$C43	•	0
com Jody virtual client stub. Stub-ActivitySC47 com Jody virtual client stub. Stub-ActivitySC47 com Jody virtual client stub. Stub-ActivitySC48 com Jody virtual client stub. Stub-ActivitySC49 com Jody virtual client stub. Stub-ActivitySC49 com Jody virtual client stub. Stub-ActivitySC5 com Jody virtual client stub. Stub-ActivitySC5 com Jody virtual client stub. Stub-ActivitySC6 com Jody virtual client stub. Stub-ActivitySC7 com Jody virtual client stub. Stub-ActivitySC9 com Jody virtual client stub. Stub-ActivitySC9 com Jody virtual client stub. Stub-DialogSC0 com Jody virtual client stub. Stub-DialogSC0 com Jody virtual client stub. Stub-DialogSC1 com Jody virtual client stub. Stub-DialogSC16 com Jody virtual client stub. Stub-DialogSC16 com Jody virtual client stub. Stub-DialogSC16 com Jody virtual client stub. Stub-DialogSC17 com Jody virtual client stub. Stub-DialogSC18 com Jody virtual client stub. Stub-DialogSC18 com Jody virtual client stub. Stub-DialogSC18 com Jody virtual client stub. Stub-DialogSC19 com Jody virtual client stub. Stub-DialogSC19 com Jody virtual client stub. Stub-DialogSC19 com Jody virtual client stub. Stub-DialogSC20	com.lody.virtual.client.stub.StubActivity\$C44	•	0
com.lody virtual client stub. StubActivity\$C47 com.lody virtual client stub. StubActivity\$C48 com.lody virtual client stub. StubActivity\$C49 com.lody virtual client stub. StubActivity\$C5 com.lody virtual client stub. StubActivity\$C5 com.lody virtual client stub. StubActivity\$C6 com.lody virtual client stub. StubActivity\$C6 com.lody virtual client stub. StubActivity\$C6 com.lody virtual client stub. StubActivity\$C9 com.lody virtual client stub. StubDialog\$C0 com.lody virtual client stub. StubDialog\$C0 com.lody virtual client stub. StubDialog\$C1 com.lody virtual client stub. StubDialog\$C2	com.lody.virtual.client.stub.StubActivity\$C45	•	0
com.lody.virtual.client.stub.StubActivity\$C49 com.lody.virtual.client.stub.StubActivity\$C5 com.lody.virtual.client.stub.StubActivity\$C6 com.lody.virtual.client.stub.StubActivity\$C7 com.lody.virtual.client.stub.StubActivity\$C8 com.lody.virtual.client.stub.StubActivity\$C8 com.lody.virtual.client.stub.StubActivity\$C8 com.lody.virtual.client.stub.StubActivity\$C9 com.lody.virtual.client.stub.StubActivity\$C9 com.lody.virtual.client.stub.StubDialog\$C0 com.lody.virtual.client.stub.StubDialog\$C1 com.lody.virtual.client.stub.StubDialog\$C16 com.lody.virtual.client.stub.StubDialog\$C20 com.lody.virtual.client	com.lody.virtual.client.stub.StubActivity\$C46	•	0
com lody virtual client stub. Stub Activity\$C5 com lody virtual client stub. Stub Activity\$C6 com lody virtual client stub. Stub Activity\$C6 com lody virtual client stub. Stub Activity\$C7 com lody virtual client stub. Stub Activity\$C8 com lody virtual client stub. Stub Activity\$C8 com lody virtual client stub. Stub Activity\$C9 com lody virtual client stub. Stub Activity\$C9 com lody virtual client stub. Stub Dialog\$C0 com lody virtual client stub. Stub Dialog\$C0 com lody virtual client stub. Stub Dialog\$C1 com lody virtual client stub. Stub Dialog\$C2 com lo	com.lody.virtual.client.stub.StubActivity\$C47	8	0
com lody virtual. client. stub. StubActivity\$C6 com lody virtual. client. stub. StubActivity\$C7 com lody virtual. client. stub. StubActivity\$C8 com lody virtual. client. stub. StubActivity\$C9 com lody virtual. client. stub. StubActivity\$C9 com lody virtual. client. stub. StubActivity\$C9 com lody virtual. client. stub. StubDactivity\$C9 com lody virtual. client. stub. StubDactivity\$C9 com lody virtual. client. stub. StubDailog\$C0 com lody virtual. client. stub. StubDailog\$C1 com lody virtual. client. stub. StubDailog\$C1 com lody virtual. client. stub. StubDailog\$C1 com lody virtual. client. stub. StubDailog\$C12 com lody virtual. client. stub. StubDailog\$C13 com lody virtual. client. stub. StubDailog\$C14 com lody virtual. client. stub. StubDailog\$C15 com lody virtual. client. stub. StubDailog\$C15 com lody virtual. client. stub. StubDailog\$C16 com lody virtual. client. stub. StubDailog\$C19 com lody virtual. client. stub. StubDailog\$C19 com lody virtual. client. stub. StubDailog\$C2 com lody virtual. client. stub. StubDailog	com.lody.virtual.client.stub.StubActivity\$C48	8	0
com.lody.virtual.client.stub.StubActivity\$C8 com.lody.virtual.client.stub.StubActivity\$C7 com.lody.virtual.client.stub.StubActivity\$C8 com.lody.virtual.client.stub.StubActivity\$C9 com.lody.virtual.client.stub.StubActivity\$C9 com.lody.virtual.client.stub.StubDialog\$C0 com.lody.virtual.client.stub.StubDialog\$C1 com.lody.virtual.client.stub.StubDialog\$C1 com.lody.virtual.client.stub.StubDialog\$C1 com.lody.virtual.client.stub.StubDialog\$C11 com.lody.virtual.client.stub.StubDialog\$C12 com.lody.virtual.client.stub.StubDialog\$C12 com.lody.virtual.client.stub.StubDialog\$C13 com.lody.virtual.client.stub.StubDialog\$C14 com.lody.virtual.client.stub.StubDialog\$C15 com.lody.virtual.client.stub.StubDialog\$C15 com.lody.virtual.client.stub.StubDialog\$C16 com.lody.virtual.client.stub.StubDialog\$C16 com.lody.virtual.client.stub.StubDialog\$C16 com.lody.virtual.client.stub.StubDialog\$C16 com.lody.virtual.client.stub.StubDialog\$C18 com.lody.virtual.client.stub.StubDialog\$C19 com.lody.virtual.client.stub.StubDialog\$C20 com.lody.virtual.client.stub.StubDialog\$C20 com.lody.virtual.client.stub.StubDialog\$C20 com.lody.virtual.client.stub.StubDialog\$C20 com.lody.virtual.client.stub.StubDialog\$C20 com.lody.virtual.client.stub.StubDialog\$C20 com.lody.virtual.client.stub.StubDialog\$C20	com.lody.virtual.client.stub.StubActivity\$C49	0	0
com.lody.virtual.client.stub.StubActivity\$C7 • • • com.lody.virtual.client.stub.StubActivity\$C8 • • • com.lody.virtual.client.stub.StubDialog\$C0 • • • com.lody.virtual.client.stub.StubDialog\$C1 • • • com.lody.virtual.client.stub.StubDialog\$C10 • • • com.lody.virtual.client.stub.StubDialog\$C11 • • • com.lody.virtual.client.stub.StubDialog\$C12 • • • com.lody.virtual.client.stub.StubDialog\$C13 • • • com.lody.virtual.client.stub.StubDialog\$C14 • • • com.lody.virtual.client.stub.StubDialog\$C15 • • • com.lody.virtual.client.stub.StubDialog\$C16 • • • com.lody.virtual.client.stub.StubDialog\$C18 • • • com.lody.virtual.client.stub.StubDialog\$C19 • • • com.lody.virtual.client.stub.StubDialog\$C20 • • •	com.lody.virtual.client.stub.StubActivity\$C5	8	0
com.lody.virtual.client.stub.StubDactivity\$C9 0 0 com.lody.virtual.client.stub.StubDialog\$C0 0 0 com.lody.virtual.client.stub.StubDialog\$C1 0 0 com.lody.virtual.client.stub.StubDialog\$C10 0 0 com.lody.virtual.client.stub.StubDialog\$C11 0 0 com.lody.virtual.client.stub.StubDialog\$C12 0 0 com.lody.virtual.client.stub.StubDialog\$C13 0 0 com.lody.virtual.client.stub.StubDialog\$C14 0 0 com.lody.virtual.client.stub.StubDialog\$C15 0 0 com.lody.virtual.client.stub.StubDialog\$C16 0 0 com.lody.virtual.client.stub.StubDialog\$C17 0 0 com.lody.virtual.client.stub.StubDialog\$C18 0 0 com.lody.virtual.client.stub.StubDialog\$C19 0 0 com.lody.virtual.client.stub.StubDialog\$C2 0 0 com.lody.virtual.client.stub.StubDialog\$C2 0 0	com.lody.virtual.client.stub.StubActivity\$C6	8	0
com.lody.virtual.client.stub.StubDialog\$C0 0 0 com.lody.virtual.client.stub.StubDialog\$C1 0 0 com.lody.virtual.client.stub.StubDialog\$C10 0 0 com.lody.virtual.client.stub.StubDialog\$C11 0 0 com.lody.virtual.client.stub.StubDialog\$C12 0 0 com.lody.virtual.client.stub.StubDialog\$C13 0 0 com.lody.virtual.client.stub.StubDialog\$C14 0 0 com.lody.virtual.client.stub.StubDialog\$C15 0 0 com.lody.virtual.client.stub.StubDialog\$C16 0 0 com.lody.virtual.client.stub.StubDialog\$C17 0 0 com.lody.virtual.client.stub.StubDialog\$C18 0 0 com.lody.virtual.client.stub.StubDialog\$C19 0 0 com.lody.virtual.client.stub.StubDialog\$C2 0 0 com.lody.virtual.client.stub.StubDialog\$C2 0 0	com.lody.virtual.client.stub.StubActivity\$C7	8	0
com.lody.virtual.client.stub.StubDialog\$C1 O O com.lody.virtual.client.stub.StubDialog\$C10 O O com.lody.virtual.client.stub.StubDialog\$C10 O O com.lody.virtual.client.stub.StubDialog\$C11 O O com.lody.virtual.client.stub.StubDialog\$C12 O O com.lody.virtual.client.stub.StubDialog\$C13 O O com.lody.virtual.client.stub.StubDialog\$C14 O O com.lody.virtual.client.stub.StubDialog\$C15 O O com.lody.virtual.client.stub.StubDialog\$C16 O O com.lody.virtual.client.stub.StubDialog\$C17 O O com.lody.virtual.client.stub.StubDialog\$C18 O O com.lody.virtual.client.stub.StubDialog\$C19 O O com.lody.virtual.client.stub.StubDialog\$C2 O O com.lody.virtual.client.stub.StubDialog\$C2 O O	com.lody.virtual.client.stub.StubActivity\$C8	8	8
com.lody.virtual.client.stub.StubDialog\$C1 © © com.lody.virtual.client.stub.StubDialog\$C11 © © com.lody.virtual.client.stub.StubDialog\$C12 © © com.lody.virtual.client.stub.StubDialog\$C13 © © com.lody.virtual.client.stub.StubDialog\$C14 © © com.lody.virtual.client.stub.StubDialog\$C15 © © com.lody.virtual.client.stub.StubDialog\$C16 © © com.lody.virtual.client.stub.StubDialog\$C17 © © com.lody.virtual.client.stub.StubDialog\$C18 © © com.lody.virtual.client.stub.StubDialog\$C19 © © com.lody.virtual.client.stub.StubDialog\$C2 © © com.lody.virtual.client.stub.StubDialog\$C2 © ©	com.lody.virtual.client.stub.StubActivity\$C9	8	8
com.lody.virtual.client.stub.StubDialog\$C11 • • com.lody.virtual.client.stub.StubDialog\$C12 • • com.lody.virtual.client.stub.StubDialog\$C12 • • com.lody.virtual.client.stub.StubDialog\$C13 • • com.lody.virtual.client.stub.StubDialog\$C14 • • com.lody.virtual.client.stub.StubDialog\$C15 • • com.lody.virtual.client.stub.StubDialog\$C16 • • com.lody.virtual.client.stub.StubDialog\$C17 • • com.lody.virtual.client.stub.StubDialog\$C18 • • com.lody.virtual.client.stub.StubDialog\$C19 • • com.lody.virtual.client.stub.StubDialog\$C2 • • com.lody.virtual.client.stub.StubDialog\$C2 • •	com.lody.virtual.client.stub.StubDialog\$C0	8	8
com.lody.virtual.client.stub.StubDialog\$C12 © © com.lody.virtual.client.stub.StubDialog\$C12 © © com.lody.virtual.client.stub.StubDialog\$C13 © © com.lody.virtual.client.stub.StubDialog\$C14 © © com.lody.virtual.client.stub.StubDialog\$C15 © © com.lody.virtual.client.stub.StubDialog\$C16 © © com.lody.virtual.client.stub.StubDialog\$C17 © © com.lody.virtual.client.stub.StubDialog\$C18 © © com.lody.virtual.client.stub.StubDialog\$C19 © © com.lody.virtual.client.stub.StubDialog\$C2 © © com.lody.virtual.client.stub.StubDialog\$C2 © ©	com.lody.virtual.client.stub.StubDialog\$C1	8	8
com.lody.virtual.client.stub.StubDialog\$C12 © © com.lody.virtual.client.stub.StubDialog\$C13 © © com.lody.virtual.client.stub.StubDialog\$C14 © © com.lody.virtual.client.stub.StubDialog\$C15 © © com.lody.virtual.client.stub.StubDialog\$C16 © © com.lody.virtual.client.stub.StubDialog\$C17 © © com.lody.virtual.client.stub.StubDialog\$C18 © © com.lody.virtual.client.stub.StubDialog\$C19 © © com.lody.virtual.client.stub.StubDialog\$C2 © © com.lody.virtual.client.stub.StubDialog\$C2 © ©	com.lody.virtual.client.stub.StubDialog\$C10	8	8
com.lody.virtual.client.stub.StubDialog\$C13 © © com.lody.virtual.client.stub.StubDialog\$C14 © © com.lody.virtual.client.stub.StubDialog\$C15 © © com.lody.virtual.client.stub.StubDialog\$C16 © © com.lody.virtual.client.stub.StubDialog\$C17 © © com.lody.virtual.client.stub.StubDialog\$C18 © © com.lody.virtual.client.stub.StubDialog\$C19 © © com.lody.virtual.client.stub.StubDialog\$C2 © © com.lody.virtual.client.stub.StubDialog\$C2 © ©	com.lody.virtual.client.stub.StubDialog\$C11	0	8
com.lody.virtual.client.stub.StubDialog\$C15 © com.lody.virtual.client.stub.StubDialog\$C16 © com.lody.virtual.client.stub.StubDialog\$C16 © com.lody.virtual.client.stub.StubDialog\$C17 © com.lody.virtual.client.stub.StubDialog\$C18 © com.lody.virtual.client.stub.StubDialog\$C19 © com.lody.virtual.client.stub.StubDialog\$C2 © com.lody.virtual.client.stub.StubDialog\$C2 ©	com.lody.virtual.client.stub.StubDialog\$C12	8	8
com.lody.virtual.client.stub.StubDialog\$C15 Image: Com.lody.virtual.client.stub.StubDialog\$C16 com.lody.virtual.client.stub.StubDialog\$C17 Image: Com.lody.virtual.client.stub.StubDialog\$C18 com.lody.virtual.client.stub.StubDialog\$C18 Image: Com.lody.virtual.client.stub.StubDialog\$C19 com.lody.virtual.client.stub.StubDialog\$C2 Image: Com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2 Image: Com.lody.virtual.client.stub.StubDialog\$C2	com.lody.virtual.client.stub.StubDialog\$C13	0	8
com.lody.virtual.client.stub.StubDialog\$C16 com.lody.virtual.client.stub.StubDialog\$C17 com.lody.virtual.client.stub.StubDialog\$C18 com.lody.virtual.client.stub.StubDialog\$C19 com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2	com.lody.virtual.client.stub.StubDialog\$C14	0	8
com.lody.virtual.client.stub.StubDialog\$C17 Image: Com.lody.virtual.client.stub.StubDialog\$C18 com.lody.virtual.client.stub.StubDialog\$C19 Image: Com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2 Image: Com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2 Image: Com.lody.virtual.client.stub.StubDialog\$C2	com.lody.virtual.client.stub.StubDialog\$C15	0	8
com.lody.virtual.client.stub.StubDialog\$C18 com.lody.virtual.client.stub.StubDialog\$C19 com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2	com.lody.virtual.client.stub.StubDialog\$C16	0	8
com.lody.virtual.client.stub.StubDialog\$C19 Image: Com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C2 Image: Com.lody.virtual.client.stub.StubDialog\$C2	com.lody.virtual.client.stub.StubDialog\$C17	0	8
com.lody.virtual.client.stub.StubDialog\$C2 com.lody.virtual.client.stub.StubDialog\$C20	com.lody.virtual.client.stub.StubDialog\$C18	0	8
com.lody.virtual.client.stub.StubDialog\$C20	com.lody.virtual.client.stub.StubDialog\$C19	0	8
	com.lody.virtual.client.stub.StubDialog\$C2	0	8
com.lody.virtual.client.stub.StubDialog\$C21	com.lody.virtual.client.stub.StubDialog\$C20	0	8
	com.lody.virtual.client.stub.StubDialog\$C21	0	8

controlsystematiciteria auto Stabbalegic 23 0 0 controlsystematic	Name	Main Activity	Exposed
Commoday-virtual client situs SaturbilangsC24 Commoday-virtual client situs SaturbilangsC25 Commoday-virtual client situs SaturbilangsC26 Commoday-virtual client situs SaturbilangsC27 Commoday-virtual client situs SaturbilangsC28 Commoday-virtual client situs SaturbilangsC29 Commoday-virtual client situs SaturbilangsC24 Commoday-virtual client s	com.lody.virtual.client.stub.StubDialog\$C22	0	0
com body-virtual client stub. ShubPielog\$C25 com body-virtual client stub. ShubPielog\$C26 com body-virtual client stub. ShubPielog\$C26 com body-virtual client stub. ShubPielog\$C27 com body-virtual client stub. ShubPielog\$C28 com body-virtual client stub. ShubPielog\$C29 com body-virtual client stub. ShubPielog\$C29 com body-virtual client stub. ShubPielog\$C30 com body-virtual client stub. ShubPielog\$C40 com body-virtual client stub. ShubPielog\$C41 com body-virtual client stub. ShubPielog\$C42 com body-virtual client stub. ShubPielog\$C42 com body-virtual client stub. ShubPielog\$C43 com body-virtual client stub. ShubPielog\$C44 com body-virtual client stub. ShubPielog\$C46 com body-virtual clie	com.lody.virtual.client.stub.StubDialog\$C23	0	0
Community virtual client stub ShibDialogSC28 Commody virtual client stub ShibDialogSC3 Commody virtual client stub ShibDialogSC33 Commody virtual client stub ShibDialogSC38 Commody virtual client stub ShibDialogSC34 Commody virtual client stub ShibDialogSC44 Commody virtual client stub ShibDialogSC41 Commody virtual client stub ShibDialogSC41 Commody virtual client stub ShibDialogSC44 Commody virtual client stub	com.lody.virtual.client.stub.StubDialog\$C24	0	0
Com. Lody virtual client stub Stub Dialog SC27 Com. Lody virtual client stub Stub Dialog SC28 Com. Lody virtual client stub Stub Dialog SC29 Com. Lody virtual client stub Stub Dialog SC30 Com. Lody virtual client stub Stub Dialog SC30 Com. Lody virtual client stub Stub Dialog SC31 Com. Lody virtual client stub Stub Dialog SC32 Com. Lody virtual client stub Stub Dialog SC32 Com. Lody virtual client stub Stub Dialog SC33 Com. Lody virtual client stub Stub Dialog SC34 Com. Lody virtual client stub Stub Dialog SC44 Com. Lody virtual client stub Stub Dialog SC45 Com. Lody virtual client stub Stub Dialog SC47 Com. Lody virtual client	com.lody.virtual.client.stub.StubDialog\$C25	0	0
com. Jody virtual client stub. Stub Dialog\$C28 © © com. Jody virtual client stub. Stub Dialog\$C29 © © com. Jody virtual client stub. Stub Dialog\$C30 © © com. Jody virtual client stub. Stub Dialog\$C31 © © com. Jody virtual client stub. Stub Dialog\$C32 © © com. Jody virtual client stub. Stub Dialog\$C33 © © com. Jody virtual client stub. Stub Dialog\$C34 © © com. Jody virtual client stub. Stub Dialog\$C34 © © com. Jody virtual client stub. Stub Dialog\$C36 © © com. Jody virtual client stub. Stub Dialog\$C37 © © com. Jody virtual client stub. Stub Dialog\$C38 © © com. Jody virtual client stub. Stub Dialog\$C39 © © com. Jody virtual client stub. Stub Dialog\$C40 © © com. Jody virtual client stub. Stub Dialog\$C42 © © com. Jody virtual client stub. Stub Dialog\$C43 © © com. Jody virtual client stub. Stub Dialog\$C44 © © com. Jody virtual client stub. Stub Dialog\$C44 © © <td>com.lody.virtual.client.stub.StubDialog\$C26</td> <td>0</td> <td>0</td>	com.lody.virtual.client.stub.StubDialog\$C26	0	0
Com Indy virtual client stub Stub Dialog\$C29	com.lody.virtual.client.stub.StubDialog\$C27	0	0
com lody virtual client stub Stub Dialog\$C3 0 0 com lody virtual client stub Stub Dialog\$C31 0 0 com lody virtual client stub Stub Dialog\$C31 0 0 com lody virtual client stub Stub Dialog\$C32 0 0 com lody virtual client stub Stub Dialog\$C34 0 0 com lody virtual client stub Stub Dialog\$C34 0 0 com lody virtual client stub Stub Dialog\$C36 0 0 com lody virtual client stub Stub Dialog\$C38 0 0 com lody virtual client stub Stub Dialog\$C38 0 0 com lody virtual client stub Stub Dialog\$C39 0 0 com lody virtual client stub Stub Dialog\$C39 0 0 com lody virtual client stub Stub Dialog\$C40 0 0 com lody virtual client stub Stub Dialog\$C41 0 0 com lody virtual client stub Stub Dialog\$C42 0 0 com lody virtual client stub Stub Dialog\$C43 0 0 com lody virtual client stub Stub Dialog\$C45 0 0 com lody virtual client stub Stub Dialog\$C45 0 0 c	com.lody.virtual.client.stub.StubDialog\$C28	0	0
com.lody.virtual.client.stub.StubDialog\$C31 © © com.lody.virtual.client.stub.StubDialog\$C32 © © com.lody.virtual.client.stub.StubDialog\$C32 © © com.lody.virtual.client.stub.StubDialog\$C33 © © com.lody.virtual.client.stub.StubDialog\$C34 © © com.lody.virtual.client.stub.StubDialog\$C35 © © com.lody.virtual.client.stub.StubDialog\$C36 © © com.lody.virtual.client.stub.StubDialog\$C37 © © com.lody.virtual.client.stub.StubDialog\$C38 © © com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.	com.lody.virtual.client.stub.StubDialog\$C29	•	0
com.lody virtual.client.stub.StubDialog\$C31 © © com.lody.virtual.client.stub.StubDialog\$C32 © © com.lody.virtual.client.stub.StubDialog\$C33 © © com.lody.virtual.client.stub.StubDialog\$C34 © © com.lody.virtual.client.stub.StubDialog\$C35 © © com.lody.virtual.client.stub.StubDialog\$C36 © © com.lody.virtual.client.stub.StubDialog\$C37 © © com.lody.virtual.client.stub.StubDialog\$C38 © © com.lody.virtual.client.stub.StubDialog\$C49 © © com.lody.virtual.client.stub.StubDialog\$C40 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.	com.lody.virtual.client.stub.StubDialog\$C3	8	0
com.lody.virtual.client.stub.StubDialog\$C32 Q Q com.lody.virtual.client.stub.StubDialog\$C33 Q Q com.lody.virtual.client.stub.StubDialog\$C34 Q Q com.lody.virtual.client.stub.StubDialog\$C35 Q Q com.lody.virtual.client.stub.StubDialog\$C36 Q Q com.lody.virtual.client.stub.StubDialog\$C37 Q Q com.lody.virtual.client.stub.StubDialog\$C38 Q Q com.lody.virtual.client.stub.StubDialog\$C39 Q Q com.lody.virtual.client.stub.StubDialog\$C40 Q Q com.lody.virtual.client.stub.StubDialog\$C41 Q Q com.lody.virtual.client.stub.StubDialog\$C42 Q Q com.lody.virtual.client.stub.StubDialog\$C43 Q Q com.lody.virtual.client.stub.StubDialog\$C43 Q Q com.lody.virtual.client.stub.StubDialog\$C45 Q Q com.lody.virtual.client.stub.StubDialog\$C46 Q Q com.lody.virtual.client.stub.StubDialog\$C46 Q Q com.lody.virtual.client.stub.StubDialog\$C47 Q Q com.lody.virtual.	com.lody.virtual.client.stub.StubDialog\$C30	0	8
com lody virtual client stub StubDialog\$C33 © © com lody virtual client stub StubDialog\$C34 © © com lody virtual client stub StubDialog\$C35 © © com lody virtual client stub StubDialog\$C36 © © com lody virtual client stub StubDialog\$C37 © © com lody virtual client stub StubDialog\$C38 © © com lody virtual client stub StubDialog\$C39 © © com lody virtual client stub StubDialog\$C40 © © com lody virtual client stub StubDialog\$C41 © © com lody virtual client stub StubDialog\$C42 © © com lody virtual client stub StubDialog\$C42 © © com lody virtual client stub StubDialog\$C43 © © com lody virtual client stub StubDialog\$C44 © © com lody virtual client stub StubDialog\$C45 © © com lody virtual client stub StubDialog\$C46 © © com lody virtual client stub StubDialog\$C46 © © com lody virtual client stub StubDialog\$C46 © © com lody virtual	com.lody.virtual.client.stub.StubDialog\$C31	•	0
com.lody.virtual.client.stub.StubDialog\$C34 Q Q com.lody.virtual.client.stub.StubDialog\$C35 Q Q com.lody.virtual.client.stub.StubDialog\$C36 Q Q com.lody.virtual.client.stub.StubDialog\$C37 Q Q com.lody.virtual.client.stub.StubDialog\$C38 Q Q com.lody.virtual.client.stub.StubDialog\$C39 Q Q com.lody.virtual.client.stub.StubDialog\$C40 Q Q com.lody.virtual.client.stub.StubDialog\$C41 Q Q com.lody.virtual.client.stub.StubDialog\$C42 Q Q com.lody.virtual.client.stub.StubDialog\$C43 Q Q com.lody.virtual.client.stub.StubDialog\$C44 Q Q com.lody.virtual.client.stub.StubDialog\$C45 Q Q com.lody.virtual.client.stub.StubDialog\$C46 Q Q com.lody.virtual.client.stub.StubDialog\$C47 Q Q com.lody.virtual.client.stub.StubDialog\$C47 Q Q com.lody.virtual.client.stub.StubDialog\$C48 Q Q com.lody.virtual.client.stub.StubDialog\$C47 Q Q com.lody.virtual.	com.lody.virtual.client.stub.StubDialog\$C32	8	0
com.lody.virtual.client.stub.StubDialog\$C35 © © com.lody.virtual.client.stub.StubDialog\$C37 © © com.lody.virtual.client.stub.StubDialog\$C37 © © com.lody.virtual.client.stub.StubDialog\$C38 © © com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C4 © © com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C43 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.c	com.lody.virtual.client.stub.StubDialog\$C33	8	0
com.lody.virtual.client.stub.StubDialog\$C37 © © com.lody.virtual.client.stub.StubDialog\$C37 © © com.lody.virtual.client.stub.StubDialog\$C38 © © com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C4 © © com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C43 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © © com.lody.virtual.client.stub.StubDialog\$C48 © © com.lody.virtual.c	com.lody.virtual.client.stub.StubDialog\$C34	8	8
com.lody.virtual.client.stub.StubDialog\$C37 © © com.lody.virtual.client.stub.StubDialog\$C38 © © com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C4 © © com.lody.virtual.client.stub.StubDialog\$C40 © © com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C43 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © ©	com.lody.virtual.client.stub.StubDialog\$C35	0	8
com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C4 © © com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C43 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © ©	com.lody.virtual.client.stub.StubDialog\$C36	8	8
com.lody.virtual.client.stub.StubDialog\$C39 © © com.lody.virtual.client.stub.StubDialog\$C40 © © com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C43 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © ©	com.lody.virtual.client.stub.StubDialog\$C37	8	8
com.lody.virtual.client.stub.StubDialog\$C40 © © com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C43 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © ©	com.lody.virtual.client.stub.StubDialog\$C38	0	8
com.lody.virtual.client.stub.StubDialog\$C41 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C42 © © com.lody.virtual.client.stub.StubDialog\$C43 © © com.lody.virtual.client.stub.StubDialog\$C44 © © com.lody.virtual.client.stub.StubDialog\$C45 © © com.lody.virtual.client.stub.StubDialog\$C46 © © com.lody.virtual.client.stub.StubDialog\$C47 © © com.lody.virtual.client.stub.StubDialog\$C48 © ©	com.lody.virtual.client.stub.StubDialog\$C39	0	8
com.lody.virtual.client.stub.StubDialog\$C41 © G com.lody.virtual.client.stub.StubDialog\$C42 © G com.lody.virtual.client.stub.StubDialog\$C43 © G com.lody.virtual.client.stub.StubDialog\$C44 © G com.lody.virtual.client.stub.StubDialog\$C45 © G com.lody.virtual.client.stub.StubDialog\$C46 © G com.lody.virtual.client.stub.StubDialog\$C47 © G com.lody.virtual.client.stub.StubDialog\$C48 © G	com.lody.virtual.client.stub.StubDialog\$C4	8	8
com.lody.virtual.client.stub.StubDialog\$C42 Image: Com.lody.virtual.client.stub.StubDialog\$C43 Image: Com.lody.virtual.client.stub.StubDialog\$C44 Image: Com.lody.virtual.client.stub.StubDialog\$C44 Image: Com.lody.virtual.client.stub.StubDialog\$C45 Image: Com.lody.virtual.client.stub.StubDialog\$C45 Image: Com.lody.virtual.client.stub.StubDialog\$C46 Image: Com.lody.virtual.client.stub.StubDialog\$C47 Image: Com.lody.virtual.client.stub.StubDialog\$C48 Image: Com.lody.virtual.client.stub.stub.stubDialog\$C48 Image: Com.lody.virtual.client.stub.stub.stub.stub.stub.stub.stub.stu	com.lody.virtual.client.stub.StubDialog\$C40	8	0
com.lody.virtual.client.stub.StubDialog\$C43 com.lody.virtual.client.stub.StubDialog\$C44 com.lody.virtual.client.stub.StubDialog\$C45 com.lody.virtual.client.stub.StubDialog\$C46 com.lody.virtual.client.stub.StubDialog\$C46 com.lody.virtual.client.stub.StubDialog\$C47 com.lody.virtual.client.stub.StubDialog\$C48	com.lody.virtual.client.stub.StubDialog\$C41	0	8
com.lody.virtual.client.stub.StubDialog\$C44 com.lody.virtual.client.stub.StubDialog\$C45 com.lody.virtual.client.stub.StubDialog\$C46 com.lody.virtual.client.stub.StubDialog\$C47 com.lody.virtual.client.stub.StubDialog\$C48	com.lody.virtual.client.stub.StubDialog\$C42	0	8
com.lody.virtual.client.stub.StubDialog\$C45 com.lody.virtual.client.stub.StubDialog\$C46 com.lody.virtual.client.stub.StubDialog\$C47 com.lody.virtual.client.stub.StubDialog\$C48 3 3 4 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7	com.lody.virtual.client.stub.StubDialog\$C43	0	8
com.lody.virtual.client.stub.StubDialog\$C46 com.lody.virtual.client.stub.StubDialog\$C47 com.lody.virtual.client.stub.StubDialog\$C48 com.lody.virtual.client.stub.StubDialog\$C48	com.lody.virtual.client.stub.StubDialog\$C44	8	8
com.lody.virtual.client.stub.StubDialog\$C47 com.lody.virtual.client.stub.StubDialog\$C48 • • • • • • • • • • • • • • • • • •	com.lody.virtual.client.stub.StubDialog\$C45	8	8
com.lody.virtual.client.stub.StubDialog\$C48	com.lody.virtual.client.stub.StubDialog\$C46	8	8
	com.lody.virtual.client.stub.StubDialog\$C47	8	8
com.lody.virtual.client.stub.StubDialog\$C49	com.lody.virtual.client.stub.StubDialog\$C48	8	8
	com.lody.virtual.client.stub.StubDialog\$C49	8	8

Name	Main Activity	Exposed
com.lody.virtual.client.stub.StubDialog\$C5	8	0
com.lody.virtual.client.stub.StubDialog\$C6	8	0
com.lody.virtual.client.stub.StubDialog\$C7	8	0
com.lody.virtual.client.stub.StubDialog\$C8	8	0
com.lody.virtual.client.stub.StubDialog\$C9	8	0
com.lody.virtual.client.stub.StubPendingActivity	8	8

Services

Name	Exposed
com.google.android.gms.analytics.AnalyticsService	•
com.google.android.gms.analytics.CampaignTrackingService	•
com.ivy.module.locks.PopupWork	•
com.ivy.module.locks.battery.BatteryService	•
com.lody.virtual.client.stub.DaemonService	•
com.lody.virtual.client.stub.StubPendingService	0

Broadcast Receivers

Name	Dynamically Registered	Exposed
android.support.v4.content.WakefulBroadcastReceiver	•	0
android.support.v4.media.TransportMediatorJellybeanMR2\$3	•	0
android.support.v4.media.session.MediaButtonReceiver	•	Ø
com.applock.fast.switch.multiple.accounts.home.HomeActivity\$1	•	Ø
com.applock.fast.switch.multiple.accounts.home.HomeActivity\$InstallerReceiver	•	0
com.facebook.ads.a.b.h	•	Ø
com.facebook.ads.a.i\$c	•	Ø
com.facebook.ads.l\$e	•	Ø
com.google.android.gms.analytics.AnalyticsReceiver com.google.android.gms.analytics.ANALYTICS_DISPATCH	0	•
com.google.android.gms.analytics.CampaignTrackingReceiver com.android.vending.INSTALL_REFERRER	•	•
com.google.android.gms.analytics.internal.h	•	0

Name	Dynamically Registered	Exposed
com.google.android.gms.analytics.internal.zzag	0	0
com.google.android.gms.b.bk\$1	0	0
com.google.android.gms.b.jv\$a	•	0
com.google.android.gms.b.mv	•	0
com.google.android.gms.common.api.internal.SupportLifecycleFragmentImpl\$1	•	0
com.google.android.gms.common.api.internal.zzj\$zzc	•	0
com.google.android.gms.common.api.internal.zzn	•	0
com.google.android.gms.measurement.AppMeasurementReceiver	•	0
com.google.android.gms.measurement.internal.ad	•	0
com.google.android.gms.tagmanager.InstallReferrerReceiver	•	0
com.google.android.gms.tagmanager.zzbl	•	0
com.ivy.module.locks.battery.BatteryReceiver android.intent.action.ACTION_POWER_CONNECTED android.intent.action.ACTION_POWER_DISCONNECTED android.intent.action.SCREEN_ON android.intent.action.SCREEN_OFF android.intent.action.USER_PRESENT action_shuaxin	©	•
com.ivy.module.locks.battery.BatteryService\$1	•	0
com.ivy.module.locks.battery.BatteryService\$2	•	0
com.ivy.module.locks.keyguard.b\$1	•	0
com.ivy.module.locks.keyguard.b\$2	•	0
com.ivy.module.locks.keyguard.b\$3	•	0
com.ivy.module.locks.keyguard.b\$4	•	0
com.lody.virtual.client.stub.StubPendingReceiver	8	8
com.lody.virtual.server.am.StaticBroadcastSystem\$StaticBroadcastReceiver	•	0
com.lody.virtual.server.job.JobSchedulerService\$1	•	0
com.lody.virtual.server.job.controllers.ldleController\$ldlenessTracker	•	0
com.lody.virtual.server.job.controllers.TimeController\$1	•	0
com.lody.virtual.server.pm.VUserManagerService\$2	•	0
com.squareup.picasso.i\$c	•	0

Content Providers

Name	Authority	Read Permission	Write Permission	Exposed
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_0	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_1	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_10	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_11	8	O	©
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_12	8	O	Ø
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_13	8	O	©
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_14	8	O	©
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_15	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_16	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_17	•	•	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_18	•	•	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_19	•	•	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_2	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_20	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$ C21	virtual_stub_21	•	•	•
com.lody.virtual.client.stub.StubContentProvider\$ C22	virtual_stub_22	•	•	0
com.lody.virtual.client.stub.StubContentProvider\$ C23	virtual_stub_23	•	0	•
com.lody.virtual.client.stub.StubContentProvider\$ C24	virtual_stub_24	•	•	•
com.lody.virtual.client.stub.StubContentProvider\$ C25	virtual_stub_25	•	•	•
com.lody.virtual.client.stub.StubContentProvider\$ C26	virtual_stub_26	•	•	•
com.lody.virtual.client.stub.StubContentProvider\$ C27	virtual_stub_27	•	0	0
com.lody.virtual.client.stub.StubContentProvider\$ C28	virtual_stub_28	•	8	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_29	⊗	8	⊗
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_3	8	0	•

Name Authority		Read Permission	Write Permission	Exposed
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_30	0	©	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_31	0	€	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_32	0	€	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_33	•	€	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_34	•	€	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_35	0	©	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_36	•	€	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_37	•	€	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_38	0	©	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_39	0	0	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_4	0	0	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_40	0	0	•
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_41	0	0	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_42	0	0	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_43	0	©	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_44	0	0	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_45	0	0	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_46	0	0	0
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_47	0	©	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_48	•	0	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_49	•	0	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_5	•	0	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_6	•	0	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_7	0	8	8

Name	Authority	Read Permission	Write Permission	Exposed
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_8	⊙	•	8
com.lody.virtual.client.stub.StubContentProvider\$	virtual_stub_9	©	O	0
com.lody.virtual.server.BinderProvider	virtual.service.BinderProvider	0	8	8

Features

• android.hardware.camera

Libraries

N/A

Advertisement Modules

IP Distribution



Urls

Country	Url	IP
China	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/mraid/v2/mraid_app_banner.js	203.208.39.218
China	https://csi.gstatic.com/csi	203.208.48.79
China	https://ssl.google-analytics.com	203.208.39.222
China	https://www.googletagmanager.com	203.208.43.126
China	http://www.google-analytics.com	203.208.39.195
China	https://pagead2.googlesyndication.com/pagead/gen_204	203.208.43.77
China	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/mraid/v2/mraid_app_interstitial.js	203.208.39.205
China	https://app-measurement.com/a	203.208.51.67
China	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/mraid/v2/mraid_app_expanded_banner.js	203.208.51.57
China	http://www.baidu.com	119.75.218.70

Country	Url	IP
China	https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/sdk-core-v40.html	203.208.39.205
China	N/A	203.208.39.237
China	N/A	203.208.39.250
China	N/A	203.208.39.249
China	N/A	203.208.43.94
■ Italy	http://www.google.com	93.46.8.89
Republic of Kore	https://www.facebook.com	59.24.3.173
	http://plus.google.com/	59.24.3.173
■ Republic of Kore	N/A	59.24.3.173
N/A	https://www.%s.facebook.com	N/A
N/A	https://graph.%s.facebook.com/network_ads_common/	N/A
N/A	http://hostname/?	N/A
N/A	https://www.facebook.com/	N/A
United States	https://sb-ssl.google.com/safebrowsing/clientreport/malware	216.58.200.238
United States	https://www.googleapis.com/auth/games	172.217.24.10
United States	https://accounts.google.com	216.58.200.237
United States	https://play.google.com/store/apps/details?id=	216.58.200.238
United States	https://play.google.com/store/apps/	216.58.200.238
United States	https://www.googleapis.com/auth/plus.me	216.58.200.42
United States	http://www.example.com	93.184.216.34
United States	https://goo.gl/fzriuv	216.58.200.238
United States	http://xmlpull.org/v1/doc/features.html#indent-output	74.50.62.60
United States	https://graph.facebook.com/network_ads_common/	8.7.198.45
United States	N/A	104.154.130.226

Sensitive Files

N/A

Native Codes

Lib Name	Caller Code	Path Index
iohook	Lcom/lody/virtual/IOHook;->()V	22

Dynamic Loaders

Dex Path	Lib Path	Caller Code	Path Index
/data/app/com.applock.fast.switch.multiple.accounts- 1.apk	N/A	N/A	N/A

Dex Path	Lib Path	Caller Code	Path Index
/data/data/com.applock.fast.switch.multiple.accounts/cache/1459442732877.jar	N/A	N/A	N/A

Crypto Operation

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
Operation decryption	Algorithm AES/CBC/PK CS5Padding	Key Encoded 6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	PRINTEX PK □ ¶ □ □ □ META- INF/ □ PK □ ¬ PK □ ¶ □ □ □ META- INF/MANIFEST.MFT.MFMLK K-*jR03r.JM,IMu ^J X □ ¬ Y □	Cipher Text

*Q4a $^{\downarrow}$ D₂k9 \leftarrow @sd $_{\top}$ $^{\parallel}$ _k $^{\downarrow}$ $^{\downarrow}$)+|@I $^{\parallel}$ Operation Algorithm **Key Encoded Key Format** Cipher Text 3vA‼}oĤ→+r[⊥]?@m7q_Zcg#? 8\xa0\xaa\xa5\x15\xc1\xf5M,\xb wr_BE!j7ÛX9,`ao+86em∟vw↔¶r d\xde\xbd\xb4y) ^-J7)1q4S、↑_un | (Rm-r]▼Ee? \$("┼─¶xa8,dVэ7>♂v6D`┼ÇhQHo $\x9b\x1f\xe7\xb8\x97\xb9b\x9b\$ xb4\x9a\xb2\x0b\x08U\x1c\xcb\ $C\wS^{\perp}_e; \rightarrow \Box \Box \Box + 'Z|qp7RF`#$ xf7\xb9\xc6\x92\xe6\xd5`\xe0\x }F?(!"K↔n+a]n^\$4#]uL+!#eXS/ _RDRO8\$†ld↑7δ\xd1n=r4lz7ᢆℓ ac\xh4\x8dL\x1h\xh9\xchm\x17\ xe9\xbc\xb9u\xd9E\xe0\xc7\xb0 a?'a#vîcGv\xc3x7N\xe8\xea\xc7o\xd1\xfb ⊤AUFV%Ĵ\xd1y⊤+UT? 3|\x83TzX\xdeg\x97\xd4'V\xb3\ 1Vǔy ├Ww5Ys6♬M洎 xc8\xf5S\xbe\x83N\xbe\xf9\x9b hAO- ?@eDzvG洮 4O\xe1\x89\xb2\xa6\x95u\x0cR\ 5▲▲^YrPf2(bv+]u□Ow#Űn xb5\xaa\x06\xab\xe1\xd5\xf3\xb Yd|;+K=vF¬/+2 '|5<9,Y 74\x04\x93\x1f\x16#U\x00\xbc\x 陎fk/3V*e%fYD!♡=fY@▲Q"'=V ec\x97\x19F\x8d\x96z\x80\xb8\ Gk!V*gx[」].y[bХйՂ[<MOB8_'>.N $x1c\xfb\xad\x93\xa8\x87\xe4\xa$ 3F5YQ□M[:yhrX" ◀ OεO*p[Ta};* 8\xcf\x9d\x01\x1bl\x11\x04\xaf\x (**"n\\\\F=\r*+R:0z!▲ fa\x98\x0el{\x96f]\x11\x96`\xa88 ЉV%tT-9z1nu苜 e\xe8.\x06[\x08x\x04\x86R\x1c\ E o7←K\$k"B"B~JjkåX▼woYyjنِu $x0f/\sim 0\x94\xbfr\xb1\x14\xa7\xfe$ =-↑fiT[Y[9 3□ i8 - O5) 8\xe0\xe7\xec\xcf~\x0fud-^{_}-|r¹□□□□□w4^{_}7U"|•*E<_Γ(`#XA \x0f2t\x99m\x0cz\x8b\x94H\x10 V+}a= Ui∟3\x9drbd[wjS{a {\xe2\xc6koC\x12\x99\xdd\xe0\x 泖-O@←<5|¶Rr└=|7F⊤j-|멭 ae\xc9 t3B♂3]g.↑; . $\xc7\xb3=\x05\x8a\x11\xed\x0f\x$ [V7K3]¹5nQxnYEiND;dEz/'w<* d7\xd2\xcbt_\xa2\x9e*z\x98\x90 7;!1w♂p6)+YU>0♬54#W>L∑3→t \xd3\x9c\xbeC{\xbc\xe6\xe93\x9 Bt&1eF 4fgsm-tfL>kfdGu-1\x95\xf9\$\xd4)\x9d\xf1\xb5\xef\ m7o4Fcqs6Œ +<I9^L2{#=>e T;O→TY↔_T{;•4f' V I? xb9\xcf\x1d\x92-\xe6\xe4F\x03uz%\xd7\x91\x11 wᢌ∟▼ϖ~ÊgR3KL%r●↑73K●□;ᢋᢆTᢋ៉ V>YM\x03<\xc3\xfcV\xb8\xdc_q TfT•U_fVRVδr]•\3‼\JSIT{QM• I*)M⊤_X⊤]ଧH dn#v↑٣x W\xad\x12\xd7\xc2\x88v\xac\x9 crr\x9ctE\xe7se\x02\x0fPXV\xa 4∐&T,•"e]H<z1\$a4↑\>c^ e\xce\x03\x918K\xc1\x8dM4n\x 娩%-▲Fv6-IcW>/----L e1\xd4\xe4\x88\x89\xd9\xa2\xcf $\Delta B = nZT \downarrow q38dr!3\&=|.IIdI$b \downarrow bZ=$ WG\xf4\x9f\x81\x89W(y-0⊤NW| S蝒Ui[⊥]ωO↔^p□,58J'阋g← \x0c\xcf\xae\xc1\xad\x0c\xcf\xa ^Yt+;v-s |2e`e06\x06‼s |\$284s | e\xc1\xab\x10%I\x80\xe176\xbd Le`e,?dL T#2IYIn(1 `Z2[·]e8iXI#"eC_oLF3a‼tqh3|l₁1rl∟ $xcf\x8b_\x97\%\xd7L_\xad\xfd\x$ \$LN% | Eak | C;dqpĤ | OTY\$ | dst X|:.∟W8z^0cl‡;la#3n∟H∟H | C&D c5\x8al\$GC\x85\xf9\xb3\xd8}\xd $d\ensuremath{$d\xeb8\x98]\xaf\xea\xc35\x99}\x$ cWb♂L{-⊤vxyXM9fnYљк2E? 0d\xde\x89\xc2\x9a\x9f#\xb769; FTLFfz; سواً 39Bsb ⊤L8 3\x025\xbe\x93\x1d\xbd\xa7\xb 튇 └v}9^gBN a\x9f\xd9;1\xf4\xc8\x17\x12fa\x և)-D+@O-•vwsC:1"□/#□B**□**4_□ ภ**์4**∟#|kH−]@7G58gB/L┤? 97\x8c\xf8\xf8\xd6/\x8a\xa8\xbc YD\xf7? aP∄yҍx←Ĵ–∯toyEoĢ⊶D<*`E∟'hT \x88D\x8df\xc0\xe0\x1d\xb1L\x0 WT&Kb1→48cT\$o,<'.□c**▲**←,13X*↑ 4&\xbc\x1c\xeb? "i8HG¤¤/*¬ ^ç O¶%Λ●Ac├dN⊕bTQk↑G┌∄q>dU 0\xfcc\xa4\xf65\x85\xa9<\xce\x9 2\xac{\x0d\xdc+\\xa0\xef\x8b\x9 }V6gXB1 $f\xc0\xf3\xfb/\xf4\xff\\xe4\xde\x8$ ↑|;o|PR)xĂC♬Kӄ→T1.5r8Q+0Y↑' 8^\x9cH2\xce\xf3d(\x83\xc6h\xa F>●7sU‰AE♬¹\xc2Lq□Bs→+J↓ 2\x1c\x1b=\xa5\xe3\xa0\x94\x0 t+kl0y'N(0a&(0a&'r‼L?1eF'Ĵrو')(b\xe9\x187TF\xa0\xa2\xcf\x95 լ1EwK2KÔ↑rl.'♂{;y2{"O●V0c#^L $m\xf7\xf4ef\xdf\x887\xd2\xae\x9$ ĴJ,'%?[^¹¶63Y/**▼**QKq^¹j 1\xff\xabQP\xe5W6{\xdaz\xc3J\ #c7ri=□L月□↑xG`5F↑:♂ Sqs!xff\x98\x10\xf2\xc4\xa9\x1b0\xb 4\x83\xd3\xf9\xde\xab\x89\xcd\ |U♂U→;¤7K qQ^J{j→nx**∢**0=P+|O x1e\xbc\xea\xf3\x8enR\xe1\xe6\ s | 1₁[rt=z^o!}h=L6ĴSFH^ └5Z/w xaf\xd8\x09gS\x9b\x8d\xb5\xea\ n-ZzA6p x99\xc0\x80\xe6\xb1\xb1"\x1f\x shj-s⊹\xc7hn⊤3`ZUK:A♂Swo[⊥]{E aa\x0e\xec\xecSM^\xddq\xb6u\ 71 {w**▲�**aÿK"vF2••w ^LPK•□o□‼‼`) xa1k\x82} <k\xbcl=\x81\xb8\xf9\x9b\x99\xc PK ⊓¶©©©!<┐ JMETA-9!\xd4\xfe1\xc5~M\lappathtallt INF/PK □ ¶¶000! 1\x8b\xcf\x7f\xc9iH\x0f\xbb(A\x e7\xde\xae\xcc\xd8g\x92\xa8% INF/MANIFEST.MFPK - 99000! 7\xe7%/\x03\xe7\xec\x99\x110\ <o□!!!!`)♂classes.dexPK |- L L♂¶ x91\xb2\x0e\x18\xc4\x1e\xd0\xc 4\xe8\xa3

Operation Algorithm **Key Encoded Key Format Plain Text** Cipher Text T\xba\x88\xa2K\x86i\x1aX97\xe 8\xaa\x9c\xef\xacC\x82o<\xf7\x ce]\x88}\xbc\xc9\xb8K\xd5\x0c[\ x8c\xe8\xdd\xdbl\x8dx\xedpLzP \x1b\xe7\xd2Y\xea\xdai\xd9+? ~\xae\x133#\x83\xf9EI0\x02\xec \xfeT0\xab\xd8\x12Y\xae\x7f\xd 1\xd6\x09\xfc^1\\xf5\xaeB\xc1x gw\xb5\xf6\xbe\xb3\xbd \x1e\x 94\x85\x0b\xb6\x09\x1e8\xc9\xf 5!\x0a\xa5\xe8pw\x8a\xcf43Duu \xda\xdd\xfc&E\x95\xf7\xa4\xbf\ $xfb\x0f\xa3\x94v\x15N5V\xd1P\$ xa8\x09\x90dL\xa4y\xa7V\xdev\ $x1e\\x97k\\xb1q\\xb7\\&\\xde\\xb9\\xb$ 4\x08/2\xf1\x7f\x09\xea\x158<5 D\x86\x1d{i\xb18\xa0\xea!\xb9\ xbcp\x852\xf5\x0b\xb2T=\x8f\xb $7\x87\x0b=\x8f\xb7\x87\x0b\xf5\$ x1e!\xf0\xd5\xea\xc5\xab\xcc1+\ x9e\x8f\x8dfn\xb2\xca\xfb\xb2\x 01\xa7R\x8d\x93\xc463\xbax\xb (\xc8\x90\x1d\x89\xee\xa9O\x8 $\x 98\x 1a\x d 9\x f 6\x b 2\x 8ak\x d 8\$ xca\xf9\x95\x03\xb62M\x83;\x9 $7\x9b\x09R\xd4\xcd\x97\x0e\x0$ $1i\{\xcdn\x82,\x9d\xe4l\#\xb4\x7f\$ x8d\xfa\xda\x91\x9ck\x15xWU- $\x91_{mU\xed\x9b\x94\xba\x15}$ V\xa0\xc1HA\xcc\xb0\xae4Y|!6\ $x8b\xf1\xab*\xe6(\xe1\xbd\x8d^\$ x09\xb5\xf0\xa9\x87/1\xfbQ\x87 RA\xc2\xf2\x8e\xe8\x8c\xaa\x8 5\x0a\xb8\x05\xb9\x89\xbb\xf1'\ $xc2\x18\x0d\x95Q\xa0f=\x1c\xb$ 0P%,\x87\x8f\xcfH\x08\x84.v\xff $\xfb\x08>\%\x04\xe5\x134\xadj\x$ b8aoC[wJ\xe8\x18\xf2\x15\x890 $x8fx09\xfd\x03\xf6 \xdb+\x0b$ U\xea\x13\xaa1O\x94\x1d\xa56 x87xa4o\xd5\xb4\x19q\xb9L\x d5o\x07\xd3M\xa4\xd6N&u|\x9e \xcf`K\x94\x19j\xacf\xa9\xec\xd 8\xf1\xe4\x97Y*~\xa4u\xa6a_\x 9aD\x07Tq\xa5J\xeb\xcd\xf5\x0 $c<\xf1\xd8\x14y\xd2\xfa\%\xf6\x$ 8a\xbfrq\xac\xad4\xfd\xd3\xa1< %\xa9\x18.NT\x17\xf6\xfei\xa7]\ xba\x84\xd6\x86\x8f\x02W0\xc0 $1\x17\xe9\xdf\x9en\xc6\xed\x7f$ $xcdJ\x0d\xd8*H\xe2\xb7\x13'\x$ ceP\x1f2\xd4\x9e\x8a\x1f\x022 \xff\x11\x88\xc2\x95fQ\x80\xa5\ xedb6S\x0c\x11\xed}\x12\x9f#\x 81\x9c<\x96z\xf1\xad_\xa1\x98\ $xd0\x00\xd7\x90\xcd'\xfd\xfa\xef$ \xe8\xed\xd3\x95\xfaJ\x0bS@!\ xcb\xb4Wa\xf4'iB\xf5\x19\x0d\x 91\x00\xa7!F\xe6\x09\xa9\x04\x 93\x0b\x14C\xb1\xd1\x1f\x8e\x

14\xf4\xfa\x90\xae*.d\x84I\xec\x 84a.\xf4\x90\xc6\x7f\x873_' \xbbCF&T\xf5\xcbF? \xd9\xa3y\xd3\xda\x1c>2\xdby\ A\x9c\x15\x05\xe3\xd5\xbef;\xb 8\xc8\xfbao\xcbq\x0f\x09@\xe6 $7J6\xf1S\xca\xc1\\\xb0\xb2M\xc$ 3x\xf1\x911\x9aC\x03\xda8\xaa

Operation Algorithm **Key Encoded Key Format Plain Text** Cipher Text K\x13\xda8\xaaK\x18\xa7\x98\x 1f6\xc1\xfeD\xcd\xdfz%\xb9\x0d \xca\xb4\xc4\xb6Cm\xebmz\x85 \xf5\x94\xd3\xea\xbc\x8d\xa750' \x09b,^e\xa5\x90z\x1d\xa0\x8c\ x85Ti\x91\xab\x95=3\x1a\xeff\x $d1\xf0Q\xbd\xd7o\xf4YH\xb6$ \xbdV\xab\xc3\xede\xeddEn\xe 8\xcbt\xdb]2&r\xa8\xa1\xd0\xe1 fGR\xde\x97\xb8@]\x1b\xd4\x$ 0d\x99=L\xc0\xc5OI[i\xbew\x0d FQp\xf4\x91i\xa3\xc1\x1a\xf0j\xf cD\xee`\xcf- $\x94$ \xb9u\xc1\x85\xfe\xf7R\x8 5t\x9f\x88\x94@\xc3d\x9bL\xa2 \xf8P\x9bL\x9c\x0c\xdf\xbbg\x1 c\xfeQ\xbc\xea\x1b\x8b\xd07\xc e\xcezQ\x09h\xfe\x92\xbau\x05 f=\xd7\xee\xea8\xe5\xec\xfc\xd 3\xb5\xa4\xbes-\x9c1\x99>TF\x06\xd7\x17[\x0e\ $xe6\x1e\n\x17e[JnfDA\x11\x82A]$ $\xe6{x85\xe4PY\xe7\x949\xf7\x}$ d7yom \x85\x9aZ"8\x92-6\x021h\x87M\xab\x8a\x9f\xdc\ xf3F\xa0\x16sk'Y\xaaemC\x0b\ xea\xb2\xb1~\x0e\x1b\x1dkVv\x $bdJ\xfb\xa9q8\xfa\xff\xa6\xa3\xf$ e\xce\x16@\x1f\xc9\xecpx\xf4\x 13\xe4\xac9s\xdd\xdf\x94\xab\x e5%!i\x1b\x1c UP\ <N\xdbO\x80\xca\x8e\x84\x0am $A[\x000] \A[\x000] \A[\x$ \x8f.R^\xca\x17\x07\xf4\x92Q\x 813drsL\xa5\x9e\x0e\x10t\x05\x 97\x009\x85v\x89<\x0cw\xf1\xa $2\xdd\xc9L7~\xaf\x0d\#6\xac\x8$ 3\x0d\x1a1A\xe9P\xbegc $\xd1\x86uY\xf0\x9b\xe2n^\xb7l\$ xd9h^\xaa%\x96S\xf5"\xc4\xcc\ xca\xaa\x12\xd5\xe8\x9f\xe8\xf 1\xd8#Lo\xa5m\x85\x0d\xbc\x0 1E\xc3,\xcbF\x8fb\x02\xef\xd9\x c9\xe80\x98m\\xf2\xf5\xa4\xcb\ xb4\x07\xad.\xd7\xa3\$\x9c\x91 +\xf4\xe2\xf5@\x09L5"\xc5e\x0 8\xab\x8a\x0f\xa8C\x00P\x8c.\x d1\x8a\x15E\x8d\x82L\x1a\xb0\ $x8e\x94\x7f\xcf\xd0vV\x80\xd1\$ xc1\x04Z\xfbmZc<\xfbmZc<}\xe e\x8c4\xe8\x17q;\x1e7\x83l\xa2 :\xce\x14"\x19\x0f{\xafs\xf4\x1a\ $xb2F\xab\xde,\xf5\xa7\xda\x1a\$ xb7\x0cx]\xeat\xddW\xbf\x97\xb 6\xe8V\xb2n\xd6\xcc\xdc\xabW\ xef\x98\x83g\x92\x8fh? \xa1\x90Q@%\xc4\xf6\xe8}qe\x bf~\xa37Q#R\xe2\xc9`\xbd\xea J\x8a\x82/\x89\x83n\x9dMw\xb 0\x8a\x0d\xf5\xbc\xe0\xff\x89\xc f\x877:\xba\x0fTY\xc1F\x13\x07 \xff\xc5iTj\x0f\x81\xed\xed\xc8\x a9\x0b\xef\xd1\xcb\xefu\xb0\x1 5A\x12\x92\xf0\xc3Xhp\xe2\x83 v\x10\xcb#\xe0\xc3\xe2\xb3\xd7 \xf0R+\xe6\x10P\x1a\xcf\xa2\xa 3\xaf\xb8\xb3AA\x1b\x1da\x91 R#F\xc9\xb4\xda\x11\x96\xb0N\ xe1\xa8cE\x99\x8c\xc20-

\xaaL A\x06J\xcc\xbd\xbb\xd2\

Operation Algorithm Key Encoded Key Format Plain Text Cipher Text

x82\xa3j\x87\xd9\xc7"\xb2\x8f\x 08\xe5\xe6\xc3&\xa7G\xa9V\x9 5o\xe5V\x9e\xa9\xee\x8e1\x8e q\xd9%RM\x1c\x889\x9e\x8f\xf 6\xef\xff\xd5\x90\xa3\xb5\$;\x1a\ xdb\xd2\x80\x09\xa56\xe9S3\xa b\xa6\x13\xb6#f\xefj7\xc2\xc8\x d1\x99E\x98\xd3N\x1f\x02\x1d\ xa5\x07\x12\xb2+nk]\xa1\x8f\x0 c\x0e\xee6\xbf\x81\x98\x1e9\x1 avx\xa8\x91\x19\xc4T\x17\x86\ $x03\xf9\xb4\x94\xaf\xcb\x94\xe$ 5\xc9\\xa1II\xd4\x8aI\xf5\xfb.ty\ xd7L5\xec\xcc\xce\xeb\x09&}\x 82\x95E\x81L\xf80t\xcb\x0e\x90 \xd8\xbb\xbe`\x8e&\xe1\xe2[HS \x9e\x9b\xb4\x80cE\x80.\x8f[\xb 0\xc0\xaa\xea\x1c\xe7\xd5\xe5\ xd1CP\xea\x80\xf59\x05\x0b\xa $3\xc4\xf0\x8d\x9d\xpd\P\x9b\x$ $17\xf5\x048\xbf\xdd\xe4\xce\xe$ 5\xdf\x02@\xfef\xa9\xf0WH\xed \xa7\xfa\x0b3>3\xe8\x87\\x1c\x ed\x8d\x05z\x03\xee\xb3\xad2{\ $x15\xed\x94\x90\1/\xa5\xc3$ i\x 0e\x83Mc\xe5\xb0\x02\xdd\$D\x c74I\xc7(S/\x08T\xe4\xc98\x98\ xe0l\xf5\xde2\x04 KtjH\xc8w\xe a\xf3\xd4\x16_\x17vH3:\xf850\x d54\x8850\xd54\x8e6\x18\xad \ xb2G|mrP\x02\x1b\xd6\xba\\x1a $F\x01\x01\x03\xc5\xb7U\xff\x13$ $\down 3 \down 3 \dow$ z\xacG1\xb8\xec\xad\xc3X\xb9: \xb4\xd1<\x87\x97L4\xb02UR\x $d9\xa2u\x01,\xe3;\x0a\xef\xa74\$ x93\x05\x06\xb9i\xf1\xd2}\x04\x a5\xe7Z\xc1\xa0L\x90j\x0f\x99 DX\x8cg\x9a? $\xb2]T\xab#a\x9cb\x15\xedf\x07$

 $x82\x1e\x96\xdd\x11P\xde\K\x$ b1\xeca\x1am\xb1j\x04\xbfm\xe a:G\xbe\xe9\xf4\xbc\xdf\xa5Xp\ x82~\x1d\xf9\xc7\x84\xb7Z\xbe 5BL\xfanJ\xca\x15O\xd8\xd8\xc 40\x9b\xad\xd4\x9f@E\x08\xfbF y0w\xc9_^z\xda\xc7\xd27\xb1V\ xd1\xa7%\xf0L\x13\x93\xd2\x9d Z\xed\xe3\xac)\xb5\xd6\xe6~x\x $b4\xa8\xd9S\xe5>\xc6\xba\%\xe$ 8d\x1d\xde\x0e\xd9\x956\x98\x ec\xb47*\x87\x12~\xca\x9e\x0d\ xcf\xb2 Wst\xe9\xaa\xbe\x0b\xe 4Wn\x08\xfa\xa3\x89\xd0\xa0t> \xa0\xec\xc2u\xc8Q\xfaTm'\xa1\ x96N\xe0\xdf\xd9b\xd5\xdb\xcb\ xfe\x14\x80\x089z\xa2J\xa5,M\ xff\x1c\xedY\x87m\xb5\xe8mu\x $9f\x93REp\x1a\xd4\xb2+\xb5\xf$ 4!\x8d{\x80\xa9\xbbH\x85\xc1'0 8d9-

J\xd3\xe7\xfc>U\xd9\x19\x17:7\
x9d\xc0F%\xe3\xca\x8f\xb7:n\x167\xb54\xca\x1eo|r:\x0
3vB\x11\x9ci\xf8X[\xf3\xe0X\x14
\xd8\xa5\xdc\x9c\x98\x07\xcfOX\xc0\x80\$\L\x01\xc3\x1b\
xba\xd9\xdc\x150\x8d]\xa5\xfg'^

Operation Algorithm **Key Encoded Key Format Plain Text** Cipher Text G\x1ao\xc5\xff\xce\x83pv(Z\xe3 \xe7A\xe8\x07\x00\xc0\xdf\x1cA \xf8\7\xd8\x06i\x16\x8e\xaaY\xd d\xb3I\xbc1\xf9\x01qH\x81;~^S W\xa8\xc6\xfe\xfb\xd3^\xc2K\xc a\xb5G2\xa6\x97:m\xc0\x9e\x0 c\xbbr\xdc\x02\xa2\xa4\xa4.~\x 83\xfeA\xa3\x9a\x00q\xaei\x9d\ x8f\xaf\xc9o\x94\x01\xd1p\xa1\ $xf2\xf1\xe5\xe4+E\xce\xb3\x96\$ xe4\x971tL\xde=1tL\xde=J\x85\ xba\xe1V\xf3\xa1\xae&`\x9c\x8 b\xb0Y#q\xda\x91\x1c\xe9\xf0\x deT\xca\xada\xaa\x7f\xc9"\x93\ xbb]Qy\xd7\xe0\x90\xcd\xd8"H\ xe6\xa5!\x83\xe8<\xa6\xde\xf8 Ou\xbb\xf2_I\xa6L\xc5\xaf\xe1 W\xca\x14\xab6\xaab\x05\x17\x fe\x90H^\xf1\x19r\xf8\xbd\x94\x 9cN\xb2\x88\xc0)q\xf36j\x15\xa 3_\xa9\x09\xaaJ\xc0\xeaM\x00| \xab~\x1b\xda\xed\x85\x9b,\xfc WWZR\xf1\xe0\xbc\x7f ']vu\xac\x0a\x8e\xc3%\xc7S`/\x c19I\x874Z\xb8|\xa1. ${\x81ZEv\x10~1\xad\x14\&H\xfe}$ x13\xfb\x04\xa0F\x96\xce\x08\x eej\xf2\xcf\xc2H\xa9\x0c)\x9b\x b3&K\x8a\x11\xe7\xca\x15G\xa a\xf8<\xaaV\xf9\xde\x05\x97,\x0 3\xde\x8e\xf1J)\xdb\xc4p8\xa2\ xb6v\x04\xfe\xbb\x85s\xe5&\xd 7X\xf4\xe597P $+\x99C\xd5\xf4\x9f\xdck\x9bi\xf$ c\xac\x9e? $x15\x1d\x02\xfb\xe0\&i\xf2U\xe$ $72\xd7\x14\x14f\xdf\x9bo\x88\x$ 93fa\x85cdo\xde\xf9\x8fR\x9c'\x f7\x0e\x0a\xbf\xd8\xd9\x94\xed @d/xeb/xde/xd2:/x8c/xdf/xcc/x9 dL\x95\x8e\xa7\xa6\x9c\x17\x1 8 \xa4\xd6\xb8\xcf\x82\x14J6d\xf 5\xb8\xaf!A\xb71If{\x07\xaa\x8d \xca\xb7\x98\x04\xb3\x9d\xb7\x 98f\x99(\xc6? \x97\xc8`\xa9n\xcei\xa4\xc22\xd d\xc8\x8d\x14\xc0z\x84n\x8b\xb 6\xe8\x97\xafz#\xa6\xb4\xabIY\ x82\xe4\xa9\xdc\xda\xef\x95\x1 2r\x9e\xce\xecn\xcc\x1d\xed~\x 85\xfd\xf8\x9c\xbe\x1e\xe8~\xfb \xc8\xb2\xa0\xb2~\x01\x15\x8c \sim H\xd0\xde\xbd>\xa5\xa9\xb3\x $d0\x1b\x95\x1f\xb8\xb1\xa1b\xf$ 7AG\xe4/H[\x06\x85e\xccn"\x13 \xe8\x8e\xfcf\xd0K\x9e\x16\xa1\ x1a\xd8\xff0\xfb\x94\x90U\x06\x ea\xed\xf1\x82\x7f\xd5,& \x812\x91\xbfPI+\x08f\xd4\xc3\x 87\xc06\xdc\xd9\x17Q\x94'K<\x b2\xd9\x87\xc5\x1f\xf0sCPI\x05 \x985\xc1\xfbC\xf2\xddJ\x8d\xdf \xd6\x8b\x9aV@\x1c\xa7\x0b\x $af\x89hg\x0b\xaf\x89hjPr\x8fo\x$ 9b\xdd\xdc\xc9\xf8\xda\\x1b>\x

09\xa6\x0a6\xb9=\xf5\xd7\xe5\x 17~\xfb\xd4D\x11%\x11\\xc1\xc 5Oi\xf5\xf1e\xb6U\x83\xa4\xc1(h<\x19\xf4\x04\x1e/\xc9\xbd\x1

Operation Algorithm **Key Encoded Key Format Plain Text** Cipher Text 1\xc1\xe8@5\x08\xcf\xe42\x07\ x93\xa2\xbd3\x06>\x13^\x8b\xb e5 $x07\xd3\xdf\xae\xddF7\x84\x$ 91\xe4US\xfe\xd6\xb7\xce\xedz \x81JMI1y\xe9\x175%\x9a\xe3\ x8c\x1f!M7\x1e\x0fpc\xed\xeb}p \x09Z\xc1\xff\x99M? \x15X/\x16k\x16\x8e \xf6\x9c\xc9\x96\x09\x85\xd6\x1 0\xc7\xba\xd7\xcf\xff\xf1\xf7\xf6 K\xc2\xc0\xf7\xf2\xc0x\xddJ\xc3 3\x14\x07Y8;. {6\x03\x90\xb3\xf8\xe6\x91\xa4; \xf7\xe6\xab|\xb7\xf7^q\x00@<\ xb1/\xea\xa5\xbe= <\x87\xa1k\xdc\xac\x19\x8f\xa3 H\xc1\xcc\xbe\xe9\xee\xcd\xdc\ x16T\xc1"\x90\xf6\x97\xb1\x9d\ xbb|\xaa\x0c\x9eQ\xd3v~\xcf\xf $9\x92\xd2\x9e=y\x9d\xfa\x85\xf$ e\x97\xbc\xaaC\xa0\xfb2@Q\x8 c\x19:\xcd\xd6\x8d\xfe\xbb\x09\ x9b\xb7\xfe? $\x94rF\x0cTg\xe4\x8b\xc9\xd2.\$ xb3\xc9\$S0t\x0c5\xea~\xc4Bj\xf 3U:\xb9.A[H\x1aI]\x0ed\xab#\xf0\x80\x0a\x0b\x0 4\xd7\xee\xb6\xc3\x14\xd2\x9f6 x0c2mxa7xb9x1bx03x8exdd\xc1\xca+^\xfe\x1a\xa5\xfd\x7f\ xbaeN\x17\xc5!\$e\x974\xc6+8 $\ \xda\xbaw\x00\xfdE\x81>\x97R$ \x9e\xa7\x00\x80\xc30\xe8X\x9 9\xba\x16\xbeq\x02,\xe4\x85T\x a8\xdb1fQq\xbd\xe1\xcf\x92\xe 08\x05a\x98\xdbMM\x93\xa5\xb 6\xc9\x94\x1f\x86\xa7\xdd\xd3A \x19H \x090\x0c\x03\x12\x1aNUL~\x9 a\xfb\xee\xdb\x80\xdd`a\xb5V\x d8\x11\xef\xd2\xe2\x19\xf5\xb9! $\xfc6\xfd\x11\c\xd1N\xcf\x8d\xb$ d\xc4>F\x93\xf4\xa4\x9b\xf3W\x ffg"\xe1\xa2\xe8u=\x10\xf5\xc9\ xf5|\xe6[\xcdT\xc6\xe8\x9d\xcd $X\xb6t\x18i4{\xbb\x7f\x0fl\x9f(\x}$ cc\x8f\x0e\x06A\x89\xfbQS\xf7 C\x84tL\x82}`tL\x82}`\x81S\x15\ $xfb\x09\xb6\x14\xf4J~=\xa6\xd4$ \xeb"\xe7\x10\x19%+Zb#\x95\x 91\xab\xde\xe8w\xf7n\xb3\xcf\x a8+C\xc5\xe7\x0au\x91@\xf0\x 88G\x1eHT\xcd\x83;;!\x01\\xee e2 i\xf2\xaa\x02\xdf\xedX7P\xf 6\x98\xa7\x9aA? \xc6\x875\xcf\xc7\x82\x85\xbfqh \x96\\x98\x193\xbd/\x9e,\xfc\xe 4\x17vr\xa3\xcdU2^\xcf\x92\xfd\ xb2d\x89\xc7\xb5\x7f\xae!`\xa0\ x02\xc3\xf3\xe5\x92\xa8\x17\x8 c?!\xf1\x86zP\xba\x0eD\x1c4\x ad\xd5\xc1l\xcaxh\x9fT\xd3\xba $x10\xe8)\x02\x0e\xfd\xe6\x03\x$ ac\xa6\x9d.)NP\xd4\x0d\xe5\xb 5\x9a\xc7\xf5\xedG\x8f\xf2D\xf7 \xa1q\xbb\xbd\xc6\xc0\xe5\xef \xcc\xad;>\x9f\xb62g\xe5xU\x98 $\xe_{xcb}\xe_{x8e}\xd_{xbc}\xe_{ju,"\x}$ $a9\xd9@YY\x9f,\x0d(\x04\x8f)\&$ $\x19\xf3\x1b\x8d\x9f\xb7\xbf3+\$

Key Format Operation Algorithm **Key Encoded Plain Text** Cipher Text x17\xbb\x84o\x1b\$\xc7\x13\xcf\ xcd\xa5{'\x1e\x07\xc8!}C\x0en\x 81u&\xc8\x15\x96\xb2\xb5f\x1a\ xc8k.\xe9\xado\xf6\xf5\x90\xf8\x $0e(\xcc\xc1P\xcb\xd2\x13\x90$ \$ g\x1c\xe59\xf9\xbe\xc7\x85\xcc\ x03y!\x13\x02\xf4\xe4\xbf\x19\x 98x|\x02\xf4\x9f\xa8u9\x11\x16\ x9d\xe7\x89R\xd6\xf8\xe1\x0d\x a8[\x17\xfa\xf5.\x80EM\x8c.\x04 \x83\xbd\xb7De\xff\x98\x9d/\x9b \xe3\xf1A\xd6\x05\x84\x9c;\xfd\ x0c\xcb\xa8\xd6 f\x9a\xcb\x85\xd4\x0b^\xa5\x92\ xb5\xb8\x7f]\xca\x1c\xf2%\x06\ xd6\x05\xa1M_\xd6\xbem\xfc\x e9\xa9\xc36\xc2\x9b;\xcd\xb9\x 04\xd3*\xed7v\xe6\x9c\xdd\xf2I uG\x08\xc5\x1a\x94*\x8d\xcd\E k#\xf2#\xe6\xc6\xec~\xae\x7fP\ xfc\x9d\x9a\xfc\x0b\xafOP\x97\ xc3\xb9\xd6\x07\x81\x13\xe9i\x bf\x87vj64\x93\xc6Y\xbc\x07>\x 9b\xa6\xc5j\xbf\xf8\xe8\xcc\x8e ^K\xdc\xe7\xb1g\x12X\x8f2\x86\ $xbc\xf7\xde\xe0a\xf7{\xd6\x91\x}$ 95\xbd\xe7\x10\xa9KF\xc8X\x9 $d\a9\xb4\x11\xcd\xa0@\xb4\xd$ d\x89\xc9\x88\x8b\x84\xe9\xc1 h\x8b\x84\xe9\xc1`\xdei\xf1'\x10 $a?\x92\xf1$ \xa2\xd9\x1aZ\x95\xa2Q\x11\xd 7\x91\x994\xc9\xdb\xa6I? \x0aA\xb7u\xd8\x84\xcd\x0a\xef \xcd\xc6\x1b\x08\x97b,\xac\xaa\ xb3\x0b\xf9L\x9eM\x09\xa6e\x8 $b\xfa\xb6\xb7<\xeO\x0a\xb8\x$ c7\x8f\x955\xe6pg\xe9: {0}lt;\xd9KBoW:9\x1c\xb0\x0e-\xe0\$\x9f;/f\xc9\x93)U\x09m\x1 b\x1e\xcd3\x81%\.\x0c\xc6\xae\ a5\x0f-\xb9\x15_v\xf3\xc9\xe6x\x1d\x1 c\x10h< $\x05\x07\x07\x05=c79\x94\$ xb5\x1f\xb4\x1e\x86\xe3\x88\xc $4n\xfc{'\sim\xe25\xa8\xe7\xbe\xe1}$ xc0;\x8e\xff\xc2o\xa6M\xf9\x0e\ xb6\xbe+\xe0X\xf0\x1c@\xda\x 86|I\xa6\x0b+? \xd5S\xbfO\xbd\xfe\x03\x03\x9b $\$ \xde\xc7]\x95\xea.\xfaqh\xb5\ $xbf%\x88{\xe4s\xc7\xfc5\xb7\xc}$ f\x12y\x0cE\xe4m\xad\x813\xa5)C\xc9\xe6;\x8aw\xe4*\xe9\xe3\ x85\x9bb\xc2\xe1'\x98\xa0F\x0 9\xf2\x0e\xc4\x90D\xd1? \xed\xac\xd9\xf6G\x17f\xe4\x8f\ $x98\x8c1\xd5\xd7\|r^\xe7\xd8\x$ be;0\xa1\xa5\x04\x8f*\xa0.\x80\ x0ev\xf5\xc2\xcd\xb5\xa9sO\x0 8\xee\x1bI:\x90\xdf\xabr\xf4Iv\x e6h\xeb\x90\x96\xbf\xa4 O\x03}/\x11\xb2?? \x87\x90\x16~\x8c\xb4\xda\xcc $*\x1f>\x8a\xd7\xa7\xe4^\xe7\x$ c5\xe8Q\x85;0u\x83\xf2\xc4Kv# :31PL\xb7\xd9\x95(Vc\x15\xdc\

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
					- x0f\xa0\xb6Z[\x12G\x014\x9b\x 1e&\xe4#\x1f\x15
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.h	2\xa5\xc9\xc9\xd6\xfd\xd5\x9f \x c9\x97\x84\xa3\x1a\x82f\x9d \xd1\xa5\xe3\x8fi+\x84a\$\xb9o\ x98\x90\x96
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	1\x1am\xcdC\xae\xa0\xf9\xd0M \xa6W\xeb\xfaN\xc2
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.g	\xad\xcd\xbc\x91\x13\xbf\xf3\xb 3\x1b\xf1\x1b\x9aw\xdd\xfe\x8ej \xa6u\xfe9\xf5%\xad\x00\l&\xc1 m\xa5\xd8
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	/\x85\x95t\x0f\xb3\xa9\xee\x10\ x9e\x05\x0c\x8bW@\x09
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.l	+\xf8\x8dh\xecs\xfaE\xf4\x86Eh \xeb\xc6D9\x92\xa8\x03"\x09\x d7V\x0b:\x07\x0b\xaf\xf1\x94R\ x11
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	a	\xd6\x9d\xa5\x0d\x1e\x18Q"&\x 9b\x1a/\xc2Q\xd2\xaa
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.d	\xa5\x7f\xc4>+\xb4L&v\xe7\x9e\ xdf\x1d\xdd3\xc6\x03\xe9\x9d\x ce\x80?\xca"\$\xd7{/\xecj\xcb:
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	a	R:\x05o\x93\xd5\x80\xcbF\xba\ xdb7\xd2\xb9}~
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.c	\xc0\xbc\xabH\xb9z\x15^\x11\x1 5ua\xbf\x95uVD\xf5\xfa\x98j;\x9 eu\x07\x18\xab\xb2\xc1U:)
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\x9fvN\xd8\xbb\xd9\xb0\x9bc\x9 5WL\xaaHU\x08
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.m	a7\x1b:\xe4\x8f\xff pW\x0dW\xb 0\xb6\x09q\xd0N\xd7\xad2Z>\x 09D;-\xf7#\x10\xa0\xaf
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xc2\xe9\xa0\x85\xb9\xbd\xc8\x aa\xd5\xf9\xf9\xd8\x13h\x98=
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.b	d=\xc7\xe5\x9c\xbf\x84\xe7\xa0 L\xbe\xed^f\x1d\xc1\xac\xb9\xb 1*B\x0d\x0b\x09Z (\xf4\x19\xd7\xfc\xf4
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\x7f\xc09\xcb\xad\x0d\xa6\x9d\x d6\xf6\x96\xb1x\x00\xc3\x12
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.a	\xd8k_\xaaHIr_s\xaf#\x10\x 09\x09\x8cH\xc2\x85f\xa0\xdcM \xc0\x85%\x87:\x88\x92\xb5
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xf3\x8d\xcb\xc4\xe4\xbb\xa2\xb 6\xee2H\xb5\xea\x9a\xfc\x8a
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.o	\x93\xe9\x84<\x96e\x12%\xa6\x 1b<\x83\xd4V:`Y\xdc\x83\x0e\x cbC\xe1'''\xf9,\xae1\x11\xd3f
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\x113\x86\xd3_\x17\x8f\x85=\xb a;VrM\x96U

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.f	\x10\x0d\x86\x9f\x99\x8d\xf8\x8 4\xfa\xf4\xf8\x05\xc8i"8\x93\x00 Bhz\xbb\x9d\x92\xc1\xac2za\xa 2i\x1d
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\x99\xd3qT\xffg>\$\xcc\xc0\xda\ x11N\xe9g\xd1
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.n	\x14D\x86\xa7\x0fU\x0c\xc8kB\ xd4x\xbd[\xed\xee\x87\x0a\$\x0 2\x15\xf8\xc0CQz\x05'S\x90f-
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	b\x9d9\xa7\xa1\x15C\x87\xefL\ xae\xced\xd7P\xe3
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.k	\xe9\xef\x14\xc67'X\x92`\xb8\xd c\xcf\x91\x19\x15#U \xc7\xb44\x02\xb4\xc5\xb9\xd1\ x06\x10\x10\xb4?@
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xba\xa9\xda:l>\x91+\xba\xb4\x bdKO\xf8\x98z
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.j	h~\x9343\xa3 G\xbae\xd8\x01^\ x98\xda]\xef\x1eF\x03\xc0uc\xa b\xf4\x90\x0d\xb9F\xe3)\xf7
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	f\x11U\x15\x19"i\xa2\xe3P\x81\ xfd\xf5\x8cU9
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.e	\x8cq<\xf2Tw\x08}\xd6\xd4R\xf9 #Q\xa7\x7f\xbfi\x15}*\xc3E\xcfy\ xa5\xecQ\x18\xa1\xf4L
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	/\xc5W\xd8\xb2uM\x08\x16}"\xa 5Tvm}
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.i	8\xbb\xc3\x94i\x18\xbf\x86\x03\ xa2p\x9cY\xf3\x13\x98\xa37\xc 5\xdcr\xbe\x87>\x8b\xba\xe1\xe 3\x8c\x09L{
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xd8\x93\xdcM@\x13fp\xbd\xa5 \xd3:;e\xde7
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.h	2\xa5\xc9\xc9\xd6\xfd\xd5\x9f\x c9\x97\x84\xa3\x1a\x82f\x9d \xd1\xa5\xe3\x8fi+\x84a\$\xb9o\ x98\x90\x96
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	1\x1am\xcdC\xae\xa0\xf9\xd0M \xa6W\xeb\xfaN\xc2
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.m	a7\x1b:\xe4\x8f\xff pW\x0dW\xb 0\xb6\x09q\xd0N\xd7\xad2Z>\x 09D;-\xf7#\x10\xa0\xaf
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xc2\xe9\xa0\x85\xb9\xbd\xc8\x aa\xd5\xf9\xf9\xd8\x13h\x98=
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.l	+\xf8\x8dh\xecs\xfaE\xf4\x86Eh \xeb\xc6D9\x92\xa8\x03"\x09\x d7V\x0b:\x07\x0b\xaf\xf1\x94R\ x11
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xd6\x9d\xa5\x0d\x1e\x18Q"&\x 9b\x1a/\xc2Q\xd2\xaa
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.d	\xa5\x7f\xc4>+\xb4L&v\xe7\x9e\ xdf\x1d\xdd3\xc6\x03\xe9\x9d\x ce\x80?\xca"\$\xd7{/\xecj\xcb:

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	R:\x05o\x93\xd5\x80\xcbF\xba\ xdb7\xd2\xb9}~
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.c	\xc0\xbc\xabH\xb9z\x15^\x11\x1 5ua\xbf\x95uVD\xf5\xfa\x98j;\x9 eu\x07\x18\xab\xb2\xc1U:)
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\x9fvN\xd8\xbb\xd9\xb0\x9bc\x9 5WL\xaaHU\x08
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.g	\xad\xcd\xbc\x91\x13\xbf\xf3\xb 3\x1b\xf1\x1b\x9aw\xdd\xfe\x8ej \xa6u\xfe9\xf5%\xad\x00\\&\xc1 m\xa5\xd8
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	/\x85\x95t\x0f\xb3\xa9\xee\x10\ x9e\x05\x0c\x8bW@\x09
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.b	d=\xc7\xe5\x9c\xbf\x84\xe7\xa0 L\xbe\xed^f\x1d\xc1\xac\xb9\xb 1*B\x0d\x0b\x09Z (\xf4\x19\xd7\xfc\xf4
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	a	\x7f\xc09\xcb\xad\x0d\xa6\x9d\x d6\xf6\x96\xb1x\x00\xc3\x12
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.j	h~\x9343\xa3 G\xbae\xd8\x01^\ x98\xda]\xef\x1eF\x03\xc0uc\xa b\xf4\x90\x0d\xb9F\xe3)\xf7
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	f\x11U\x15\x19"i\xa2\xe3P\x81\ xfd\xf5\x8cU9
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.a	\xd8k_\xaaHIr_s\xaf#\x10\x 09\x09\x8cH\xc2\x85f\xa0\xdcM \xc0\x85%\x87:\x88\x92\xb5
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xf3\x8d\xcb\xc4\xe4\xbb\xa2\xb 6\xee2H\xb5\xea\x9a\xfc\x8a
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.o	\x93\xe9\x84<\x96e\x12%\xa6\x 1b<\x83\xd4V:`Y\xdc\x83\x0e\x cbC\xe1'"\xf9,\xae1\x11\xd3f
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\x113\x86\xd3_\x17\x8f\x85=\xb a;\VrM\x96U
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.f	\x10\x0d\x86\x9f\x99\x8d\xf8\x8 4\xfa\xf4\xf8\x05\xc8i"8\x93\x00 Bhz\xbb\x9d\x92\xc1\xac2za\xa 2i\x1d
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\x99\xd3qT\xffg>\$\xcc\xc0\xda\ x11N\xe9g\xd1
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.n	\x14D\x86\xa7\x0fU\x0c\xc8kB\ xd4x\xbd[\xed\xee\x87\x0a\$\x0 2\x15\xf8\xc0CQz\x05'S\x90f-
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	a	b\x9d9\xa7\xa1\x15C\x87\xefL\ xae\xced\xd7P\xe3
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.e	\x8cq<\xf2Tw\x08}\xd6\xd4R\xf9 #Q\xa7\x7f\xbfi\x15}*\xc3E\xcfy\ xa5\xecQ\x18\xa1\xf4L
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	/\xc5W\xd8\xb2uM\x08\x16}"\xa 5Tvm}

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.i	8\xbb\xc3\x94i\x18\xbf\x86\x03\ xa2p\x9cY\xf3\x13\x98\xa37\xc 5\xdcr\xbe\x87>\x8b\xba\xe1\xe 3\x8c\x09L{
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xd8\x93\xdcM@\x13fp\xbd\xa5 \xd3:;e\xde7
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	com.google.android.ads.zxxz.k	\xe9\xef\x14\xc67'X\x92`\xb8\xd c\xcf\x91\x19\x15#U \xc7\xb44\x02\xb4\xc5\xb9\xd1\ x06\x10\x10\xb4?@
decryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	а	\xba\xa9\xda:I>\x91+\xba\xb4\x bdKO\xf8\x98z
encryption	AES/CBC/PK CS5Padding	6849efbfbd6318efbfbd13efbfbdefbfbd38efbfbd17 efbfbd29efbfbdefbfbd	RAW	dey 036('))	\x97\$\xaba\x88&\x04 L\x07\xa5\xb6\Wb\xceiB\x9a\x82\xa6i\x16\xb6\Wb\xceiB\x9a\x82\xa6i\x16\xb6\Wb\xceiB\x9a\x82\xa6i\x16\xb6\Wb\xceiB\x9a\x82\xa6i\x11\{\x9d\x97\xea\xa4\xde\x95T\xac\xb6\Wb\xco\xc0\xc3*\x11\x92\x92\xc6i\xe4\xf0\xb9h\x98\x1b\x97\xe0\xf2Z\oxaa\xf3X\x99\xcd\xeb\b\x8c\xb1<^\txd7\xd5\xf0\xb9\xeb\xb2\xf0\xd\xeb\b\x8c\xb1<^\txd7\xd5\xf0\xd2\xeb\b\x8c\xb1<^\txd7\xd5\xf0\xd2\xeb\b\x8c\xb1<^\txd7\xd5\xf0\xd2\xeb\b\x8c\xb1<^\txd7\xd5\xf0\xd2\xeb\b\x8c\xb1<^\txd7\xd5\xf0\xd2\xeb\b\x8c\xb1<\xf0\xd3\xd1\L\x16\Y\xb9\\x118*\x92\xeb\xaf\xaf\xx6\xb6\xd0\xd7\!\xd1\x\xd1\L\x16\Y\xb9\\xa1\xa6\xd0\xd7\!\xd1\x\xd1\xb1\xya6\xd2\xxd1\xd0\xd1\xd0\xd1\xd0\xd1\xd0\xd1\xd0\xd0\xd1\xd0\xd0\xd1\xd1\xd0\xd6\xd0\xd0\xd1\xd1\xd0\xd6\xd1\xd0\xd6\xd1\xd1\xd0\xd6\xd1\xd1\xd0\xd6\xd1\xd1\xd0\xd6\xd1\xd0\xd0\xd6\xd1\xd0\xd0\xd6\xd1\xd0\xd0\xd6\xd1\xd0\xd0\xd1\xd1\xd0\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\x11\g\xd0\xd2\xd1\xd0\xd0\xd2\xd1\xd0\xd0\xd2\xd1\xd0\xd0\xd2\xd1\xd0\xd0\xd2\xd1\xd0\xd0\xd2\xd0\xd0\xd0\xd2\xd0\xd0\xd0\xd0\xd0\xd0\xd0\xd0\xd0\xd0

l}\xc4\xdf\xc17\xa9{\x9cl\xc2\x1
Cipher Text Operation Algorithm **Key Encoded Key Format Plain Text** ff+\xa5\x82XP,\x0b\x0c\xf4'\x 11\xb3\x1du\xfe\x0070F\xac\xc 4E\x04\xe5\xa8J\x86\x17\xc0!% r LNĵ!ĵ Lĵĵĵĵ" | →sp **□**en0-||→n0•|₁ +, ₁0→n0•e¹ {6\x13\xd4*\xd5Y\x97G\x177\x1 -•n0•u[」] |X:−//₊ /|□ 9p\xecHCD\x1e\xda\xc6\x93\x0 =|**G**d'|-Y@dD#**4**GK_|^LK[|] | **4**_| + $2\ensuremath{\times}e0=\x14X\ensuremath{\times}ef\xbd-$ (┌(10(┌┤┐& \xa7@kwd\x81rQ\xd3\xb6\x19\x ((* - - | p+G5-15qln+H q ee\xbc\xa3\xaf\x00&\xf9)1\x04\x F+4cr-p+Gf+1¶q`n+an+b♂m-L fat\xba\xa8\x83,\x83y\xc3+K\x9 e\xce&xP\xac;9a\x1e\xb9\x90\x $F+4 \vdash \downarrow i+ f \vdash \vdash \vdash \downarrow f \vdash \downarrow f \vdash \vdash \downarrow f \vdash \downarrow \uparrow \uparrow \uparrow \uparrow \uparrow \uparrow \downarrow \uparrow \uparrow \downarrow \uparrow \uparrow \uparrow \downarrow f \vdash \downarrow \uparrow$ c6\xfff\xa9\xaf\x84Y\xe0\x81}\xd 8o7Em\xd8o7Em\x91\xa2i\xf7\x 8 **←**r|q+)rr9r# r•r(ae\xf6Z\xe8V\xdf\xe4)\xe40:\xe r•r(q+)rr(b**4**n Qri+b+(| r⊓/ b\x99:\xe9\x0d\x0a\x97\xd4\x9d $\xc4L\xfe\xc3A,\xb5\x92\x1em\x$ $r = r, \rightarrow r \times 00q + [r + r + M] \uparrow h + N$ 143\x90`\x12\xcd7-[」]n@\x00!Cb₇ **4**→ ^L _ΓĴ¶#DJĴ | "-8Ĵ-| \xec\xb9\xdabn\x16R\x1b\x05C n+Y r rp0Wv rM— | q0L2 | ◀ rn+N 1b\x96By\xfc\xf3\x93.>I\x01\xd7 _4n0O ()___;7¬¬"b•→_n K+8↑b K:\xec\xc1\x92)\x01\xc6 →րn K+8♬b◘→րn K+ \x1f\x91\xf3\x09\x0b4\x8f\xce\x 8¹ 1+\$1(rr⊢p+G♬ r^{ll} e6\xae#\x98X\x7f;\xac,\xe3\xd6\ ┌∁┐└●→┌∁└#3In0C┼└∁┌#**∢**Jn0V┌▼ x0e\x87\xda\xd21=.\xbc \xebG:\xa2\x01T\x81\xd3\xff2\x $n + \lfloor \square \, \lceil \square \, \lceil \square \, \lceil \square \, \rceil \rfloor \rightarrow \lfloor \, \lfloor q + R \, \lfloor \, \rfloor \, \neg \, q + R \, \rfloor \, \rfloor \, \rceil$ cf\xc1@L\x9a\xa9mE\xe4\xc3\x 4q+R -n+N- -q+R -n+N• edj\;H\xb9j\xe1h\x10~\x19\xf2\xf •vq+R^J•n+N• •vp Sen T5 ^Ln 7\xf3\xc2\xaf\x88\x85\xc5\x1f\xe d#\xc5\xee\xef\xa8\xad\xe2O\xf $^{L}9^{L}$ " $\rightarrow ^{L}q+R^{L}$ $\rightarrow ^{1}q+R^{1}$ "|4q+R4\xa7\x9ai>\x82V\xd9\xc9\xa7e -n+N--q+R@;\xa1y\x171\xde\xb6\xa4|6\xa •vq+R^J•n+N• •vp Sen T5 ^Ln 5`<\xee\xf8\xbf\x0dOh\xac\x08\ T‼ Ln TC Ln+U L Lp =0q+xe1\xb5A\xbc\x81\x12\x8cI\x95` $^{\lfloor 9 \rfloor}d^{"}\rightarrow ^{\lfloor |q+R|\rfloor}q+R^{\rfloor}q+R^{\rfloor}$ "|4q+ \xbd\xa8\xbfe\x8b!1@h\x8f\xe4 $R \vdash n + N - \longrightarrow q + R \vdash \bullet n + N \bullet$ m\xee#\xfe\xae]\xb9\x09G\x988 •vq+R^J•n+N• •vp Sen T5 ^Ln \x92\x03\xbc\x92\x17\xcc~\x12y T !! rn TA rn+U r rp =+q+- r9 r L•)+ \x13\x9d<\xe8@\xb9\xd8\xec\xf •)!! •)☆ •)♂ •)• •)└┌└┌#•┤a\xfa [∐].,,^J.,,₇6₇5₇ ^L,₇6₇5₇₇;₇)₇ ^Lrrr◀ $O\xbd\x0c\xf1\xb7hbV\s\x95P\x$ în+?¬ г8гn+>¬ г8г└1+¤ г(г $91/x1d\xf3\xe1\xc7\x08\x0e\x$ b8U\xf3o/\xe3O\xb3\x02\xd1=\x @Qn B1 12 d1 n@\x004 n B1 e9\xba\x16m\xd3\xab\xd3\xf2e\ (8 - | n+A - n+Y - 4 • !8 - | n+A - ' xc3C9\xd2\x8d\xc6\xcc\xf9\x0d (♂| ├── *2 - - - P + G # - - F • " - ' → OBI\xbc&\xb5\xa6C)\xd6\x9f\xc -p =!n+? - -8 - ^L1+b -3→ n K! e\xa2\xa7\xe6\xf7|8\xd3\x08\xb լ9լ*bլ♂→յ n K! լ9լ bլ♂→յ n K! 5\xb3\x8e\xb2\x92P=m\xb2\xc0 $\lceil 9 \rceil \rceil b \rceil \rightarrow n K! \lceil 9 \rceil b \rceil \rightarrow n K!$ 1\xa3&5\xfa~NHs\x01:E\x0d\xf7 -8-¹ + -(---+D--- p+G5--\xc0wQ\xd2>\xec}\xd7e\xae\xbe $n+\frac{1}{2}n+\frac{1}{2}R_{\Gamma}\frac{1}{2}+\frac{1}{2}\frac{1}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}$ $k\x0dg\x16Zm\x92\xc0\xd8\xec$ └┌─┛┌┌┌p+G♬┌└b-┫┌┌┌p+G♬ \x86\x10\x08\xadT\xcc\xfe\x19\ xc2\x15\xdb\x03D\xe5P\x07\xb ▼┬r┼┴│∟¶→│↑⊤#fI↑●∟□‼M□─●n0C $7f\x83\x0e:\x8d\x1d\xb3/C\xbf\x$ P-Ĵ[⊥]#UJĴ-M[⊥]|-n0V@|ĴR4♬Dq 8c\xa6\xecd\xe8\xf8\xdc\xf0iB\x FT¹n0^r¹1+R3 4g FT ln0^r l•+◀ 14\xc1>\xc8\x0bG\xc7\xb9e\x13 $\sqsubseteq \P \rightarrow |\uparrow_{\top} \# f |\downarrow \bullet \sqsubseteq \square !! M \square - \bullet n 0 CP - (\bullet ($ $\xb7.\xdfd\xe6\xa5^+\xceD<\x04$ • (• (• (•+ ↑☆┌)0 \x13m\x1d\xa3\xc0\x92a\x92\xb 」.I5[,a6d」5[.^,a6d rr | p+Gf| r a5QL0v\$p^i`\xd9\x871\xfa\xf8\x L $_{\Gamma}2^{\uparrow}n+_{\sqcap}^{J}$ $_{\Gamma}n+_{\square}^{J}$ $^{\parallel}$ L @n0 ef\x82\x02\xeev\x01\xe8\xec\xe !└┌T♪┐!"=┐├→┐_q┼[┐┐**Т◀**┐♪└**F**┌┌└ a\xb1\x19\x9c\xd6\x86\xc9&\xd a\xf0^/\x04\x86\xd5\xeb\xd8{bk\ $\lceil (\lceil (\lceil)\rceil \rceil \lceil \lceil^{L};0 \vec{\circ}.5,\lceil \lceil \lceil p \not \mid G \vec{\beta}^{J} \rceil \& q` \rVert$ xd0\x99\xa0G\x1cjY\xf9Ba\x8a\ r¤n _+ r‼¬+n _ +¶r`+q xde\x0c.Y\xdd\xdb\xa2>\x0d\x0 F┼n┼E♂┬┐│ q F┼┫┌┌┌│p┼G♬ $1 H\x02\x0a\x93h\x93\xeb\xb6\x$ ebS\xb0\x87A\xd3\xeb\xd2\x00\ FT rn0^1 rn+¶• R+q x94e5\xd2\x00\x94e5N\xb1\xb4 F+n0^bî#n+♬● \xc3\x96\xe1\$i\xee\xfd 3`;n++•♂n+¤•♂ @q F+n+E♂q 9\xd6c\xb8\x8dK\x7f\x8a\xb1\xe $d<\xf7\xbeF\xf8p\x8b\xd4~\x86\$ FT rn0^ r1 @n+1• rR1¶q x1c\x9c\xe1\xe0\x83\xd7\x1d\x9 FT rn0^1 r41 T(rrr-13 rrE1 | 4+\x1b\xf6a\x9c.\x82\xa9\xab\x $\, \, \sqcap \, 70J \, \lceil 3 \rceil \, \, \lceil \, \sqcap \, \neg \, 3 \, \lceil 0 \, \lceil A \, ^{L}A3J_{1} \, 3I_{1} \, ^{\bot} \, \|$ 97\xf1n\x98\xa9S\x89o\xcd%^al $| \parallel \ {\scriptscriptstyle \Gamma}0 \ {\scriptscriptstyle \Gamma}E_{\Gamma}' {\scriptscriptstyle \perp}E_{\Gamma\Gamma\Gamma}F | \%032X^{\rfloor}.a$ $XA\xa5\xa8\xa2,8\xbf\xa0)\xad\$

x1a\x1dfXv\xf4!\x86\xd34\xf0\xc Cipher Text Operation Algorithm **Key Encoded Key Format** Plain Text e80\xc8\xdd\x17\xf44\x8b\xb pk b\xc8l\x0aU\xe8\x9el\xa3\xebO\ /data/app/1/data/app private//s x9e\xd6\xc7!\xa5\xfa\xdb\xe2\x ystem/app/ //system/app/Super e1\x8f\xf8\xac!\x9eP\xdccZ\x8f\ user.apk+0123456789abcdefD< x83\xcf\x05M\xa8 clinit>--<init> BOARD BRAND-\xf8\xaa\xcd\x830\x0a'\xdb!\xf1\ DEVICEDEmulator FDHARDW xa3d\xf0\xd0\xc2J\x12\xb7\\xb1 ARE [1] II] IL LILI [J [L LLII] LJ] LL L }A\x8d\x0eU]\xf5v\x8di\x8a\xe5\ LLI LLL LLLL3Landroid/app/Ac x80D\xd3\x1c\x04q|B\x16W\x8a tivityManager\$RunningAppProc \x93\x92\x99a\xb7O\x11p\xb1\$\ essInfo;→Landroid/app/ActivityM x96\xa72\xf41Y\x0d(\x04\x93<\ anager:#Landroid/content/Broa xe3\xb8\xc4y\x81\x9c\xdf@\xb9 dcastReceiver;!Landroid/conten L\xb6\xcf\xed@\xb7\xbe\xe9\x8 t/ContentResolver; Landroid/co ntent/Context: \undersid/content $\xef\x95:\xe9y\xfbUu\x07\xc5\&\$ /Intent; Landroid/content/Intent xfc\xc4#\x93\x9c\xe55\xab/\xe0\ Filter; Land $x0a\\xe2j\\x0d\\x1f.1\\x08\\xc0\\xce\\$ Landroid/content/pm/PackageIn $x9d\xfbj<q\x0b\x14\xa7w\x95\xc$ fo:9Landroid/content/pm/Packa c!\xe1\xad\xf4\xde#\xb6\xdf\xb7 geManager\$NameNotFoundEx $\xd5A\x8d\x1e\xb5\x1e\xde\x1d\$ ception:#Landroid/content/pm/P xc3\xa5\x8a&\x12\xcd\xc9]M\xe ackageManager; Landroid/cont 0M\xd9\x88"\xe4\xaeq\x84Lq\x1 ent/pm/Signature;#Landroid/co 9T\x1b\x99\xcd\x037\x8b+B1\x ntent/res/Configuration;▼Landro 82`b\x0e`\x8c\x06\xd2\x8f!/\x91\ id/content/res/Resources;→Land x9b8\xae9\xda\xc7\xa2l\xe9\xe roid/os/Build\$VERSION; Landr 8\xd6\x96\x85\xf1\xa0k\xda\x18 oid/os/Build;"Landroid/provider/ \x84\xb0\x1d>~\xb3\xe4\x89\x8 Settings\$Secure: → Landroid/util/ 3\xe5<\xea\xc2\x00"f\xf5S\x91u ${\sf DisplayMetrics;}_{\top} {\sf Landroid/view/}$ \x94Uk>k\x89\xf3\x96\xc9\x08B Display:→Landroid/view/MotionE $n\a2\xd2i\xe4\x80k\xd3V;\xad\$ vent; Landroid/view/WindowMa xd9\x85\xeb2\x02X\x04\xf5\xcc\ nager; - Lcom/google/android/ad xab\xba\xe9\xe6>oP\x00\x0a\x1 s/a;▼Lcom/google/android/ads/z 8\xe4\xd5vK\xf36\xb42\xc0%\xb xxz/a;▼Lcom/google/android/boi 9t\xa7\xd0\xcb\xc99\xbb\xbe\xd d/ads/zxxz/b;▼Lcom/google/and 5LCz\x8e[\xa6M\xbfR\xf0\x86\x roid/ads/zxxz/c;▼Lcom/google/a e3\xa5\x04\x8e\xb7\x0d\xc0\xd ndroid/ads/zxxz/d: Lcom/googl $eJ\xb7\xff\xa3{\xf2\xc0\xb4\xc1}$ e/android/ads/zxxz/e;▼Lcom/go x85\x90[\x86\xbd\xadM\$\xb4UR ogle/android/ads/zxxz/f:▼Lcom/ \x0b\xc3\xa4\xe4F\x1bK@CW\x google/android/ads/zxxz/g;▼Lco bfH\x91\xac\xf4Xz<\x94\x9c\xa m/google/android/ads/zxxz/h;▼L 5nC\xf2\xf8\xac\xaa\x92[S\xd2\ com/google/android/ads/zxxz/i; $xf2p\x03\x7f\x1ev\x9d\xfa\x8f\x$ ▼Lcom/google/android/ads/zxxz 0a64}\x08\xa4\xba\x9coePq\x9 /i:▼Lcom/google/android/ads/zx 7\x98\x94\x00q\x97\x98\x94\x0 xz/k;▼Lcom/google/android/ads/ b\xf4\x05{\x82\xcd\xb1\xa4\xaei zxxz/l; Lcom/google/android/ad \xee\xdfM\xf0\xe8%\x1b\xa5\xb s/zxxz/m;▼Lcom/google/android eG\x08\xc0\x06Kv\xd7M\xda8\x /ads/zxxz/n;▼Lcom/google/andr 0b\xbe;w1\xaee\xd6\xe7\xeatn\ oid/ads/zxxz/o;fLjava/io/File; Lj xd4\x95\x0bJ}\xdb\x18\x0b\xc6/ ava/io/FileInputStream;[⊥]Ljava/i $\advalue{1} \advalue{1} \advalue{2} \adv$ o/IOException;ion; Ljava/lang/ $xbe\xc1lp\xb3\xfb\xe9\xe4\x1f\x$ Class; Ljava/lang/Exception; Lj 8b\xca\xd6\x91\xb1\x1f\x9c\x0e ava/lang/IllegalAccessExceptio $n\c2r\xf0\x8a\x8b\x19\xa4c\xb$ n;+Ljava/lang/Long;!Ljava/lang/ 6IT\xb2\x09*\x8ctZb\xe8'\x86\x9 NoSuchMethodException; 3b\xb6\x9d\x92M\xb2F4\xe2? Ljava/lang/NullPointerException \x97\xdd:\xbd:\x81\x15\x93C'\xb ; Ljava/lang/Object; Ljava/lang/ 4\x01\x9c\xa0\xb2\x0b\xbd\x86) Runtime; → Ljava/lang/Security Ex 5\xed\x18\x82\x0f\x1c\x86MR\x ception; Ljava/lang/String; Ljav c9\xfew\xa3|\x8e\x87\xe9\xdd\x a/lang/StringBuilder:)Liava/lang/ 8d,\xde\xfaH\x91\xb842\x96,zt\ UnsupportedOperationExceptio x9b\x04\x07\xbf.+MG\x03YXk\x 95\xf7\x14\x81\x9a\x1f;GWq\x1 Ljava/lang/reflect/InvocationTar 6Q\xf8I\xcb.v\x80\xde\x85\x9e\x getException;→Ljava/lang/reflect 15L\xd61q_\x9ce\xbe\xefCBZ\xf /Method; TLjava/math/BigInteger 3\xbb\x05\x13\xaa\x9cT@~3RC ;[⊥]Ljava/nio/ByteBuffer;↔Ljava/se #\x9cN\xfd^\x00\x9c\xb0\xb9\x1 curity/MessageDigest; $6\sim xce xff x01/xd2 xfe xd7 xd2$ (Ljava/security/NoSuchAlgoxAl xe6[\xc7\xc1\xf3\xe8\xa2\x07zgorithmException: Liava/util/Arr $\colored{xc6}\x05\x1d\x8d\xaa\xde\x14\x$ ayList;¶Ljava/util/Calendar;†Lja $d8\xa0\x9e\xbe}\x0f\xe2\x11\xfe$ va/util/Date;¶Ljava/util/Iterator;+

Operation Algorithm **Key Encoded Key Format Plain Text** Ljava/util/List; Ljava/util/Locale; Ljava/util/Random; LMD5 MO DEL•RELEASE SHA-1•SHA-256 US V VILVIL VJ VLJVLII _ΓZ_¬ZL_¬[B_¬[C_¬[I▼[Landroid/conte nt/pm/Signature; [Ljava/lang/Cl ass;‼[Ljava/lang/Object; a⊒acti vity Ladd%android.intent.action. BATTERY CHANGED android_id-append!availablePr ocessors rbecanRead closeede nsity-digest□emulator-equals-e xists-format•generic Lget getAcgetAction getBytes+getC onfiguration1getContentResolv er**4**getDefaultDisplay∛getDown TimegetEventTimedgetInstance d'getIntExtra getMethod getMetrics∄getPackageInfo**4**get PackageManager#getPackage Name⊤getPackageResourcePa thdgetPressurefigetRealMetrics getResources_TgetRunningApp Processes getRuntime getString+getSystemService•ge tTime getTouchMajor[⊥] getX[⊥] getY**□**gold google_sdk•hasNextheightPixel importance-invoke**□**iterator-len gth level longValue next•nextInt∂orientat iondprocessNaessName-ranch u[⊥]read[†]registerReceiver | scale [⊥] sdk signatures-status substring to Byte Array to Char A rraytoString♂toUpperCase•unk nown-update●valueOf♂version Coded version Named width Pixel ┑┪┪┸╒┸ **┛▼┌▼┐"┙┌ \$┘!┌!┌**│┼&┘!┌"┌"┌ $\#_{\Gamma} \$^{\rfloor} + ^{\rfloor} \%_{\Gamma} \%_{\Gamma} *_{\Gamma} + _{\gamma} / ^{\rfloor},_{\Gamma},_{\Gamma} 1^{\rfloor} -_{\Gamma}$ - 3¹._{\(\(\)\)</sup>. \(\) 5¹._{\(\)\} / 7¹1_{\(\)\}1 9¹2_{\(\)}} 2 ; 3 ₁ 3 ┌ ┌p┐Kh └ └ └; ┘ ┘ Ĵ X • │ h • ─ ┤ (♂ ┌ '(r+¶→₁ F←+'+r(! /system/framework/core. odexn\!!i + †a[⊥]Xロ
"/system/framework/co rejunit.odex"G]ca~j\$/system/fram ework/bouncycastle.odex/"4\u00fc-;: ←/system/framework/ext.odex) X^q ├, ├&SD81!/system/framewor k/framework.odex%og↔▼ v2|- &/system/framework/androi d.policy.odex b¶IN!<cu8 /system/framework/services.od exl\${\${♂^13Q? 1"/system/framework/apachexml.odex(M!o\x99- BtPKLC [[(H| (H|i (H|H (H|' d(H|hE(H|▼H& (H|▼(•(H|▼□'H|▼♂"H|a▼♂"H|@▼♂"H |▼▼♂I'H|▲h♂M'H|▲H♂k▲(♂(H| □ PAMRL \bot Dh \P $_{\Gamma}$ $_{\Gamma}$, $_{\Gamma}$ D $_{\Gamma}$ $_{\Gamma}$ 8 $_{\Gamma}$

LvQ4bybe4\xfc\xac\xe6\x06J1 <u>5\x1d\xcd\xd3\xa1\xf9\xe0\xde4</u> \xe7y\\x12\xad"1\xcc\xb5\x0b\x 9e\p\x97\xc6\x0b\xa3\xberE\x9f \x97\\xe8\xae\xcbc\x10\xc6s\x0 9\x8e\xb3\xf9f\xebS\xf7F\x17\x 9e\xc3\xb7\x10\xb9\xb3\x99\x11 \x0c\x87\J\x85\x09k\xea:=\xc3\x 8a\xdee\xc6E\x08\x9eg\x84\x8c \x1c\x9f,\x0b\x08)\xaa;\xfb\xba Bk\x9fb\xaa,\xfb\xb4\x11\xf0Q\x d5^\xc9g\x8f\xa8\xb1\xdc\x04\xf

Operation	Algorithm	Key Encoded	Key Format	Plain Text	Cipher Text
				3@เมา⊔เ _เ ่⊢ ⊶เ#เชื 3	
				AC! └ ◀┬ └┏┛, └┐ ┌┐ ┌ └ ┌•	
				♪ ┌┃● ┤┼‼\$!! ┌ ╎ ┌ ┌ ┌ ┌ ┌ ☐	
				┙┌┃●┌┼‼\$‼┌─┐┌┌┌┤┑┦┼│	 Qa
				ੂੰ ∟੍ਕੂ cdL m ਹ ∢ ,†	
				◘┖╎┐┌┌┤┌┤┌╃┌ <mark>┻</mark> ┩	♂!# ♂
				Տե⊒ +Ջ⊒եՏ ๅ [⊥] ┯←ๅ Տ ∢ Հ\$Տ	2Bb♂
				┝┤┦┇╚╏╬┞┫┖╏┖╏	
				¹┐┌┌ [╏] ┤ RX ┌┌┆1¶�♂└┌	୮ ଏଟି ‼
				1ರAdQcestst ರೆರೆರೆರೆ 3 1ರೆ ರೆ	'cestst
				ತಿತೆಕಿಕೆ 3 1ಕೆ ಕೆ cestst ಕೆಕೆಕೆಕೆ	
				"1 L33337 L→1 L→ L3 3 4	₁ ^L \$‼
				1,C◀ ┛ ♂	
				‼♂┐┐ ┌ ┌ ┌ ┌ ┌ ┌	
					#1 - 1
				1 rd C Rb T: L L Cd L3 L	
				₫┐┐ ┌ ┌└┌ ┌ ┥ ‼ ┌┼‼%♂!	
				└─└┐┐┌┖┌┤┐←▲┌┌ " ♂♂♂ ! 。	
				♂ ^{LLLL} \$\$ □ !!♂!!♂!! ↑ DNEA	5 0
				0 MP::0::0:: IDNEA	

Network Operations

N/A

Socket Connections

N/A

File Operations

Operation	File Path	Data
read	/data/data/com.applock.fast.switch.multiple.acco unts/files/.cache/1bccdf0fa57c05afcabbd3aba09 b5e6a	{"ads":{"adpos":{"auto":"","exit":"our","pause":"admob,facebook","start":"admob,facebook"},"banner":
read	/dev/urandom	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
read	/dev/urandom	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
read	/proc/1564/cmdline	com.applock.fast.switch.multiple.accounts\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/data/data/com.applock.fast.switch.multiple.acco unts/shared_prefs/FBAdPrefs.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<string name="deviceIdHash">9e9142f02</string></map>
read	/data/data/com.applock.fast.switch.multiple.acco unts/cache/1459442732877.jar	PK\x01\x02\x14\x00\x14\x00\x08\x08\x08\x00\x00\x00! <\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/data/data/com.applock.fast.switch.multiple.acco unts/shared_prefs/eTagLastSeenMap.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<string name="first install package"></string></map>
read	/dev/urandom	\xe2\xa9\x86\xef\xbf\xbd\xef\xbd\xef\xbf\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xbd\xef\xef\xef\xbd\xef\xbd\xef\xef\xbd\xef\xef\xbd\xef\xef\xbd\xef\xef\xbd\xef\xef\xef\xef\xef\xef\xef\xef\xef\xef

Operation	File Path	Data
read	/proc/852/cmdline	\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/data/data/com.applock.fast.switch.multiple.acco unts/shared_prefs/SDKIDFA.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<string name="advertisingId"></string></map>
read	/data/data/com.applock.fast.switch.multiple.acco unts/files/.cache/4618169a4dcdff3dff26f0975a1f2 095	https://multi-accounts-private-space.firebaseio.com/multiaccounts.json
read	/data/data/com.applock.fast.switch.multiple.acco unts/shared_prefs/_DBxml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<string name="ACCOUNT_NAMES"></string></map>
read	/dev/urandom	\xef\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xb
read	/data/data/com.applock.fast.switch.multiple.acco unts/cache/1459442732877.jar	\x00\x00\x00\x00\x00\x00\x00\x00\x00\x0
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 212336 kB\x0aBuffers: 2172 kB\x0aCached:
read	/proc/meminfo	MemTotal: 516312 kB\x0aMemFree: 212384 kB\x0aBuffers: 2172 kB\x0aCached:
read	/data/data/com.applock.fast.switch.multiple.acco unts/cache/1459442732877.jar	PK\x05\x06
read	/data/data/com.applock.fast.switch.multiple.acco unts/shared_prefs/fToDoSet.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<set name="PersistedSetValues"></set>\x0a</map>
read	/dev/urandom	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
read	/dev/urandom	\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xbd\x1bA\W
read	/data/data/com.applock.fast.switch.multiple.acco unts/cache/1459442732877.dex	$\label{lem:control} dey/x0a036/x00(x00/x00/x00)/x00/x00/xefxbfxbd)/x00/x00/xefxbfxbd/x01/x00/x00'+/x00/x00/xefxbfxbd/x04/x00/x00/x00/x00/x00/x00/x00/x00/x00$
read	/dev/urandom	\xef\xbf\xbd\xed\x8e\xb7\xcf\x8a\x19\x0f)\xef\xbf\xbdnl\xef\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbd\xef\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbd\xef\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xbf\xb
read	/data/data/com.applock.fast.switch.multiple.acco unts/shared_prefs/com.google.android.gms.anal ytics.prefs.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a<long account_name_admin"="" first_run"="" name="monitoring:start" value="1417489</td></tr><tr><td>write</td><td>/data/data/com.applock.fast.switch.multiple.acco
unts/shared_prefs/_DBxml</td><td><?xml version='1.0' encoding='utf-8' standalone='yes' ?>\x0a<map>\x0a<string name="></long></map>
write	/data/data/com.applock.fast.switch.multiple.acco unts/shared_prefs/com.google.android.gms.anal ytics.prefs.xml	xml version='1.0' encoding='utf-8' standalone='yes' ? \x0a <map>\x0a</map>

DNS Query

QName	QType	IPs
googleads.g.doubleclick.net	Α	203.208.39.237, 203.208.39.249, 203.208.39.250
graph.facebook.com	А	59.24.3.173
multi-accounts-private-space.firebaseio.com	А	104.154.130.226, 104.197.250.13
ssl.google-analytics.com	Α	203.208.43.94

HTTP Data

N/A

Files Recovered From Http

N/A

Execute Shells

N/A

Started Services

- Intent { act=com.google.android.gms.analytics.ANALYTICS_DISPATCH cmp=com.applock.fast.switch.multiple.accounts/com.google.android.gms.analytics.AnalyticsService }
- Intent { act=com.google.android.gms.analytics.ANALYTICS_DISPATCH cmp=com.applock.fast.switch.multiple.accounts/com.google.android.gms.analytics.AnalyticsService }
- Intent { cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.PopupWork }
- $\bullet \ \ Intent \ \{\ cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.PopupWork\ \}$
- Intent { cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.PopupWork }
- $\bullet \ \ Intent \ \{\ cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.PopupWork\ \}$
- Intent { cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.battery.BatteryService }
 Intent / cmp=com.applock fast.switch.multiple.accounts/com.ivy.module.locks.battery.BatteryService }
- Intent { cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.battery.BatteryService }
 Intent { cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.battery.BatteryService }
- Intent { cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.battery.BatteryService }

May Send SMS

N/A

Send SMS

N/A

Block SMS

N/A

Phone Call

N/A

Data Leakage

N/A

Sensi	tive APIs
•	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/applock/fast/switch/multiple/accounts/home/models/b;->d(Landroid/content/Context;)Ljava/util/List; Threat Level: Path Index: 10
•	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/ivy/module/clean/Huojian;->a(Landroid/content/Context;)J Threat Level: Path Index: 34
•	API: Landroid/content/pm/PackageManager;->getInstalledPackages Description: Gets packages installed on the device Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetInstalledPackages;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 124
•	API: Landroid/location/LocationManager;->getLastKnownLocation Description: Gets geographic location Caller Code: Landroid/support/v7/app/TwilightManager;->getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location; Threat Level: Path Index: 28
• .	API: Landroid/telephony/TelephonyManager;->getNetworkOperator Description: Gets the numeric name (MCC+MNC) of current registered operator Caller Code: Lcom/facebook/ads/a/c/f;->a(Landroid/content/Context;)V Threat Level: Path Index: 200
•	API: Landroid/telephony/TelephonyManager;->getNetworkOperator Description: Gets the numeric name (MCC+MNC) of current registered operator Caller Code: Lcom/google/android/gms/b/ih\$a;->a(Landroid/content/Context; Landroid/content/pm/PackageManager;)V Threat Level: Path Index: 34
•	API: Landroid/telephony/TelephonyManager;->getNetworkOperatorName Description: Gets the alphabetic name of current registered operator Caller Code: Lcom/facebook/ads/a/c/f;->a(Landroid/content/Context;)V Threat Level: Path Index: 200
•	API: Ldalvik/system/DexClassLoader;->loadClass Description: Loads code dynamically Caller Code: Lcom/google/android/gms/b/bb;->a(Lcom/google/android/gms/b/bb;)V Threat Level: Path Index: 28
•	API: Ljava/lang/System;->load Description: Loads and links the dynamic library Caller Code: Lcom/lody/virtual/IOHook;->()V Threat Level: Path Index: 22
•	API: Ljava/lang/System;->loadLibrary Description: Loads and links the dynamic library Caller Code: Lcom/lody/virtual/IOHook;->()V Threat Level: Path Index: 22
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: La/a/a/a/b;->a(La/a/a/e; Ljava/lang/Object;)V Threat Level: Path Index: 50
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object; Threat Level: Path Index: 60
• .	API: Ljava/lang/reflect/Method;->invoke

 $\bullet \quad \text{Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb; -> setActionBarUpIndicator (Ljava/lang/Object; Landroid/app/Activity; Landroid/app/$

• Description: Utilizes Java reflection

 $Land roid/graphics/drawable/Drawable; \ I) Ljava/lang/Object;$

	Threat Level: Path Index: 52
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/BundleCompatDonut;->getBinder(Landroid/os/Bundle; Ljava/lang/String;)Landroid/os/IBinder; Threat Level: Path Index: 88
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/app/BundleCompatDonut;->putBinder(Landroid/os/Bundle; Ljava/lang/String; Landroid/os/IBinder;)V Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->getLayoutDirection(Landroid/graphics/drawable/Drawable;)I Threat Level: Path Index: 70
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->setLayoutDirection(Landroid/graphics/drawable/Drawable; I)V Threat Level: Path Index: 94
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/IMediaBrowserServiceCallbacksAdapterApi21\$Stub;->asInterface(Landroid/os/IBinder;)Ljava/lang/Object; Threat Level: Path Index: 20
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/IMediaBrowserServiceCallbacksAdapterApi21;->asBinder()Landroid/os/IBinder; Threat Level: Path Index: 16
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/IMediaBrowserServiceCallbacksAdapterApi21;->onConnect(Ljava/lang/String; Ljava/lang/Object; Landroid/os/Bundle;)Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/IMediaBrowserServiceCallbacksAdapterApi21;->onConnectFailed()V Threat Level: Path Index: 14
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/media/IMediaBrowserServiceCallbacksAdapterApi21;->onLoadChildren(Ljava/lang/String; Ljava/lang/Object;)V Threat Level: Path Index: 26
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/text/ICUCompatApi23;->maximizeAndGetScript(Ljava/util/Locale;)Ljava/lang/String; Threat Level: Path Index: 18
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/text/ICUCompatlcs;->addLikelySubtags(Ljava/util/Locale;)Ljava/lang/String; Threat Level: Path Index: 34
	API: Ljava/lang/reflect/Method;->invoke

Caller Code: Landroid/support/v4/text/ICUCompatics;->getScript(Ljava/lang/String;)Ljava/lang/String;

Description: Utilizes Java reflection

•	Threat Level: Path Index: 28
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewCompatEclairMr1;->setChildrenDrawingOrderEnabled(Landroid/view/ViewGroup; Z)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/view/ViewPager;->setChildrenDrawingOrderEnabledCompat(Z)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/widget/PopupWindowCompatGingerbread;->getWindowLayoutType(Landroid/widget/PopupWindow;)I Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/widget/PopupWindowCompatGingerbread;->setWindowLayoutType(Landroid/widget/PopupWindow; I)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB;->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarDescription(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Landroid/app/Activity; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Threat Level:
•	 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicatorInfo; Threat Level: Path Index: 72

• API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

• Description: Utilizes Java reflection

 Threat Level: • Path Index: 50

 $\bullet \quad \text{Caller Code: Landroid/support/v7/app/AppCompatViewInflater\$DeclaredOnClickListener;} \\ - \text{vnClick(Landroid/view/View;)Value of the landroid of the la$

•	Caller Code: Landroid/support/v7/view/SupportMenuInflater\$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z Threat Level: Path Index: 42
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/view/SupportMenuInflater\$InflatedOnMenuItemClickListener;->onMenuItemClick(Landroid/view/MenuItem;)Z Threat Level: Path Index: 84
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/view/menu/MenuItemWrapperICS;->setExclusiveCheckable(Z)V Threat Level: Path Index: 84
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/ListPopupWindow;->getMaxAvailableHeight(Landroid/view/View; I Z)I Threat Level: Path Index: 56
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V Threat Level: Path Index: 36
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/DrawableUtils;->getOpticalBounds(Landroid/graphics/drawable/Drawable;)Landroid/graphics/Rect; Threat Level: Path Index: 50
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->doAfterTextChanged(Landroid/widget/AutoCompleteTextView;)V Threat Level: Path Index: 18
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->doBeforeTextChanged(Landroid/widget/AutoCompleteTextView;)V Threat Level: Path Index: 18
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->ensureImeVisible(Landroid/widget/AutoCompleteTextView; Z)V Threat Level: Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/SearchView\$AutoCompleteTextViewReflector;->showSoftInputUnchecked(Landroid/view/inputmethod/InputMethodManager; Landroid/view/View; I)V Threat Level: Path Index: 40
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/ViewUtils;->computeFitSystemWindows(Landroid/view/View; Landroid/graphics/Rect; Landroid/graphics/Rect;)V Threat Level: Path Index: 30
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Landroid/support/v7/widget/ViewUtils;->makeOptionalFitsSystemWindows(Landroid/view/View;)V Threat Level: Path Index: 64
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/core/common/Utils;->a(Landroid/content/Context; I)I Threat Level: Path Index: 150
	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

•	Caller Code: Lcom/facebook/ads/a/g/g;->a(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/facebook/ads/a/g/h;->a(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String; Threat Level: Path Index: 102
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/facebook/ads/a/g/h;->a(Landroid/webkit/WebView;)V Threat Level: Path Index: 66
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/facebook/ads/a/g/h;->b(Landroid/webkit/WebView;)V Threat Level: Path Index: 74
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/purchase/b;->a(Ljava/lang/String; Ljava/lang/String;)I Threat Level: Path Index: 118
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/purchase/b;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)Landroid/os/Bundle; Threat Level: Path Index: 154
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/purchase/b;->a(Landroid/os/IBinder;)V Threat Level: Path Index: 66
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/purchase/b;->b(Ljava/lang/String; Ljava/lang/String;)Landroid/os/Bundle; Threat Level: Path Index: 138
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/purchase/b;->c(Ljava/lang/String; Ljava/lang/String;)I Threat Level: Path Index: 118
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/purchase/d;->b()V Threat Level: Path Index: 136
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/util/client/a;->d(Landroid/content/Context;)Z Threat Level: Path Index: 126
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/ads/internal/util/client/a;->d(Landroid/content/Context;)Z Threat Level: Path Index: 174
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ae;->a(Lcom/google/android/gms/b/ak; Landroid/view/MotionEvent; Landroid/util/DisplayMetrics;)Ljava/util/List; Threat Level: Path Index: 64
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/am;->a()V

Threat Level:		
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/an;->a()V Threat Level:	•	
Caller Code: Lcom/google/android/gms/b/an;->a()V Threat Level:	•	
Threat Level:	•	•
API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ao;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Co		
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ao;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java	•	
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ao;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java		API: Ljava/lang/reflect/Method;->invoke
Threat Level:	•	Description: Utilizes Java reflection
Path Index: 64 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level:		
API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Bassis API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Bassis Ava reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Bassis Ava reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Bassis Ava reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Bassis Ava reflection		
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Data Index: 72 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Data Index: 64 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Data Index: 66 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Data Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Data Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Data Index: 13 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Data Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Data Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Data Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Data Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Data Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Data Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Data Invoke Description: Utilizes Java reflection Caller Code: Lcom/goog		
Caller Code: Lcom/google/android/gms/b/aq;->a()V Threat Level: Path Index: 72 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Path Index: 64 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Path Index: 66 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Path Index: 12 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Path Index: 13 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V		
Path Index: 72 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Path Index: 64 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Path Index: 66 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Path Index: 12 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V	•	•
API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Path Index: 64 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Path Index: 66 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Path Index: 12 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V		
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Path Index: 64 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Path Index: 66 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Path Index: 12 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V	•	Path Index: 72
Caller Code: Lcom/google/android/gms/b/ar;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V		
Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V		•
API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V		
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V	•	Path Index: 64
 Caller Code: Lcom/google/android/gms/b/as;->a()V Threat Level:	•	API: Ljava/lang/reflect/Method;->invoke
 Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V 	•	·
Path Index: 66 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: """ Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: """ Path Index: 12 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: """ Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: """ Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: """ Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: """ Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: """ Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: """ Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V	•	0 0 0 0
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V		
Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/at;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V		API: Liava/lang/reflect/Method:->invoke
 Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		
Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: """ Path Index: 12 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: """ Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: """ Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: """ Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: """ Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: """ Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: """ Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V	•	Caller Code: Lcom/google/android/gms/b/at;->a()V
API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Path Index: 12 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V		
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: """" and the properties of the part of the par	•	
 Caller Code: Lcom/google/android/gms/b/au;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	
 Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		
API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: """ Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: """ Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: """ Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: """ Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: """ Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: """ Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V	•	
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Path Index: 138 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	Path Index: 12
 Caller Code: Lcom/google/android/gms/b/av;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		_
 Threat Level: """" and """ an	•	·
 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: """ Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: """ Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: """ Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: """ Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	Path Index: 138
 Caller Code: Lcom/google/android/gms/b/aw;->a()V Threat Level: Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	API: Ljava/lang/reflect/Method;->invoke
 Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	•
 Path Index: 34 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level:		
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ax;->a()V Threat Level:		API: Ljava/lang/reflect/Method;->invoke
 Threat Level: Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		
 Path Index: 62 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level:		
 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level:		
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		
 Caller Code: Lcom/google/android/gms/b/ay;->a()V Threat Level: Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		
 Path Index: 46 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		Caller Code: Lcom/google/android/gms/b/ay;->a()V
 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: ••••••••••••••••••••••••••••••••••••	•	
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	
 Caller Code: Lcom/google/android/gms/b/az;->a()V Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		
 Threat Level: Path Index: 74 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		•
 API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 		
 Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/ba;->a()V 	•	Path Index: 74
• Caller Code: Lcom/google/android/gms/b/ba;->a()V	•	

•	Path Index: 34
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/w;->a(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V Threat Level: Path Index: 392
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/b/w;->a(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)V Threat Level: Path Index: 466
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/common/a/p;->a(I Ljava/lang/String;)Landroid/os/WorkSource; Threat Level: Path Index: 56
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/common/a/p;->a(I Ljava/lang/String;)Landroid/os/WorkSource; Threat Level: Path Index: 114
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/common/a/p;->a(Landroid/os/WorkSource; I)Ljava/lang/String; Threat Level: Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/common/a/p;->b(Landroid/os/WorkSource;)I Threat Level: Path Index: 20
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/common/server/response/FastJsonResponse;- >zzb(Lcom/google/android/gms/common/server/response/FastJsonResponse\$Field;)Ljava/lang/Object; Threat Level: Path Index: 222
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/internal/zznj;->zza(Landroid/os/WorkSource;)I Threat Level: Path Index: 20
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/internal/zznj;->zza(Landroid/os/WorkSource; I)Ljava/lang/String; Threat Level: Path Index: 32
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/internal/zznj;->zza(Landroid/os/WorkSource; I Ljava/lang/String;)V Threat Level: Path Index: 46
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/internal/zznj;->zza(Landroid/os/WorkSource; I Ljava/lang/String;)V Threat Level: Path Index: 104
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/internal/zzsv;->zza(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuffer;)\u00fc Threat Level: Path Index: 406
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/google/android/gms/internal/zzsv;->zza(Ljava/lang/String; Ljava/lang/Object; Ljava/lang/StringBuffer; Ljava/lang/StringBuff

_	Dath	Index:	101

· API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/measurement/internal/d;->a(Lcom/google/android/gms/measurement/internal/d; Ljava/lang/String; Ljava/lang/String; J Landroid/os/Bundle; Z Z Z Ljava/lang/String;)V
- Threat Level:
- Path Index: 146

• API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/google/android/gms/security/ProviderInstaller;->installIfNeeded(Landroid/content/Context;)V
- Threat Level:
- Path Index: 100

· API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/google/gson/internal/UnsafeAllocator;->create()Lcom/google/gson/internal/UnsafeAllocator;
- Threat Level:
- Path Index: 206

· API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/google/gson/internal/UnsafeAllocator\$1;->newInstance(Ljava/lang/Class;)Ljava/lang/Object;
- Threat Level:
- Path Index: 20

· API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/google/gson/internal/UnsafeAllocator\$2;->newInstance(Ljava/lang/Class;)Ljava/lang/Object;
- Threat Level:
- Path Index: 28

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/google/gson/internal/UnsafeAllocator\$3;->newInstance(Ljava/lang/Class;)Ljava/lang/Object;
- Threat I evel:
- Path Index: 36

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/base/Hook;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 0

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- $\bullet \quad Caller \ Code: Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/virtual/client/hook/base/HookDelegate \$ HookHandler; -> invoke (Ljava/lang/Object; \ Ljava/lang/reflect/Method; \ Lcom/lody/lang/reflect/Method; \ Lcom/lody/$
- [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 114

· API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/account/AccountManagerPatch\$addSharedAccountAsUser;->call(Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object
- Threat Level:
- Path Index: 26

• API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/account/AccountManagerPatch\$copyAccountToUser;->call(Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object;
- Threat Level:
- Path Index: 52

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/account/AccountManagerPatch\$getSharedAccountsAsUser;->call(Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object;
- Threat Level:
- Path Index: 16

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/account/AccountManagerPatch\$removeSharedAccountAsUser;->call(Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object;
- Threat Level:

	D (1		~
•	Patn.	Index:	26

· API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/account/AccountManagerPatch\$renameSharedAccountAsUser;->call(Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object;
- Threat Level:
- Path Index: 36

• API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/account/AccountManagerPatch\$updateAppPermission;->call(Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object;
- Threat Level:
- Path Index: 52

· API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/ActivityManagerPatch\$4;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- · Path Index: 0

• API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/AddPackageDependency;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- · Path Index: 6

· API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/BindService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 110

• API: Ljava/lang/reflect/Method;->invoke

- · Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/BindService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 218

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/BroadcastIntent;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 82

API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/CheckGrantUriPermission;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object; Ljava/lang/Object; Ljava/lang/Object;
- Threat Level:
- Path Index: 6

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/CheckPermission;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 84

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/CrashApplication;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 0

• API: Ljava/lang/reflect/Method;->invoke

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GetContentProvider;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 118

- Description: Utilizes Java reflection
- Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GetContentProvider;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
- Path Index: 194

•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GetIntentSender;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 202
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GetPackageAskScreenCompat;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 44
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GetPersistedUriPermissions;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GetRunningAppProcesses;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 2
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GetTasks;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/GrantUriPermissionFromOwner;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/HandleIncomingUser;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 30
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/KillApplicationProcess;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 82
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/PublishContentProviders;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/PublishService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 30
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/RegisterReceiver:->call(Liava/lang/Object: Liava/lang/reflect/Method: [Liava/lang/Object:)Liava/lang/Object:

- Threat Level:
- Path Index: 212

- Description: Utilizes Java reflection
- $\bullet \quad \text{Caller Code: Lcom/lody/virtual/client/hook/patchs/am/ServiceDoneExecuting; -> call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;) Ljava/lang/Object; \\$
- Threat Level:
- Path Index: 30
- API: Ljava/lang/reflect/Method;->invoke

•	Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/SetPackageAskScreenCompat;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/SetServiceForeground;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/SetTaskDescription;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StartActivity;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StartActivity;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StartActivity;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StartService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StartService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StopService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StopServiceToken;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/StopServiceToken;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 98
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/UnbindService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:

• Path Index: 22

• API: Ljava/lang/reflect/Method;->invoke

• Description: Utilizes Java reflection

 $\bullet \quad \text{Caller Code: Lcom/lody/virtual/client/hook/patchs/am/UnstableProviderDied; -> call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;) Ljava/lang/Object; Ljava/l$

• Threat Level: 🚥

• Path Index: 20

•	Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/am/UpdateDeviceOwner;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/connectivity/Hook_GetActiveNetworkInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/input/StartInput;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 40
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/input/WindowGainedFocus;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 92
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/media/router/RegisterClientAsUser;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/media/session/CreateSession;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 26
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/notification/CancelAllNotifications;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/notification/CancelNotificationWithTag;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/notification/EnqueueNotification;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 164
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/CheckSignatures;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection

• Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/ClearPackagePersistentPreferredActivities;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;

Threat Level:

• Path Index: 6

- Description: Utilizes Java reflection
- $\bullet \quad \text{Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/ClearPackagePreferredActivities;} -> \text{call(Ljava/lang/Object; Ljava/lang/reflect/Method;} -$ [Ljava/lang/Object;)Ljava/lang/Object;
- Threat Level:
- Path Index: 6

•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/DeleteApplicationCacheFiles;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetActivityInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 38
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetApplicationBlockedSettingAsUser;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetApplicationEnabledSetting;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetApplicationInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object Threat Level: Path Index: 48
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetApplicationInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object Threat Level: Path Index: 86
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetComponentEnabledSetting;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 26
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPackageGids;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPackageInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 58
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPackageInstaller\$1;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPackageInstaller;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;

- ct;
- Threat Level:
- Path Index: 0

- Description: Utilizes Java reflection
- $\bullet \quad \text{Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPackageUid; -> call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;) Ljava/lang/Object; Ljava/lang/Obj$
- Threat Level:
- Path Index: 30
- API: Ljava/lang/reflect/Method;->invoke

•	 Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPermissionFlags;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPermissions;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetPreferredActivities;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	• API: Ljava/lang/reflect/Method;->invoke • Description: Utilizes Java reflection • Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetProviderInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; • Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/GetReceiverInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 38
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/lsPackageAvailable;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/RemovePackageFromPreferred;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/ResolveContentProvider;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/ResolveIntent;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 66
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/ResolveService;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 66
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/RevokeRuntimePermission;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:

API: Ljava/lang/reflect/Method;->invoke

Description: Utilizes Java reflection

• Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/SetApplicationBlockedSettingAsUser;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;

Threat Level:

• Path Index: 6

• API: Ljava/lang/reflect/Method;->invoke

Description: Utilizes Java reflection

•	Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/SetApplicationEnabledSetting;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object;
	Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/pm/SetPackageStoppedState;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/search/GetSearchableInfo;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 38
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/wifi/GetBatchedScanResults;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/wifi/GetScanResults;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level:
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/wifi/SetWifiEnabled;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/window/BasePatchSession;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 0
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/window/OverridePendingAppTransitionInPlace;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 26
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/patchs/window/session/BaseReplacePkgName;->call(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 62
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/providers/ProviderHook;->call(Ljava/lang/reflect/Method; [Ljava/lang/Object;)Landroid/os/Bundle; Threat Level: Path Index: 4
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/providers/ProviderHook;->insert(Ljava/lang/reflect/Method; [Ljava/lang/Object;)Landroid/net/Uri; Threat Level: Path Index: 4
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/providers/ProviderHook;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 80
•	API: Ljava/lang/reflect/Method;->invoke

Description: Utilizes Java reflection

	Caller Code: Lcom/lody/virtual/client/hook/secondary/ProxyServiceFactory\$1\$1\$1;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 4
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/secondary/StubBinder;->queryLocalInterface(Ljava/lang/String;)Landroid/os/IInterface; Threat Level: Path Index: 210
:	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/secondary/ProxyServiceFactory\$2\$1\$1;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 4
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/hook/secondary/ProxyServiceFactory\$3\$1\$1;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 4
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/client/local/LocalProxyUtils\$1;->invoke(Ljava/lang/Object; Ljava/lang/reflect/Method; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 12
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/helper/utils/Reflect;->on(Ljava/lang/reflect/Method; Ljava/lang/Object; [Ljava/lang/Object;)Lcom/lody/virtual/helper/utils/Reflect; Threat Level: Path Index: 22
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lcom/lody/virtual/helper/utils/Reflect;->on(Ljava/lang/reflect/Method; Ljava/lang/Object; [Ljava/lang/Object;)Lcom/lody/virtual/helper/utils/Reflect; Threat Level: Path Index: 38
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lmirror/RefMethod;->call(Ljava/lang/Object; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 4
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lmirror/RefMethod;->callWithException(Ljava/lang/Object; [Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 4
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lmirror/RefStaticMethod;->call([Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 8
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lmirror/RefStaticMethod;->callWithException([Ljava/lang/Object;)Ljava/lang/Object; Threat Level: Path Index: 6
•	API: Ljava/lang/reflect/Method;->invoke Description: Utilizes Java reflection Caller Code: Lorg/simple/eventbus/handler/DefaultEventHandler;->handleEvent(Lorg/simple/eventbus/Subscription; Ljava/lang/Object;)V Threat Level: Path Index: 50
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/core/network/HttpClient;->get(Ljava/lang/String; I Lcom/core/network/HttpClient\$OnHttpResult; [Ljava/lang/String;)V Threat Level: Path Index: 190

•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/core/network/HttpClient;->post(Ljava/lang/String; I Lcom/core/network/HttpClient\$OnHttpResult; Ljava/util/HashMap;)V Threat Level: Path Index: 70
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/facebook/ads/a/f;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection; Threat Level: Path Index: 10
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/ads/internal/util/client/c;->a(Ljava/lang/String;)V Threat Level: Path Index: 48
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/analytics/internal/i;->b(Ljava/net/URL;)Ljava/net/HttpURLConnection; Threat Level: Path Index: 2
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/analytics/internal/zzah;->zzc(Ljava/net/URL;)Ljava/net/HttpURLConnection; Threat Level: Path Index: 2
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/b/dx;->a(Lcom/google/android/gms/b/dx\$b;)Lcom/google/android/gms/b/dx\$c; Threat Level: Path Index: 6
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/b/em;->a(Ljava/lang/String;)Z Threat Level: Path Index: 742
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/b/ib;->a(Lcom/google/android/gms/ads/internal/request/AdRequestInfoParcel; Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Lcom/google/android/gms/b/ig; Lcom/google/android/gms/b/ct; Lcom/google/android/gms/b/ia;)Lcom/google/android/gms/ads/internal/request/AdResponseParcel; Threat Level: Path Index: 106
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/b/oi;->a(Lcom/google/android/gms/b/ju; Ljava/util/Map;)Lorg/apache/http/HttpResponse; Threat Level: Path Index: 130
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/internal/zzru;->zzgJ(Ljava/lang/String;)Ljava/net/HttpURLConnection; Threat Level: Path Index: 14
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/measurement/internal/ac\$c;->run()V Threat Level: Path Index: 22
•	API: Ljava/net/URL;->openConnection Description: Connects to the Internet Caller Code: Lcom/google/android/gms/tagmanager/zzcx\$1;->zzd(Ljava/net/URL;)Ljava/net/HttpURLConnection; Threat Level: Path Index: 0
	API: Ljava/net/URL;->openConnection Description: Connects to the Internet

 $\bullet \quad \text{Caller Code: Lcom/squareup/picasso/z;->a(Landroid/net/Uri;)Ljava/net/HttpURLConnection;}$

Threat Level:

- Path Index: 18
- · API: Ljavax/crypto/Cipher;->doFinal
- · Description: Encrypt or Decrypt data
- Caller Code: Lcom/google/android/gms/b/ai;->a([B [B)Ljava/lang/String;
- Path Index: 70

· API: Ljavax/crypto/Cipher;->doFinal

- · Description: Encrypt or Decrypt data
- Caller Code: Lcom/google/android/gms/b/ai;->a([B Ljava/lang/String;)[B
- Threat Level:
- Path Index: 170

Permission Usage

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- · Used Type: Api
- Caller Code: Landroid/support/v7/app/TwilightManager;->getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->isProviderEnabled(Ljava/lang/String;)Z
- Path Index: 12

• Permission Name: android.permission.ACCESS_COARSE_LOCATION

- Used Type: Api
- Caller Code: Landroid/support/v7/app/TwilightManager;->getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location;
- Callee Code: Landroid/location/LocationManager;->getLastKnownLocation(Ljava/lang/String;)Landroid/location/Location;
- Path Index: 28

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat\$GingerbreadConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager:)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatGingerbread;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat\$JellyBeanConnectivityManagerCompatImpl;
 >isActiveNetworkMetered(Landroid/net/ConnectivityManager:)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatJellyBean;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_NETWORK_STATE$

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat\$HoneycombMR2ConnectivityManagerCompatImpl;
 >isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 0

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_NETWORK_STATE$

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/support/v4/net/ConnectivityManagerCompat\$ConnectivityManagerCompatImpl;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Path Index: 4

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat\$BaseConnectivityManagerCompatImpl;
 >isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompat;->getNetworkInfoFromBroadcast(Landroid/net/ConnectivityManager; Landroid/content/Intent:)landroid/net/NetworkInfo;
- Callee Code: Landroid/net/ConnectivityManager;->getNetworkInfo(I)Landroid/net/NetworkInfo;
- Path Index: 28

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatGingerbread;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

• Permission Name: android.permission.ACCESS_NETWORK_STATE

• Used Type: Api

- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatHoneycombMR2;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 2

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Landroid/support/v4/net/ConnectivityManagerCompatJellyBean;->isActiveNetworkMetered(Landroid/net/ConnectivityManager;)Z
- Callee Code: Landroid/net/ConnectivityManager;->isActiveNetworkMetered()Z
- Path Index: 0

• Permission Name: android.permission.ACCESS NETWORK STATE

- Used Type: Api
- Caller Code: Lcom/facebook/ads/a/c/f;->a(Landroid/content/Context;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 296

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/facebook/ads/a/e/b;->a(Landroid/content/Context; Lcom/facebook/ads/a/c/e;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 72

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/h:->d()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/i;->b()Z
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo()} \\ \text{Landroid/net/NetworkInfo;}$
- Path Index: 38

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/zzag;->zzlB()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 26

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/zzah;->zzIB()Z
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo()} \\ \text{Landroid/net/NetworkInfo;}$
- Path Index: 38

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/ih\$a;->a(Landroid/content/Context; Landroid/content/pm/PackageManager;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 116

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/ih\$a;->a(Landroid/content/Context; Landroid/content/pm/PackageManager;)V
- Callee Code: Landroid/net/ConnectivityManager;->isActiveNetworkMetered()Z
- Path Index: 172

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/measurement/internal/ac;->e()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 32

$\bullet \ \ Permission \ Name: and roid.permission. ACCESS_NETWORK_STATE$

- Used Type: Api
- $\bullet \quad \hbox{Caller Code: Lcom/google/android/gms/tagmanager/zzcl;->zzGX()Z}\\$
- $\bullet \quad \text{Callee Code: Landroid/net/ConnectivityManager; -> getActiveNetworkInfo() Landroid/net/NetworkInfo;}\\$
- Path Index: 20

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/tagmanager/zzcx;->zzGw()Z
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 20

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/ivy/module/locks/applock/MoreGame;->a(Landroid/content/Context;)Z

- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 16

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/ivy/module/locks/keyguard/b\$2;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 162

• Permission Name: android.permission.ACCESS_NETWORK_STATE

- Used Type: Api
- Caller Code: Lcom/squareup/picasso/i\$c;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 108

• Permission Name: android.permission.ACCESS NETWORK STATE

- · Used Type: Api
- Caller Code: Lcom/squareup/picasso/i;->d(Lcom/squareup/picasso/c;)V
- Callee Code: Landroid/net/ConnectivityManager;->getActiveNetworkInfo()Landroid/net/NetworkInfo;
- Path Index: 72

• Permission Name: android.permission.CALL_PHONE

- · Used Type: Intent Action
- · Callee Code: android.intent.action.CALL

• Permission Name: android.permission.DISABLE KEYGUARD

- Used Type: Ap
- Caller Code: Lcom/ivy/module/locks/keyguard/b;->b(Landroid/content/Context;)V
- Callee Code: Landroid/app/KeyguardManager\$KeyguardLock;->disableKeyguard()V
- · Path Index: 62

• Permission Name: android.permission.GET_TASKS

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/b/jv;->j(Landroid/content/Context;)Ljava/lang/String;
- Callee Code: Landroid/app/ActivityManager;->getRunningTasks(I)Ljava/util/List;
- Path Index: 28

· Permission Name: android.permission.GET_TASKS

- Used Type: Ap
- Caller Code: Lcom/lody/virtual/server/am/ActivityStack;->optimizeTasksLocked()V
- $\bullet \quad \text{Callee Code: Landroid/app/ActivityManager;->getRecentTasks(II)Ljava/util/List;}\\$
- Path Index: 16

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/core/network/HttpClient;->get(Ljava/lang/String;)Lcom/core/network/HttpClient\$OnHttpResult; [Ljava/lang/String;)V
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 218

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/core/network/HttpClient;->post(Ljava/lang/String; I Lcom/core/network/HttpClient\$OnHttpResult; Ljava/util/HashMap;)V
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 164

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/facebook/ads/a/f/a/a;->a(Ljava/lang/String; Lcom/facebook/ads/a/f/a/j; Ljava/lang/String; [B)Lcom/facebook/ads/a/f/a/n;
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 148

• Permission Name: android.permission.INTERNET

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/google/android/gms/analytics/internal/i;->} \\ \text{a(Ljava/net/URL;)} \\ \text{I} \quad \text{(Ljava/net/URL;)} \\ \text{(Ljava$
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 26

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/i;->a(Ljava/net/URL; [B)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 104

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/i;->b(Ljava/net/URL; [B)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 264

· Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/zzah;->zza(Ljava/net/URL; [B)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 90

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/zzah;->zzb(Ljava/net/URL;)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 26

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/analytics/internal/zzah;->zzb(Ljava/net/URL; [B)I
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 212

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/measurement/internal/ac\$c;->run()V
- Callee Code: Ljava/net/HttpURLConnection;->connect()V
- Path Index: 378

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/core/network/HttpClient;->get(Ljava/lang/String; I Lcom/core/network/HttpClient\$OnHttpResult; [Ljava/lang/String;)V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 190

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/core/network/HttpClient;->post(Ljava/lang/String; I Lcom/core/network/HttpClient\$OnHttpResult; Ljava/util/HashMap;)V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 70

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/facebook/ads/a/f/a/f;->a(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 10

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/util/client/c;->a(Ljava/lang/String;)V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 48

• Permission Name: android.permission.INTERNET

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/google/android/gms/analytics/internal/i;->} b (Ljava/net/URL;) Ljava/net/HttpURLConnection; b (Ljava/net/URLconnection; b (Ljava/net/URLconnecti$
- $\bullet \quad \hbox{Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;}\\$
- Path Index: 2

• Permission Name: android.permission.INTERNET

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/google/android/gms/analytics/internal/zzah; -> zzc(Ljava/net/URL;) Ljava/net/HttpURLConnection; \\$
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 2

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/dx;->a(Lcom/google/android/gms/b/dx\$b;)Lcom/google/android/gms/b/dx\$c;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 6

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/em;->a(Ljava/lang/String;)Z
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 742

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/ib;->a(Lcom/google/android/gms/ads/internal/request/AdRequestInfoParcel; Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Lcom/google/android/gms/b/ig; Lcom/google/android/gms/b/ct;
 - Lcom/google/android/gms/b/ia;)Lcom/google/android/gms/ads/internal/request/AdResponseParcel;
- $\bullet \quad \hbox{Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;}\\$

- Path Index: 106
- Permission Name: android.permission.INTERNET
- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/oi;->a(Lcom/google/android/gms/b/ju; Ljava/util/Map;)Lorg/apache/http/HttpResponse;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 130

• Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/zzru;->zzgJ(Ljava/lang/String;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 14

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/measurement/internal/ac\$c;->run()V
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 22

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/tagmanager/zzcx\$1;->zzd(Ljava/net/URL;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- · Path Index: 0

· Permission Name: android.permission.INTERNET

- · Used Type: Api
- Caller Code: Lcom/squareup/picasso/z;->a(Landroid/net/Uri;)Ljava/net/HttpURLConnection;
- Callee Code: Ljava/net/URL;->openConnection()Ljava/net/URLConnection;
- Path Index: 18

• Permission Name: android.permission.INTERNET

- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/em;->a(Ljava/lang/String;)Z
- Callee Code: Ljava/net/URLConnection;->getInputStream()Ljava/io/InputStream;
- Path Index: 1690

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- Callee Code: _d

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- Callee Code: w

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- · Callee Code: load

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- Callee Code: I

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- · Callee Code: download

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- · Callee Code: ad

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- Callee Code: ads

• Permission Name: android.permission.INTERNET

- Used Type: Content Provider
- Callee Code: downloads

• Permission Name: android.permission.MANAGE_ACCOUNTS

- Used Type: Api
- Caller Code: Lcom/google/android/gms/auth/zzd;->invalidateToken(Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/accounts/AccountManager;->invalidateAuthToken(Ljava/lang/String; Ljava/lang/String;)V
- Path Index: 12

• Permission Name: android.permission.MANAGE_ACCOUNTS

- Used Type: Intent Action
- Callee Code: android.intent.action.USER_ADDED
- Permission Name: android.permission.MANAGE_ACCOUNTS

- · Used Type: Intent Action
- Callee Code: android.intent.action.USER_REMOVED
- Permission Name: android.permission.READ_CALL_LOG
- · Used Type: Content Provider
- · Callee Code: I
- Permission Name: android.permission.READ_CALL_LOG
- · Used Type: Content Provider
- · Callee Code: call
- Permission Name: android.permission.READ_CELL_BROADCASTS
- Used Type: Content Provider
- · Callee Code: el
- Permission Name: android.permission.READ_CONTACTS
- Used Type: Api
- Caller Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat\$AccessibilityNodeProviderJellyBeanImpl\$1;->performAction(I I Landroid/os/Bundle;)Z
- Callee Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat;->performAction(I I Landroid/os/Bundle;)Z
- · Path Index: 4
- Permission Name: android.permission.READ_CONTACTS
- Used Type: Api
- Caller Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat\$AccessibilityNodeProviderKitKatImpl\$1;->performAction(I I Landroid/os/Bundle;)Z
- Callee Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompat;->performAction(I I Landroid/os/Bundle;)Z
- · Path Index: 4
- Permission Name: android.permission.READ_CONTACTS
- Used Type: Api
- Caller Code: Landroid/support/v4/view/accessibility/Accessibility/NodeProviderCompatJellyBean\$1;->performAction(I I Landroid/os/Bundle;)Z
- Callee Code: Landroid/support/v4/view/accessibility/AccessibilityNodeProviderCompatJellyBean\$AccessibilityNodeInfoBridge;->performAction(I I Landroid/os/Bundle;)Z
- · Path Index: 4
- Permission Name: android.permission.READ_CONTACTS
- · Used Type: Content Provider
- · Callee Code: cc
- Permission Name: android.permission.READ_CONTACTS
- Used Type: Content Provider
- · Callee Code: ec
- Permission Name: android.permission.READ_CONTACTS
- Used Type: Content Provider
- Callee Code: ex
- Permission Name: android.permission.READ_CONTACTS
- Used Type: Content Provider
- Callee Code: x
- Permission Name: android.permission.READ_EXTERNAL_STORAGE
- · Used Type: Content Provider
- Callee Code: media
- Permission Name: android.permission.READ_PHONE_STATE
- · Used Type: Intent Action
- Callee Code: android.intent.action.PHONE_STATE
- Permission Name: android.permission.READ_SMS
- Used Type: Content Provider
- Callee Code: sms
- Permission Name: android.permission.READ_SMS
- · Used Type: Content Provider
- Callee Code: m
- Permission Name: android.permission.READ_SMS
- Used Type: Content Provider
- Callee Code: ms
- Permission Name: android.permission.READ_SMS
- Used Type: Content Provider
- Callee Code: -
- $\bullet \ \ Permission \ Name: and roid.permission. RECEIVE_BOOT_COMPLETED$
- Used Type: Intent Action
- Callee Code: android.intent.action.BOOT_COMPLETED
- Permission Name: android.permission.REORDER_TASKS

- Used Type: Api
- Caller Code: Lcom/lody/virtual/server/am/ActivityStack;->startActivityLocked(I Landroid/content/Intent; Landroid/content/pm/ActivityInfo; Landroid/os/IBinder; Landroid/os/Bundle; Ljava/lang/String; I)I
- Callee Code: Landroid/app/ActivityManager;->moveTaskToFront(I I)V
- Path Index: 504

• Permission Name: android.permission.RESTART_PACKAGES

- · Used Type: Api
- Caller Code: Lcom/ivy/module/clean/Huojian;->a(Landroid/content/Context;)J
- Callee Code: Landroid/app/ActivityManager;->killBackgroundProcesses(Ljava/lang/String;)V
- Path Index: 104

• Permission Name: android.permission.VIBRATE

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/b/gk\$1;->onClick(Landroid/content/DialogInterface; I)V
- Callee Code: Landroid/app/DownloadManager;->enqueue(Landroid/app/DownloadManager\$Request;)J
- Path Index: 74

• Permission Name: android.permission.VIBRATE

- · Used Type: Api
- Caller Code: Landroid/support/v4/app/NotificationManagerCompat\$ImplBase;->postNotification(Landroid/app/NotificationManager; Ljava/lang/String; I Landroid/app/Notification;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 0

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Landroid/support/v4/app/NotificationManagerCompatEclair;->postNotification(Landroid/app/NotificationManager; Ljava/lang/String; Landroid/app/Notification;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 0

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/common/GooglePlayServicesUtil;->zza(I Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager;->notify(Ljava/lang/String; I Landroid/app/Notification;)V
- Path Index: 298

• Permission Name: android.permission.VIBRATE

- Used Type: Api
- Caller Code: Lcom/google/android/gms/common/GooglePlayServicesUtil;->zza(I Landroid/content/Context; Ljava/lang/String;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 590

• Permission Name: android.permission.VIBRATE

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/common/e;->a(I Landroid/content/Context; Landroid/app/PendingIntent;)V
- Callee Code: Landroid/app/NotificationManager;->notify(I Landroid/app/Notification;)V
- Path Index: 350

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- $\bullet \quad Caller\ Code:\ Lcom/facebook/ads/a/h/a/a/d; -> on Prepared (Landroid/media/Media Player;) Value (Landroid/media/Media Player) Value (Landroid/media/Me$
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 10

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 130

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/facebook/ads/a/h/a/a/d;->onSurfaceTextureDestroyed(Landroid/graphics/SurfaceTexture;)Z
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 30

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/facebook/ads/a/h/a/a/d;->onSurfaceTextureDestroyed(Landroid/graphics/SurfaceTexture;)Z
- Callee Code: Landroid/media/MediaPlayer;->reset()V
- Path Index: 40

• Permission Name: android.permission.WAKE LOCK

- Used Type: Api
- $\bullet \quad \text{Caller Code: Lcom/facebook/ads/a/h/a/a/d;->} on Surface Texture Destroyed (Landroid/graphics/Surface Texture;) Zero Surface Texture (Landroid/graphics/Surface Texture) Zero Surface Texture (Landroid/graphics/Surface Texture Texture (Landroid/graphics/Surface Texture Texture (Landroid/graphics/Surface Texture Texture (Landroid/graphics/Surface Texture (Landroid/graphics/Surface Texture (Landroid/graphics/Surface Texture (Landroid/graphics/Surface Texture (Landroid/graphics/Surface Texture (Landroid/graphics/Surface Texture (Landro$
- Callee Code: Landroid/media/MediaPlayer;->release()V

- Path Index: 50
- Permission Name: android.permission.WAKE_LOCK
- · Used Type: Api
- Caller Code: Lcom/facebook/ads/a/h/a/a/d;->start()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 14
- Permission Name: android.permission.WAKE_LOCK
- · Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->a(Z)V
- Callee Code: Landroid/media/MediaPlayer;->reset()V
- Path Index: 48

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->a(Z)V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 58

• Permission Name: android.permission.WAKE LOCK

- Used Type: Ap
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->h()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 70

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->h()V
- Callee Code: Landroid/media/MediaPlayer;->pause()V
- Path Index: 166

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Ap
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->b()V
- Callee Code: Landroid/media/MediaPlayer;->stop()V
- Path Index: 26

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->b()V
- Callee Code: Landroid/media/MediaPlayer;->release()V
- Path Index: 36

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->c()V
- Callee Code: Landroid/media/MediaPlayer;->start()V
- Path Index: 28

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/google/android/gms/ads/internal/overlay/c;->d()V
- Callee Code: Landroid/media/MediaPlayer;->pause()V
- Path Index: 44

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->completeWakefulIntent(Landroid/content/Intent;)Z
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 48

$\bullet \ \ Permission \ Name: and roid.permission. WAKE_LOCK$

- Used Type: Api
- Caller Code: Landroid/support/v4/content/WakefulBroadcastReceiver;->startWakefulService(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/ComponentName;
- Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire(J)V
- Path Index: 150

• Permission Name: android.permission.WAKE_LOCK

- Used Type: Api
- Caller Code: Lcom/google/android/gms/b/oc;->a()V
- $\bullet \quad \hbox{Callee Code: Landroid/os/PowerManager$WakeLock;->acquire(J)V}\\$
- Path Index: 212

• Permission Name: android.permission.WAKE_LOCK

- · Used Type: Api
- Caller Code: Lcom/google/android/gms/b/oc;->b()V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V

- Path Index: 134
- Permission Name: android.permission.WAKE_LOCK
- · Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/zzrp;->acquire(J)V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->acquire(J)V
- Path Index: 84
- Permission Name: android.permission.WAKE_LOCK
- Used Type: Api
- Caller Code: Lcom/google/android/gms/internal/zzrp;->release()V
- Callee Code: Landroid/os/PowerManager\$WakeLock;->release()V
- Path Index: 12
- Permission Name: android.permission.WAKE_LOCK
- Used Type: Api
- Caller Code: Lcom/facebook/ads/a/h/a/a/g;->start()V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 10
- Permission Name: android.permission.WAKE LOCK
- Used Type: Api
- Caller Code: Lcom/facebook/ads/a/h/e;->setVideoURI(Landroid/net/Uri;)V
- Callee Code: Landroid/widget/VideoView;->setVideoURI(Landroid/net/Uri;)V
- · Path Index: 8
- Permission Name: android.permission.WAKE_LOCK
- Used Type: Api
- Caller Code: Lcom/facebook/ads/a/h/g;->a(Landroid/content/Intent; Landroid/os/Bundle;)V
- Callee Code: Landroid/widget/VideoView;->start()V
- Path Index: 74
- Permission Name: android.permission.WAKE_LOCK
- · Used Type: Api
- Caller Code: Lcom/facebook/ads/a/h/g;->c()V
- Callee Code: Landroid/widget/VideoView;->stopPlayback()V
- Path Index: 16
- Permission Name: android.permission.WRITE_CALENDAR
- Used Type: Content Provider
- Callee Code: ca
- Permission Name: android.permission.WRITE_CALENDAR
- Used Type: Content Provider
- Callee Code: calendar
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code:
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: o
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: s
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: set
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: :
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: /
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: t
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: e
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: i

- Permission Name: android.permission.WRITE SETTINGS
- Used Type: Content Provider
- · Callee Code: content
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: settings
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: ://
- Permission Name: android.permission.WRITE_SETTINGS
- · Used Type: Content Provider
- Callee Code: content://
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: n
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: on
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: c
- Permission Name: android.permission.WRITE_SETTINGS
- Used Type: Content Provider
- · Callee Code: g
- Permission Name: android.permission.WRITE_USER_DICTIONARY
- Used Type: Content Provider
- · Callee Code: user
- Permission Name: com.android.launcher.permission.INSTALL_SHORTCUT
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.INSTALL_SHORTCUT
- Permission Name: com.android.launcher.permission.UNINSTALL_SHORTCUT
- Used Type: Intent Action
- Callee Code: com.android.launcher.action.UNINSTALL_SHORTCUT
- Permission Name: com.android.launcher.permission.WRITE_SETTINGS
- Used Type: Content Provider
- Callee Code: 2

Log Message

Tag	Message
Ads	Starting ad request.
Ads	There was a problem getting an ad response. ErrorCode: 0
Ads	JS: The page at https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/sdk-core-v40.html displayed insecure content from file:///android_asset/webkit/android-weberror.png. (null:1)
Ads	Failed to load ad: 0
GooglePlayServicesUtil	Cannot find Google Play services package name.
MemoryCache	cache dir: /mnt/sdcard/myandroid/mycache/.com.applock.fast.switch.multiple.accounts5
SdkLog	Debug:create
SdkLog	config file: b2e70f690bd6a09cbc36e141b508a724
SdkLog	Config#read from cache success
SdkLog	Config#obj {"pause":"admob,facebook","start":"admob,facebook","auto":"","exit":"our"}
SdkLog	Config#adpos pause
SdkLog	Config#adpos start
SdkLog	Config#adpos auto

Тад	Message
SdkLog	Config#adpos exit
SdkLog	Tracker#ga create
SdkLog	Banner#create: admob
SdkLog	Banner#create: facebook
SdkLog	Server#sync now
SdkLog	more size 0
SdkLog	apps size 0
SdkLog	Full#admob start
SdkLog	Http#get url: https://multi-accounts-private-space.firebaseio.com/multiaccounts.json
SdkLog	Full#facebook start
SdkLog	Native#create com.android.facebook.Native
SdkLog	Native#create com.android.our.Native
SdkLog	Debug:intent Intent { act=android.intent.action.MAIN cat=[android.intent.category.LAUNCHER] flg=0x10a00000 cmp=com.applock.fast.switch.multiple.accounts/.enter.EnterActivity }
SdkLog	Debug:extra null
SdkLog SdkLog	Server#success:https://multi-accounts-private-space.firebaseio.com/multiaccounts.json SdkConfig#sync {"ads":{"adpos":{"auto":"","exit":"our","pause":"admob,facebook","start":"admob,facebook"},"banner":
	{"admob":"", "facebook":"", "full:", "admob":"ca-app-pub-977395364081727/2829893894", "facebook": "(1095734003812971_1095735817146123"), "native": ("battery": "facebook": "("count":1, "id":"1095734003812971_1095742283812143"), "green_style":1, "max_count":1, "order": "facebook"}, "clean": "facebook": "("count":1, "id":"1095734003812971_1095746260478412"), "green_style":1, "max_cmax_count":1, "order": "facebook"}, "ic on": "facebook": "("count":1, "id":"1095734003812971_1095744430478595"), "green_style":1, "max_count":1, "order": "facebook"}, "news": "("count":2, "id":"1095734003812971_1095742283812143"), "green_style":1, "max_count":2, "order": "facebook"}, "screenlock": "("count":1, "id":"1095734003812971_1095742283812143"), "green_style":1, "max_count":1, "order": "facebook"}, "unlock": "facebook": "("count":1, "id":"1095734003812971_1095742283812143"), "green_style":1, "max_count":1, "order": "facebook"}, "unlock": "fount":1, "id":"1095734003812971_1095742283812143"), "green_style":1, "max_count":1, "order": "facebook"}, "unlock": "fount":2, "id":"1095734003812971_1095742283812143"), "green_style":1, "max_count":3, "o23, "order": "facebook, our"}}, "pkg":"com.accurate.weather.forecast.widget", "itile":"Weather", "type":"cross"), "img":"https://67. media.tumblr.com/583e559e820cc6c38c59825bb6a61208/tumblr_oexabtQvAE1sxao59o1_400.png", "pkg":"com.flashlight.disperse.dark", "itile":"Flashlight", "type":"cross"), "interval_time":10000, "type:"cross"), "img":"https://66. media.tuia.tumblr.com/b3cd7b737092253bce30e1c859094754/tumblr_odvub9zMKK1vdy83bo2_400.png", "title:"Lucky", "type:""clean"], "default_pkg:"("app":"clean"), "default_pkg:"("app":"https://67.media.tumblr.com/4731cf47e738816d0603c2b5[24355b2/tumblr_odvub9zMKK1vdy83bo1_400.png", "title:"Clean", "type:"clean"], "default_pkg:"("app":"Nateobook.katana"), "app":"Https://67.media.tumblr.com/4731cf47e738816d0603c2b5[24355b2/tumblr_odvub9zMKK1vdy83bo1_400.png", "title:"Clean", "type:"clean"], "default_pkg:"("app":"Nateobook.realt.", "pkg:"com.facebook.orcal.
SdkLog	FullAds#auto event showed? false
SdkLog	FullAds#order is empty: tag auto
SdkLog	Full#admob error: 0
Web Console	The page at https://googleads.g.doubleclick.net/mads/static/mad/sdk/native/sdk-core-v40.html displayed insecure content from file:///android_asset/webkit/android-weberror.png. at null:1

Tag	Message
aaaa	-
ak	File /data/data/com.applock.fast.switch.multiple.accounts/cache/1459442732877.dex not found. No need for deletion
е	Test mode device hash: 9e9142f02ccc8a5df3cea207e8dfeae1
е	When testing your app with Facebook's ad units you must specify the device hashed ID to ensure the delivery of test ads, add the following code before loading an ad: AdSettings.addTestDevice("9e9142f02ccc8a5df3cea207e8dfeae1");
haha	receive Intent { flg=0x10 cmp=com.applock.fast.switch.multiple.accounts/com.ivy.module.locks.battery.BatteryReceiver }

May Log Message

Тад	Message	Caller Code	Path Index
items	3	Lcom/lody/virtual/helper/proto/VParceledListSlice;->(Landroid/os/Parcel; Ljava/lang/ClassLoader;)V	228
0	Sandbox SSL validation already disabled, ignoring	Lcom/facebook/ads/a/g/g;->b()V	142
0	3	Lcom/facebook/ads/a/i;->d(Lcom/facebook/ads/a/i;)V	116
0	0	Lcom/lody/virtual/helper/proto/VParceledListSlice;- >writeToParcel(Landroid/os/Parcel; I)V	388
0	Could not get user list	Lcom/lody/virtual/os/VUserManager;->getUsers()Ljava/util/List;	26
1	Got ACTION_MOVE event but have an invalid active pointer id.	Landroid/support/v4/widget/SwipeRefreshLayout;- >onTouchEvent(Landroid/view/MotionEvent;)Z	124
1	Got ACTION_POINTER_DOWN event but have an invalid action index.	Landroid/support/v4/widget/SwipeRefreshLayout;- >onTouchEvent(Landroid/view/MotionEvent;)Z	248
1	2	Lcom/facebook/ads/e;->a(Landroid/content/Context;)Z	224
1	3	Lcom/facebook/ads/e;->a(Landroid/content/Context;)Z	276
16928	4	Lcom/facebook/ads/a/g/k;->a([Ljava/lang/String;) [Landroid/graphics/Bitmap;	370
2	3	Lcom/facebook/ads/a/a/d;->b()V	98
4	7	Lcom/facebook/ads/a/g/o;->a(Ljava/lang/String;)Z	148
7	View already registered with a NativeAd. Auto unregistering and proceeding.	Lcom/facebook/ads/l;->a(Landroid/view/View; Ljava/util/List;)V	130
9	8	Lcom/core/common/SdkEnv;->unregisterEvent(Ljava/lang/Object;)V	200
AccountAccessor	Remote account accessor probably died	Lcom/google/android/gms/common/internal/a;- >a(Lcom/google/android/gms/common/internal/v;)Landroid/accounts/Account;	40
AccountAccessor	Remote account accessor probably died	Lcom/google/android/gms/common/internal/zza;->zza(Lcom/google/android/gms/common/internal/zzp;)Landroid/accounts/Account;	40
ActionBarDrawerToggl e	DrawerToggle may not show up because NavigationIcon is not visible. You may need to call actionbar.setDisplayHomeAsUpEnabled(true);	Landroid/support/v7/app/ActionBarDrawerToggle;->setActionBarUpIndicator(Landroid/graphics/drawable/Drawable; I)V	32
ActionBarDrawerToggl eHoneycomb	19	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarDescription(Ljava/lang/Object; Landroid/app/Activity; I)Ljava/lang/Object;	104
ActionBarDrawerToggl eHoneycomb	1	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	100

Тад	Message	Caller Code	Path Index
ActionBarDrawerToggl eHoneycomb	ActionBarDrawerToggleHoneycomb	Landroid/support/v4/app/ActionBarDrawerToggleHoneycomb;->setActionBarUpIndicator(Ljava/lang/Object; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Ljava/lang/Object;	136
ActionBarDrawerToggl eHoneycomb	1	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggle Honeycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicato rInfo;	90
ActionBarDrawerToggl eHoneycomb	ActionBarDrawerToggleHoneycomb	Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb;- >setActionBarUpIndicator(Landroid/support/v7/app/ActionBarDrawerToggle Honeycomb\$SetIndicatorInfo; Landroid/app/Activity; Landroid/graphics/drawable/Drawable; I)Landroid/support/v7/app/ActionBarDrawerToggleHoneycomb\$SetIndicato rInfo;	126
ActionProvider(support)	2	Landroid/support/v4/view/ActionProvider;- >setVisibilityListener(Landroid/support/v4/view/ActionProvider\$VisibilityList ener;)V	82
Ads	Fail to set UncaughtExceptionHandler.	Lcom/google/android/gms/b/hy;->a(Landroid/content/Context; Ljava/lang/Thread; Lcom/google/android/gms/ads/internal/util/client/VersionInfoParcel;)Lcom/google/android/gms/b/hy;	106
AdvertisingIdClient	GMS remote exception	Lcom/google/android/gms/ads/c/a;- >a()Lcom/google/android/gms/ads/c/a\$a;	202
AdvertisingIdClient	AdvertisingIdClient unbindService failed.	Lcom/google/android/gms/ads/c/a;->b()V	98
AdvertisingIdClient	AdvertisingIdClient unbindService failed.	Lcom/google/android/gms/ads/identifier/AdvertisingIdClient;->finish()V	100
AdvertisingIdClient	GMS remote exception	Lcom/google/android/gms/ads/identifier/AdvertisingldClient;->getInfo()Lcom/google/android/gms/ads/identifier/AdvertisingldClient\$Info;	206
AnimatedVDCompat	parser error	Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;- >create(Landroid/content/Context; I)Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;	166
AnimatedVDCompat	parser error	Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;- >create(Landroid/content/Context; I)Landroid/support/graphics/drawable/AnimatedVectorDrawableCompat;	212
AppCompatDelegate	setDefaultNightMode() called with an unknown mode	Landroid/support/v7/app/AppCompatDelegate;->setDefaultNightMode(I)V	14
AppCompatDelegate	0	Landroid/support/v7/app/AppCompatDelegateImpIV7;->onKeyUpPanel(I Landroid/view/KeyEvent;)Z	258
AppCompatDelegate	You should now use the AppCompatDelegate.FEATURE_SUPPORT_AC TION_BAR id when requesting this feature.	Landroid/support/v7/app/AppCompatDelegateImplV7;->sanitizeWindowFeatureId(I)I	16
AppCompatDelegate	You should now use the AppCompatDelegate.FEATURE_SUPPORT_AC TION_BAR_OVERLAY id when requesting this feature.	Landroid/support/v7/app/AppCompatDelegateImplV7;->sanitizeWindowFeatureId(I)I	44
AppCompatDelegate	AppCompatDelegate	Landroid/support/v7/app/AppCompatDelegateImplV7;- >installViewFactory()V	56
AppCompatDelegate	setLocalNightMode() called with an unknown mode	Landroid/support/v7/app/AppCompatDelegateImplV14;->setLocalNightMode(I)V	14
AppCompatDrawableM anager	Exception while inflating drawable	Landroid/support/v7/widget/AppCompatDrawableManager;- >loadDrawableFromDelegates(Landroid/content/Context; I)Landroid/graphics/drawable/Drawable;	270

Tag	Message	Caller Code	Path Index
AppCompatDrawableM anager	Mutated drawable is not the same instance as the input.	Landroid/support/v7/widget/AppCompatDrawableManager;->tintDrawable(Landroid/graphics/drawable/Drawable; Landroid/support/v7/widget/TintInfo; [I)V	32
AppCompatPopupWin dow	Exception while installing workaround OnScrollChangedListener	Landroid/support/v7/widget/AppCompatPopupWindow;- >wrapOnScrollChangedListener(Landroid/widget/PopupWindow;)V	88
AppCompatSpinner	Could not read android:spinnerMode	Landroid/support/v7/widget/AppCompatSpinner;-> (Landroid/content/Context; Landroid/util/AttributeSet; I I Landroid/content/res/Resources\$Theme;)V	434
AppCompatViewInflate	app:theme is now deprecated. Please move to using android:theme instead.	Landroid/support/v7/app/AppCompatViewInflater;- >themifyContext(Landroid/content/Context; Landroid/util/AttributeSet; Z Z)Landroid/content/Context;	62
Asserts	2	Lcom/google/android/gms/common/internal/zzb;- >zzcD(Ljava/lang/String;)V	126
Asserts	2	Lcom/google/android/gms/common/internal/zzb;- >zzcE(Ljava/lang/String;)V	126
AsyncListUtil	3	Landroid/support/v7/utii/AsyncListUtil\$1;->addTile(I Landroid/support/v7/utii/TileList\$Tile;)V	94
AsyncListUtil	5	Landroid/support/v7/util/AsyncListUtil\$1;->removeTile(I I)V	76
AsyncListUtil	2	Landroid/support/v7/util/AsyncListUtil\$2;->log(Ljava/lang/String; [Ljava/lang/Object;)V	50
AsyncListUtil	2	Landroid/support/v7/util/AsyncListUtil;->log(Ljava/lang/String; [Ljava/lang/Object;)V	50
AtomicFile	failWrite: Got exception:	Landroid/support/v4/util/AtomicFile;->failWrite(Ljava/io/FileOutputStream;)V	52
AtomicFile	finishWrite: Got exception:	Landroid/support/v4/util/AtomicFile;- >finishWrite(Ljava/io/FileOutputStream;)V	38
AtomicFile	2	Landroid/support/v4/util/AtomicFile;->startWrite()Ljava/io/FileOutputStream;	122
AtomicFile	failWrite: Got exception:	Lcom/lody/virtual/helper/utils/AtomicFile;- >failWrite(Ljava/io/FileOutputStream;)V	52
AtomicFile	finishWrite: Got exception:	Lcom/lody/virtual/helper/utils/AtomicFile;- >finishWrite(Ljava/io/FileOutputStream;)V	38
AtomicFile	2	Lcom/lody/virtual/helper/utils/AtomicFile;- >startWrite()Ljava/io/FileOutputStream;	122
AutoManageHelper	1	Lcom/google/android/gms/b/me\$a;- >onConnectionFailed(Lcom/google/android/gms/common/ConnectionResul t;)V	70
AutoManageHelper	2	Lcom/google/android/gms/b/me;->a()V	104
AutoManageHelper	2	Lcom/google/android/gms/b/me;->a(l Lcom/google/android/gms/common/api/c; Lcom/google/android/gms/common/api/c\$c;)V	166
AutoManageHelper	1	Lcom/google/android/gms/b/me;->a(I Lcom/google/android/gms/common/api/c; Lcom/google/android/gms/common/api/c\$c;)V	278
AutoManageHelper	Unresolved error while connecting client. Stopping auto-manage.	Lcom/google/android/gms/b/me;- >a(Lcom/google/android/gms/common/ConnectionResult; I)V	8
AutoManageHelper	AutoManageLifecycleHelper received onErrorResolutionFailed callback but no failing client ID is set	Lcom/google/android/gms/b/me;- >a(Lcom/google/android/gms/common/ConnectionResult; I)V	36

Tag	Message	Caller Code	Path Index
AvdcInflateDelegate	Exception while inflating	Landroid/support/v7/widget/AppCompatDrawableManager\$AvdcInflateDele gate;->createFromXmlInner(Landroid/content/Context; Lorg/xmlpull/v1/XmlPullParser; Landroid/util/AttributeSet; Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable;	28
BasePendingResult	1	Lcom/google/android/gms/b/mi\$a;- >handleMessage(Landroid/os/Message;)V	70
BasePendingResult	5	Lcom/google/android/gms/common/api/internal/zzb;- >zzc(Lcom/google/android/gms/common/api/Result;)V	68
BasePendingResult	2	Lcom/google/android/gms/common/api/internal/zzb\$zza;->handleMessage(Landroid/os/Message;)V	66
BitmapTeleporter	Could not close stream	Lcom/google/android/gms/common/data/BitmapTeleporter;->zza(Ljava/io/Closeable;)V	18
BitmapTeleporter	Could not close PFD	Lcom/google/android/gms/common/data/BitmapTeleporter;->release()V	30
ClearcutLoggerApilmpl	disconnect managed GoogleApiClient	Lcom/google/android/gms/b/ly\$1;->run()V	74
ClearcutLoggerApilmpl	derived ClearcutLogger.MessageNanoProducer	Lcom/google/android/gms/b/ly\$d;- >a(Lcom/google/android/gms/common/api/a\$c;)V	58
ClearcutLoggerApilmpl	disconnect managed GoogleApiClient	Lcom/google/android/gms/internal/zzlv\$1;->run()V	78
ClearcutLoggerApilmpl	0	Lcom/google/android/gms/internal/zzlv\$zzd;- >zza(Lcom/google/android/gms/internal/zzlw;)V	120
ClearcutLoggerApilmpl	flush interrupted	Lcom/google/android/gms/internal/zzlv;- >zza(Lcom/google/android/gms/common/api/GoogleApiClient; J Ljava/util/concurrent/TimeUnit;)Z	24
CompositeGAC	Attempted to call success callbacks in CONNECTION_MODE_NONE. Callbacks should be disabled via GmsClientSupervisor	Lcom/google/android/gms/b/mk;->a(Lcom/google/android/gms/b/mk;)V	72
CompositeGAC	Attempted to call failure callbacks in CONNECTION_MODE_NONE. Callbacks should be disabled via GmsClientSupervisor	Lcom/google/android/gms/b/mk;- >a(Lcom/google/android/gms/common/ConnectionResult;)V	28
CompositeGAC	Attempted to call failure callbacks in CONNECTION_MODE_NONE. Callbacks should be disabled via GmsClientSupervisor	Lcom/google/android/gms/common/api/internal/zzd;- >zzb(Lcom/google/android/gms/common/ConnectionResult;)V	28
CompositeGAC	Attempted to call success callbacks in CONNECTION_MODE_NONE. Callbacks should be disabled via GmsClientSupervisor	Lcom/google/android/gms/common/api/internal/zzd;->zzpn()V	28
CompoundButtonCom patDonut	Failed to retrieve mButtonDrawable field	Landroid/support/v4/widget/CompoundButtonCompatDonut;- >getButtonDrawable(Landroid/widget/CompoundButton;)Landroid/graphics /drawable/Drawable;	84
CompoundButtonCom patDonut	Failed to get button drawable via reflection	Landroid/support/v4/widget/CompoundButtonCompatDonut;- >getButtonDrawable(Landroid/widget/CompoundButton;)Landroid/graphics /drawable/Drawable;	102
ConnectionTracker	Attempted to bind to a service in a STOPPED package.	Lcom/google/android/gms/common/stats/a;->a(Landroid/content/Context; Landroid/content/Intent; Landroid/content/ServiceConnection; I)Z	28
ConnectionTracker	2	Lcom/google/android/gms/common/stats/zzb;- >zza(Landroid/content/Context; Ljava/lang/String; Ljava/lang/String; Landroid/content/Intent; I)V	126
ConnectionTracker	2	Lcom/google/android/gms/common/stats/zzb;- >zzd(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/pm/ServiceInfo;	92
ConnectionTracker	3	Lcom/google/android/gms/common/stats/zzb;- >zzd(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/pm/ServiceInfo;	158

Tag	Message	Caller Code	Path Index
ConnectionTracker	ConnectionTracker	Lcom/google/android/gms/common/stats/zzb;- >zzd(Landroid/content/Context; Landroid/content/Intent;)Landroid/content/pm/ServiceInfo;	208
ConnectionTracker	Attempted to bind to a service in a STOPPED package.	Lcom/google/android/gms/common/stats/zzb;- >zza(Landroid/content/Context; Ljava/lang/String; Landroid/content/Intent; Landroid/content/ServiceConnection; I)Z	20
ContextCompat	3	Landroid/support/v4/content/ContextCompat;->createFilesDir(Ljava/io/File;)Ljava/io/File;	96
CustomTabsHelper	Runtime exception while getting specialized handlers	Lcom/google/android/gms/b/aa;->a(Landroid/content/Context; Landroid/content/Intent;)Z	128
DataBuffer	2	Lcom/google/android/gms/common/data/DataHolder;->finalize()V	138
DataHolder	6	Lcom/google/android/gms/common/data/DataHolder;- >zza(Lcom/google/android/gms/common/data/DataHolder\$zza; I) [Landroid/database/CursorWindow;	182
DataHolder	Unable to allocate row to hold data.	Lcom/google/android/gms/common/data/DataHolder;- >zza(Lcom/google/android/gms/common/data/DataHolder\$zza; I) [Landroid/database/CursorWindow;	248
DataHolder	7	Lcom/google/android/gms/common/data/DataHolder;- >zza(Lcom/google/android/gms/common/data/DataHolder\$zza; I) [Landroid/database/CursorWindow;	784
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi19;->exists(Landroid/content/Context; Landroid/net/Uri;)Z	118
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi19;- >queryForLong(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; J)J	136
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi19;- >queryForString(Landroid/content/Context; Landroid/net/Uri; Ljava/lang/String; Ljava/lang/String;)Ljava/lang/String;	136
DocumentFile	0	Landroid/support/v4/provider/DocumentsContractApi21;- >listFiles(Landroid/content/Context; Landroid/net/Uri;)[Landroid/net/Uri;	148
DocumentFile	5	Landroid/support/v4/provider/RawDocumentFile;->deleteContents(Ljava/io/File;)Z	104
DocumentFile	0	Landroid/support/v4/provider/RawDocumentFile;- >createFile(Ljava/lang/String; Ljava/lang/String;)Landroid/support/v4/provider/DocumentFile;	142
DrawableCompatJellyb eanMr1	Failed to retrieve getLayoutDirection() method	Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;- >getLayoutDirection(Landroid/graphics/drawable/Drawable;)I	102
DrawableCompatJellyb eanMr1	Failed to invoke getLayoutDirection() via reflection	Landroid/support/v4/graphics/drawable/DrawableCompatJellybeanMr1;->getLayoutDirection(Landroid/graphics/drawable/Drawable;)l	120
DrawableUtils	4	Landroid/support/v7/widget/DrawableUtils;- >getOpticalBounds(Landroid/graphics/drawable/Drawable;)Landroid/graphics/Rect;	238
DynamiteModule	3	Lcom/google/android/gms/b/nr;->a(Landroid/content/Context; Ljava/lang/String;)I	336
DynamiteModule	0	Lcom/google/android/gms/b/nr;->a(Landroid/content/Context; Ljava/lang/String;)I	404
DynamiteModule	0	Lcom/google/android/gms/b/nr;->a(Landroid/content/Context; Ljava/lang/String; Z)I	82
DynamiteModule	3	Lcom/google/android/gms/b/nr;->a(Landroid/content/Context; Lcom/google/android/gms/b/nr\$b; Ljava/lang/String;)Lcom/google/android/gms/b/nr;	166

Tag	Message	Caller Code	Path Index
DynamiteModule	0	Lcom/google/android/gms/b/nr;->a(Landroid/content/Context; Lcom/google/android/gms/b/nr\$b; Ljava/lang/String;)Lcom/google/android/gms/b/nr;	394
DynamiteModule	6	Lcom/google/android/gms/b/nr;->a(Landroid/content/Context; Ljava/lang/String; I)Lcom/google/android/gms/b/nr;	84
DynamiteModule	0	Lcom/google/android/gms/b/nr;- >a(Landroid/content/Context;)Lcom/google/android/gms/b/ns;	168
DynamiteModule	0	Lcom/google/android/gms/b/nr;->b(Landroid/content/Context; Ljava/lang/String;)Lcom/google/android/gms/b/nr;	36
EnvironmentCompat	0	Landroid/support/v4/os/EnvironmentCompat;- >getStorageState(Ljava/io/File;)Ljava/lang/String;	112
FBAudienceNetworkLo g	2	Lcom/facebook/ads/a/g/g;->a(Landroid/content/Context; Ljava/lang/String;)V	54
FBAudienceNetworkLo g	No touch data recorded, please ensure touch events reach the ad View by returning false if you intercept the event.	Lcom/facebook/ads/l\$d;->onClick(Landroid/view/View;)V	50
FileBridge	Failed during bridge	Lcom/lody/virtual/server/pm/installer/FileBridge;->run()V	174
FragmentActivity	Activity result delivered for unknown Fragment.	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	60
FragmentActivity	0	Landroid/support/v4/app/FragmentActivity;->onActivityResult(I I Landroid/content/Intent;)V	126
FragmentActivity	Invalid requestCode mapping in savedInstanceState.	Landroid/support/v4/app/FragmentActivity;- >onCreate(Landroid/os/Bundle;)V	164
FragmentActivity	Activity result delivered for unknown Fragment.	Landroid/support/v4/app/FragmentActivity;- >onRequestPermissionsResult(I [Ljava/lang/String; [I)V	58
FragmentActivity	0	Landroid/support/v4/app/FragmentActivity;- >onRequestPermissionsResult(I [Ljava/lang/String; [I)V	124
FragmentManager	7	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	80
FragmentManager	3	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	200
FragmentManager	0	Landroid/support/v4/app/BackStackRecord;->bumpBackStackNesting(I)V	336
FragmentManager	4	Landroid/support/v4/app/BackStackRecord;->commitInternal(Z)I	76
FragmentManager	11	Landroid/support/v4/app/BackStackRecord;->popFromBackStack(Z Landroid/support/v4/app/BackStackRecord\$TransitionState; Landroid/util/SparseArray; Landroid/util/SparseArray;)Landroid/support/v4/app/BackStackRecord\$TransitionState;	58
FragmentManager	13	Landroid/support/v4/app/BackStackRecord;->run()V	50
FragmentManager	0	Landroid/support/v4/app/BackStackRecord;->run()V	460
FragmentManager	12	Landroid/support/v4/app/BackStackRecord;->run()V	624
FragmentManager	5	Landroid/support/v4/app/BackStackState;- >instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/support/v4/app/BackStackRecord;	152
FragmentManager	9	Landroid/support/v4/app/BackStackState;- >instantiate(Landroid/support/v4/app/FragmentManagerImpl;)Landroid/sup port/v4/app/BackStackRecord;	372
FragmentManager	No field with the name mListener is found in Animation class	Landroid/support/v4/app/FragmentManagerImpl;- >setHWLayerAnimListenerIfAlpha(Landroid/view/View; Landroid/view/animation/Animation;)V	108

Tag	Message	Caller Code	Path Index
FragmentManager	No field with the name mListener is found in Animation class	Landroid/support/v4/app/FragmentManagerImpl;- >setHWLayerAnimListenerIfAlpha(Landroid/view/View; Landroid/view/animation/Animation;)V	128
FragmentManager	Activity state:	Landroid/support/v4/app/FragmentManagerImpl;- >throwException(Ljava/lang/RuntimeException;)V	26
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;- >throwException(Ljava/lang/RuntimeException;)V	98
FragmentManager	Failed dumping state	Landroid/support/v4/app/FragmentManagerImpl;- >throwException(Ljava/lang/RuntimeException;)V	136
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;- >addFragment(Landroid/support/v4/app/Fragment; Z)V	74
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;- >allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	130
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;- >allocBackStackIndex(Landroid/support/v4/app/BackStackRecord;)I	260
ragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >attachFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >attachFragment(Landroid/support/v4/app/Fragment; I I)V	218
ragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >detachFragment(Landroid/support/v4/app/Fragment; I I)V	54
ragmentManager	7	Landroid/support/v4/app/FragmentManagerImpl;- >detachFragment(Landroid/support/v4/app/Fragment; I I)V	138
ragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;->freeBackStackIndex(I)V	86
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;- >hideFragment(Landroid/support/v4/app/Fragment; I I)V	52
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;- >makeActive(Landroid/support/v4/app/Fragment;)V	138
FragmentManager	4	Landroid/support/v4/app/FragmentManagerImpl;- >makeInactive(Landroid/support/v4/app/Fragment;)V	60
FragmentManager	2	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	244
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	306
ragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	802
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1220
ragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1286
ragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1494
ragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1560
ragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1626
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1694

Tag	Message	Caller Code	Path Index
FragmentManager	11	Landroid/support/v4/app/FragmentManagerImpl;- >moveToState(Landroid/support/v4/app/Fragment; I I I Z)V	1910
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >onCreateView(Landroid/view/View; Ljava/lang/String; Landroid/content/Context; Landroid/util/AttributeSet;)Landroid/view/View;	354
FragmentManager	10	Landroid/support/v4/app/FragmentManagerImpl;- >popBackStackState(Landroid/os/Handler; Ljava/lang/String; I I)Z	482
FragmentManager	3	Landroid/support/v4/app/FragmentManagerImpl;- >removeFragment(Landroid/support/v4/app/Fragment; I I)V	78
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Ljava/utii/List;)V	102
FragmentManager	3	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	366
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	474
FragmentManager	5	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	656
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	874
FragmentManager	1	Landroid/support/v4/app/FragmentManagerImpl;- >restoreAllState(Landroid/os/Parcelable; Ljava/util/List;)V	1084
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;- >retainNonConfig()Ljava/util/ArrayList;	154
FragmentManager	2	Landroid/support/v4/app/FragmentManagerImpl;- >saveAllState()Landroid/os/Parcelable;	460
FragmentManager	saveAllState: no fragments!	Landroid/support/v4/app/FragmentManagerImpl;- >saveAllState()Landroid/os/Parcelable;	510
FragmentManager	8	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	758
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->saveAllState()Landroid/os/Parcelable;	920
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	110
FragmentManager	0	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	218
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;->setBackStackIndex(I Landroid/support/v4/app/BackStackRecord;)V	318
FragmentManager	6	Landroid/support/v4/app/FragmentManagerImpl;- >showFragment(Landroid/support/v4/app/Fragment; I I)V	54
FragmentManager	2	Landroid/support/v4/app/FragmentState;- >instantiate(Landroid/support/v4/app/FragmentHostCallback; Landroid/support/v4/app/Fragment;)Landroid/support/v4/app/Fragment;	268
FragmentStatePagerA dapter	0	Landroid/support/v4/app/FragmentStatePagerAdapter;- >restoreState(Landroid/os/Parcelable; Ljava/lang/ClassLoader;)V	266
GACStateManager	1	Lcom/google/android/gms/b/ms\$b;- >handleMessage(Landroid/os/Message;)V	60
GACStateManager	2	Lcom/google/android/gms/common/api/internal/zzl\$zzb;->handleMessage(Landroid/os/Message;)V	56
GAv4	6	Lcom/google/android/gms/analytics/o\$a\$1;- >setException(Ljava/lang/Throwable;)V	48

Tag	Message	Caller Code	Path Index
GAv4	1	Lcom/google/android/gms/analytics/o\$a\$1;->setException(Ljava/lang/Throwable;)V	130
GAv4	2	Lcom/google/android/gms/analytics/o;->a()Lcom/google/android/gms/b/lj;	190
GAv4	UUID.randomUUID() returned 0.	Lcom/google/android/gms/b/lt;->(B)V	62
GAv4	UUID.randomUUID() returned 0.	Lcom/google/android/gms/internal/zzpw;->zzBb()I	56
GAv4	6	Lcom/google/android/gms/measurement/zzg\$zza\$1;->setException(Ljava/lang/Throwable;)V	48
GAv4	4	Lcom/google/android/gms/measurement/zzg\$zza\$1;- >setException(Ljava/lang/Throwable;)V	102
GAv4	1	Lcom/google/android/gms/measurement/zzg;- >zzAH()Lcom/google/android/gms/internal/zzpq;	204
GmsClient	3	Lcom/google/android/gms/common/internal/j;->a(I Landroid/os/IInterface;)V	200
GmsClient	3	Lcom/google/android/gms/common/internal/j;->a(I Landroid/os/IInterface;)V	442
GmsClient	service died	Lcom/google/android/gms/common/internal/j;- >a(Lcom/google/android/gms/common/internal/v; Ljava/util/Set;)V	206
GmsClient	mServiceBroker is null, client disconnected	Lcom/google/android/gms/common/internal/j;- >a(Lcom/google/android/gms/common/internal/v; Ljava/util/Set;)V	260
GmsClient	Remote exception occurred	Lcom/google/android/gms/common/internal/j;- >a(Lcom/google/android/gms/common/internal/v; Ljava/util/Set;)V	284
GmsClient	3	Lcom/google/android/gms/common/internal/j\$e;->b()V	96
GmsClient	1	Lcom/google/android/gms/common/internal/j\$d;- >handleMessage(Landroid/os/Message;)V	382
GmsClient	received deprecated onAccountValidationComplete callback, ignoring	Lcom/google/android/gms/common/internal/j\$g;->a(I Landroid/os/Bundle;)V	18
GmsClient	1	Lcom/google/android/gms/common/internal/j\$j;->a()Z	158
GmsClient	service probably died	Lcom/google/android/gms/common/internal/j\$j;->a()Z	176
GmsClient	2	Lcom/google/android/gms/common/internal/zzj;->zzqE()V	58
GmsClient	2	Lcom/google/android/gms/common/internal/zzj;->zzqE()V	216
GmsClient	service died	Lcom/google/android/gms/common/internal/zzj;- >zza(Lcom/google/android/gms/common/internal/zzp; Ljava/util/Set;)V	178
GmsClient	mServiceBroker is null, client disconnected	Lcom/google/android/gms/common/internal/zzj;- >zza(Lcom/google/android/gms/common/internal/zzp; Ljava/util/Set;)V	202
GmsClient	Remote exception occurred	Lcom/google/android/gms/common/internal/zzj;- >zza(Lcom/google/android/gms/common/internal/zzp; Ljava/util/Set;)V	226
GmsClient	3	Lcom/google/android/gms/common/internal/zzj\$zzc;->zzqN()V	68
GmsClient	2	Lcom/google/android/gms/common/internal/zzj\$zzb;->handleMessage(Landroid/os/Message;)V	346
GmsClient	received deprecated onAccountValidationComplete callback, ignoring	Lcom/google/android/gms/common/internal/zzj\$zzd;->zzb(I Landroid/os/Bundle;)V	18
GmsClient	1	Lcom/google/android/gms/common/internal/zzj\$zzg;->zzqL()Z	112
GmsClient	service probably died	Lcom/google/android/gms/common/internal/zzj\$zzg;->zzqL()Z	130
GmsClientEvents	8	Lcom/google/android/gms/b/mq;->(Landroid/content/Context; Ljava/util/concurrent/locks/Lock; Landroid/os/Looper; Lcom/google/android/gms/common/internal/m; Lcom/google/android/gms/common/b; Lcom/google/android/gms/common/api/a\$b; Ljava/util/Map; Ljava/util/List; Ljava/util/List; Ljava/util/Map; I I Ljava/util/ArrayList;)V	362

Tag	Message	Caller Code	Path Index
GmsClientEvents	3	Lcom/google/android/gms/b/mq;->b(Lcom/google/android/gms/common/api/c\$c;)V	114
GmsClientEvents	3	Lcom/google/android/gms/common/internal/r;- >a(Lcom/google/android/gms/common/api/c\$c;)V	110
GmsClientEvents	1	Lcom/google/android/gms/common/internal/r;->handleMessage(Landroid/os/Message;)Z	144
GmsClientEvents	2	Lcom/google/android/gms/common/internal/zzk;->handleMessage(Landroid/os/Message;)Z	150
GmsClientEvents	3	Lcom/google/android/gms/common/internal/zzk;- >registerConnectionCallbacks(Lcom/google/android/gms/common/api/GoogleApiClient\$ConnectionCallbacks;)V	82
GmsClientEvents	3	Lcom/google/android/gms/common/internal/zzk;- >registerConnectionFailedListener(Lcom/google/android/gms/common/api/ GoogleApiClient\$OnConnectionFailedListener;)V	82
GmsClientEvents	3	Lcom/google/android/gms/common/internal/zzk;- >unregisterConnectionCallbacks(Lcom/google/android/gms/common/api/GoogleApiClient\$ConnectionCallbacks;)V	82
GmsClientEvents	3	Lcom/google/android/gms/common/internal/zzk;- >unregisterConnectionFailedListener(Lcom/google/android/gms/common/a pi/GoogleApiClient\$OnConnectionFailedListener;)V	82
GmsSupportLifecycleF ag	Unresolved error while connecting client. Stopping auto-manage.	Lcom/google/android/gms/common/api/internal/zzw;->zza(I Lcom/google/android/gms/common/ConnectionResult;)V	8
GmsSupportLifecycleF rag	Unable to find connection error message resources (Did you include play-services-base and the proper proguard rules?); error dialogs may be unavailable.	Lcom/google/android/gms/common/api/internal/zzw;- >zzb(Landroid/support/v4/app/FragmentActivity;)Lcom/google/android/gms /common/api/internal/zzw;	40
GmsSupportLifecycleF rag	3	Lcom/google/android/gms/common/api/internal/zzw;->zzpO()Lcom/google/android/gms/common/api/internal/zzw;	40
GmsSupportLifecycleF rag	Unable to find SupportLifecycleFragmentImpl class	Lcom/google/android/gms/common/api/internal/zzw;->zzpO()Lcom/google/android/gms/common/api/internal/zzw;	60
GmsSupportLifecycleF rag	3	Lcom/google/android/gms/common/api/internal/zzw;->zzpO()Lcom/google/android/gms/common/api/internal/zzw;	76
GmsSupportLifecycleF rag	Unable to instantiate SupportLifecycleFragmentImpl class	Lcom/google/android/gms/common/api/internal/zzw;->zzpO()Lcom/google/android/gms/common/api/internal/zzw;	96
GmsSupportLifecycleF rag	2	Lcom/google/android/gms/common/api/internal/zzw;->zzb(l Lcom/google/android/gms/common/ConnectionResult;)V	50
GmsSupportLifecycleF rag	Unable to connect, GooglePlayServices is updating.	Lcom/google/android/gms/common/api/internal/zzw;->zzc(l Lcom/google/android/gms/common/ConnectionResult;)V	8
GoogleApiActivity	Activity started without extras	Lcom/google/android/gms/common/api/GoogleApiActivity;->onCreate(Landroid/os/Bundle;)V	64
GoogleApiActivity	Activity started without resolution	Lcom/google/android/gms/common/api/GoogleApiActivity;->onCreate(Landroid/os/Bundle;)V	126
GoogleApiActivity	Failed to launch pendingIntent	Lcom/google/android/gms/common/api/GoogleApiActivity;->onCreate(Landroid/os/Bundle;)V	188
GoogleApiAvailability	5	Lcom/google/android/gms/common/internal/n;->a(Landroid/content/Context; I)Ljava/lang/String;	62
GoogleApiAvailability	Google Play services is invalid. Cannot recover.	Lcom/google/android/gms/common/internal/n;->a(Landroid/content/Context; I)Ljava/lang/String;	134
GoogleApiAvailability	Network error occurred. Please retry request later.	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	162

Tag	Message	Caller Code	Path Index
GoogleApiAvailability	Internal error occurred. Please see logs for detailed information	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	190
GoogleApiAvailability	Developer error occurred. Please see logs for detailed information	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	206
GoogleApiAvailability	An invalid account was specified when connecting. Please provide a valid account.	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	222
GoogleApiAvailability	The application is not licensed to the user.	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	250
GoogleApiAvailability	One of the API components you attempted to connect to is not available.	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	266
GoogleApiAvailability	The specified account could not be signed in.	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	282
GoogleApiAvailability	The current user profile is restricted and could not use authenticated features.	Lcom/google/android/gms/common/internal/n;- >a(Landroid/content/Context; I)Ljava/lang/String;	310
GoogleApiAvailability	5	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	58
GoogleApiAvailability	Google Play services is invalid. Cannot recover.	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	130
GoogleApiAvailability	Network error occurred. Please retry request later.	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	158
GoogleApiAvailability	Internal error occurred. Please see logs for detailed information	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	186
GoogleApiAvailability	Developer error occurred. Please see logs for detailed information	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	202
GoogleApiAvailability	An invalid account was specified when connecting. Please provide a valid account.	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	218
GoogleApiAvailability	The application is not licensed to the user.	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	246
GoogleApiAvailability	One of the API components you attempted to connect to is not available.	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	262
GoogleApiAvailability	The specified account could not be signed in.	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	278
GoogleApiAvailability	The current user profile is restricted and could not use authenticated features.	Lcom/google/android/gms/common/internal/zzg;- >zzg(Landroid/content/Context; I)Ljava/lang/String;	306
GoogleApiClientConne cting	3	Lcom/google/android/gms/b/mo\$d\$1;->a()V	138
GoogleApiClientConne cting	2	Lcom/google/android/gms/b/mo;->b(I)Z	180
GoogleApiClientConne cting	GoogleApiClient received too many callbacks for the given step. Clients may be in an unexpected state; GoogleApiClient will now disconnect.	Lcom/google/android/gms/b/mo;->d()Z	76
GoogleApiClientConne cting	1	Lcom/google/android/gms/common/api/internal/zzh;- >zza(Lcom/google/android/gms/signin/internal/SignInResponse;)V	116
GoogleApiClientConne cting	2	Lcom/google/android/gms/common/api/internal/zzh;->zzbz(I)Z	126
GoogleApiClientConne cting	GoogleApiClient received too many callbacks for the given step. Clients may be in an unexpected state; GoogleApiClient will now disconnect.	Lcom/google/android/gms/common/api/internal/zzh;->zzpu()Z	76
GoogleApiClientImpl	1	Lcom/google/android/gms/b/mq\$a;- >handleMessage(Landroid/os/Message;)V	60

Tag	Message	Caller Code	Path Index
GoogleApiClientImpl	Attempted to remove pending transform when no transforms are registered.	Lcom/google/android/gms/b/mq;->b(Lcom/google/android/gms/b/nj;)V	36
GoogleApiClientImpl	Failed to remove pending transform - this may lead to memory leaks!	Lcom/google/android/gms/b/mq;->b(Lcom/google/android/gms/b/nj;)V	88
GoogleApiClientImpl	2	Lcom/google/android/gms/common/api/internal/zzj\$zza;->handleMessage(Landroid/os/Message;)V	56
GoogleApiClientImpl	2	Lcom/google/android/gms/common/api/internal/zzj;- >getConnectionResult(Lcom/google/android/gms/common/api/Api;)Lcom/g oogle/android/gms/common/ConnectionResult;	234
GoogleApiClientImpl	Attempted to remove pending transform when no transforms are registered.	Lcom/google/android/gms/common/api/internal/zzj;->zzb(Lcom/google/android/gms/common/api/internal/zzx;)V	36
GoogleApiClientImpl	Failed to remove pending transform - this may lead to memory leaks!	Lcom/google/android/gms/common/api/internal/zzj;- >zzb(Lcom/google/android/gms/common/api/internal/zzx;)V	88
GoogleApiManager	Received call to unregister a listener without a matching registration call.	Lcom/google/android/gms/b/mu\$c;->a(Lcom/google/android/gms/b/mc;)V	230
GoogleApiManager	2	Lcom/google/android/gms/b/mu;- >handleMessage(Landroid/os/Message;)Z	70
GoogleApiManager	4	Lcom/google/android/gms/b/mu;- >handleMessage(Landroid/os/Message;)Z	830
GoogleAuthUtil	Error on service connection.	Lcom/google/android/gms/auth/zzd;->zza(Landroid/content/Context; Landroid/content/ComponentName; Lcom/google/android/gms/auth/zzd\$zza;)Ljava/lang/Object;	72
GoogleAuthUtil	Binder call returned null.	Lcom/google/android/gms/auth/zzd;- >zzm(Ljava/lang/Object;)Ljava/lang/Object;	12
GoogleCertificates	iCertData failed to retrive data from remote	Lcom/google/android/gms/common/k\$a;->equals(Ljava/lang/Object;)Z	102
GoogleCertificates	GoogleCertificates has been initialized already	Lcom/google/android/gms/common/k;->a(Landroid/content/Context;)V	42
GooglePlayServicesUti I	2	Lcom/google/android/gms/common/GooglePlayServicesUtil\$zza;->handleMessage(Landroid/os/Message;)V	56
GooglePlayServicesUti I	Google Play services signature invalid.	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	136
GooglePlayServicesUti I	The Google Play services resources were not found. Check your project configuration to ensure that the resources are included.	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	154
GooglePlayServicesUti I	Google Play services is missing.	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	172
GooglePlayServicesUti	Google Play Store signature invalid.	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	222
GooglePlayServicesUti	Google Play Store is neither installed nor updating.	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	240
GooglePlayServicesUti	Google Play services signature invalid.	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	280
GooglePlayServicesUti	2	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	388
GooglePlayServicesUti I	Google Play services missing when getting application info.	Lcom/google/android/gms/common/zze;- >isGooglePlayServicesAvailable(Landroid/content/Context;)I	446
GooglePlayServicesUti I	0	Lcom/google/android/gms/common/zze;->zzad(Landroid/content/Context;)V	82
GooglePlayServicesUti	Google Play services is missing.	Lcom/google/android/gms/common/zze;->zzaj(Landroid/content/Context;)I	40

Тад	Message	Caller Code	Path Index
GooglePlayServicesUti I	This should never happen.	Lcom/google/android/gms/common/zze;->zzan(Landroid/content/Context;)V	148
GooglePlayServicesUti I	3	Lcom/google/android/gms/common/zze;->zzf(Landroid/content/Context; I)Z	78
GooglePlayServicesUti I	3	Lcom/google/android/gms/common/zze;->zzf(Landroid/content/Context; I)Z	98
GooglePlayServicesUti I	The Google Play services resources were not found. Check your project configuration to ensure that the resources are included.	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)I	114
GooglePlayServicesUti I	Google Play services signature invalid.	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)I	334
GooglePlayServicesUti	Google Play services is missing.	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)l	352
GooglePlayServicesUti	Google Play Store signature invalid.	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)l	402
GooglePlayServicesUti	Google Play Store is neither installed nor updating.	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)l	420
GooglePlayServicesUti I	Google Play services signature invalid.	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)l	460
GooglePlayServicesUti	2	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)I	570
GooglePlayServicesUti	Google Play services missing when getting application info.	Lcom/google/android/gms/common/l;->b(Landroid/content/Context;)l	626
GooglePlayServicesUti I	Google Play services is missing.	Lcom/google/android/gms/common/l;->g(Landroid/content/Context;)l	40
GoogleSignatureVerifie r	3	Lcom/google/android/gms/common/a/o;->a(Landroid/content/Context; I)Z	158
GoogleSignatureVerifie r	Package has more than one signature.	Lcom/google/android/gms/common/m;- >a(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/k\$a;)Lcom/google/android/gms/common/k\$a;	36
GoogleSignatureVerifie r	1	Lcom/google/android/gms/common/m;- >a(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/k\$a;)Lcom/google/android/gms/common/k\$a;	232
GoogleSignatureVerifie r	Package has more than one signature.	Lcom/google/android/gms/common/zzf;- >zza(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/zzd\$zza;)Lcom/google/android/gms/common/zzd\$zza;	24
GoogleSignatureVerifie -	2	Lcom/google/android/gms/common/zzf;- >zza(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/zzd\$zza;)Lcom/google/android/gms/common/zzd\$zza;	102
GoogleSignatureVerifie	1	Lcom/google/android/gms/common/zzf;- >zza(Landroid/content/pm/PackageInfo; [Lcom/google/android/gms/common/zzd\$zza;)Lcom/google/android/gms/common/zzd\$zza;	172
GoogleSignatureVerifie r	1	Lcom/google/android/gms/common/zzf;- >zza(Landroid/content/pm/PackageManager; Landroid/content/pm/PackageInfo;)Z	64
GridLayoutManager	6	Landroid/support/v7/widget/GridLayoutManager;- >getSpanGroupIndex(Landroid/support/v7/widget/RecyclerView\$Recycler; Landroid/support/v7/widget/RecyclerView\$State; I)I	86

Tag	Message	Caller Code	Path Index
GridLayoutManager	6	Landroid/support/v7/widget/GridLayoutManager;- >getSpanIndex(Landroid/support/v7/widget/RecyclerView\$Recycler; Landroid/support/v7/widget/RecyclerView\$State; I)I	102
GridLayoutManager	6	Landroid/support/v7/widget/GridLayoutManager;- >getSpanSize(Landroid/support/v7/widget/RecyclerView\$Recycler; Landroid/support/v7/widget/RecyclerView\$State; I)I	98
ldProvider	5	Lcom/google/android/gms/auth/api/signin/zzd;- >zzbL(Ljava/lang/String;)Lcom/google/android/gms/auth/api/signin/zzd;	98
ImageManager	5	Lcom/google/android/gms/common/images/ImageManager\$zzc;->run()V	156
lmageManager	closed failed	Lcom/google/android/gms/common/images/ImageManager\$zzc;->run()V	176
ImageManager	2	Lcom/google/android/gms/common/images/ImageManager\$zzc;->run()V	232
IntentReader	Could not retrieve icon for calling activity	Landroid/support/v4/app/ShareCompat\$IntentReader;->getCallingActivityIcon()Landroid/graphics/drawable/Drawable;	48
IntentReader	Could not retrieve icon for calling application	Landroid/support/v4/app/ShareCompat\$IntentReader;->getCallingApplicationIcon()Landroid/graphics/drawable/Drawable;	48
IntentReader	Could not retrieve label for calling application	Landroid/support/v4/app/ShareCompat\$IntentReader;->getCallingApplicationLabel()Ljava/lang/CharSequence;	58
ItemTouchHelper	Start drag has been called but swiping is not enabled	Landroid/support/v7/widget/helper/ltemTouchHelper;->startDrag(Landroid/support/v7/widget/RecyclerView\$ViewHolder;)V	28
ItemTouchHelper	Start drag has been called with a view holder which is not a child of the RecyclerView which is controlled by this ItemTouchHelper.	Landroid/support/v7/widget/helper/ltemTouchHelper;->startDrag(Landroid/support/v7/widget/RecyclerView\$ViewHolder;)V	64
ItemTouchHelper	Start swipe has been called but dragging is not enabled	Landroid/support/v7/widget/helper/ltemTouchHelper;->startSwipe(Landroid/support/v7/widget/RecyclerView\$ViewHolder;)V	28
ItemTouchHelper	Start swipe has been called with a view holder which is not a child of the RecyclerView controlled by this ItemTouchHelper.	Landroid/support/v7/widget/helper/ltemTouchHelper;->startSwipe(Landroid/support/v7/widget/RecyclerView\$ViewHolder;)V	64
Landroid/content/Intent;	3	Lcom/facebook/ads/a/a/c;->b()V	270
LayoutInflaterCompatH C	3	Landroid/support/v4/view/LayoutInflaterCompatHC;- >forceSetFactory2(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	134
LayoutInflaterCompatH C	3	Landroid/support/v4/view/LayoutInflaterCompatHC;- >forceSetFactory2(Landroid/view/LayoutInflater; Landroid/view/LayoutInflater\$Factory2;)V	198
LinearLayoutManager	internal representation of views on the screen	Landroid/support/v7/widget/LinearLayoutManager;->logChildren()V	8
LinearLayoutManager	1	Landroid/support/v7/widget/LinearLayoutManager;->logChildren()V	118
LinearLayoutManager	=========	Landroid/support/v7/widget/LinearLayoutManager;->logChildren()V	138
LinearLayoutManager	4	Landroid/support/v7/widget/LinearLayoutManager;->validateChildOrder()V	54
LinearLayoutManager# LayoutState	2	Landroid/support/v7/widget/LinearLayoutManager\$LayoutState;->log()V	142
LinearSmoothScroller	To support smooth scrolling, you should override LayoutManager#computeScrollVectorForPosition . Falling back to instant scroll	Landroid/support/v7/widget/LinearSmoothScroller;- >updateActionForInterimTarget(Landroid/support/v7/widget/RecyclerView\$ SmoothScroller\$Action;)V	66
ListPopupWindow	Could not find method setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->()V	104
ListPopupWindow	Could not find method getMaxAvailableHeight(View, int, boolean) on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->()V	122

Tag	Message	Caller Code	Path Index
_istPopupWindow	8	Landroid/support/v7/widget/ListPopupWindow;->buildDropDown()I	288
ListPopupWindow	Could not call getMaxAvailableHeightMethod(View, int, boolean) on PopupWindow. Using the public version.	Landroid/support/v7/widget/ListPopupWindow;- >getMaxAvailableHeight(Landroid/view/View; I Z)I	88
ListPopupWindow	Could not call setClipToScreenEnabled() on PopupWindow. Oh well.	Landroid/support/v7/widget/ListPopupWindow;->setPopupClipToScreenEnabled(Z)V	54
Ljava/util/ArrayList;	4	Lcom/lody/virtual/helper/proto/VParceledListSlice;->(Landroid/os/Parcel; Ljava/lang/ClassLoader;)V	92
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->callOnLoadFinished(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	150
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->cancel()V	50
_oaderManager	5	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->destroy()V	54
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->destroy()V	152
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->finishRetain()V	58
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->onLoadCanceled(Landroid/support/v4/content/Loader;)V	52
LoaderManager	Ignoring load canceled destroyed	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->onLoadCanceled(Landroid/support/v4/content/Loader;)V	82
LoaderManager	Ignoring load canceled not active	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadCanceled(Landroid/support/v4/content/Loader;)V	130
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadCanceled(Landroid/support/v4/content/Loader;)V	196
LoaderManager	5	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	52
LoaderManager	Ignoring load complete destroyed	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	82
LoaderManager	Ignoring load complete not active	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	130
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;- >onLoadComplete(Landroid/support/v4/content/Loader; Ljava/lang/Object;)V	196
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->retain()V	50
₋oaderManager	4	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->start()V	86
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl\$LoaderInfo;->stop()V	52
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->destroyLoader(I)V	94
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	58
_oaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->doDestroy()V	176
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	50
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doRetain()V	126
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	50
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStart()V	126
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	50

Tag	Message	Caller Code	Path Index
LoaderManager	4	Landroid/support/v4/app/LoaderManagerImpl;->doStop()V	126
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->finishRetain()V	58
LoaderManager	6	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	110
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	178
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->initLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	270
LoaderManager	7	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	112
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/supp ort/v4/content/Loader;	200
LoaderManager	Current loader is stopped; replacing	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/supp ort/v4/content/Loader;	276
LoaderManager	Current loader is running; attempting to cancel	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	316
LoaderManager	3	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/support/v4/content/Loader;	390
LoaderManager	Enqueuing as new pending loader	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/supp ort/v4/content/Loader;	426
LoaderManager	0	Landroid/support/v4/app/LoaderManagerImpl;->restartLoader(I Landroid/os/Bundle; Landroid/support/v4/app/LoaderManager\$LoaderCallbacks;)Landroid/supp ort/v4/content/Loader;	504
LocalBroadcastManag er	0	Landroid/support/v4/content/LocalBroadcastManager;- >sendBroadcast(Landroid/content/Intent;)Z	180
LocalBroadcastManag er	8	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	268
LocalBroadcastManag er	14	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	358
LocalBroadcastManag er	14	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	384
LocalBroadcastManag er	1	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	484
LocalBroadcastManag er	1	Landroid/support/v4/content/LocalBroadcastManager;->sendBroadcast(Landroid/content/Intent;)Z	580

Тад	Message	Caller Code	Path Index
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$CallbackHandler;->handleMessage(Landroid/os/Message;)V	134
MediaBrowserCompat	Remote error unregistering client messenger.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->disconnect()V	52
MediaBrowserCompat	Not connected, unable to retrieve the Medialtem.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	72
MediaBrowserCompat	4	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	200
MediaBrowserCompat	Remote error registering client messenger.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->onConnected()V	118
MediaBrowserCompat	1	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->onServiceConnected(Landroid/os/Messenger; Ljava/lang/String; Landroid/support/v4/media/session/MediaSessionCompat\$Token; Landroid/os/Bundle;)V	222
MediaBrowserCompat	4	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->subscribe(Ljava/lang/String; Landroid/os/Bundle; Landroid/support/v4/media/MediaBrowserCompat\$SubscriptionCallback;)V	164
MediaBrowserCompat	5	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplApi2 1;->unsubscribe(Ljava/lang/String; Landroid/os/Bundle;)V	198
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection\$1;->run()V	276
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase \$MediaServiceConnection;->isCurrent(Ljava/lang/String;)Z	146
MediaBrowserCompat	3	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->isCurrent(Landroid/os/Messenger; Ljava/lang/String;)Z	114
MediaBrowserCompat	4	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->connect()V	346
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->disconnect()V	78
MediaBrowserCompat	MediaBrowserCompat	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	8
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	60
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	112
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	164
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	224
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	276
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	328
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	380
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	432
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->dump()V	484

Tag	Message	Caller Code	Path Index
MediaBrowserCompat	Not connected, unable to retrieve the Medialtem.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	66
MediaBrowserCompat	Remote error getting media item.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->getItem(Ljava/lang/String; Landroid/support/v4/media/MediaBrowserCompat\$ItemCallback;)V	130
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onConnectionFailed(Landroid/os/Messenger;)V	46
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->onConnectionFailed(Landroid/os/Messenger;)V	146
MediaBrowserCompat	2	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onServiceConnected(Landroid/os/Messenger; Ljava/lang/String; Landroid/support/v4/media/session/MediaSessionCompat\$Token; Landroid/os/Bundle;)V	94
MediaBrowserCompat	addSubscription failed with RemoteException.	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->onServiceConnected(Landroid/os/Messenger; Ljava/lang/String; Landroid/support/v4/media/session/MediaSessionCompat\$Token; Landroid/os/Bundle;)V	264
MediaBrowserCompat	4	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase;->subscribe(Ljava/lang/String; Landroid/os/Bundle; Landroid/support/v4/media/MediaBrowserCompat\$SubscriptionCallback;)V	164
MediaBrowserCompat	5	Landroid/support/v4/media/MediaBrowserCompat\$MediaBrowserImplBase ;->unsubscribe(Ljava/lang/String; Landroid/os/Bundle;)V	156
MediaBrowserService Compat	4	Landroid/support/v4/media/MediaBrowserServiceCompat\$1;->run()V	176
MediaBrowserService Compat	2	Landroid/support/v4/media/MediaBrowserServiceCompat\$3;->onResultSent(Ljava/util/List; I)V	166
MediaBrowserService Compat	2	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceHandler;->handleMessage(Landroid/os/Message;)V	106
MediaBrowserService Compat	2	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceImpl\$1;->run()V	200
MediaBrowserService Compat	2	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceImpl\$1;->run()V	266
MediaBrowserService Compat	3	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceImpl\$1;->run()V	408
MediaBrowserService Compat	2	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceImpl\$3;->run()V	90
MediaBrowserService Compat	2	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceImpl\$4;->run()V	90
MediaBrowserService Compat	2	Landroid/support/v4/media/MediaBrowserServiceCompat\$ServiceImpl\$4;->run()V	184
MediaBrowserService CompatApi21	Failed to get KEY_MEDIA_ITEM via reflection	Landroid/support/v4/media/MediaBrowserServiceCompatApi23\$MediaBrowserServiceAdaptorApi23\$ServiceBinderProxyApi23;->getMediaItem(Ljava/lang/String; Landroid/os/ResultReceiver;)V	62
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->adjustVolume(I I)V	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->dispatchMediaButtonEvent(Landroid/view/KeyEvent;)Z	78
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getExtras()Landroid/os/Bundle;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getFlags()J	58

Тад	Message	Caller Code	Path Index
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >getMetadata()Landroid/support/v4/media/MediaMetadataCompat;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getPackageName()Ljava/lang/String;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >getPlaybackInfo()Landroid/support/v4/media/session/MediaControllerCompat\$PlaybackInfo;	88
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >getPlaybackState()Landroid/support/v4/media/session/PlaybackStateCompat;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getQueue()Ljava/util/List;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getQueueTitle()Ljava/lang/CharSequence;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getRatingType()I	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->getSessionActivity()Landroid/app/PendingIntent;	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >registerCallback(Landroid/support/v4/media/session/MediaControllerCompat\$Callback; Landroid/os/Handler;)V	122
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->sendCommand(Ljava/lang/String; Landroid/os/Bundle; Landroid/os/ResultReceiver;)V	66
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;->setVolumeTo(I I)V	58
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$MediaControllerImplBase;- >unregisterCallback(Landroid/support/v4/media/session/MediaControllerCompat\$Callback;)V	116
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->fastForward()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->pause()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->play()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->playFromMediaId(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->playFromSearch(Ljava/lang/String; Landroid/os/Bundle;)V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->playFromUri(Landroid/net/Uri; Landroid/os/Bundle;)V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->rewind()V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->seekTo(J)V	56
MediaControllerCompa t	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->sendCustomAction(Ljava/lang/String; Landroid/os/Bundle;)V	56

Tag	Message	Caller Code	Path Index
MediaControllerCompa :	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportCont rolsBase;->setRating(Landroid/support/v4/media/RatingCompat;)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->skipToNext()V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->skipToPrevious()V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->skipToQueueItem(J)V	56
MediaControllerCompa	0	Landroid/support/v4/media/session/MediaControllerCompat\$TransportControlsBase;->stop()V	56
MediaMetadata	Failed to retrieve a key as Bitmap.	Landroid/support/v4/media/MediaMetadataCompat;- >getBitmap(Ljava/lang/String;)Landroid/graphics/Bitmap;	30
MediaMetadata	Failed to retrieve a key as Rating.	Landroid/support/v4/media/MediaMetadataCompat;- >getRating(Ljava/lang/String;)Landroid/support/v4/media/RatingCompat;	64
MediaSessionCompat	21	Landroid/support/v4/media/session/MediaSessionCompat;-> (Landroid/content/Context; Ljava/lang/String; Landroid/content/ComponentName; Landroid/app/PendingIntent;)V	278
MediaSessionCompat Api18	Unable to register media button event receiver with PendingIntent, falling back to ComponentName.	Landroid/support/v4/media/session/MediaSessionCompatApi18;- >registerMediaButtonEventReceiver(Landroid/content/Context; Landroid/app/PendingIntent; Landroid/content/ComponentName;)V	56
MemoryCache	2	Lcom/ivy/module/locks/b/a;->(Landroid/content/Context;)V	216
MenultemCompat	getActionProvider: item does not implement SupportMenuItem; returning null	Landroid/support/v4/view/MenuItemCompat;- >getActionProvider(Landroid/view/MenuItem;)Landroid/support/v4/view/Act ionProvider;	30
MenultemCompat	setActionProvider: item does not implement SupportMenuItem; ignoring	Landroid/support/v4/view/MenuItemCompat;- >setActionProvider(Landroid/view/MenuItem; Landroid/support/v4/view/ActionProvider;)Landroid/view/MenuItem;	30
MetadataValueReader	This should never happen.	Lcom/google/android/gms/common/internal/ac;- >c(Landroid/content/Context;)V	116
MoreGameWeb	7	Lcom/ivy/module/locks/applock/MoreGame\$1;- >onReceivedError(Landroid/webkit/WebView; I Ljava/lang/String; Ljava/lang/String;)V	82
NavUtils	3	Landroid/support/v4/app/NavUtils\$NavUtilsImplBase;- >getParentActivityIntent(Landroid/app/Activity;)Landroid/content/Intent;	124
NestedScrollView	2	Landroid/support/v4/widget/NestedScrollView;- >onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	120
NestedScrollView	4	Landroid/support/v4/widget/NestedScrollView;- >onTouchEvent(Landroid/view/MotionEvent;)Z	358
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >ensureServiceBound(Landroid/support/v4/app/NotificationManagerComp at\$SideChannelManager\$ListenerRecord;)Z	128
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	6
		>processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;- >processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	108

Тад	Message	Caller Code	Path Index
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	166
		>processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	0	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	220
		>processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	296
		>processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	354
		>processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	410
		>processListenerQueue(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	2	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	160
		>scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	198
		>scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;-	264
		>scheduleListenerRetry(Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager\$ListenerRecord;)V	
NotifManCompat	5	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	234
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	302
NotifManCompat	0	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	356
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	452
NotifManCompat	5	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->updateListenerMap()V	514
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;->onServiceConnected(Landroid/content/ComponentName; Landroid/os/IBinder;)V	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;->onServiceConnected(Landroid/content/ComponentName; Landroid/os/IBinder;)V	60
NotifManCompat	3	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManager;->onServiceDisconnected(Landroid/content/ComponentName;)V	6
NotifManCompat	4	Landroid/support/v4/app/NotificationManagerCompat\$SideChannelManage r;->onServiceDisconnected(Landroid/content/ComponentName;)V	60
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;- >ensureActionReflectionReadyLocked()Z	152

Tag	Message	Caller Code	Path Index
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;->ensureActionReflectionReadyLocked()Z	174
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;- >getAction(Landroid/app/Notification; I Landroid/support/v4/app/NotificationCompatBase\$Action\$Factory; Landroid/support/v4/app/RemoteInputCompatBase\$RemoteInput\$Factory;) Landroid/support/v4/app/NotificationCompatBase\$Action;	132
NotificationCompat	Unable to access notification actions	Landroid/support/v4/app/NotificationCompatJellybean;- >getActionObjectsLocked(Landroid/app/Notification;)[Ljava/lang/Object;	66
NotificationCompat	Notification.extras field is not of type Bundle	Landroid/support/v4/app/NotificationCompatJellybean;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	78
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	168
NotificationCompat	Unable to access notification extras	Landroid/support/v4/app/NotificationCompatJellybean;- >getExtras(Landroid/app/Notification;)Landroid/os/Bundle;	196
OneTimePlayLogger	logger connection failed	Lcom/google/android/gms/internal/zzqt;->zzET()V	8
OneTimePlayLogger	4	Lcom/google/android/gms/internal/zzqt;- >zzc(Landroid/app/PendingIntent;)V	42
PackageManager	7	Lcom/lody/virtual/server/pm/VPackageManagerService\$ActivityIntentResol ver;->addActivity(Landroid/content/pm/PackageParser\$Activity; Ljava/lang/String;)V	198
PathParser	Points are coincident	Landroid/support/graphics/drawable/PathParser\$PathDataNode;- >drawArc(Landroid/graphics/Path; F F F F F F F Z Z)V	210
PendingIntentCompat	5	Lcom/lody/virtual/client/hook/patchs/notification/compat/PendIntentCompat; ->findIntent(Landroid/graphics/Rect; Ljava/util/List;)Landroid/app/PendingIntent;	102
Picasso	2	Lcom/squareup/picasso/aa;->a(Ljava/lang/String; Ljava/lang/String; Ljava/lang/String; Ljava/lang/String;)V	46
PlayLogger	0	Lcom/google/android/gms/internal/zzqu;->(Landroid/content/Context; I Ljava/lang/String; Ljava/lang/String; Lcom/google/android/gms/internal/zzqu\$zza; Z Ljava/lang/String;)V	146
PlayLoggerImpl	Service was disconnected. Will try caching.	Lcom/google/android/gms/playlog/internal/zzf;- >zzd(Lcom/google/android/gms/playlog/internal/PlayLoggerContext; Lcom/google/android/gms/playlog/internal/LogEvent;)V	64
PopupWindowCompat Api21	Could not fetch mOverlapAnchor field from PopupWindow	Landroid/support/v4/widget/PopupWindowCompatApi21;->()V	44
PopupWindowCompat Api21	Could not get overlap anchor field in PopupWindow	Landroid/support/v4/widget/PopupWindowCompatApi21;- >getOverlapAnchor(Landroid/widget/PopupWindow;)Z	44
PopupWindowCompat Api21	Could not set overlap anchor field in PopupWindow	Landroid/support/v4/widget/PopupWindowCompatApi21;- >setOverlapAnchor(Landroid/widget/PopupWindow; Z)V	38
PrintHelperKitkat	Error writing printed content	Landroid/support/v4/print/PrintHelperKitkat\$1;- >onWrite([Landroid/print/PageRange; Landroid/os/ParcelFileDescriptor; Landroid/os/CancellationSignal; Landroid/print/PrintDocumentAdapter\$WriteResultCallback;)V	232
PrintHelperKitkat	Error writing printed content	Landroid/support/v4/print/PrintHelperKitkat\$2;- >onWrite([Landroid/print/PageRange; Landroid/os/ParcelFileDescriptor; Landroid/os/CancellationSignal; Landroid/print/PrintDocumentAdapter\$WriteResultCallback;)V	240
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory\$Options;)Landroid/graphics/Bitmap;	82
PrintHelperKitkat	close fail	Landroid/support/v4/print/PrintHelperKitkat;->loadBitmap(Landroid/net/Uri; Landroid/graphics/BitmapFactory\$Options;)Landroid/graphics/Bitmap;	114

Tag	Message	Caller Code	Path Index
ProviderInstaller	Failed to get remote context	Lcom/google/android/gms/security/ProviderInstaller;- >installIfNeeded(Landroid/content/Context;)V	44
ProviderInstaller	0	Lcom/google/android/gms/security/ProviderInstaller;- >installIfNeeded(Landroid/content/Context;)V	162
Rating	Invalid percentage-based rating value	Landroid/support/v4/media/RatingCompat;- >newPercentageRating(F)Landroid/support/v4/media/RatingCompat;	30
Rating	3	Landroid/support/v4/media/RatingCompat;->newStarRating(IF)Landroid/support/v4/media/RatingCompat;	62
Rating	Trying to set out of range star-based rating	Landroid/support/v4/media/RatingCompat;->newStarRating(IF)Landroid/support/v4/media/RatingCompat;	100
RecyclerView	You must override onLayoutChildren(Recycler recycler, State state)	Landroid/support/v7/widget/RecyclerView\$LayoutManager;- >onLayoutChildren(Landroid/support/v7/widget/RecyclerView\$Recycler; Landroid/support/v7/widget/RecyclerView\$State;)V	8
RecyclerView	You must override smoothScrollToPosition to support smooth scrolling	Landroid/support/v7/widget/RecyclerView\$LayoutManager;->smoothScrollToPosition(Landroid/support/v7/widget/RecyclerView; Landroid/support/v7/widget/RecyclerView\$State; I)V	8
RecyclerView	Passed over target position while smooth scrolling.	Landroid/support/v7/widget/RecyclerView\$SmoothScroller;->onAnimation(II)V	186
RecyclerView	3	Landroid/support/v7/widget/RecyclerView\$Recycler;- >getScrapViewForPosition(I I Z)Landroid/support/v7/widget/RecyclerView\$ViewHolder;	236
RecyclerView	Smooth Scroll action is being updated too frequently. Make sure you are not changing it unless necessary	Landroid/support/v7/widget/RecyclerView\$SmoothScroller\$Action;->runIfNecessary(Landroid/support/v7/widget/RecyclerView;)V	120
RecyclerView	10	Landroid/support/v7/widget/RecyclerView;- >handleMissingPreInfoForChangeError(J Landroid/support/v7/widget/RecyclerView\$ViewHolder; Landroid/support/v7/widget/RecyclerView\$ViewHolder;)V	290
RecyclerView	No adapter attached; skipping layout	Landroid/support/v7/widget/RecyclerView;->dispatchLayout()V	16
RecyclerView	No layout manager attached; skipping layout	Landroid/support/v7/widget/RecyclerView;->dispatchLayout()V	40
RecyclerView	Cannot fling without a LayoutManager set. Call setLayoutManager with a non-null argument.	Landroid/support/v7/widget/RecyclerView;->fling(I I)Z	20
RecyclerView	2	Landroid/support/v7/widget/RecyclerView;- >onInterceptTouchEvent(Landroid/view/MotionEvent;)Z	398
RecyclerView	3	Landroid/support/v7/widget/RecyclerView;- >onTouchEvent(Landroid/view/MotionEvent;)Z	404
RecyclerView	Cannot scroll without a LayoutManager set. Call setLayoutManager with a non-null argument.	Landroid/support/v7/widget/RecyclerView;->scrollBy(I I)V	18
RecyclerView	RecyclerView does not support scrolling to an absolute position. Use scrollToPosition instead	Landroid/support/v7/widget/RecyclerView;->scrollTo(I I)V	8
RecyclerView	Cannot scroll to position a LayoutManager set. Call setLayoutManager with a non-null argument.	Landroid/support/v7/widget/RecyclerView;->scrollToPosition(I)V	32
RecyclerView	3	Landroid/support/v7/widget/RecyclerView;->setScrollingTouchSlop(I)V	76
RecyclerView	Cannot smooth scroll without a LayoutManager set. Call setLayoutManager with a non-null argument.	Landroid/support/v7/widget/RecyclerView;->smoothScrollBy(I I)V	18
RecyclerView	Cannot smooth scroll without a LayoutManager set. Call setLayoutManager with a non-null argument.	Landroid/support/v7/widget/RecyclerView;->smoothScrollToPosition(I)V	26

Tag	Message	Caller Code	Path Index
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput\$ImplBase;- >addResultsToIntent([Landroid/support/v4/app/RemoteInput; Landroid/content/Intent; Landroid/os/Bundle;)V	8
RemoteInput	RemoteInput is only supported from API Level 16	Landroid/support/v4/app/RemoteInput\$ImplBase;- >getResultsFromIntent(Landroid/content/Intent;)Landroid/os/Bundle;	8
ResolvingResultCallba ck	Failed to start resolution	Lcom/google/android/gms/common/api/ResolvingResultCallbacks;->onFailure(Lcom/google/android/gms/common/api/Status;)V	38
RoundedBitmapDrawa bleFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/io/InputStream;)Landroid/support/v4/graphics/drawable/RoundedBitmapDrawable;	70
RoundedBitmapDrawa bleFactory	5	Landroid/support/v4/graphics/drawable/RoundedBitmapDrawableFactory;->create(Landroid/content/res/Resources; Ljava/lang/String;)Landroid/support/v4/graphics/drawable/RoundedBitmap Drawable;	70
Sandbox SSL validation disabled.	0	Lcom/facebook/ads/a/g/g;->b()V	126
SearchAuth	ClearTokenImpl success	Lcom/google/android/gms/internal/zzrk\$zzb\$1;- >zzbj(Lcom/google/android/gms/common/api/Status;)V	24
SearchAuth	3	Lcom/google/android/gms/internal/zzrk\$zzb;-> (Lcom/google/android/gms/common/api/GoogleApiClient; Ljava/lang/String;)V	16
SearchAuth	ClearTokenImpl started	Lcom/google/android/gms/internal/zzrk\$zzb;- >zza(Lcom/google/android/gms/internal/zzrj;)V	16
SearchAuth	2	Lcom/google/android/gms/internal/zzrk\$zzb;- >zzb(Lcom/google/android/gms/common/api/Status;)Lcom/google/android/ gms/common/api/Status;	58
SearchAuth	GetGoogleNowAuthImpl success	Lcom/google/android/gms/internal/zzrk\$zzc\$1;- >zza(Lcom/google/android/gms/common/api/Status; Lcom/google/android/gms/search/GoogleNowAuthState;)V	24
SearchAuth	3	Lcom/google/android/gms/internal/zzrk\$zzc;-> (Lcom/google/android/gms/common/api/GoogleApiClient; Ljava/lang/String;)V	16
SearchAuth	GetGoogleNowAuthImpl started	Lcom/google/android/gms/internal/zzrk\$zzc;- >zza(Lcom/google/android/gms/internal/zzrj;)V	16
SearchAuth	2	Lcom/google/android/gms/internal/zzrk\$zzc;- >zzbk(Lcom/google/android/gms/common/api/Status;)Lcom/google/android /gms/search/SearchAuthApi\$GoogleNowAuthResult;	58
SearchIndex	1	Lcom/google/android/gms/internal/zzkj;- >zzg(Landroid/os/Bundle;)Lcom/google/android/gms/internal/zzpm\$zzc;	302
SearchView	3	Landroid/support/v7/widget/SearchView;- >createIntentFromSuggestion(Landroid/database/Cursor; I Ljava/lang/String;)Landroid/content/Intent;	282
SearchView	5	Landroid/support/v7/widget/SearchView;->launchIntent(Landroid/content/Intent;)V	66
SearchView	Could not find voice search activity	Landroid/support/v7/widget/SearchView;->onVoiceClicked()V	64
Share records file does not start with historical-records tag.	4	Landroid/support/v7/widget/ActivityChooserModel;- >readHistoricalDataImpl()V	146
Share records file not well-formed.	4	Landroid/support/v7/widget/ActivityChooserModel;- >readHistoricalDataImpl()V	302
SignInButton	Sign in button not found, using placeholder instead	Lcom/google/android/gms/common/SignInButton;->zzar(Landroid/content/Context;)V	92

Tag	Message	Caller Code	Path Index
SignInClientImpl	Remote service probably died when saveDefaultAccount is called	Lcom/google/android/gms/signin/internal/g;- >a(Lcom/google/android/gms/common/internal/v; Z)V	42
SignInClientImpl	Remote service probably died when signIn is called	Lcom/google/android/gms/signin/internal/g;- >a(Lcom/google/android/gms/signin/internal/d;)V	166
SignInClientImpl	ISignInCallbacks#onSignInComplete should be executed from the same process, unexpected RemoteException.	Lcom/google/android/gms/signin/internal/g;->a(Lcom/google/android/gms/signin/internal/d;)V	200
SignInClientImpl	Remote service probably died when clearAccountFromSessionStore is called	Lcom/google/android/gms/signin/internal/g;->h()V	42
SignInClientImpl	Remote service probably died when clearAccountFromSessionStore is called	Lcom/google/android/gms/signin/internal/zzh;->zzFG()V	42
SignInClientImpl	Remote service probably died when saveDefaultAccount is called	Lcom/google/android/gms/signin/internal/zzh;- >zza(Lcom/google/android/gms/common/internal/zzp; Z)V	42
SignInClientImpl	Remote service probably died when signIn is called	Lcom/google/android/gms/signin/internal/zzh;- >zza(Lcom/google/android/gms/signin/internal/zzd;)V	58
SignInClientImpl	ISignInCallbacks#onSignInComplete should be executed from the same process, unexpected RemoteException.	Lcom/google/android/gms/signin/internal/zzh;- >zza(Lcom/google/android/gms/signin/internal/zzd;)V	96
SlidingPaneLayout	getDisplayList	Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB; ->()V	76
SlidingPaneLayout	getDisplayList	Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB; ->()V	94
SlidingPaneLayout	Error refreshing display list state	Landroid/support/v4/widget/SlidingPaneLayout\$SlidingPanelLayoutImplJB; ->invalidateChildRegion(Landroid/support/v4/widget/SlidingPaneLayout; Landroid/view/View;)V	62
SlidingPaneLayout	3	Landroid/support/v4/widget/SlidingPaneLayout;->drawChild(Landroid/graphics/Canvas; Landroid/view/View; J)Z	324
SlidingPaneLayout	onMeasure: More than two child views are not supported.	Landroid/support/v4/widget/SlidingPaneLayout;->onMeasure(I I)V	136
SphericalVideoRender er	4	Lcom/google/android/gms/ads/internal/overlay/w;->a(I Ljava/lang/String;)l	150
SphericalVideoRender er	0	Lcom/google/android/gms/ads/internal/overlay/w;->a(Ljava/lang/String;)V	82
SphericalVideoRender er	Could not link program:	Lcom/google/android/gms/ads/internal/overlay/w;->run()V	1034
SuggestionsAdapter	3	Landroid/support/v7/widget/SuggestionsAdapter;- >getActivityIcon(Landroid/content/ComponentName;)Landroid/graphics/dra wable/Drawable;	156
SuggestionsAdapter	0	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	160
SuggestionsAdapter	7	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	306
SuggestionsAdapter	7	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawable(Landroid/net/Uri;)Landroid/graphics/drawable/Drawable;	370
SuggestionsAdapter	5	Landroid/support/v7/widget/SuggestionsAdapter;- >getDrawableFromResourceValue(Ljava/lang/String;)Landroid/graphics/dr awable/Drawable;	230
SuggestionsAdapter	unexpected error retrieving valid column from cursor, did the remote process die?	Landroid/support/v7/widget/SuggestionsAdapter;- >getStringOrNull(Landroid/database/Cursor; I)Ljava/lang/String;	30
SuggestionsAdapter	Tried to change cursor after adapter was closed.	Landroid/support/v7/widget/SuggestionsAdapter;- >changeCursor(Landroid/database/Cursor;)V	16

Тад	Message	Caller Code	Path Index
SuggestionsAdapter	error changing cursor and caching columns	Landroid/support/v7/widget/SuggestionsAdapter;->changeCursor(Landroid/database/Cursor;)V	152
SuggestionsAdapter	Search suggestions cursor threw exception.	Landroid/support/v7/widget/SuggestionsAdapter;->getView(I Landroid/view/View; Landroid/view/ViewGroup;)Landroid/view/View;	20
SuggestionsAdapter	Search suggestions query threw an exception.	Landroid/support/v7/widget/SuggestionsAdapter;- >runQueryOnBackgroundThread(Ljava/lang/CharSequence;)Landroid/data base/Cursor;	94
SupportMenuInflater	5	Landroid/support/v7/view/SupportMenuInflater\$MenuState;- >newInstance(Ljava/lang/String; [Ljava/lang/Class; [Ljava/lang/Object;)Ljava/lang/Object;	98
SupportMenuInflater	The android:onClick attribute cannot be used within a restricted context	Landroid/support/v7/view/SupportMenuInflater\$MenuState;->setItem(Landroid/view/MenuItem;)V	372
SupportV4Utils	0	Lcom/google/android/gms/common/a/n;->a(Ljava/io/File;)Ljava/io/File;	90
TaskStackBuilder	Bad ComponentName while traversing activity parent metadata	Landroid/support/v4/app/TaskStackBuilder;- >addParentStack(Landroid/content/ComponentName;)Landroid/support/v4/ app/TaskStackBuilder;	70
TextViewCompatDonut	3	Landroid/support/v4/widget/TextViewCompatDonut;- >retrieveField(Ljava/lang/String;)Ljava/lang/reflect/Field;	80
TextViewCompatDonut	2	Landroid/support/v4/widget/TextViewCompatDonut;- >retrieveIntFromField(Ljava/lang/reflect/Field; Landroid/widget/TextView;)I	74
ThreadUtil	0	Landroid/support/v7/util/MessageThreadUtil\$1\$1;->run()V	80
ThreadUtil	2	Landroid/support/v7/util/MessageThreadUtil\$2\$1;->run()V	98
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/widget/ToolbarWidgetWrapper;- >initIndeterminateProgress()V	8
ToolbarWidgetWrapper	Progress display unsupported	Landroid/support/v7/widget/ToolbarWidgetWrapper;->initProgress()V	8
TransformedResultImpl	1	Lcom/google/android/gms/b/nj\$a;- >handleMessage(Landroid/os/Message;)V	60
TransformedResultImpl	1	Lcom/google/android/gms/b/nj\$a;- >handleMessage(Landroid/os/Message;)V	346
TransformedResultImpl	2	Lcom/google/android/gms/common/api/internal/zzx\$zza;->handleMessage(Landroid/os/Message;)V	56
TransformedResultImpl	3	Lcom/google/android/gms/common/api/internal/zzx\$zza;- >handleMessage(Landroid/os/Message;)V	254
TransformedResultImpl	6	Lcom/google/android/gms/common/api/internal/zzx;->zzc(Lcom/google/android/gms/common/api/Result;)V	68
TwilightManager	Failed to get last known location	Landroid/support/v7/app/TwilightManager;- >getLastKnownLocationForProvider(Ljava/lang/String;)Landroid/location/Location;	48
TwilightManager	Could not get last known location. This is probably because the app does not have any location permissions. Falling back to hardcoded sunrise/sunset values.	Landroid/support/v7/app/TwilightManager;->isNight()Z	54
UidVerifier	3	Lcom/google/android/gms/common/a/o;->a(Landroid/content/Context; I)Z	98
UidVerifier	3	Lcom/google/android/gms/common/a/o;->a(Landroid/content/Context; I)Z	118
VApp	VApp oncreate	Lcom/applock/fast/switch/multiple/accounts/VApp;->onCreate()V	18
VApp	VApp oncreate ismain process	Lcom/applock/fast/switch/multiple/accounts/VApp;->onCreate()V	52

Tag	Message	Caller Code	Path Index
VdcInflateDelegate	Exception while inflating	Landroid/support/v7/widget/AppCompatDrawableManager\$VdcInflateDeleg ate;->createFromXmlInner(Landroid/content/Context; Lorg/xmlpull/v1/XmlPullParser; Landroid/util/AttributeSet; Landroid/content/res/Resources\$Theme;)Landroid/graphics/drawable/Drawable;	28
VectorDrawableCompa	2	Landroid/support/graphics/drawable/VectorDrawableCompat\$VPath;->printVPath(I)V	140
VectorDrawableCompa t	parser error	Landroid/support/graphics/drawable/VectorDrawableCompat;- >create(Landroid/content/res/Resources; I Landroid/content/res/Resources\$Theme;)Landroid/support/graphics/drawa ble/VectorDrawableCompat;	128
VectorDrawableCompa t	parser error	Landroid/support/graphics/drawable/VectorDrawableCompat;- >create(Landroid/content/res/Resources; I Landroid/content/res/Resources\$Theme;)Landroid/support/graphics/drawa ble/VectorDrawableCompat;	158
VectorDrawableCompa t	4	Landroid/support/graphics/drawable/VectorDrawableCompat;- >printGroupTree(Landroid/support/graphics/drawable/VectorDrawableCompat\$VGroup; I)V	144
VectorDrawableCompa t	3	Landroid/support/graphics/drawable/VectorDrawableCompat;- >printGroupTree(Landroid/support/graphics/drawable/VectorDrawableCompat\$VGroup; I)V	216
View	3	Landroid/support/v7/widget/RecyclerView\$ViewHolder;->setIsRecyclable(Z)V	72
ViewCompat	0	Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpI;->bindTempDetach()V	70
ViewCompat	Error calling dispatchFinishTemporaryDetach	Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchFinishTemporaryDetach(Landroid/view/View;)V	50
ViewCompat	Error calling dispatchStartTemporaryDetach	Landroid/support/v4/view/ViewCompat\$BaseViewCompatImpl;->dispatchStartTemporaryDetach(Landroid/view/View;)V	50
ViewDragHelper	2	Landroid/support/v4/widget/ViewDragHelper;- >isValidPointerForActionMove(I)Z	90
ViewPager	5	Landroid/support/v4/view/ViewPager;->arrowScroll(I)Z	306
ViewPager	0	Landroid/support/v4/view/ViewPager;->setOffscreenPageLimit(I)V	68
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedFling(Landroid/view/ViewParent; Landroid/view/View; F F Z)Z	78
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedPreFling(Landroid/view/ViewParent; Landroid/view/View; F F)Z	78
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedPreScroll(Landroid/view/ViewParent; Landroid/view/View; I I [I)V	76
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedScroll(Landroid/view/ViewParent; Landroid/view/View; I I I I)V	76
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onNestedScrollAccepted(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)V	76
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onStartNestedScroll(Landroid/view/ViewParent; Landroid/view/View; Landroid/view/View; I)Z	78
ViewParentCompat	3	Landroid/support/v4/view/ViewParentCompatLollipop;- >onStopNestedScroll(Landroid/view/ViewParent; Landroid/view/View;)V	76
ViewUtils	Could not find method computeFitSystemWindows. Oh well.	Landroid/support/v7/widget/ViewUtils;->()V	98

Tag	Message	Caller Code	Path Index
ViewUtils	Could not find method makeOptionalFitsSystemWindows. Oh well	Landroid/support/v7/widget/ViewUtils;- >makeOptionalFitsSystemWindows(Landroid/view/View;)V	82
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/widget/ViewUtils;- >makeOptionalFitsSystemWindows(Landroid/view/View;)V	100
ViewUtils	Could not invoke makeOptionalFitsSystemWindows	Landroid/support/v7/widget/ViewUtils;- >makeOptionalFitsSystemWindows(Landroid/view/View;)V	118
Volley	2	Lcom/google/android/gms/b/nu;->()V	10
WakefulBroadcastRece iver	2	Landroid/support/v4/content/WakefulBroadcastReceiver;- >completeWakefulIntent(Landroid/content/Intent;)Z	112
WorkSourceUtil	0	Lcom/google/android/gms/common/a/p;->a(Landroid/content/Context; Ljava/lang/String;)Landroid/os/WorkSource;	80
WorkSourceUtil	0	Lcom/google/android/gms/common/a/p;->a(Landroid/content/Context; Ljava/lang/String;)Landroid/os/WorkSource;	128
WorkSourceUtil	Unable to assign blame through WorkSource	Lcom/google/android/gms/common/a/p;->b(Landroid/os/WorkSource;)I	52
WorkSourceUtil	Unable to assign blame through WorkSource	Lcom/google/android/gms/internal/zznj;->zza(Landroid/os/WorkSource;)l	52
WorkSourceUtil	5	Lcom/google/android/gms/internal/zznj;->zzl(Landroid/content/Context; Ljava/lang/String;)Landroid/os/WorkSource;	84
WorkSourceUtil	5	Lcom/google/android/gms/internal/zznj;->zzl(Landroid/content/Context; Ljava/lang/String;)Landroid/os/WorkSource;	136
aaa	risv1onNativeAdClicked1	Lcom/ivy/module/clean/Huojian\$6;- >onNativeAdClicked(Lcom/android/client/ClientNativeAd;)V	8
aaa	sdk2	Lcom/ivy/module/locks/applock/j;->a(Landroid/view/ViewGroup;)V	26
aaa	risvscroll_true	Lcom/ivy/module/locks/applock/j;->a(Landroid/view/ViewGroup;)V	224
aaa	risvscroll_false	Lcom/ivy/module/locks/applock/j;->a(Landroid/view/ViewGroup;)V	244
aaa	risvscroll_3	Lcom/ivy/module/locks/applock/j;->a(Landroid/view/ViewGroup;)V	286
aaa	risvscroll_true	Lcom/ivy/module/locks/applock/k;->a(Landroid/view/ViewGroup;)V	182
aaa	risvscroll_false	Lcom/ivy/module/locks/applock/k;->a(Landroid/view/ViewGroup;)V	202
aaa	risvscroll_3	Lcom/ivy/module/locks/applock/k;->a(Landroid/view/ViewGroup;)V	244
aaa	risv1onNativeAdClicked1	Lcom/ivy/module/locks/battery/c\$2\$1;- >onNativeAdClicked(Lcom/android/client/ClientNativeAd;)V	22
aaa	risv11	Lcom/ivy/module/locks/battery/c\$2;->run()V	256
aaa	0	Lcom/ivy/module/locks/battery/c\$2;->run()V	336
aaa	risv31	Lcom/ivy/module/locks/battery/c\$2;->run()V	370
aaa	suoping	Lcom/ivy/module/locks/keyguard/b\$1;->onReceive(Landroid/content/Context; Landroid/content/Intent;)V	8
aaa	risv1onNativeAdClicked1	Lcom/ivy/module/locks/keyguard/c\$3\$1;- >onNativeAdClicked(Lcom/android/client/ClientNativeAd;)V	22
aaa	risv11	Lcom/ivy/module/locks/keyguard/c\$3;->run()V	256
aaa	0	Lcom/ivy/module/locks/keyguard/c\$3;->run()V	336
aaa	risv31	Lcom/ivy/module/locks/keyguard/c\$3;->run()V	370
aaa	risv1	Lcom/ivy/module/locks/keyguard/d;->g()V	122
aaa	risv2	Lcom/ivy/module/locks/keyguard/d;->g()V	148
aaa	risv3	Lcom/ivy/module/locks/keyguard/d;->g()V	164

Tag	Message	Caller Code	Path Index
aaaa	2	Lcom/ivy/module/locks/a/a;->d()V	120
actiono	2	Lcom/ivy/module/locks/keyguard/c\$1;->onTouch(Landroid/view/View; Landroid/view/MotionEvent;)Z	52
android.intent.action.VI EW	1	Lcom/facebook/ads/a/a/c;->b()V	384
android.support.v4.spe ech.tts	14	Landroid/support/v4/speech/tts/TextToSpeechICS;- >construct(Landroid/content/Context; Landroid/speech/tts/TextToSpeech\$OnInitListener; Ljava/lang/String;)Landroid/speech/tts/TextToSpeech;	36
checkMinScale	2	Lcom/ivy/module/cropview/main/CropPictureView;->b(F [F)F	48
croptest	Activity??frame is null	Lcom/ivy/module/cropview/main/CropPictureActivity;->d()V	508
croptest	???view??frame is null	Lcom/ivy/module/cropview/main/CropPictureView;- >a(Landroid/graphics/Bitmap; Landroid/graphics/Bitmap; Landroid/graphics/Bitmap;)V	82
haha	5	Lcom/ivy/module/locks/battery/BatteryReceiver;- >onReceive(Landroid/content/Context; Landroid/content/Intent;)V	42
haha	now here1	Lcom/ivy/module/locks/battery/BatteryReceiver;- >onReceive(Landroid/content/Context; Landroid/content/Intent;)V	128
module	2	Lcom/ivy/module/cropview/main/CropPictureView;->onSizeChanged(I I I I)V	144
module	2	Lcom/ivy/module/cropview/main/CropPictureView;->onSizeChanged(I I I I)V	204
motion	6	Lcom/ivy/module/locks/keyguard/c\$2;- >onFling(Landroid/view/MotionEvent; F F)Z	70
motion	2	Lcom/ivy/module/locks/keyguard/c\$2;- >onScroll(Landroid/view/MotionEvent; F F)Z	50
sdsd	right	Lcom/ivy/module/locks/applock/a;->a()V	22
time	2	Lcom/ivy/module/locks/applock/a;->b()V	74

ScreenShots

