

when .Click

do

when .Click

do

when .Click

do

when homeButton - .Click
do open another screen screenName Screen1 -

when showDataButton - .Click
do
call cleanedChartData2D - .Clear
call dataCleaningChartData2D - .Clear
call spreadsheet1 - .ReadSheet
sheetName Yang Mi -

when spreadsheet1 - .GotSheetData
sheetData
do
set topChartLabel - .Text - to Yang Mi, Zhao Liying, Hu Ge, Liu Shishi -
call cleanedChartData2D - .ImportFromSpreadsheet
spreadsheet spreadsheet1 -
xColumn Year -
yColumn Popularity -
useHeaders true -
call dataCleaningChartData2D - .ImportFromSpreadsheet
spreadsheet spreadsheet1 -
xColumn Year -
yColumn Popularity -
useHeaders true -
when drawLineOfBestFitButton - .Click
do set Trendline1 - .ChartData - to cleanedChartData2D -

when detectAnomaliesButton - .Click
do
call dataCleaningChartData2D - .HighlightDataPoints
dataPoints call AnomalyDetection1 - .DetectAnomaliesInChartData
chartData dataCleaningChartData2D -
threshold 2
color

when dataCleaningChartData2D - .EntryClick
x y
do
if is in list? thing
make a list
get x -
get y -
list
call AnomalyDetection1 - .DetectAnomaliesInChartData
chartData dataCleaningChartData2D -
threshold 2
then
call dataCleaningChartData2D - .RemoveEntry
x get x -
y get y -
call cleanedChartData2D - .Clear
call cleanedChartData2D - .ImportFromList
list call dataCleaningChartData2D - .GetAllEntries

when Trendline1 - .Updated
results
do
set topSlopeValueLabel - .Text - to Trendline1 - .LinearCoefficient -
set topY_intValueLabel - .Text - to Trendline1 - .YIntercept -
set topCor_coefValueLabel - .Text - to Trendline1 - .CorrelationCoefficient -











