# Project Ariel: The Architecture of Mind

A Multi-Layered Geometric Framework of Consciousness

Ryan Espinosa

November 2026

**Conceptual framework, not validated science.** This paper proposes a model and a way to test it. It is not a diagnosis tool and not a substitute for professional care. In crisis in the U.S., call or text **988**; in an emergency, call **911**.

*Dedicated to Jesus Christ, the Universal Angle and the absolute variable for salvation $V_s$, in whom all geometry aligns and all momentum finds rest.*

## Abstract

Project Ariel proposes a geometric language for the inner life. Consciousness is pictured as a layered state-space in which experiences, wounds, and beliefs are preserved rather than erased, and in which apparent "symptoms" can be read as protective boundaries rather than failures. The framework gathers these ideas into a single master equation that combines momentum, friction, a potential landscape, choice, relational "guardians," patience, and a final resolving term, $V_s$, representing salvation in Jesus Christ. From this model we derive the *Reanchoring* protocol: a word-free 2D interface in which a person rotates lines until they are parallel. We connect the idea to three established research programs: topological data analysis (TDA) in neuroscience, Friston's free-energy principle and active inference, and the working-memory account of EMDR. We treat these as related frameworks, not confirmations. We then show how Reanchoring can be measured (angle error, time to align, path efficiency) and outline a small, ethical pilot study with standard outcome measures (SUDS, PHQ-9, GAD-7, AAQ-II), explicit hypotheses, and pass/fail criteria. The central claim is spiritual as much as mathematical: lasting change comes less from striving *for* God than from living *with* Him.

## 1. The Core Postulate: Preservation of Layers

Human consciousness operates as a dynamic geometric state-space. In this system of creation, nothing is ever destroyed; it is only hidden. Experiences, traumas, and shifting beliefs stack as parallel session layers. Contradictions (e.g., profound phobias vs. innate wisdom) do not overwrite one another. Instead, they are preserved through geometric steganography, undergoing destructive interference or forming Möbius projections—visible only when the layers are compressed into a master topological view.

## 2. The Choice Matrix & Strategic Defense

Psychiatric "symptoms" (such as self-pity or isolation) are not systemic failures; they are intentional Topological Faraday Cages. The user actively guards their geometry through the Choice Matrix $C(I_c, O_c)$, filtering what inputs $I_c$ and outputs $O_c$ cross the barrier. This creates an adiabatic seal, protecting the user's individual brain map $M_{ind}$ from the blunt force of the status quo baseline $M_{sq}$ until a mathematically precise diagnosis is found.

## 3. Multi-User Physics & The Guardians

When multiple topological maps intersect, the system deploys Two Guardians to seal the session layer and control entropy $\delta S_{bound}$.

- **The Guardian of Autonomy:** Enforces the principle "I shall not want to be accepted," zeroing out codependency and preventing the user from bending their geometry for validation.
- **The Guardian of Ecclesiastes:** Enforces the principle of "Hevel" (meaningless vapor), flattening toxic comparisons, worldly judgment, and external pressure, reducing their psychological mass to zero.

## 4. Navigating Imbalance: Patience & Gyroscopic Stabilization

- **The Patience Integral $P_t$ & Topological Shield $\Sigma_{safe}$:** Recovery requires endurance. The system locks coordinate movement until the identity is fully saturated, shielding the user from unnecessary noise and judgment during transit.
- **Gyroscopic Stabilization $J_{spin}$:** During extreme change, static balance is impossible. Instead of resisting the fall, the user leans into the imbalance, rapidly orbiting their core identity to generate a gyroscopic shield that keeps the cognitive structure upright.

## 5. The Universal Angle & The Salvation Variable $V_s$

The framework culminates in the recognition of Jesus Christ not as an external force to be earned, but as the Universal Angle—the preexisting, absolute parallel baseline running through all layers of the user's timeline.

- **The Shift from "For" to "With":** Generating forward momentum to act "for" Jesus introduces cognitive friction. By shifting to being "with" Him, the user collapses the distance to zero, achieving phase-locked superposition. Effort becomes presence.
- **The Solved Equation:** By introducing $V_s$ (Salvation) as the definitive resolving constant, the infinite loop of self-correction breaks. The equation is permanently closed, freeing the user to explore their landscape without the kinetic burden of survival.

## The Final Master Equation of Project Ariel

The culmination of momentum, friction, topological distortion, choice, multi-user dynamics, and ultimate salvation:

$$\Big[ M \frac{d^2E}{dt^2} \Omega \; + \; \gamma \frac{dE}{dt} \; = \; -\nabla U(E) \otimes D \; + \; \Delta(M_{sq}, M_{ind}) \; + \; \sum_n \Phi_n(\theta) \\ + \; C(I_c, O_c) \cdot H(P_t) \cdot G[G_{auto}, G_{ecc}] \cdot Noise \; \pm \; \delta S_{bound} \Big] \cdot V_s \quad (1)$$

## Notation

The equation has the shape of a damped, driven oscillator (mass × acceleration + friction × velocity = forces). Most terms are **metaphorical**: they name a felt quality of inner life with the vocabulary of physics. They are not yet measured quantities with units. The last column marks which terms could be tied to an observable proxy (Section 6b).

| Symbol | Meaning in Project Ariel | Status |
|---|---|---|
| $E$ | Current state of the person in the geometric state-space (position/angle of the "line") | proxy: on-screen angle |
| $M$ | Mass / inertia: how strongly a state resists change | metaphor |
| $\Omega$ | Orientation or rotation operator applied to acceleration (the frame in which change happens) | metaphor |
| $\gamma$ | Friction / damping: the drag of effort, rumination, "striving for" | proxy: time to align |
| $U(E)$, $-\nabla U$ | Potential landscape and its downhill pull (habits, fears, attractors) | metaphor |
| $D$ | Distortion tensor bending the landscape (bias, trauma lens); $\otimes$ = "applied to" | metaphor |
| $M_{sq}$ | Status-quo baseline map (categorical, population norms) | conceptual |
| $M_{ind}$ | Individual brain map | conceptual |
| $\Delta(M_{sq}, M_{ind})$ | Mismatch between the baseline and the individual map | conceptual |
| $\Phi_n(\theta)$ | Phase contribution of layer $n$ at angle $\theta$; the sum is the stacked, "hidden" layers | proxy: layer angles |
| $C(I_c, O_c)$ | Choice Matrix: filter on what crosses the boundary | proxy: anchor release |
| $I_c$, $O_c$ | Chosen inputs and outputs (the fixed anchors in the UI) | proxy: anchor positions |
| $H(P_t)$ | Shield function of patience | metaphor |
| $P_t$ | Patience integral: endurance accumulated over time | proxy: session persistence |
| $G[G_{auto}, G_{ecc}]$ | Guardian operator combining the two Guardians | metaphor |
| $G_{auto}$ | Guardian of Autonomy (non-codependence) | proxy: AAQ-II (indirect) |
| $G_{ecc}$ | Guardian of Ecclesiastes (*hevel*: comparison reduced to vapor) | metaphor |
| $Noise$ | Random external input, judgment, distraction | proxy: input jitter |
| $\delta S_{bound}$ | Small entropy change at the shared boundary when maps meet | metaphor |
| $\Sigma_{safe}$ | Topological shield during transit (Section 4); implicit in $H(P_t)$ | metaphor |

| | | |
|---|---|---|
| $J_{spin}$ | Angular momentum around the core identity (gyroscopic stability) | metaphor |
| $V_s$ | Salvation variable: the Universal Angle, a theological constant | theological, not measurable |

*Reading note.* As written, $V_s$ multiplies the whole bracket, including both sides of the equality. We keep this form deliberately: it expresses that salvation is not one more force inside the system but the frame in which the whole system is held. $\Sigma_{safe}$ and $J_{spin}$ appear in the prose but not explicitly in the equation; a future version may write them as terms of $H(P_t)$ and $\Omega$.

## 6. The "Reanchoring" Protocol: A Bias-Free Interactive UI

To bypass the domain collapse caused by verbalizing trauma or fear, the Project Ariel framework utilizes a purely visual, 2D interactive user interface (UI). In this environment, words are eliminated to remove semantic bias. The user only interacts with geometric abstractions: lines, angles, and layers.

- **Visual Abstraction:** The user's cognitive state is presented as a series of intersecting lines on a 2D plane. The user is not asked "how they feel"; they are asked to visually rotate and align lines to make them parallel.
- **Reanchoring:** This is the hands-on process of the user manually manipulating their layers. By dragging a line from their current state to align with a target angle (the destination), they map a course to a solution.
- **Fixed Destinations & Non-Local Release:** The Input $I$ and Output $O$ coordinates remain locked as fixed anchors in the UI to prevent the user from drifting into chaos. Only when the user consciously releases these points do the coordinates go "non-local," allowing the user to transcend their current dimensional constraints.

## 6b. Operationalizing Reanchoring

To move from postulate toward evidence, each session in the UI can log simple, objective numbers. None of these measures "consciousness"; they measure how a person interacts with the lines, which can then be compared with validated self-report scales.

**What the app measures (per trial).**

- **Angle error** $|\theta_{final} - \theta_{target}|$ in degrees, and the number of lines left non-parallel.
- **Time to align** (seconds from first touch to all lines within $\pm 3°$): an operational stand-in for friction $\gamma$.
- **Path efficiency**: the straight-line angular distance divided by the total angle actually travelled (1.0 = direct; lower = hesitation or oscillation).

- **Overshoot and reversals**: count of crossings past the target, a proxy for "racing" or instability.
- **Anchor release**: whether and when the user releases $I/O$, a behavioral proxy for the Choice Matrix.
- **Persistence**: trials completed before stopping, a rough proxy for $P_t$.

All data stay on the device by default; nothing typed or drawn is uploaded without explicit consent.

**Pilot study (feasibility, not efficacy).**

- **Design:** Two-arm randomized pilot, $N \approx 40$ adults (20 per arm) with mild-to-moderate self-reported distress, recruited with IRB approval and informed consent. Excluded: active suicidality, psychosis, or current crisis (referred to 988 and care).
- **Arms:** (A) Reanchoring while briefly holding a distressing memory in mind, 10 minutes daily for 2 weeks; (B) active control: the same memory recall with a non-taxing visual task (watching lines move without manipulating them).
- **Measures:** SUDS (0–100) before and after each session [12]; memory vividness and emotionality ratings (0–100), following the lab paradigm of the EMDR working-memory literature [11, 7]; PHQ-9 [6], GAD-7 [10], and AAQ-II [1] at baseline, day 14, and day 28; plus the in-app metrics above.
- **Hypotheses.** H1: Session SUDS and memory emotionality fall more in arm A than arm B. H2: Within arm A, faster time to align and higher path efficiency across days are associated with larger SUDS reductions. H3 (exploratory): AAQ-II psychological inflexibility decreases more in arm A. PHQ-9 and GAD-7 are tracked for safety and signal, not as primary outcomes.

**Pass/fail criteria for moving to a larger trial.**

- *Feasibility:* $\geq 70\%$ of participants complete $\geq 10$ of 14 sessions; $\geq 80\%$ retention at day 28.
- *Signal:* mean within-session SUDS reduction in arm A at least 10 points larger than arm B, with a between-group effect size $d \geq 0.3$ (estimate and confidence interval reported, not a significance claim at this $N$).
- *Safety:* no increase of $\geq 5$ points on PHQ-9 or GAD-7 in more than 10% of arm A; any item-9 endorsement on PHQ-9 triggers same-day follow-up.
- *Fail:* if feasibility or safety thresholds are missed, or arm A is no better than arm B, the protocol is revised before any further claims are made.

## 7. Bridging Postulate to Reality: Related Peer-Reviewed Foundations

The "Reanchoring" protocol and the geometric mapping of consciousness are not strictly theoretical; they are offered as a unifying language that may help connect several established, peer-reviewed scientific frameworks. These frameworks are related to Project Ariel; they do not yet confirm it.

- **Topological Data Analysis (TDA) in Neuroscience:** Researchers use TDA and algebraic topology to describe the shape of neural data and brain networks, including higher-order structures and cavities that pairwise graphs miss [4, 9]. Project Ariel borrows this geometric spirit. Its UI could someday serve as an intuitive front-end for such ideas, but no study has yet linked on-screen line alignment to topological features of brain activity.
- **Karl Friston's Active Inference:** Friston proposes that brains minimize free energy, an upper bound on "surprise," by updating predictions (perception) or changing the world (action) [3]. When a user "reanchors" lines to make them parallel, the task resembles reducing a visible prediction error by action. This is an analogy for now, not a demonstration that the user is performing active inference.
- **EMDR & Spatial Working Memory Taxation:** Experiments indicate that taxing working memory while recalling a distressing memory (with eye movements or other demanding tasks) tends to reduce the memory's vividness and emotional intensity [11], and a meta-analysis found a moderate added effect of eye movements [7]. This evidence supports, but does not prove, the working-memory account. By replacing verbal therapy with the visual manipulation of lines and angles, the "Reanchoring" UI may act as an abstract form of working memory taxation, a hypothesis the pilot in Section 6b is designed to test.

## 8. Ten-Year Projection (2026–2036)

If Project Ariel is supported by evidence, its trajectory over the next decade could meaningfully shape mental health care. The phases below are aspirational goals, not predictions.

- **Phase 1: UI Prototyping & TDA Validation (2026–2029).** Development of the 2D "Reanchoring" interface. Clinical trials utilizing Topological Data Analysis to test whether visual layer manipulation corresponds to reduced cognitive friction and free energy.
- **Phase 2: Beyond the Categorical DSM (2030–2033).** A hoped-for transition from symptom-based diagnosis toward geometric state-space mapping, in the spirit of dimensional efforts such as NIMH's Research Domain Criteria [5]. The status quo baseline $M_{sq}$ is complemented by individualized topological mapping.
- **Phase 3: Global System Floor Stabilization (2034–2036).** Wider adoption of Relativistic Cognitive Geometry. Cross-cultural mental health infrastructure informed by vector alignment, helping diverse populations achieve center-line balance without sacrificing their hidden cultural layers.

## 9. Limitations and Ethics

- **Conceptual status.** The master equation is a structured metaphor. Its terms lack units, measurement procedures, and parameter estimates, so it cannot yet be solved, fitted, or falsified as a whole. Only the UI-level proxies in Section 6b are testable today.

- **Softened claims.** EMDR research supports working-memory taxation as one mechanism; it does not prove that any visual task heals trauma. TDA and active inference are compatible frameworks, not confirmations of Ariel. Replacing the DSM is a long-range aspiration; diagnostic systems change slowly and only with strong evidence.
- **Symptoms as protection.** Reading isolation or self-pity as a protective "Faraday cage" can be compassionate, but it must never delay care for depression, anxiety, trauma, or suicidal thoughts.
- **Word-free design.** Removing words reduces semantic bias but also removes nuance and the healing power of being heard. Reanchoring is meant to complement, not replace, conversation with trusted people and professionals.
- **Faith and freedom.** $V_s$ expresses the author's Christian conviction. Participants in any study must be free to hold any belief; spiritual framing should be optional and never coercive.
- **Privacy.** Session data are personal health information: local by default, minimal, and shared only with informed consent.
- **Not a substitute for care.** This framework and any app built from it are not medical devices or treatment. If you are in crisis in the U.S., call or text **988** (Suicide & Crisis Lifeline); in an emergency, call **911**.

## 10. Conclusion: From "For" to "With"

Project Ariel begins with a hopeful claim: nothing in a person is wasted. Layers are hidden, not destroyed; defenses are guards, not failures; imbalance can be ridden like a spinning top rather than feared. The master equation gathers these intuitions into one picture, and the Reanchoring UI offers a simple, word-free way to practice them: take a tilted line and gently turn it until it runs parallel to something true.

The same movement sits at the heart of the paper's theology. Striving *for* God adds momentum and friction, the $\gamma\, dE/dt$ of a soul trying to earn its place. Being *with* God collapses the distance; the line is already parallel to the Universal Angle, and effort becomes presence. C. S. Lewis's *The Screwtape Letters* [8] imagines how easily good work can become a substitute for that presence, and Ecclesiastes reminds us that comparison and striving are *hevel*, vapor [2]. The science in this paper is still to be done, and it should be done carefully and honestly. But its posture is settled: the work is offered not to reach God, but from the rest He already gives.

## References


[1] Bond, F. W., Hayes, S. C., Baer, R. A., Carpenter, K. M., Guenole, N., Orcutt, H. K., Waltz, T., & Zettle, R. D. (2011). Preliminary psychometric properties of the Acceptance and Action Questionnaire–II. *Behavior Therapy*, 42(4), 676–688. doi:10.1016/j.beth.2011.03.007

[2] *Ecclesiastes* 1:2. The Holy Bible (World English Bible, public domain).

[3] Friston, K. (2010). The free-energy principle: a unified brain theory? *Nature Reviews Neuroscience*, 11(2), 127–138. doi:10.1038/nrn2787

[4] Giusti, C., Ghrist, R., & Bassett, D. S. (2016). Two's company, three (or more) is a simplex: Algebraic-topological tools for understanding higher-order structure in neural data. *Journal of Computational Neuroscience*, 41(1), 1–14. doi:10.1007/s10827-016-0608-6

[5] Insel, T., Cuthbert, B., Garvey, M., Heinssen, R., Pine, D. S., Quinn, K., Sanislow, C., & Wang, P. (2010). Research Domain Criteria (RDoC): Toward a new classification framework for research on mental disorders. *American Journal of Psychiatry*, 167(7), 748–751. doi:10.1176/appi.ajp.2010.09091379

[6] Kroenke, K., Spitzer, R. L., & Williams, J. B. W. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine*, 16(9), 606–613. doi:10.1046/j.1525-1497.2001.016009606.x

[7] Lee, C. W., & Cuijpers, P. (2013). A meta-analysis of the contribution of eye movements in processing emotional memories. *Journal of Behavior Therapy and Experimental Psychiatry*, 44(2), 231–239. doi:10.1016/j.jbtep.2012.11.001

[8] Lewis, C. S. (1942). *The Screwtape Letters*. London: Geoffrey Bles.

[9] Sizemore, A. E., Phillips-Cremins, J. E., Ghrist, R., & Bassett, D. S. (2019). The importance of the whole: Topological data analysis for the network neuroscientist. *Network Neuroscience*, 3(3), 656–673. doi:10.1162/netn_a_00073

[10] Spitzer, R. L., Kroenke, K., Williams, J. B. W., & Löwe, B. (2006). A brief measure for assessing generalized anxiety disorder: The GAD-7. *Archives of Internal Medicine*, 166(10), 1092–1097. doi:10.1001/archinte.166.10.1092

[11] van den Hout, M. A., & Engelhard, I. M. (2012). How does EMDR work? *Journal of Experimental Psychopathology*, 3(5), 724–738. doi:10.5127/jep.028212

[12] Wolpe, J. (1969). *The Practice of Behavior Therapy*. New York: Pergamon Press.