




## FRONT VIEW

SCALE 1:25


## SIDE VIEW (RIGHT)

SCALE 1:25




## REAR VIEW (MIRRORED)

SCALE 1:25 | true view from the back




LED Installation:
Module P130 (1W) green: 85 pcs. Power: 85W
Module P65 (0,5W) white: 63 pcs. Power: 31,5W
Transf. KPS-100W: 1 vnt. (inside letter)
Transf. KPS-20W: 2 vnt. (inside letter)
Wire 230V (black): 9 m

## LED INSTALLATION


as original drawing (ALT8858)




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 ON RAILS – TYPICAL SECTION




### MATERIALS TO MAKE ONE UNIT

| POS | Detail name | Materials | Qty | Mat. qn. | Notes |
|---|---|---|---|---|---|
| 1 | Vinyl | MACTAC 9849-55 (kiwi green) | 2.4 | b/m | |
| 2 | Vinyl | Oracal 641-070 | 3.5 | b/m | |
| 3 | Frame | Al. square prof. 40x20x2, AW-6060/6063 T6 | 12.5 | b/m | |
| 4 | Mounting hole | Al. sheet t=3mm, AW-1050A H24 | 0.1 | m2 | |
| 5 | Back | Al. sheet t=1.5mm, AW-1050A H24 | 3.4 | m2 | vidus baltas, šl. |
| 6 | Front | Plexiglas WH02SC, t=3mm | 3.4 | m2 | |
| 7 | Sides | Al. stripe t=1mm, h=100mm AW-1050A H24 | 25 | b/m | vidus baltas, šl. |
| 8 | Frame welding template | Šabloninis popierius | 3.4 | b/m | |
| 9 | LED | Module P 130 Lens (1W) green | 85 | vnt. | |
| 10 | LED | Module P 65 Lens (1W) white | 63 | vnt. | |
| 11 | Transformator | KPS-V12 - 100 W, KPS-V12 - 20 W | 3 | vnt. | |
| 12 | El wire | 230 V | 9 | m | |
| 14 | PVC stripe | | 25 | b/m | |
| 15 | Frame connection | Al. square prof. 15x15x2, AW-6060/6063 T6 | 0,5 | b/m | |

### MAIN DATA

| | |
|---|---|
| Quantity | 3 pcs. |
| Overall size | 3362 x 1095 |
| Frame | Ral 7024, divided |
| Sides | RAL 9010 |
| Front | 3mm stiklas / 8mm stiklas |
| Vinyl | Mactac 9849-55, Oracal 641-070 |
| Fitting plates | 14 pcs., 40 x 75, ⌀ 8mm |
| Cable | Laido skylė turi būti viršrėmo |
| Wire | 230V (black): 9 m |
| Weld. template | 3400 x 1200 |
| Perimeter | 25 m |
| Weight (calc.) | ≈ 34 kg |

### REVISIONS

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-13 | |
| | | | |


CLIENT
**BrandFactory**

TITLE
KIWI minipris 3362

| ORDER NO. | FILE / DRAWING NO. |
|---|---|
| ALT0000_10.13_RS | Order 226023 KIWI 640 BYGNES |


| SCALE (DIM. mm) | FORMAT | SHEET | REV. | PROJECTION |
|---|---|---|---|---|
| 1:25 / 1:25 | A3 | 1 / 3 | A | |

| DRAWN | CHECKED | DATE |
|---|---|---|
| | | 2026-10-13 |





## FRONT VIEW

SCALE 1:15





## SIDE VIEW (RIGHT)

SCALE 1:15




## REAR VIEW (MIRRORED)

SCALE 1:15 | true view from the back




LED Installation

Module P130 lens (1W) green: 26pcs.
Power: 26
KPS-V12-40W 1 pcs. (inside)
Wire 230V (BLACK): 3m

## LED INSTALLATION


as original drawing (ALT8858)



## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 ON RAILS – TYPICAL SECTION




### MEDŽIAGŲ ŽINIARAŠTIS VIENAM GAMINIUI

| POS | Detalės pavadinimas | Medžiaga | Kiekis | Mat. vnt. | Pastabos |
|---|---|---|---|---|---|
| 1 | Plėvelė | MACTAC 9849-55 (kiwi žalia) | 2.1 | b/m | |
| 2 | Plėvelė | Oracal 641-070 | 2.1 | b/m | |
| 3 | Rėmas | Al. stačiakampis vamzdis 40x20x2mm | 6.5 | b/m | |
| 4 | Tvirtinimo auselė | Al. Lakštas t=3mm, AW-1050A H24 | 0.1 | m2 | |
| 5 | Dugnas | Al. lakštas t=1.5mm, AW-1050A H24 | 1.2 | m2 | vidus baltas, šl. |
| 6 | Priekis | Plexiglas WH02SC, t=3mm | 1.2 | m2 | |
| 7 | Bortai | Al. juosta t=1mm, h=100mm AW-1050A H24 | 9.2 | b/m | vidus baltas, šl. |
| 8 | Šablonas virinimui | Šabloninis popierius | 1.9 | b/m | |
| 9 | LED | P130 lens (1W) green | 26 | vnt. | |
| 10 | Transformatorius | KPS-V12-40W | 1 | vnt. | |
| 11 | Laidas | 230V | 3 | m | |
| 12 | PVC juosta | | 9,2 | b/m | |

### MAIN DATA

| | |
|---|---|
| Quantity | 3 pcs. |
| Overall size | 2037 x 709 |
| Frame | Ral 7024 |
| Sides | RAL 9010 |
| Fitting plates | 4 pcs., 40 x 75, ⌀ 8mm |
| Wire | 230V (BLACK): 3m |
| Perimeter | 9,5 m |
| Weight (calc.) | ≈ 11 kg |

### REVISIONS

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-13 | |

CLIENT
**BrandFactory**


TITLE
7-23 L 2037

ORDER NO.
**ALT0000_10.13_RS**

FILE / DRAWING NO.
Order 226023 KIWI 640 BYGNES

| SCALE (DIM. mm) | FORMAT | SHEET | REV. | PROJECTION |
|---|---|---|---|---|
| 1:15 / 1:15 | A3 | 2 / 3 | A | |


| DRAWN | CHECKED | DATE |
|---|---|---|
| | | 2026-10-13 |





**FRONT VIEW**
SCALE 1:40

**SIDE VIEW**
SCALE 1:40

**REAR VIEW**
SCALE 1:40




**SECTION C-C (1:10)**




**PARTS LIST**

| POS | Part Number | Description | Qty | FINISH |
|---|---|---|---|---|
| 1 | 100x20x2mm Alu profile | | | RAL 6018 |
| 2 | Backside, 1.5mm Alu | | | RAL 6018 |
| 3 | Top cover, 1.5mm Alu | | | RAL 6018 |
| 4 | 1mm stainless steel cover | Cover with adjustable position | | |
| 5 | LED's with transformator | LED modules: Edge Modules SM280-12V<br>Trafo: KPS 15W<br>+1,5m ~230V El. Output | 5pcs. | |
| 6 | Ffitting plate, 3mm Alu | Connection point | | |
| 7 | Screws | | | |

**MAIN DATA**

| | |
|---|---|
| Quantity | 1 pcs. |
| Body height | 6800 |
| Weight (calc.) | ≈ 35 kg / pcs, excl. LED |

**REVISIONS**

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-13 | RS |

CLIENT
**BrandFactory**

TITLE
Lanterne med lys 6800, RAL 6018

ORDER NO.
**ALT0000_10.13_RS**

FILE / DRAWING NO.
Order 226023 KIWI 640 BYGNES

| SCALE (DIM. mm) | FORMAT | SHEET | REV. | PROJECTION |
|---|---|---|---|---|
| 1:40 / 1:10 | A3 | 3 / 3 | A | |

| DRAWN | CHECKED | DATE |
|---|---|---|
| | | 2026-10-13 |