




FRONT VIEW

SCALE 1:50




SIDE VIEW (RIGHT)

SCALE 1:50



REAR VIEW (MIRRORED)


SCALE 1:50 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters SPAR	Plexi 8 mm white (opal)	white	18,67 + 6,74 m
1	Face logo circle	Plexi 8 mm white + foil	ORACAL 8500 614	5,16 m / 3,33 m²
2	Return letters	Alu 1 mm	RAL 9016	18,67 + 6,74 m
2	Return logo	Alu 1 mm	RAL 6029	5,16 m / 0,55 m²
3	Letter back	Alu 1,5 mm	RAL 6029	30,57 m / 7,52 m²
4	LED modules		white	
5	Frame, rectangular tube 40 x 40 x 2 mm	Aluminium	RAL 7021	15,46 m
6	Mounting ear, welded, ⌀8 mm hole	Alu 3 mm	RAL 7021	24 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		–	

MAIN DATA

Quantity	1 pcs.
Overall size	8000 x 1606 mm
Profile	P6 on rectangular frame
Letter depth	80 mm
Face	Opal 8 mm; logo foil 8500 614
Returns	RAL 9016 / logo RAL 6029
Frame	□40 x 40 x 2 mm, ears, RAL 7021
Illumination	LED white
Power	12V at logo –> trafo box
Wind qp	0,56 kN/m²
Perimeter	30,57 m
Parts	2: SPA (4350) | R + logo (3650)
Weight (calc.)	≈ 83 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

BrandFactory

TITLE

SPAR order 225960 – SPAR + logo, P6 on □ frame, 2 parts

ORDER NO.

ALT8901_10.16_RS

FILE / DRAWING NO.

SPAR order 225960


SCALE	FORMAT	REV.	PROJECTION
1:50	A3	A	

DATE

2026-10-16


1 pcs.

Sheet 1 / 18




FRONT VIEW

SCALE 1:20




SIDE VIEW (RIGHT)

SCALE 1:20



REAR VIEW (MIRRORED)


SCALE 1:20 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face 7-22	Plexi 8 mm white (opal)	white	10,13 m / 1,48 m²
1	Face (8-21)	Plexi 8 mm white (opal)	white	13,96 m / 1,91 m²
2	Return 7-22	Alu 1 mm	RAL 9005	10,13 m / 1,09 m²
2	Return (8-21)	Alu 1 mm	RAL 9005	13,96 m / 1,36 m²
3	Letter back	Alu 1,5 mm	RAL 9005	24,09 m / 3,28 m²
4	LED modules		white	
5	Rail U 30 x 30 x 2 mm	Aluminium	RAL 7021	11,01 m
6	Mounting ear 30 x 30 x 2 mm, ⌀6 mm hole	Aluminium	RAL 7021	16 pcs. (2 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (2 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	5264 x 914 mm
Profile	P6 on rails
Letter depth	80 mm
Face	Opal 8 mm
Returns	RAL 9005
Frame	U 30 x 30 x 2 mm, ears, RAL 7021
Illumination	LED white
Power	2 cables 12V -> 1 trafo box
Wind qp	0,56 kN/m²
Perimeter	24,09 m
Weight (calc.)	≈ 28 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory


TITLE
SPAR order 225960 – 7-22 (8-21), P6 on rails, 2 signs

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960


SCALE 1:20 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 2 / 18




FRONT VIEW

SCALE 1:20




SIDE VIEW (RIGHT)

SCALE 1:20



REAR VIEW (MIRRORED)


SCALE 1:20 | true view from the back



3D VIEW

ILLUSTRATIVE - NOT TO SCALE

PROFILE P6 ON RAILS - TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters	Plexi 8 mm white (opal)	white	20,50 m / 2,20 m²
2	Return letters	Alu 1 mm	RAL 9016	20,50 m / 1,99 m²
3	Letter back	Alu 1,5 mm	RAL 9016	20,50 m / 2,05 m²
4	LED modules		white	
5	Rail U 30 x 30 x 2 mm	Aluminium	RAL 7021	8,20 m
6	Mounting ear 30 x 30 x 2 mm, ⌀6 mm hole	Aluminium	RAL 7021	8 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	4400 x 524 mm
Profile	P6 on rails
Letter depth	80 mm
Face	Opal 8 mm
Returns	RAL 9016
Frame	U 30 x 30 x 2 mm, ears, RAL 7021
Illumination	LED white
Power	12V -> trafo box
Wind qp	0,56 kN/m²
Perimeter	20,50 m
Weight (calc.)	≈ 14 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory


TITLE
SPAR order 225960 - OLE P. FJÆR, P6 on rails

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960


SCALE 1:20 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 3 / 18




FRONT VIEW

SCALE 1:15



SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)


SCALE 1:15 | true view from the back



3D VIEW

ILLUSTRATIVE - NOT TO SCALE

PROFILE P6 ON RAILS - TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters SPAR	Plexi 8 mm white (opal)	white	11,12 m / 1,27 m²
1	Face logo circle	Plexi 8 mm white + foil	ORACAL 8500 614	2,26 m / 1,48 m²
2	Return letters	Alu 1 mm	RAL 9016	11,12 m / 1,09 m²
2	Return logo	Alu 1 mm	RAL 6029	2,26 m / 0,28 m²
3	Letter back	Alu 1,5 mm	RAL 6029	13,38 m / 1,80 m²
4	LED modules		white	
5	Rail U 30 x 30 x 2 mm	Aluminium	RAL 7021	6,71 m
6	Mounting ear 30 x 30 x 2 mm, ⌀6 mm hole	Aluminium	RAL 7021	6 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	3500 x 703 mm
Profile	P6 on rails
Letter depth	80 mm
Face	Opal 8 mm; logo foil 8500 614
Returns	RAL 9016 / logo RAL 6029
Frame	U 30 x 30 x 2 mm, ears, RAL 7021
Illumination	LED white
Power	12V -> trafo box
Wind qp	0,56 kN/m²
Perimeter	13,38 m
Weight (calc.)	≈ 18 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

BrandFactory


TITLE

SPAR order 225960 - SPAR letters + logo, P6 on rails

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE	FORMAT	REV.	PROJECTION
1:15	A3	A	

DATE		
2026-10-16	1 pcs.	Sheet 4 / 18




FRONT VIEW

SCALE 1:15




SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)


SCALE 1:15 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face HOURS	Plexi 8 mm white (opal)	white	13,77 m / 1,38 m²
2	Return HOURS	Alu 1 mm	RAL 9005	13,77 m / 1,36 m²
3	Letter back	Alu 1,5 mm	RAL 9005	13,77 m / 1,07 m²
4	LED modules		white	
5	Rail U 30 x 30 x 2 mm	Aluminium	RAL 7021	6,78 m
6	Mounting ear 30 x 30 x 2 mm, Φ6 mm hole	Aluminium	RAL 7021	6 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	3040 x 522 mm
Profile	P6 on rails
Letter depth	80 mm
Face	Opal 8 mm
Returns	RAL 9005
Frame	U 30 x 30 x 2 mm, ears, RAL 7021
Illumination	LED white
Power	12V –> trafo box
Wind qp	0,56 kN/m²
Perimeter	13,77 m
Weight (calc.)	≈ 12 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – Opening hours 7-22 (8-21), P6 on rails

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE	FORMAT	REV.	PROJECTION
1:15	A3	A	

DATE		
2026-10-16	1 pcs.	Sheet 5 / 18




FRONT VIEW

SCALE 1:50



SIDE VIEW (RIGHT)


SCALE 1:50




REAR VIEW (MIRRORED)

SCALE 1:50


(3) STAINLESS STEEL BUMPER 1 mm – 2 pcs. (front + 2 sides, front view only)



FLAT PATTERN (bend lines dash-dot) | SCALE 1:10




TOP VIEW (inner 302 x 101)



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PORTAL – TYPICAL SECTION



section through leg / beam – wall side up

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Body, red plexiglas (front + sides)	PLEXIGLAS GS 3H25, 3 mm	RAL 3020	4,61 m²
2	TOP, red plexiglas – 2 parts (joint C)	PLEXIGLAS GS 3H25, 3 mm	RAL 3020	2 pcs. (2 x 2050 mm) / 1,92 m²
3	Bumper 505 x 160 mm, bent 304 x 102 mm	Stainless steel 1 mm	–	2 pcs.
4	Backside	Alu 2 mm	RAL 3020	5,00 m²
5	LED modules + dimmer			
6	Bottom	PVC 10 mm	–	2 pcs.
7	Trafo box 12V + dimming (cable 12V, 3 m)	Alu box	–	1 pcs.
8	Wall / floor fixing		–	

MAIN DATA

Quantity	1 pcs.
Overall size	4700 x 3050 mm
Profile width	300 mm
Depth	100 mm
Clear opening	4100 x 2750 mm
Top	2 parts 2050 + 2050, joint C
Face	PLEXIGLAS GS 3H25, RAL 3020
Backside	Alu 2 mm, RAL 3020
Bumper	stainless 1 mm, h 160 mm, front
Illumination	LED + dimming
Power	12V 3 m –> trafo box 220V
Weight (calc.)	≈ 35 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

BrandFactory

TITLE

SPAR order 225960 – Portal – entrance, illuminated

ORDER NO.

ALT8901_10.16_RS

FILE / DRAWING NO.

SPAR order 225960

SCALE	FORMAT	REV.	PROJECTION
1:50	A3	A	

DATE

2026-10-16

1 pcs.

Sheet 6 / 18




FRONT VIEW

SCALE 1:25




SIDE VIEW

SCALE 1:25




REAR VIEW (MIRRORED)

SCALE 1:25 | Ø3,2 mm, 7 mm from edge




DETAIL A – SECTION

SCALE 1:2 | top edge (bottom – mirrored)



DETAIL B – PANEL JOINT


SCALE 1:2 | vertical section



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

FOLDED PLATE – SECTION 1:2



Alu 2 mm folded, RAL 9005
+ print (front + edges)

BILL OF MATERIALS

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Folded plate 2700 x 2100 x 40 mm (2 parts)	Alu 2 mm folded	RAL 9005	2 pcs.
2	Print Gel'UV + laminate, front + edges	original file	–	5,67 m²
3	L profile 30 x 30 x 2 mm (top + bottom)	Aluminium	–	5,30 m
4	Screw plate -> L, DIN 7504 N 4,2 x 16 mm	Steel, hardened	–	20 pcs.
5	Wall fixing		–	
6	Bolt + nut, joint (Ø6 mm holes)		–	6 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2700 x 2100 mm
Depth	40 mm
Parts	2700 x 1400 mm + 2700 x 700 mm
Plate	Alu 2 mm, folded 4 x 90°
Plate finish	RAL 9005
Graphic	print, original file
Fixing holes	Ø3,2 mm, 7 mm from edge, ~300 mm
Mounting	L 30 x 30 x 2 mm top + bottom
Illumination	none
Weight (calc.)	≈ 35 kg / pcs

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory

TITLE
SPAR order 225960 – Back plate, box lid 40 mm, print 2700 x 2100 mm

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960

SCALE
1:25 / 1:2

FORMAT
A3


REV. A

PROJECTION

DATE
2026-10-16


1 pcs.

Sheet 7 / 18




FRONT VIEW

SCALE 1:25




SIDE VIEW

SCALE 1:25




REAR VIEW (MIRRORED)

SCALE 1:25 | Ø3,2 mm, 7 mm from edge



DETAIL A – SECTION

SCALE 1:2 | top edge (bottom – mirrored)



DETAIL B – PANEL JOINT


SCALE 1:2 | vertical section



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

FOLDED PLATE – SECTION 1:2



Alu 2 mm folded, RAL 3020
+ cut vinyl (front)

BILL OF MATERIALS

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Folded plate 2700 x 2100 x 40 mm (2 parts)	Alu 2 mm folded	RAL 3020	2 pcs.
2	Vinyl white	ORACAL 551 010 gloss	–	0,21 m²
	Vinyl green	ORACAL 8500 614	–	0,18 m²
3	L profile 30 x 30 x 2 mm (top + bottom)	Aluminium	–	5,30 m
4	Screw plate -> L, DIN 7504 N 4,2 x 16 mm	Steel, hardened	–	20 pcs.
5	Wall fixing		–	
6	Bolt + nut, joint (Ø6 mm holes)		–	6 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2700 x 2100 mm
Depth	40 mm
Parts	2700 x 1400 mm + 2700 x 700 mm
Plate	Alu 2 mm, folded 4 x 90°
Plate finish	RAL 3020
Graphic	cut vinyl, 2 colours
Fixing holes	Ø3,2 mm, 7 mm from edge, ~300 mm
Mounting	L 30 x 30 x 2 mm top + bottom
Illumination	none
Weight (calc.)	≈ 35 kg / pcs

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	


CLIENT
BrandFactory

TITLE
SPAR order 225960 – Back plate, box lid 40 mm, SPAR logo 2700 x 2100 mm

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE	FORMAT	REV.	PROJECTION
1:25 / 1:2	A3	A	

DATE		
2026-10-16	1 pcs.	Sheet 8 / 18




FRONT VIEW

SCALE 1:25




SIDE VIEW

SCALE 1:25




REAR VIEW (MIRRORED)

SCALE 1:25 | Ø3,2 mm, 7 mm from edge



DETAIL A – SECTION

SCALE 1:2 | top edge (bottom – mirrored)



DETAIL B – PANEL JOINT


SCALE 1:2 | vertical section



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

FOLDED PLATE – SECTION 1:2



Alu 2 mm folded, RAL 3020
+ cut vinyl (front)

BILL OF MATERIALS

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Folded plate 2000 x 2100 x 40 mm (2 parts)	Alu 2 mm folded	RAL 3020	2 pcs.
2	Vinyl white	ORACAL 551 010 gloss	–	0,21 m²
	Vinyl green	ORACAL 8500 614	–	0,18 m²
3	L profile 30 x 30 x 2 mm (top + bottom)	Aluminium	–	3,90 m
4	Screw plate -> L, DIN 7504 N 4,2 x 16 mm	Steel, hardened	–	14 pcs.
5	Wall fixing		–	
6	Bolt + nut, joint (Ø6 mm holes)		–	5 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2000 x 2100 mm
Depth	40 mm
Parts	2000 x 1400 mm + 2000 x 700 mm
Plate	Alu 2 mm, folded 4 x 90°
Plate finish	RAL 3020
Graphic	cut vinyl, 2 colours
Fixing holes	Ø3,2 mm, 7 mm from edge, ~300 mm
Mounting	L 30 x 30 x 2 mm top + bottom
Illumination	none
Weight (calc.)	≈ 26 kg / pcs

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory


TITLE
SPAR order 225960 – Back plate, box lid 40 mm, SPAR logo 2000 x 2100 mm

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:25 / 1:2 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 9 / 18



FRONT VIEW

SCALE 1:15 | client preview, print from original file

Print only – no back plate.

Original print forwarded – separate files for printing.

Material / laminate:

The vinyl graphic consists of two parts.

Provide a 10 mm overlap at the joint.

MATERIAL

PRINT
original file – forwarded

LAMINATE gloss

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Print, 2 parts, 10 mm overlap			1320 mm x 6,01 m = 7,93 m²
	Laminate		–	1320 mm x 6,01 m = 7,93 m²

MAIN DATA

Quantity	1 pcs.
Size	3000 x 2300 mm
Parts	2 (joint 1150, overlap 10 mm)
Product	print only
Artwork	original file (forwarded)
Material	
Finish	
Weight (calc.)	–

REVISIONS ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory


TITLE
SPAR order 225960 – Print 3000 x 2300 mm (separate files for printing)

ORDER NO. **ALT8901_10.16_RS**

FILE / DRAWING NO. SPAR order 225960

SCALE 1:15 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 10 / 18



FOIL - FLAT

SCALE 1:15

MATERIAL

FOIL PMS 185
Avery 777-002CF or equiv.

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Foil PMS 185, 5000 x 1220 mm	ORACAL 551 032 gloss	foil	1230 mm x 5,00 m = 6,15 m^2

MAIN DATA

Quantity	1 pcs.
Size	5000 x 1220 mm
Material	ORACAL 551 032 gloss
Weight (calc.)	-

REVISIONS ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory


TITLE
SPAR order 225960 - Foil PMS 185 - Avery 777-002CF or equivalent

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:15 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 11 / 18



FOIL - FLAT

SCALE 1:100

MATERIAL
SANDBLAST FOIL sandblast foil

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Sandblast foil, 23000 x 1220 mm	sandblast foil Poli-Etch 5054	sandblast	1320 mm x 23,00 m = 30,36 m^2

MAIN DATA

Quantity	1 pcs.
Size	23000 x 1220 mm
Material	sandblast foil
Weight (calc.)	-

REVISIONS ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory


TITLE
SPAR order 225960 - Sandblast foil 23000 x 1220 mm

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:100 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 12 / 18



FRONT VIEW

SCALE 1:5 | white, outline = cut line

MATERIAL

WHITE DECOR
material

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	White decor SPAR logo	ORACAL 551 101 gloss	white	7 pcs. / 1320 mm x 0,77 m = 1,02 m^2

MAIN DATA

Quantity	7 pcs.
Size	769 x 131,3 mm
Colour	white
Material	
Weight (calc.)	-

REVISIONS ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory


TITLE
SPAR order 225960 - White decor SPAR logo 769 x 131,3 mm

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:5 | FORMAT A3 | REV. A | PROJECTION


DATE 2026-10-16 | 7 pcs. | Sheet 13 / 18



DESIGN A – 5 pcs.

SCALE 1:10 | client preview

White print on sandblast foil



DESIGN B – 5 pcs.

SCALE 1:10 | client preview

White print on sandblast foil

A vector file is required.

MATERIAL

SANDBLAST FOIL
white print

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
①	White print on sandblast foil, design A	sandblast foil Poli-Etch 5054	white print	5 pcs. / 1320 mm x 4,32 m = 5,70 m²
②	White print on sandblast foil, design B	sandblast foil Poli-Etch 5054	white print	5 pcs. / 1320 mm x 4,32 m = 5,70 m²

MAIN DATA

Quantity	5 + 5 pcs.
Size	930 x 855 mm
Material	sandblast foil
Print	white
Artwork	separate files for printing
Weight (calc.)	-

REVISIONS ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory

TITLE
SPAR order 225960 – White print on sandblast foil 930 x 855 mm

ORDER NO.
ALT8901_10.16_RS


FILE / DRAWING NO.
SPAR order 225960

SCALE 1:10 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16


5 + 5 pcs.

Sheet 14 / 18




FRONT VIEW

SCALE 1:15




SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)


SCALE 1:15 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters + circle	Plexi 8 mm white (opal)	white	9,51 m / 1,49 m²
2	Return letters + circle	Alu 1 mm	RAL 9005	9,51 m / 0,91 m²
3	Letter back	Alu 1,5 mm	RAL 9005	9,51 m / 1,15 m²
4	LED modules		white	
5	Rail U 30 x 30 x 2 mm	Aluminium	RAL 8001	4,21 m
6	Mounting ear 30 x 30 x 2 mm, Ø6 mm hole	Aluminium	RAL 8001	6 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 8001 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	
	Foil on circle, cut (white edge + pictogram)	Vinyl foil	ORACAL 8500 614	1 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2274 x 600 mm
Profile	P6 on rails
Letter depth	80 mm
Face	Opal 8; circle foil 8500 614
Returns	RAL 9005
Frame	U 30 x 30 x 2 mm, ears, RAL 8001
Illumination	LED white
Power	12V –> trafo box
Wind qp	0,56 kN/m²
Perimeter	9,51 m
Weight (calc.)	≈ 12 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT: **BrandFactory**


TITLE: SPAR order 225960 – EUROSPAR PANT, P6 on rails

ORDER NO.: **ALT8901_10.16_RS**

FILE / DRAWING NO.: SPAR order 225960


SCALE: 1:15 | FORMAT: A3 | REV. A | PROJECTION

DATE: 2026-10-16 | 1 pcs. | Sheet 15 / 18




FRONT VIEW

SCALE 1:10



SIDE VIEW (RIGHT)

SCALE 1:10



REAR VIEW (MIRRORED)


SCALE 1:10 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters	Plexi 8 mm white (opal)	white	8,59 m / 0,45 m²
2	Return letters	Alu 1 mm	RAL 9003	8,59 m / 0,55 m²
3	Letter back	Alu 1,5 mm	RAL 9003	8,59 m / 0,40 m²
4	LED modules		white	
5	Rail U 20 x 20 x 2 mm	Aluminium	RAL 4010	2,20 m
6	No ears – top rail screwed directly to wall			-
7	Trafo box (PSU 12V)	Alu box	RAL 4010 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	1000 x 352 mm
Profile	P6 on rails, indoor
Letter depth	50 mm
Face	Opal 8 mm
Returns	RAL 9003
Frame	U 20 x 20 x 2 mm, RAL 4010 matt
Illumination	LED white
Power	cables at the bottom only
Wind qp	0,56 kN/m²
Perimeter	8,59 m
Mounting	top rail direct to wall, no ears
Weight (calc.)	≈ 4,4 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – SMÅGODT, P6 on rails (indoor)

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE	FORMAT	REV.	PROJECTION
1:10	A3	A	

DATE		
2026-10-16	1 pcs.	Sheet 16 / 18




FRONT VIEW

SCALE 1:10



SIDE VIEW (RIGHT)

SCALE 1:10



REAR VIEW (MIRRORED)


SCALE 1:10 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters	Plexi 8 mm white (opal)	white	7,36 m / 0,25 m²
2	Return letters	Alu 1 mm	RAL 9003	7,36 m / 0,61 m²
3	Letter back	Alu 1,5 mm	RAL 9005	10,84 m / 0,59 m²
4	LED modules		white	
5	Rail U 20 x 20 x 2 mm	Aluminium	RAL 9005	1,69 m
6	No ears – top rail screwed directly to wall			-
7	Trafo box (PSU 12V)	Alu box	RAL 9005 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	
9	Circle + frame replication, 1 part	Black alu composite 2 mm	RAL 9005	0,39 m²
10	Foil on circle (RAL 2008 tone)	Vinyl foil	ORACAL 551-035	1 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	900 x 300 mm
Profile	P00+6 on rails, indoor
Letter depth	50 mm
Face	Opal 8 mm; circle foil 551-035
Returns	RAL 9003
Frame	U 20 x 20 x 2 mm, RAL 9005 matt
Illumination	LED white
Power	cables at the bottom only
Wind qp	0,56 kN/m²
Perimeter	10,84 m
Mounting	top rail direct to wall, no ears
Weight (calc.)	≈ 4,9 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT
BrandFactory

TITLE
SPAR order 225960 – KAFFEPAUSE, P00+6 on rails (indoor)

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960

SCALE
1:10

FORMAT
A3

REV. A

PROJECTION

DATE
2026-10-16


1 pcs.

Sheet 17 / 18




FRONT VIEW

SCALE 1:20




SIDE VIEW (RIGHT)

SCALE 1:20



REAR VIEW (MIRRORED)

SCALE 1:20 | letters hidden – dashed



DETAIL A – SECTION


SCALE 1:2 | bottom fixing mirrored



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Letter face P6 (FRISK SUNN &)	Plexi 8 mm white (opal)	white	20,11 m / 1,39 m²
2	Letter return P6	Alu 1 mm	RAL 9003	20,11 m / 1,77 m²
3	Letter back	Alu 1,5 mm	RAL 9003	20,11 m / 1,34 m²
4	LED modules		6500K	
5	Background, box lid 33 mm	Alu 2 mm folded	RAL 9005	1 pcs.
6	L profile 30 x 30 x 2 mm	Aluminium	–	2 x 2,95 mm = 5,90 m
7	Wall fixing		–	
8	Letter / P1 fixing to background		–	
9	Screw lid -> L	DIN 7504 N 4,2 x 16 mm T20	–	22 pcs. (11/L)
10	P1 circle ⌀598 mm – face (non-lit)	Alu 2 mm	RAL 6039	1,88 m / 0,62 m²
11	P1 circle – return, depth 70	Alu 1 mm	RAL 6039	1,88 m / 0,17 m²
12	P1 circle – back, fixed to box lid	PVC 10 mm	RAL 9003	1,25 m²

MAIN DATA

Quantity	1 pcs.
Overall size	3000 x 1000 mm
Profile	P6
Letter depth	70 mm
Bg. edge	33
Face	Opal 8; P1 Alu 2, RAL 6039
Return	RAL 9003
Background	RAL 9005
Environment	Indoor
Illumination	LED 6500K
Perim. letters	20,11 m
Perim. line	–
Mounting	L 30 x 30 x 2 mm, top+bottom
Weight (calc.)	≈ 36 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

BrandFactory

TITLE

SPAR order 225960 – TYPE 1000 FRISK & SUNN, P6 + P1 circle on box lid 33

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE	FORMAT	REV.	PROJECTION
1:20 / 1:20	A3	A	

DATE		
2026-10-16	1 pcs.	Sheet 18 / 18