




FRONT VIEW

SCALE 1:20



SIDE VIEW (RIGHT)

SCALE 1:20



REAR VIEW (MIRRORED)

SCALE 1:20 | true view from the back


frame: clear acrylic 20 mm, 2 parts (2993 + 1499 mm), 5 verticals (separate, puzzle into rails), puzzle joints (clearance 0,2 mm) under letter (J1..), 10 x Ø8 mm between letters, cable groove 8 x 10 mm deep (back), DXF



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON CLEAR ACRYLIC FRAME 40 x 20 mm



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Letter face	Acrylic 8 mm white	–	19,04 m / 1,39 m²
2	Letter return	Alu 1 mm	RAL 7021	19,04 m / 1,42 m²
3	Letter back	Alu 1,5 mm	RAL 7021	19,04 m / 1,33 m²
4	LED modules 6500K		–	
5	Frame rails 40 x 20 mm + verticals (DXF)	Clear acrylic 20 mm	clear	9,86 m
6	El. output 12V –> trafo box	cable 1,5 m	–	1 pcs.
7	Trafo box + PSU	Alu box		1 pcs. (1 cables x 1,5 m, 12V)
8	Welded stud + nut –> counterbore	–	–	41 pcs.
9	Wall fixing through Ø8 mm holes in frame	screws + anchors	–	10 pcs.

MAIN DATA

Quantity	40 pcs.
Overall size	4500 x 585 mm
Profile	P6 on clear acrylic frame
Letter depth	60 mm
Face	Acrylic 8 mm white
Returns	RAL 7021
Rails	clear acrylic 40x20 mm, puzzle
Illumination	LED 6500K
Power	12V, 1,5 m –> TRAFO BOX, 230V
Wind qp	0,56 kN/m²
Weight (calc.)	≈ 20 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

Alfa Neon AB / LEAPMOTOR


TITLE

LEAP26-01002 Outdoor Logo 4500 x 585 mm – P6 on clear acrylic frame

ORDER NO.	FILE / DRAWING NO.
ALT0000_00.00_RS	LEAP26-01002


SCALE	FORMAT	REV.	PROJECTION
1:20	A3	A	

DATE		
2026-10-16	40 pcs.	Sheet 1 / 6




ACRYLIC FRAME – PARTS & JOINTS (VIEW FROM BACK)

SCALE 1:15 | R – rail parts, V – verticals (separate), J – joint by sheet length




DETAIL C – RAIL JOINT J1 (PUZZLE)

SCALE 1:1



DETAIL D – VERTICAL -> RAIL (PUZZLE)

SCALE 1:1



stud holes under letters (nut in counterbore), cable slots 8 x 4 through, ⌀8 fixing holes between letters

SECTION E – RAIL AT LETTER STUD

SCALE 1:1

WHY / WHERE THE FRAME JOINS

1. Clear acrylic sheet 3050 x 2050 mm – rail 4466 mm longer than sheet -> rails cut in 2 parts (<= 3020 mm), joint J1 (detail C).
2. J1 placed UNDER LETTER (clear frame – joint hidden behind letter), >= 60 mm from verticals.
3. Verticals / diagonals – SEPARATE parts (V), nested from offcuts – saves material; puzzle into rails (detail D).
4. Puzzle clearance 0,2 mm; cable groove on back 8 x 10 mm deep (section E); ⌀8 mm fixings.
5. Letters: welded studs through ⌀5 mm, nut in ⌀12 x 15 mm counterbore from back – nut does not touch facade.

BILL OF MATERIALS – ACRYLIC FRAME PARTS (per 1 sign, DXF)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	R1 rail part 1499 x 40 mm	Clear acrylic 20 mm	clear	1 pc.
2	R2 rail part 2993 x 40 mm	Clear acrylic 20 mm	clear	1 pc.
3	R3 rail part 1461 x 40 mm	Clear acrylic 20 mm	clear	1 pc.
4	R4 rail part 2993 x 40 mm	Clear acrylic 20 mm	clear	1 pc.
5	Vertical 232 incl. puzzle heads	Clear acrylic 20 mm	clear	4 pcs. (V1, V3, V4, V5)
6	Diagonal 232 incl. puzzle heads	Clear acrylic 20 mm	clear	1 pcs. (V2)

MAIN DATA

Material	clear acrylic 20 mm
Sheet	3050 x 2050 mm
Rails	40 mm wide, 4 parts
Verticals	5 pcs., separate
Joints	puzzle, clearance 0,2 mm
Groove	8 x 10 mm (back)
Holes	10 x ⌀8 mm; studs 41 x ⌀5 mm/12
Quantity	40 signs

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT: **Alfa Neon AB / LEAPMOTOR**

TITLE: LEAP26-01002 Acrylic frame – parts & joints

ORDER NO.: **ALT0000_00.00_RS**


FILE / DRAWING NO.: LEAP26-01002

SCALE: 1:15 / 1:1 | FORMAT: A3 | REV. A | PROJECTION

DATE: 2026-10-16


40 pcs.

Sheet 2 / 6




FRONT VIEW

SCALE 1:10



SIDE VIEW (RIGHT)

SCALE 1:10



REAR VIEW (MIRRORED)

SCALE 1:10 | true view from the back


frame: clear acrylic 20 mm, one part 1709 mm, 3 x ⌀8 mm between letters, cable groove 8 x 10 mm deep (back), DXF



3D VIEW

ILLUSTRATIVE - NOT TO SCALE

PROFILE P6 ON CLEAR ACRYLIC FRAME 70 x 20 mm



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Letter face	Acrylic 8 mm white	-	7,32 m / 0,22 m²
2	Letter return	Alu 1 mm	RAL 7021	7,32 m / 0,56 m²
3	Letter back	Alu 1,5 mm	RAL 7021	7,32 m / 0,20 m²
4	LED modules 6500K		-	
5	Frame rails 70 x 20 mm + verticals (DXF)	Clear acrylic 20 mm	clear	1,71 m
6	El. output 12V -> trafo box	cable 1,5 m	-	1 pcs.
7	Trafo box + PSU	Alu box		1 pcs. (1 cables x 1,5 m, 12V)
8	Welded stud + nut -> counterbore	-	-	23 pcs.
9	Wall fixing through ⌀8 mm holes in frame	screws + anchors	-	3 pcs.

MAIN DATA

Quantity	20 pcs.
Overall size	1730 x 225 mm
Profile	P6 on clear acrylic frame
Letter depth	60 mm
Face	Acrylic 8 mm white
Returns	RAL 7021
Rails	clear acrylic 70x20 mm
Illumination	LED 6500K
Power	12V, 1,5 m -> TRAFO BOX, 230V
Weight (calc.)	≈ 5,2 kg / pcs, excl. PSU

REVISIONS ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	


CLIENT

Alfa Neon AB / LEAPMOTOR

TITLE


LEAP26-06002 Indoor Logo 1730 x 225 mm - P6 on clear acrylic frame

ORDER NO.	FILE / DRAWING NO.		
ALT0000_00.00_RS	LEAP26-06002		
SCALE 1:10	FORMAT A3	REV. A	PROJECTION
DATE 2026-10-16	20 pcs.	Sheet 3 / 6	



ACRYLIC FRAME – PARTS & JOINTS (VIEW FROM BACK)

SCALE 1:5 | R – rail parts



stud holes under letters (nut in counterbore), cable slots 8 x 4 through, Ø8 fixing holes between letters

SECTION E – RAIL AT LETTER STUD

SCALE 1:1

WHY / WHERE THE FRAME JOINS

1. Rail 1709 mm fits in sheet 3050 x 2050 mm – one part, no joints.
2. Small letters – ONE rail 70 mm wide, no verticals.
3. Cable groove on back 8 x 10 mm deep (section E); Ø8 mm fixings.
4. Letters: welded studs through Ø5 mm, nut in Ø12 x 15 mm counterbore from back – nut does not touch facade.

BILL OF MATERIALS – ACRYLIC FRAME PARTS (per 1 sign, DXF)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
(1)	R1 rail part 1709 x 70 mm	Clear acrylic 20 mm	clear	1 pc.

MAIN DATA

Material	clear acrylic 20 mm
Sheet	3050 x 2050 mm
Rails	70 mm wide, 1 part
Verticals	–
Joints	none (1 part)
Groove	8 x 10 mm (back)
Holes	3 x Ø8 mm; studs 23 x Ø5 mm/12
Quantity	20 signs

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT: **Alfa Neon AB / LEAPMOTOR**

TITLE: LEAP26-06002 Acrylic frame – parts & joints

ORDER NO.: **ALT0000_00.00_RS**


FILE / DRAWING NO.: LEAP26-06002

SCALE: 1:5 / 1:1 | FORMAT: A3 | REV. A | PROJECTION

DATE: 2026-10-16 | 20 pcs. | Sheet 4 / 6


FRONT VIEW

1:10




RIGHT SIDE VIEW


1:10 (cable)



SECTION A-A

1:10








3D VIEW

ILLUSTRATIVE – NOT TO SCALE



screws (8) on PERIMETER (all 4 flanges): 12 pcs., holes ⌀3,2 mm, 7 mm from edge


TOP VIEW

1:10

ASSEMBLY – EXPLODED VIEW

back 2 (to facade) + LED 6 on back base – base 4 + insert 3 – front 1; screws 8 on perimeter; inside white

DETAIL B – SECTION TOP / GLASS / BOTTOM 1:2,5



gap 0,7; insert GLUED to base; studs welded inside; back inside front

BILL OF MATERIALS

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Front tray 750 x 750 x 50 mm, in white	Alu 2 mm	RAL 7021	1 pc.
2	Back tray 744 x 744 x 30 mm, in white	Alu 1,5 mm		1 pc.
3	Insert 8 mm, GLUED to base, +6 mm	Plexi 8 mm opal white	-	1 pc. / 0,081 m²
4	Base 3 mm, 29 x ⌀8 mm (DXF)	Plexi 3 mm opal white	-	1 pc. / 0,170 m²
5	Stud (welded inside front) + nut		-	29 pcs.
6	LED on back base (inside)	LED	-	
7	Cable gland / rubber grommet ⌀		-	1 pc.
8	Screw front -> back, perimeter	-	-	12 pcs.
9	Fixing to facade through back	screws + anchors	-	

MAIN DATA

Product	P10_lightbox_singlesided
Size	750 x 750 x 50 mm (+ 6 mm)
Front	Alu 2 mm, RAL 7021
Back	Alu 1,5 mm, 30 mm deep, -3 mm/side
Glass	3+8 mm, cut-out + 0,7 mm
LED / PSU	
Cable	right side, top; ⌀? + grommet
Qty	20 pcs.
Weight (calc.)	≈ 6,9 kg / pcs, excl. PSU

REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT

Alfa Neon AB / LEAPMOTOR

TITLE

LEAP26-02002-1 Lightbox 1+10 750 x 750 mm – P10_lightbox_singlesided

ORDER NO.	FILE / DRAWING NO.
ALT0000_00.00_RS	LEAP26-02002-1

SCALE	FORMAT	REV.	PROJECTION
1:10	A3	A	


DATE 2026-10-16

20 pcs.

Sheet 5 / 6

FRONT 1 – FLAT PATTERN (face out)


1:8



Alu 2 mm, folded v173 (bend lines = outside), flanges 48 mm, holes ⌀3,2 mm

BACK 2 – FLAT PATTERN (inside view)

1:8



Alu 1,5 mm, folded v173 (bend lines = outside), flanges 28,5 mm, holes ⌀3,2 mm

TRAYS	
Front	750 x 750 x 50 mm, Alu 2 mm
Back	744 x 744 x 30 mm, Alu 1,5 mm
Gap	1 mm / side (back in front)
Screws	12 pcs., perimeter, 7 mm from flange edge
Cable	z 7 mm from facade, y

BILL OF MATERIALS

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Front tray (DXF)	Alu 2 mm	RAL 7021	1 pc.
2	Back tray (DXF)	Alu 1,5 mm		1 pc.

MAIN DATA	
Bend rule	folded v173, no K-factor
Flanges front	48 mm
Flanges back	28,5 mm
Qty	20 pcs.

REVISIONS — ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-16	

CLIENT: **Alfa Neon AB / LEAPMOTOR**

TITLE: LEAP26-02002-1 Lightbox 1+10 750 x 750 mm – P10_lightbox_singlesided

ORDER NO.: **ALT0000_00.00_RS**

FILE / DRAWING NO.: LEAP26-02002-1

SCALE: 1:8 | FORMAT: A3 | REV. A | PROJECTION

DATE: 2026-10-16 | **20 pcs.** | Sheet 6 / 6