



FRONT VIEW

SCALE 1:50


SIDE VIEW (RIGHT)

SCALE 1:50



REAR VIEW (MIRRORED)


SCALE 1:50 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters SPAR	Plexi 8 mm white (opal)	white	18.67 + 6.74 m
1	Face logo circle	Plexi 8 mm white + foil	ORACAL 8500 614	12.41 m / 1.25 m²
2	Return letters	Alu 1 mm	RAL 9016	18.67 + 6.74 m
2	Return logo	Alu 1 mm	RAL 6029	12.41 m / 0.99 m²
3	Letter back	Alu 1.5 mm	–	37.82 m / 3.81 m²
4	LED modules		white	
5	Frame, rectangular tube 40x40x2	Aluminium	RAL 7021	15.46 m
6	Mounting ear, welded, ⌀8 hole	Alu 3 mm	RAL 7021	14 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		–	

MAIN DATA

Quantity	1 pcs.
Overall size	8000 x 1606 (parts 4350 + 3650)
Profile	P6 on rectangular frame
Letter depth	80
Face	Opal 8 mm; logo foil 8500 614
Returns	RAL 9016 / logo RAL 6029
Frame	□ 40x40x2 + ears, RAL 7021
Illumination	LED white
Power	12V at logo –> trafo box
Wind qp	0.56 kN/m²
Wall	
Perimeter	37.82 m
Parts	2: SPA (4350) | R + logo (3650)
Weight (calc.)	≈ 73 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – SPAR + logo, P6 on □ frame, 2 parts

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:50 / 1:50	A3	1 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08




FRONT VIEW

SCALE 1:20


SIDE VIEW (RIGHT)

SCALE 1:20



REAR VIEW (MIRRORED)


SCALE 1:25 | true view from the back



3D VIEW

ILLUSTRATIVE - NOT TO SCALE

PROFILE P6 ON RAILS - TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face 7-22	Plexi 8 mm white (opal)	white	10.13 m / 0.55 m²
1	Face (8-21)	Plexi 8 mm white (opal)	white	13.95 m / 0.77 m²
2	Return 7-22	Alu 1 mm	RAL 9005	10.13 m / 0.81 m²
2	Return (8-21)	Alu 1 mm	RAL 9005	13.95 m / 1.12 m²
3	Letter back	Alu 1.5 mm	-	24.08 m / 1.32 m²
4	LED modules		white	
5	Rail U 30x30x2	Aluminium	RAL 7021	11.00 m
6	Mounting ear 30x30x2, Ø6 hole	Aluminium	RAL 7021	10 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (2 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	5264 x 914
Profile	P6 on rails
Letter depth	80
Face	Opal 8 mm
Returns	RAL 9005
Frame	U 30x30x2 + ears, RAL 7021
Illumination	LED white
Power	2 cables 12V -> 1 trafo box
Wind qp	0.56 kN/m²
Wall	
Perimeter	24.08 m
Weight (calc.)	≈ 28 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory


TITLE

SPAR order 225960 - 7-22 (8-21), P6 on rails, 2 signs

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:20 / 1:25	A3	2 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08




FRONT VIEW

SCALE 1:15




SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)


SCALE 1:20 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters	Plexi 8 mm white (opal)	white	20.50 m / 0.44 m²
2	Return letters	Alu 1 mm	RAL 9016	20.50 m / 1.64 m²
3	Letter back	Alu 1.5 mm	-	20.50 m / 0.44 m²
4	LED modules		white	
5	Rail U 30x30x2	Aluminium	RAL 7021	8.19 m
6	Mounting ear 30x30x2, Ø6 hole	Aluminium	RAL 7021	8 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	4400 x 524
Profile	P6 on rails
Letter depth	80
Face	Opal 8 mm
Returns	RAL 9016
Frame	U 30x30x2 + ears, RAL 7021
Illumination	LED white
Power	12V -> trafo box
Wind qp	0.56 kN/m²
Wall	
Perimeter	20.50 m
Weight (calc.)	≈ 14 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – OLE P. FJÆR, P6 on rails

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:15 / 1:20	A3	3 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08




FRONT VIEW

SCALE 1:15



SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)


SCALE 1:20 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters SPAR	Plexi 8 mm white (opal)	white	11.12 m / 0.49 m²
1	Face logo circle	Plexi 8 mm white + foil	ORACAL 8500 614	5.43 m / 0.24 m²
2	Return letters	Alu 1 mm	RAL 9016	11.12 m / 0.89 m²
2	Return logo	Alu 1 mm	RAL 6029	5.43 m / 0.43 m²
3	Letter back	Alu 1.5 mm	–	16.54 m / 0.73 m²
4	LED modules		white	
5	Rail U 30x30x2	Aluminium	RAL 7021	6.71 m
6	Mounting ear 30x30x2, ⌀6 hole	Aluminium	RAL 7021	6 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		–	

MAIN DATA

Quantity	1 pcs.
Overall size	3500 x 703
Profile	P6 on rails
Letter depth	80
Face	Opal 8 mm; logo foil 8500 614
Returns	RAL 9016 / logo RAL 6029
Frame	U 30x30x2 + ears, RAL 7021
Illumination	LED white
Power	12V –> trafo box
Wind qp	0.56 kN/m²
Wall	
Perimeter	16.54 m
Weight (calc.)	≈ 17 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – SPAR letters + logo, P6 on rails

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:15 / 1:20	A3	4 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08




FRONT VIEW

SCALE 1:10




SIDE VIEW (RIGHT)

SCALE 1:10



REAR VIEW (MIRRORED)


SCALE 1:15 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face HOURS	Plexi 8 mm white (opal)	white	13.76 m / 0.43 m²
2	Return HOURS	Alu 1 mm	RAL 9005	13.76 m / 1.10 m²
3	Letter back	Alu 1.5 mm	-	13.76 m / 0.43 m²
4	LED modules		white	
5	Rail U 30x30x2	Aluminium	RAL 7021	5.81 m
6	Mounting ear 30x30x2, Ø6 hole	Aluminium	RAL 7021	6 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 7021 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		-	

MAIN DATA

Quantity	1 pcs.
Overall size	3040 x 522
Profile	P6 on rails
Letter depth	80
Face	Opal 8 mm
Returns	RAL 9005
Frame	U 30x30x2 + ears, RAL 7021
Illumination	LED white
Power	12V -> trafo box
Wind qp	0.56 kN/m²
Wall	
Perimeter	13.76 m
Weight (calc.)	≈ 12 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – Opening hours 7-22 (8-21), P6 on rails

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:10 / 1:15	A3	5 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08



FRONT VIEW

SCALE 1:25


DETAIL C – TOP JOINT

plexiglas front 2 parts, inner sleeve



SIDE VIEW (RIGHT)


SCALE 1:25



REAR VIEW (MIRRORED)

SCALE 1:50


(3) STAINLESS STEEL BUMPER 1 mm – 2 pcs. (front + 2 sides, front view only)



FLAT PATTERN (bend lines dash-dot)




TOP VIEW (inner 302 x 101)



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PORTAL – TYPICAL SECTION



section through leg / beam – wall side up

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Body, red plexiglas (front + sides)	PLEXIGLAS GS 3H25, 3 mm	RAL 3020	4.94 m²
2	TOP, red plexiglas – 2 parts (joint C)	PLEXIGLAS GS 3H25, 3 mm	RAL 3020	2 pcs. (2 x 2050)
3	Bumper 505 x 160, bent 304 x 102	Stainless steel 1 mm	–	2 pcs.
4	Backside	Alu 2 mm	RAL 3020	2.96 m²
5	LED modules + dimmer			
6	Bottom	PVC 10 mm	–	2 pcs.
7	Trafo box 12V + dimming (cable 12V, 3 m)	Alu box	–	1 pcs.
8	Wall / floor fixing		–	

MAIN DATA

Quantity	1 pcs.
Overall size	4700 x 3050
Profile width	300
Depth	100
Clear opening	4100 x 2750
Top	2 parts 2050 + 2050, joint C
Face	PLEXIGLAS GS 3H25, RAL 3020
Backside	Alu 2 mm, RAL 3020
Bumper	stainless 1 mm, h 160, front only
Illumination	LED + dimming
Power	12V 3 m -> trafo box 220V
Weight (calc.)	≈ 35 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	


CLIENT
BrandFactory

TITLE
SPAR order 225960 – Portal – entrance, illuminated

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:25 / 1:50	A3	6 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08



FRONT VIEW


SCALE 1:15

TOP VIEW – 10 holes for screws into L profile (bottom edge the same)



SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)

SCALE 1:25

Plate from 2 parts!
Fitting together with bolts.


3D VIEW

ILLUSTRATIVE – NOT TO SCALE

DETAIL B – JOINT

SCALE 1:5

BACK PLATE – TYPICAL SECTION (A)



1 plate 2 L 30x30x2 3 screw 4 wall fixing

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Part 1 – box lid 40 mm, 2700 x 1400	Alu 2 mm folded	RAL 9005	1 pcs.
1	Part 2 – box lid 40 mm, 2700 x 700	Alu 2 mm folded	RAL 9005	1 pcs.
	Print Gel'UV + laminate, front + edges	original file	–	5.67 m²
2	L profile 30x30x2	Aluminium	–	2 x 2.65 = 5.30 m
3	Screw DIN 7504 N 4.2x16 T20	Steel, hard.	–	20 pcs. (10/L)
4	Wall fixing		–	
5	Bolts + nuts, joint of 2 parts		–	10 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2700 x 2100
Parts	2: 1400 + 700, bolted
Edge (box lid)	40
Material	Alu 2 mm folded
Finish	RAL 9005
Graphics	print, original file
Mounting	L30x30x2 top + bottom
Screw holes	50 | 9 x 288.9 | 50
Wall	
Weight (calc.)	≈ 36 kg / pcs

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	


CLIENT
BrandFactory

TITLE
SPAR order 225960 – Back plate 2700 x 2100, box lid 40 mm, print

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:15 / 1:25	A3	7 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08



FRONT VIEW


SCALE 1:15

TOP VIEW – 10 holes for screws into L profile (bottom edge the same)



SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)


SCALE 1:25

Plate from 2 parts!
Fitting together with bolts.



3D VIEW


ILLUSTRATIVE – NOT TO SCALE



DETAIL B – JOINT

SCALE 1:5

BACK PLATE – TYPICAL SECTION (A)



1 plate 2 L 30x30x2 3 screw 4 wall fixing

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Part 1 – box lid 40 mm, 2700 x 1400	Alu 2 mm folded	RAL 3020	1 pcs.
1	Part 2 – box lid 40 mm, 2700 x 700	Alu 2 mm folded	RAL 3020	1 pcs.
	Logo SPAR, graphics foil	ORACAL 551 010 gloss	ORACAL 8500 614	1000 x 170
2	L profile 30x30x2	Aluminium	–	2 x 2.65 = 5.30 m
3	Screw DIN 7504 N 4.2x16 T20	Steel, hard.	–	20 pcs. (10/L)
4	Wall fixing		–	
5	Bolts + nuts, joint of 2 parts		–	10 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2700 x 2100
Parts	2: 1400 + 700, bolted
Edge (box lid)	40
Material	Alu 2 mm folded
Finish	RAL 3020
Graphics	logo SPAR, ORACAL foil
Mounting	L30x30x2 top + bottom
Screw holes	50 | 9 x 288.9 | 50
Wall	
Weight (calc.)	≈ 36 kg / pcs

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	


CLIENT
BrandFactory

TITLE
SPAR order 225960 – Back plate 2700 x 2100, box lid 40 mm, SPAR logo

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:15 / 1:25	A3	8 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08



FRONT VIEW


SCALE 1:15

TOP VIEW – 7 holes for screws into L profile (bottom edge the same)




SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)

SCALE 1:25



DETAIL B – JOINT

SCALE 1:5


Plate from 2 parts!
Fitting together with bolts.



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

BACK PLATE – TYPICAL SECTION (A)



1 plate 2 L 30x30x2 3 screw 4 wall fixing

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Part 1 – box lid 40 mm, 2000 x 1400	Alu 2 mm folded	RAL 3020	1 pcs.
1	Part 2 – box lid 40 mm, 2000 x 700	Alu 2 mm folded	RAL 3020	1 pcs.
	Logo SPAR, graphics foil	ORACAL 551 010 gloss	ORACAL 8500 614	1000 x 170
2	L profile 30x30x2	Aluminium	–	2 x 1.95 = 3.90 m
3	Screw DIN 7504 N 4.2x16 T20	Steel, hard.	–	14 pcs. (7/L)
4	Wall fixing		–	
5	Bolts + nuts, joint of 2 parts		–	7 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2000 x 2100
Parts	2: 1400 + 700, bolted
Edge (box lid)	40
Material	Alu 2 mm folded
Finish	RAL 3020
Graphics	logo SPAR, ORACAL foil
Mounting	L30x30x2 top + bottom
Screw holes	50 | 6 x 316.7 | 50
Wall	
Weight (calc.)	≈ 27 kg / pcs


REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT
BrandFactory

TITLE
SPAR order 225960 – Back plate 2000 x 2100, box lid 40 mm, SPAR logo

ORDER NO.	FILE / DRAWING NO.			
ALT8901_10.16_RS	SPAR order 225960			
SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:15 / 1:25	A3	9 / 18	A	
DRAWN	CHECKED	DATE		
		2026-10-08		



Print only – no back plate.

Original print forwarded – separate files for printing.

Material / laminate: _____

The vinyl graphic consists of two parts. Provide a 10 mm overlap at the joint.

FRONT VIEW

SCALE 1:15 | client preview, print from original file

MATERIAL

PRINT
original file – forwarded

LAMINATE gloss

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
(1)	Print 3000 x 2300			6.90 m²
	Laminate		-	6.90 m²

MAIN DATA

Quantity	1 pcs.
Size	3000 x 2300
Product	print only
Artwork	original file (forwarded)
Material	
Finish	
Weight (calc.)	-

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	


CLIENT
BrandFactory

TITLE
SPAR order 225960 – Print 3000 x 2300 mm (separate files for printing)

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:15	A3	10 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08



FOIL - FLAT

SCALE 1:25

MATERIAL

FOIL PMS 185
Avery 777-002CF or equiv.

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
(1)	Foil PMS 185	ORACAL 551 032 gloss	foil	5000 x 1220 / 6.10 m²

MAIN DATA

Quantity	1 pcs.
Size	5000 x 1220
Material	ORACAL 551 032 gloss
Weight (calc.)	-

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	


CLIENT
BrandFactory

TITLE
SPAR order 225960 - Foil PMS 185 - Avery 777-002CF or equivalent

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:25	A3	11 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08



FOIL - FLAT

SCALE 1:100

MATERIAL

SANDBLAST FOIL
sandblast foil

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
(1)	Sandblast foil	sandblast foil Poli-Etch 5054	sandblast	23000 x 1220 / 28.06 m²

MAIN DATA

Quantity	1 pcs.
Size	23000 x 1220
Material	sandblast foil
Weight (calc.)	-

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	


CLIENT
BrandFactory

TITLE
SPAR order 225960 - Sandblast foil 23000 x 1220 mm

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:100	A3	12 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08



FRONT VIEW

SCALE 1:5 | white, outline = cut line

MATERIAL

WHITE DECOR
material

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	White decor SPAR logo	ORACAL 551 101 gloss	white	7 pcs.

MAIN DATA

Quantity	7 pcs.
Size	769 x 131.3
Colour	white
Material	
Weight (calc.)	-

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	


CLIENT
BrandFactory

TITLE
SPAR order 225960 - White decor SPAR logo 769 x 131.3 mm

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:5	A3	13 / 18	A	


DRAWN	CHECKED	DATE
		2026-10-08



DESIGN A – 5 pcs.

SCALE 1:10 | client preview

White print on sandblast foil



DESIGN B – 5 pcs.

SCALE 1:10 | client preview

White print on sandblast foil

A vector file is required.

MATERIAL

SANDBLAST FOIL
white print

BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	White print on sandblast foil, design A	sandblast foil Poli-Etch 5054	white print	5 pcs.
2	White print on sandblast foil, design B	sandblast foil Poli-Etch 5054	white print	5 pcs.

MAIN DATA

Quantity	5 + 5 pcs.
Size	930 x 855
Material	sandblast foil
Print	white
Artwork	separate files for printing
Weight (calc.)	-

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT
BrandFactory


TITLE
SPAR order 225960 – White print on sandblast foil 930 x 855 mm

ORDER NO.
ALT8901_10.16_RS

FILE / DRAWING NO.
SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:10	A3	14 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08






FRONT VIEW

SCALE 1:10


SIDE VIEW (RIGHT)

SCALE 1:10



REAR VIEW (MIRRORED)


SCALE 1:15 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters + circle	Plexi 8 mm white (opal)	white	9.51 m / 0.56 m²
2	Return letters + circle	Alu 1 mm	RAL 9005	9.51 m / 0.76 m²
3	Letter back	Alu 1.5 mm	–	9.51 m / 0.56 m²
4	LED modules		white	
5	Rail U 30x30x2	Aluminium	RAL 8001	4.21 m
6	Mounting ear 30x30x2, Ø6 hole	Aluminium	RAL 8001	6 pcs. (0 extended)
7	Trafo box (PSU 12V)	Alu box	RAL 8001 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		–	
	Foil on circle, cut (white edge + pictogram)	Vinyl foil	ORACAL 8500 614	1 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	2273 x 600
Profile	P6 on rails
Letter depth	80
Face	Opal 8; circle foil 8500 614
Returns	RAL 9005
Frame	U 30x30x2 + ears, RAL 8001
Illumination	LED white
Power	12V –> trafo box
Wind qp	0.56 kN/m²
Wall	
Perimeter	9.51 m
Weight (calc.)	≈ 12 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – EUROSPAR PANT, P6 on rails

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:10 / 1:15	A3	15 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08




FRONT VIEW

SCALE 1:10



SIDE VIEW (RIGHT)

SCALE 1:10



REAR VIEW (MIRRORED)


SCALE 1:10 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters	Plexi 8 mm white (opal)	white	8.59 m / 0.19 m²
2	Return letters	Alu 1 mm	RAL 9003	8.59 m / 0.43 m²
3	Letter back	Alu 1.5 mm	–	8.59 m / 0.19 m²
4	LED modules		white	
5	Rail U 20x20x2	Aluminium	RAL 4010	1.98 m
6	No ears – top rail screwed directly to wall			–
7	Trafo box (PSU 12V)	Alu box	RAL 4010 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		–	

MAIN DATA

Quantity	1 pcs.
Overall size	1000 x 352
Profile	P6 on rails, indoor
Letter depth	50
Face	Opal 8 mm
Returns	RAL 9003
Frame	U 20x20x2, RAL 4010 matt
Illumination	LED white
Power	cables at the bottom only
Wind qp	0.56 kN/m²
Wall	
Perimeter	8.59 m
Mounting	top rail direct to wall, no ears
Weight (calc.)	≈ 4.3 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory


TITLE

SPAR order 225960 – SMÅGODT, P6 on rails (indoor)

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:10 / 1:10	A3	16 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08




FRONT VIEW

SCALE 1:5



SIDE VIEW (RIGHT)

SCALE 1:5



REAR VIEW (MIRRORED)


SCALE 1:10 | true view from the back



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Face letters	Plexi 8 mm white (opal)	white	7.36 m / 0.12 m²
2	Return letters	Alu 1 mm	RAL 9003	7.36 m / 0.37 m²
3	Letter back	Alu 1.5 mm	–	10.84 m / 0.21 m²
4	LED modules		white	
5	Rail U 20x20x2	Aluminium	RAL 9005	1.77 m
6	No ears – top rail screwed directly to wall			–
7	Trafo box (PSU 12V)	Alu box	RAL 9005 matt	1 pcs. (1 cables x 3 m, 12V)
8	Wall fixing		–	
9	Circle + frame replication, 1 part	Black alu composite 2 mm	RAL 9005	0.10 m²
10	Foil on circle (RAL 2008 tone)	Vinyl foil	ORACAL 551-035	1 pcs.

MAIN DATA

Quantity	1 pcs.
Overall size	900 x 300
Profile	P00+6 on rails, indoor
Letter depth	50
Face	Opal 8 mm; circle foil 551-035
Returns	RAL 9003
Frame	U 20x20x2, RAL 9005 matt
Illumination	LED white
Power	cables at the bottom only
Wind qp	0.56 kN/m²
Wall	
Perimeter	10.84 m
Mounting	top rail direct to wall, no ears
Weight (calc.)	≈ 4.9 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory

TITLE

SPAR order 225960 – KAFFEPAUSE, P00+6 on rails (indoor)

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960


SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:5 / 1:10	A3	17 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08




FRONT VIEW

SCALE 1:20




SIDE VIEW (RIGHT)

SCALE 1:20



DETAIL A – SECTION

SCALE 1:2 | bottom fixing mirrored



REAR VIEW (MIRRORED)


SCALE 1:20 | letters hidden – dashed



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 – TYPICAL SECTION



BILL OF MATERIALS (per 1 pcs.)

POS	PART	MATERIAL	FINISH	QTY (PERIMETER / AREA)
1	Letter face P6 (FRISK SUNN &)	Plexi 8 mm white (opal)	white	20.11 m / 0.91 m²
2	Letter return P6	Alu 1 mm	RAL 9003	20.11 m / 1.41 m²
3	Letter back	Alu 1.5 mm	–	20.11 m / 0.91 m²
4	LED modules		6500K	
5	Background, box lid 33 mm	Alu 2 mm folded	RAL 9005	1 pcs.
6	L profile 30x30x2	Aluminium	–	2 x 2.95 = 5.90 m
7	Wall fixing		–	
8	Letter / P1 fixing to background		–	
9	Screw lid -> L, DIN 7504 N 4.2x16 T20	Steel, hard.	–	22 pcs. (11/L)
10	P1 circle ⌀598 – face (non-lit)	Alu 2 mm	RAL 6039	1.88 m / 0.28 m²
11	P1 circle – return, depth 70	Alu 1 mm	RAL 6039	1.88 m / 0.13 m²
12	P1 circle – back, fixed to box lid	PVC 10 mm	–	0.28 m²

MAIN DATA

Quantity	1 pcs.
Overall size	3000 x 1000
Profile	P6
Letter depth	70
Bg. edge	33
Face	Opal 8; P1 Alu 2, RAL 6039
Return	RAL 9003
Background	RAL 9005
Environment	Indoor
Illumination	LED 6500K
Perim. letters	20.11 m
Perim. line	–
Mounting	L30x30x2, top+bottom
Weight (calc.)	≈ 36 kg / pcs, excl. PSU

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-08	

CLIENT

BrandFactory

TITLE

SPAR order 225960 – TYPE 1000 FRISK & SUNN, P6 + P1 circle on box lid 33

ORDER NO.	FILE / DRAWING NO.
ALT8901_10.16_RS	SPAR order 225960

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:20 / 1:20	A3	18 / 18	A	

DRAWN	CHECKED	DATE
		2026-10-08