





## FRONT VIEW

SCALE 1:50





## SIDE VIEW (RIGHT)

SCALE 1:50




## REAR VIEW (MIRRORED)


SCALE 1:50 | true view from the back



## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 ON RAILS – TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face letters SPAR | Plexi 8 mm white (opal) | white | 18,67 + 6,74 m |
| 1 | Face logo circle | Plexi 8 mm white + foil | ORACAL 8500 614 | 5,16 m / 3,33 m² |
| 2 | Return letters | Alu 1 mm | RAL 9016 | 18,67 + 6,74 m |
| 2 | Return logo | Alu 1 mm | RAL 6029 | 5,16 m / 0,55 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 6029 | 30,57 m / 7,52 m² |
| 4 | LED modules | | white | |
| 5 | Frame, rectangular tube 40 x 40 x 2 mm | Aluminium | RAL 7021 | 15,46 m |
| 6 | Mounting ear, welded, ⌀8 mm hole | Alu 3 mm | RAL 7021 | 24 pcs. (0 extended) |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 7021 matt | 1 pcs. (1 cables x 3 m, 12V) |
| 8 | Wall fixing | | – | |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 8000 x 1606 mm |
| Profile | P6 on rectangular frame |
| Letter depth | 80 mm |
| Face | Opal 8 mm; logo foil 8500 614 |
| Returns | RAL 9016 / logo RAL 6029 |
| Frame | □40 x 40 x 2 mm, ears, RAL 7021 |
| Illumination | LED white |
| Power | 12V at logo –> trafo box |
| Wind qp | 0,56 kN/m² |
| Perimeter | 30,57 m |
| Parts | 2: SPA (4350) \| R + logo (3650) |
| Weight (calc.) | ≈ 83 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |
| | | | |

CLIENT

**BrandFactory**

TITLE

SPAR order 225960 – SPAR + logo, P6 on □ frame, 2 parts

ORDER NO.

**ALT8901_10.16_RS**

FILE / DRAWING NO.

SPAR order 225960


| SCALE | FORMAT | REV. | PROJECTION |
|---|---|---|---|
| 1:50 | A3 | A | |

DATE

2026-10-16


1 pcs.

Sheet 1 / 18





## FRONT VIEW

SCALE 1:20





## SIDE VIEW (RIGHT)

SCALE 1:20




## REAR VIEW (MIRRORED)


SCALE 1:20 | true view from the back




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 ON RAILS – TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face 7-22 | Plexi 8 mm white (opal) | white | 10,13 m / 1,48 m² |
| 1 | Face (8-21) | Plexi 8 mm white (opal) | white | 13,96 m / 1,91 m² |
| 2 | Return 7-22 | Alu 1 mm | RAL 9005 | 10,13 m / 1,09 m² |
| 2 | Return (8-21) | Alu 1 mm | RAL 9005 | 13,96 m / 1,36 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 9005 | 24,09 m / 3,28 m² |
| 4 | LED modules | | white | |
| 5 | Rail U 30 x 30 x 2 mm | Aluminium | RAL 7021 | 11,01 m |
| 6 | Mounting ear 30 x 30 x 2 mm, ⌀6 mm hole | Aluminium | RAL 7021 | 16 pcs. (2 extended) |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 7021 matt | 1 pcs. (2 cables x 3 m, 12V) |
| 8 | Wall fixing | | - | |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 5264 x 914 mm |
| Profile | P6 on rails |
| Letter depth | 80 mm |
| Face | Opal 8 mm |
| Returns | RAL 9005 |
| Frame | U 30 x 30 x 2 mm, ears, RAL 7021 |
| Illumination | LED white |
| Power | 2 cables 12V -> 1 trafo box |
| Wind qp | 0,56 kN/m² |
| Perimeter | 24,09 m |
| Weight (calc.) | ≈ 28 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**


TITLE
SPAR order 225960 – 7-22 (8-21), P6 on rails, 2 signs

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960


SCALE 1:20 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 2 / 18





## FRONT VIEW

SCALE 1:20





## SIDE VIEW (RIGHT)

SCALE 1:20




## REAR VIEW (MIRRORED)


SCALE 1:20 | true view from the back




## 3D VIEW

ILLUSTRATIVE - NOT TO SCALE

### PROFILE P6 ON RAILS - TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face letters | Plexi 8 mm white (opal) | white | 20,50 m / 2,20 m² |
| 2 | Return letters | Alu 1 mm | RAL 9016 | 20,50 m / 1,99 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 9016 | 20,50 m / 2,05 m² |
| 4 | LED modules | | white | |
| 5 | Rail U 30 x 30 x 2 mm | Aluminium | RAL 7021 | 8,20 m |
| 6 | Mounting ear 30 x 30 x 2 mm, ⌀6 mm hole | Aluminium | RAL 7021 | 8 pcs. (0 extended) |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 7021 matt | 1 pcs. (1 cables x 3 m, 12V) |
| 8 | Wall fixing | | - | |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 4400 x 524 mm |
| Profile | P6 on rails |
| Letter depth | 80 mm |
| Face | Opal 8 mm |
| Returns | RAL 9016 |
| Frame | U 30 x 30 x 2 mm, ears, RAL 7021 |
| Illumination | LED white |
| Power | 12V -> trafo box |
| Wind qp | 0,56 kN/m² |
| Perimeter | 20,50 m |
| Weight (calc.) | ≈ 14 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**


TITLE
SPAR order 225960 - OLE P. FJÆR, P6 on rails

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960


SCALE 1:20 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 3 / 18





## FRONT VIEW

SCALE 1:15




## SIDE VIEW (RIGHT)

SCALE 1:15




## REAR VIEW (MIRRORED)


SCALE 1:15 | true view from the back



## 3D VIEW

ILLUSTRATIVE - NOT TO SCALE

### PROFILE P6 ON RAILS - TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face letters SPAR | Plexi 8 mm white (opal) | white | 11,12 m / 1,27 m² |
| 1 | Face logo circle | Plexi 8 mm white + foil | ORACAL 8500 614 | 2,26 m / 1,48 m² |
| 2 | Return letters | Alu 1 mm | RAL 9016 | 11,12 m / 1,09 m² |
| 2 | Return logo | Alu 1 mm | RAL 6029 | 2,26 m / 0,28 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 6029 | 13,38 m / 1,80 m² |
| 4 | LED modules | | white | |
| 5 | Rail U 30 x 30 x 2 mm | Aluminium | RAL 7021 | 6,71 m |
| 6 | Mounting ear 30 x 30 x 2 mm, ⌀6 mm hole | Aluminium | RAL 7021 | 6 pcs. (0 extended) |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 7021 matt | 1 pcs. (1 cables x 3 m, 12V) |
| 8 | Wall fixing | | - | |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 3500 x 703 mm |
| Profile | P6 on rails |
| Letter depth | 80 mm |
| Face | Opal 8 mm; logo foil 8500 614 |
| Returns | RAL 9016 / logo RAL 6029 |
| Frame | U 30 x 30 x 2 mm, ears, RAL 7021 |
| Illumination | LED white |
| Power | 12V -> trafo box |
| Wind qp | 0,56 kN/m² |
| Perimeter | 13,38 m |
| Weight (calc.) | ≈ 18 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT

**BrandFactory**


TITLE

SPAR order 225960 - SPAR letters + logo, P6 on rails

| ORDER NO. | FILE / DRAWING NO. |
|---|---|
| **ALT8901_10.16_RS** | SPAR order 225960 |


| SCALE | FORMAT | REV. | PROJECTION |
|---|---|---|---|
| 1:15 | A3 | A | |

| DATE | | |
|---|---|---|
| 2026-10-16 | 1 pcs. | Sheet 4 / 18 |





**FRONT VIEW**

SCALE 1:15





**SIDE VIEW (RIGHT)**

SCALE 1:15




**REAR VIEW (MIRRORED)**


SCALE 1:15 | true view from the back




**3D VIEW**

ILLUSTRATIVE – NOT TO SCALE

**PROFILE P6 ON RAILS – TYPICAL SECTION**




**BILL OF MATERIALS (per 1 pcs.)**

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face HOURS | Plexi 8 mm white (opal) | white | 13,77 m / 1,38 m² |
| 2 | Return HOURS | Alu 1 mm | RAL 9005 | 13,77 m / 1,36 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 9005 | 13,77 m / 1,07 m² |
| 4 | LED modules | | white | |
| 5 | Rail U 30 x 30 x 2 mm | Aluminium | RAL 7021 | 6,78 m |
| 6 | Mounting ear 30 x 30 x 2 mm, Φ6 mm hole | Aluminium | RAL 7021 | 6 pcs. (0 extended) |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 7021 matt | 1 pcs. (1 cables x 3 m, 12V) |
| 8 | Wall fixing | | - | |

**MAIN DATA**

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 3040 x 522 mm |
| Profile | P6 on rails |
| Letter depth | 80 mm |
| Face | Opal 8 mm |
| Returns | RAL 9005 |
| Frame | U 30 x 30 x 2 mm, ears, RAL 7021 |
| Illumination | LED white |
| Power | 12V –> trafo box |
| Wind qp | 0,56 kN/m² |
| Perimeter | 13,77 m |
| Weight (calc.) | ≈ 12 kg / pcs, excl. PSU |

**REVISIONS**

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT

**BrandFactory**


TITLE

SPAR order 225960 – Opening hours 7-22 (8-21), P6 on rails

| ORDER NO. | FILE / DRAWING NO. |
|---|---|
| **ALT8901_10.16_RS** | SPAR order 225960 |


| SCALE | FORMAT | REV. | PROJECTION |
|---|---|---|---|
| 1:15 | A3 | A | |

| DATE | | |
|---|---|---|
| 2026-10-16 | 1 pcs. | Sheet 5 / 18 |





## FRONT VIEW

SCALE 1:50




## SIDE VIEW (RIGHT)


SCALE 1:50





## REAR VIEW (MIRRORED)

SCALE 1:50


**(3) STAINLESS STEEL BUMPER 1 mm – 2 pcs. (front + 2 sides, front view only)**




FLAT PATTERN (bend lines dash-dot) | SCALE 1:10





TOP VIEW (inner 302 x 101)



## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PORTAL – TYPICAL SECTION




section through leg / beam – wall side up

### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Body, red plexiglas (front + sides) | PLEXIGLAS GS 3H25, 3 mm | RAL 3020 | 4,61 m² |
| 2 | TOP, red plexiglas – 2 parts (joint C) | PLEXIGLAS GS 3H25, 3 mm | RAL 3020 | 2 pcs. (2 x 2050 mm) / 1,92 m² |
| 3 | Bumper 505 x 160 mm, bent 304 x 102 mm | Stainless steel 1 mm | – | 2 pcs. |
| 4 | Backside | Alu 2 mm | RAL 3020 | 5,00 m² |
| 5 | LED modules + dimmer | | | |
| 6 | Bottom | PVC 10 mm | – | 2 pcs. |
| 7 | Trafo box 12V + dimming (cable 12V, 3 m) | Alu box | – | 1 pcs. |
| 8 | Wall / floor fixing | | – | |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 4700 x 3050 mm |
| Profile width | 300 mm |
| Depth | 100 mm |
| Clear opening | 4100 x 2750 mm |
| Top | 2 parts 2050 + 2050, joint C |
| Face | PLEXIGLAS GS 3H25, RAL 3020 |
| Backside | Alu 2 mm, RAL 3020 |
| Bumper | stainless 1 mm, h 160 mm, front |
| Illumination | LED + dimming |
| Power | 12V 3 m –> trafo box 220V |
| Weight (calc.) | ≈ 35 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT

**BrandFactory**

TITLE

SPAR order 225960 – Portal – entrance, illuminated

ORDER NO.

**ALT8901_10.16_RS**

FILE / DRAWING NO.

SPAR order 225960

| SCALE | FORMAT | REV. | PROJECTION |
|---|---|---|---|
| 1:50 | A3 | A | |

DATE

2026-10-16

1 pcs.

Sheet 6 / 18





## FRONT VIEW

SCALE 1:25





## SIDE VIEW

SCALE 1:25





## REAR VIEW (MIRRORED)

SCALE 1:25 | Ø3,2 mm, 7 mm from edge





## DETAIL A – SECTION

SCALE 1:2 | top edge (bottom – mirrored)




## DETAIL B – PANEL JOINT


SCALE 1:2 | vertical section



## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### FOLDED PLATE – SECTION 1:2




Alu 2 mm folded, RAL 9005
+ print (front + edges)

### BILL OF MATERIALS

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Folded plate 2700 x 2100 x 40 mm (2 parts) | Alu 2 mm folded | RAL 9005 | A1 – 3,78 m², A2 – 1,89 m² |
| 2 | Print Gel'UV + laminate, front + edges | original file | – | 5,67 m² |
| 3 | L profile 30 x 30 x 2 mm (top + bottom) | Aluminium | – | 5,30 m |
| 4 | Screw plate –> L, DIN 7504 N 4,2 x 16 mm | Steel, hardened | – | 20 pcs. |
| 5 | Wall fixing | | – | |
| 6 | Bolt + nut, joint (Ø6 mm holes) | | – | 6 pcs. |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 2700 x 2100 mm |
| Depth | 40 mm |
| Parts | A1 2700 x 1400 mm + A2 2700 x 700 mm |
| Plate | Alu 2 mm, folded 4 x 90° |
| Plate finish | RAL 9005 |
| Graphic | print, original file |
| Fixing holes | Ø3,2 mm, 7 mm from edge, ~300 mm |
| Mounting | L 30 x 30 x 2 mm top + bottom |
| Illumination | none |
| Weight (calc.) | ≈ 35 kg / pcs |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**

TITLE
SPAR order 225960 – Back plate, box lid 40 mm, print 2700 x 2100 mm

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960

SCALE
1:25 / 1:2

FORMAT
A3


REV. A

PROJECTION

DATE
2026-10-16


1 pcs.

Sheet 7 / 18





## FRONT VIEW

SCALE 1:25





## SIDE VIEW

SCALE 1:25





## REAR VIEW (MIRRORED)

SCALE 1:25 | Ø3,2 mm, 7 mm from edge




## DETAIL A – SECTION

SCALE 1:2 | top edge (bottom – mirrored)




## DETAIL B – PANEL JOINT


SCALE 1:2 | vertical section




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### FOLDED PLATE – SECTION 1:2




Alu 2 mm folded, RAL 3020
+ cut vinyl (front)

### BILL OF MATERIALS

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Folded plate 2700 x 2100 x 40 mm (2 parts) | Alu 2 mm folded | RAL 3020 | A1 – 3,78 m², A2 – 1,89 m² |
| 2 | Vinyl white | ORACAL 551 010 gloss | – | 0,21 m² |
| | Vinyl green | ORACAL 8500 614 | – | 0,18 m² |
| 3 | L profile 30 x 30 x 2 mm (top + bottom) | Aluminium | – | 5,30 m |
| 4 | Screw plate –> L, DIN 7504 N 4,2 x 16 mm | Steel, hardened | – | 20 pcs. |
| 5 | Wall fixing | | – | |
| 6 | Bolt + nut, joint (Ø6 mm holes) | | – | 6 pcs. |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 2700 x 2100 mm |
| Depth | 40 mm |
| Parts | A1 2700 x 1400 mm + A2 2700 x 700 mm |
| Plate | Alu 2 mm, folded 4 x 90° |
| Plate finish | RAL 3020 |
| Graphic | cut vinyl, 2 colours |
| Fixing holes | Ø3,2 mm, 7 mm from edge, ~300 mm |
| Mounting | L 30 x 30 x 2 mm top + bottom |
| Illumination | none |
| Weight (calc.) | ≈ 35 kg / pcs |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**

TITLE
SPAR order 225960 – Back plate, box lid 40 mm, SPAR logo 2700 x 2100 mm

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960

SCALE
1:25 / 1:2

FORMAT
A3


REV. A

PROJECTION

DATE
2026-10-16


1 pcs.

Sheet 8 / 18





## FRONT VIEW

SCALE 1:25





## SIDE VIEW

SCALE 1:25





## REAR VIEW (MIRRORED)

SCALE 1:25 | Ø3,2 mm, 7 mm from edge




## DETAIL A – SECTION

SCALE 1:2 | top edge (bottom – mirrored)




## DETAIL B – PANEL JOINT


SCALE 1:2 | vertical section




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### FOLDED PLATE – SECTION 1:2




Alu 2 mm folded, RAL 3020
+ cut vinyl (front)

### BILL OF MATERIALS

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Folded plate 2000 x 2100 x 40 mm (2 parts) | Alu 2 mm folded | RAL 3020 | A1 – 2,80 m², A2 – 1,40 m² |
| 2 | Vinyl white | ORACAL 551 010 gloss | – | 0,21 m² |
| | Vinyl green | ORACAL 8500 614 | – | 0,18 m² |
| 3 | L profile 30 x 30 x 2 mm (top + bottom) | Aluminium | – | 3,90 m |
| 4 | Screw plate -> L, DIN 7504 N 4,2 x 16 mm | Steel, hardened | – | 14 pcs. |
| 5 | Wall fixing | | – | |
| 6 | Bolt + nut, joint (Ø6 mm holes) | | – | 5 pcs. |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 2000 x 2100 mm |
| Depth | 40 mm |
| Parts | A1 2000 x 1400 mm + A2 2000 x 700 mm |
| Plate | Alu 2 mm, folded 4 x 90° |
| Plate finish | RAL 3020 |
| Graphic | cut vinyl, 2 colours |
| Fixing holes | Ø3,2 mm, 7 mm from edge, ~300 mm |
| Mounting | L 30 x 30 x 2 mm top + bottom |
| Illumination | none |
| Weight (calc.) | ≈ 26 kg / pcs |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**


TITLE
SPAR order 225960 – Back plate, box lid 40 mm, SPAR logo 2000 x 2100 mm

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:25 / 1:2 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 9 / 18




**FRONT VIEW**

SCALE 1:15 | client preview, print from original file

**Print only – no back plate.**

Original print forwarded – separate files for printing.

Material / laminate:

The vinyl graphic consists of two parts.

Provide a 10 mm overlap at the joint.

**MATERIAL**

**PRINT**
original file – forwarded

**LAMINATE gloss**

**BILL OF MATERIALS (per 1 pcs.)**

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Print, 2 parts, 10 mm overlap | | | 1320 mm x 6,01 m = 7,93 m² |
| | Laminate | | – | 1320 mm x 6,01 m = 7,93 m² |

**MAIN DATA**

| | |
|---|---|
| Quantity | 1 pcs. |
| Size | 3000 x 2300 mm |
| Parts | 2 (joint 1150, overlap 10 mm) |
| Product | print only |
| Artwork | original file (forwarded) |
| Material | |
| Finish | |
| Weight (calc.) | – |

**REVISIONS** ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**


TITLE
SPAR order 225960 – Print 3000 x 2300 mm (separate files for printing)

ORDER NO. **ALT8901_10.16_RS**

FILE / DRAWING NO. SPAR order 225960

SCALE 1:15 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 10 / 18




## FOIL - FLAT

SCALE 1:15

**MATERIAL**

**FOIL PMS 185**
Avery 777-002CF or equiv.

**BILL OF MATERIALS (per 1 pcs.)**

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Foil PMS 185, 5000 x 1220 mm | ORACAL 551 032 gloss | foil | 1230 mm x 5,00 m = 6,15 $m^2$ |

**MAIN DATA**

| | |
|---|---|
| Quantity | 1 pcs. |
| Size | 5000 x 1220 mm |
| Material | ORACAL 551 032 gloss |
| Weight (calc.) | - |

**REVISIONS** ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**


TITLE
SPAR order 225960 - Foil PMS 185 - Avery 777-002CF or equivalent

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:15 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 11 / 18




**FOIL - FLAT**

SCALE 1:100

| MATERIAL |
|---|
| **SANDBLAST FOIL**<br>sandblast foil |

**BILL OF MATERIALS (per 1 pcs.)**

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Sandblast foil, 23000 x 1220 mm | sandblast foil Poli-Etch 5054 | sandblast | 1320 mm x 23,00 m = 30,36 $m^2$ |

**MAIN DATA**

| | |
|---|---|
| Quantity | 1 pcs. |
| Size | 23000 x 1220 mm |
| Material | sandblast foil |
| Weight (calc.) | - |

**REVISIONS** ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**


TITLE
SPAR order 225960 - Sandblast foil 23000 x 1220 mm

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:100 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16 | 1 pcs. | Sheet 12 / 18




**FRONT VIEW**

SCALE 1:5 | white, outline = cut line

**MATERIAL**

WHITE DECOR
material

**BILL OF MATERIALS (per 1 pcs.)**

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | White decor SPAR logo | ORACAL 551 101 gloss | white | 7 pcs. / 1320 mm x 0,77 m = 1,02 $m^2$ |

**MAIN DATA**

| | |
|---|---|
| Quantity | 7 pcs. |
| Size | 769 x 131,3 mm |
| Colour | white |
| Material | |
| Weight (calc.) | - |

**REVISIONS** ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**


TITLE
SPAR order 225960 - White decor SPAR logo 769 x 131,3 mm

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960

SCALE 1:5 | FORMAT A3 | REV. A | PROJECTION


DATE 2026-10-16 | 7 pcs. | Sheet 13 / 18




## DESIGN A – 5 pcs.

SCALE 1:10 | client preview

White print on sandblast foil




## DESIGN B – 5 pcs.

SCALE 1:10 | client preview

White print on sandblast foil

**A vector file is required.**

**MATERIAL**

**SANDBLAST FOIL**
white print

**BILL OF MATERIALS (per 1 pcs.)**

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| ① | White print on sandblast foil, design A | sandblast foil Poli-Etch 5054 | white print | 5 pcs. / 1320 mm x 4,32 m = 5,70 m² |
| ② | White print on sandblast foil, design B | sandblast foil Poli-Etch 5054 | white print | 5 pcs. / 1320 mm x 4,32 m = 5,70 m² |

**MAIN DATA**

| | |
|---|---|
| Quantity | 5 + 5 pcs. |
| Size | 930 x 855 mm |
| Material | sandblast foil |
| Print | white |
| Artwork | separate files for printing |
| Weight (calc.) | - |

**REVISIONS** ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT
**BrandFactory**

TITLE
SPAR order 225960 – White print on sandblast foil 930 x 855 mm

ORDER NO.
**ALT8901_10.16_RS**


FILE / DRAWING NO.
SPAR order 225960

SCALE 1:10 | FORMAT A3 | REV. A | PROJECTION

DATE 2026-10-16


**5 + 5 pcs.**

Sheet 14 / 18





## FRONT VIEW

SCALE 1:15





## SIDE VIEW (RIGHT)

SCALE 1:15




## REAR VIEW (MIRRORED)


SCALE 1:15 | true view from the back




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 ON RAILS – TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face letters + circle | Plexi 8 mm white (opal) | white | 9,51 m / 1,49 m² |
| 2 | Return letters + circle | Alu 1 mm | RAL 9005 | 9,51 m / 0,91 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 9005 | 9,51 m / 1,15 m² |
| 4 | LED modules | | white | |
| 5 | Rail U 30 x 30 x 2 mm | Aluminium | RAL 8001 | 4,21 m |
| 6 | Mounting ear 30 x 30 x 2 mm, Ø6 mm hole | Aluminium | RAL 8001 | 6 pcs. (0 extended) |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 8001 matt | 1 pcs. (1 cables x 3 m, 12V) |
| 8 | Wall fixing | | - | |
| | Foil on circle, cut (white edge + pictogram) | Vinyl foil | ORACAL 8500 614 | 1 pcs. |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 2274 x 600 mm |
| Profile | P6 on rails |
| Letter depth | 80 mm |
| Face | Opal 8; circle foil 8500 614 |
| Returns | RAL 9005 |
| Frame | U 30 x 30 x 2 mm, ears, RAL 8001 |
| Illumination | LED white |
| Power | 12V –> trafo box |
| Wind qp | 0,56 kN/m² |
| Perimeter | 9,51 m |
| Weight (calc.) | ≈ 12 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |

CLIENT: **BrandFactory**


TITLE: SPAR order 225960 – EUROSPAR PANT, P6 on rails

ORDER NO.: **ALT8901_10.16_RS**

FILE / DRAWING NO.: SPAR order 225960


SCALE: 1:15 | FORMAT: A3 | REV. A | PROJECTION

DATE: 2026-10-16 | 1 pcs. | Sheet 15 / 18





## FRONT VIEW

SCALE 1:10




## SIDE VIEW (RIGHT)

SCALE 1:10




## REAR VIEW (MIRRORED)


SCALE 1:10 | true view from the back




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 ON RAILS – TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face letters | Plexi 8 mm white (opal) | white | 8,59 m / 0,45 m² |
| 2 | Return letters | Alu 1 mm | RAL 9003 | 8,59 m / 0,55 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 9003 | 8,59 m / 0,40 m² |
| 4 | LED modules | | white | |
| 5 | Rail U 20 x 20 x 2 mm | Aluminium | RAL 4010 | 2,20 m |
| 6 | No ears – top rail screwed directly to wall | | | - |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 4010 matt | 1 pcs. (1 cables x 3 m, 12V) |
| 8 | Wall fixing | | - | |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 1000 x 352 mm |
| Profile | P6 on rails, indoor |
| Letter depth | 50 mm |
| Face | Opal 8 mm |
| Returns | RAL 9003 |
| Frame | U 20 x 20 x 2 mm, RAL 4010 matt |
| Illumination | LED white |
| Power | cables at the bottom only |
| Wind qp | 0,56 kN/m² |
| Perimeter | 8,59 m |
| Mounting | top rail direct to wall, no ears |
| Weight (calc.) | ≈ 4,4 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |
| | | | |

CLIENT

**BrandFactory**


TITLE

SPAR order 225960 – SMÅGODT, P6 on rails (indoor)

| ORDER NO. | FILE / DRAWING NO. |
|---|---|
| **ALT8901_10.16_RS** | SPAR order 225960 |


| SCALE | FORMAT | REV. | PROJECTION |
|---|---|---|---|
| 1:10 | A3 | A | |

| DATE | | |
|---|---|---|
| 2026-10-16 | 1 pcs. | Sheet 16 / 18 |





## FRONT VIEW

SCALE 1:10




## SIDE VIEW (RIGHT)

SCALE 1:10




## REAR VIEW (MIRRORED)


SCALE 1:10 | true view from the back




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 ON RAILS – TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Face letters | Plexi 8 mm white (opal) | white | 7,36 m / 0,25 m² |
| 2 | Return letters | Alu 1 mm | RAL 9003 | 7,36 m / 0,61 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 9005 | 10,84 m / 0,59 m² |
| 4 | LED modules | | white | |
| 5 | Rail U 20 x 20 x 2 mm | Aluminium | RAL 9005 | 1,69 m |
| 6 | No ears – top rail screwed directly to wall | | | - |
| 7 | Trafo box (PSU 12V) | Alu box | RAL 9005 matt | 1 pcs. (1 cables x 3 m, 12V) |
| 8 | Wall fixing | | - | |
| 9 | Circle + frame replication, 1 part | Black alu composite 2 mm | RAL 9005 | 0,39 m² |
| 10 | Foil on circle (RAL 2008 tone) | Vinyl foil | ORACAL 551-035 | 1 pcs. |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 900 x 300 mm |
| Profile | P00+6 on rails, indoor |
| Letter depth | 50 mm |
| Face | Opal 8 mm; circle foil 551-035 |
| Returns | RAL 9003 |
| Frame | U 20 x 20 x 2 mm, RAL 9005 matt |
| Illumination | LED white |
| Power | cables at the bottom only |
| Wind qp | 0,56 kN/m² |
| Perimeter | 10,84 m |
| Mounting | top rail direct to wall, no ears |
| Weight (calc.) | ≈ 4,9 kg / pcs, excl. PSU |

### REVISIONS

ALL DIMENSIONS IN mm UNLESS OTHERWISE SPECIFIED

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |
| | | | |

CLIENT
**BrandFactory**

TITLE
SPAR order 225960 – KAFFEPAUSE, P00+6 on rails (indoor)

ORDER NO.
**ALT8901_10.16_RS**

FILE / DRAWING NO.
SPAR order 225960

SCALE
1:10

FORMAT
A3

REV. A

PROJECTION

DATE
2026-10-16


1 pcs.

Sheet 17 / 18





## FRONT VIEW

SCALE 1:20





## SIDE VIEW (RIGHT)

SCALE 1:20




## REAR VIEW (MIRRORED)

SCALE 1:20 | letters hidden – dashed




## DETAIL A – SECTION


SCALE 1:2 | bottom fixing mirrored




## 3D VIEW

ILLUSTRATIVE – NOT TO SCALE

### PROFILE P6 – TYPICAL SECTION




### BILL OF MATERIALS (per 1 pcs.)

| POS | PART | MATERIAL | FINISH | QTY (PERIMETER / AREA) |
|---|---|---|---|---|
| 1 | Letter face P6 (FRISK SUNN &) | Plexi 8 mm white (opal) | white | 20,11 m / 1,39 m² |
| 2 | Letter return P6 | Alu 1 mm | RAL 9003 | 20,11 m / 1,77 m² |
| 3 | Letter back | Alu 1,5 mm | RAL 9003 | 20,11 m / 1,34 m² |
| 4 | LED modules | | 6500K | |
| 5 | Background, box lid 33 mm | Alu 2 mm folded | RAL 9005 | 3,00 m² |
| 6 | L profile 30 x 30 x 2 mm | Aluminium | – | 5,90 m |
| 7 | Wall fixing | | – | |
| 8 | Letter / P1 fixing to background | per production | – | holes = letter back |
| 9 | Screw lid -> L | DIN 7504 N 4,2 x 16 mm T20 | – | 22 pcs. (11/L) |
| 10 | P1 circle ⌀598 mm – face (non-lit) | Alu 2 mm | RAL 6039 | 1,88 m / 0,62 m² |
| 11 | P1 circle – return, depth 70 | Alu 1 mm | RAL 6039 | 1,88 m / 0,17 m² |
| 12 | P1 circle – back, fixed to box lid | PVC 10 mm | RAL 9003 | 1,25 m² |

### MAIN DATA

| | |
|---|---|
| Quantity | 1 pcs. |
| Overall size | 3000 x 1000 mm |
| Profile | P6 |
| Letter depth | 70 mm |
| Bg. edge | 33 |
| Face | Opal 8; P1 Alu 2, RAL 6039 |
| Return | RAL 9003 |
| Background | RAL 9005 |
| Environment | Indoor |
| Illumination | LED 6500K |
| Perim. letters | 20,11 m |
| Perim. line | – |
| Mounting | L 30 x 30 x 2 mm, top+bottom |
| Weight (calc.) | ≈ 36 kg / pcs, excl. PSU |

### REVISIONS

| REV | DESCRIPTION | DATE | BY |
|---|---|---|---|
| A | First issue | 2026-10-16 | |
| | | | |

CLIENT

**BrandFactory**

TITLE

SPAR order 225960 – TYPE 1000 FRISK & SUNN, P6 + P1 circle on box lid 33

| ORDER NO. | FILE / DRAWING NO. |
|---|---|
| ALT8901_10.16_RS | SPAR order 225960 |

| SCALE | FORMAT | REV. | PROJECTION |
|---|---|---|---|
| 1:20 / 1:20 | A3 | A | |

| DATE | | |
|---|---|---|
| 2026-10-16 | 1 pcs. | Sheet 18 / 18 |