



FRONT VIEW

SCALE 1:25


SIDE VIEW (RIGHT)

SCALE 1:25



REAR VIEW (MIRRORED)

SCALE 1:25 | true view from the back



LED INSTALLATION


as original drawing (ALT8858)



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



MATERIALS TO MAKE ONE UNIT

POS	Detail name	Materials	Qty	Mat. qn.	Notes
1	Vinyl	MACTAC 9849-55 (kiwi green)	2.4	b/m	
2	Vinyl	Oracal 641-070	3.5	b/m	
3	Frame	Al. square prof. 40x20x2, AW-6060/6063 T6	12.5	b/m	
4	Mounting hole	Al. sheet t=3mm, AW-1050A H24	0.1	m2	
5	Back	Al. sheet t=1.5mm, AW-1050A H24	3.4	m2	vidus baltas, šl.
6	Front	Plexiglas WH02SC, t=3mm	3.4	m2	
7	Sides	Al. stripe t=1mm, h=100mm AW-1050A H24	25	b/m	vidus baltas, šl.
8	Frame welding template	Šabloninis popierius	3.4	b/m	
9	LED	Module P 130 Lens (1W) green	85	vnt.	
10	LED	Module P 65 Lens (1W) white	63	vnt.	
11	Transformator	KPS-V12 - 100 W, KPS-V12 - 20 W	3	vnt.	
12	El wire	230 V	9	m	
14	PVC stripe		25	b/m	
15	Frame connection	Al. square prof. 15x15x2, AW-6060/6063 T6	0,5	b/m	

MAIN DATA

Quantity	3 pcs.
Overall size	3362 x 1095
Frame	Ral 7024, divided
Sides	RAL 9010
Front	3mm stiklas / 8mm stiklas
Vinyl	Mactac 9849-55, Oracal 641-070
Fitting plates	14 pcs., 40 x 75, ⌀ 8mm
Cable	Laido skylė turi būti viršrėmo
Wire	230V (black): 9 m
Weld. template	3400 x 1200
Perimeter	25 m
Weight (calc.)	≈ 34 kg

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-13	


CLIENT
BrandFactory

TITLE
KIWI minipris 3362

ORDER NO.	FILE / DRAWING NO.
ALT0000_10.13_RS	Order 226023 KIWI 640 BYGNES


SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:25 / 1:25	A3	1 / 3	A	

DRAWN	CHECKED	DATE
		2026-10-13




FRONT VIEW

SCALE 1:15




SIDE VIEW (RIGHT)

SCALE 1:15



REAR VIEW (MIRRORED)

SCALE 1:15 | true view from the back



LED Installation

Module P130 lens (1W) green: 26pcs.
Power: 26
KPS-V12-40W 1 pcs. (inside)
Wire 230V (BLACK): 3m

LED INSTALLATION


as original drawing (ALT8858)



3D VIEW

ILLUSTRATIVE – NOT TO SCALE

PROFILE P6 ON RAILS – TYPICAL SECTION



MEDŽIAGŲ ŽINIARAŠTIS VIENAM GAMINIUI

POS	Detalės pavadinimas	Medžiaga	Kiekis	Mat. vnt.	Pastabos
1	Plėvelė	MACTAC 9849-55 (kiwi žalia)	2.1	b/m	
2	Plėvelė	Oracal 641-070	2.1	b/m	
3	Rėmas	Al. stačiakampis vamzdis 40x20x2mm	6.5	b/m	
4	Tvirtinimo auselė	Al. Lakštas t=3mm, AW-1050A H24	0.1	m2	
5	Dugnas	Al. lakštas t=1.5mm, AW-1050A H24	1.2	m2	vidus baltas, šl.
6	Priekis	Plexiglas WH02SC, t=3mm	1.2	m2	
7	Bortai	Al. juosta t=1mm, h=100mm AW-1050A H24	9.2	b/m	vidus baltas, šl.
8	Šablonas virinimui	Šabloninis popierius	1.9	b/m	
9	LED	P130 lens (1W) green	26	vnt.	
10	Transformatorius	KPS-V12-40W	1	vnt.	
11	Laidas	230V	3	m	
12	PVC juosta		9,2	b/m	

MAIN DATA

Quantity	3 pcs.
Overall size	2037 x 709
Frame	Ral 7024
Sides	RAL 9010
Fitting plates	4 pcs., 40 x 75, ⌀ 8mm
Wire	230V (BLACK): 3m
Perimeter	9,5 m
Weight (calc.)	≈ 11 kg

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-13	

CLIENT
BrandFactory


TITLE
7-23 L 2037

ORDER NO.
ALT0000_10.13_RS

FILE / DRAWING NO.
Order 226023 KIWI 640 BYGNES

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:15 / 1:15	A3	2 / 3	A	


DRAWN	CHECKED	DATE
		2026-10-13




FRONT VIEW
SCALE 1:40

SIDE VIEW
SCALE 1:40

REAR VIEW
SCALE 1:40



SECTION C-C (1:10)



PARTS LIST

POS	Part Number	Description	Qty	FINISH
1	100x20x2mm Alu profile			RAL 6018
2	Backside, 1.5mm Alu			RAL 6018
3	Top cover, 1.5mm Alu			RAL 6018
4	1mm stainless steel cover	Cover with adjustable position		
5	LED's with transformator	LED modules: Edge Modules SM280-12V Trafo: KPS 15W +1,5m ~230V El. Output	5pcs.	
6	Ffitting plate, 3mm Alu	Connection point		
7	Screws			

MAIN DATA

Quantity	1 pcs.
Body height	6800
Weight (calc.)	≈ 35 kg / pcs, excl. LED

REVISIONS

REV	DESCRIPTION	DATE	BY
A	First issue	2026-10-13	RS

CLIENT
BrandFactory

TITLE
Lanterne med lys 6800, RAL 6018

ORDER NO.
ALT0000_10.13_RS

FILE / DRAWING NO.
Order 226023 KIWI 640 BYGNES

SCALE (DIM. mm)	FORMAT	SHEET	REV.	PROJECTION
1:40 / 1:10	A3	3 / 3	A	

DRAWN	CHECKED	DATE
		2026-10-13