
KAISEN CONTINUOUS IMPROVEMENT

LED Modules, LED Strips and Power Supplies

www.kaisenelectric.com

Picture	Part No.	LED Type	Power	Voltage	Luminous flux	Color	CCT	Protection Level	Angle	Center-to-Center distance	Light decay	Price, EURO excl.	Price with Discount
NEW TELELINE MAX 24V Series												Warranty 7 years	
	**Teleline T2MAX 24V**	New generation solution for slim light boxes with a depth of 70-100 mm											
	KM-T2MAX-W	2835	1 W	24V	170 Lm	White	6500 K	IP67	175°	260 mm	<30% after 60 000h	0.80 €	0.48 €
	**Teleline T4MAX 24V**	New generation solution for slim light boxes with a depth of 100-200 mm											
	KM-T4MAX-W	2835	2 W	24 V	340 Lm	White	6500 K	IP67	175°	400 mm	<30% after 60 000h	1.20 €	0.72 €
NEW TELELINE MINI 24V Series												Warranty 7 years	
	**Teleline MINI T1 24V**	New generation solution for slim light boxes with a depth of 30-60 mm											
	KM-T0-W	2835	0,5 W	24 V	55 Lm	White	6500 K	IP67	165°	155 mm	<30% after 60 000h	0.40 €	0.24 €
	**Teleline MINI T2 24V**	New generation solution for slim light boxes with a depth of 50-100 mm											
	KM-T1-W	2835	1 W	24 V	110 Lm	White	6500 K	IP67	165°	205 mm	<30% after 60 000h	0.50 €	0.30 €
	**Teleline MINI T3 24V**	New generation solution for slim light boxes with a depth of 80-120 mm											
	KM-T2-W	2835	1.5 W	24 V	165 Lm	White	6500 K	IP67	165°	300 mm	<30% after 60 000h	0.60 €	0.36 €
NEW PRISM PRO 24V Series												Warranty 7 years	
	**PRISM PRO1 HE+ 24V**	New generation solution for channel letters with a depth of 30-60 mm											
	KM-PRO1-W	2835	0.36	24 V	63 Lm	White	6500 K	IP67	165°	140 mm	<30% after 60 000h	0.43 €	0.26 €
	**PRISM PRO2 HE+ 24V**	New generation solution for channel letters with a depth of 60-100 mm											
	KM-PRO2-W	2835	0.72	24 V	126 Lm	White	6500 K	IP67	165°	200 mm	<30% after 60 000h	0.55 €	0.33 €
	**PRISM PRO3 HE+ 24V**	New generation solution for channel letters with a depth of 100-150 mm											
	KM-PRO3-W	2835	1.08	24 V	189 Lm	White	6500 K	IP67	165°	260 mm	<30% after 60 000h	0.70 €	0.42 €
	**PRISM PRO4 HE+ 24V**	New generation solution for channel letters with a depth of 120-250 mm											
	KM-PRO4-W	2835	1.44	24 V	252 Lm	White	6500 K	IP67	165°	340 mm	<30% after 60 000h	0.95 €	0.57 €
NEW PRISM SE Series												Warranty 5 years	
	**PRISM SE 2**	New generation solution for channel letters with a depth of 60-90 mm											
	KM-P-2SE-W	2835	0.72	12 V	80 Lm	White	6500 K	IP67	165°	160 mm	<30% after 60 000h	0.24 €	0.14 €
	**PRISM SE 3 0.72W**	New generation solution for channel letters with a depth of 60-90 mm											
	KM-P-3SE-W 0.72W	2835	0.72	12 V	80 Lm	White	6500 K	IP67	165°	150 mm	<30% after 60 000h	0.27 €	0.16 €
	**PRISM SE 3 1.2W**	New generation solution for channel letters with a depth of 90-140 mm											
	KM-P-3SE-W 1.2W	2835	1.2	12 V	132 Lm	White	6500 K	IP67	165°	180 mm	<30% after 60 000h	0.27 €	0.16 €
TELELINE Series												Warranty 7 years	
	**TELELINE T-0**	New generation solution for slim light boxes with a depth of 30-60 mm											
	KM-T0-W	3030	0.5 W	12 V	55 Lm	White	6500 K	IP67	175°	180 mm	<30% after 60 000h	0.65 €	0.39 €
	**TELELINE T-1**	New generation solution for slim light boxes with a depth of 40-70 mm											
	KM-T1-W	3030	1.2 W	12 V	120 Lm	White	6500 K	IP67	175°	300 mm	<30% after 60 000h	0.65 €	0.39 €
	**TELELINE T-2**	New generation solution for slim light boxes with a depth of 70-100 mm											
	KM-T2-W	3030	2 W	12 V	200 Lm	White	6500 K	IP67	175°	350 mm	<30% after 60 000h	0.85 €	0.51 €
	**TELELINE T-4**	New generation solution for slim light boxes with a depth of 100-200 mm											
	KM-T4-W	3030	4 W	12 V	380 Lm	White	6500 K	IP67	175°	500 mm	<30% after 60 000h	1.40 €	0.84 €
	**TELELINE T-7**	New generation solution for slim light boxes with a depth of 140-200 mm											
	KM-T7-W	3030	7 W	24 V	810 Lm	White	6500 K	IP67	175°	500 mm	<30% after 60 000h	1.95 €	1.45 €

PRISM Series — Warranty 7 years



PRISM P-0
New generation solution for channel letters with a depth of 30-60 mm

KM-P0-W	2835	0.36 W	12 V	43 Lm	White	6500 K	IP67	165°	120 mm	<30% after 60 000h	0.33 €	0.20 €
KM-P0-R	2835	0.36 W	12 V	8 Lm	Red	-	IP67	165°	120 mm	<30% after 60 000h	0.38 €	0.23 €
KM-P0-B	2835	0.36 W	12 V	5 Lm	Blue	-	IP67	165°	120 mm	<30% after 60 000h	0.38 €	0.23 €



PRISM P-1
New generation solution for channel letters with a depth of 50-80 mm

KM-P1-W	2835	0.5 W	12 V	60 Lm	White	6500 K	IP67	165°	160 mm	<30% after 60 000h	0.33 €	0.20 €
KM-P1-W	2835	0.5 W	12 V	60 Lm	Neutral	4000 K	IP67	165°	160 mm	<30% after 60 000h	0.33 €	0.20 €
KM-P1-W	2835	0.5 W	12 V	60 Lm	Warm White	3000 K	IP67	165°	160 mm	<30% after 60 000h	0.33 €	0.20 €



PRISM P-2
New generation solution for channel letters with a depth of 60-90 mm

KM-P2-W	2835	0.72 W	12 V	90 Lm	White	6500 K	IP67	165°	180 mm	<30% after 60 000h	0.40 €	0.24 €
KM-P2-W	2835	0.72 W	12 V	90 Lm	Neutral	4000 K	IP67	165°	180 mm	<30% after 60 000h	0.40 €	0.24 €
KM-P2-W	2835	0.72 W	12 V	90 Lm	Warm White	3000 K	IP67	165°	180 mm	<30% after 60 000h	0.40 €	0.24 €
KM-P2-R	2835	0,72 W	12 V	18 Lm	Red	-	IP67	165°	200 mm	<30% after 60 000h	0.45 €	0.27 €
KM-P2-G	2835	0,72 W	12 V	37 Lm	Green	-	IP67	165°	200 mm	<30% after 60 000h	0.45 €	0.27 €
KM-P2-B	2835	0,72 W	12 V	10 Lm	Blue	-	IP67	165°	200 mm	<30% after 60 000h	0.45 €	0.27 €



PRISM P-2
New generation solution for channel letters with a depth of 80-120 mm

KM-P2-W	2835	1 W	12 V	115 Lm	White	6500 K	IP67	165°	200 mm	<30% after 60 000h	0.40 €	0.24 €



PRISM P-3
New generation solution for channel letters with a depth of 100-150 mm

KM-P3-W	2835	0,72 W	12 V	72 Lm	White	6500 K	IP67	165°	190 mm	<30% after 60 000h	0.40 €	0.24 €
KM-P3-W	2835	1,5 W	12 V	173 Lm	White	6500 K	IP67	165°	240 mm	<30% after 60 000h	0.50 €	0.30 €
KM-P3-W	2835	1,5 W	12 V	173 Lm	Neutral	4000 K	IP67	165°	240 mm	<30% after 60 000h	0.50 €	0.30 €
KM-P3-W	2835	1,5 W	12 V	173 Lm	Warm White	3000 K	IP67	165°	240 mm	<30% after 60 000h	0.50 €	0.30 €
KM-P3-R	2835	1,2 W	12 V	40 Lm	Red	-	IP67	165°	240 mm	<30% after 60 000h	0.55 €	0.33 €
KM-P3-G	2835	1,2 W	12 V	99 Lm	Green	-	IP67	165°	240 mm	<30% after 60 000h	0.55 €	0.33 €
KM-P3-B	2835	1,2 W	12 V	22 Lm	Blue	-	IP67	165°	240 mm	<30% after 60 000h	0.55 €	0.33 €



PRISM P-4
New generation solution for channel letters with a depth of 150-250 mm

KM-P4-W (HE)	2835	2W	12V	230 Lm	White	6500 K	IP67	165°	340 mm	<30% after 50 000h	0.75 €	0.45 €
KM-P4-W (HE)	2835	2W	24V	230 Lm	White	6500 K	IP67	165°	340 mm	<30% after 50 000h	0.75 €	0.45 €

MINI Series — Warranty 5 years



MINI1 0.36W
Extra small size solution for ultra thin channel letters with a depth of 30-80 mm.

KM-MINI1-W (HE)	2835	0,36 W	12 V	58 Lm	White	6500 K	IP66	165°	80 mm	<30% after 50 000h	0.35 €	0.21 €

MINI3 0.4W
Extra small size solution for ultra thin channel letters with a depth of 40-70 mm.



KM-MINI3-04W-65K	2835	0,4 W	12 V	40 Lm	White	6500 K	IP67	160°	75 mm	<30% after 50 000h	0.30 €	0.18 €

MINI3 0.7W
Extra small size solution for ultra thin channel letters with a depth of 60-100 mm.

KM-MINI3-07W-65K	2835	0,7 W	12 V	70 Lm	White	6500 K	IP67	160°	120 mm	<30% after 50 000h	0.30 €	0.18 €

RGB SERIES — Warranty 5 years



PRISM P3 RGB
Solution for light boxes and channel letters with depth 80 - 120 mm

KM-P3-RGB	5050	0,72 W	12 V	-	RGB	-	IP67	160°	162 mm	<30% after 50 000h	0.60 €	0.36 €

DUOLITE Series for double sided light boxes — Warranty 5 years



DUOLITE 1065 DS15
Universal solution for double-sided lightboxes of 600-2500 mm height.

KM-DS15-W	3030	1,5 W	12 V	150 Lm	White	7000 K	IP65	10° x 65°	180 mm	<30% after 60 000h	1.10 €	0.66 €



DUOLITE 1045 DS20
Unique and the only solution for double-sided lightboxes up to 3000mm height.

KM-DS20-W	3030	2 W	12 V	200 Lm	White	7000 K	IP65	10° x 65°	200 mm	<30% after 60 000h	1.50 €	0.90 €

Picture	Part #	Dimensions (LxWxH)	Input Voltage	Output current	Power	Operation temperature	Protection Level	Features	Price, EURO excl.	Price with Discount
KAISEN	Constant Voltage Outdoor Power Supplies								Warranty 5 years	
	Power Supply 20 W									
	KPS-V12-20W67-5Y-RM	162x29x21 mm	12 V	1,67 A	20W	-30~+75 ºC	IP67	Metal Casing	9.00 €	5.85 €
	Power Supply 40 W									
	KPS-V12-40W67-5Y-RM	222x29x21 mm	12 V	3,0 A	40 W	-30~+75 ºC	IP67	Metal Casing	12.00 €	7.80 €
	KPS-V24-40W67-5Y-RM	222x29x21 mm	24 V	1,5 A	40W	-30~+75 ºC	IP67	Metal Casing	12.00 €	7.80 €
	Power Supply 60 W									
	KPS-V12-60W67-5Y-RM	195x52x35 mm	12 V	5,0 A	60 W	-30~+75 ºC	IP67	Metal Casing	14.00 €	9.10 €
	KPS-V12-60W67-5Y-SM	182x40x22 mm	12 V	5,0 A	60 W	-30~+75 ºC	IP67	Metal Casing	14.00 €	9.10 €
	KPS-V24-60W67-5Y-RM	195x52x35 mm	24 V	2,5 A	60 W	-30~+75 ºC	IP67	Metal Casing	14.00 €	9.10 €
	Power Supply 100 W									
	KPS-V12-100W67-5Y-RM	215x52x35 mm	12 V	8,33 A	100 W	-30~+75 ºC	IP67	Metal Casing	23.00 €	14.95 €
	KPS-V12-100W67-5Y-SM	218x40x22 mm	12 V	8,33 A	100 W	-30~+75 ºC	IP67	Metal Casing	23.00 €	14.95 €
	KPS-V24-100W67-5Y-RM	215x52x35 mm	24 V	4,17 A	100 W	-30~+75 ºC	IP67	Metal Casing	23.00 €	14.95 €
	Power Supply 150 W									
	KPS-V12-150W67-5Y-SM	279x57x25mm	12 V	12,5 A	150 W	-30~+75 ºC	IP67	Metal Casing	27.00 €	17.55 €
	KPS-V24-150W67-5Y-SM	279x57x25mm	24 V	6,25 A	150 W	-30~+75 ºC	IP67	Metal Casing	27.00 €	17.55 €
	Power Supply 200 W									
	KPS-V12-200W67-5Y-SM	225x65x35mm	12 V	16,67 A	200 W	-30~+75 ºC	IP67	Metal Casing	35.00 €	22.75 €
	Power Supply 250 W									
	KPS-V12-250W67-5Y-SM	240x90x40 mm	12 V	20,8 A	250 W	-30~+75 ºC	IP67	Metal Casing	40.00 €	26.00 €
	KPS-V24-250W67-5Y-SM	240x90x40 mm	24 V	10,4 A	250 W	-30~+75 ºC	IP67	Metal Casing	40.00 €	26.00 €
	Power Supply 360 W									
	KPS-V12-360W67-5Y-SM	257x90x40 mm	12 V	30 A	360 W	-30~+75 ºC	IP67	Metal Casing	50.00 €	32.50 €
	KPS-V24-360W67-5Y-SM	257x90x40 mm	24 V	15 A	360 W	-30~+75 ºC	IP67	Metal Casing	50.00 €	32.50 €

Picture	Part #	Dimensions (LxWxH)	Input Voltage	Output current	Power	Operation temperature	Protection Level	Features	Price, EURO excl.	
KAISEN	Constant Voltage Outdoor Power Supplies								Warranty 5 years	
	Power Supply 5 W									
	KPS-V12-5W67-5Y-RP	52x26x21mm	12 V	0,55 A	5 W	-30~+75 ºC	IP67	Plastic Casing	5.00 €	3.25 €
	Power Supply 15 W									
	KPS-V12-15W67-5Y-RP	162x28x20mm	12 V	1,25 A	15 W	-30~+75 ºC	IP67	Plastic Casing	7.00 €	4.55 €
	Power Supply 36 W									
	KPS-V12-36W67-5Y-RP	148x40x30 mm	12 V	3,0 A	36 W	-30~+75 ºC	IP67	Plastic Casing	9.00 €	5.85 €
	KPS-V24-36W67-5Y-RP	148x40x30 mm	24 V	1,5 A	36 W	-30~+75 ºC	IP67	Plastic Casing	9.00 €	5.85 €
	Power Supply 60 W									
	KPS-V12-60W67-5Y-RP	166x42x34 mm	12 V	5,0 A	60 W	-30~+75 ºC	IP67	Plastic Casing	12.00 €	7.80 €
	KPS-V24-60W67-5Y-RP	166x42x34 mm	24 V	2,5 A	60 W	-30~+75 ºC	IP67	Plastic Casing	12.00 €	7.80 €
	Power Supply 100 W									
	KPS-V12-100W67-5Y-RP	190x52x37 mm	12 V	8,3 A	100 W	-30~+75 ºC	IP67	Plastic Casing	18.00 €	11.70 €
	KPS-V24-100W67-5Y-RP	190x52x37 mm	24 V	4,17 A	100 W	-30~+75 ºC	IP67	Plastic Casing	18.00 €	11.70 €

Picture	Part #	Dimensions (LxWxH)	Input Voltage	Input Voltage	Output current	Power	Protection Level	Price, EURO excl.	
KAISN ELECTRIC	**Indoor power supplies**								**Warranty 3 years**
	Power Supply 24 W								
	KPS-V12-24W33-L	215x18x15 mm	AC 170-260V	12 V	2A	24W	IP33	7.00 €	4.55 €
	KPS-V24-24W33-L	215x18x15 mm	AC 170-260V	24 V	1A	24W	IP33	7.00 €	4.55 €
	Power Supply 36 W								
	KPS-V12-36W33-L	270x18x15 mm	AC 170-260V	12 V	3A	36W	IP33	9.50 €	6.18 €
	KPS-V24-36W33-L	270x18x15 mm	AC 170-260V	24 V	1.5 A	36W	IP33	9.50 €	6.18 €
	Power Supply 60 W								
	KPS-V12-60W33-L	350x18x15 mm	AC 170-260V	12 V	5A	60W	IP33	12.00 €	7.80 €
	KPS-V24-60W33-L	350x18x15 mm	AC 170-260V	24 V	2.5 A	60W	IP33	12.00 €	7.80 €

Picture	Part #	Dimensions (LxWxH)	Input Voltage	Input Voltage	Output current	Power	Protection Level	Price, EURO excl.	
KAISN ELECTRIC	**Indoor power supplies**								**Warranty 3 years**
	Power Supply 100 W								
	KPS-V12-100W20-S	366x37x17 mm	AC 170-260V	12 V	8.3 A	100W	IP20	16.00 €	10.40 €
	KPS-V24-100W20-S	366x37x17 mm	AC 170-260V	24 V	4.7 A	100W	IP20	16.00 €	10.40 €
	Power Supply 200 W								
	KPS-V12-200W20-S	352x40x21mm	AC 170-260V	12 V	16,6A	200W	IP20	20.00 €	13.00 €
	KPS-V24-200W20-S	352x40x21mm	AC 170-260V	24 V	8.3 A	200W	IP20	20.00 €	13.00 €
	Power Supply 300 W								
	KPS-V12-300W20-S	411x40x21mm	AC 170-260V	12 V	25A	300W	IP20	25.00 €	16.25 €
	KPS-V24-300W20-S	411x40x21mm	AC 170-260V	24 V	12.5 A	300W	IP20	25.00 €	16.25 €

Picture	Part No.	LED Type	Power	Voltage	Luminous flux	Color	CCT	Protection Level	Pcs	Dimensions	Price, EURO excl.	
KAISN ELECTRIC	**DUOLITE indoor double sided lightboxes**											**Warranty 5 years**
	**DUOLITE KSR-25M9T-22W65K-33**					Double sided illumination depth from 60mm up to 2,5 meters height						
	KSR-25M9T-22W65K-33		22,5 W	12V DC	2360 lm	White	7000 K	IP33	9pcs	450x25 mm	15.00 €	9.00 €
	DUOLITE KSR-25M12R-18W65K-33					Double sided illumination depth from 80mm up to 2 meters height						
	KSR-25M12R-18W65K-33		18 W	12V DC	1890 lm	White	7000 K	IP33	12pcs	600x25 mm	12.00 €	7.20 €

KAISN ELECTRIC	**LED Strips**												**Warranty 3 years**
Picture	Part No.	LED Type	Power per 1m	Voltage	Luminous flux per 1m	Width	CCT	Protection Level	Angle	Meters in reel	LEDs per 1 m	Price for 1 m	
KSF-6M72-9W65K-65NANO-CUT													
	KSF-6M72-9W65K-65NANO-CUT	2835	9.6W	12V DC	1060 lm	6 mm	6500 K	IP65	120	5 m	72	4.45 €	2.67 €
	KSF-6M72-9W40K-65NANO-CUT	2835	9.6W	12V DC	1060 lm	6 mm	4000 K	IP65	120	5 m	72	4.45 €	2.67 €
	KSF-6M72-9W30K-65NANO-CUT	2835	9.6W	12V DC	1060 lm	6 mm	3000 K	IP65	120	5 m	72	4.45 €	2.67 €
KSF-8M60-7W65K-20													
	KSF-8M60-7W65K-20	2835	7W	12V DC	770 lm	8 mm	6500 K	IP20	120	5 m	60	3.40 €	2.04 €
	KSF-8M60-7W40K-20	2835	7W	12V DC	770 lm	8 mm	4000 K	IP20	120	5 m	60	3.40 €	2.04 €
	KSF-8M60-7W30K-20	2835	7W	12V DC	770 lm	8 mm	3000 K	IP20	120	5 m	60	3.40 €	2.04 €
KSF-5M120-12W65K-20													
	KSF-5M120-12W65K-20	2835	12W	12V DC	1320 lm	5 mm	6500 K	IP20	120	5 m	120	3.95 €	2.37 €
	KSF-5M120-12W40K-20	2835	12W	12V DC	1320 lm	5 mm	4000 K	IP20	120	5 m	120	3.95 €	2.37 €
	KSF-5M120-12W30K-20	2835	12W	12V DC	1320 lm	5 mm	3000 K	IP20	120	5 m	120	3.95 €	2.37 €
KSF-8M120-12W65K-20													
	KSF-8M120-12W65K-20	2835	12W	12V DC	1320 lm	8 mm	6500 K	IP20	120	5 m	120	3.95 €	2.37 €
	KSF-8M120-12W40K-20	2835	12W	12V DC	1320 lm	8 mm	4000 K	IP20	120	5 m	120	3.95 €	2.37 €
	KSF-8M120-12W30K-20	2835	12W	12V DC	1320 lm	8 mm	3000 K	IP20	120	5 m	120	3.95 €	2.37 €

KSF-10M144-14W65K-20-24V



KSF-10M144-14W65K-20-24V	2835	14.4W	24V DC	2450 lm	10 mm	6500 K	IP20	120	5 m	144	4.95 €	**2.97 €**
KSF-10M144-14W40K-20-24V	2835	14.4W	24V DC	2450 lm	10 mm	4000 K	IP20	120	5 m	144	4.95 €	**2.97 €**
KSF-10M144-14W30K-20-24V	2835	14.4W	24V DC	2450 lm	10 mm	3000 K	IP20	120	5 m	144	4.95 €	**2.97 €**

KSF-8M480-10W65K-COB-24V



KSF-8M480-10W65K-COB-24V	COB	10W	24V DC	1100 lm	8 mm	6500 K	IP20	120	5 m	480 Chips	5.95 €	**3.57 €**
KSF-8M480-10W40K-COB-24V	COB	10W	24V DC	1100 lm	8 mm	4000 K	IP20	120	5 m	480 Chips	5.95 €	**3.57 €**
KSF-8M480-10W30K-COB-24V	COB	10W	24V DC	1100 lm	8 mm	3000 K	IP20	120	5 m	480 Chips	5.95 €	**3.57 €**

UAB "Kaisen Electric"
Įmonės kodas: 304029970
Tel.: +370 633 34720
www.kaisenelectric.com
Laisvės pr. 60-1107, LT-05120 Vilnius
PVM mok. kodas: LT100009387612
edgaras@kaisenelectric.com