

Google Developer Knowledge MCP server in Google Antigravity 2.0, IDE, and/or CLI

Google Codelab Document

Estimated Reading Time: 25 mins

Authors: Pierrick Voulet

Last Updated: 2026-06-03T15:35:27Z

Source: <https://codelabs.developers.google.com/developer-knowledge-mcp-antigravity>

1. Introduction

Estima

1. Introduction

Note: Are you still using the Gemini CLI? This guide covers the Antigravity CLI. More information on how to transition can be found in this official blog post.

[Google Developer Knowledge](#) is the canonical, machine-readable source of Google's public developer documentation. It's programmatically accessible via Application Programming Interface (API) and Model Context Protocol (MCP) so that developers can integrate it into applications and workflows.

Instead of relying on outdated LLM training data or manual web scraping, AI agent developers should use it for real-time access to the most accurate documentation and reduce risk of hallucinations.

In this codelab, you will learn how to install and use the **Developer Knowledge MCP** from **Antigravity 2.0, IDE, and/or CLI**. MCP is an open standard that enables AI models to securely use tools provided by remote servers. You will set up **Antigravity** to interact with the knowledge base without writing any code!

What you'll do

- Enable the Developer Knowledge API in your Google Cloud project.
- Configure Antigravity to access the Developer Knowledge MCP.
- Test the integration with a few prompts.

What you'll need

- A web browser such as Chrome
- A Google Cloud project (billing is not required).
- Antigravity 2.0, IDE, and/or CLI installed on your local machine. You can find more detail and installation guidance from the official website.

Explore more MCPs and tools

In this codelab we only cover a few basic examples of what can be done using the Google Developer Knowledge MCP server. To see the full list of Google MCP servers and tools available, refer to the [Supported Products](#).

Note: To go further and learn how to connect AI agents to user data, you might want to check the codelab [Google Workspace MCP servers in Google Antigravity](#) that demonstrates how to set up the official Workspace MCP servers in Antigravity.

Easy access to this codelab



2. Configure Cloud project

Estima

2. Configure Cloud project

Create or Select a Google Cloud project

In the [Google Cloud Console](#), [select or create a Google Cloud project](#).

Enable the API

To use the Developer Knowledge MCP server, you must enable the standard Developer Knowledge API.

[Enable the Developer Knowledge API](#)

Create the API key

To use the Developer Knowledge MCP server, you must use an API key. In the [Google Cloud Console](#), do the following:

1. Go to APIs & Services > Credentials.

[Go to Credentials](#)

1. Click + Create credentials, then select API key from the menu.
2. Set Name with an arbitrary name such as Antigravity.
3. Click the Select API restrictions drop-down, type Developer Knowledge API, check the result, then click OK. Note: There is a short delay before Developer Knowledge API appears in the list after its enablement, wait a few minutes and try again if you cannot find it.

Create API key

Name *

Antigravity

Use a unique name to identify your API key

APIs that can be accessed



New key creation: to use Ag
API key, you must bind it to a
calls through a service account

Note: An [organization policy](#)
account for projects with a C

1. Click Create.
2. Your API key is now displayed on the confirmation screen. Copy it to your clipboard, you'll need it to configure Antigravity in the next steps. Warning: Important: Never share an API key publicly. The one you see in the following screenshot is fake, it was added for illustration purposes only.

API key created

Use this key in your application by pass

Your API key —

AlzaSyCH0unanoXRaPfyJFIMi6GJ_y



Best practices for mana

1. Restrict your API key
2. Delete unneeded API keys t
3. Delete and recreate your API
4. Don't include API keys in cl
5. Implement strong monitori

3. Configure Antigravity

Estima

3. Configure Antigravity

Now let's configure Antigravity to use the MCP endpoint. If you don't have Antigravity 2.0, IDE, and/or CLI installed, follow the instructions on the [Antigravity website](#).

Add custom MCP servers

Antigravity 2.0, IDE, and CLI share a central MCP configuration in the file `~/.gemini/config/mcp_config.json`.

1. Open it in your preferred text editor. Note: You can access the file directly from Antigravity IDE if you have it installed by following these steps:

Open MCP Servers via the ... dropdown at the top of the editor's agent panel.

Click Manage MCP Servers then View raw config.

2. Modify it with the following custom MCP server configuration. Before doing so, replace the `<YOUR_API_KEY>` placeholder with the API key you created in the previous steps:

```
{
  "mcpServers": {
    "google-developer-knowledge": {
      "headers": {
        "X-Goog-Api-Key": "<YOUR_API_KEY>"
      },
      "serverUrl": "https://developerknowledge.googleapis.com/mcp"
    }
    ...
  }
  ...
}
```

1. Save it. Warning: Important: Never share an API key publicly. The one you see in the following screenshot is fake, it was added for illustration purposes only.

```
{
  "mcpServers": {
    "google-developer-knowledge": {
      "headers": {
        "X-Goog-API-Key": "GnJ8wpJsKmmtWRrYGJrQAIzaSyBsMSl1uijNMyB"
      },
      "serverUrl": "https://developerknowledge.googleapis.com/mcp"
    }
  }
}
```

Validate

You should see the MCP server that you configured as installed in Antigravity: google-developer-knowledge.

Antigravity 2.0

1. Click Settings at the bottom left.
2. Navigate to Customizations.
3. Under Installed MCP Servers, click Refresh.

The screenshot shows the 'Customizations' settings page in the Antigravity IDE. On the left is a dark sidebar with a menu containing: General, Account, Permissions, Appearance, Models, Customizations (highlighted), Browser, App, Projects, my-project, C:\Users\pierr, C:\Users\pierr\Desktop\..., Show all, Not in Project, and Conversations. The main content area has a dark background and is titled 'Customizations' in large white text. Below the title is a subtitle: 'Configure default behaviors, skills, and MCP servers'. The first section is 'Token Usage', which includes a paragraph explaining that token usage is tracked against a budget and that large customizations can exceed it. Below this is a horizontal bar chart showing 73.7% of the budget is available. A legend indicates: Skills (26.3%) with 5,250 tokens (represented by a blue dot) and Mcp Tools (0.1%) with 16 tokens (represented by a green dot). Below the chart is a section for 'Skills' with a chevron icon and the count '(38)'. The next section is 'Installed MCP Servers', featuring 'google-developer-knowledge' with a green status dot, a dropdown arrow, and the text '3 tools enabled'. Below this are three buttons: 'search_documents', 'answer_query', and 'get_documents'. The final section is 'Build With Google Plugins', which contains a single button labeled 'Build With Google Plugins'.

Customizations

Configure default behaviors, skills, and MCP servers

Token Usage

The breakdown below shows token usage for each customization. If your budget is exceeded, large customizations will be prioritized.

73.7% of the customization budget is available

- Skills (26.3%) 5,250
- Mcp Tools (0.1%) 16

Skills (38)

Installed MCP Servers

google-developer-knowledge ●

▼ 3 tools enabled


search_documents answer_query get_documents

Build With Google Plugins

Build With Google Plugins

Antigravity IDE

1. Open Antigravity User Settings via the Editor-Specific settings menu dropdown at the top of the window.



1. Navigate to Customizations.
2. Under Installed MCP Servers, click Refresh.

Settings - Customizations

General

Account

Permissions

Appearance

Notifications

Models

Customizations

Browser

Tab

Editor

Workspaces

apimo

my-project

Shortcuts

Provide Feedback

Customizations

Configure default behaviors, skills, and MCP servers.

Token Usage

The breakdown below shows token usage from cus
budget is exceeded, large customizations will be tru

73.7% of the customization budget is available.

Skills (26.3%) 5,250

Mcp Tools (0.1%) 16

> Skills (38)

Installed MCP Servers

google-developer-knowledge ●

3 tools enabled

search_documents

answer_query

get_documents

Build With Google Plugins

Build With Google Plugins

Antigravity CLI

1. Start the CLI executing the command agy from a terminal.
2. Type /mcp and press enter.

Page 14 of 23



Ant

Gem

~/D



MCP Servers

Plugins (\ gemini) on

4. Access Developer Knowledge

Estima

4. Access Developer Knowledge

Now you can interact with Google Developer Knowledge using natural language. Here are some example prompts:

- Based on the Google Developer Knowledge, does Google Workspace support MCP servers?
- Give me a list of the Google Workspace and Cloud Run API names. Make it super short.
- Based on the Google Developer Knowledge, create a new Python script to upload a file to Google Drive

Note: The first time the agent tries to use a tool from this MCP server, Antigravity will ask for your approval. You'll need to allow to proceed.

Antigravity 2.0

Antigravity File View Window




+ New Conversation

🕒 Conversation History

🕒 Scheduled Tasks

Projects



📁 C:\Users\pierr

No conversations yet

📁 C:\Users\pierr\Desktop\my-pr...

No conversations yet

📁 my-project

Based on the Google D... ↗ now

my-project / Based on the Google Developer K

Based on the Google Developer K

Worked for 1m >

Yes, Google Workspace supports (Google Developer Preview).

Google Workspace offers remote (Google Claude, or compatible IDEs) to see

Supported Products & MCP S

Each product has its own dedicate

- **Gmail:** <https://gmailmcp.google.com>
 - *Tools include:* `create_draft`, `label_thread`, `list_drafts`, `unlabel_thread`.
- **Google Drive:** <https://drive-mcp.com>
 - *Tools include:* `copy_file`, `get_file_metadata`, `get_file_content`, `read_file_content`, `search_files`.
- **Google Calendar:** <https://calendar-mcp.com>
 - *Tools include:* `create_event`, `list_events`, `respond_event`.
- **Google Chat:** <https://chatmcp.com>
 - *Tools include:* `search_conversations`, `send_message`.
- **People API:** <https://people-mcp.com>

Antigravity IDE



Antigravity IDE

Code with Agent

Ctrl + L

File

Edit

Selection

View

Go

Run

...

my-project - Antigravity IDE

Give me a list of the Google Workspaces

Give me a list of the Google Workspaces

Worked for 14s

Here is a short list of the primary APIs for Google Workspace:

Cloud Run

Cloud Run Admin API:

run.googleapis.com

Google Workspace

Google Calendar API:

calendar.googleapis.com

Google Chat API:

chat.googleapis.com

Google Classroom API:

classroom.googleapis.com

Google Docs API:

docs.googleapis.com

Google Drive API:

drive.googleapis.com

Gmail API:

gmail.googleapis.com

Google Meet API:

meet.googleapis.com

Google Sheets API:

sheets.googleapis.com

Google Slides API:

slides.googleapis.com

Google Tasks API:

tasks.googleapis.com

Admin SDK API:

admin.googleapis.com

Google Vault API:

vault.googleapis.com

Page 19 of 23

Ask anything, @ to mention, / for actions

Antigravity CLI

➤ Based on the Google Developer Knowledge, create a new Python script to upload

➤ Thought for 1s, 513 tokens
Assessing My Capabilities

- **ListDir**(C:/Users/pierr/.gemini/antigravity-cli/mcp/google-developer-knowledge)
- **Read**(C:/Users/pierr/.gemini/antigravity-cli/mcp/google-developer-knowledge/ans
- **Read**(C:/Users/pierr/.gemini/antigravity-cli/mcp/google-developer-knowledge/sea
- **google-developer-knowledge/answer_query**(Call MCP tool)
- **Read**(C:/Users/pierr/.gemini/antigravity-cli/mcp/google-developer-knowledge/get
- **google-developer-knowledge/get_documents**(Call MCP tool)
- **Read**(C:/Users/pierr/.gemini/antigravity-cli/brain/267a30fe-1eeb-445e-ae25-7512
- **ListDir**(C:/Users/pierr/Desktop/my-project)
- **Read**(C:/Users/pierr/Desktop/my-project/upload_file.py)
- **Read**(C:/Users/pierr/Desktop/my-project/README.md)
- **Read**(C:/Users/pierr/Desktop/my-project/create_document.py) (ctrl+o to expand)

➤ Thought for 1s, 1.4k tokens
Considering Current Structure

- **google-developer-knowledge/answer_query**(Call MCP tool)
- **google-developer-knowledge/search_documents**(Call MCP tool)
- **Read**(C:/Users/pierr/.gemini/antigravity-cli/brain/267a30fe-1eeb-445e-ae25-7512

➤ Thought for 6s, 3.8k tokens
Analyzing Code Snippet

- **Create**(C:/Users/pierr/Desktop/my-project/upload_to_drive.py)
- **Edit**(C:/Users/pierr/Desktop/my-project/README.md) (ctrl+o to expand)

I have created a new Python script based on the official Google Drive API docu

Created Files & Code Symbols

- **Script File:** upload_to_drive.py
 - upload_to_drive.py: Authenticates using either local OAuth 2.0 User Flow
 - upload_to_drive.py: Automatically detects MIME types, initializes a resu
- **Documentation:** README.md was updated to outline usage, flags, and CLI argume

How to Use

To upload a file with a real-time progress indicator, run:

```
python upload_to_drive.py "path/to/local/file.zip"
```

5. Clean up

Estima

5. Clean up

To clean up your Google Cloud project without deleting it, you can disable the **Developer Knowledge API** you enabled and delete the API key you created:

1. In the Google Cloud Console, go to the API & Services Dashboard.
2. Click Developer Knowledge API then Disable API.
3. In the Google Cloud Console, go to API & Services > Credentials.
4. Select the API key, click Delete then Delete to confirm.

6. Congratulations

Estima

6. Congratulations

Congratulations! You have successfully configured and tested the Google Developer Knowledge MCP server using Antigravity.

Reference docs

- Google Workspace MCP servers in Google Antigravity 2.0, IDE, and/or CLI
- Introduction to Model Context Protocol (MCP)
- Antigravity