

INDEX

Numbers

1-persistent CSMA, 266
3GPP (*see* Third Generation Partnership Project)
4B/5B encoding, 128, 292
8B/10B encoding, 129, 295
10-Gigabit Ethernet, 296–297
64B/66B encoding, 297
100Base-FX Ethernet, 292
100Base-T4 Ethernet, 291–292
802.11 (*see* IEEE 802.11)
1000Base-T Ethernet, 295–296

A

A-law, 153, 700
AAL5 (*see* ATM Adaptation Layer 5)
Abstract Syntax Notation 1, 809
Access point, 19, 70, 299
 transport layer, 509
Acknowledged datagram, 37
Acknowledgement
 cumulative, 238, 558
 duplicate, 577
 selective, 560, 580
Acknowledgement clock, TCP, 574
Acknowledgement frame, 43
ACL (*see* Asynchronous Connectionless link)
Active server page, 676
ActiveX, 858–859
ActiveX control, 678
Ad hoc network, 70, 299, 389–392
 routing, 389–392
Ad hoc on-demand distance vector, 389
Adaptation, rate, 301
Adaptive frequency hopping, Bluetooth, 324
Adaptive routing algorithm, 364
Adaptive tree walk protocol, 275–277
ADC (*see* Analog-to-Digital Converter)
Additive increase multiplicative decrease law, 537
Address resolution protocol, 467–469
 gratuitous, 469
Address resolution protocol proxy, 469
Addressing, 34
 classful IP, 449–451
 transport layer, 509–512

- Adjacent router, 478
- Admission control, 395, 397–398, 415–418
- ADSL (*see* Asymmetric Digital Subscriber Line)
- Advanced audio coding, 702
- Advanced Encryption Standard, 312, 783–787
- Advanced Mobile Phone System, 65, 167–170
- Advanced Research Projects Agency, 56
- Advanced video coding, 710
- AES (*see* Advanced Encryption Standard)
- Aggregation, route, 447
- AH (*see* Authentication Header)
- AIFS (*see* Arbitration InterFrame Space)
- AIMD (*see* Additive Increase Multiplicative Decrease law)
- Air interface, 66, 171
- AJAX (*see* Asynchronous JavaScript and XML)
- Akamai, 745–746
- Algorithm
 - adaptive routing, 364
 - backward learning, 333, 335
 - Bellman-Ford, 370
 - binary exponential backoff, 285–286
 - congestion control, 392–404
 - Dijkstra's, 369
 - encoding, 550
 - forwarding, 27
 - international data encryption, 842
 - Karn's, 571
 - leaky bucket, 397, 407–411
 - longest matching prefix, 448
 - lottery, 112
 - Nagle's, 566
 - network layer routing, 362–392
 - nonadaptive, 363–364
 - reverse path forwarding, 381, 419
 - Rivest Shamir Adleman, 794–796
 - routing, 27, 362–392
 - token bucket, 408–411
- Alias, 617, 619, 630
- Allocation, channel, 258–261
- ALOHA, 72
 - pure, 262–264
 - slotted, 264–266
- Alternate mark inversion, 129
- AMI (*see* Alternate Mark Inversion)
- Amplitude shift keying, 130
- AMPS (*see* Advanced Mobile Phone System)
- Analog-to-digital converter, 699
- Andreessen, Marc, 646–647
- Anomaly, rate, 309
- Anonymous remailer, 861–863
- ANSNET, 60
- Antenna, sectored, 178
- Antheil, George, 108
- Anycast routing, 385–386
- AODV (*see* Ad-hoc On-demand Distance Vector routing)
- AP (*see* Access Point)
- Apocalypse of the two elephants, 51–52
- Applet, 678
- Application
 - business, 3
 - Web, 4
- Application layer, 45, 47–48
 - content-delivery network, 734–757
 - distributed hash table, 753–757
 - Domain Name System, 611–623
 - email, 623–646
 - multimedia, 607–734
 - world Wide Web, 646–697
- Application-level gateway, 819
- APSD (*see* Automatic Power Save Delivery)
- Arbitration interframe space, 308
- Architectural overview, Web, 647–649
- Architecture and services, email, 624–626
- Area, autonomous system
 - backbone, 476
 - stub, 477
- Area border router, 476
- ARP (*see* Address Resolution Protocol)
- ARPA (*see* Advanced Research Projects Agency)
- ARPANET, 55–59
- ARQ (*see* Automatic Repeat reQuest)
- AS (*see* Autonomous System)
- ASK (*see* Amplitude Shift Keying)
- ASN.1 (*see* Abstract Syntax Notation 1)
- ASP (*see* Active Server Pages)
- Aspect ratio, video, 705
- Association, IEEE 802.11, 311
- Assured forwarding, 423–424
- Asymmetric digital subscriber line, 94, 124, 147, 248–250
 - vs. cable, 185
- Asynchronous connectionless link, 325
- Asynchronous I/O, 682
- Asynchronous Javascript and XML, 679–683
- Asynchronous transfer mode, 249
- AT&T, 55, 110
- ATM (*see* Asynchronous Transfer Mode)
- ATM adaptation layer 5, 250

- Attack
 - birthday, 804–806
 - bucket brigade, 835
 - chosen plaintext, 769
 - ciphertext-only, 769
 - denial of service, 820
 - keystream reuse, 791
 - known plaintext, 769
 - man-in-the-middle, 835
 - reflection, 829
 - replay, 836
- Attenuation, 102, 109
- Attribute
 - cryptographic certificate, 808
 - HTML, 664
- Auction, spectrum, 112
- Audio
 - digital, 699–704
 - streaming, 697–704
- Audio compression, 701–704
- Authentication, 35
 - IEEE 802.11, 311
 - Needham-Schroeder, 836–838
 - using key distribution center, 835–838
- Authentication header, 815–816
- Authentication protocol, 827–841
- Authentication using a shared secret, 828–833
- Authentication using Kerberos, 838–840
- Authentication using public keys, 840–841
- Authenticode, 858
- Authoritative record, 620
- Autocorrelation, 176
- Autonegotiation, 293
- Automatic power save delivery, 307
- Automatic repeat request, 225, 522
- Autonomous system, 432, 437, 472–476, 474
- Autoresponder, 629
- AVC (*see* Advanced Video Coding)

- B**
 - B-frame, 712
 - Backbone, Internet, 63
 - Backbone area, 476
 - Backbone router, 476
 - Backpressure, hop-by-hop, 400–401
 - Backscatter, RFID, 74, 329
 - Backward learning algorithm, 333, 335
 - Backward learning bridge, 335–336
 - Balanced signal, 129–130
 - Bandwidth, 91
 - Bandwidth allocation, 531–535
 - Bandwidth efficiency, 126–127
 - Bandwidth-delay product, 233, 267, 597
 - Baran, Paul, 55
 - Barker sequence, 302
 - Base station, 19, 70
 - Base station controller, 171
 - Base-T Ethernet, 295–296
 - Base64 encoding, 634
 - Baseband signal, 91, 130
 - Baseband transmission, 125–130
 - Basic bit-map method, 270
 - Baud rate, 127, 146
 - BB84 protocol, 773
 - Beacon frame, 307
 - Beauty contest, for allocating spectrum, 112
 - Bell, Alexander Graham, 139
 - Bell Operating Company, 142
 - Bellman-Ford routing algorithm, 370
 - Bent-pipe transponder, 116
 - Berkeley socket, 500–507
 - Best-effort service, 318–319
 - BGP (*see* Border Gateway Protocol)
 - Big-endian computer, 439
 - Binary countdown protocol, 272–273
 - Binary exponential backoff algorithm, 285–286
 - Binary phase shift keying, 130
 - Bipolar encoding, 129
 - Birthday attack, 804–806
 - Bit rate, 127
 - Bit stuffing, 199
 - Bit-map protocol, 270–271
 - BitTorrent, 750–753
 - choked peer, 752
 - chunk, 751
 - free-rider, 752
 - leecher, 752
 - seeder, 751
 - swarm, 751
 - tit-for-tat strategy, 752
 - torrent, 750
 - tracker, 751
 - unchoked peer, 752
 - Blaatand, Harald, 320
 - Block cipher, 779
 - Block code, 204

Bluetooth, 18, 320–327
 adaptive frequency hopping, 324
 applications, 321–322
 architecture, 320–321
 frame structure, 325–327
 link, 324
 link layer, 324–325
 pairing, 320
 piconet, 320
 profile, 321
 protocol stack, 322–323
 radio layer, 324
 scatternet, 320
 secure pairing, 325
 security, 826–827
 Bluetooth SIG, 321
 BOC (*see* Bell Operating Company)
 Body, HTML tag, 625
 Border gateway protocol, 432, 479–484
 Botnet, 16, 628
 Boundary router, 477
 BPSK (*see* Binary Phase Shift Keying)
 Bridge, 332–342
 backward learning, 335–336
 compared to other devices, 340–342
 learning, 334–337
 spanning tree, 337–340
 use, 332–333
 Broadband, 63, 147–151
 Broadband wireless, 312–320
 Broadcast control channel, 173
 Broadcast network, 17
 Broadcast routing, 380–382
 Broadcast storm, 344, 583
 Broadcasting, 17, 283
 Browser, 648
 extension, 859–860
 helper application, 654
 plug-in, 653–654, 859
 BSC (*see* Base Station Controller)
 Bucket, leaky, 397
 Bucket brigade attack, 835
 Buffering, 222, 238, 290, 341
 Bundle, delay-tolerant network, 601
 Bundle protocol, 603–605
 Bursty traffic, 407
 Bush, Vannevar, 647
 Business application, 3
 Byte stream, reliable, 502
 Byte stuffing, 198

C

CA (*see* Certification Authority)
 Cable headend, 23, 63, 179
 Cable Internet, 180–182
 Cable modem, 63, 183–185, 183–195
 Cable modem termination system, 63, 183
 Cable television, 179–186
 Cache
 ARP, 468–469
 DNS, 620–622, 848–850
 poisoned, 849
 Web, 656, 690–692
 Caesar cipher, 769
 Call management, 169
 Capacitive coupling, 129
 Capacity, channel, 94
 CAPTCHA, 16
 Care-of address, 387
 Carnivore, 15
 Carrier extension, Ethernet, 294
 Carrier sense multiple access, 72, 266–269
 1-persistent, 266
 collision detection, 268–269
 nonpersistent, 267
 p-persistent, 267
 Carrier sensing, 260
 Carrier-grade Ethernet, 299
 Cascading style sheet, 670–672
 Category 3 wiring, 96
 Category 5 wiring, 96
 Category 6 wiring, 96
 Category 7 wiring, 96
 CCITT (*see* International Telecommunication Union)
 CCK (*see* Complementary Code Keying)
 CD (*see* Committee Draft)
 CDM (*see* Code Division Multiplexing)
 CDMA (*see* Code Division Multiple Access)
 CDMA2000, 175
 CDN (*see* Content Delivery Network)
 Cell, mobile phone, 167, 249
 Cell phone, 165
 first generation, 166–170
 second generation, 170–174
 third generation, 65–69, 174–179
 Cellular base station, 66
 Cellular network, 65
 Certificate
 cryptographic, 807–809
 X.509, 809–810

- Certificate revocation list, 813
- Certification authority, 807
- Certification path, 812
- CGI (*see* Common Gateway Interface)
- Chain of trust, 812
- Challenge-response protocol, 828
- Channel
 - access grant, 174
 - broadcast control, 173
 - common control, 174
 - dedicated control, 174
 - erasure, 203
 - multiaccess, 257
 - paging, 174
 - random access, 174, 257
- Channel allocation, 258–261
 - dynamic, 260–261
- Channel capacity, 94
- Channel-associated signaling, 155
- Checksum, 211
 - CRC, 210
 - Fletcher's, 212
- Chip sequence, CDMA, 136
- Choke packet, 399–400
- Choked peer, BitTorrent, 752
- Chord, 754–757
 - finger table, 756
 - key, 754
- Chosen plaintext attack, 769
- Chromatic dispersion, 103
- Chrominance, video, 706
- Chunk, BitTorrent, 751
- CIDR (*see* Classless InterDomain Routing)
- Cintent delivery network, 743–748
- Cipher, 766
 - AES, 783–787
 - Caesar, 769
 - monoalphabetic substitution, 770
 - Rijndael, 784–787
 - substitution, 767–770
 - symmetric-key, 778–787
 - transposition, 771–772
- Cipher block chaining mode, 788–789
- Cipher feedback mode, 789–790
- Cipher modes, 787–792
- Ciphertext, 767
- Ciphertext-only attack, 769
- Circuit, 35
 - virtual, 249
- Circuit switching, 161–162
- Clark, David, 51, 81
- Class A network, 450
- Class B network, 450
- Class C network, 450
- Class-based routing, 421
- Classful addressing, IP, 449–451
- Classic Ethernet, 21, 280, 281–288
- Classless interdomain routing, 447–449
- Clear to send, 279
- Click fraud, 697
- Client, 4
- Client side on the Web, 649–652
- Client side dynamic Web page generation, 676–678
- Client side on the Web, 649–652
- Client stub, 544
- Client-server model, 4
- Clipper chip, 861
- Clock recovery, 127–129
- Cloud computing, 672
- CMTS (*see* Cable Modem Termination System)
- Coaxial cable, 97–98
- Code, cryptographic, 766
- Code division multiple access, 66, 108, 135, 170
- Code division multiplexing, 135–138
- Code rate, 204
- Code signing, 858
- Codec, 153
- Codeword, 204
- Collision, 260
- Collision detection, CSMA, 268–269
- Collision domain, 289
- Collision-free protocol, 269–273
- Combing, visual artifact, 705
- Committee draft, 79
- Common control channel, 174
- Common gateway interface, 674
- Common-channel signaling, 155
- Communication medium, 5
- Communication satellite, 116–125
- Communication security, 813–827
- Communication subnet, 24
- Community antenna television, 179–180
- Companding, 154
- Comparison of the OSI and TCP/IP models, 49–51
- Complementary code keying, 302
- Compression
 - audio, 701–704
 - header, 593–595
 - video, 706–712

- Computer, wearable, 13
- Computer network (*see* Network)
- Conditional GET, HTTP, 691
- Confidentiality, 35
- Congestion, network, 35, 392–404
- Congestion avoidance, 398
- Congestion collapse, 393
 - TCP, 572
- Congestion control
 - convergence, 534–535
 - network layer, 392–404
 - provisioning, 395
 - TCP, 571–581
- Congestion window, TCP, 571
- Connection, HTTP, 684–686
- Connection establishment, 512–517
 - TCP, 560–562
- Connection management, TCP, 562–565
- Connection release, 517–522
 - TCP, 562
- Connection reuse, HTTP, 684
- Connection-oriented service, 35–38, 359–361
 - implementation, 359–361
- Connectionless service, 35–38, 358–359
 - implementation, 358–359
- Connectivity, 6, 11
- Constellation, 146
- Constellation diagram, 131
- Constraint length, 207
- Contact, delay-tolerant network, 601
- Content and Internet traffic, 7360738
- Content delivery network, 743–748
- Content distribution, 734–757
- Content transformation, 694
- Contention system, 262
- Continuous media, 699
- Control channel, broadcast, 173
- Control law, 536
- Convergence, 372
 - congestion control, 534–535
- Convolutional code, 207
- Cookie, 15
 - SYN, 561
 - Web, 658–662
- Copyright, 867–869
- Cordless telephone, 165
- Core network, 66
- Core-based tree, 384
- Count-to-infinity problem, 372–373
- Counter mode, 791–792
- Crash recovery, 527–530
- CRC (*see* Cyclic Redundancy Check)
- Critique of OSI and TCP/IP, 51–53
- CRL (*see* Certificate Revocation List)
- Cross-correlation, 176
- Cryptanalysis, 768, 792–793
 - differential, 792–793
 - linear, 793
- Cryptographic certificate, 807–809
- Cryptographic key, 767
- Cryptographic principles, 776–778
- Cryptographic round, 780
- Cryptography, 766–797
 - AES, 312
 - certificate, 807–809
 - ciphertext, 767
 - DES, 780–784
 - Kerckhoff's principle, 768
 - key, 767
 - one-time pad, 772–773
 - P-box, 779
 - plaintext, 767
 - public-key, 793–797
 - quantum, 773–776
 - Rijndael, 312
 - S-box, 779
 - security by obscurity, 768
 - symmetric-key, 778–793
 - triple DES, 782–783
 - vs. code, 766
 - work factor, 768
- Cryptology, 768
- CSMA (*see* Carrier Sense Multiple Access)
- CSMA with collision avoidance, 303
- CSMA with collision detection, 268
- CSMA/CA (*see* CSMA with Collision Avoidance)
- CSMA/CD (*see* CSMA with Collision Detection)
- CSNET, 59
- CSS (*see* Cascading Style Sheet)
- CTS (*see* Clear To Send)
- CubeSat, 123
- Cumulative acknowledgement, 238, 558
 - TCP, 568
- Custody transfer, delay-tolerant network, 604
- Cut-through switching, 36, 336
- Cybersquatting, 614
- Cyclic redundancy check, 212
- Cypherpunk remailer, 862

D

- D-AMPS (*see* Digital Advanced Mobile Phone System)
- DAC (*see* Digital-to-Analog Converter)
- Daemen, Joan, 784
- Daemon, 554
- DAG (*see* Directed Acyclic Graph)
- Data center, 64
- Data delivery service, IEEE 802.11, 312
- Data encryption standard, 780–784
- Data frame, 43
- Data link layer, 43, 193–251
 - bit stuffing, 199
 - byte stuffing, 197
 - design issues, 194–215
 - elementary protocols, 215–244
 - example protocols, 244–250
 - sliding window protocols, 226–244
 - stop-and-wait protocol, 222–223
- Data link layer switching, 332–349
- Data link protocol, 215–250
 - ADSL, 248–250
 - elementary, 215–244
 - examples, 215–250
 - packet over SONET, 245–248
 - sliding window, 226–244
 - stop-and-wait, 222–223
- Data over cable service interface specification, 183
- Datagram, 37, 358
- Datagram congestion control protocol, 503
- Datagram network, 358
- Datagram service, comparison with VCs, 361–362
- Davies, Donald, 56
- DB (*see* Decibel)
- DCCP (*see* Datagram Congestion Controlled Protocol)
- DCF (*see* Distributed Coordination Function)
- DCF interframe spacing, 308
- DCT (*see* Discrete Cosine Transformation)
- DDoS attack (*see* Distributed Denial of Service attack)
- De facto standard, 76
- De jure standard, 76
- Decibel, 94, 699
- Decoding, audio, 701
- Dedicated control channel, 174
- Deep Web, 696
- Default gateway, 469
- Default-free zone, 446
- Deficit round robin, 414
- Delay, queueing, 164
- Delay-tolerant network, 599–605
 - architecture, 600–603
 - custody transfer, 604
 - protocol, 603–605
- Delayed acknowledgement, TCP, 566
- Demilitarized zone, 819
- Denial of service attack, 820
 - distributed, 821–822
- Dense wavelength division multiplexing, 160
- DES (*see* Data Encryption Standard)
- Design issues
 - data link layer, 194–202
 - fast networks, 586–590
 - network, 33–35
 - network layer, 355–362
 - transport layer, 507–530
- Designated router, 375, 478
- Desktop sharing, 5
- Destination port, 453–454
- Device driver, 215
- DHCP (*see* Dynamic Host Configuration Protocol)
- DHT (*see* Distributed Hash Table)
- Diagonal basis, in quantum cryptography, 774
- Dial-up modem, 62
- Dialog control, 44
- Differential cryptanalysis, 792–793
- Differentiated service, 421–424, 440, 458
- Diffie-Hellman protocol, 833–835
- DIFS (*see* DCF InterFrame Spacing)
- Digital advanced mobile phone system, 170
- Digital audio, 699–704
- Digital Millennium Copyright Act, 14, 868
- Digital modulation, 125
- Digital signature, 797–806
- Digital signature standard, 800
- Digital subscriber line, 62, 147–151
- Digital subscriber line access multiplexer, 62, 150
- Digital video, 704–712
- Digital-to-analog converter, 700
- Digitizing voice signals, 153–154
- Digram, 770
- Dijkstra, Edsger, 367
- Dijkstra's algorithm, 369
- Direct acyclic graph, 365
- Direct sequence spread spectrum, 108
- Directed acyclic graph, 365
- Directive, HTML, 663
- Directory, PKI, 812

- DIS (*see* Draft International Standard)
 - Disassociation, IEEE 802.11, 311
 - Discovery, path MTU, 556
 - Discrete cosine transformation, MPEG, 707
 - Discrete multitone, 148
 - Dispersion, chromatic, 103
 - Disposition, message, 628
 - Disruption-tolerant network, 600
 - Distance vector multicast routing protocol, 383
 - Distance vector routing, 370–378
 - Distortion, 700
 - Distributed coordination function, 304
 - Distributed denial of service attack, 821–822
 - Distributed Hash Table, 753–757
 - Distributed system, 2
 - Distribution service, IEEE 802.11, 311
 - Distribution system, 299
 - DIX Ethernet standard, 281, 283
 - DMCA (*see* Digital Millennium Copyright Act)
 - DMCA takedown notice, 14
 - DMT (*see* Discrete MultiTone)
 - DMZ (*see* DeMilitarized Zone)
 - DNS (*see* Domain Name System)
 - DNS Name Space, 612–616
 - DNS spoofing, 848–850
 - DNSsec (*see* Domain Name System security)
 - DOCSIS (*see* Data Over Cable Service Interface Specification)
 - Document object model, 679
 - DOM (*see* Document Object Model)
 - Domain
 - collision, 289
 - frequency, 133
 - Domain Name System, 59, 611–623
 - authoritative record, 620–622
 - cybersquatting, 614
 - domain resource record, 616–619
 - name server, 619–623
 - name space, 613
 - registrar, 613
 - resource record, 616–619
 - reverse lookup, 617
 - spoofing, 851
 - top-level domain, 613
 - zone, 851–852
 - DoS attack (*see* Denial of Service attack)
 - Dot com era, 647
 - Dotted decimal notation, 443
 - Downstream proxy, 742
 - Draft International Standard, 79
 - Draft standard, 82
 - DSL (*see* Digital Subscriber Line)
 - DSLAM (*see* Digital Subscriber Line Access Multiplexer)
 - DTN (*see* Delay-Tolerant Network)
 - Duplicate acknowledgement, TCP, 577
 - DVMRP (*see* Distance Vector Multicast Routing Protocol)
 - DWDM (*see* Dense Wavelength Division Multiplexing)
 - Dwell time, 324
 - Dynamic channel allocation, 260–261
 - Dynamic frequency selection, 312
 - Dynamic host configuration protocol, 470
 - Dynamic HTML, 676
 - Dynamic page, Web, 649
 - Dynamic routing, 364
 - Dynamic Web page, 649, 672–673
 - Dynamic Web page generation
 - client side, 676–678
 - server side, 673–676
- ## E
- E-commerce, 6, 9
 - E-mail (*see* Email)
 - E1 line, 155
 - EAP (*see* Extensible Authentication Protocol)
 - Early exit, 484
 - ECB (*see* Electronic Code Book mode)
 - ECMP (*see* Equal Cost MultiPath)
 - ECN (*see* Explicit Congestion Notification)
 - EDE (*see* Encrypt Decrypt Encrypt mode)
 - EDGE (*see* Enhanced Data rates for GSM Evolution)
 - EEE (*see* Encrypt Encrypt Encrypt mode)
 - EIFS (*see* Extended InterFrame Spacing)
 - Eisenhower, Dwight, 56
 - Electromagnetic spectrum, 105–109, 111–114
 - Electronic code book mode, 787–788
 - Electronic commerce, 6
 - Electronic mail (*see* Email)
 - Electronic product code, 327
 - Elephant flow, 737
 - Email, 5, 623–646
 - architecture and services, 624–626
 - authoritative record, 620
 - base64 encoding, 634
 - body, 625
 - cached record, 620

- Email (*continued*)
 - envelope, 625
 - final delivery, 643
 - IMAP, 644–645
 - mail server, 624
 - mail submission, 641
 - mailbox, 625
 - message format, 630
 - message transfer, 624, 637–643, 642
 - MIME, 633
 - name resolution, 620
 - open mail relay, 642
 - POP3, 644
 - quoted-printable encoding, 634
 - signature block, 629
 - simple mail transfer protocol, 625
 - transfer agent, 624–625
 - user agent, 624, 626
 - vacation agent, 629
 - Webmail, 645–646
 - X400, 629
- Email header, 625
- Email reader, 626
- Email security, 841–846
- Emoticon, 623
- Encapsulating security payload, 817
- Encapsulation, packet, 387
- Encoding, 4B/5B, 292
 - audio, 701–704
 - video, 706–712
- Ethernet 4B/5B, 292
- Ethernet 8B/10B, 295
- Ethernet 64B/66B, 297
- Encrypt decrypt encrypt mode, 782
- Encrypt encrypt encrypt mode, 782
- Encryption, link, 765
- End office, 140
- End-to-end argument, 357, 523
- Endpoint, multiplexing, 527
- Enhanced data rates for GSM evolution, 178
- Enterprise network, 19
- Entity, transport, 496
- Envelope, 625
- EPC (*see* Electronic Product Code)
- EPON (*see* Ethernet PON)
- Equal cost multipath, 476
- Erasure, 716
- Erasure channel, 203
- Error control, 200–201
 - transport layer, 522–527
- Error correction, 34
- Error detection, 33
- Error syndrome, 207
- Error-correcting code, 204–209
- Error-detecting code, 209–215
- ESMTP (*see* Extended SMTP)
- ESP (*see* Encapsulating Security Payload)
- Eternity service, 864
- Ethernet, 20, 280–299
 - 10-gigabit, 296–297
 - 100Base-FX, 292
 - 100Base-T4, 292
 - 1000Base-T, 295–296
 - Base-T, 295–296
 - carrier-grade, 299
 - classic, 21, 281–288
 - DIX, 281, 283
 - fast, 290–293
 - gigabit, 293–296
 - MAC sublayer, 280–299
 - promiscuous mode, 290
 - retrospective, 298–299
 - switched, 20, 288–290
- Ethernet carrier extension, 294
- Ethernet encoding
 - 4B/5B, 292
 - 64B/66B, 297
 - 8B/10B, 295
- Ethernet frame bursting, 294
- Ethernet header, 282
- Ethernet hub, 288
- Ethernet jumbo frame, 296
- Ethernet performance, 286–288
- Ethernet PON, 151–152
- Ethernet port, 20
- Ethernet switch, 20, 289
- EuroDOCSIS, 183
- EWMA (*see* Exponentially Weighted Moving Average)
- Expedited forwarding, 422–423
- Explicit congestion notification, 400
- Exponential decay, 738
- Exponentially weighted moving average, 399, 570
- Exposed terminal problem, 278–280
- Extended hypertext markup language, 681
- Extended interframe spacing, 309
- Extended SMTP, 639
- Extended superframe, 154
- Extensible authentication protocol, 824

Extensible markup language, 680
 Extensible stylesheet language transformation, 681
 Extension header, IPv6, 461–463
 Exterior gateway protocol, 431, 474

F

Facebook, 8
 Fair queueing, 412
 Fair use doctrine, 869
 Fast Ethernet, 290–293
 Fast network, design, 586–590
 Fast recovery, TCP, 578
 Fast retransmission, TCP, 577
 Fast segment processing, 590–593
 FCFS (*see* First-Come First-Served packet scheduling)
 FDD (*see* Frequency Division Duplex)
 FDDI (*see* Fiber Distributed Data Interface)
 FDM (*see* Frequency Division Multiplexing)
 FEC (*see* Forwarding Equivalence Class)
 FEC (*see* Forward Error Correction)
 FEC (*see* Forwarding Equivalence Class)
 Fiber distributed data interface, 272
 Fiber node, 180
 Fiber optics, 99–105
 compared to copper wire, 104–105
 Fiber to the home, 63, 100, 151
 Fibre channel, 298
 Field, video, 705
 FIFO (*see* First-In First-Out packet scheduling)
 File transfer protocol, 455, 623
 Filtering, ingress, 487
 Final delivery, email, 643
 Finger table, Chord, 756
 Firewall, 818–821
 stateful, 819
 First-come first-served packet scheduling, 412
 First-generation mobile phone network, 166–170
 First-in first-out packet scheduling, 412
 Fixed wireless, 11
 Flag byte, 198
 Flash crowd, 747, 748
 Fletcher’s checksum, 212
 Flooding algorithm, 368–370
 Flow control, 35, 201–202
 transport layer, 522–527
 Flow specification, 416
 Footprint, satellite, 119
 Forbidden region, 514–515
 Foreign agent, 388, 487
 Form, Web, 667–670
 Forward error correction, 203, 715
 Forwarding, 363
 assured, 423–424
 expedited, 422–423
 Forwarding algorithm, 27
 Forwarding equivalence class, 472
 Fourier analysis, 90
 Fourier series, 90
 Fourier transform, 135, 702
 Fragment
 frame, 307
 packet, 433
 Fragmentation, packet, 432–436
 Frame, 194
 acknowledgement, 43
 beacon, 307
 data, 43
 Frame bursting, Ethernet, 294
 Frame fragment, 307
 Frame header, 218
 Frame structure
 Bluetooth, 325–327
 IEEE 802.11, 309–310
 IEEE 802.16, 319–320
 Framing, 197–201
 Free-rider, BitTorrent, 752
 Free-space optics, 114
 Freedom of speech, 863–865
 Frequency, electromagnetic spectrum, 106
 Frequency division duplex, 169, 317
 Frequency division multiplexing, 132–135
 Frequency hopping, Bluetooth, 324
 Frequency hopping spread spectrum, 107
 Frequency masking, psychoacoustics, 703
 Frequency reuse, 65
 Frequency selection, dynamic, 312
 Frequency shift keying, 130
 Freshness of messages, 778
 Front end, Web server, 739
 FSK (*see* Frequency Shift Keying)
 FTP (*see* File Transfer Program)
 FttH (*see* Fiber to the Home)
 Full-duplex link, 97
 Future of TCP, 581–582
 Fuzzball, 59

G

G.711 standard, 728
 G.dmt, 149
 G.lite, 150
 Gatekeeper, multimedia, 728
 Gateway, 28
 application level, 819
 default, 469
 media, 68
 multimedia, 728
 Gateway GPRS support node, 68
 Gateway mobile switching center, 68
 Gen 2 RFID, 327–331
 General packet radio service, 68
 Generator polynomial, 213
 GEO (*see* Geostationary Earth Orbit)
 Geostationary earth orbit, 117
 Geostationary satellite, 117
 GGSN (*see* Gateway GPRS Support Node)
 Gigabit Ethernet, 293–296
 Gigabit-capable PON, 151
 Global Positioning System, 12, 121
 Global system for mobile communication, 65,
 170–174
 Globalstar, 122
 Gmail, 15
 GMSC (*see* Gateway Mobile Switching Center)
 Go-back-n protocol, 232–239
 Goodput, 393, 531
 GPON (*see* Gigabit-capable PON)
 GPRS (*see* General Packet Radio Service)
 GPS (*see* Global Positioning System)
 Gratuitous ARP, 469, 487
 Gray, Elisha, 139
 Gray code, 132 Group, 153
 Group, telephone hierarchy, 153
 GSM (*see* Global System for Mobile
 communication)
 Guard band, 133
 Guard time, 135
 Guided transmission media, 85–105, 95–105

H

H.225 standard, 729
 H.245 standard, 729
 H.264 standard, 710

H.323
 compared to SIP, 733–734
 standard, 728–731
 Half-duplex link, 97
 Hamming code, 206–207
 Hamming distance, 205
 Handoff, 68–69, 168
 hard, 178
 soft, 178
 Handover (*see* Handoff)
 Hard-decision decoding, 208
 Harmonic, 90
 Hashed message authentication code, 817
 HDLC (*see* High-level Data Link Control)
 HDTV (*see* High-Definition TeleVision)
 Headend, cable, 63, 179
 Header, 625
 email, 625
 Ethernet, 282
 IPv4, 439–442
 IPv6, 458–463
 IPv6 extension, 461–463
 packet, 31
 TCP segment, 557–560
 Header compression, 593–595
 robust, 594
 Header prediction, 592
 Helper application, browser, 654
 Hertz, 106
 Hertz, Heinrich, 106
 HF RFID, 74
 HFC (*see* Hybrid Fiber Coax)
 Hidden terminal problem, 278
 Hierarchical routing, 378–380
 High-definition television, 705
 High-level data link control, 199, 246
 High-water mark, 719
 History of the Internet, 54–61
 HLR (*see* Home Location Register)
 HMAC (*see* Hashed Message Authentication Code)
 Home agent, 387, 486
 Home location, 386
 Home location register, 171
 Home network, 6–10
 Home subscriber server, 69
 Hop-by-hop backpressure, 400–401
 Host, 23
 mobile, 386
 Host design for fast networks, 586–590
 Hosting, 64

Hot-potato routing, 484
 Hotspot, 11
 HSS (*see* Home Subscriber Server)
 HTML (*see* HyperText Markup Language)
 HTTP (*see* HyperText Transfer Protocol)
 HTTPS (*see* Secure HyperText Transfer Protocol)
 Hub, 340–342
 compared to bridge and switch, 340–342
 Ethernet, 288
 satellite, 119
 Hybrid fiber coax, 180
 Hyperlink, 648
 Hypertext, 647
 Hypertext markup language, 663–670
 attribute, 664
 directive, 663
 tag, 663–666
 Hypertext transfer protocol, 45, 649, 651, 683–693
 conditional get, 691
 connection, 684–686
 connection reuse, 684
 method, 686–688
 parallel connection, 686
 persistent connection, 684
 scheme, 650
 secure 853
 Hz (*see* Hertz)

I

IAB (*see* Internet Activities Board)
 ICANN (*see* Internet Corporation for Assigned Names and Number)
 ICMP (*see* Internet Control Message Protocol)
 IDEA (*see* International Data Encryption Algorithm)
 IEEE 802.11, 19, 299–312
 architecture, 299–301
 association, 311
 authentication, 311
 comparison with IEEE 802.16, 313–314
 data delivery service, 312
 disassociation, 311
 distribution service, 311
 frame structure, 309–310
 integration service, 312
 MAC sublayer, 299–312
 MAC sublayer protocol, 303–309
 IEEE 802.11 (*continued*)
 physical layer, 301–303
 privacy service, 312
 protocol stack, 299–301
 reassociation, 311
 security, 823–826
 services, 311–312
 transmit power control, 312
 IEEE 802.11a, 302
 IEEE 802.11b, 17, 301–302
 IEEE 802.11g, 203
 IEEE 802.11i, 823
 IEEE 802.11n, 302–303
 IEEE 802.16, 179, 313–320
 architecture, 314–315
 comparison with IEEE 802.11, 313–314
 frame structure, 319–320
 MAC sublayer protocol, 317–319
 physical layer, 316–317
 protocol stack, 314–315
 ranging, 317
 IEEE 802.1Q, 346–349
 IEEE 802.1X, 824
 IEEE (*see* Institute of Electrical and Electronics Engineers)
 IETF (*see* Internet Engineering Task Force)
 IGMP (*see* Internet Group Management Protocol)
 IKE (*see* Internet Key Exchange)
 IMAP (*see* Internet Message Access Protocol)
 IMP (*see* Interface Message Processor)
 Improved mobile telephone system, 166
 IMT-2000, 174–175
 IMTS (*see* Improved Mobile Telephone System)
 In-band signaling, 155
 Industrial, scientific, medical bands, 70, 112
 Inetd, 554
 Infrared Data Association, 114
 Infrared transmission, 114
 Ingress filtering, 487
 Initial connection protocol, 511
 Initialization vector, 788
 Input form, Web, 667–670
 Instant messaging, 8
 Institute of Electrical and Electronics Engineers, 79
 Integrated services, 418–421
 Integration service, IEEE 802.11, 312
 Intellectual property, 867
 Interdomain protocol, 431
 Interdomain routing, 474
 Interexchange carrier, 143

- Interface, 30
 - air, 66, 171
- Interface message processor, 56–57
- Interior gateway protocol, 431, 474
- Interlacing, video, 705
- Interleaving, 716
- Internal router, 476
- International data encryption algorithm, 842
- International Mobile Telecommunication-2000, 174–175
- International Standard, 78–79
- International Standard IS-95, 170
- International Standards Organization, 78
- International Telecommunication Union, 77
- Internet, 2, 28
 - architecture, 61–64
 - backbone, 63
 - cable, 180–182
 - control protocols, 465–470
 - daemon, 554
 - history, 54–61
 - interplanetary, 18
 - key exchange, 815
 - message access protocol, 644–645
 - multicasting, 484–488
 - protocol version 4, 439–455
 - protocol version 6, 455–465
 - radio, 721
 - TCP/IP layer, 46–47
- Internet Activities Board, 81
- Internet Architecture Board, 81
- Internet control message protocol, 47
- Internet Corporation for Assigned Names and Numbers, 444, 612
- Internet Engineering Task Force, 81
- Internet exchange point, 63, 480
- Internet group management protocol, 485
- Internet over cable, 180–182
- Internet protocol (IP), 47, 438–488
 - CIDR, 447–449
 - classful addressing, 449–451
 - control, 465–470
 - control message, 47
 - control protocols, 465–470
 - dotted decimal notation, 443
 - group management, 485
 - IP addresses, 442–455
 - message access, 644–645
 - mobile, 485–488
 - subnet, 444–446
- Internet protocol (*continued*)
 - version 4, 439–442
 - version 5, 439
 - version 6, 455–465
 - version 6 controversies, 463–465
 - version 6 extension headers, 461–463
 - version 6 main header, 458–461
- Internet protocol version 4, 439–455
- Internet protocol version 6, 455–465
- Internet Research Task Force, 81
- Internet service provider, 26, 62
- Internet Society, 81
- Internet standard, 82
- Internet telephony, 698, 725
- Internetwork, 25, 28–29, 424–436
- Internetwork routing, 431–432
- Internetworking, 34, 424–436
 - network layer, 19, 424–436
- Internetworking network layer, 424–436
- Interoffice trunk, 141
- Interplanetary Internet, 18
- Intradomain protocol, 431
- Intradomain routing, 474
- Intranet, 64
- Intruder, security, 767
- Inverse multiplexing, 527
- IP (*see* Internet protocol)
- IP address, 442–455
 - CIDR, 447–449
 - classful, 449–451
 - NAT, 451–455
 - prefix, 443–444
- IP security, 814–818
 - transport mode, 815
 - tunnel mode, 815
- IP telephony, 5
- IP television, 9, 721
- IPsec (*see* IP security)
- IPTV (*see* IP TeleVision)
- IPv4 (*see* Internet Protocol, version 4)
- IPv5 (*see* Internet Protocol, version 5)
- IPv6 (*see* Internet Protocol, version 6)
- IrDA (*see* Infrared Data Association)
- Iridium, 121
- IRTF (*see* Internet Research Task Force)
- IS (*see* International Standard)
- IS-95, 170
- IS-IS, 378, 474
- ISAKMP (*see* Internet Security Association and Key Management Protocol)

ISM (*see* Industrial, Scientific, Medical bands)
 ISO (*see* International Standards Organization)
 ISP (*see* Internet Service Provider)
 ISP network, 26
 Iterative query, 622
 ITU (*see* International Telecommunication Union)
 IV (*see* Initialization Vector)
 IXC (*see* IntereXchange Carrier)
 IXP (*see* Internet eXchange Point)

J

Java applet security, 857–858
 Java virtual machine, 678
 Java Virtual Machine, 857
 JavaScript, 676, 859
 Javaserer page, 675
 Jitter, 406, 698
 Jitter control, 550–552
 Joint photographic experts group, 706
 JPEG (*see* Joint Photographic Experts Group)
 JPEG standard, 706–709
 JSP (*see* JavaServer Page)
 Jumbo frame, Ethernet, 296
 Jumbogram, 462
 JVM (*see* Java Virtual Machine)

K

Karn's algorithm, 571
 KDC (*see* Key Distribution Center)
 Keepalive timer, TCP, 571
 Kepler's Law, 116
 Kerberos, 838–840
 realm, 840
 Kerckhoff's principle, 768
 Key
 Chord, 754
 cryptographic, 767
 Key distribution center, 807, 828
 authentication using, 835–836
 Key escrow, 861
 Keystream, 790
 Keystream reuse attack, 791
 Known plaintext attack, 769

L

L2CAP (*see* Logical Link Control Adaptation Protocol)
 Label edge router, 472
 Label switched router, 472
 Label switching, 360, 470–474
 Lamarr, Hedy, 107–108
 LAN (*see* Local Area Network)
 LAN, virtual, 21
 LATA (*see* Local Access and Transport Area)
 Layer
 application, 45, 47–48, 611–758
 data link, 193–251
 IEEE 802.11 physical, 301–303
 IEEE 802.16 physical, 316–317
 network, 29, 355–489
 physical, 89–187
 session, 44–45
 transport, 44, 495–606
 LCP (*see* Link Control Protocol)
 LDPC (*see* Low-Density Parity Check)
 Leaky bucket algorithm, 397, 407–411
 Learning bridge, 334–337
 LEC (*see* Local Exchange Carrier)
 Leecher, BitTorrent, 752
 LEO (*see* Low-Earth Orbit satellite)
 LER (*see* Label Edge Router)
 Level, network, 29
 Light transmission, 114–116
 Limited-contention protocol, 274–277
 Line code, 126
 Linear code, 204
 Linear cryptanalysis, 793
 Link
 asynchronous connectionless, 325
 Bluetooth, 324
 full-duplex, 97
 half-duplex, 97
 synchronous connection-oriented, 325
 Link control protocol, 245
 Link encryption, 765
 Link layer
 Bluetooth, 324–325
 TCP/IP, 46
 Link state routing, 373–378
 Little-endian computer, 429
 LLC (*see* Logical Link Control)
 Load balancing, Web server, 740
 Load shedding, 395, 401–403

Load-shedding policy
 milk, 401
 wine, 401
 Local access and transport area, 142
 Local area network, 19
 virtual, 342–349
 Local central office, 21
 Local exchange carrier, 142
 Local loop, 140, 144–152
 Local number portability, 144
 Logical link control, 283, 310
 Logical link control adaptation protocol, 323
 Long fat network, 595–599
 Long-term evolution, 69, 179, 314
 Longest matching prefix algorithm, 448
 Lossless audio compression, 701
 Lossy audio compression, 701
 Lottery algorithm, 112
 Low-density parity check, 209
 Low-earth orbit satellite, 121, 121–123
 Low-water mark, 718
 LSR (*see* Label Switched Router)
 LTE (*see* Long Term Evolution)
 Luminance, video, 706

M

M-commerce, 12
 MAC (*see* Medium Access Control)
 MAC sublayer protocol, 303–309, 317–319
 IEEE 802.11, 303–309
 IEEE 802.16, 317–319
 MACA (*see* Multiple Access with Collision Avoidance)
 Macroblock, MPEG, 711
 Magnetic media, 95–96
 MAHO (*see* Mobile Assisted HandOff)
 Mail server, 624
 Mail submission, 624, 637, 641
 Mailbox, 625
 Mailing list, 625
 Maintenance, route, 391–392
 MAN (*see* Metropolitan Area Network)
 Man-in-the-middle attack, 835
 Manchester encoding, 127
 MANET (*see* Mobile Ad hoc NETWORK)
 Markup language, 663, 680
 Marshaling parameters, 544

Max-min fairness, 532–534
 Maximum segment size, TCP, 559
 Maximum transfer unit, 433, 556
 Maximum transmission unit path, 433
 Maxwell, James Clerk, 105
 MCI, 110
 MD5, 804–807
 Measurements of network performance, 584–586
 Media gateway, 68
 Medium access control sublayer, 43, 257–350,
 320–327
 Bluetooth, 320–327
 broadband wireless, 312–320
 channel allocation, 258–261
 Ethernet, 280–299
 IEEE 802.11, 299–312
 multiple access protocols, 261–280
 wireless LANs, 299–312
 Medium-earth orbit satellite, 121
 MEO (*see* Medium-Earth Orbit Satellite)
 Merkle, Ralph, 796
 Message digest, 800–801
 Message disposition, 628
 Message format, 630
 Message header, 688–690
 Message integrity check, 825
 Message switching, 600
 Message transfer, 637–643, 642
 Message transfer agent, 624
 Metafile, 714
 Metcalfe, Robert, 6
 Method, HTTP, 686–688
 Metric units, 82–83
 Metropolitan area network, 23
 MFJ (*see* Modified Final Judgment)
 MGW (*see* Media GateWay)
 MIC (*see* Message Integrity Check)
 Michelson-Morley experiment, 281
 Microcell, 168
 Microwave transmission, 110–114
 Middlebox, 740
 Middleware, 2
 Milk, load-shedding policy, 401
 MIME (*see* Multipurpose Internet Mail Extension)
 MIME type, 652–655
 MIMO (*see* Multiple Input Multiple Output)
 Minislot, 184
 Mirroring a Web site, 744
 Mobile ad hoc network, 389–392
 Mobile assisted handoff, 174

- Mobile code security, 857–860
 - Mobile commerce, 12
 - Mobile host, 386
 - routing, 386–389
 - Mobile Internet protocol, 485–488
 - Mobile IP protocol, 485–488
 - Mobile phone, 164–179
 - Mobile phone system
 - first-generation, 166–170
 - second-generation, 170–174
 - third-generation, 65–69, 174–179
 - Mobile switching center, 68, 168
 - Mobile telephone, 164–179
 - Mobile telephone switching office, 168
 - Mobile telephone system, 164–179
 - Mobile user, 10–13
 - Mobile Web, 693–695
 - Mobile wireless, 11
 - Mockapetris, Paul, 52
 - Modem, 145
 - cable, 63, 183–195
 - dial-up, 62
 - V.32, 146
 - V.34, 146
 - V.90, 147
 - Modified final judgment, 142
 - Modulation, 130–132
 - amplitude shift keying, 130–131
 - BPSK, 302
 - digital, 125
 - discrete multitone, 149
 - frequency shift keying, 130–131
 - phase shift keying, 130–131
 - pulse code, 153
 - quadrature phase shift keying, 131
 - trellis coded, 146
 - Monoalphabetic substitution cipher, 770
 - MOSPF (*see* Multicast OSPF)
 - Motion picture experts group, 709
 - Mouse, 737
 - Mouse flow, 737
 - MP3, 702
 - MP4, 702
 - MPEG (*see* Motion Picture Experts Group)
 - MPEG compression, 709–712
 - frame types, 712
 - MPEG-1, 710
 - MPEG-2, 710
 - MPEG-4, 710
 - MPEG standards, 709–710
 - MPLS (*see* MultiProtocol Label Switching)
 - MSC (*see* Mobile Switching Center)
 - MSS (*see* Maximum Segment Size)
 - MTSO (*see* Mobile Telephone Switching Office)
 - MTU (*see* Maximum Transfer Unit)
 - Mu law, 700
 - Mu-law, 153
 - Multiaccess channel, 257
 - Multiaccess network, 475
 - Multicast OSPF, 383
 - Multicast routing, 382, 382–385
 - Multicasting, 17, 283, 382
 - Internet, 484–488
 - Multidestination routing, 380
 - Multihoming, 481
 - Multihop network, 75
 - Multimedia, 697–734, 699
 - Internet telephony, 728–734
 - jitter control, 550–552
 - live streaming, 721–724
 - MP3, 702–704
 - RTSP, 715
 - streaming audio, 699–704
 - video on demand, 713–720
 - videoconferencing, 725–728
 - voice over IP, 728–734
 - Multimode fiber, 101
 - Multipath fading, 70, 111
 - Multiple access protocol, 261–280
 - Multiple access with collision avoidance, 279
 - Multiple input multiple output, 303
 - Multiplexing, 125, 152–160
 - endpoint, 527
 - inverse, 527
 - statistical, 34
 - Multiprotocol label switching, 357, 360, 471–474
 - Multiprotocol router, 429
 - Multipurpose internet mail extension, 632–637
 - Multithreaded Web server, 656
 - Multitone, discrete, 148
 - Mutlimedia, streaming video, 704–712
- N**
- Nagle's algorithm, 566
 - Name resolution, 620
 - Name server, 619–623
 - Naming (*see* Addressing)

- Naming, secure, 848–853
 - NAP (*see* Network Access Point)
 - NAT (*see* Network Address Translation)
 - NAT box, 453
 - National Institute of Standards and Technology, 79, 783
 - National Security Agency, 782
 - NAV (*see* Network Allocation Vector)
 - NCP (*see* Network Control Protocol)
 - Near field communication, 12
 - Needham-Schroeder authentication, 836–838
 - Negotiation protocol, 35
 - Network
 - ad hoc, 70, 299, 389–392
 - ALOHA, 72
 - broadcast, 17
 - cellular, 65
 - delay-tolerant, 599–605
 - enterprise, 19
 - first-generation mobile phone, 166–170
 - home, 6–10
 - local area, 19
 - metropolitan area, 23
 - multiaccess, 475
 - multihop, 75
 - passive optical, 151
 - peer-to-peer, 7
 - performance, 582–599
 - personal area, 18
 - point-to-point, 17
 - power-line, 10, 22
 - public switched telephone, 68, 139
 - scalable, 34
 - second-generation mobile phone, 170–174
 - sensor, 13, 73–75
 - social, 8
 - stub, 481
 - third-generation mobile phone, 65–69, 174–179
 - uses, 3–16
 - virtual circuit, 358
 - virtual private, 4, 26
 - wide area, 23
 - Network accelerator, 215
 - Network access point, 60–61
 - Network address translation, 452–455
 - Network allocation vector, 305
 - Network architecture, 31
 - Network control protocol, 245
 - Network design issues, 33–35
 - Network hardware, 17–29
 - Network interface card, 202, 215
 - Network interface device, 149
 - Network layer, 43–44, 355–489
 - congestion control, 392–404
 - design issues, 355–362
 - Internet, 436–488
 - internetworking, 424–436
 - quality of service, 404–424
 - routing algorithms, 362–392
 - Network neutrality, 14
 - Network overlay, 430
 - Network performance measurement, 584–586
 - Network protocol (*see* Protocol)
 - Network service access point, 509
 - Network service provider, 26
 - Network software, 29–41
 - Network standardization, 75–82
 - NFC (*see* Near Field Communication)
 - NIC (*see* Network Interface Card)
 - NID (*see* Network Interface Device)
 - NIST (*see* National Institute of Standards and Technology)
 - Node B, 66
 - Node identifier, 754
 - Non-return-to-zero inverted encoding, 127
 - Non-return-to-zero modulation, 125
 - Nonadaptive algorithm, 363–364
 - Nonce, 824
 - Nonpersistent CSMA, 267
 - Nonpersistent Web cookie, 659
 - Nonrepudiation, 798
 - Notification, explicit congestion, 400
 - NRZ (*see* Non-Return-to-Zero modulation)
 - NRZI (*see* Non-Return-to-Zero Inverted encoding)
 - NSA (*see* National Security Agency)
 - NSAP (*see* Network Service Access Point)
 - NSFNET, 59–61
 - Nyquist frequency, 94, 146, 153
- ## O
- OFDM (*see* Orthogonal Frequency Division Multiplexing)
 - OFDMA (*see* Orthogonal Frequency Division Multiple Access)
 - One-time pad, 772–773
 - Onion routing, 863
 - Open mail relay, 642

- Open shortest path first, 378
 - Open shortest path first routing, 474–479
 - Open Systems Interconnection, 41–45
 - comparison with TCP/IP, 49–51
 - Open Systems Interconnection,
 - application layer, 45
 - critique, 51–53
 - data link layer, 43
 - network layer, 43–44
 - physical layer, 43
 - presentation layer, 45
 - reference model, 41–45
 - session layer, 44–45
 - transport layer, 44
 - Optimality principle, 364–365
 - Organizationally unique identifier, 283
 - Orthogonal frequency division multiple access, 316
 - Orthogonal frequency division multiplexing, 71, 133–134, 302
 - Orthogonal sequence, 136
 - OSI (*see* Open Systems Interconnection)
 - OSPF (*see* Open Shortest Path First routing)
 - OSPF (*see* Open Shortest Path First routing)
 - OUI (*see* Organizationally Unique Identifier)
 - Out-of-band signaling, 155
 - Overlay, 430
 - network, 430
 - Overprovisioning, 404
- P**
- P-box, cryptographic, 779
 - P-frame, 611–712
 - P-persistent CSMA, 267
 - P2P (*see* Peer-to-peer network)
 - Packet, 17, 36
 - Packet encapsulation, 387
 - Packet filter, 819
 - Packet fragmentation, 432–436, 433
 - Packet header, 31
 - Packet over SONET, 245–248
 - Packet scheduling, 411–414
 - Packet switching, 162–164
 - store-and-forward, 356
 - Packet train, 736
 - Page, Web, 647
 - Paging channel, 174
 - Pairing, Bluetooth, 320
 - PAN (*see* Personal Area Network)
 - PAR (*see* Positive Acknowledgement with Retransmission protocol)
 - Parallel connection, HTTP, 686
 - Parameters, marshaling, 544
 - Parity bit, 210
 - Parity packet, 716
 - Passband, 91
 - Passband signal, 130
 - Passband transmission, 125, 130–132
 - Passive optical network, 151
 - Passive RFID, 73
 - Passkey, 826
 - Path,
 - autonomous system, 481
 - certification, 812
 - maximum transmission unit, 433
 - Path diversity, 70
 - Path loss, 109
 - Path maximum transmission unit discovery, 433
 - Path MTU discovery, 556
 - Path vector protocol, 481
 - PAWS (*see* Protection Against Wrapped Sequence numbers)
 - PCF (*see* Point Coordination Function)
 - PCM (*see* Pulse Code Modulation)
 - PCS (*see* Personal Communications Service)
 - Peer, 29, 63
 - Peer-to-peer network, 7, 14, 735, 748–753
 - BitTorrent, 750–753
 - content distribution, 750–753
 - Peering, 481
 - Per hop behavior, 421
 - Perceptual coding, 702
 - Performance, TCP, 582–599
 - Performance issues in networks, 582–599
 - Performance measurements, network, 584–586
 - Perlman, Radia, 339
 - Persistence timer, TCP, 571
 - Persistent and nonpersistent CSMA, 266–268
 - Persistent connection, HTTP, 684
 - Persistent cookie, Web, 659
 - Personal area network, 18
 - Personal communications service, 170
 - PGP (*see* Pretty Good Privacy)
 - Phase shift keying, 130
 - Phishing, 16
 - Phone (*see* Telephone)
 - Photon, 774–776, 872
 - PHP, 674

- Physical layer, 89–187
 - cable television, 179–186
 - code division multiplexing, 135–138
 - communication satellites, 116–125
 - fiber optics, 99–104
 - frequency division multiplexing, 132–135
 - IEEE 802.11, 301–303
 - IEEE 802.16, 316–317
 - mobile telephones, 164–179
 - modulation, 125–135
 - Open Systems Interconnection, 43
 - telephone system, 138–164
 - time division multiplexing, 135
 - twisted pairs, 96–98
 - wireless transmission, 105–116
- Physical medium, 30
- Piconet, Bluetooth, 320
- Piggybacking, 226
- PIM (*see* Protocol Independent Multicast)
- Ping, 467
- Pipelining, 233
- Pixel, 704
- PKI (*see* Public Key Infrastructure)
- Plain old telephone service, 148
- Plaintext, 767
- Playback point, 551
- Plug-in, browser, 653, 859
- Podcast, 721
- Poem, spanning tree, 339
- Point coordination function, 304
- Point of presence, 63, 143
- Point-to-point network, 17
- Point-to-point protocol, 198, 245
- Poisoned cache, 849
- Poisson model, 260
- Polynomial generator, 213
- Polynomial code, 212
- PON (*see* Passive Optical Network)
- POP (*see* Point of Presence)
- POP3 (*see* Post Office Protocol)
- Port
 - destination, 453–454
 - Ethernet, 20
 - source, 453
 - TCP, 553
 - transport layer, 509
 - UDP, 542
- Portmapper, 510
- Positive acknowledgement with retransmission protocol, 225
- Post, Telegraph & Telephone administration, 77
- Post office protocol, version 3, 644
- POTS (*see* Plain Old Telephone Service)
- Power, 532
- Power law, 737
- Power-line network, 10, 22, 98–99
- Power-save mode, 307
- Power-line network, 10, 22
- PPP (*see* Point-to-Point Protocol)
- PPP over ATM, 250
- PPPoA (*see* PPP over ATM)
- Preamble, 200
- Prediction, header, 592
- Predictive encoding, 548
- Prefix, IP address, 443–444
- Premaster key, 854
- Presentation layer, 45
- Pretty good privacy, 842–846
- Primitive, service, 38–40
- Principal, security, 773
- Privacy, 860–861
- Privacy amplification, 776
- Privacy service, IEEE 802.11, 312
- Private key ring, 845
- Private network, virtual, 26, 821
- Process server, 511
- Protocol stack, IEEE 802.11, 299–301
- Product cipher, 780
- Product code, electronic, 327
- Profile, Bluetooth, 321
- Progressive video, 705
- Promiscuous mode Ethernet, 290
- Proposed standard, 81
- Protection against wrapped sequence numbers, 516, 560
- Protocol, 29
 - 1-bit sliding window, 229–232
 - adaptive tree walk, 275–277
 - address resolution, 467–469
 - address resolution gratuitous, 469
 - address resolution protocol proxy, 469
 - authentication protocols, 827–841
 - BB84, 773
 - binary countdown, 272–273
 - bit-map, 270–271
 - Bluetooth, 322–323
 - Bluetooth protocol stack, 322–323
 - border gateway, 432, 479–484
 - bundle, 603–605
 - carrier sense multiple access, 266–269
 - challenge-response, 828

Protocol (*continued*)

- collision-free, 269–273
- CSMA, 266–269
- data link, 215–250
- datagram congestion control, 503
- delay-tolerant network, 603–605
- Diffie-Hellman, 833–835
- distance vector multicast routing, 383
- dotted decimal notation Internet, 443
- DVMR, 383
- dynamic host configuration, 470
- extensible authentication, 824
- exterior gateway, 431, 474
- file transfer, 455, 623
- go-back-n, 232–239
- hypertext transfer, 45, 649, 651, 683–693
- IEEE 802.11, 299–312
- IEEE 802.16, 312–320
- initial connection, 511
- interdomain, 431
- interior gateway, 431, 474
- IP, 438–488
- intradomain, 431
- limited-contention, 274–277
- link control, 245
- logical link control adaptation, 323
- long fat network, 595–599
- MAC, 261–280
- mobile IP, 485–488
- multiple access, 261–280
- multiprotocol label switching, 360, 471–474
- multiprotocol router, 429
- negotiation, 35
- network, 29
- network control, 245
- packet over SONET, 245–248
- path vector, 481
- point-to-point, 198, 245
- POP3, 644
- positive acknowledgement with retransmission, 225
- real time streaming, 715
- real-time, 606
- real-time transport, 546–550
- relation to services, 40
- request-reply, 37
- reservation, 271
- resource reservation, 418
- selective repeat, 239–244
- session initiation, 731–735

Protocol (*continued*)

- simple Internet plus, 457
- simple mail transfer, 625, 638–641
- sliding-window, 226–244, 229–232, 522
- SLIP, 245
- SOAP, 682
- stop-and-wait, 221–226, 522
- stream, 503, 527
- stream control transmission, 503, 527
- subnet Internet, 444–446
- TCP (*see* Transmission Control Protocol)
- temporary key integrity, 825
- TKIP, 825
- token passing, 271–272
- transport, 507–530, 541–582
- tree walk, 275–277
- UDP, 541–552
- utopia, 220–222
- wireless application, 693
- wireless LAN, 277–280
- Protocol 1 (utopia), 220–222
- Protocol 2 (stop-and-wait), 221–222
- Protocol 3 (PAR), 222–226
- Protocol 4 (sliding window), 229–232
- Protocol 5 (go-back-n), 232–239
- Protocol 6 (selective repeat), 239–244
- Protocol hierarchy, 29–33
- Protocol independent multicast, 385, 485
- Protocol layering, 34
- Protocol stack, 31–32
 - Bluetooth, 322–323
 - H.323, 728–731
 - IEEE 802.11, 299–301
 - IEEE 802.16, 314–315
 - OSI, 41–45
 - TCP/IP, 45–48
- Proxy ARP, 469
- Proxy caching, Web, 692
- PSK (*see* Phase Shift Keying)
- PSTN (*see* Public Switched Telephone Network)
- Psychoacoustic audio encoding, 702–703
- PTT (*see* Post, Telegraph & Telephone administration)
- Public switched telephone network, 68, 138–164, 139
- Public-key authentication using, 840–841
- Public-key cryptography, 793–797
 - other algoirhtms, 796–797
 - RSA, 794–796
- Public-key infrastructure, 810–813
 - directory, 812
- Public-key ring, 845

Public-key signature, 799–800
 Pulse code modulation, 153
 Pure ALOHA, 262–265
 Push-to-talk system, 166

Q

Q.931 standard, 729
 QAM (*see* Quadrature Amplitude Modulation)
 QoS (*see* Quality of Service)
 QoS traffic scheduling (*see* Transmit power control)
 QPSK (*see* Quadrature Phase Shift Keying)
 Quadrature amplitude modulation, 132
 Quadrature phase shift keying, 131
 Quality of service, 35, 404–424, 411–414
 admission control, 415–418
 application requirements, 405–406
 differentiated services, 421–424
 integrated services, 418–421
 network layer, 404–424
 requirements, 405–406
 traffic shaping, 407–411
 Quality of service routing, 415
 Quantization, MPEG, 707
 Quantization noise, 700
 Quantum cryptography, 773–776
 Qubit, 774
 Queueing delay, 164
 Queueing theory, 259
 Quoted-printable encoding, 634

R

RA (*see* Regional Authority)
 Radio access network, 66
 Radio frequency identification, 10, 327–332
 active, 74
 backscatter, 329
 generation 2, 327–331
 HF, 74
 LF, 74
 passive 74
 UHF, 73–74
 Radio network controller, 66
 Radio transmission, 109–110
 Random access channel, 174, 257
 Random early detection, 403–404
 Ranging, 184
 IEEE 802.16, 317
 RAS (*see* Registration/Admission/Status)
 Rate adaptation, 301
 Rate anomaly, 309
 Rate regulation, sending, 535–539
 Real-time audio, 697
 Real-time conferencing, 724–734
 Real-time protocol, 606
 Real-time streaming protocol, 715
 Real-time transport protocols, 546–550
 Real-time video, 697
 Realm, Kerberos, 840
 Reassociation, IEEE 802.11, 311
 Receiving window, 228
 Recovery
 clock, 127–129
 crash, 527–530
 fast, 578
 Rectilinear basis, in quantum cryptography, 774
 Recursive query, 621
 RED (*see* Random Early Detection)
 Redundancy, in quantum cryptography, 777–778
 Reed-Solomon code, 208
 Reference model, 41–54,
 Open Systems Interconnection. 41–45
 TCP/IP, 45–51
 Reflection attack, 829
 Region, in a network, 379
 Regional Authority, 811
 Registrar, 613
 Registration/admission/status, 729
 Relation of protocols to services, 40
 Relation of services to protocols, 40
 Reliable byte stream, 502
 Remailer
 anonymous, 861–863
 cypherpunk, 862
 Remote login, 61, 405–406
 Remote procedure call, 543–546
 marshaling parameters, 544
 stubs, 544
 Rendezvous point, 384
 Repeater, 281, 340–342
 Replay attack, 836
 Request for comments, 81
 Request header, 688
 Request to send, 279
 Request-reply protocol, 37

- Request-reply service, 37
- Reservation protocol, 271
- Resilient packet ring, 271, 272
- Resolver, 612
- Resource record, 616
- Resource record set, 851
- Resource reservation protocol, 418
- Resource sharing, 3
- Response header, 688
- Retransmission, fast, 577
- Retransmission timeout, TCP, 568
- Retransmission timer, 570–571
- Retrospective on Ethernet, 298–299
- Reverse lookup, 617
- Reverse path forwarding algorithm, 381, 419
- Revocation certificate, 812–813
- RFC (*see* Request For Comments)
- RFC 768, 541
- RFC 793, 552
- RFC 821, 625
- RFC 822, 625, 630, 632, 633, 635, 636, 843, 862
- RFC 1058, 373
- RFC 1122, 553
- RFC 1191, 556
- RFC 1323, 516, 596
- RFC 1521, 634
- RFC 1663, 246
- RFC 1700, 441
- RFC 1939, 644
- RFC 1958, 436
- RFC 2018, 553
- RFC 2109, 659
- RFC 2326, 719
- RFC 2364, 250
- RFC 2410, 814
- RFC 2440, 843
- RFC 2459, 809
- RFC 2535, 851, 853
- RFC 2581, 553
- RFC 2597, 423
- RFC 2615, 247
- RFC 2616, 683, 689
- RFC 2854, 635
- RFC 2883, 560, 580
- RFC 2965, 689
- RFC 2988, 553, 570
- RFC 2993, 455
- RFC 3003, 635
- RFC 3022, 452
- RFC 3023, 635
- RFC 3119, 717
- RFC 3168, 553, 558, 581
- RFC 3174, 804
- RFC 3194, 460
- RFC 3246, 422
- RFC 3261, 731
- RFC 3344, 487
- RFC 3376, 485
- RFC 3390, 574
- RFC 3501, 644
- RFC 3517, 580
- RFC 3550, 549
- RFC 3748, 824
- RFC 3775, 488
- RFC 3782, 580
- RFC 3875, 674
- RFC 3963, 488
- RFC 3986, 652
- RFC 4120, 838
- RFC 4306, 815
- RFC 4409, 642
- RFC 4614, 553
- RFC 4632, 447
- RFC 4838, 601
- RFC 4960, 582
- RFC 4987, 562
- RFC 5050, 603
- RFC 5246, 856
- RFC 5280, 809
- RFC 5321, 625, 633, 639
- RFC 5322, 625, 630, 631, 632, 633, 760
- RFC 5681, 581
- RFC 5795, 595
- RFID (*see* Radio Frequency IDentification)
- RFID backscatter, 74
- RFID network, 73–75
- Rijmen, Vincent, 784
- Rijndael, 784–787
- Rijndael cipher, 312
- Ring
 - resilient packet, 271
 - token, 271
- Rivest, Ron, 773, 792, 795, 797, 804
- Rivest Shamir Adleman algorithm, 794–796
- RNC (*see* Radio Network Controller)
- Robbed-bit signaling, 155
- Roberts, Larry, 56
- Robust header compression, 594
- ROHC (*see* RObust Header Compression)
- Root name server, 620

Routing algorithm, 27, 34, 362, 362–392
 ad hoc network, 389–392
 adaptive, 364
 anycast, 385–386
 AODV, 389
 Bellman-Ford, 370
 broadcast, 380–382
 class-based, 421
 classless interdomain, 447–449
 distance vector multicast protocol, 383
 dynamic, 364
 hierarchical, 378–380
 hot-potato, 484
 interdomain, 474
 internetwork, 431–432
 intradomain, 474
 link state, 373–378
 mobile host, 386–389
 multicast, 382–385
 multidestination, 380
 network layer, 362–392
 onion, 863
 OSPF, 464–479
 distance vector multicast, 383
 quality of service, 415
 session, 362
 shortest path, 366–368
 static, 364
 traffic-aware, 395–396
 triangle, 388
 wormhole, 336
 Routing policy, 432
 RPC (*see* Remote Procedure Call)
 RPR (*see* Resilient Packet Ring)
 RRSet (*see* Resource Record Set)
 RSA (*see* Rivest Shamir Adleman algorithm)
 RSVP (*see* Resource reSerVation Protocol)
 RTCP (*see* Real-time Transport Control Protocol)
 RTO (*see* Retransmission TimeOut, TCP)
 RTP (*see* Real-time Transport Protocol)
 RTS (*see* Request To Send)
 RTSP (*see* Real Time Streaming Protocol)
 Run-length encoding, 709

S

S-box, cryptographic, 779
 S/MIME, 846

SA (*see* Security Association)
 SACK (*see* Selective ACKnowledgement)
 Sandbox, 858
 Satellite
 communication, 116–125
 geostationary, 117
 low-earth orbit, 121–123
 medium-earth orbit, 121
 Satellite footprint, 119
 Satellite hub, 119
 Sawtooth, TCP, 579
 Scalable network, 34
 Scatternet, Bluetooth, 320
 Scheduling, packet, 411–414
 Scheme, HTTP, 650
 SCO (*see* Synchronous Connection Oriented link)
 Scrambler, 128
 SCTP (*see* Stream Control Transmission Protocol)
 SDH (*see* Synchronous Digital Hierarchy)
 Second-generation mobile phone network, 170–174
 Sectorized antenna, 178
 Secure DNS, 850–853
 Secure HTTP, 853
 Secure naming, 848–853
 Secure pairing bluetooth, 325
 Secure simple pairing, Bluetooth, 325
 Secure sockets layer, 853–857
 Secure/MIME, 846
 Security
 Bluetooth, 826–827
 communication, 813–827
 email, 841–846
 IEEE 802.11, 823–826
 IP, 814–818
 Java applet, 857–858
 mobile code, 857–860
 social issues, 860–869
 transport layer, 856
 Web, 856–860
 wireless, 822–827
 Security association, 815
 Security by obscurity, 768
 Security principal, 773
 Security threats, 847–848
 Seeder, BitTorrent, 751
 Segment, 499, 542
 Segment header, TCP, 557–560
 Selective acknowledgement, TCP, 560, 580
 Selective repeat protocol, 239–244
 Self-similarity, 737

- Sending rate, regulation, 535–539
- Sending window, 228
- Sensor network, 13, 73–75
- Serial line Internet protocol, 245
- Server, 4
- Server farm, 64, 738–741
- Server side on the Web, 655–658
- Server side Web page generation, 673–676
- Server stub, 544
- Service
 - connection-oriented, 35–38, 359–361
 - connectionless, 35–38, 358–359
- Service level agreement, 407
- Service primitive, 38–40
- Service
 - IEEE 802.11, 311–312
 - integrated, 418–421
 - provided by transport layer, 495–507
 - provided to the transport layer, 356–357
 - relation to protocols, 40
- Service user, transport, 497
- Serving GPRS support node, 68
- Session, 44
- Session initiation protocol, 731, 731–735
 - compared to H.323, 733–734
- Session key, 828
- Session layer, 44–45
- Session routing, 362
- Set-top box, 4, 723
- SGSN (*see* Serving GPRS Support Node)
- SHA (*see* Secure Hash Algorithm)
- Shannon, Claude, 94–95
- Shannon limit, 100, 106, 146
- Shared secret, authentication using, 828–833
- Short interframe spacing, 308
- Short message service, 12
- Shortest path routing, 366–368
- SIFS (*see* Short InterFrame Spacing)
- Signal, balanced, 129–130
- Signal-to-noise ratio, 94
- Signaling
 - common-channel, 155
 - in-band, 155
 - robbed-bit 155
- Signature block, 629
- Signatures, digital, 797–806
- Signing, code, 858
- Silly window syndrome, 567
- SIM card, 69, 171
- Simple Internet protocol, plus, 457
- Simple mail transfer protocol, 625, 638–641
- Simple object access protocol, 682
- Simplex link, 97
- Single-mode fiber, 101
- Sink tree, 365
- SIP (*see* Session Initiation Protocol)
- SIPP (*see* Simple Internet protocol Plus)
- Skin, player, 715
- SLA (*see* Service Level Agreement)
- Sliding window, TCP, 565–568
- Sliding window protocol, 1-bit, 229–232
 - 226–244, 229–232, 522
- SLIP (*see* Serial Line Internet protocol)
- Slot, 264
- Slotted ALOHA, 264–266, 265
- Slow start, TCP, 574
 - threshold, 576
- Smart phone, 12
- Smiley, 623
- SMS (*see* Short Message Service)
- SMTP (*see* Simple Mail Transfer Protocol)
- Snail mail, 623
- SNR (*see* Signal-to-Noise Ratio)
- SOAP (*see* Simple Object Access Protocol)
- Social issues, 14–16
 - security, 860–869
- Social network, 8
- Socket, 59
 - Berkeley, 500–507
 - TCP, 553
- Socket programming, 503–507
- Soft handoff, 178
- Soft-decision decoding, 208
- Soliton, 103
- SONET (*see* Synchronous Optical NETWORK)
- Source port, 453
- Spam, 623
- Spanning tree, 382
- Spanning tree bridge, 337–340
- Spanning tree poem, 339
- SPE (*see* Synchronous Payload Envelope)
- Spectrum allocation, 182–183
- Spectrum auction, 112
- Speed of light, 106
- Splitter, 149
- Spoofing, DNS, 848–850
- Spot beam, 119
- Spread spectrum, 135
 - direct sequence, 108
 - frequency hopping, 107

- Sprint, 111
 - Spyware, 662
 - SSL (*see* Secure Sockets Layer)
 - SST (*see* Structured Stream Transport)
 - Stack, protocol, 31–32
 - Standard
 - de facto, 76
 - de jure, 76
 - Stateful firewall, 819
 - Static channel allocation, 258–261
 - Static page, Web, 649
 - Static routing, 364
 - Static Web page, 649, 662–663
 - Station keeping, 118
 - Statistical multiplexing, 34
 - Statistical time division multiplexing, 135
 - STDM (*see* Statistical Time Division Multiplexing)
 - Steganography, 865–867
 - Stop-and-wait protocol, 221–226, 522
 - Store-and-forward packet switching, 36, 356
 - Stream cipher mode, 790–791
 - Stream control transmission protocol, 503, 527
 - Streaming audio and video, 697–734
 - Streaming live media, 721–724
 - Streaming media, 699
 - Streaming stored media, 713–720
 - Strowger gear, 161
 - Structured P2P network, 754
 - Structured stream transport, 503
 - STS-1 (*see* Synchronous Transport Signal-1)
 - Stub
 - client, 544
 - server, 544
 - Stub area, 477
 - Stub network, 481
 - Style sheet, 670–671
 - Sublayer, medium access control, 257–350
 - Subnet, 24, 444–446
 - Subnet Internet protocol, 444–446
 - Subnet mask, 443
 - Subnetting, 444
 - Subscriber identity module, 69, 171
 - Substitution cipher, 769–770
 - Superframe, extended, 154
 - Supergroup, 153
 - Supernet, 447
 - Swarm, BitTorrent, 751
 - Switch, 24
 - compared to bridge and hub, 340–342
 - Ethernet, 20, 289
 - Switched Ethernet, 20, 280, 288–290
 - Switching, 161–164
 - circuit, 161–162
 - cut-through, 36, 336
 - data link layer, 332–349
 - label, 360, 470–474
 - message, 600
 - packet, 162–164
 - store-and-forward, 36
 - Switching element, 24
 - Symbol, 126
 - Symbol rate, 127
 - Symmetric-key cryptography, 778–793
 - AES, 783–787
 - cipher feedback mode, 789–790
 - counter mode, 791–792
 - DES, 780–782
 - electronic code book mode, 787–788
 - Rijndael, 784–787
 - stream cipher mode, 790–791
 - triple DES, 782–783
 - Symmetric-key signature, 798–799
 - SYN cookie, TCP, 561
 - SYN flood attack, 561
 - Synchronization, 44
 - Synchronous connection-oriented link, 325
 - Synchronous digital hierarchy, 156–159
 - Synchronous optical network, 156–159
 - Synchronous payload envelope, 157
 - Synchronous transport signal-1, 157
 - System, distributed, 2
 - Systematic code, 204
-
- ## T
- T1 carrier, 154–155
 - T1 line, 128, 154
 - Tag, HTML, 663–666
 - Tag switching, 471
 - Tail drop, 412
 - Talkspurt, 551
 - Tandem office, 141
 - TCG (*see* Trusted Computing Group)
 - TCM (*see* Trellis Coded Modulation)
 - TCP (*see* Transmission Control Protocol)
 - TDD (*see* Time Division Duplex)
 - TDM (*see* Time Division Multiplexing)
 - Telco, 61

- Telephone
 - cordless, 165
 - mobile, 164–179
 - smart, 12
- Telephone system, 138–164
 - end office, 140
 - guard band, 133
 - guard time, 135
 - local loop, 144–152
 - mobile, 164–179
 - modem, 145
 - modulation, 130–132
 - point of presence, 143
 - politics, 142–144
 - structure, 139–142
 - switching, 161–164
 - tandem office, 141
 - toll office, 141
 - trunk, 152–160
- Telephone trunk, 152–160
- Television
 - cable, 179–186
 - community antenna, 179–180
- Temporal masking, 703
- Temporary key integrity protocol, 825
- Terminal, VoIP, 728
- Text messaging, 12
- Texting, 12
- Third Generation Partnership Project, 76
- Third-generation mobile phone network, 65–69, 174–179
- Third-party Web cookie, 662
- Threats, security, 847–848
- Three bears problem, 450
- Three-way handshake, 516
- Tier 1 ISP, 64
- Tier 1 network, 437
- Time division duplex, 316–317
- Time division multiplexing, 135, 154–156
- Time slot, 135
- Timer management, TCP, 568–571
- Timestamp, TCP, 560
- Timing wheel, 593
- Tit-for-tat strategy, BitTorrent, 752
- TKIP (*see* Temporary Key Integrity Protocol)
- TLS (*see* Transport Layer Security)
- Token, 271
- Token bucket algorithm, 397, 408–411
- Token bus, 272
- Token management, 44
- Token passing protocol, 271–272
- Token ring, 271
- Toll connecting trunk, 141
- Toll office, 141
- Top-level domain, 613
- Torrent, BitTorrent, 750
- TPDU (*see* Transport Protocol Data Unit)
- TPM (*see* Trusted Platform Module)
- Traceroute, 466
- Tracker, BitTorrent, 751
- Traffic analysis, 815
- Traffic engineering, 396
- Traffic policing, 407
- Traffic shaping, 407, 407–411
- Traffic throttling, 398–401
- Traffic-aware routing, 395–396
- Trailer, 32, 194, 216, 250, 326
- Transcoding, 694
- Transfer agent, 624–625, 630–631
- Transit service, 480
- Transmission
 - baseband, 125
 - light, 14–116
 - passband, 125
 - wireless, 105–116
- Transmission control protocol (TCP), 47, 552–582
 - acknowledgement clock, 574
 - application layer, 47–48
 - comparison with OSI, 49–51
 - congestion collapse, 572
 - congestion control, 571–581
 - congestion window, 571
 - connection establishment, 560–562
 - connection management, 562–565
 - connection release, 562
 - critique, 53–54
 - cumulative acknowledgement, 558, 568
 - delayed acknowledgement, 566
 - duplicate acknowledgement, 577
 - fast recovery, 578
 - fast retransmission, 577
 - future, 581–582
 - introduction, 552–553
 - Karn’s algorithm, 571
 - keepalive timer, 571
 - link layer, 46
 - maximum segment size, 559
 - maximum transfer unit, 556
 - Nagle’s algorithm, 566
 - performance, 582–599

Transmission control protocol (*continued*)
 persistence timer, 571
 port, 553
 reference model, 45–51
 retransmission timeout, 568
 sawtooth, 579
 segment header, 557–560
 selective acknowledgement, 580
 silly window syndrome, 567
 sliding window, 565–568
 slow start, 574
 slow start threshold, 576
 socket, 553
 speeding up, 582–599
 SYN cookie, 561
 SYN flood attack, 561
 timer management, 568–571
 timestamp option, 560
 transport layer, 47
 urgent data, 555
 well-known port, 553
 window probe, 566
 window scale, 560
 Transmission line, 24
 Transmission media, guided, 85–105
 Transmission opportunity, 309
 Transmit power control, IEEE 802.11, 312
 Transponder, 116
 Transport, structured stream, 503
 Transport entity, 496
 Transport layer, 44
 addressing, 509–512
 congestion control, 530–541
 delay-tolerant networking, 599–605
 error control, 522–527
 flow control, 522–527
 performance, 582–599
 port, 509
 security, 856
 TCP, 552–582
 TCP/IP, 47
 Transport protocols, 507–530
 transport service, 495–507
 UDP, 541–552
 Transport mode, IP security, 815
 Transport protocol, 507–530, 541–582
 design issues, 507–530
 Transport protocol data unit, 499
 Transport service access point, 509
 Transport service primitive, 498–500

Transport service provider, 497
 Transport service user, 497
 Transposition cipher, 771–772
 Tree walk protocol, adaptive, 275–277
 Trellis-coded modulation, 146
 Triangle routing, 388
 Trigram, 770
 Triple DES, 782–783
 Trunk, telephone, 152–160
 Trust anchor, 812
 Trusted computing, 869
 Trusted platform module, 869
 TSAP (*see* Transport Service Access Point)
 Tunnel mode, IPSec, 815
 Tunneling, 387, 429–431
 Twisted pair, 96–97
 unshielded, 97
 Twitter, 8
 Two-army problem, 518–519
 TXOP (*see* Transmission opportunity)

U

U-NII (*see* Unlicensed National Information Infrastructure)
 Ubiquitous computing, 10
 UDP (*see* User Datagram Protocol)
 UHF RFID, 73–74
 Ultra-wideband, 108
 UMTS (*see* Universal Mobile Telecommunications System)
 Unchoked peer, BitTorrent, 752
 Unicast, 385
 Unicasting, 17, 385
 Uniform resource identifier, 652
 Uniform resource locator, 650
 Uniform resource name, 652,
 Universal mobile telecommunications system, 65, 175
 Universal serial bus, 128
 Unlicensed national information infrastructure, 113
 Unshielded twisted pair, 97
 Unstructured P2P network, 754
 Upstream proxy, 742
 Urgent data, 555
 URI (*see* Uniform Resource Identifier)
 URL (*see* Scheme)
 URN (*see* Uniform Resource Name)
 USB (*see* Universal Serial Bus)

User, mobile, 10–13
 User agent, 624, 626
 User datagram protocol, 47, 541–552, 542, 549–550
 port, 542
 real-time transmission, 546–552
 remote procedure call, 541–543
 RTP, 547–549
 Utopia protocol, 220–222
 UTP (*see* Unshielded Twisted Pair)
 UWB (*see* Ultra-WideBand)

V

V.32 modem, 146
 V.34 modem, 146
 V.90 modem, 147
 V.92 modem, 147
 Vacation agent, 629
 Vampire tap, 291
 Van Allen belt, 117
 VC (*see* Virtual Circuit)
 Very small aperture terminal, 119
 Video
 interlaced, 705
 progressive, 705
 streaming, 704–712
 Video compression, 706
 Video field, 705
 Video on demand, 713
 Video server, 414, 416
 Virtual circuit, 249, 358–361
 Virtual circuit network, 358
 comparison with datagram network, 361–362
 Virtual LAN, 21, 332, 342–349
 Virtual private network, 4, 26, 431, 821–822
 Virtual-circuit network, 358
 Virus, 860
 Visitor location register, 171
 VLAN (*see* Virtual LAN)
 VLR (*see* Visitor Location Register)
 Vocal tract, 702
 Vocoder, 701
 VOD (*see* Video on Demand)
 Voice over IP, 5, 36, 698, 725, 728–734
 Voice signals, digitizing, 153–154
 Voice-grade line, 93
 VoIP (*see* Voice over IP)
 VPN (*see* Virtual Private Network)
 VSAT (*see* Very Small Aperture Terminal)

W

W3C (*see* World Wide Web Consortium)
 Walled garden, 723
 Walsh code, 136
 WAN (*see* Wide Area Network)
 WAP (*see* Wireless Application Protocol)
 Watermarking, 867
 Waveform coding, 702
 Wavelength, 106
 Wavelength division multiplexing, 159–160
 WCDMA (*see* Wideband Code Division Multiple Access)
 WDM (*see* Wavelength Division Multiplexing)
 Wearable computer, 13
 Web (*see* World Wide Web)
 Web application, 4
 Web browser, 648
 extension, 859–860
 helper application, 654
 plug-in, 653–654, 859
 proxy, 741–742
 Webmail, 645, 645–646
 Weighted fair queueing, 414
 Well-known port, TCP, 553
 WEP (*see* Wired Equivalent Privacy)
 WFQ (*see* Weighted Fair Queueing)
 White space, 113
 Whitening, 781
 Wide area network, 23, 23–27
 Wideband code division multiple access, 65, 175
 WiFi (*see* IEEE 802.11)
 WiFi Alliance, 76
 WiFi protected access, 73, 311
 WiFi protected access 2
 312, 823
 Wiki, 8
 Wikipedia, 8
 WiMAX (*see* IEEE 802.16)
 WiMAX Forum, 313
 Window probe, TCP, 566
 Window scale, TCP, 560
 Wine, load-shedding policy, 401
 Wired equivalent privacy, 73, 311, 823

- Wireless
 - broadband, 312–320
 - fixed, 11
- Wireless application protocol, 693
- Wireless issues, 539–541
- Wireless LAN, 39, 277–280, 299–312
- Wireless LAN (*see* IEEE 802.11)
- Wireless LAN protocol, 277–280
- Wireless LAN protocols, 277–280
- Wireless router, 19
- Wireless security, 822–827
- Wireless transmission, 105–116
- Work factor, cryptographic, 768
- World Wide Web, 2, 646–697
 - AJAX, 679–683
 - architectural overview, 647–649
 - caching, 690–692
 - cascading style sheets, 670–672
 - client side, 649–652
 - client-side page generation, 676–678
 - connections, 684–686
 - cookies, 658–662
 - crawling, 696
 - dynamic pages, 672
 - forms, 667–680
 - HTML, 663–667
 - HTTP, 683–684
 - message headers, 688–690
 - methods, 686–688
 - MIME types, 652–655
 - mobile web, 693–695
 - page, 647
 - proxy, 692, 741–743
 - search, 695–697
 - security, 856–860
 - tracking, 661
 - server side, 655–658
 - server-side page generation, 673–676
 - static web pages, 662–672
 - World Wide Web Consortium, 82, 647
 - Wormhole routing, 336
 - WPA (*see* WiFi Protected Access)
 - WPA2 (*see* WiFi Protected Access 2)

- XHTML (*see* eXtended HyperText Markup Language)
- XML (*see* eXtensible Markup Language)
- XSLT (*see* eXtensible Stylesheet Language Transformation)

Z

- Zipf's law, 737
- Zone
 - DNS, 619–620
 - multimedia, 728


X

- X.400 standard, 629
- X.509, 809–810

Also by Andrew S. Tanenbaum

Modern Operating Systems, 3rd ed.


This worldwide best-seller incorporates the latest developments in operating systems. The book starts with chapters on the principles, including processes, memory management, file systems, I/O, and so on. Then it goes into three chapter-long case studies: Linux, Windows, and Symbian. Tanenbaum's experience as the designer of three operating systems (Amoeba, Globe, and MINIX) gives him a background few other authors can match, so the final chapter distills his long experience into advice for operating system designers.



Also by Andrew S. Tanenbaum and Albert S. Woodhull

Operating Systems: Design and Implementation, 3rd ed.


All other textbooks on operating systems are long on theory and short on practice. This one is different. In addition to the usual material on processes, memory management, file systems, I/O, and so on, it contains a CD-ROM with the source code (in C) of a small, but complete, POSIX-conformant operating system called MINIX 3 (see www.minix3.org). All the principles are illustrated by showing how they apply to MINIX 3. The reader can also compile, test, and experiment with MINIX 3, leading to in-depth knowledge of how an operating system really works.



Also by Andrew S. Tanenbaum

Structured Computer Organization, 5th ed.


A computer can be structured as a hierarchy of levels, from the hardware up through the operating system. This book treats all of them, starting with how a transistor works and ending with operating system design. No previous experience with either hardware or software is needed to follow this book, however, as all the topics are self contained and explained in simple terms starting right at the beginning. The running examples used throughout the book range from the high-end UltraSPARC III, through the ever-popular x86 (Pentium) to the tiny Intel 8051 used in small embedded systems.



Also by Andrew S. Tanenbaum and Maarten van Steen

Distributed Systems: Principles and Paradigms, 2nd ed.

Distributed systems are becoming ever-more important in the world and this book explains their principles and illustrates them with numerous examples. Among the topics covered are architectures, processes, communication, naming, synchronization, consistency, fault tolerance, and security. Examples are taken from distributed object-based, file, Web-based, and coordination-based systems.



ABOUT THE AUTHORS

Andrew S. Tanenbaum has an S.B. degree from M.I.T. and a Ph.D. from the University of California at Berkeley. He is currently a Professor of Computer Science at the Vrije Universiteit where he has taught operating systems, networks, and related topics for over 30 years. His current research is on highly reliable operating systems although he has worked on compilers, distributed systems, security, and other topics over the years. These research projects have led to over 150 refereed papers in journals and conferences.

Prof. Tanenbaum has also (co)authored five books which have now appeared in 19 editions. The books have been translated into 21 languages, ranging from Basque to Thai and are used at universities all over the world. In all, there are 159 versions (language/edition combinations), which are listed at www.cs.vu.nl/~ast/publications.

Prof. Tanenbaum has also produced a considerable volume of software, including the Amsterdam Compiler Kit (a retargetable portable compiler), Amoeba (an early distributed system used on LANs), and Globe (a wide-area distributed system).

He is also the author of MINIX, a small UNIX clone initially intended for use in student programming labs. It was the direct inspiration for Linux and the platform on which Linux was initially developed. The current version of MINIX, called MINIX 3, is now focused on being an extremely reliable and secure operating system. Prof. Tanenbaum will consider his work done when no computer is equipped with a reset button and no living person has ever experienced a system crash. MINIX 3 is an on-going open-source project to which you are invited to contribute. Go to www.minix3.org to download a free copy and find out what is happening.

Tanenbaum is a Fellow of the ACM, a Fellow of the IEEE, and a member of the Royal Netherlands Academy of Arts and Sciences. He has also won numerous scientific prizes, including:

- 2010 TAA McGuffey Award for Computer Science and Engineering books
- 2007 IEEE James H. Mulligan, Jr. Education Medal
- 2002 TAA Texty Award for Computer Science and Engineering books
- 1997 ACM/SIGCSE Award for Outstanding Contributions to Computer Science Education
- 1994 ACM Karl V. Karlstrom Outstanding Educator Award

His home page on the World Wide Web can be found at <http://www.cs.vu.nl/~ast/>.

David J. Wetherall is an Associate Professor of Computer Science and Engineering at the University of Washington in Seattle, and advisor to Intel Labs in Seattle. He hails from Australia, where he received his B.E. in electrical engineering from the University of Western Australia and his Ph.D. in computer science from M.I.T.

Prof. Wetherall has worked in the area of networking for the past two decades. His research is focused on network systems, especially wireless networks and mobile computing, the design of Internet protocols, and network measurement.

He received the ACM SIGCOMM Test-of-Time award for research that pioneered active networks, an architecture for rapidly introducing new network services. He received the IEEE William Bennett Prize for breakthroughs in Internet mapping. His research was recognized with an NSF CAREER award in 2002, and he became a Sloan Fellow in 2004.

As well as teaching networking, Prof. Wetherall participates in the networking research community. He has co-chaired the program committees of SIGCOMM, NSDI and MobiSys, and co-founded the ACM HotNets workshops. He has served on numerous program committees for networking conferences, and is an editor for ACM Computer Communication Review.

His home page on the World Wide Web can be found at <http://djw.cs.washington.edu>.