




The IUCN Red List of Threatened Species™
ISSN 2307-8235 (online)
IUCN 2024: T22679182A264164432
Scope(s): Global
Language: English

Lophophorus impejanus, Himalayan Monal

Assessment by: BirdLife International



View on www.iucnredlist.org

Citation: BirdLife International. 2024. *Lophophorus impejanus*. The IUCN Red List of Threatened Species 2024: e.T22679182A264164432. <https://dx.doi.org/10.2305/IUCN.UK.2024-2.RLTS.T22679182A264164432.en>

Copyright: © 2024 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission](#) (SSC) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [ABQ BioPark](#); [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Missouri Botanical Garden](#); [NatureServe](#); [Re:wild](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Senckenberg Society for Nature Research](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Aves	Galliformes	Phasianidae

Scientific Name: *Lophophorus impejanus* (Latham, 1790)

Synonym(s):

- *Phasianus impejanus* Latham, 1790

Common Name(s):

- English: Himalayan Monal

Taxonomic Source(s):

del Hoyo, J., Collar, N.J., Christie, D.A., Elliott, A. and Fishpool, L.D.C. 2014. *HBW and BirdLife International Illustrated Checklist of the Birds of the World. Volume 1: Non-passerines*. Lynx Edicions BirdLife International, Barcelona, Spain and Cambridge, UK.

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2024

Date Assessed: June 12, 2024

Justification:

This species has an extremely large range, and hence does not approach the thresholds for Vulnerable under the range size criterion (Extent of Occurrence under 20,000 km² combined with a declining or fluctuating range size, habitat extent/quality, or population size and a small number of locations or severe fragmentation). The population size has not been quantified, but it is not believed to approach the thresholds for Vulnerable under the population size criterion (under 10,000 mature individuals with a continuing decline estimated to be over 10% in ten years or three generations, or with a specified population structure). Despite the fact that the population trend appears to be decreasing, the decline is not believed to be sufficiently rapid to approach the thresholds for Vulnerable under the population trend criterion (over 30% decline over ten years or three generations). For these reasons the species is evaluated as Least Concern.

Previously Published Red List Assessments

[2016 – Least Concern \(LC\)](#)

[2012 – Least Concern \(LC\)](#)

2009 – Least Concern (LC)

2008 – Least Concern (LC)

2004 – Least Concern (LC)

2000 – Unknown (LR/LC)

1994 – Unknown (LR/LC)

1988 – Unknown (LR/LC)


Geographic Range

Country Occurrence:

Native, Extant (resident): Bhutan; China; India; Myanmar; Nepal; Pakistan


Extant & Origin Uncertain (seasonality uncertain): Afghanistan

Distribution Map



Legend
■ EXTANT (RESIDENT)

Compiled by:
BirdLife International and Handbook of the Birds of the World 2006



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.

Population

The global population size has not been quantified, but the species is reported to be widespread and common in suitable habitat throughout its range (del Hoyo *et al.* 1994). This species is considered to have a high dependency on forest habitat, and tree cover is estimated to have declined by 1% within its mapped range over the past three generations (Global Forest Watch 2022, using Hansen *et al.* [2013] data and methods disclosed therein). A high prevalence in trade databases (Donald *et al.* 2024) and observations that the species is frequently hunted means that a population decline is suspected, though the rate of reduction is likely to be less than 5% over the past three generations.

Trend Justification

.

Current Population Trend: Decreasing

Habitat and Ecology (see Appendix for additional information)

Systems: Terrestrial

Use and Trade

This species has been reported as used in trade at a high prevalence, being found in three of the seven trade datasets evaluated (Donald *et al.* 2024).

Credits

Assessor(s): BirdLife International

Reviewer(s): Berryman, A., Martin, R. & Richardson, L.

**Facilitator(s) and
Compiler(s):** Rutherford, C.A.

**Partner(s) and
Institution(s):** BirdLife International

Authority/Authorities: IUCN SSC Bird Red List Authority (BirdLife International)

Bibliography

Bird, J.P., Martin, R., Akçakaya, H.R., Gilroy, J., Burfield, I.J., Garnett, S.G., Symes, A., Taylor, J., ?ekercio?lu, Ç.H. and Butchart, S.H.M. 2020. Generation lengths of the world's birds and their implications for extinction risk. *Conservation Biology* 34: 1252-1261. DOI: 10.1111/cobi.13486.

del Hoyo, J.; Elliott, A.; Sargatal, J. 1994. *Handbook of the Birds of the World, vol. 2: New World Vultures to Guinea-fowl*. Lynx Edicions, Barcelona, Spain.

Donald, P.F., Fernando, E., Brown, L., Busana, M., Butchart, S.H.M., Chng, S., Colina, A.d.I., Ferreira, J.M., Jain, A., Jones, V.R., Lapido, R., Malsch, K., McDougall, A., Muccio, C., Nguyen, D., Outhwaite, W., Petrovan, S.O., Stafford, C., Sutherland, W.J., Tallowin, O. & Safford, R. 2024 (in press). Assessing the global prevalence of wild birds in trade.

Global Forest Watch. 2023. Interactive Forest Change Mapping Tool. Available at: <http://www.globalforestwatch.org/>.

IUCN. 2024. The IUCN Red List of Threatened Species. Version 2024-2. Available at: www.iucnredlist.org. (Accessed: 28 October 2024).

Citation

BirdLife International. 2024. *Lophophorus impejanus*. *The IUCN Red List of Threatened Species* 2024: e.T22679182A264164432. <https://dx.doi.org/10.2305/IUCN.UK.2024-2.RLTS.T22679182A264164432.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Supplementary Material](#), and for [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
1. Forest -> 1.4. Forest - Temperate	Resident	Suitable	Yes
3. Shrubland -> 3.4. Shrubland - Temperate	Resident	Suitable	No
14. Artificial/Terrestrial -> 14.2. Artificial/Terrestrial - Pastureland	Resident	Suitable	No

Use and Trade

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

End Use	Local	National	International
1. Food - human	Yes	Yes	No
13. Pets/display animals, horticulture	No	No	Yes

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Action in Place
In-place research and monitoring
Action Recovery Plan: No
Systematic monitoring scheme: No
In-place land/water protection
Conservation sites identified: Yes, over entire range
Occurs in at least one protected area: Yes
Invasive species control or prevention: No
In-place species management
Successfully reintroduced or introduced benignly: No
Subject to ex-situ conservation: No
In-place education
Subject to recent education and awareness programmes: No
Included in international legislation: No
Subject to any international management / trade controls: Yes

Additional Data Fields

Distribution
Continuing decline in area of occupancy (AOO): Unknown
Extreme fluctuations in area of occupancy (AOO): No
Estimated extent of occurrence (EOO) (km ²): 1220000
Continuing decline in extent of occurrence (EOO): Unknown
Extreme fluctuations in extent of occurrence (EOO): No
Continuing decline in number of locations: Unknown
Extreme fluctuations in the number of locations: No
Lower elevation limit (m): 390
Upper elevation limit (m): 5,240
Population
Number of mature individuals: U
Continuing decline of mature individuals: Unknown
Extreme fluctuations: No
Population severely fragmented: No
Continuing decline in subpopulations: Unknown
Extreme fluctuations in subpopulations: No
All individuals in one subpopulation: No
Habitats and Ecology
Continuing decline in area, extent and/or quality of habitat: Unknown
Generation Length (years): 8.29
Movement patterns: Altitudinal Migrant

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [ABQ BioPark](#); [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Missouri Botanical Garden](#); [NatureServe](#); [Re:wild](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Senckenberg Society for Nature Research](#); [Texas A&M University](#); and [Zoological Society of London](#).