


Lophiomys imhausi, Crested Rat

Assessment by: Schlitter, D.



View on www.iucnredlist.org

Citation: Schlitter, D. 2016. *Lophiomys imhausi*. The IUCN Red List of Threatened Species 2016: e.T12308A22368581. <http://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T12308A22368581.en>

Copyright: © 2016 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Mammalia	Rodentia	Cricetidae

Taxon Name: *Lophiomys imhausi* Milne-Edwards, 1867

Common Name(s):

- English: Crested Rat

Taxonomic Notes:

Will be transferred to family Cricetidae.

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2016

Date Assessed: January 31, 2016

Justification:

Listed as Least Concern in view of its wide distribution including several protected areas, its presumed large population, and because its population is not believed to be in decline at present.

Previously Published Red List Assessments

2008 – Least Concern (LC) – <http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T12308A3332014.en>

2004 – Least Concern (LC)

1996 – Lower Risk/least concern (LR/lc)

Geographic Range

Range Description:


This species is known from fragmented localities across eastern Africa in Sudan, Eritrea, Somalia, Djibouti, Ethiopia, Kenya, Uganda and Tanzania. It occurs from sea level to 3,300 m asl.

Country Occurrence:

Native: Djibouti; Eritrea; Ethiopia; Kenya; Somalia; Sudan; Tanzania, United Republic of; Uganda

Distribution Map

Lophiomys imhausi




Lophiomys imhausi

Range

Extant (resident)

Compiled by:
IUCN (International Union for
Conservation of Nature)



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.

Population

It is an uncommon species.

Current Population Trend: Stable

Habitat and Ecology (see Appendix for additional information)

This is a nocturnal species found in a wide variety of habitats including forest, semi-desert, dry and moist savanna or woodland. It is often found in rocky areas. It is unclear as to whether the species has a single or two to three young in a litter.

Systems: Terrestrial

Threats

There are no major threats known to this species.

Conservation Actions (see Appendix for additional information)

Further research in to the ecological requirements of the species is needed. Its range includes several protected areas.

Credits

Assessor(s): Schlitter, D.

Reviewer(s): Amori, G.

Contributor(s): Agwanda, B.

Bibliography

Delany, M.J. 1975. *The Rodents of Uganda*. Trustees British Museum (Natural History), London, UK.

IUCN. 2016. The IUCN Red List of Threatened Species. Version 2016-2. Available at: www.iucnredlist.org. (Accessed: 04 September 2016).

Kingdon, J. 2001. *The Kingdon Field Guide to African Mammals*. Academic Press, London, UK.

Kock, D. and Kunzel, T. 1999. The maned rat, *Lophiomys imhausii* Milne-Edwards, 1867, in Djibouti, NE-Africa (Mammalia: Rodentia: Lophiomyinae). *Zeitschrift für Säugetierkunde* 64(6): 371-375.

Pacifici, M., Santini, L., Di Marco, M., Baisero, D., Francucci, L., Grottolo Marasini, G., Visconti, P. and Rondinini, C. 2013. Generation length for mammals. *Nature Conservation* 5: 87–94.

Pearch, M.J., Bates, P.J.J. and Magin, C. 2001. A review of the small mammal fauna of Djibouti and the results of a recent survey. *Mammalia* 65(3): 387-410.

Setzer, H.W. 1956. Mammals of the Anglo-Egyptian Sudan. *Proceedings of the United States National Museum* 106: 447-587.

Yalden, D.W., Largen, M.J. and Kock, D. 1976. Catalogue of the mammals of Ethiopia. 2. Insectivora and Rodentia. *Monitore zoologico italiano/Italian Journal of Zoology, N.S. Supplemento* 8(1): 1-118.

Citation

Schlitter, D. 2016. *Lophiomys imhausi*. *The IUCN Red List of Threatened Species 2016*: e.T12308A22368581. <http://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T12308A22368581.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
1. Forest -> 1.9. Forest - Subtropical/Tropical Moist Montane	-	Suitable	-
2. Savanna -> 2.1. Savanna - Dry	-	Suitable	-
2. Savanna -> 2.2. Savanna - Moist	-	Suitable	-
3. Shrubland -> 3.5. Shrubland - Subtropical/Tropical Dry	-	Suitable	-

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions in Place
In-Place Land/Water Protection and Management
Conservation sites identified: Yes, over entire range

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed
1. Research -> 1.2. Population size, distribution & trends
1. Research -> 1.3. Life history & ecology

Additional Data Fields

Distribution
Estimated extent of occurrence (EOO) (km ²): 1859990
Lower elevation limit (m): 0
Upper elevation limit (m): 3300
Population
Population severely fragmented: No
Habitats and Ecology
Generation Length (years): 2

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).