



IDC School of Design
अभिकल्प विद्यालय

Exploratory Prediction in Marathi

Rbuturaj Mirashi

22B3613

Anirudha Joshi

Guide

Declaration

I declare that this written submission represents my ideas in my own words and where others' opinions or words have been included, I have adequately cited and referenced the sources. I also declare that I have adhered to all principles of academic honesty and integrity and have not misrepresented or fabricated any idea/data/fact/source in my submission. I understand that any violation of the above will be cause for disciplinary action by the Institute and can also evoke penal action from the sources which have thus not been appropriately cited or from whom proper permission has not been taken when needed.

Rbuturaj Mirashi

22B3613



IDC School of Design
आधिकल्प विद्यालय

Approval Sheet

This B.Des Design Project-I titled “Untitled” by Rhuturaj Mirashi, Roll Number 22B3613, is approved, in partial fulfilment of the B.Des Degree at the IDC School of Design, Indian Institute of Technology Bombay.

Project Guide

Chairperson

External Examiner

Internal Examiner

Acknowledgement

I extend my sincerest gratitude to **Professor Anirudha Joshi** for his constant guidance and reception to all the concepts I had for this project, for exposing me to various research papers and researchers in the field of HCI and text input, and for helping me funnel my thoughts into something concrete and valuable.

I would also like to thank my other panel members, **Professors Girish Dalvi and Sandeep Athavale**, for their invaluable input and criticism in this exploration.

Finally, I am grateful to all my dearest friends and family who allowed me to bounce my concepts off them and gave me fresh perspectives to look at. I also acknowledge the use of AI coding assistants (opencode.ai and Grok Code) which aided in the development and debugging of the prototype.

Contents

1. Abstract	06
2. Introduction	07
3. Research & Methodology	09

OI Abstract

This project explores novel interaction mechanisms for text prediction in Marathi, specifically addressing the friction points caused by the language's agglutinative nature. This project investigates an alternative "Exploratory Prediction" interface that allows users to construct complex words using numbered shortcuts. The design aims to balance the trade-off between Ease of Automation and User Agency. Quantitative evaluation focused on metrics such as Words Per Minute (WPM) and Keystroke Savings.



O2 Introduction

2.1 Background

Text entry is one of the most frequent interactions on mobile devices. While predictive text has matured for languages like English, Indian languages **specifically Marathi** presents a unique opportunity for design intervention due to **agglutination**, where words are formed by stringing together multiple morphemes (root + suffix + inflection).

2.2 Motivation

The project initially began as an exploration of voice input methods to reduce labor in typing. However, preliminary investigations revealed a critical friction point in Human-Computer Interaction (HCI): the trade-off between Ease of Typing and User Agency. Users often find aggressive autocomplete intrusive, yet manual typing is laborious. This project pivots to explore prediction input methods that restore agency to the user while maintaining speed.

O2 Introduction

2.3 Problem Statement

Current predictive text input treat Marathi words as unique dictionary entries. This approach creates fundamental usability issues due to the language's structure:

1. The Prediction Shadow: As defined in previous IDC studies (Ghone, 2016), agglutinative variations (e.g., Ghara-chya-khali) are statistically less frequent than root words. Because predictive algorithms prioritize high-frequency root words, complex inflections fall into a "shadow" and are rarely displayed in the limited prediction bar, rendering the feature useless for long words.
2. The Corpus Complexity (Vocabulary Explosion): Unlike English, where a dictionary of 50,000 words covers the majority of daily usage, Marathi's agglutinative nature results in a theoretically infinite vocabulary. A single root can spawn hundreds of variations. Standard dictionary-based prediction models struggle to cover this massive corpus, leading to poor prediction accuracy for inflected words and forcing users to revert to manual typing for a significant portion of their input.

03 Research & Methodology

3.1 Methodology: Research through Design

Following the precedent of exploratory interaction design studies in this domain (Ghone, 2016), this project did not follow the classical linear design process of extensive user interviews followed by ideation. Instead, it adopted an iterative, "Research through Design" approach, the focus of this project was on hypothesizing and prototyping novel interaction mechanics. The primary research question was: **How can we redesign the selection mechanism to support word/sentence construction rather than just word completion?**

3.2 Research Objectives

- RO1 (Design): To explore and prototype novel interaction mechanisms..
- RO2 (Evaluate): To assess the efficacy of the proposed prototype interaction mechanism against standard typing methods using quantitative metric of Keystrokes Per Character.



04 Ideation

4.I Confidence-Based Inline Suggestions

This concept attempts to solve the Visual Discontinuity problem by bringing longer predictions directly into the text line.

- Mechanism: As the user types a sentence (e.g., "भारताची राजधानी"), relevant continuations appear inline, distinguished by a **darker color for higher confidence** (e.g., "नवी दिल्ली") **lighter color for lower confidence** (e.g., "देशाचे राजकीय केंद्र आहे").
- Pros: Keeps the user's eye focus in one place; mimics natural thought completion.
- Cons: Can be visually distracting if predictions are wrong; might lead to accidental acceptances and increase keystrokes due to removing or editing the suggestions. Not very different from current methods.

भारताची राजधानी नवी दिल्ली आहे.

Concept 4.1



04 Ideation

4.2 Contextual Drop-down Menu

This concept explores a more traditional but context-aware menu that appears below the active word, rather than in a bar above the keyboard.

- Mechanism: When typing (e.g., "राजकीय"), a list of relevant predictions appears next to the word one below another (e.g., "संसद भवन", "राष्ट्रपती भवन").
- Pros: Familiar interaction pattern; still more options than inline text.
- Cons: Still requires a shift in focus from typing to reading a list. Not very different from current methods.

नवी दिल्ली, | संसद भवन आणि राष्ट्रपती भवन
देशाचे राजकीय

Concept 4.2



04 Ideation

4.3 The "Numbered Shortcut" Constructor

This concept combines the keystroke saving and speed of just hot-keying numbers with the logic of Morpheme Construction. It acknowledges that selecting a long word is faster than typing it..

- Mechanism: A distinct list of morphemes (roots, suffixes, or related words) is assigned to specific number keys.
 - a. User types a word (e.g., "दुपारी चौकात बसून").
 - b. System suggests numbered options below the text: 1. गाव, 2. लोक, 3. मित्र.
 - c. User presses 12 to instantly insert "गावातीललोक".
- Pros: Rapid selection without moving fingers from the home row; enables fast "construction" of complex sentences piece-by-piece; significantly reduces keystrokes.
- Cons: How do you type numbers? .

गाव 1 लोक 2 मित्र 3 कडून 4

124

Concept 4.3




04 Ideation

4.4 Branching Tree Predictions

This concept attempts to map the Mental Model of sentence construction directly onto the UI.

- Mechanism: When a root phrase is entered, a visual tree branches out showing potential grammatical or logical continuations. For example, from "नवी दिल्ली", branches extend to "आहे", "देशाचे", and further into "केंद्र आहे".
- Pros: Highly intuitive for understanding sentence structure; visually represents the "construction" of a sentence.
- Cons: Visually cluttered; requires too much screen real estate; complex to navigate with a keyboard.





04 Ideation

4.5 Interactive Hover-to-Expand

This concept explores a mouse-based interaction (for desktop scenarios) where hovering over a word reveals predictions that can be scrolled through and selected.

- Mechanism: Hovering over a word like "राजकीय" expands a tooltip with a predictions like ("प्रशासकीय आणि ऐतिहासिक").
- Pros: Good for editing; keeps the interface clean until interaction is needed.
- Cons: Not suitable for rapid typing; relies on mouse input which breaks keyboard flow.

राजकीय | जीवनाचे केंद्र आहे. संसद भवन, राष्ट्रीय गेट, प्रशासकीय आणि ऐतिहासिक दिल्ली आधु

Concept 4.5



05 Design & Implementation

4.I Prototype

The final concept was developed into a functional Single Page Application.

- Platform: Chrome/Edge Browser Extension.
- Technology: HTML, CSS, and Vanilla JavaScript.

The image displays two versions of a user interface for a language learning application, labeled Proto A and Proto B.

Proto A: This version shows a "TARGET SENTENCE" field containing the Marathi sentence "मला आज शाळेत जायला उशीर झाला आहे". Below it is a text input field with "मला|आज" and three numbered buttons (1. मला, 2. आम्ही, 3. त्याने) for selecting parts of the sentence. A "Complete (Tab)" button is also present. A "Submit Sentence" button is at the bottom.

Proto B: This version shows the same target sentence. It includes a large text input field with a placeholder "Type or use 1-9...". Below it are three numbered buttons (1. मला, 2. आम्ही, 3. त्याने). A note says "Type numbers (1-9) to select parts. Space to confirm." A "Submit Sentence" button is at the bottom.

06 Evaluation

6.1 Evaluation Goal

To validate the efficiency of the "Numbered Shortcut" interface selected in the previous phase, a quantitative study was designed.

6.2 Hypothesis

The Numbered Shortcut interface will not result in a lower Keystroke Per Character (KPC) count compared to the standard Inline predictions.



06 Evaluation

6.3 Methodology

- Participants: [Number] users (mix of intermediate and novice Marathi typists).
- Task: Users were asked to transcribe a set of standard Marathi sentences with a mean KPC of 1.5 and an SD of 0.07.
- Conditions:
 - a. Control: Standard Inline predictions.
 - b. Experimental: Typing using the Numbered Shortcut construction.

6.4 Metrics

The performance was measured using KPC (Keystrokes Per Character): To measure the efficiency of the prediction method. A lower KPC indicates the prediction is successfully saving effort.



06 Evaluation

6.5 Results

[Insert Figure here comparing KPC between Control and Experimental conditions]



07 Conclusion & Future Scope

7.1 Conclusion

TBD

7.1 Future Scope

- Longitudinal Study: As noted in Ghone's study, building a conceptual model of a predictive system takes time. A longer study is needed to see if users develop muscle memory for the number shortcuts.