

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - ForeignKeys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1

```
1 SELECT COUNT(*) AS rows_num FROM calls;
2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, count(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT INT(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS ave_score FROM calls WHERE csat_score != 0;
```

Result Grid

call_center
Los Angeles/CA
Baltimore/MD
Denver/CO
Chicago/IL

calls 153 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
212	12:40:58	SELECT DISTINCT channel FROM calls LIMIT 0, 1000	4 row(s) returned	0.016 sec / 0.000 sec
213	12:42:34	SELECT DISTINCT response_time FROM calls LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
214	12:43:02	SELECT DISTINCT call_center FROM calls LIMIT 0, 1000	4 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - ForeignKeys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1

```
1 SELECT COUNT(*) AS rows_num FROM calls;
2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, count(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT INT(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS ave_score FROM calls WHERE csat_score != 0;
```

Result Grid

sentiment	count(*)	pct
Negative	11063	33.6
Neutral	8754	26.6
Very Negative	6026	18.3
Positive	3928	11.9
Very Positive	3170	9.6

Result 154 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
213	12:42:34	SELECT DISTINCT response_time FROM calls LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
214	12:43:02	SELECT DISTINCT call_center FROM calls LIMIT 0, 1000	4 row(s) returned	0.031 sec / 0.000 sec
215	12:43:21	SELECT sentiment, count(*), ROUND(count(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC	5 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

1 SELECT COUNT(*) AS rows_num FROM calls;

2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';

3 SELECT DISTINCT sentiment FROM calls;

4 SELECT DISTINCT reason FROM calls;

5 SELECT DISTINCT channel FROM calls;

6 SELECT DISTINCT response_time FROM calls;

7 SELECT DISTINCT call_center FROM calls;

8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csat score) AS min score, MAX(csat score) AS max score, ROUND(AVG(csat score), 1) AS ave score FROM calls WHERE csat score != 0;

Result Grid

reason	count(*)	pct
Billing Question	23462	71.2
Service Outage	4730	14.4
Payments	4749	14.4

Result 155 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
214	12:43:02	SELECT DISTINCT call_center FROM calls LIMIT 0.1000	4 rows(s) returned	0.031 sec / 0.000 sec
215	12:43:21	SELECT sentiment, count(*), ROUND(COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC L...	5 rows(s) returned	0.015 sec / 0.000 sec
216	12:46:16	SELECT reason, count(*), ROUND(COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIM...	3 rows(s) returned	0.016 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

1 SELECT COUNT(*) AS rows_num FROM calls;

2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';

3 SELECT DISTINCT sentiment FROM calls;

4 SELECT DISTINCT reason FROM calls;

5 SELECT DISTINCT channel FROM calls;

6 SELECT DISTINCT response_time FROM calls;

7 SELECT DISTINCT call_center FROM calls;

8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csat score) AS min score, MAX(csat score) AS max score, ROUND(AVG(csat score), 1) AS ave score FROM calls WHERE csat score != 0;

Result Grid

channel	count(*)	pct
Call-Center	10639	32.3
Chatbot	8256	25.1
Email	7470	22.7
Web	6576	20.0

Result 156 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
215	12:43:21	SELECT sentiment, count(*), ROUND(COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC L...	5 rows(s) returned	0.015 sec / 0.000 sec
216	12:46:16	SELECT reason, count(*), ROUND(COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIM...	3 rows(s) returned	0.016 sec / 0.000 sec
217	12:46:31	SELECT channel, count(*), ROUND(COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC L...	4 rows(s) returned	0.032 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

StoredProcedures

Functions

shipment_db

test

Query 1 SQL File 1

Limit to 1000 rows

1 SELECT COUNT(*) AS row_num FROM calls;

2 SELECT COUNT(*) AS col_num FROM information_schema.columns WHERE table_name = 'calls';

3 SELECT DISTINCT sentiment FROM calls;

4 SELECT DISTINCT reason FROM calls;

5 SELECT DISTINCT channel FROM calls;

6 SELECT DISTINCT response_time FROM calls;

7 SELECT DISTINCT call_center FROM calls;

8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csst score) AS min score, MAX(csst score) AS max score, ROUND(AVG(csst score), 1) AS ave score FROM calls WHERE csst score != 0;

Result Grid

response_time	count(*)	pct
Within SLA	20625	62.6
Below SLA	8148	24.7
Above SLA	4168	12.7

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

Result 157

Output

Action Output

#	Time	Action	Message	Duration / Fetch
216	12:46:16	SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 3 rows	3 rows returned	0.016 sec / 0.000 sec
217	12:46:31	SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 4 rows	4 rows returned	0.032 sec / 0.000 sec
218	12:46:48	SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 3 rows	3 rows returned	0.032 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

StoredProcedures

Functions

shipment_db

test

Query 1 SQL File 2

Limit to 1000 rows

1 SELECT COUNT(*) AS row_num FROM calls;

2 SELECT COUNT(*) AS col_num FROM information_schema.columns WHERE table_name = 'calls';

3 SELECT DISTINCT sentiment FROM calls;

4 SELECT DISTINCT reason FROM calls;

5 SELECT DISTINCT channel FROM calls;

6 SELECT DISTINCT response_time FROM calls;

7 SELECT DISTINCT call_center FROM calls;

8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csst score) AS min score, MAX(csst score) AS max score, ROUND(AVG(csst score), 1) AS ave score FROM calls WHERE csst score != 0;

Result Grid

call_center	count(*)	pct
Los Angeles/CA	12794	41.7
Baltimore/MD	11012	35.4
Chicago/IL	5419	16.5
Denver/CO	2776	8.4

Administration Schemas

Information

No object selected

Object Info Session

Query Completed

Result 158

Output

Action Output

#	Time	Action	Message	Duration / Fetch
217	12:46:31	SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 4 rows	4 rows returned	0.032 sec / 0.000 sec
218	12:46:48	SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 3 rows	3 rows returned	0.032 sec / 0.000 sec
219	12:47:07	SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 4 rows	4 rows returned	0.047 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

1 SELECT COUNT(*) AS rows_num FROM calls;

2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';

3 SELECT DISTINCT sentiment FROM calls;

4 SELECT DISTINCT reason FROM calls;

5 SELECT DISTINCT channel FROM calls;

6 SELECT DISTINCT response_time FROM calls;

7 SELECT DISTINCT call_center FROM calls;

8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;

Result Grid

state	count(*)	COUNT(*)
California	3531	3531
Texas	3572	3572
Florida	2834	2834
New York	1786	1786
Virginia	1164	1164
Ohio	1160	1160
District of Columbia	1110	1110
Pennsylvania	1017	1017
Georgia	926	926
Illinois	948	948
North Carolina	765	765
Colorado	742	742
Alabama	738	738
Arizona	727	727
Indiana	736	736
Minnesota	712	712
Missouri	682	682
Tennessee	664	664

Output

Action Output

#	Time	Action	Message	Duration / Fetch
218	12:46:48	SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC	3 rows(s) returned	0.032 sec / 0.000 sec
219	12:47:07	SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC	4 rows(s) returned	0.047 sec / 0.000 sec
220	12:47:26	SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 0.1000	51 rows(s) returned	0.031 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

1 SELECT COUNT(*) AS rows_num FROM calls;

2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';

3 SELECT DISTINCT sentiment FROM calls;

4 SELECT DISTINCT reason FROM calls;

5 SELECT DISTINCT channel FROM calls;

6 SELECT DISTINCT response_time FROM calls;

7 SELECT DISTINCT call_center FROM calls;

8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;

16 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0.1000

Result Grid

Day_of_call	num_of_calls
Friday	5370
Thursday	5481
Wednesday	4449
Tuesday	4408
Saturday	4403
Monday	4334
Sunday	4296

Output

Action Output

#	Time	Action	Message	Duration / Fetch
219	12:47:07	SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC	4 rows(s) returned	0.047 sec / 0.000 sec
220	12:47:26	SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 0.1000	51 rows(s) returned	0.031 sec / 0.000 sec
221	12:47:46	SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0.1000	7 rows(s) returned	0.032 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

```
3 * SELECT DISTINCT sentiment FROM calls;
4 * SELECT DISTINCT reason FROM calls;
5 * SELECT DISTINCT channel FROM calls;
6 * SELECT DISTINCT response_time FROM calls;
7 * SELECT DISTINCT call_center FROM calls;
8 * SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 * SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 * SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 * SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 * SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 * SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;
16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;
```

Result Grid

min_score	max_score	avg_score
1	10	5.5

Object Info

Session

Query Completed

Output

Time	Action	Message	Duration / Fetch
220 12:47:26	SELECT date, count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC LIMIT 0, 1000	51 rows returned	0.031 sec / 0.000 sec
221 12:47:46	SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	7 rows returned	0.032 sec / 0.000 sec
222 12:48:03	SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0	1 row returned	0.000 sec / 0.000 sec

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

```
4 * SELECT DISTINCT reason FROM calls;
5 * SELECT DISTINCT channel FROM calls;
6 * SELECT DISTINCT response_time FROM calls;
7 * SELECT DISTINCT call_center FROM calls;
8 * SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 * SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 * SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 * SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 * SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 * SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;
16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;
18 * SELECT call_center, response_time, COUNT(*) AS count;
```

Result Grid

earliest_date	most_recent
2020-10-01	2020-10-31

Object Info

Session

Query Completed

Output

Time	Action	Message	Duration / Fetch
221 12:47:46	SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	7 rows returned	0.032 sec / 0.000 sec
222 12:48:03	SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0	1 row returned	0.000 sec / 0.000 sec
223 12:48:30	SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls LIMIT 0, 1000	1 row returned	0.016 sec / 0.000 sec

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1

Limit to 1000 rows

5 * SELECT DISTINCT channel FROM calls;

6 * SELECT DISTINCT response_time FROM calls;

7 * SELECT DISTINCT call_center FROM calls;

8 * SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 * SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 * SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 * SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 * SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 * SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;

16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;

17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;

18 * SELECT call_center, response_time, COUNT(*) AS count

19 FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

Result Grid

min_call_duration	max_call_duration	avg_call_duration
49	26.0212	

Output

Action Output

Time	Action	Message	Duration / Fetch
223 12:40:03	SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0	1 row(s) returned	0.000 sec / 0.000 sec
224 12:40:30	SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
224 12:45:12	SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call...	1 row(s) returned	0.016 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Query 1 SQL File 1

Limit to 1000 rows

6 * SELECT DISTINCT response_time FROM calls;

7 * SELECT DISTINCT call_center FROM calls;

8 * SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

9 * SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

10 * SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

11 * SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

12 * SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 * SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;

16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;

17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call...

18 * SELECT call_center, response_time, COUNT(*) AS count

19 FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

20 * SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;

Result Grid

call_center	response_time	count
BaltimoreMO	Within SLA	6055
BaltimoreMO	Below SLA	2768
BaltimoreMO	Above SLA	1389
ChicagoIL	Within SLA	3361
ChicagoIL	Below SLA	1261
ChicagoIL	Above SLA	697
DenverCO	Within SLA	1741
DenverCO	Below SLA	692
DenverCO	Above SLA	343
Los AngelesCA	Within SLA	8668
Los AngelesCA	Below SLA	3327
Los AngelesCA	Above SLA	1728

Output

Action Output

Time	Action	Message	Duration / Fetch
223 12:40:30	SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
224 12:45:12	SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	12 row(s) returned	0.047 sec / 0.000 sec

Object Info

Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

```
8 * SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 * SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 * SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 * SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 * SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 * SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;
16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;
18 * SELECT call_center, response_time, COUNT(*) AS count
19 FROM calls GROUP BY 1, 2 ORDER BY 1, 3 DESC;
20 * SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
21 * SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
22 * SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;
```

Result grid

call_center	AVG(call_duration_minutes)
Chicago,IL	25.0628
Los Angeles,CA	25.0532
Denver,CO	25.0186
Baltimore,MD	24.9620

Result 165 x

Output

Action Output

Time	Action	Message	Duration / Fetch
224 12:48:51	SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call...	1 row(s) returned	0.016 sec / 0.000 sec
225 12:48:51	SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1, 2 ORDER BY 1, 3 DESC LIMIT 0, 1000	12 row(s) returned	0.047 sec / 0.000 sec
226 12:49:34	SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	4 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

```
8 * SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 * SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 * SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 * SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 * SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 * SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;
16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;
18 * SELECT call_center, response_time, COUNT(*) AS count
19 FROM calls GROUP BY 1, 2 ORDER BY 1, 3 DESC;
20 * SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
21 * SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
22 * SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;
```

Result grid

channel	AVG(call_duration_minutes)
Email	25.0988
Call Center	25.0462
Web	25.0224
Chatbot	24.9128

Result 166 x

Output

Action Output

Time	Action	Message	Duration / Fetch
225 12:49:12	SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1, 2 ORDER BY 1, 3 DESC LIMIT 0, 1000	12 row(s) returned	0.047 sec / 0.000 sec
226 12:49:34	SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	4 row(s) returned	0.031 sec / 0.000 sec
227 12:49:53	SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	4 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

Stored Procedures

Functions

shipment_ib

test

Query 1 SQL File 1

Limit to 1000 rows

```
10 SELECT channel, count(*), ROUND(count(*) / (SELECT count(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), ROUND(count(*) / (SELECT count(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND(count(*) / (SELECT count(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, count(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 3 DESC;
15 SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;
16 SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;
18 SELECT call_center, response_time, count(*) AS count
FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
19 SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
20 SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
21 SELECT state, count(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;
22 SELECT state, reason, count(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
23 SELECT state, sentiment, count(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
24 SELECT state, sentiment, count(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
```

Result Grid

state	COUNT(*)
California	3631
Texas	3572
Florida	2834
New York	1786
Virginia	1164
Ohio	1160
District of Columbia	1110
Pennsylvania	1017
Georgia	926
Illinois	848
North Carolina	765
Colorado	742
Alabama	738
Arizona	737
Indiana	736
Minnesota	712
Missouri	682
Tennessee	664

Result: 167 x

Output

Time	Action	Message	Duration / Fetch
226 12:49:34	SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	4 rows returned	0.031 sec / 0.000 sec
227 12:49:53	SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	4 rows returned	0.031 sec / 0.000 sec
228 12:50:11	SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	51 rows returned	0.031 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

Stored Procedures

Functions

shipment_ib

test

Query 1 SQL File 1

Limit to 1000 rows

```
11 SELECT response_time, count(*), ROUND(count(*) / (SELECT count(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND(count(*) / (SELECT count(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, count(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 3 DESC;
15 SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;
16 SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;
18 SELECT call_center, response_time, count(*) AS count
FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
19 SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
20 SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
21 SELECT state, count(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;
22 SELECT state, reason, count(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
23 SELECT state, sentiment, count(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
24 SELECT state, sentiment, count(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
25 SELECT state, AVG(csat_score) AS ave csat score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 2 DESC;
```

Result Grid

state	reason	COUNT(*)
Alabama	Billing Question	230
Alabama	Payments	205
Alabama	Service Outage	95
Alaska	Billing Question	93
Alaska	Service Outage	28
Alaska	Payments	25
Arizona	Billing Question	507
Arizona	Payments	119
Arizona	Service Outage	111
Arkansas	Billing Question	152
Arkansas	Payments	29
Arkansas	Service Outage	23
California	Billing Question	2588
California	Service Outage	342
California	Payments	801
Colorado	Billing Question	516
Colorado	Payments	122
Colorado	Service Outage	84

Result: 168 x

Output

Time	Action	Message	Duration / Fetch
227 12:49:53	SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	4 rows returned	0.031 sec / 0.000 sec
228 12:50:11	SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	51 rows returned	0.031 sec / 0.000 sec
229 12:50:26	SELECT state, reason, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	153 rows returned	0.032 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Information Schemas

No object selected

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

12 SELECT call_center, count(*) ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;

13 SELECT state, count(*) COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;

16 SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;

17 SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;

18 SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

19 FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

20 SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;

21 SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;

22 SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;

23 SELECT state, reason, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

24 SELECT state, sentiment, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

25 SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 2 DESC;

26 SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;

Result Grid

state	sentiment	COUNT(*)
Alabama	Negative	205
Alabama	Neutral	200
Alabama	Very Negative	129
Alabama	Positive	74
Alabama	Very Positive	70
Alaska	Negative	45
Alaska	Neutral	32
Alaska	Very Negative	28
Alaska	Positive	25
Alaska	Very Positive	34
Arizona	Negative	235
Arizona	Neutral	204
Arizona	Very Negative	131
Arizona	Positive	94
Arizona	Very Positive	73
Arkansas	Negative	75
Arkansas	Neutral	50
Arkansas	Very Negative	39

Output

Action Output

#	Time	Action	Message	Duration / Fetch
228	12:50:11	SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	51 rows returned	0.031 sec / 0.000 sec
229	12:50:26	SELECT state, reason, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	153 rows returned	0.032 sec / 0.000 sec
230	12:50:40	SELECT state, sentiment, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	250 rows returned	0.032 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

phmyadmin

project

calls

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

Information Schemas

No object selected

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

13 SELECT state, count(*) COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;

14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;

15 SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score), 1) AS avg_score FROM calls WHERE csat_score != 0;

16 SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;

17 SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration, AVG(call_duration_minutes) AS avg_call_duration FROM calls;

18 SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

19 FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

20 SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;

21 SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;

22 SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;

23 SELECT state, reason, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

24 SELECT state, sentiment, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;

25 SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 2 DESC;

26 SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;

27 SELECT call_timestamp, MAX(call_duration_minutes) OVER(PARTITION BY call_timestamp) AS max_call_duration FROM calls GROUP BY 1 ORDER BY 2 DESC;

Result Grid

state	avg_csat_score
Vermont	6.5000
North Dakota	6.3744
Wyoming	6.0000
Massachusetts	5.9070
Rhode Island	5.8889
Hawaii	5.8727
Mississippi	5.8286
Idaho	5.8182
Washington	5.7574
Louisiana	5.7448
Illinois	5.7138
Georgia	5.6878
Utah	5.6733
Pennsylvania	5.6684
West Virginia	5.6321
Ohio	5.6282
Florida	5.6217
Tennessee	5.6044

Output

Action Output

#	Time	Action	Message	Duration / Fetch
229	12:50:26	SELECT state, reason, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	153 rows returned	0.032 sec / 0.000 sec
230	12:50:40	SELECT state, sentiment, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	250 rows returned	0.032 sec / 0.000 sec
231	12:50:59	SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	51 rows returned	0.016 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1

```
14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score),1) AS avg_score FROM calls WHERE csat_score !=0;
16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration FROM calls;
18 * SELECT call_center, response_time, COUNT(*) AS count
    FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
19
20 * SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
21 * SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
22 * SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;
23 * SELECT state, reason, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
24 * SELECT state, sentiment, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
25 * SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 1 DESC;
26 * SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
27 * SELECT call_timestamp, MAX(call_duration_minutes)OVER(PARTITION BY call_timestamp) AS max_call_duration FROM calls GROUP BY 1 ORDER BY 2 DESC;
```

Result Grid

sentiment	AVG(call_duration_minutes)
Negative	25.2818
Neutral	24.9398
Very Negative	24.9391
Positive	24.8620
Very Positive	24.7993

Object Info

Object Selected

Session

Query Completed

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only

Context Help

Snippets

Output

Action Output

Time	Action	Message	Duration / Fetch
230 12:50:40	SELECT state, sentiment, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	250 rows returned	0.032 sec / 0.000 sec
231 12:50:59	SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	51 rows returned	0.016 sec / 0.000 sec
232 12:51:16	SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	5 rows returned	0.031 sec / 0.000 sec

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1

```
14 * SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 * SELECT MIN(csat_score) AS min_score, MAX(csat_score) AS max_score, ROUND(AVG(csat_score),1) AS avg_score FROM calls WHERE csat_score !=0;
16 * SELECT MIN(call_timestamp) AS earliest_date, MAX(call_timestamp) AS most_recent FROM calls;
17 * SELECT MIN(call_duration_minutes) AS min_call_duration, MAX(call_duration_minutes) AS max_call_duration FROM calls;
18 * SELECT call_center, response_time, COUNT(*) AS count
    FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
19
20 * SELECT call_center, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
21 * SELECT channel, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
22 * SELECT state, COUNT(*) FROM calls GROUP BY 1 ORDER BY 2 DESC;
23 * SELECT state, reason, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
24 * SELECT state, sentiment, COUNT(*) FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC;
25 * SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 1 DESC;
26 * SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC;
27 * SELECT call_timestamp, MAX(call_duration_minutes)OVER(PARTITION BY call_timestamp) AS max_call_duration FROM calls GROUP BY 1 ORDER BY 2 DESC;
```

Result Grid

call_timestamp	max_call_duration
2020-10-22	45
2020-10-04	45
2020-10-26	41
2020-10-13	39
2020-10-30	37
2020-10-21	37
2020-10-14	37
2020-10-03	37
2020-10-09	35
2020-10-12	35
2020-10-25	34
2020-10-16	31
2020-10-19	30
2020-10-20	30
2020-10-01	30
2020-10-18	28
2020-10-08	27
2020-10-27	26

Object Info

Object Selected

Session

Query Completed

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only

Context Help

Snippets

Output

Action Output

Time	Action	Message	Duration / Fetch
257 12:51:43	SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score != 0 GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	51 rows returned	0.015 sec / 0.000 sec
258 12:51:43	SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	5 rows returned	0.031 sec / 0.000 sec
259 12:51:43	SELECT call_timestamp, MAX(call_duration_minutes)OVER(PARTITION BY call_timestamp) AS max_call_duration FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	31 rows returned	0.016 sec / 0.000 sec

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

SQL File 1

SQL File 2

SQL File 3

Limit to 1000 rows

1 CREATE DATABASE Project;

2 USE Project;

3 CREATE TABLE calls (

4 ID CHAR(50),

5 cust_name CHAR(50),

6 sentiment CHAR(20),

7 csat_score INT,

8 call_timestamp CHAR(10),

9 reason CHAR(20),

10 city CHAR(20),

11 state CHAR(20),

12 channel CHAR(20),

13 response_time CHAR(20),

14 call_duration_minutes INT,

15 call_center CHAR(20)

Result Grid

Filter Rows

Export

Wrap Cell Contents

Fetch rows

ID	cust_name	sentiment	csat_score	call_timestamp	reason	city	state	channel	response_time	call_duration_minutes	call_center
D0X-5767809-055481-AJ	Andrea Gardner	Neutral	7	10/29/2020	Billing Question	Detroit	Michigan	Call-Center	Within SLA	17	Los Angeles/CA
Q9G-72219678-102139-KY	Cristina Kiddley	Very Positive	0	10/05/2020	Service Outage	Spartanburg	South Carolina	Chatbot	Within SLA	23	Baltimore/MD
017-3002932-A-023015-D	Averil Brundrett	Negative	0	10/04/2020	Billing Question	Gainesville	Florida	Call-Center	Above SLA	45	Los Angeles/CA
22-9680759-62008-m7	Noreen Lafferty	Very Negative	1	10/17/2020	Billing Question	Portland	Oregon	Chatbot	Within SLA	12	Los Angeles/CA
D0U-69451719-0-176402-Fm	Tonia Van der Beek	Very Positive	0	10/17/2020	Payments	Port Wayne	Indiana	Call-Center	Within SLA	23	Los Angeles/CA
J01-79728660-U-224385-4a	Kaylyn Bolen	Neutral	5	10/28/2020	Billing Question	Salt Lake City	Utah	Call-Center	Within SLA	25	Baltimore/MD
AZ2-9504097-1-35542-PT	Phillipe Bowering	Neutral	8	10/16/2020	Billing Question	Tyler	Texas	Chatbot	Within SLA	31	Baltimore/MD
7W0X-23007918-P-608789-Kw	Krista de Taconville	Positive	0	10/21/2020	Billing Question	New York City	New York	Chatbot	Below SLA	37	Los Angeles/CA
W0G-4499118-P-344472-JU	Oran Liffery	Very Negative	0	10/03/2020	Billing Question	Dallas	Texas	Email	Below SLA	37	Baltimore/MD
R0C-64308207-2-285141-VS	Port Inggall	Neutral	0	10/07/2020	Billing Question	Cincinnati	Ohio	Chatbot	Within SLA	12	Baltimore/MD

calls 3 x

Output

Action Output

Time Action Message

205 12:37:07 SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score > 0 GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000 51 row(s) returned 0.015 sec / 0.000 sec

206 12:37:07 SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000 5 row(s) returned 0.016 sec / 0.000 sec

207 12:37:22 SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000 12 row(s) returned 0.031 sec / 0.000 sec

Object Info Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

phmyadmin

project

Tables

calls

Columns

Indexes

ForeignKeys

Triggers

Views

Stored Procedures

Functions

shipment_db

test

SQL File 1

SQL File 2

SQL File 3

Limit to 1000 rows

1 SET SQL_SAFE_UPDATES = 0;

2 UPDATE calls SET call_timestamp = str_to_date(call_timestamp, "%m/%d/%Y");

3 UPDATE calls SET csat_score = NULL WHERE csat_score = 0;

4 SET SQL_SAFE_UPDATES = 1;

5 SELECT * FROM calls limit 10

Result Grid

Filter Rows

Export

Wrap Cell Contents

Fetch rows

ID	cust_name	sentiment	csat_score	call_timestamp	reason	city	state	channel	response_time	call_duration_minutes	call_center
D0X-5767809-055481-AJ	Andrea Gardner	Neutral	7	2020-10-29	Billing Question	Detroit	Michigan	Call-Center	Within SLA	17	Los Angeles/CA
Q9G-72219678-102139-KY	Cristina Kiddley	Very Positive	0	2020-10-05	Service Outage	Spartanburg	South Carolina	Chatbot	Within SLA	23	Baltimore/MD
017-3002932-A-023015-D	Averil Brundrett	Negative	0	2020-10-04	Billing Question	Gainesville	Florida	Call-Center	Above SLA	45	Los Angeles/CA
22-9680759-62008-m7	Noreen Lafferty	Very Negative	1	2020-10-17	Billing Question	Portland	Oregon	Chatbot	Within SLA	12	Los Angeles/CA
D0U-69451719-0-176402-Fm	Tonia Van der Beek	Very Positive	0	2020-10-17	Payments	Port Wayne	Indiana	Call-Center	Within SLA	23	Los Angeles/CA
J01-79728660-U-224385-4a	Kaylyn Bolen	Neutral	5	2020-10-28	Billing Question	Salt Lake City	Utah	Call-Center	Within SLA	25	Baltimore/MD
AZ2-9504097-1-35542-PT	Phillipe Bowering	Neutral	8	2020-10-16	Billing Question	Tyler	Texas	Chatbot	Within SLA	31	Baltimore/MD
7W0X-23007918-P-608789-Kw	Krista de Taconville	Positive	0	2020-10-21	Billing Question	New York City	New York	Chatbot	Below SLA	37	Los Angeles/CA
W0G-4499118-P-344472-JU	Oran Liffery	Very Negative	0	2020-10-03	Billing Question	Dallas	Texas	Email	Below SLA	37	Baltimore/MD
R0C-64308207-2-285141-VS	Port Inggall	Neutral	0	2020-10-07	Billing Question	Cincinnati	Ohio	Chatbot	Within SLA	12	Baltimore/MD

calls 6 x

Output

Action Output

Time Action Message

205 12:37:07 SELECT state, AVG(csat_score) AS avg_csat_score FROM calls WHERE csat_score > 0 GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000 51 row(s) returned 0.015 sec / 0.000 sec

206 12:37:07 SELECT sentiment, AVG(call_duration_minutes) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000 5 row(s) returned 0.016 sec / 0.000 sec

207 12:37:22 SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000 12 row(s) returned 0.031 sec / 0.000 sec

Object Info Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported x unconnected x Project - Warning - not supported x

File Edit View Query Database Server Tools Scripting Help

Navigator

SQL File 1 SQL File 2

Limit to 1000 rows

1 SELECT COUNT(*) AS row_num FROM calls;
2 SELECT COUNT(*) AS col_num FROM information_schem.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT MIN(csst score) AS min score, MAX(csst score) AS max score, ROUND(AVG(csst score), 1) AS avg score FROM calls WHERE csst score != 0;

Result Grid

rows_num

122941

Output

Action Output

#	Time	Action	Message	Duration / Fetch
206	12:37:07	SELECT sentiment, AVG(call_duration, rounded) FROM calls GROUP BY 1 ORDER BY 2 DESC LIMIT 0, 1000	5 rows(s) returned	0.016 sec / 0.000 sec
207	12:37:22	SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	12 rows(s) returned	0.031 sec / 0.000 sec
208	12:39:12	SELECT COUNT(*) AS row_num FROM calls LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported x unconnected x Project - Warning - not supported x

File Edit View Query Database Server Tools Scripting Help

Navigator

SQL File 1 SQL File 2

Limit to 1000 rows

1 SELECT COUNT(*) AS row_num FROM calls;
2 SELECT COUNT(*) AS col_num FROM information_schem.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT MIN(csst score) AS min score, MAX(csst score) AS max score, ROUND(AVG(csst score), 1) AS avg score FROM calls WHERE csst score != 0;

Result Grid

col_num

12

Output

Action Output

#	Time	Action	Message	Duration / Fetch
207	12:37:22	SELECT call_center, response_time, COUNT(*) AS count FROM calls GROUP BY 1,2 ORDER BY 1,3 DESC LIMIT 0, 1000	12 rows(s) returned	0.031 sec / 0.000 sec
208	12:39:12	SELECT COUNT(*) AS row_num FROM calls LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
209	12:39:36	SELECT COUNT(*) AS col_num FROM information_schem.columns WHERE table_name = 'calls' LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Query Completed

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - ForeignKeys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

```
1 SELECT COUNT(*) AS row_num FROM calls;
2 SELECT COUNT(*) AS col_num FROM information_schema.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, count(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT MIN(csst score) AS min score, MAX(csst score) AS max score, ROUND(AVG(csst score), 1) AS ave score FROM calls WHERE csst score != 0;
```

Result Grid

calls 149

Output

#	Time	Action	Message	Duration / Fetch
208	12:39:12	SELECT COUNT(*) AS row_num FROM calls LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
209	12:39:36	SELECT COUNT(*) AS col_num FROM information_schema.columns WHERE table_name = 'calls' LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
210	12:40:12	SELECT DISTINCT sentiment FROM calls LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

CON1 - Warning - not supported | unconnected | Project - Warning - not supported

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

- Filter objects
- phmyadmin
- project
 - Tables
 - calls
 - Columns
 - Indexes
 - ForeignKeys
 - Triggers
 - Views
 - Stored Procedures
 - Functions
 - shipment_db
 - test

Query 1 SQL File 1 SQL File 2

Limit to 1000 rows

```
1 SELECT COUNT(*) AS row_num FROM calls;
2 SELECT COUNT(*) AS col_num FROM information_schema.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), round((count(*) / (select count(*) from calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), count(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, count(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT MIN(csst score) AS min score, MAX(csst score) AS max score, ROUND(AVG(csst score), 1) AS ave score FROM calls WHERE csst score != 0;
```

Result Grid

calls 150

Output

#	Time	Action	Message	Duration / Fetch
209	12:39:36	SELECT COUNT(*) AS col_num FROM information_schema.columns WHERE table_name = 'calls' LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
210	12:40:12	SELECT DISTINCT sentiment FROM calls LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec
211	12:40:38	SELECT DISTINCT reason FROM calls LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

Query 1 SQL File 1 SQL File 2

1 SELECT COUNT(*) AS rows_num FROM calls;
2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT MIN(csat score) AS min score, MAX(csat score) AS max score, ROUND(AVG(csat score), 1) AS ave score FROM calls WHERE csat score != 0;

Result Grid

calls 151

Output

#	Time	Action	Message	Duration / Fetch
210	12:40:12	SELECT DISTINCT sentiment FROM calls LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec
211	12:40:30	SELECT DISTINCT reason FROM calls LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
212	12:40:58	SELECT DISTINCT channel FROM calls LIMIT 0, 1000	4 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Query Completed

MySQL Workbench

Query 1 SQL File 1 SQL File 2

1 SELECT COUNT(*) AS rows_num FROM calls;
2 SELECT COUNT(*) AS cols_num FROM information_schema.columns WHERE table_name = 'calls';
3 SELECT DISTINCT sentiment FROM calls;
4 SELECT DISTINCT reason FROM calls;
5 SELECT DISTINCT channel FROM calls;
6 SELECT DISTINCT response_time FROM calls;
7 SELECT DISTINCT call_center FROM calls;
8 SELECT sentiment, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
9 SELECT reason, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
10 SELECT channel, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
11 SELECT response_time, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
12 SELECT call_center, count(*), ROUND((COUNT(*) / (SELECT COUNT(*) FROM calls)) * 100, 1) AS pct FROM calls GROUP BY 1 ORDER BY 3 DESC;
13 SELECT state, count(*), COUNT(*) FROM calls GROUP BY 1 ORDER BY 3 DESC;
14 SELECT DAYNAME(call_timestamp) AS Day_of_call, COUNT(*) num_of_calls FROM calls GROUP BY 1 ORDER BY 2 DESC;
15 SELECT MIN(csat score) AS min score, MAX(csat score) AS max score, ROUND(AVG(csat score), 1) AS ave score FROM calls WHERE csat score != 0;

Result Grid

calls 152

Output

#	Time	Action	Message	Duration / Fetch
211	12:40:30	SELECT DISTINCT reason FROM calls LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec
212	12:40:58	SELECT DISTINCT channel FROM calls LIMIT 0, 1000	4 row(s) returned	0.015 sec / 0.000 sec
213	12:42:34	SELECT DISTINCT response_time FROM calls LIMIT 0, 1000	3 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

Query Completed