DBT: Deb's Board Training Practice Form 1

Clinical-level social work licensing exam practice · Question booklet

Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

Section 1	Start time:	End time:

Section 2	Start time:	End time:

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

Section 1

Items 1–61 · 2 hours

1. A client often runs late, and the social worker has been holding firm on ending sessions on time. With 2 minutes left today, the client says their partner shoved them last night, and they are going home after the session. Another client is waiting. What is the **BEST** action?

A. Briefly extend the session to check the client's safety tonight

B. End on time and make this the first topic next session

C. Give a hotline number and end the session on time

2. Social workers at a community mental health center have voted to strike in 10 days over unsafe caseloads, and the employer has refused further talks. A social worker plans to join the strike. The worker's caseload includes two clients with suicide attempts in the past 3 months and several clients who rely on weekly sessions. What should the social worker do **FIRST**?

A. Tell clients the strike date at their next sessions

B. Plan interim coverage and crisis access for each client

C. Withdraw from the strike because of the high-risk clients

3. A social worker who is going through a divorce reviews notes from 4 recent sessions with a client whose marriage is ending. In each session, the social worker spent much of the time describing their own separation. The client recently said, 'It helps to know you get it.' What should the social worker do **FIRST**?

A. Keep sharing, since the client finds it helpful

B. Transfer the client to a colleague without a similar history

C. Tell the client that future sessions will focus on them

D. Seek supervision about the pattern of self-disclosure

4. A parent asks a youth program's social worker about a volunteer coach who has grown close to the parent's 12-year-old. The coach praises the child in front of the team, offers rides home after practice, and recently gave the child a phone, saying the gift should stay 'just between us.' Which behavior is the **MOST** concerning sign of grooming?

A. Asking that the gift be kept from others

B. Praising the child in front of the team

C. Offering the child rides home after practice

5. During a video session from home, a 67-year-old client who lives alone suddenly begins slurring words. The social worker sees that one side of the client's mouth droops and that the client cannot lift their right arm to adjust the camera. When asked how they feel, the client says, 'I'm just tired. I'll lie down.' What should the social worker do **FIRST**?

A. Ask about the client's recent sleep and medication changes

B. Call the client's emergency contact to check on them

C. Suggest the client rest and reconnect in one hour

D. Request an ambulance to the client's home

6. Parents aged 79 and 81 have cared at home for decades for their 50-year-old adult child, who has schizophrenia. At a community mental health visit, the parents say they are slowing down and worry about who will help their child after they die. The adult child is stable, takes medication and attends a day program. Which response is **BEST**?

A. Help the parents draft a plan to share with their adult child later

B. Start planning meetings with the adult child as a core participant

C. Teach the parents to recognize early warning signs of relapse

7. A client ordered by a court to attend a driving-under-the-influence program asks the social worker at intake, 'What happens if I don't want to do this?' What is the **MOST** appropriate response?

A. Tell the client the court order removes the right to refuse

B. Explain the right to decline and what is reported

C. Suggest the client ask their attorney before going further

8. Which practice change does the federal Family First Prevention Services Act of 2018 encourage in child welfare agencies?

A. Evidence-based in-home help so children can stay safely at home

B. Faster filing to end parental rights for children in long-term care

C. Wider use of group homes for youth with complex needs

9. A child welfare supervisor meets with a caseworker each week. In one meeting, the supervisor reviews the caseworker's cases and moves two families to a coworker who has fewer. The supervisor also checks that court reports will be filed on time. Which function of supervision is the supervisor **MOST** likely carrying out?

A. Educational

B. Administrative

C. Supportive

10. A client at a community mental health center learns that extra weekly sessions there have a 6-week waitlist. The client asks to see the social worker at the social worker's evening private practice and offers to pay a reduced cash fee. What is the **MOST** appropriate response?

A. Agree to see the client privately at the reduced fee

B. Decline and pursue added services through the center

C. See the client outside the center in the evenings for free

11. At a senior center, a client caring for a spouse with major neurocognitive disorder is using structured problem solving to tackle exhaustion. Together they defined the problem and listed options, and the client chose an adult day program 2 days a week. The client has now used it for 3 weeks. What should the social worker do **NEXT**?

A. Brainstorm more respite options in case the program falls short

B. Review with the client how well the program is meeting the goal

C. Begin structured problem solving on another stressor

12. Early in psychodynamic therapy, a client realized that they keep choosing partners who dismiss them, much as a parent did. Over the next 8 months, the client spots the same expectation with a boss, a close friend, and the social worker. Each time, the client feels less upset and tries a new response. Which process is **MOST** likely taking place?

A. Working through

B. Repetition compulsion

C. Corrective emotional experience

D. Abreaction

13. In supervision, a supervisee calls a client who has missed four group sessions 'noncompliant' and proposes closing the case. The client works night shifts, relies on two buses, and asked last month whether the group could meet at another time. What is the **BEST** action by the supervising social worker?

A. Approve closing the case under the attendance policy

B. Guide the supervisee to plan access options with the client

C. Suggest the supervisee assess the client's readiness to change

14. A school nurse refers a 9-year-old who comes to the health office with stomachaches on most test days and many Monday mornings. A pediatrician found no medical cause. The parent asks the school social worker to support a plan that sends the child home whenever the pain starts. What should the social worker do **FIRST**?

A. Assess the child's worries and avoidance with child and parent

B. Support the parent's go-home plan to ease distress

C. Teach the child slow breathing to use before each test

15. A 34-year-old group home resident with moderate intellectual developmental disorder communicates with a few words and gestures. Over the past 3 weeks, staff have seen the resident strike the side of their own jaw, wake often at night, and push meals away. The house manager asks the social worker to write a behavior plan. What should the social worker do **FIRST**?

A. Complete a functional assessment of the jaw striking

B. Arrange a medical and dental exam for possible pain

C. Refer the resident to psychiatry to evaluate depression

D. Draft a plan that rewards calm mealtimes and sleep

16. A social worker providing case management at an HIV services agency works with a client who also sees a primary care physician, a psychiatrist and an outpatient substance use program. The client arrives upset after receiving three different instructions about sleep medication timing and appointment days and says, 'Everyone tells me something different.' The client has signed releases for all providers. Which action is **MOST** helpful?

A. Help the client decide which provider's advice to follow

B. Write every instruction on one calendar for the client

C. Convene the providers to agree on one coordinated approach

17. A hospital social worker tracks discharges for a year and finds that older patients from a mostly Black zip code go to lower-rated nursing facilities more often than other patients with the same insurance. The social worker shares the data with the unit manager, who says to drop it. What is the **MOST** effective way for the social worker to address the pattern?

A. Steer each of the worker's own patients to higher-rated facilities

B. Present the findings to the quality improvement committee

C. File a complaint with the state civil rights office now

18. A family in which three generations share a home seeks help for a 10-year-old who ignores household rules. By family tradition, the grandparent makes major household decisions. The parent works nights, and in session the parent and grandparent contradict each other's rules in front of the child. Using a structural approach, what is the **MOST** appropriate intervention?

A. Strengthen the parent's authority by limiting the grandparent's role

B. Help the parent and grandparent agree on rules as a team

C. Explore the child's feelings about the two sets of rules

19. Helms described a series of statuses in White racial identity. Which status brings guilt, shame and confusion as a person first faces racism and White advantage?

A. Contact

B. Reintegration

C. Pseudo-independence

D. Disintegration

20. In a primary care clinic, a client with type 2 diabetes who uses insulin mentions a plan to fast during Ramadan next month. The physician, concerned about low blood sugar, asks the social worker to 'talk them out of it.' The social worker is meeting the client for the first time. What should the social worker do **FIRST**?

A. Ask the client to describe what fasting means to them

B. Arrange a pre-Ramadan medical visit to plan safer fasting

C. Help the client plan Ramadan meals before dawn and after sunset

D. Explain that the faith excuses people who are ill from fasting

21. At an opioid treatment program, a client on methadone for 4 months has had no opioid use and attends every counseling session. The client also uses cannabis daily and says, 'Weed isn't a problem. It's the only thing that helps me sleep.' Program staff want the treatment plan to require stopping cannabis now. What is the **BEST** way to proceed?

A. Make stopping cannabis a required goal in the plan

B. Explain to the client the health risks of using cannabis every day

C. Explore the client's own view of what cannabis gives and costs

D. Leave cannabis out of the plan while opioid goals come first

22. A client in a private practice signed a fee agreement at intake stating that sessions missed without 24 hours' notice cost $40. The client misses a session without calling. The office manager suggests billing the client's health plan for the missed hour instead. How should the social worker handle the missed session?

A. Bill the health plan for the missed session

B. Bill the plan at a shorter-session rate instead

C. Charge the client the agreed missed-session fee

23. In a hospice family meeting, an adult child who has cared for a dying parent for 8 months says, 'I feel like a terrible person for wishing this were over.' The social worker replies, 'After months of caring day and night, wanting the strain to end makes sense.' Which interviewing skill is the social worker **MOST** likely using?

A. Reflection of feeling

B. Validation

C. Reassurance

D. Interpretation

24. A 31-year-old comes to a community agency at a parent's urging. The client has no close friends besides a sibling, dresses in mismatched layers and believes they can sense coworkers' moods through 'vibrations.' The client often thinks strangers' conversations are about them but agrees this may not be true. Unease around coworkers has not faded after 6 years at the same job. Which diagnosis is **MOST** likely?

A. Schizoid personality disorder

B. Schizophrenia

C. Schizotypal personality disorder

D. Avoidant personality disorder

25. A 7-year-old in foster care has weekly visits with a birth parent, and reunification is the case goal. After each visit, the child cries, wets the bed and pushes the foster parents away for a day or two. The foster parents ask to reduce the visits. Visit notes from the past 2 months describe a warm, appropriate parent and no safety concerns. What should the social worker do **NEXT**?

A. Help the foster parents plan supportive routines around visits

B. Request fewer visits until the foster child's behavior settles

C. Ask the birth parent to avoid talk of reunification at visits

26. A school social worker has seen an 8-year-old for separation anxiety since the fall. The child now attends school every day, the teacher reports no morning distress for 6 weeks, and the parent handles drop-offs with the plan they practiced. The child says, 'I like coming here. Can we keep playing?' What is the **BEST** way to proceed?

A. Continue weekly sessions because the child enjoys them

B. End services at the next session to prevent dependence

C. Plan a gradual ending with fewer sessions over several weeks

27. A hospital social worker notices that a colleague on the team has smelled of alcohol at 2 morning meetings and missed a patient appointment last week. The colleague is off today, and no patient has been harmed. What should the social worker do **FIRST**?

A. Talk privately with the colleague about the observed concerns

B. File a complaint about the colleague with the licensing board

C. Keep watching the colleague until the pattern is clearer

28. A school social worker meets with the parents of a 14-year-old recently diagnosed with anorexia nervosa. The pediatrician has found the teen medically stable for outpatient care. The teen lives at home, and the parents are close to the teen and eager to help. The social worker has no training in eating disorder treatment. Which plan is **BEST**?

A. Begin weekly individual counseling with the teen at school

B. Refer the teen to a family-based treatment provider

C. Recommend a residential eating disorder treatment program

29. Months ago, a coworker privately told the social worker about a past psychiatric hospitalization. Now their shared supervisor, concerned about the coworker's late reports, asks the social worker, 'Is something going on with them that I should know about?' Nothing the social worker has seen points to risk for clients. What is the **BEST** response?

A. Share the history to help explain the late reports

B. Urge the coworker to tell the supervisor about the hospitalization

C. Advise the supervisor to raise the late reports with the coworker

30. Two months after moving into assisted living, a client with depression stays in their room most of the day. The client says, 'I'll join the activities once I feel like myself again.' The social worker is using cognitive behavioral therapy. Which intervention is **BEST** to start with?

A. Use thought records to track the client's negative thoughts

B. Explore the client's grief about the move to assisted living

C. Schedule one brief, enjoyable activity for each day

31. The Missing and Murdered Indigenous Women and Relatives (MMIW) movement chiefly calls attention to which problem?

A. Loss of Native languages caused by past boarding school policies

B. Disappearances and killings met by weak official response

C. Overrepresentation of Native children in foster care

32. On a mental status exam, a client misperceives a real object, such as seeing a coat on a hook as an intruder. Which finding is this?

A. Visual hallucination

B. Illusion

C. Delusion

D. Derealization

33. A patient with advanced lung cancer is continuing chemotherapy aimed at slowing the disease. A team now also visits to manage the patient's pain and breathlessness and to support the family's stress. Which type of care is the patient **MOST** likely receiving from this team?

A. Palliative care

B. Hospice care

C. Caregiver respite care

34. A 79-year-old resident of an assisted living facility tells the social worker that the 'friend' who visits daily is the resident's same-sex partner of 35 years. Staff have left the partner out of care-planning meetings because the partner is not family. The resident says, 'When I was young, people lost their jobs over this.' What should the social worker do **FIRST**?

A. Ask the resident how to include the partner and what to share

B. Tell staff about the relationship so the partner is included

C. Help the resident name the partner as health care agent

D. Encourage the resident to tell staff for better support

35. A supervisee who usually welcomes feedback starts rejecting every suggestion the supervisor offers about one case, saying, 'That won't work either.' In that case, the client turns down each resource the supervisee proposes. The supervisee stays open to feedback on other cases. What is **MOST** likely happening?

A. Transference toward the supervisor

B. Countertransference toward the client

C. Parallel process

D. Burnout

36. A hospice patient, 81, with advanced pancreatic cancer has low mood, poor appetite, weight loss, fatigue and broken sleep. The hospice team asks the social worker whether the patient also has major depression. How can the social worker **BEST** judge whether a depressive disorder is present?

A. Count the appetite, sleep and energy changes as depressive symptoms

B. View the low mood as an expected reaction to dying

C. Focus on hopelessness, worthlessness and loss of pleasure

37. A client living with bipolar I disorder tells the social worker about a public video they posted describing their first year back at work after a long hospitalization. The client says they would like the social worker to watch it and talk about it at the next session. What is the **MOST** appropriate response?

A. Explain that the Code bars viewing a client's online videos

B. Follow the client's channel to show support

C. View the video as invited and discuss it next session

38. A client with depression has completed the PHQ-9 at the start of each session for 10 weeks. The social worker records the scores in the chart but has not discussed them with the client. The client now asks to stop, saying, 'I fill it out and never hear about it again.' What is the social worker's **BEST** response?

A. Stop the measure and rely on discussion in sessions

B. Explain why the scores matter and ask the client to continue

C. Switch to completing the measure once a month

D. Begin reviewing a graph of the scores with the client

39. In an outpatient session, a client says they will stab a former business partner tonight, gives the partner's home address, and shows a folding knife. The social worker urges voluntary hospitalization, but the client refuses and walks out. What should the social worker do **NEXT**?

A. Call the client tomorrow to reassess the threat

B. Notify law enforcement and warn the intended victim

C. Raise the case at the next team consultation

40. A client in private practice met every treatment goal for generalized anxiety 4 months ago, and symptom ratings have stayed low since. Recent sessions consist of friendly talk about the client's week. The client pays out of pocket and has explained, 'I just like having this hour.' The social worker's practice income has dropped this year. What should the social worker do **FIRST**?

A. Pick a date for the last session and inform the client

B. Continue weekly sessions, since the client values them

C. Raise ending with the client and review the gains made

41. At the end of a 3-year grant, an agency analyzes whether participants in its supportive housing program stayed housed and made fewer emergency room visits. The board will use the results to decide whether to continue the program. Which type of evaluation is the agency conducting?

A. Summative evaluation

B. Formative evaluation

C. Needs assessment

42. In a year-end report to a funder, which statement describes a program outcome rather than an output?

A. One hundred twenty caregivers attended 8 or more group sessions

B. The program held 48 support groups at 3 community sites

C. Two bilingual facilitators were hired and trained this year

D. Caregivers' average strain scores fell 25% by 6 months

43. Under 42 CFR Part 2, when state law lets a teen consent alone to substance use treatment, whose written consent is needed to share a progress update with the teen's parent?

A. The teen's consent alone

B. The parent's consent alone

C. Both teen and parent consent

D. The program director's approval

44. Parents of a 23-year-old who lives at home ask for a family session. In 2 years, the young adult has changed jobs three times, switched college majors and moved in and out of a shared apartment. The young adult works part time, has close friends and says, 'I'm still figuring out what fits.' The parents worry something is wrong. Which response by the social worker is **BEST**?

A. Recommend vocational testing to settle on a career path

B. Suggest the parents set a firm date for the young adult to move out

C. Explain that such exploration is typical in the early twenties

45. A client with schizophrenia lives in a supportive housing program. The landlord calls the social worker and says the client yelled at neighbors in the hallway on several nights this week. Staff have not seen this happen. How should the social worker record the call?

A. Record that the client has been aggressive toward neighbors

B. Record the landlord's report and name the landlord as its source

C. Leave out the landlord's secondhand report

46. A social worker leads a closed 12-week bereavement group for adults whose partners have died. In week 10, members are reviewing what they have learned and planning how to say goodbye. The intake coordinator asks the social worker to add a newly bereaved client who is struggling and on the waitlist. Which action is **BEST**?

A. Add the client now so they can gain support from the group

B. Ask the members to vote on whether to admit the client

C. Offer the client individual support until the next group starts

47. A 15-year-old has received wraparound services for 3 months to avoid residential placement. After a second school suspension, the school asks the team to recommend a residential program. The parent and youth want to keep working on the home-based plan. Which response by the wraparound facilitator is **MOST** consistent with wraparound principles?

A. Ask the school to hold its request until the plan's next review

B. Add a separate anger management program while the plan continues

C. Reconvene the team with the family to revise the plan

48. A hospital social worker helped a patient begin a disability benefits appeal and said the filing deadline was 30 days away. A week later, rereading the denial letter, the social worker sees the deadline is actually 3 days away. The patient was discharged home yesterday and has a working phone. What should the social worker do **FIRST**?

A. Tell the supervisor and wait for direction on the patient

B. Correct the deadline date in the patient's chart

C. Call today with the correct date and help submit it

49. After a budget cut eliminated a paid peer specialist position, a recovery agency asks 3 clients in long-term recovery to serve as volunteer peer mentors for 20 hours a week each. They would do the duties the peer specialist once did. The clients are eager to help. The social worker sits on the planning committee. What is the **BEST** recommendation?

A. Seek funds to pay the mentors a fair wage

B. Accept the clients' offer to serve as volunteers

C. Thank the mentors with gift cards each month

50. A social worker leads an illness management group at a community mental health center for adults with schizophrenia. During a session on stress and symptoms, a member says, 'This is a waste of time. I'm not sick.' Earlier, the member said they want to keep their apartment and get a job. What is the **BEST** response?

A. Review the member's symptoms with the group to build insight

B. Note the member's view and continue with the planned material

C. Connect the skills to what the member wants for work and housing

D. Suggest individual therapy to work on accepting the diagnosis

51. In a state where medical aid in dying is legal and the hospital permits it, a patient with terminal pancreatic cancer asks the palliative care social worker how to request it. The patient is calm and describes long-held views about dying on their own terms. What is the **MOST** appropriate response?

A. Refer the question to the hospital chaplain

B. Request an urgent suicide risk evaluation

C. Encourage the patient to focus on comfort care instead

D. Discuss the request and involve the physician

52. In an integrated primary care clinic, a client who lost their job 3 months ago meets with the social worker about stress. The client says, 'My family would be better off without me,' and mentions giving a prized guitar to a friend last week. The client then changes the subject to money worries. What should the social worker do **FIRST**?

A. Ask the client directly about thoughts of suicide

B. Arrange an emergency psychiatric evaluation today

C. Reflect the client's feeling of being a burden

53. A 45-year-old client with no dependents receives a notice that food benefits will stop after 3 months because the client is not working or in a work program 80 hours a month. The client has severe major depressive disorder, sleeps most of the day and has not held a job in a year. The client's psychiatrist confirms the client cannot work now. What should the social worker do **FIRST**?

A. Help the client search for part-time jobs that meet the hour rule

B. Help the client request a medical exemption from the time limit

C. Write to state legislators about the harm of the work rule

D. Refer the client to food pantries to replace the lost benefits

54. A behavioral health clinic serving a tribal nation offers a weekly PTSD skills group that few people attend. Community members tell the social worker that their grandparents were taken to boarding schools and that outside agencies have rarely kept their promises. Several elders lead traditional healing gatherings that are well attended. What is the **BEST** step to make the clinic more trauma-informed?

A. Ask the elders to promote the PTSD group at gatherings

B. Hire tribal community staff to lead the clinic's PTSD group

C. Invite the elders to help shape the clinic's services

55. At the last of 10 sessions at a community clinic, a client gives the social worker a small jar of homemade jam. The client explains that in their family, sharing food is how people show gratitude. What is the **MOST** appropriate response?

A. Accept the jam and express appreciation

B. Decline the jam, explaining that gifts blur roles

C. Suggest the client share the jam with clinic staff

56. A 14-year-old with anorexia nervosa is discharged home after medical stabilization, with weekly weight checks by a pediatrician. The family begins family-based treatment with the social worker. In the second session, the parents say they want to let their teen choose and plan their own meals so that eating does not become a battle. Which response is **BEST**?

A. Coach the parents to plan and supervise every meal for now

B. Support the parents' plan to let the teen choose meals

C. Start individual sessions on the teen's need for control

57. An employee assistance client tells the social worker that their widowed 78-year-old parent will move into the client's home next month. The parent drives, manages their own medications and volunteers weekly. The client's two teenagers will have to share a bedroom and are openly resentful, and the client's partner worries about privacy. What should the social worker recommend **FIRST**?

A. An in-home assessment of the parent's daily functioning

B. Individual counseling for the teenagers about their resentment

C. A meeting of the three generations to plan roles and space

58. During a home visit 7 weeks after delivery, a parent tearfully says they keep getting sudden images of the baby falling down the stairs. The images horrify them, so they now avoid carrying the baby near the staircase. The parent also reports feeling worthless and sleeping poorly even when the baby sleeps. What should the social worker do **FIRST**?

A. Assess the thoughts, mood, safety and any intent to act

B. Refer the parent to a perinatal mental health specialist

C. Explain that such unwanted thoughts are common after birth

59. An emergency department asks the social worker to see a young adult patient on a fourth visit this year for days of repeated vomiting. Staff wonder about an eating disorder. Labs and imaging have been normal. The patient describes smoking cannabis several times a day for years, taking long hot showers that ease the nausea, and smoking more to settle the stomach. What should the social worker do **NEXT**?

A. Tell the patient that cannabis is causing the vomiting

B. Share the use and bathing history with the physician

C. Refer the patient for an eating disorder evaluation

60. During a first meeting at a community agency, a social worker leans forward in an open posture to show interest. Each time the social worker leans in, the client slides back in the chair, folds their arms, and gives shorter answers. How should the social worker respond?

A. Shift to less personal questions for now

B. Point out the folded arms and ask what they mean

C. Sit back and allow more personal space

61. A county child welfare agency and two tribal nations agree to a joint truth-and-reconciliation effort about decades of Native children placed in non-Native foster homes. Agency leaders want to open with a formal apology and a list of reforms drafted by agency staff. The social worker on the planning group is asked for input. Which opening step is **MOST** consistent with this kind of effort?

A. Release the agency's apology and reform list at the first session

B. Gather statements from affected families, with tribes co-leading

C. Have agency staff review old case files to find errors

STOP

End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

Section 2

Items 62–122 · 2 hours

62. A school social worker plans to use a token reward system to reduce a 7-year-old's classroom outbursts. The social worker wants data showing whether the system works. What should the social worker do **FIRST**?

A. Start the token system and count outbursts weekly

B. Ask the teacher to rate progress at the end of the term

C. Count the outbursts daily for a period before starting

63. A primary care provider refers a 74-year-old client for memory concerns that began about 2 months ago. The client says, 'My mind is gone,' and answers 'I don't know' to many screening questions. The client also reports poor sleep, weight loss, lost interest in gardening and feeling like a burden. The client still manages bills and medications, alertness is steady and medical tests are normal. What is the **MOST** likely explanation?

A. Major neurocognitive disorder

B. Delirium

C. Major depressive disorder

D. Mild neurocognitive disorder

64. A client attends court-ordered outpatient therapy after an assault conviction. The client signed a release allowing the social worker to report attendance and participation to the probation officer. The officer calls and asks what the client has said in sessions about a new dating relationship. What is the **MOST** appropriate response?

A. Describe what the client said, since the court ordered treatment

B. Report attendance and participation, and decline to share more

C. Decline to report attendance or participation until a subpoena arrives

65. An 82-year-old patient on dialysis for 6 years tells the dialysis social worker they want to stop treatment and enter hospice. Over 3 weeks the patient has given the same reasons, and the nephrologist and a psychiatrist have confirmed decision-making capacity. The patient hopes the family will come to accept the decision. The patient's adult children ask the social worker to talk the patient out of it. What is the **BEST** response?

A. Offer the patient a family meeting to explain the choice

B. Ask the patient to continue until the family agrees

C. Request another psychiatric evaluation first

D. Remind the children the patient may legally decide

66. In a family session about a parent's alcohol use, an 11-year-old cracks jokes and makes faces whenever the adults' voices rise. The family laughs, and the tension drops for a moment. Teachers call the child the class comedian, but the child tells the social worker privately, 'I'm always scared something bad will happen.' In Wegscheider-Cruse's model, which family role is this child **MOST** likely filling?

A. Hero

B. Scapegoat

C. Mascot

D. Lost child

67. An ethics committee debates whether a hospital social worker may share a patient's history with a landlord to save the patient's housing. One member grants that this single disclosure might help. The member argues that keeping patient information private, case after case, yields the best results for patients overall, so the history should stay private. Which ethical theory is this member **MOST** likely using?

A. Rule utilitarianism

B. Act utilitarianism

C. Deontology

68. A probation officer refers a 27-year-old client with a letter listing bipolar disorder from a jail intake screening. The client describes days of feeling invincible with almost no sleep, but only during cocaine binges, followed by several days of crashing. The client has had negative drug tests for the past 6 weeks of court-ordered treatment. What is the social worker's **MOST** appropriate next step?

A. Assess the client's mood since substance use stopped

B. Accept the listed diagnosis and refer for mood stabilizers

C. Request the jail's full screening record before going further

69. On a night of subzero temperatures, an outreach social worker finds a client with schizophrenia sleeping outside in a light jacket. The client's fingers are white and numb. The client insists that shelters 'pump poison through the vents,' cannot describe any other way to stay warm, and refuses a blanket, a ride and the warming center. What should the social worker do **NEXT**?

A. Leave blankets nearby and return early tomorrow

B. Explore what would make a shelter feel safe

C. Call emergency services for medical and psychiatric care

70. As an outpatient substance use group begins, a member arrives smelling of alcohol, slurring words, and says they drove to the session. The member asks to stay and talk about the relapse, and several members say they want to help. What should the social worker do **FIRST**?

A. Let the member stay and discuss the relapse with the group

B. Discharge the member from the program for drinking

C. Excuse the member from group and arrange a safe ride

71. On a mild evening, a street outreach social worker approaches an adult who has slept in the same park for months. The person accepts a bottle of water but says, 'I don't need your programs,' and turns away. What should the social worker do **FIRST**?

A. Leave on friendly terms and say when the worker will return

B. Describe the shelter's open beds and services before leaving

C. Complete the housing intake assessment with the person

72. A risk scale is completed at intake. Two years later, clients who scored high at intake have returned to the hospital far more often than clients who scored low. Which measurement property does this show?

A. Concurrent validity

B. Predictive validity

C. Test-retest reliability

D. Content validity

73. A social worker in private practice sees a 74-year-old client with Medicare for depression. The client's only income is a small pension. After a large dental bill, the client says they may have to stop sessions because of the copayment and asks whether it could be waived for a while. What is the **MOST** appropriate response?

A. Explain that Medicare rules bar waiving copays

B. Waive copays for every client living on a fixed income

C. Waive it after documenting the client's hardship

74. In Solomon's empowerment framework, a clinic rule that turns away people who lack a fixed address is an example of which concept?

A. Indirect power block

B. Direct power block

C. Learned helplessness

75. A child welfare social worker visits a kinship home where a grandparent cares for a 15-month-old born 8 weeks preterm. The social worker has compared the child's skills with milestones for the corrected age of 13 months. The child is not yet walking alone and does not babble, wave or look up when called by name. The grandparent says a nurse told them preemies catch up. What should the social worker do **NEXT**?

A. Help the grandparent arrange an early intervention evaluation

B. Plan to recheck milestones at a corrected age of 18 months

C. Reassure the grandparent that preemies often walk later

D. Ask the grandparent to describe the child's daily routine

76. In a supportive housing program, a client with schizoaffective disorder invites the social worker to a public gallery showing of the client's paintings. Showing work in public was a recovery goal the two set a year ago. The event is an evening opening at a community center. What is the **MOST** appropriate response?

A. Decline, explaining that attending would create a dual relationship

B. Ask the client to bring photos of the paintings to a session

C. Attend briefly after agreeing on boundaries with the client

D. Attend and join the client's celebration dinner afterward

77. During a home visit, a 79-year-old client who lives alone says the adult children want an in-home aide after two minor falls this year, neither causing injury. The client understands the risks, describes a plan to wear a medical alert pendant, and declines the aide. Under the Ethical Principles Screen, which principle takes priority in this situation?

A. Least harm

B. Self-determination

C. Quality of life

D. Protection of life

78. A client works 38 hours a week at two jobs, supports two children, and falls behind on rent each winter. The social worker and client have reviewed the household budget together and found spending limited to basics. The client has never filed a tax return because the income seemed too low to matter. Which step is **MOST** helpful?

A. Help the client file to claim refundable tax credits

B. Help the client apply for emergency rental assistance

C. Review the client's spending for further savings

79. A 16-year-old Mexican American client tells a social worker that darker-skinned relatives are 'less smart' and that lighter skin makes people 'more respectable.' The client avoids the sun to stay light and calls classmates with Indigenous features 'low class.' These views echo messages the client has heard from family and media. Which concept **MOST** likely explains the client's beliefs?

A. Internalized racial oppression

B. Acculturative stress

C. Assimilation

D. Stereotype threat

80. A family service agency's director says the agency is now trauma-informed because two clinicians completed TF-CBT training. Meanwhile, front-desk staff call out clients' reasons for visits in the waiting room, and a no-show policy closes cases after two missed visits without outreach. Which recommendation is **MOST** consistent with a trauma-informed approach?

A. Train more clinicians in TF-CBT so every child is served

B. Train staff in each role and revise intake and attendance rules

C. Have intake staff screen every new client for trauma

81. After being stuck in an elevator, a client now avoids medical appointments on upper floors. Using systematic desensitization, the social worker and client have built a ranked list of elevator situations, and the client has learned progressive muscle relaxation. What should the social worker do **NEXT**?

A. Have the client ride to the top floor right away

B. Pair relaxation with imagining the least distressing item

C. Pair relaxation with imagining the most distressing item

82. Two months after a parent's children entered foster care because of the parent's methamphetamine use, the parent has stayed sober, attended every visit, and has a relative willing to help. At a family team meeting, the parent says, 'Everyone only talks about what I did wrong.' The team then turns to drafting the case plan. Which approach to the plan is **BEST**?

A. List the parent's strengths in a separate section of the plan

B. Build each safety goal on a strength the parent already shows

C. Ask the parent how the meeting has felt so far

83. On a home visit, a 77-year-old client who was widowed last year has had 2 falls in 3 months and forgets recent conversations. An adult child asks the social worker to arrange memory testing. The social worker notices many empty wine bottles in the recycling bin, and the client says a few glasses help with sleep. What should the social worker do **FIRST**?

A. Ask about the amount and timing of the client's drinking

B. Refer the client for the memory testing the family requested

C. Arrange a home safety evaluation to prevent further falls

84. A wildfire destroys hundreds of homes in a neighboring state, and thousands of residents move into evacuation shelters. A licensed clinical social worker with crisis training wants to help and plans to drive there this weekend to offer counseling at the shelters. What is the **BEST** way for the social worker to act on this goal?

A. Volunteer through an organized disaster mental health response

B. Go to the shelters and offer crisis counseling on arrival

C. Wait to help until licensed in the affected state

D. Offer free video counseling to evacuees from home

85. A family that immigrated 4 years ago seeks help because a 15-year-old and the parents argue daily. The teen, now fluent in English, wants to spend evenings with friends and attend parties. The parents see this as rejecting family values and say the teen is 'becoming a stranger.' The teen's grades remain steady. Which intervention plan is **BEST**?

A. Individual sessions to help the teen manage anger with family

B. Parent training in setting consistent limits and consequences

C. Family sessions helping members value skills from both cultures

D. Guidance urging the parents to allow freedoms typical for local teens

86. An adult client in outpatient treatment for PTSD after a car crash agreed in the fifth session to begin processing the crash memory. The next week, the client says, 'I think I'm better now. Let's make this our last session.' Nightmares still occur several times a week, and the client still avoids driving. What should the social worker do **FIRST**?

A. Ask what has prompted the wish to stop now

B. Agree to end and explain how to return to services

C. Pause trauma processing and shift to coping skills

D. Point out that ongoing nightmares mean the goals are unmet

87. Hours after a shooting at a warehouse, a social worker is providing psychological first aid at a family assistance center. An employee who hid during the shooting is trembling but answers questions clearly. The employee says their phone died and their family does not yet know they are alive. What is the **BEST** response?

A. Give the employee information on common stress reactions

B. Guide the employee through a brief breathing exercise

C. Help the employee contact loved ones right away

88. A probation officer sends a client to anger management after an arrest for shoving a partner. The client says the partner 'pushes my buttons.' The client also checks the partner's phone each night and controls all the household money. Coworkers describe the client as calm and easygoing. Which plan is **MOST** appropriate?

A. Enroll the client in a general anger management group

B. Refer the client to a partner-abuse intervention program

C. Offer joint sessions with the partner to improve communication

89. At intake to a residential substance use program, a social worker needs to ask a 29-year-old client about any history of sexual violence. The client has heard the limits of confidentiality and agreed to continue with the intake questions. Which question is **MOST** effective for this purpose?

A. 'Has anyone ever forced or pressured you into sexual contact?'

B. 'Have you ever been sexually abused, molested or assaulted?'

C. 'Is there anything about your past that you would like to share?'

90. A client tells a social worker about being the sole Asian American employee on a team and being left out of meetings. A friend responded, 'I don't see race. People are just people.' Under Sue and colleagues' taxonomy, the friend's comment is **MOST** likely which type of microaggression?

A. Microinvalidation

B. Microinsult

C. Microassault

91. A psychiatric inpatient team is planning discharge for a patient with schizophrenia. The record shows the patient attacked neighbors twice in the past 3 years, a current belief that a neighbor is poisoning the water supply, and heavy drinking on weekends. Which factor **MOST** strongly predicts future violence?

A. The persecutory belief about the neighbor

B. Heavy weekend alcohol use

C. The diagnosis of schizophrenia

D. Prior violent behavior

92. A 34-year-old began sertraline for depression 5 weeks ago. Two weeks later, the client stopped sleeping, spent recklessly and announced a plan to run for governor. The prescriber stopped the sertraline at once. Three weeks after it was stopped, the client remains on an inpatient unit with grandiosity, pressured speech and little need for sleep. Which diagnosis is **MOST** likely?

A. Substance/medication-induced bipolar and related disorder

B. Bipolar II disorder

C. Bipolar I disorder

93. Four months after a parent lost a factory job, a family of five meets with a social worker at a community agency to assess its strengths. Which observation **BEST** indicates a key family resilience process?

A. The parents keep the job loss from the children to protect them

B. Each member handles worries privately to avoid burdening others

C. Members describe the job loss as a challenge they will face together

D. The family keeps every routine exactly as it was before the loss

94. According to U.S. law enforcement data, which statement describes most people who sexually assault children?

A. They are strangers to the child

B. They first met the child online

C. They know the child or family

D. They are younger than 18

95. In an employee assistance session, a white client says a workplace diversity training called them 'privileged.' The client says angrily, 'I grew up poor and worked for everything I have. Nobody handed me anything.' This is the first time the client has raised the topic. What is the social worker's **MOST** appropriate response?

A. Explore what the training's label stirred up for the client

B. Explain that racial privilege can exist alongside economic hardship

C. Agree that the training should have focused on class instead

96. Under U.S. law, how is a capable patient's request to have a ventilator removed generally classified?

A. Medical aid in dying

B. Voluntary active euthanasia

C. Refusal of medical treatment

97. A client logs on for a scheduled video session during a lunch break. The social worker sees that the client is driving, with the phone mounted on the dashboard. The client says it is fine to talk because the drive is 20 minutes. What should the social worker do **FIRST**?

A. Switch to audio so the client can watch the road

B. Ask the client to park safely or reschedule the session

C. Keep the session to a short check-in during the drive

98. A child welfare social worker observes a supervised visit between a 15-month-old in foster care and the birth parent. After a brief separation, the parent returns and holds out their arms. The toddler starts toward the parent, then stops and freezes with a blank stare. Next, the toddler backs toward the parent with face turned away. Which attachment pattern does this behavior **MOST** likely reflect?

A. Secure

B. Insecure-avoidant

C. Insecure-ambivalent

D. Disorganized

99. A social worker in long-term recovery attends a weekly community 12-step meeting, which is the worker's main recovery support. One evening, a current outpatient client walks in, sees the social worker and sits down. The social worker is unsure whether to keep attending. The client's next session is in 4 days. What should the social worker do **FIRST**?

A. Discuss the encounter with the client at the next session

B. Find a different meeting to attend from now on

C. Talk through the overlap with a supervisor or consultant

100. A 22-year-old client at a community counseling center has a job offer in another city. The client tells the social worker, 'In my family, big decisions are made together. I want my parents to decide this with me.' What is the **BEST** response?

A. Encourage the client to make this choice independently

B. Help the client plan how to include the parents

C. Explore whether the parents are pressuring the client

101. A 54-year-old client with no psychiatric history comes to a community mental health agency after 2 weeks of hearing voices and accusing neighbors of stealing. The client's partner reports new morning headaches. The client also complains of a burning-rubber smell in the apartment that no one else notices. What should the social worker do **FIRST**?

A. Obtain a detailed family psychiatric history

B. Arrange a prompt medical and neurological workup

C. Refer the client to a first-episode psychosis program

D. Begin psychoeducation about psychotic disorders

102. An associate social worker at a family counseling agency records sessions, with client consent, for review in supervision. The supervisor asks the associate to bring one recording from this week. Which recording would be **MOST** useful for the associate's learning?

A. A session in which a new technique worked well

B. The most recent session, whatever happened in it

C. A session that felt stuck or went poorly

103. A social worker at a rural community agency meets a client who wants medication treatment for opioid use disorder. The nearest opioid treatment program is 80 miles away and requires near-daily visits at first. The client works days and has no car. The local primary care clinic offers in-person and telehealth visits. Which resource is **MOST** appropriate to pursue?

A. Daily methadone dosing at the distant opioid treatment program

B. A nearby prescriber of buprenorphine

C. A weekly peer support group in the county

D. A residential treatment program in the nearest city

104. At the end of each final session, outpatient social workers hand their clients a satisfaction survey with the worker's name printed at the top. Each worker waits while the client fills it out and then collects it. Nearly every rating is 'very satisfied.' Which change would **MOST** improve the accuracy of the results?

A. Add more rating items to the survey for detailed feedback

B. Have staff outside the client's care collect anonymous surveys

C. Remove the worker's name but keep workers collecting it

105. A program manager at an outpatient clinic tells a clinical supervisor to drop suicide screening at intake to shorten wait times. The supervisor raised the safety risk with the manager in writing and proposed a shorter screening tool, but the manager repeated the directive. What should the supervisor do **NEXT**?

A. Have clinical staff keep screening without telling the manager

B. Follow the directive while keeping a record of the objection

C. Propose a trial of the shorter tool to the manager again

D. Take the concern to the clinical director or compliance office

106. A client tells the social worker that a cousin keeps pressing them to co-sign a car loan. Each time, the client explains why they can't, the cousin argues with every reason, and the client ends up saying they will 'think about it.' Which assertiveness technique is **BEST** for the social worker to teach?

A. Calmly repeat the same short refusal each time

B. Give a stronger reason the cousin cannot dispute

C. Offer to help the cousin find a different co-signer

107. A school social worker meets with a 9-year-old who has stopped turning in math assignments. The child compares their test scores with classmates' scores, says 'Everyone is smarter than me,' and refuses to try new tasks in case they fail. Which Erikson stage is the child **MOST** likely working through?

A. Initiative versus guilt

B. Industry versus inferiority

C. Autonomy versus shame and doubt

108. A client at a community counseling center signed a release last month allowing the social worker to send monthly progress updates to the client's employee assistance program. Today the client hands the social worker a written statement revoking that release. What should the social worker do **FIRST**?

A. Ask the client to explain the reasons for revoking

B. Send one final update to close out the arrangement

C. Ask the program to return the updates already sent

D. Stop further updates and note the revocation in the record

109. A parent must complete a parenting class under a court-ordered child welfare case plan. A few minutes into the first meeting, the parent says, 'Nobody asked what I need. I'm not sitting in some class.' What should the social worker do **FIRST**?

A. Describe what the court may do if the class goes unfinished

B. Reflect the parent's frustration at having no say in the plan

C. Separate the required steps from those the parent can choose

110. A child welfare social worker places a 6-year-old in emergency foster care after finding the child alone at home for 2 days. The parent says the child is an enrolled member of a federally recognized tribe but has no enrollment card on hand. The agency plans to file a petition for foster care placement. What does federal law require of the agency regarding the tribe?

A. Wait for proof of enrollment before contacting the tribe

B. Bring in the tribe once reunification efforts have failed

C. Notify the tribe and apply the law's protections now

111. A client receiving video sessions for depression from home says, in a low voice, that their partner works from home, listens at the door and checks the client's phone. The client wants to keep meeting and works in an office two blocks from the clinic. What is the **BEST** way for the social worker to proceed?

A. Continue video sessions using headphones and a code word

B. Assess the client's comfort with the clinic's video platform

C. Switch to secure text messaging between sessions

D. Offer in-person sessions at the clinic during the workday

112. A 72-year-old client with COPD receives a notice that Medicaid home care hours will be cut in half in 10 days. The client relies on the aide for bathing and meals and wants to fight the cut. The notice explains how to request a fair hearing. What should the social worker do **FIRST**?

A. Call the Medicaid caseworker to request that the cut be reversed

B. Gather medical records that document the client's care needs

C. Help the client file an appeal before the cut takes effect

D. Arrange a private-pay aide to cover the lost hours

113. A primary care social worker gave a client with panic disorder a list of three low-cost counseling clinics. At follow-up 2 weeks later, the client has not called any of them and explains that phone calls with strangers trigger panic and that the clinic websites were confusing. The client still wants counseling. What should the social worker do **NEXT**?

A. Ask the client what made calling the clinics difficult

B. Call one of the clinics together with the client now

C. Give the client a shorter list with clearer directions

114. On an inpatient psychiatric unit, a Black adult patient is admitted with psychotic symptoms after a week without sleep. The patient is guarded with staff and tells the social worker about being restrained during a past emergency visit while a white patient who was shouting was not. In rounds, the team cites the patient's distrust of staff as paranoia that supports a schizophrenia diagnosis. What should the social worker do **FIRST**?

A. Point out that the distrust may reflect experiences of racism

B. Record the restraint account in the psychosocial assessment

C. Question the patient further to see if the distrust is a fixed belief

115. A 34-year-old bisexual client in a small town meets with a social worker about low mood and poor sleep. The client keeps a same-sex relationship hidden from coworkers, plans each conversation to avoid slips, and expects to be shunned if found out. The client adds, 'Part of me still thinks something is wrong with me.' Which concept **MOST** likely explains this pattern?

A. Acculturative stress

B. Stereotype threat

C. Minority stress

D. Identity foreclosure

116. In a residential treatment program, a 15-year-old comes out of a phone call with a parent shaking, panting, and saying they want to punch the wall. The teen has been learning DBT skills. What should the social worker help the teen do **FIRST**?

A. Splash cold water on their face and slow their breathing

B. Check the facts about what the parent said on the call

C. Talk through what upset them during the call

117. A pediatrician refers an 8-year-old with recurring stomachaches whose medical workup was normal. The child has missed 9 school days this term. During the first meeting, the parents mention that the stomachaches seem worst on days when they argue. What should the social worker do **FIRST**?

A. Recommend couples counseling to reduce the parents' arguing

B. Assess how each family member reacts when the pain begins

C. Teach the child relaxation skills to use when pain starts

118. A closed 16-week grief group for older adults meets at a senior center. In week 12, the social worker reminded members that the group ends in 4 weeks. In week 14, two members miss without notice, and a member who had been sleeping well says the sleep problems are back. What should the social worker do **NEXT**?

A. Offer to extend the group by 4 more weeks

B. Refer the member with sleep problems for evaluation

C. Invite members to talk about the approaching last session

119. During a session, an adult client who is angry about a recent layoff says, 'My manager is going to get what's coming.' The client has no known history of violence and quickly changes the subject. What should the social worker do **FIRST**?

A. Notify the manager and local police of a possible threat

B. Ask the client directly what the statement meant

C. Document the statement and revisit it next session

D. Consult a supervisor about the duty to warn

120. A hospice social work supervisor has been quietly rewriting a new staff member's incomplete bereavement risk screens instead of returning them, as is done for other staff. In consultation, the supervisor traces the rewriting to a protective pull: the staff member's recent loss of a parent closely resembles the supervisor's own. What should the supervisor do **NEXT**?

A. Keep examining the protective reaction in consultation

B. Give the staff member the same corrective feedback others receive

C. Share the similar loss with the staff member to build trust

121. A social worker in a family support program reported suspected neglect after finding a client's 4-year-old alone at home, and explained the report to the client beforehand. At the next home visit, the client says, 'I trusted you, and you called CPS on me. Why should I keep seeing you?' What is the **BEST** response?

A. Offer to transfer the client to another worker in the program

B. Explain that the law required the report and move to today's plan

C. Invite the client to talk about feeling betrayed by the report

D. Promise to talk with the client before making any future report

122. A client in treatment for depression works at a warehouse. The client describes unpaid overtime, a paycheck $600 short, and a supervisor who threatens to cut hours if workers complain. The social worker has explored how the job affects the client's mood, and the client says recovering the wages would ease both the bills and the hopelessness. What should the social worker do **NEXT**?

A. Focus sessions on coping skills for workplace stress

B. Explore further what the lost wages mean to the client

C. Connect the client with a free workers' rights legal clinic

D. Call the employer to request the unpaid wages

STOP

End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

Answer sheet · Form 1

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

Section 1 (items 1–61)

1	A	B	C	—	32	A	B	C	D
2	A	B	C	—	33	A	B	C	—
3	A	B	C	D	34	A	B	C	D
4	A	B	C	—	35	A	B	C	D
5	A	B	C	D	36	A	B	C	—
6	A	B	C	—	37	A	B	C	—
7	A	B	C	—	38	A	B	C	D
8	A	B	C	—	39	A	B	C	—
9	A	B	C	—	40	A	B	C	—
10	A	B	C	—	41	A	B	C	—
11	A	B	C	—	42	A	B	C	D
12	A	B	C	D	43	A	B	C	D
13	A	B	C	—	44	A	B	C	—
14	A	B	C	—	45	A	B	C	—
15	A	B	C	D	46	A	B	C	—
16	A	B	C	—	47	A	B	C	—
17	A	B	C	—	48	A	B	C	—
18	A	B	C	—	49	A	B	C	—
19	A	B	C	D	50	A	B	C	D
20	A	B	C	D	51	A	B	C	D
21	A	B	C	D	52	A	B	C	—
22	A	B	C	—	53	A	B	C	D
23	A	B	C	D	54	A	B	C	—
24	A	B	C	D	55	A	B	C	—
25	A	B	C	—	56	A	B	C	—
26	A	B	C	—	57	A	B	C	—
27	A	B	C	—	58	A	B	C	—
28	A	B	C	—	59	A	B	C	—
29	A	B	C	—	60	A	B	C	—
30	A	B	C	—	61	A	B	C	—
31	A	B	C	—					

Section 2 (items 62–122)

62	A	B	C	—	93	A	B	C	D
63	A	B	C	D	94	A	B	C	D
64	A	B	C	—	95	A	B	C	—
65	A	B	C	D	96	A	B	C	—
66	A	B	C	D	97	A	B	C	—
67	A	B	C	—	98	A	B	C	D
68	A	B	C	—	99	A	B	C	—
69	A	B	C	—	100	A	B	C	—
70	A	B	C	—	101	A	B	C	D
71	A	B	C	—	102	A	B	C	—
72	A	B	C	D	103	A	B	C	D
73	A	B	C	—	104	A	B	C	—
74	A	B	C	—	105	A	B	C	D
75	A	B	C	D	106	A	B	C	—
76	A	B	C	D	107	A	B	C	—
77	A	B	C	D	108	A	B	C	D
78	A	B	C	—	109	A	B	C	—
79	A	B	C	D	110	A	B	C	—
80	A	B	C	—	111	A	B	C	D
81	A	B	C	—	112	A	B	C	D
82	A	B	C	—	113	A	B	C	—
83	A	B	C	—	114	A	B	C	—
84	A	B	C	D	115	A	B	C	D
85	A	B	C	D	116	A	B	C	—
86	A	B	C	D	117	A	B	C	—
87	A	B	C	—	118	A	B	C	—
88	A	B	C	—	119	A	B	C	D
89	A	B	C	—	120	A	B	C	—
90	A	B	C	—	121	A	B	C	D
91	A	B	C	D	122	A	B	C	D
92	A	B	C	—					

Fill one circle per item. A dash means that item has only three options (A–C).