DBT: Deb's Board Training Practice Form 3

Clinical-level social work licensing exam practice · Question booklet

Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

Section 1	Start time:	End time:
Section 2	Start time:	End time:

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

Section 1

Items 1–61 · 2 hours

1. A new scale is given to a group. Its items correlate strongly with one another. Which property does this result support?

A. Internal consistency reliability

B. Test-retest reliability

C. Construct validity

2. A client with schizophrenia has been hospitalized 4 times in the past year and is staying in a shelter. The client misses most monthly office visits with an outpatient case manager and stops medication between admissions. The client says they want to stay out of the hospital. What is the **MOST** appropriate step for the case manager?

A. Increase to weekly office visits with a reminder call before each

B. Ask the psychiatrist to consider a long-acting injectable medication

C. Refer the client to an assertive community treatment team

3. During a home visit, a parent says their 4-year-old pointed at a person with darker skin in a store and asked loudly why the person's skin was 'dirty.' The embarrassed parent hushed the child. The parent says that race was never discussed at home growing up and now plans to avoid the topic so the child will not 'notice differences.' What is the **MOST** appropriate response by the social worker?

A. Agree to wait on race talk until the child is older

B. Say that preschoolers register race and gain from open talk

C. Explore further how the parent's family handled talk about race

4. A social worker sees an adult client with generalized anxiety disorder by video each week. The client will spend the next month at a relative's home in another state. The social worker confirms that this state's rules permit the sessions to continue. What should the social worker do **NEXT**?

A. Identify emergency services near where the client will stay

B. Continue weekly sessions as usual under the current safety plan

C. Ask the client to pause sessions until returning home

5. A resident of a skilled nursing facility has major neurocognitive disorder and has been found to lack capacity to make health care decisions. The resident's adult child, the legally appointed health care agent, has consented to the resident joining a weekly reminiscence group. What should the social worker do **NEXT**?

A. Enroll the resident now, since the agent has already consented

B. Have the resident sign the group consent form too

C. Explain the group simply and ask the resident's assent

D. Postpone the group until capacity improves

6. During a child welfare meeting with a parent who speaks Haitian Creole, the social worker notices that the agency interpreter is giving long replies the parent did not say. The interpreter then adds, in English, 'I told the parent to be grateful for the help.' What should the social worker do **FIRST**?

A. Ask a bilingual coworker to take over interpreting now

B. Report the interpreter to the language service afterward

C. Pause and restate the interpreter's role right away

7. At an adult day program, a 79-year-old client says a new sleep medicine 'is working fine.' During a 30-minute meeting with the social worker, the client's head drops forward twice and the client loses track of questions. What should the social worker do **FIRST**?

A. Share what was observed and ask about daytime drowsiness

B. Contact the prescriber about a possible medication side effect

C. Accept the client's report and continue the meeting

D. Suggest the client take the medicine earlier in the evening

8. On the day of discharge from an inpatient psychiatric unit, a patient thanks the social worker and asks for the worker's personal cell phone number, saying they fear no one will answer at night 'if things get bad again.' The patient starts outpatient care next week. What is the social worker's **BEST** response?

A. Share the number for after-hours emergencies

B. Provide clinic and 24-hour crisis contacts

C. Record the request in the discharge note

D. Explain the policy against sharing personal numbers

9. A senior center's counseling program for older adults will lose its grant in 60 days. The board has appealed the funder's decision, and a ruling is expected in about 6 weeks. Program staff worry that telling clients now will cause some to drop out early. What is the **BEST** way for the social worker to proceed with current clients?

A. Wait for the appeal ruling before saying anything to clients

B. Tell clients now and begin planning options with each one

C. Give every client a list of community agencies at the last session

10. A social worker in private practice is asked by a close friend to provide therapy for the friend's 15-year-old, who has been anxious and refusing school. The friend says they trust no one else with their child. Several qualified child and adolescent providers practice nearby. What is the **BEST** response?

A. Agree, and keep the friendship separate from sessions

B. Agree once the teen and friend sign informed consent

C. Decline and give names of other local providers

D. Assess the teen once, then refer to another provider

11. In an emergency department, a social worker meets with a 52-year-old patient who fell on icy steps after a party. A screening questionnaire shows 5 or 6 drinks on most weekend nights, and brief follow-up questions point to at-risk drinking rather than an alcohol use disorder. What should the social worker do **NEXT**?

A. Discuss how alcohol relates to the injury and advise cutting down

B. Give the patient a handout on low-risk drinking limits

C. Complete a full biopsychosocial assessment before discussing alcohol

12. An agency is planning a caregiver stress group for adult children caring for parents with dementia. Most of the caregivers who have enrolled speak Cantonese and have limited English. The agency's standard curriculum is written and taught in English. Which planning choice is **MOST** likely to make the group effective?

A. Run the group in English with a trained interpreter present

B. Have a Cantonese-speaking facilitator lead the group in Cantonese

C. Translate handouts for Cantonese-speaking members and teach in English

13. A crisis stabilization program manager reviews the monthly budget report at midyear. Overtime spending is 40% above its year-to-date budget, and the program is projected to end the year in deficit. The executive director asks for a plan by next week. What should the manager do **FIRST**?

A. Draft a staffing schedule that caps overtime spending

B. Find out what is driving the overtime spending

C. Ask the board to raise the overtime budget

14. At a follow-up visit, a client says, 'I stopped drinking 2 months ago. I go to support meetings twice a week and keep no alcohol at home. Weekends are still hard.' Which stage of change **MOST** likely describes this client?

A. Preparation

B. Action

C. Maintenance

15. In a SOAP progress note, which section holds the social worker's clinical interpretation of what the client reported and what the worker observed?

A. Subjective

B. Objective

C. Plan

D. Assessment

16. A client with bipolar I disorder has spent 12 days on an inpatient unit for mania. The client now sleeps through the night and voices no thoughts of harming anyone, but still has racing thoughts at times while a new medication is adjusted. The client lives with a supportive partner and wants to go home. Which aftercare plan is **BEST**?

A. Continue inpatient care until every symptom resolves

B. Step down to a partial hospitalization program

C. Discharge home with weekly outpatient therapy

D. Transfer to a residential treatment program

17. A 16-year-old comes to a community health clinic without a parent and asks the social worker for help with daily drinking. The teen does not want a parent contacted and is ready to start today. What should the social worker do **FIRST**?

A. Call a parent to get consent before any counseling

B. Determine whether state law lets the teen consent alone

C. Begin counseling, since the teen is asking for help

18. A social worker hears many clients describe abuse and violence. Over time, the social worker develops intrusive images, avoidance and hyperarousal. Which term describes this pattern?

A. Secondary traumatic stress

B. Occupational burnout

C. Countertransference reaction

19. A school social worker notices that a 9-year-old has stopped going outside at recess and now wears long sleeves on hot days. When asked, the student says, 'I don't want to get darker. Lighter skin is prettier.' What should the social worker do **FIRST**?

A. Reassure the student that their skin color is beautiful

B. Ask where the student heard ideas about skin color

C. Plan a class lesson on diverse beauty standards

20. An adult client seen in outpatient care after a painful divorce describes recurring thoughts of hurting the former spouse that 'come out of nowhere' at night and frighten the client. The client has given their handgun to a sibling for safekeeping and is eager to keep working on the anger. What is the **BEST** response?

A. Warn the former spouse about the client's thoughts

B. Arrange a hospital evaluation of dangerousness today

C. Intensify treatment with a written safety plan

21. In a telehealth intake, a 34-year-old client asks for an ADHD diagnosis to get medication. The client describes poor focus and missed details at work that began 18 months ago, soon after starting rotating night shifts. The client earned good grades in school. Which action is **BEST**?

A. Administer an adult ADHD self-report rating scale

B. Assess childhood symptoms and sleep disruption

C. Tell the client the timeline rules out ADHD

22. A 74-year-old caring at home for a spouse with Parkinson's disease has worked with the social worker for 6 weeks on relaxation, sleep habits, and short daily breaks. The spouse now needs help turning and toileting several times a night, and the caregiver sleeps about 3 hours. The caregiver says, 'I can't keep this up, but letting strangers in feels like breaking my promise to care for my spouse myself.' What should the social worker do **FIRST**?

A. Teach a new set of relaxation exercises for the caregiver

B. Explore the caregiver's feelings about accepting outside help

C. Suggest the caregiver ask a physician about a sleep aid

D. Help arrange overnight in-home respite so the caregiver can sleep

23. In the third session, a Black client tells the social worker that an earlier comment, 'You're so articulate,' felt like a racial stereotype. The social worker listens without interrupting until the client finishes. What should the social worker do **NEXT**?

A. Acknowledge the impact of the comment and apologize

B. Explain that the comment was meant as a compliment

C. Offer to transfer the client to a different social worker

24. A county commissioner asks a jail diversion program to show whether the money it saves the county exceeds what it costs. The program director assigns the task to a social worker whose evaluation training covers outcome tracking but not converting outcomes into dollar values. Which action is **BEST**?

A. Report cost-effectiveness as cost per person diverted

B. Consult an evaluator experienced in cost-benefit analysis

C. Decline the task because cost studies are outside social work

25. In a parenting group, a parent says that when their 5-year-old screams in the checkout line, the parent buys the child candy and the screaming stops at once. Over several months, the parent has started buying candy as soon as the child begins to fuss. Which learning principle **MOST** likely explains the change in the parent's behavior?

A. Positive reinforcement

B. Extinction

C. Positive punishment

D. Negative reinforcement

26. A school social worker meets with a 16-year-old who arrived in the country alone and now lives with an adult sponsor. The teen falls asleep in class. After gentle questions, the teen explains working nights at a factory 6 days a week to repay a large travel debt to the sponsor, who keeps the teen's identity papers. The teen adds, 'In my country, young people help the family.' What should the social worker do **NEXT**?

A. Contact the child abuse hotline about suspected trafficking

B. Meet with the sponsor to discuss cutting the work hours

C. Ask the teen more about family expectations back home

D. Treat the work as a cultural norm and adjust school supports

27. An adult in an intensive outpatient program for moderate alcohol use disorder has cut drinking from daily to 2 evenings a week over 4 weeks. The client also has PTSD from an assault 2 years ago, with nightmares and avoidance that the client links to drinking. The client has stable housing, no withdrawal signs and no suicidal thoughts, and asks to start trauma treatment now. What is the social worker's **BEST** recommendation?

A. Defer trauma therapy until 6 months of sobriety

B. Refer to a separate trauma clinic after the program ends

C. Begin trauma-focused therapy alongside current care

28. Which bruise location is **MOST** concerning for physical abuse in an older adult?

A. Front of the lower leg

B. Upper arm

C. Back of the hand

D. Forearm below the elbow

29. A parole officer asks a reentry program social worker how a client is 'doing overall.' The client's release covers only attendance at mandated treatment, and the client also attends an optional peer group. After reviewing the release and the Code and talking with a supervisor, the social worker tells the officer that the client attends all mandated sessions and explains this choice to the client. What should the social worker do **NEXT**?

A. Ask a second colleague whether they agree

B. Record the options weighed, consultation and reasoning

C. Set a date to review how the decision works out

30. A teacher refers a 10-year-old to the school social worker for anger management. The student has thrown books and torn up worksheets several times this month. The teacher's log shows that most outbursts happen when the class reads aloud, and the student's reading grades have dropped all year. What should the social worker do **FIRST**?

A. Enroll the student in a small anger management skills group

B. Teach the student a calm-down routine to use during reading

C. Request an evaluation of the student's reading skills

D. Set up a daily reward chart for calm behavior

31. A social worker in a rehabilitation facility meets with an 82-year-old patient recovering from hip surgery. Staff report that the patient, who was alert and oriented last week, has become confused over the past 2 days. The patient's attention drifts, and the patient says insects are crawling on the wall. What should the social worker do **FIRST**?

A. Administer a cognitive screening to document the decline

B. Meet with family to discuss memory care placement

C. Notify the medical team of the sudden change in mental status

D. Request a psychiatric consultation for new-onset psychosis

32. In home hospice, a patient with end-stage heart failure and the patient's partner have both been told the illness is terminal. In separate visits, each tells the social worker they understand the situation. Together, they talk only about next summer's garden and change the subject whenever either mentions the hospice nurse. Which concept **MOST** likely describes this pattern?

A. Mutual pretense awareness

B. Open awareness

C. Denial

33. A 15-year-old has spent 10 months in a residential treatment program and has met most treatment goals. Discharge home is set for 3 weeks from now, and the youth has said little about it. In the past week, the youth has broken curfew twice and picked fights with peers, behaviors not seen in months. Staff ask the social worker whether discharge should be delayed. What is the **BEST** course of action?

A. Postpone discharge until the behavior settles for several weeks

B. Help the youth talk about leaving while keeping the planned date

C. Keep the planned date and review program rules with the youth

34. In a primary care clinic, a patient with 2 years of low back pain is referred to the social worker after normal imaging. The patient lost a warehouse job, sleeps poorly, and avoids walking for fear of reinjury. The patient asks, 'So the doctor thinks the pain is all in my head?' Which response is **MOST** helpful?

A. Explain that real pain is affected by mood, stress and activity

B. Reassure the patient that the pain has a purely physical cause

C. Explain that emotional stress is the likely cause of the pain

35. In an early psychosis program, a 22-year-old client who smokes cannabis daily asks whether it is 'really that bad.' The social worker first asks what the client has heard, then briefly shares research on heavy cannabis use and psychotic relapse. What should the social worker do **NEXT**?

A. Advise the client to cut back before the next visit

B. Ask what the client makes of this information

C. Ask whether the client is willing to cut back now

D. Give a handout that summarizes the research findings

36. A client plans to ask a supervisor at work for a schedule change to care for a relative. The client says they freeze whenever they speak with people in authority. Which approach is **BEST** for helping the client prepare during the session?

A. Write a script for the client to read to the supervisor

B. Rehearse the request with the social worker acting as supervisor

C. Offer to call the supervisor and explain the client's needs

37. At a case management intake in a homeless shelter, a client sighs, pushes the forms aside and says, 'The shelter staff, the benefits office, now you. Everybody wants paperwork from me.' The social worker wants to build engagement early in the meeting. Which response is **BEST**?

A. 'So several offices need forms from you right now.'

B. 'It sounds like you're worn out by everyone's demands.'

C. 'I'll keep my part of the paperwork as short as I can.'

38. In week 5 of a middle school group for students who have a parent in prison, a member's grandparent calls the school social worker. At lunch, another group member told classmates about the member's parent's charges, which the member had shared in group. The member is upset and now refuses to return. What should the social worker do **FIRST**?

A. Meet with the member to hear the impact and plan next steps

B. Address the breach at the next session and restate group rules

C. Meet first with the member who shared the information

39. Which PTSD treatment has the client write an impact statement and then examine 'stuck points,' such as self-blame for the trauma?

A. Prolonged exposure

B. EMDR

C. Cognitive processing therapy

D. Trauma-focused CBT

40. At intake at a community mental health agency, a client says they do not read well and asks the social worker to 'just show me where to sign' the consent form. The client speaks English fluently. What is the **MOST** effective way for the social worker to obtain informed consent?

A. Read the form aloud, then have the client sign it

B. Explain each part plainly and check understanding

C. Point to the signature line, as the client requested

41. At the final session of a planned termination, a client who completed treatment for an eating disorder asks the social worker to shred their whole record that day. The client wants a 'clean slate' and worries that a future employer might see it. The agency must keep records for a set number of years. What is the **BEST** response?

A. Explain the retention rule and how the record is protected

B. Remove the most sensitive notes from the record

C. Agree to shred it once the client signs a request

42. A 15-year-old with one Black parent and one white parent tells the school social worker that classmates keep saying the teen 'has to pick a side.' The teen calls themself mixed and feels close to both families' traditions. A teacher has suggested the teen would fit in better by identifying as Black, since that is how others see them. What is the **MOST** appropriate response?

A. Encourage the teen to identify as others perceive them

B. Explore which side of the family feels most like home

C. Affirm the teen's right to define their own identity

43. What is the **MOST** appropriate way for a social worker in solo private practice to prepare for sudden death or incapacity?

A. Ask a family member to contact clients if needed

B. Tell clients at intake to seek another provider if needed

C. Name a colleague in a written plan to notify and refer clients

44. At a family resource center, a parent lists four concerns: finishing a GED, a car that needs repairs, a child's behavior at school, and an electricity shutoff notice for Friday. It is January, the home is heated by electricity, and an infant lives there. The parent says the child's school behavior worries them most. What should the social worker do **FIRST**?

A. Begin with the child's school behavior that the parent named

B. Ask the parent to rank the four concerns by importance

C. Work with the parent to stop the utility disconnection

D. Build one plan that covers the four concerns together

45. A client with schizophrenia in a supported employment program has had five job interviews without an offer. The client says the interviews 'went fine' and cannot say what might have gone wrong. What should the social worker do **FIRST** to help the client improve?

A. Teach a standard set of tips for answering interview questions

B. Ask the client to role-play an interview while the worker observes

C. Help the client request feedback from the interviewers

46. A client at a community health center paid a smuggler to bring them across the border. On arrival, the smuggler said the client now owed twice the agreed fee, took the client's identity papers, and placed the client in a restaurant kitchen that pays nothing until the debt is cleared. The client says, 'I chose to come, so this is my problem.' Which term **MOST** likely describes the client's current situation?

A. Human smuggling

B. Wage theft

C. Labor trafficking

47. A social worker in private practice receives a release, signed by a client, from the client's attorney. The client has sued another driver after a car crash and claims emotional distress. The release covers treatment records from the past year. Those records describe a past affair that the client may not want raised in court. What is the **MOST** appropriate response?

A. Assert privilege until a judge orders release of the records

B. Withhold the pages about the affair to protect the client

C. Send the records the release covers to the attorney today

D. Review the records' contents with the client, then release them

48. A new state law requires mental health providers to notify a parent before a minor's fourth counseling session. A social worker in a school-based counseling program believes the law will keep some teens from seeking help. The program's attorney has confirmed that the law applies, and several students are already in counseling. What is the **BEST** action for the social worker to take?

A. Keep the current practice until a court rules on the law

B. Stop taking new student clients until the law changes

C. Comply with the law and advocate for changing it

D. Ask an ethics committee whether to follow the law

49. A social worker at a community mental health agency learns they need surgery in 3 weeks, followed by a recovery period that could last several months. The worker carries 26 clients, several with recurrent depression, and wants to keep the medical details private. Colleagues at the agency have openings. How should the social worker **BEST** handle the coming absence with clients?

A. Wait to tell clients until the surgeon gives a firm medical timeline

B. Tell clients soon about a medical leave and review options with each

C. Share the diagnosis so clients understand why the worker will be away

D. Transfer every client to a colleague now, before the surgery date

50. At a first treatment-planning meeting at a community mental health center, a 20-year-old discharged from a psychiatric unit 2 weeks ago says the only goal is to return to college full time next month. The client adds that this 'matters more than anything.' The discharge summary lists steady sleep and medication routines as early priorities. What should the social worker do **FIRST**?

A. Explain that full-time enrollment next month is too soon

B. Record the college goal in the plan exactly as the client stated it

C. Break the goal into steps, such as one course next term

D. Ask what attending college full time would mean to the client

51. At a disaster recovery center 7 weeks after a wildfire destroyed their home, a client reports nightmares about the flames most nights, avoids driving past the burned area, and has missed work for 3 weeks. A brief screen at the center confirms these symptoms, and the client reports no suicidal thoughts. What should the social worker do **NEXT**?

A. Refer the client for a trauma-focused mental health evaluation

B. Reassure the client that these reactions are expected after disasters

C. Rescreen the client in a month to see if symptoms fade

52. A community agency banned text messaging with clients to reduce privacy risk. A compliance review a year later finds that many case managers text clients from personal phones anyway. In interviews, staff explain that many clients have prepaid phones with few voice minutes and answer texts but not calls. Which policy response is **BEST**?

A. Reinforce the ban and discipline staff texting from personal phones

B. Survey clients about how they prefer the agency to reach them

C. Allow texting on agency phones with set safeguards

53. A social worker at a regional agency is asked to lead a needs assessment for a neighborhood the agency has served poorly. Past agency programs there drew few participants, and local leaders have told the agency, 'You always decide for us.' Agency leadership wants results within 6 months. What is the **BEST** way for the social worker to design the assessment?

A. Use a validated national survey to ensure comparable data

B. Analyze the agency's service records to find unmet needs

C. Hire an outside research firm to run neutral focus groups

D. Form a community advisory group to shape questions and methods

54. In a private conversation, a colleague at a family services agency tells a social worker about completing treatment for alcohol use disorder 8 months ago and attending weekly recovery meetings. The colleague's supervisor rates their work highly, and their clients are making progress. A coworker who overheard urges a report to the licensing board. What is the **MOST** appropriate action?

A. Report the colleague's history to the state licensing board

B. Respect the colleague's privacy and make no report

C. Tell the supervisor so the agency can monitor the colleague

55. A child welfare social worker reviews the case of a 9-year-old in kinship foster care. Since age 7, the child has been angry and irritable most of every day. Several times a week, the child has severe outbursts at home and at school, such as screaming and throwing chairs, far beyond what peers do. What is the **MOST** likely diagnosis?

A. Disruptive mood dysregulation disorder

B. Oppositional defiant disorder

C. Bipolar I disorder with rapid cycling

D. Intermittent explosive disorder

56. Which term describes the vocal qualities that accompany spoken words, such as tone, pitch, pace and volume?

A. Kinesics

B. Paralanguage

C. Proxemics

D. Haptics

57. A 47-year-old client with Down syndrome has lived in a supported apartment for 10 years. Over the past 6 months, staff report that the client gets lost on familiar bus routes, skips steps when cooking and has lost interest in a weekly bowling league. Staff call the client 'stubborn' and want a behavior plan. What should the social worker do **FIRST**?

A. Seek a medical and cognitive assessment of the decline

B. Create a reward plan for completing daily tasks

C. Ask the client how they feel about the recent changes

D. Reteach cooking steps using picture-based cues and prompts

58. A hospice social worker noticed a colleague nodding off in team meetings and slurring words on a call. Two weeks ago, the social worker raised this privately, and the colleague denied any problem. This week the colleague missed two patient visits and seemed sedated at a family meeting. What should the social worker do **NEXT**?

A. Meet with the colleague a second time to urge help

B. Keep a log of incidents for a few more weeks

C. Take the concerns to the colleague's supervisor

59. A client is brought to an emergency department with hallucinations and disorganized speech. The client cannot give a history, no records or collateral contacts are available, and the duration of symptoms is unknown. Which diagnosis does DSM-5-TR provide for this situation?

A. Other specified schizophrenia spectrum and other psychotic disorder

B. Unspecified schizophrenia spectrum and other psychotic disorder

C. Schizophreniform disorder, provisional

60. Two days after a home invasion, a client meets with a social worker in a prosecutor's victim services office. The client gives a precise, minute-by-minute account of being tied up and threatened with a gun. Throughout, the client speaks in a flat, even tone, shows no visible emotion and asks what happens next in the case. Which defense mechanism is the client **MOST** likely using?

A. Dissociation

B. Intellectualization

C. Denial

D. Isolation of affect

61. A social worker in private practice completes an intake with a 38-year-old client who reports 2 months of low mood, fatigue and poor concentration. The client also mentions a 15-pound weight gain, feeling cold all the time and thinning hair. The client has not had a physical exam in 5 years. What should the social worker do **NEXT**?

A. Begin cognitive behavioral therapy for the depression

B. Administer a standardized depression scale to rate severity

C. Refer the client to a primary care provider for a medical evaluation

STOP

End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

Section 2

Items 62–122 · 2 hours

62. A licensed social worker opens a solo practice and no longer has a supervisor. Which habit is **MOST** appropriate for keeping clinical judgment sound over time?

A. Meeting regularly with a consultation group to review cases

B. Completing the continuing education hours required for renewal

C. Reviewing past supervision notes when a case feels difficult

63. A teacher asks the school social worker to begin an ADHD referral for an 8-year-old. Over the past month, the student has stopped finishing work, jumps at loud sounds, and acts out hiding under a desk during play. The parent mentions a shooting on their street 6 weeks ago. What should the social worker do **FIRST**?

A. Send the ADHD rating scales the teacher requested to the parent

B. Assess the student's exposure to violence and reactions

C. Refer the student for trauma-focused therapy

64. On an inpatient psychiatric unit, the treatment team drafts a discharge plan before meeting with a patient admitted after a manic episode. At the planning meeting, the patient, now calm and organized, says, 'You all already decided everything.' What should the social worker do **FIRST**?

A. Walk the patient through each part of the team's draft plan

B. Explain why the team chose each recommendation in the plan

C. Invite the patient to name the problems that matter most to them

65. A social worker at a community agency is planning a kitchen remodel. The social worker's partner collected bids, and the lowest bid comes from a contractor who is a current client of the social worker. The client does not yet know the social worker is the homeowner. What is the **MOST** appropriate action?

A. Hire the client and pay the full bid amount

B. Accept one of the other bids instead

C. Ask the client in session how the job would feel

66. A patient with schizophrenia, admitted after a suicide attempt, is ready for discharge. The team finds the patient no longer at imminent risk and able to make treatment decisions. The patient declines any outpatient appointment, saying the hospital stay was enough, and plans to return home. Which follow-up plan is **MOST** appropriate?

A. Delay discharge until the patient agrees to an appointment

B. Give a list of local clinics and close the case at discharge

C. Offer to send brief, caring check-in messages after discharge

67. At the first meeting of an intensive outpatient group for adults recovering from alcohol use disorder, a member asks the social worker, 'Can you promise that nobody here will repeat what I say?' What is the **BEST** response?

A. Explain the group's privacy agreement and the limits on enforcing it

B. Assure the member that group rules keep everything private

C. Suggest the member keep sensitive details out of group

68. An inpatient social worker is planning discharge for an adult with schizophrenia. The patient has had three admissions this year, each after missing the first outpatient appointment. The patient is stable and agrees to outpatient care. Which discharge step is **BEST**?

A. Give the patient a list of clinics to call after discharge

B. Extend the stay until the patient shows full insight

C. Schedule a clinic visit within 7 days and arrange a warm handoff

69. An employee assistance client is struggling after a close friend died of an overdose 3 weeks ago. The friend's family did not invite the client to the funeral, the employer denied bereavement leave because the friend was not a relative, and coworkers have said, 'It was bound to happen.' Which concept **MOST** likely describes the client's experience?

A. Anticipatory grief

B. Disenfranchised grief

C. Prolonged grief disorder

D. Ambiguous loss

70. An associate social worker in a jail mental health program came from a job where a supervisor publicly criticized every mistake. The new supervisor gives mild, specific feedback, yet the associate apologizes repeatedly, leaves errors out of case reviews and braces for reprimand at each meeting. What is **MOST** likely occurring?

A. Supervisee transference

B. Parallel process

C. Supervisor countertransference

71. Which type of evaluation examines whether a program is being delivered as designed while the program is still under way?

A. Formative evaluation

B. Summative evaluation

C. Needs assessment

D. Cost-benefit analysis

72. In the lobby of a community mental health center, the social worker finds a client who has opioid use disorder slumped in a chair. The client does not respond to a loud voice or a firm knuckle rub on the breastbone. The client's lips look bluish, and they are making slow snoring sounds. Naloxone is kept at the front desk. What should the social worker do **FIRST**?

A. Call 911 and give the naloxone

B. Place the client on their side and hold naloxone in reserve

C. Ask the front desk whether the client took anything

73. A community agency plans to replace paper charts with an electronic record. Months before any training, the director shares data on missed follow-ups caused by lost paper files, holds staff forums about problems with the current system and invites concerns. In Lewin's model, which stage is the director **MOST** likely working on?

A. Refreezing

B. Unfreezing

C. Moving

74. During a home visit, an assertive community treatment social worker finds that a client with schizophrenia has refused all food and water for 3 days, believing it is poisoned. The client is dizzy, confused and unsteady when standing, and refuses to go to the hospital. What should the social worker do **FIRST**?

A. Explore the client's reasons for refusing the hospital

B. Respect the refusal and return tomorrow with sealed food

C. Seek emergency evaluation despite the client's refusal

75. A college student meets with a campus social worker about stress over choosing a major. The student wants to study art, but the parents favor nursing. The student says, 'In my family, big decisions are made together. Going against my parents would bring shame on all of us, and I don't want that.' Which approach is **BEST**?

A. Help the student separate personal wishes from parents' wishes

B. Invite the family to a session to negotiate the choice

C. Help the student weigh options in light of family values

76. A 20-year-old Mexican American college student meets with a campus social worker. Through high school, the student tried to fit in with white classmates and avoided speaking Spanish. After a Chicano history course, the student now spends time only with Latino peers and distrusts white faculty. The student feels angry about years of 'trying to be someone else.' In the racial/cultural identity development model, which stage does this **MOST** likely reflect?

A. Conformity

B. Dissonance

C. Resistance and immersion

D. Introspection

77. A social worker records a client's daily anxiety ratings for 2 weeks, then begins cognitive behavioral therapy. Ratings fall steadily over the next 6 weeks. During the same period, the client starts a new job they enjoy. Which conclusion is **BEST** supported by these data?

A. The cognitive therapy caused the drop in the client's anxiety

B. The new job, rather than therapy, caused the change

C. The data are unusable because the baseline was too short

D. Anxiety improved, but the design cannot isolate the cause

78. During a video couples session, one partner opens a talk about chores by saying, 'You never do anything around here unless I nag you. You only think about yourself.' The other partner sits back and calmly starts to explain their week. The social worker uses the Gottman Method. What is the **BEST** intervention?

A. Ask the listening partner to repeat back what they heard

B. Suggest a 20-minute break so both partners can calm down

C. Coach the speaker to restate the complaint as a feeling and need

D. Explore how chores were divided in each partner's childhood home

79. A social worker in private practice receives a subpoena from the attorney for a client's former partner in a custody case. It asks for the client's full treatment record. The client has not signed a release, and no judge has ordered the records. What should the social worker do **FIRST**?

A. Send the full record to the attorney by the stated deadline

B. Disregard the subpoena since it lacks a judge's signature

C. Contact the client to discuss the subpoena and their wishes

D. Send the attorney a letter asserting privilege for the client

80. A home health social worker visits an older client who speaks Vietnamese to set up a schedule for home-delivered meals. The client's adult child offers to interpret. With the child out of the room, the social worker uses a telephone interpreter to explain that a free interpreter is available. The client clearly prefers the child, and the child agrees. What should the social worker do **NEXT**?

A. Proceed as the client chose and document the choice

B. Keep the telephone interpreter on the line for the visit

C. Explain again why a trained interpreter is better

81. When values in the NASW Code of Ethics conflict, the Code asks social workers to use their informed judgment. According to the Code, how else should such a decision be evaluated?

A. By whether the client prefers the outcome

B. By the employing agency's written policies

C. By the Ethical Principles Screen's ranking

D. By how a peer review process would view it

82. A client with PTSD after a car crash meets with a social worker trained in cognitive processing therapy (CPT) but not in EMDR. After hearing about both treatments, the client declines CPT, saying that writing about the crash feels unbearable, and asks for EMDR. Another practice in the area offers EMDR and accepts the client's insurance. What is the **MOST** appropriate action?

A. Refer the client elsewhere for EMDR

B. Begin EMDR after studying a published protocol manual

C. Encourage the client to try a few CPT sessions first

83. A client at a community agency brings an eviction summons that requires a written response to the court within 5 days. The social worker listens as the client describes fear of losing the apartment. The client says the landlord's claims are false and asks what to write in the response. What should the social worker do **NEXT**?

A. Ask how the client is coping with the threat of eviction

B. Connect the client today with a legal aid office

C. Help the client draft a reply disputing the landlord's claims

D. Help the client list other places to live if evicted

84. Which term describes the combination of mutism, holding odd postures for long periods, resisting being moved and repeating other people's words?

A. Catatonia

B. Acute dystonia

C. Negative symptoms

85. During a video session, a client tearfully discusses the anniversary of a sibling's death and says, 'Sometimes I wonder what the point is.' Before the social worker can ask more, the video freezes and the call drops. Reconnecting fails. At intake, they agreed the social worker would phone the client if video failed. What should the social worker do **FIRST**?

A. Ask local police to check on the client at home

B. Send a secure message offering to finish next week

C. Call the client's number on file

86. In a caregiver support program, a client caring for a parent with major neurocognitive disorder admits shoving the parent twice this week when the parent resisted bathing. The parent has bruises on both upper arms. The client is tearful and asks for help managing stress. What should the social worker do **FIRST**?

A. Arrange respite care to ease the caregiver's strain

B. Contact adult protective services about the incidents

C. Explore the client's guilt about the shoving

D. Teach the client calmer ways to handle bathing

87. A school social worker meets a quiet 10-year-old whose parent drinks heavily. Teachers describe the student as 'no trouble at all.' The student spends recess alone drawing, rarely asks for help and is often forgotten when groups are formed. At home, the student stays in their room for hours. Which family role in alcohol-affected families does this pattern **MOST** likely reflect?

A. Family hero

B. Scapegoat

C. Lost child

D. Mascot

88. A client who sought telehealth counseling for work stress has canceled 2 of the last 3 sessions by text, each time citing a busy schedule. The agency discharges clients after 3 missed sessions. What should the social worker do **FIRST**?

A. Send a letter explaining the agency's discharge policy

B. Reach out to discuss what is making sessions hard to keep

C. Wait to see whether the client attends the next scheduled session

89. A 51-year-old client was released 3 weeks ago after 14 years in prison and now lives with a sibling. The sibling says the client waits to be told when to eat or shower, freezes in the grocery store when faced with choices, and sits facing the door in every room. The client says they are glad to be home. At last week's visit, both learned that these are common adaptations to long incarceration. What should the social worker do **NEXT**?

A. Ask the sibling to set the daily schedule and make choices for now

B. Help the client practice making small daily choices with sibling support

C. Refer the client for an evaluation for major depressive disorder

90. A physician asks a hospital social worker to assess home safety for a 79-year-old patient admitted after a fall. When the social worker arrives, the patient says, 'I didn't ask for a social worker. I'm going home, period.' The patient is alert and oriented. What should the social worker do **FIRST**?

A. Explain that the visit aims to help the patient get home safely

B. Leave and document that the patient declined social work services

C. Begin the home safety questions the physician requested

91. A child welfare social worker meets with a parent whose 4-year-old was placed in foster care after being left alone overnight. The court-approved case plan lists nine tasks, including parenting classes, a substance use assessment, housing applications and a job search. The parent says, 'I can't do all of this at once, and I don't know where to start.' The review hearing is in 5 months. What should the social worker do **FIRST**?

A. Rank the tasks with the parent by their link to safety

B. Help the parent enroll in the nine services this week

C. Ask the court to reduce the number of required tasks

D. Refer the parent to counseling for feeling overwhelmed

92. A client joins a video session 20 minutes late for the third week in a row. The client apologizes and says, 'I know, I know.' The social worker wants to understand what is getting in the way without sounding critical. Which question is **BEST**?

A. Why do you keep joining late?

B. Is it your work schedule, or are you unsure about coming?

C. What has been making it hard to join on time?

93. After staff cuts, social workers on a hospital's medical units have handled nearly double their usual discharges for a year. A social worker notices that several colleagues, like the worker, feel drained, have grown detached from patients, and doubt their work makes a difference. Management's response so far has been an optional lunchtime wellness webinar. What is the **BEST** action for the social worker?

A. Encourage colleagues to attend the wellness webinars

B. Build a personal routine of exercise, sleep and breaks

C. Propose workload relief to leaders using discharge data

94. In an in-home parenting program, a parent agreed to ignore their 4-year-old's whining for snacks and to praise polite requests. Four days later, the parent reports that the whining has become louder and longer and asks whether the plan is failing. The child is otherwise healthy and safe. What should the social worker do **NEXT**?

A. Explore with the parent how the louder whining is affecting them

B. Replace planned ignoring with a short time-out for whining

C. Explain the expected surge and coach continued consistency

95. A 15-year-old who uses a wheelchair has few accessible activities nearby and spends most evenings in an online group for teens with the same condition. The teen calls these group members their closest friends. After a news story about online predators, the parent asks the social worker to support removing the teen's internet access. What is the **MOST** appropriate response?

A. Support the parent's plan until the teen is older

B. Review with the teen and parent the group's benefits and risks

C. Tell the parent the group is a strength that should continue

D. Suggest an in-person activity to replace the online group

96. During a video session, a 15-year-old client says they want to die. When asked directly, the teen says they plan to take a parent's sleeping pills tonight and knows where they are kept. The teen begs the social worker not to tell anyone. A parent is at home in another room. What should the social worker do **NEXT**?

A. Complete a safety plan with the teen before involving anyone else

B. Have emergency responders sent before telling the parent

C. Bring the parent into the session to address safety now

97. A social worker chairs the quality committee of a community crisis service. A chart audit shows that Black youth receive police-involved crisis responses about twice as often as white youth with similar risk ratings. Staff say each decision followed protocol. What is the **BEST** response by the committee chair?

A. Lead a review of the dispatch process with staff and youth families

B. Require every staff member to complete implicit bias training

C. Gather another year of data before drawing any conclusions

D. Remind staff that the protocol applies equally to every youth

98. A reentry program is writing outcome objectives for a new grant. A draft reads: 'Within 12 months, increase stable housing among participants by 30%.' Staff have no figures on how many people like these participants are stably housed now. What should the social worker do **FIRST**?

A. Lower the target to 10% so it is achievable

B. Find the current housing rate for comparable participants

C. Reword it to promise better housing stability for participants

99. A social worker leads a weekly video support group for adults with chronic pain. Members agreed to join from private spaces. Midway through, one member speaks up from a crowded coffee shop, with nearby voices clearly audible, just as another member begins describing a recent hospitalization. What should the social worker do **FIRST**?

A. Pause and ask the member to move somewhere quiet or wear headphones

B. Remind everyone of the group's confidentiality agreement and continue

C. Mute the member's microphone and continue the discussion

100. A hospital patient had a below-knee amputation after a work injury. The patient jokes with staff about 'saving on socks,' asks detailed questions about prostheses and calls coworkers daily. The social worker's assessment finds that the patient sleeps well, eats meals, works hard in physical therapy and talks about returning to work in a new role. A nurse requests a psychiatric consult because the patient 'must be in denial.' What should the social worker do **NEXT**?

A. Request the psychiatric consult the nurse suggested

B. Encourage the patient to set humor aside and grieve

C. Share the coping findings with the treatment team

D. Explore what the patient's jokes may be covering up

101. A school social worker receives a referral for a 5-year-old who arrived 2 months ago from a country where English is not spoken. At school the child says almost nothing, yet watches classmates closely, points to request items and joins games. The parent reports that the child chats easily at home in the family's first language. Which explanation is **MOST** likely?

A. Selective mutism linked to school anxiety

B. Language disorder affecting expression

C. Normal silent phase of learning a new language

D. Autism spectrum disorder with language delay

102. A client's partner, a commercial fisher, went missing at sea 14 months ago, and no body was found. Relatives urge the client to hold a funeral and 'get closure.' The client says, 'If I bury an empty coffin, I'm giving up on them, but I can't keep waiting like this either.' What is the **MOST** appropriate intervention?

A. Encourage the memorial service so the client can reach closure

B. Refer the client for prolonged grief disorder treatment

C. Support the client's hope that the partner may be found

D. Help the client accept holding both hope and grief at once

103. After a client complains about hearing staff speak Spanish in the break room, a clinic director issues a rule that staff must speak only English at all times on the premises, including breaks. Several bilingual staff tell a social worker on the clinic's equity committee that they feel targeted. What is the social worker's **MOST** appropriate action?

A. Urge the director to replace the rule with one tied to client needs

B. Remind bilingual staff to follow the director's rule during review

C. File a discrimination complaint with a federal agency right away

104. After discussing the request with the hospice team, a social worker accepts a family's invitation to a patient's memorial service. The social worker sits near the back, offers brief condolences to the family and leaves before the reception. Which concept does the social worker's attendance **MOST** likely illustrate?

A. Boundary crossing

B. Boundary violation

C. Dual relationship

D. Countertransference

105. A colleague at a community agency is contesting a disciplinary action by management. The colleague asks the social worker to collect signatures from the social worker's clients on a petition supporting the colleague. How should the social worker respond to the request?

A. Decline to involve clients in the dispute

B. Leave the petition in the waiting room without comment

C. Ask the clients who know the colleague well

106. What is the main purpose of the continuing education that state boards require for social work license renewal?

A. Raising the profession's standing among other disciplines

B. Protecting the public by keeping practitioners competent

C. Preparing licensees for specialty certification

107. A client with bipolar I disorder arrives at an outpatient session talking rapidly and says they slept 3 hours in two nights. The client plans to withdraw their entire retirement savings tomorrow to fund a business idea from a late-night video. On a call from the session, the prescriber judges that a visit first thing tomorrow morning is soon enough. What should the social worker do **NEXT**?

A. Accept the withdrawal as the client's own financial choice

B. Send the client for a same-day crisis evaluation

C. Ask the client to delay the withdrawal until after the appointment

108. Eight months after a hurricane damaged their home, a family that had been coping well becomes overwhelmed. Since the storm, one parent lost a job, insurance disputes dragged on, and a child's asthma has worsened. In the Double ABCX model, these later events are part of which factor?

A. Pile-up (aA factor)

B. Family resources (bB factor)

C. Family perception (cC factor)

D. Adaptation (xX factor)

109. An 82-year-old resident of an assisted living facility tells the visiting social worker that the monthly bill includes a charge for services the resident never received. The resident is cognitively intact and says, 'I hate making a fuss.' The worker has a good working relationship with the business office. What should the social worker do **FIRST**?

A. Coach the resident to raise the charge with the business office

B. Call the business office directly to dispute the charge for the resident

C. Contact the long-term care ombudsman about the billing error

110. In the eighth session of a weekly group for 15-year-olds at a community center, members jokingly treat the social worker as a parent and compete for the worker's attention like siblings. They now share personal struggles openly and compare the group to their own households. Early sessions were marked by testing rules and challenging the worker. Which stage of group development is the group **MOST** likely in?

A. Power and control

B. Intimacy

C. Differentiation

111. A child welfare social worker has carried a caseload far above agency limits for a year. The social worker feels drained before each workday, has grown cynical about the families served and doubts that the work makes a difference. At night, the social worker lies awake thinking about overdue paperwork. Which condition is **MOST** likely?

A. Secondary traumatic stress

B. Vicarious trauma

C. Countertransference

D. Occupational burnout

112. In family sessions, whenever the parents try to set a curfew, their 14-year-old and one parent join forces against the other parent, and the discussion collapses. Which intervention is **MOST** consistent with structural family therapy?

A. Construct a three-generation genogram with the family

B. Coach the parents to decide the curfew together in session

C. Direct the parents to argue about the curfew each evening at home

113. A 68-year-old transgender woman on a hospital medical unit has stopped eating her meals and refuses physical therapy. She tells the social worker that staff keep calling her 'sir' and using her former name, which is printed on her wristband. She asks the social worker for help and agrees that her care team can be told. What should the social worker do **NEXT**?

A. Ask the patient to describe how the comments affect her

B. Request a psychiatric consult for her refusals and poor intake

C. Coach the patient to correct staff each time it happens

D. Ask the unit to update her name and pronouns and brief staff

114. In a first session at a community mental health center, an adult client talks rapidly about eviction worries, a recent breakup, poor sleep, and conflict with a sibling, jumping between topics. Twenty minutes remain in the session. What is the **BEST** next move to begin setting priorities?

A. Focus the rest of the session on the eviction threat

B. Reflect how overwhelmed the client seems to feel right now

C. Ask closed questions to cover each problem in turn

D. Summarize the concerns and ask which one matters most

115. An autistic 26-year-old client at a community agency joins a job-search support group. After 2 sessions, the client tells the social worker that the bright lights and overlapping voices in the group room become overwhelming, so the client leaves early. The client still wants to be in the group. What is the **BEST** response by the social worker?

A. Coach the client to ask the group for lighting and noise changes

B. Arrange sensory changes, such as softer lighting and a break space

C. Offer individual sessions in place of the group

116. During a telehealth session, a client who takes phenelzine for depression says they ate aged cheese and dry salami at a party an hour ago. The client now has a pounding headache at the back of the head, a stiff neck, and a racing heart. What should the social worker do **FIRST**?

A. Contact the prescriber and wait for a call back

B. Have the client lie down and recheck the symptoms in an hour

C. Arrange immediate emergency treatment for the client

117. An emergency department social worker is asked to see a 68-year-old patient who was treated for a minor fall and is medically ready to leave. Transport home is arranged for 1 hour from now. The nurse notes that the patient seemed unsure how they would manage at home. What is the **BEST** way to approach the assessment?

A. Complete a full biopsychosocial history before the ride home arrives

B. Leave the assessment to the patient's primary care provider

C. Focus on home safety, supports and daily functioning now

118. At a university diabetes clinic, a 20-year-old client with type 1 diabetes is at a normal weight but has rising blood sugar readings. The client describes eating large amounts of food in a short time about twice a week for 4 months, feeling unable to stop. Afterward, the client skips insulin doses 'to cancel out the calories.' The client says their weight decides how they feel about themselves. Which diagnosis is **MOST** likely?

A. Bulimia nervosa

B. Binge-eating disorder

C. Anorexia nervosa, binge-eating/purging type

D. Other specified feeding or eating disorder

119. Which case management model works mainly in the community and builds on neighbors, landlords and employers to reach goals the client chooses?

A. Broker model

B. Clinical case management

C. Strengths model

D. Assertive community treatment

120. Engel's biopsychosocial model was proposed as a challenge to which approach to illness?

A. The biomedical model

B. The psychoanalytic model

C. The ecological model

121. A court refers a client for assessment and describes the problem as 'anger and aggression.' At intake, the client says the real problem is losing visits with their children since a breakup and not knowing how to get them back. The social worker is writing the presenting problem section of the biopsychosocial assessment. What is the **BEST** way to record it?

A. Record the court's description as the official presenting problem

B. Record the client's own words along with the referral reason

C. Record the social worker's view of the underlying problem

122. A high school student died by suicide over the weekend. The family has confirmed the cause of death and agreed that it may be shared. The principal asks the school social worker how to inform students on Monday morning. Which approach is **MOST** helpful?

A. Read a brief statement over the school intercom

B. Hold an assembly where staff share facts and resources

C. Say a student died and decline to discuss the cause

D. Have trained staff share the news in homeroom-size groups

STOP

End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

Answer sheet · Form 3

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

Section 1 (items 1–61)

1	A	B	C	—	32	A	B	C	—
2	A	B	C	—	33	A	B	C	—
3	A	B	C	—	34	A	B	C	—
4	A	B	C	—	35	A	B	C	D
5	A	B	C	D	36	A	B	C	—
6	A	B	C	—	37	A	B	C	—
7	A	B	C	D	38	A	B	C	—
8	A	B	C	D	39	A	B	C	D
9	A	B	C	—	40	A	B	C	—
10	A	B	C	D	41	A	B	C	—
11	A	B	C	—	42	A	B	C	—
12	A	B	C	—	43	A	B	C	—
13	A	B	C	—	44	A	B	C	D
14	A	B	C	—	45	A	B	C	—
15	A	B	C	D	46	A	B	C	—
16	A	B	C	D	47	A	B	C	D
17	A	B	C	—	48	A	B	C	D
18	A	B	C	—	49	A	B	C	D
19	A	B	C	—	50	A	B	C	D
20	A	B	C	—	51	A	B	C	—
21	A	B	C	—	52	A	B	C	—
22	A	B	C	D	53	A	B	C	D
23	A	B	C	—	54	A	B	C	—
24	A	B	C	—	55	A	B	C	D
25	A	B	C	D	56	A	B	C	D
26	A	B	C	D	57	A	B	C	D
27	A	B	C	—	58	A	B	C	—
28	A	B	C	D	59	A	B	C	—
29	A	B	C	—	60	A	B	C	D
30	A	B	C	D	61	A	B	C	—
31	A	B	C	D					

Section 2 (items 62–122)

62	A	B	C	—	93	A	B	C	—
63	A	B	C	—	94	A	B	C	—
64	A	B	C	—	95	A	B	C	D
65	A	B	C	—	96	A	B	C	—
66	A	B	C	—	97	A	B	C	D
67	A	B	C	—	98	A	B	C	—
68	A	B	C	—	99	A	B	C	—
69	A	B	C	D	100	A	B	C	D
70	A	B	C	—	101	A	B	C	D
71	A	B	C	D	102	A	B	C	D
72	A	B	C	—	103	A	B	C	—
73	A	B	C	—	104	A	B	C	D
74	A	B	C	—	105	A	B	C	—
75	A	B	C	—	106	A	B	C	—
76	A	B	C	D	107	A	B	C	—
77	A	B	C	D	108	A	B	C	D
78	A	B	C	D	109	A	B	C	—
79	A	B	C	D	110	A	B	C	—
80	A	B	C	—	111	A	B	C	D
81	A	B	C	D	112	A	B	C	—
82	A	B	C	—	113	A	B	C	D
83	A	B	C	D	114	A	B	C	D
84	A	B	C	—	115	A	B	C	—
85	A	B	C	—	116	A	B	C	—
86	A	B	C	D	117	A	B	C	—
87	A	B	C	D	118	A	B	C	D
88	A	B	C	—	119	A	B	C	D
89	A	B	C	—	120	A	B	C	—
90	A	B	C	—	121	A	B	C	—
91	A	B	C	D	122	A	B	C	D
92	A	B	C	—					

Fill one circle per item. A dash means that item has only three options (A–C).