DBT: Deb's Board Training Practice Form 4

Clinical-level social work licensing exam practice · Question booklet

Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

Section 1	Start time:	End time:
Section 2	Start time:	End time:

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

Section 1

Items 1–61 · 2 hours

1. An 81-year-old client with mild memory problems lives with an adult child. During a home visit, the adult child reports that over the past 4 days the client has become confused at night, has trouble passing urine and complains of a dry mouth. Last week the client began taking an over-the-counter nighttime pain reliever that contains diphenhydramine. What is the **MOST** likely cause of the change?

A. Progression of a neurocognitive disorder

B. Anticholinergic effects of the new product

C. Onset of a late-life major depressive episode

D. Normal age-related cognitive decline

2. A social worker in a court-ordered treatment program feels intense disgust toward a client convicted of harming a child. For 6 weeks, the worker has discussed the reaction in weekly supervision and in personal therapy. The disgust persists, the worker dreads each session, and the client says, 'You barely look at me anymore.' What is the **MOST** appropriate next step?

A. Keep meeting while continuing to process the reaction in supervision

B. Tell the client about the reaction so the work feels honest

C. Ask the client to describe the change they have noticed

D. Arrange a planned transfer to another qualified social worker

3. At a pediatric clinic, a parent asks the social worker to start an ADHD diagnosis for their 7-year-old. For 8 months, the child has struggled to finish chores, loses things and interrupts siblings. So far, no information about the child's behavior at school has been gathered. What should the social worker do **FIRST**?

A. Refer the child to the pediatrician to discuss medication

B. Obtain rating scales from the parent and the teacher

C. Start behavioral parent training for the problems at home

4. A client referred by drug court after a third arrest for driving under the influence arrives for an outpatient intake. The client sits with arms crossed and says, 'I'm only here because the judge made me. My drinking is nobody's business.' What should the social worker do **FIRST**?

A. Ask the client to rate readiness to change on a 0-10 scale

B. Acknowledge the client's anger about being sent to treatment

C. Point out that three arrests suggest drinking is a problem

5. A city plans a new diesel bus depot next to a low-income neighborhood. The only public hearing is held at 10 a.m. on a weekday, in English, with notice posted only on the city website. Residents say they learned of the plan after the vote. Which aspect of environmental justice does the hearing arrangement fail?

A. Distributive justice

B. Restorative justice

C. Intergenerational justice

D. Procedural justice

6. A school social worker is writing a foundation grant proposal for an anxiety skills group for middle school students. The funder's guidelines ask for a statement of need. Which content would **BEST** support this section?

A. District data on anxiety rates and current waitlists for services

B. National statistics showing rising anxiety among adolescents

C. A history of the agency's 30 years serving local youth

D. A session-by-session outline of the planned group curriculum

7. Which term describes overriding a competent client's choice, or withholding information from the client, on the grounds that doing so is for the client's own good?

A. Paternalism

B. Beneficence

C. Nonmaleficence

8. A 9-year-old client in a school-based program tells the social worker that a parent hit them with a belt last night. The client shows the social worker red marks on the back of their legs. What should the social worker do **FIRST**?

A. Make a report to child protective services

B. Call the parent to ask about the marks

C. Interview the child in detail about other incidents

9. An after-school program serves 40 middle school students in a city of 300,000. Its activities are tutoring, mentoring and family outreach. The new board chair wants the program's main objective to be a 50% drop in citywide juvenile arrests within 1 year. What is the **MOST** appropriate response from the program's social worker?

A. Keep the arrest objective but extend the deadline to 5 years

B. Report students served and hours of tutoring and mentoring

C. Propose student outcomes that its tutoring and mentoring can change

10. Under HIPAA, what type of permitted disclosure is it when a practice sends a former client's outstanding bill to a collection agency?

A. Health care operations

B. Treatment

C. Payment

D. Required by law

11. In a youth diversion conference, a 16-year-old who vandalized a community garden hears from gardeners about the damage. Elders and the youth's coach say the act was wrong and hurtful, then describe the youth's strengths and invite the youth to help replant. The gardeners then thank the youth and ask them to join the next community workday. Which concept **MOST** likely describes this approach?

A. Reintegrative shaming

B. Stigmatizing shaming

C. Labeling

D. Deterrence

12. A client in an intensive outpatient program for alcohol use sends a friend request to the social worker's personal social media account. The program gave each client written social media rules at intake. What is the **MOST** appropriate response?

A. Leave it unaccepted and review the policy at the next session

B. Send the client a private message explaining the policy

C. Delete the request without mentioning it to the client

13. At a college counseling center, a 20-year-old client seeks help for 6 weeks of depression. The client mentions that last spring they barely slept for 5 days, felt unstoppable and started several ventures, and roommates said they seemed like a different person. The campus prescriber plans to start an antidepressant at an appointment this afternoon. What should the social worker do **FIRST**?

A. Explore how the energetic period affected the client's friendships

B. Advise the client to delay the prescriber's antidepressant plan

C. Tell the prescriber about the earlier high-energy period

14. A college student whose parent died 3 months ago describes a typical day to a campus social worker. Mornings are spent looking at old photos and crying. Afternoons go to classes, estate paperwork, and learning to cook the parent's recipes for younger siblings. The student worries that this back-and-forth means something is wrong. Which framework **MOST** likely explains this pattern?

A. Dual process model

B. Worden's tasks of mourning

C. Kübler-Ross stages of dying

D. Continuing bonds

15. At a drop-in center for adults experiencing homelessness, two clients begin shouting about a missing backpack. One stands inches from the other with fists clenched, and other clients have stopped to watch. What should the social worker do **FIRST**?

A. Bring both to a table to give their sides

B. Separate them calmly and speak with each apart

C. Warn both that more shouting will get them barred

16. During a telehealth intake, an adult client smiles steadily while describing a recent job loss and says, 'Honestly, I feel hollow most days.' The social worker is completing the mood section of the mental status exam. What is the **BEST** way to document the client's mood?

A. Record mood as euthymic, consistent with the steady smile

B. Record mood as depressed, based on the worker's impression

C. Record mood using the client's own description, in quotes

17. A community mental health social worker learns in the morning that a long-term client died by suicide overnight. The supervisor offers to have colleagues cover the worker's afternoon, which includes two new crisis evaluations, and mentions a support meeting for staff. The worker feels numb and would rather stay busy. What is the **MOST** appropriate response for the worker?

A. Keep the afternoon's crisis evaluations to stay in routine

B. Accept coverage for this afternoon's crisis evaluations

C. Ask a colleague to sit in on the crisis evaluations

18. Which term names a client's legal right to block a social worker's testimony about their sessions in court?

A. Privileged communication

B. Confidentiality

C. Privacy

D. Informed consent

19. In a hospital emergency department, a social worker is asked to assess a patient with limited English who took extra pills. The patient's adult sibling, who is fluent in English, offers to interpret. A bilingual nurse whose language skills have not been assessed is on shift. A telephone interpreter is available at once, and an in-person interpreter can arrive in 2 hours. What should the social worker do **FIRST**?

A. Let the sibling interpret so the assessment can begin

B. Start the assessment with the phone interpreter

C. Wait for the in-person interpreter before assessing

D. Ask the bilingual nurse to interpret the interview

20. A jail social worker interviews a detainee awaiting sentencing who reports hearing voices 'all day, every day' and asks to move to the mental health unit. The detainee describes the voices vaguely and denies thoughts of harming self or others. Officers' logs describe the detainee sleeping well and playing cards calmly with others. After completing the interview, what should the social worker do **NEXT**?

A. Recommend transfer to the mental health unit for observation

B. Request prior treatment records and reassess over several contacts

C. Document malingering based on the inconsistencies found

21. A social worker conducts forensic interviews at a child advocacy center. In recent weeks, the worker has begun cutting interviews short when children start giving details, startles at small noises, and lies awake replaying children's statements. Two interviews this month had to be repeated. What should the social worker do **FIRST**?

A. Complete a self-screening measure to gauge the symptoms

B. Tell the supervisor how the reactions affect interviews

C. Request a transfer out of forensic interviewing

D. Begin a daily mindfulness practice to ease symptoms

22. A field instructor at a middle school will complete an MSW intern's final evaluation in 3 weeks. For several months, the intern's case notes have been late and incomplete, but the field instructor has never raised the issue. The evaluation form includes documentation as a rated skill. What should the field instructor do **FIRST**?

A. Rate the intern's documentation as unsatisfactory on the evaluation

B. Email the intern a list of the late and incomplete notes

C. Meet with the intern now to review documentation against the criteria

23. The only social worker at a rural health clinic has a new client with gambling disorder who wants treatment. The nearest gambling specialist is 3 hours away, and the client cannot travel or use video. The social worker has general addiction training but has never treated gambling disorder. What should the social worker do **FIRST**?

A. Make a referral to the distant specialist

B. Arrange consultation with a gambling expert

C. Begin weekly gambling-focused sessions with the client

24. Members of a hospital patient's family disagree about whether to continue the patient's dialysis. The social worker consults the hospital's ethics consultant, who suggests a family meeting focused on the patient's previously stated wishes. The social worker schedules the meeting for later in the week. What is **MOST** important to document about the consultation now?

A. A brief entry noting that a consultation occurred

B. When it occurred, the advice given and the action taken

C. A summary in a separate file kept out of the chart

D. The family meeting's outcome, once the meeting has been held

25. By telehealth, a parent says the main goal is to stop yelling at the children, which happens most evenings. The parent and the social worker are writing a measurable objective for the next 6 weeks. Which objective follows goal-setting guidelines?

A. Use a calm voice for evening directions on 5 of 7 days

B. Stop yelling at the children completely within 6 weeks

C. Yell less often at the children over the next 6 weeks

D. Become a calmer, more patient parent by the end of 6 weeks

26. A staff member at an after-school program tells the program's social worker that an 8-year-old has lingered at pickup each Friday this month and once asked to stay late. The staff member describes the child as otherwise cheerful and engaged. What should the social worker do **FIRST**?

A. Talk with the child using open, non-leading questions

B. Report the staff member's concern to child protective services

C. Ask the parent at pickup whether anything is wrong at home

27. A social worker at a family services agency holds an intake with a client who has limited English proficiency. A trained interpreter is present in the room. The client is seeking help with a child's attendance problems at school. How should the social worker **BEST** conduct the interview?

A. Ask the interpreter to summarize the client's answers

B. Pose questions to the interpreter to relay to the client

C. Speak directly to the client in the first person

28. Two days after a tornado destroyed several homes in a small town, a social worker staffs a community shelter. Many residents report poor sleep, jumpiness at loud sounds and repeated images of the storm. Most are still caring for their families and helping with cleanup. What **MOST** likely explains these responses?

A. Posttraumatic stress disorder

B. Expected acute stress reactions

C. Acute stress disorder

D. Adjustment disorder with anxiety

29. In a primary care clinic, a client who has drunk about a fifth of liquor daily for years says they will quit alone this weekend. Last year, the client had a seizure two days after stopping suddenly. The client asks the social worker for tips to get through the weekend. What should the social worker do **FIRST**?

A. Plan coping strategies and supports to use over the weekend

B. Explore what is motivating the client to quit drinking now

C. Arrange medically supervised withdrawal before the client stops

30. A client in standard outpatient DBT reports at the start of an individual session that they cut their forearm 2 days ago after an argument. The social worker checks the wound, which needed no medical care, and confirms the client has no current urge or intent to self-harm. What should the social worker do **NEXT**?

A. Teach a new distress tolerance skill to use after arguments

B. Turn to the argument and explore what made it so painful

C. Do a chain analysis of the events that led to the cutting

31. A social worker has treated an asylum seeker for PTSD for 4 months. In earlier sessions the client described being beaten in detention in the home country. The client's immigration attorney asks the social worker to write a forensic evaluation stating whether the client's symptoms are consistent with torture, for the asylum hearing. The social worker has never conducted forensic evaluations. What is the **BEST** response?

A. Write the asylum evaluation from the 4 months of session notes

B. Write the evaluation after consulting a forensic evaluator

C. Ask the client to describe the abuse again in full detail

D. Refer the client to an evaluator trained in asylum cases

32. A social worker providing telehealth services plans to evaluate exposure work for a client with social anxiety. During a 2-week baseline, the client records how many conversations they start each day. The counts rise steadily across the 14 days, from 1 a day to 5 a day. The client is not in crisis. What should the social worker do **NEXT**?

A. Keep collecting daily counts until they level off

B. Begin the planned exposure sessions on schedule

C. Replace the baseline counts with a standardized anxiety scale

33. In a hospice bereavement program, a client meets with the social worker 18 months after an adult child died. Nearly every day the client longs intensely for the child and says, 'Part of me died too.' The client avoids the child's neighborhood, has stopped seeing friends and feels life has no purpose. The distress far exceeds what the client's faith community expects. What is the **MOST** likely diagnosis?

A. Major depressive disorder

B. Prolonged grief disorder

C. Uncomplicated bereavement

34. Late at night, an 8-year-old waits at a child welfare office after being removed from home. The required investigative interview is already done. The child is crying and keeps asking, 'Where am I going to sleep? Who's going to feed my dog?' What would be **MOST** helpful for the social worker to do?

A. Teach the child a slow-breathing exercise to calm down

B. Promise the child they will go home within a few days

C. Tell the child plainly what will happen tonight, step by step

35. A social worker leads the evaluation of a parenting program that runs at four sites. Outcomes improved at three sites but not at the fourth, which had heavy staff turnover during the year. Worried about renewal, the agency director asks the social worker to leave the fourth site out of the report to the funder. What is the **BEST** response?

A. Report every site and explain the fourth site's context

B. Drop the fourth site from the report as asked

C. Combine the four sites into one overall average

36. During a couples session about household spending, one partner rolls their eyes and says in a mocking tone, 'Oh, here comes the financial genius again.' Which of Gottman's Four Horsemen does this behavior show?

A. Criticism

B. Defensiveness

C. Stonewalling

D. Contempt

37. On a medical unit, a 78-year-old patient treated for a urinary tract infection is confused each evening and refuses the planned move to a rehabilitation facility. Each morning the patient is alert, oriented and asking about home. The transfer is planned for 4 days from now. What should the social worker do **FIRST**?

A. Ask the adult child to make the transfer decision

B. Record the evening refusal as the patient's decision

C. Revisit the decision with the patient early in the day

38. In a caregiver support group at a senior center, one member has attended 5 sessions, listens closely, and speaks only when asked a direct question. During a break, the member explains that in their family, talking about relatives' problems with outsiders brings shame, but hearing the others 'helps a lot.' What is the **MOST** appropriate response by the social worker?

A. Use go-around turns in which any member may pass

B. Invite the member to share one struggle at the next session

C. Suggest individual counseling as a better fit for the member

39. A patient with metastatic colon cancer has received home hospice care for 6 weeks. The oncologist mentions a clinical trial of a new treatment, and the patient wants to try it. The patient's adult child tells the social worker they fear that leaving hospice means the patient can never return to it. How should the social worker respond?

A. Confirm that revoking hospice ends the patient's future eligibility

B. Explain that a return is possible once the current benefit period ends

C. Explain that hospice can be revoked now and elected again later

40. In month 3 of an outpatient process group, a member often makes jokes when others share painful stories. Two members tell the member that the jokes leave them feeling brushed off. Over the next weeks, the member says a partner and coworkers have complained of the same habit, and starts responding seriously in group. Which therapeutic factor is **MOST** likely at work?

A. Interpersonal learning

B. Catharsis

C. Universality

D. Imitative behavior

41. A client in an outpatient program arrives restless and irritable after missing 2 days of treatment. The social worker notices yawning, a runny nose, watery eyes, dilated pupils and goosebumps. The client reports muscle aches and diarrhea. Which condition is the client **MOST** likely experiencing?

A. Opioid withdrawal

B. Opioid intoxication

C. Stimulant intoxication

D. Alcohol withdrawal

42. A client with a history of repeated childhood abuse starts outpatient therapy and asks to 'go through the memories' right away. In the past month, the client has cut their arms several times, has been sleeping in their car, and often loses track of time during sessions. The client says reading about trauma therapy gave them hope. What should the social worker focus on **FIRST**?

A. Begin detailed processing of the abuse memories as requested

B. Work with the client on safety and stabilization

C. Refer the client to an inpatient trauma program

43. At intake, the social worker explains the court's attendance requirement and what will be reported to the probation officer. The client says, 'I don't have an anger problem. I'm only here so the judge stays off my back.' Which response by the social worker is **BEST**?

A. Review the police report with the client to address the denial

B. Repeat the court's requirements and the reporting rules

C. Ask what the client would want to gain from finishing the program

44. A couple began counseling 5 months ago for frequent arguments. For the past 2 months, they report using time-outs and calm check-ins on their own, and they recently settled a disagreement about moving without help. They canceled the last two sessions. When the social worker asks about the cancellations, both say things are going well and they feel less need to come. What should the social worker do **NEXT**?

A. Explore whether the cancellations reflect unspoken dissatisfaction

B. Continue biweekly sessions to guard against slipping back

C. Propose planning an ending with a final review session

45. A week after a parent's death, a client spends the session describing research on the stages of grief and how bereavement affects the immune system. When the social worker asks how the client is feeling, the client returns to discussing studies. Which defense mechanism is the client **MOST** likely using?

A. Intellectualization

B. Denial

C. Rationalization

D. Reaction formation

46. A clinical supervisor in a group practice is asked to sign a former supervisee's licensure verification form. The form lists 24 months of supervision, but no supervision took place during 3 of those months while the supervisor was on medical leave. The supervisee needs the full total to apply this year. What is the **BEST** action by the supervisor?

A. Sign for the months in which supervision occurred

B. Sign for the 24 months of supervision and attach a note about the leave

C. Decline to sign any part of the verification form

47. A school district gives every student the same laptop. It also gives home hotspots and extra tech support to students whose families lack internet service. Which justice principle does the added support for some students reflect?

A. Equality

B. Universal design

C. Equity

48. A hospital social worker covering two medical units falls 3 days behind on discharge assessments and progress notes. Two patients on the list have unsafe home situations, and several others need only routine paperwork. The social worker has been staying late, which has not closed the gap. What is the **MOST** appropriate action?

A. Rank the caseload by risk and review it with the supervisor

B. Keep working late until every assessment is current

C. Shorten notes on routine cases to free up time

D. Ask a colleague on another unit to take the two complex patients

49. The adult children of an 81-year-old who lives alone ask a senior center social worker for help. In 4 months, the parent has had two minor crashes, and new scrapes keep appearing on the car. The parent says both crashes were other drivers' fault and refuses to stop driving. One adult child wants to hide the car keys. Which recommendation is **BEST**?

A. Arrange a professional evaluation of the parent's driving ability

B. Suggest the parent limit driving to daylight hours near home

C. Support the adult children in removing access to the car

D. Ask the parent's physician to report the parent to the licensing agency

50. An agency committee lists risk areas such as consent and boundaries. It compares daily practice with written rules, rates each risk and plans fixes. What is this process called?

A. Utilization review

B. Root cause analysis

C. Ethics audit

D. Peer review

51. A client in private practice has major depressive disorder. After 12 weeks of treatment, the client's mood, energy and interest have largely returned. However, the client still takes over an hour to fall asleep most nights, as for the past 5 months, and feels exhausted at work. The prescriber expects sleep to recover as the depression lifts. What is the **MOST** appropriate recommendation?

A. Wait for sleep to improve as the depression resolves

B. Ask the prescriber about adding a sleep medication

C. Give the client a handout on sleep hygiene

D. Add CBT for insomnia to the client's care plan

52. Which statement about implicit bias is **MOST** accurate?

A. It can shape judgments even in people with egalitarian beliefs

B. It is prejudice that people knowingly hide from others

C. It can be lastingly reduced by a brief training session

53. At a community mental health agency, a client became enraged when a housing letter was delayed and told the social worker, 'I know where you park. You'll regret this.' The next day the client left a similar voicemail. When the supervisor called the client to discuss the threats, the client repeated them. The agency has reported the threats under its safety policy. What is the **BEST** way to handle the clinical relationship?

A. Continue sessions in a room close to security staff

B. Address the threats with the client at the next session

C. End services and arrange care with another provider

D. Close the case by letter and decline further contact

54. A 10-year-old client in a child advocacy center program disclosed last month that a parent's partner sexually abused them. The partner then moved out, and the family lost much of its income. Today the client says, 'I made it up,' while looking at the floor, and adds that the parent cries every night. What is the **MOST** appropriate action for the social worker?

A. Tell the investigating caseworker about the recantation

B. Accept the recantation and note the report was likely false

C. Question the client in detail to learn which account is true

55. At a senior center, a 74-year-old client tells the social worker that most nights they lie awake in bed for an hour or more, watching TV and checking the news on a tablet until sleep comes. A physician found no medical or medication cause. Which self-care skill is **BEST** for the social worker to teach?

A. Swap the TV and tablet for reading in bed until drowsy

B. Get up when unable to sleep and return when sleepy

C. Go to bed earlier to allow more total time for sleep

56. A social worker conducts interviews for an IRB-approved study of job-training outcomes. A question about past jobs leads one participant to describe a workplace assault and become very distressed. The social worker stops the interview, stays with the participant until calm, and, with consent, links them to a counseling service. What should the social worker do **NEXT**?

A. Call the participant's emergency contact about the distress

B. Report the event to the IRB promptly

C. Describe the event at the IRB's annual continuing review

57. A couple with a 4-month-old, their first child, comes for a first counseling session. In the opening minutes, they say they argue about chores and sleep and fear they are 'falling out of love.' Then both turn to the social worker, waiting for a verdict. What should the social worker do **FIRST**?

A. Help the couple make a plan for sharing chores and night feedings

B. Ask each partner how life together has changed since the birth

C. Explain that satisfaction often dips with a new baby

D. Refer the couple to a specialized couples therapy program

58. Two days after an ice storm knocked out power, a social worker makes a scheduled home visit. A gasoline generator is running in the attached garage. The parent and two children report headaches and nausea, and the infant seems unusually sleepy. The parent says everyone feels better after time outside. What should the social worker do **FIRST**?

A. Ask each family member about fever, cough and other flu signs

B. Urge the parent to take the infant to the pediatrician today

C. Have the parent move the generator outdoors, away from windows

D. Get the family out of the house and call 911

59. In 2021, the NASW Code of Ethics added a sentence on caring for one's own well-being. Which ethical principle now holds it?

A. Competence

B. Service

C. Dignity and worth of the person

D. Integrity

60. An 82-year-old client has taken lorazepam every night for 10 years. After two falls this month, the client's adult child tells the home-visit social worker they plan to throw the pills away tonight. The client says they would like to stop the pills but fear they will not sleep. What is the **BEST** action?

A. Support removing the pills tonight to prevent another fall

B. Help the family make the home safer against falls

C. Arrange a prescriber review to plan a gradual taper

D. Respect the client's fear and keep the routine as is

61. An outpatient client stopped drinking 4 months ago. In session, the client reports having three beers at a cousin's wedding last weekend and none since. The client says, 'I blew it. I'm just someone who can't stay sober, so why keep trying?' What should the social worker do **FIRST**?

A. Help the client see the slip as a lapse to learn from

B. Recommend moving the client to a more intensive level of care

C. Review the wedding situation to plan for future high-risk events

STOP

End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

Section 2

Items 62–122 · 2 hours

62. A client with a trauma history yelled profanities at the front desk staff after a long wait. In the next session, the client explained that crowded waiting rooms feel unsafe, and the clinic began offering a quiet room for waiting. This week, after a 5-minute delay in the quiet room, the client swore at a receptionist again. What should the social worker do **NEXT**?

A. Explore again what waiting brings up for the client

B. Set clear conduct expectations and state what happens next time

C. Arrange for the client to skip the waiting area entirely

63. A client who entered an inpatient psychiatric unit voluntarily for depression with psychotic features asks to leave in 2 days, sooner than the team advises, to keep a new job. The psychosis has cleared, and the psychiatrist's assessment this morning found no suicidal thoughts or intent. The team asks the social worker to help. What is the **MOST** appropriate action?

A. Plan the client's discharge with follow-up care arranged

B. Repeat a full suicide risk assessment before planning

C. Ask the psychiatrist to consider a hold to finish treatment

64. A social worker leads a support group for older adult caregivers at a senior center. In the third meeting, white members do most of the talking, and one member twice talks over a Black member to correct that member's story about a clinic visit. The Black member and two Latino members have gone quiet. What is the **MOST** appropriate action by the social worker?

A. Check in privately with the quieter members after the meeting

B. Name the pattern and set a norm that each member is heard

C. Let the group develop its own norms over the next sessions

65. During a home visit for a job placement program, a client chats about weekend plans and mentions that a sibling who lives in another state is undocumented. The client's service plan centers on finding warehouse work. Which way of handling the sibling's status in the case record is **BEST**?

A. Record the sibling's status to keep the social history complete

B. Leave the sibling's status out of the case record

C. Ask the client's permission before writing the status down

66. A client with borderline personality disorder has had near-daily passive thoughts of death for years and attends weekly DBT. After a breakup this week, the client says the thoughts feel different. In the risk assessment that follows, the client says they bought two large bottles of acetaminophen yesterday and will 'probably' take them this weekend. The client cannot name anything that would keep them safe. What should the social worker do **NEXT**?

A. Continue DBT skills, noting the thoughts are long-standing

B. Complete a safety plan and add a midweek session

C. Have the client evaluated for hospitalization today

D. Explore what the breakup means to the client

67. In the fifth session, a client who has been engaged suddenly says, 'You're like everyone else. You don't really listen.' The comment follows the social worker's suggestion to try a new coping exercise. What should the social worker do **FIRST** to repair the working relationship?

A. Invite the client to say more about feeling unheard

B. Explain the reasons for suggesting the coping exercise

C. Reassure the client that the social worker is on their side

D. Suggest a transfer to a social worker who is a better fit

68. During a video intake for depression, the social worker reaches the trauma history section, which asks about sexual abuse and assault. The client is at home. When the client's partner comes up, the client glances off-screen, lowers their voice and begins answering in single words. What should the social worker do **FIRST**?

A. Ask about unwanted sexual experiences in specific terms

B. Skip the trauma section unless the client raises it later

C. Email the trauma questionnaire for the client to finish later

D. Ask whether the client is alone and able to talk freely

69. In an intensive outpatient program for alcohol use disorder, a client says nobody really stays sober and asks the social worker, 'Have you ever been through this?' The social worker has been in recovery for 12 years, and program policy allows staff to share their recovery status. What is the **BEST** response?

A. Describe the social worker's own path to sobriety in detail

B. Explain that the social worker's personal life stays private

C. Confirm it briefly, then turn back to the client's doubts

70. A crisis stabilization program offers up to 6 sessions. A client seen after a sudden job loss and panic attacks is, by session 5, sleeping again, applying for jobs, and using a coping plan. The client now asks to work on feelings of worthlessness that go back to childhood. What is the **MOST** appropriate step?

A. Extend crisis sessions to address the childhood pattern

B. Close the case now that functioning has returned

C. Refer for ongoing therapy and set a follow-up contact

71. In a residential treatment program, a 14-year-old with years of abuse before foster placement has sudden outbursts, freezes and stares blankly at times, and sleeps poorly. Staff notice that outbursts follow loud voices and room checks at night. The team proposes treating the youth for bipolar disorder. What is the social worker's **BEST** contribution to the team?

A. Support the plan to treat the youth for bipolar disorder

B. Recommend a new placement to reduce the outbursts

C. Point out that outbursts track reminders of earlier trauma

72. For years, an employee assistance social worker has responded to workplace deaths at a large company with a required group meeting within 48 hours, in which each employee describes the event and their reactions. While updating training, the social worker reads a systematic review finding that single-session debriefing does not prevent PTSD and may increase symptoms for some people. What is the **BEST** response?

A. Switch to psychological first aid with follow-up

B. Keep the meetings but make attendance voluntary

C. Continue the meetings since employees rate them highly

73. In a nursing facility, a 79-year-old resident with heart failure has refused most meals and several medications since their spouse died 6 weeks ago. The resident says, 'I'm just done. Let me be.' The resident has no advance directive about refusing care. Staff want to honor the refusal as the resident's right. What is the **MOST** appropriate action for the social worker?

A. Support the refusal and document it as an informed choice

B. Request a hospice referral to focus on comfort care

C. Evaluate the refusal for depression and a wish to die

74. A social worker co-leads an anger-management group for adolescents at a residential treatment center. The colleague often contradicts the social worker in front of members, and members have begun taking sides. The two discussed the pattern privately after two sessions, but nothing changed. What should the social worker do **NEXT**?

A. Name the disagreement openly with members during the next session

B. Ask the program director to assign a different co-leader

C. Take the conflict to a joint supervision meeting

75. A 3-year-old has had 8 hospital stays for breathing pauses that only the parent has witnessed. The parent, a former nursing assistant, is warm with staff and presses for more invasive tests. During one monitored stay, the parent was away for 4 days and no pauses occurred. Soon after the parent returned, a pause requiring resuscitation happened while the parent was alone with the child. Which explanation is **MOST** likely?

A. An undiagnosed breathing disorder

B. Parental anxiety causing overreporting

C. Breath-holding spells triggered by distress

D. Illness induced by the caregiver

76. A 38-year-old client moved across the country at age 19 and has had no contact with parents or siblings since. The client says, 'They have no hold on me anymore.' The client becomes furious and cannot sleep after the partner's parents offer any advice, and has ended two long friendships over minor disagreements. Which concept **MOST** likely describes this pattern?

A. Differentiation of self

B. Disengaged boundaries

C. Family projection process

D. Emotional cutoff

77. A hospital social worker meets with a 72-year-old spouse who has cared at home for 3 years for a partner with major neurocognitive disorder. The spouse describes losing sleep, giving up friendships and feeling trapped. The social worker wants a standardized measure of how the caregiving role itself is affecting the spouse. Which instrument is the **BEST** choice?

A. Geriatric Depression Scale

B. Lawton IADL Scale

C. Zarit Burden Interview

D. Ecomap

78. A social worker runs a reentry group at a county jail using a curriculum built around personal choices. In one session, members say that heavy policing of their neighborhoods and lack of jobs also led to their arrests. Several members stop taking part when the social worker returns to the workbook. What is the **BEST** response by the social worker?

A. Discuss structural factors alongside personal choices in the session

B. Validate the members' points, then return to the planned module

C. Record the concerns to share with curriculum developers later

D. Keep the focus on personal choices members control after release

79. A client who uses a wheelchair has been turned down after four job interviews. Two of the employers had offices reached only by stairs, so those interviews took place in a lobby. The client says, 'Maybe I'm just not good enough to hire.' Which response from the social worker is **MOST** helpful?

A. Help the client look at how barriers shaped these outcomes

B. Rehearse interview answers to build the client's confidence

C. Contact the employers to raise the access problem

D. Refer the client for counseling on self-esteem

80. A county parenting program is 5 months into its first year. Process data show that parents who speak Spanish come to the first session but rarely come back. Exit calls reveal that sessions are held in English with English handouts. The funder's summative outcome evaluation is scheduled for month 12. Which action is **BEST**?

A. Keep the model unchanged until the outcome evaluation is done

B. Interview the Spanish-speaking parents about why they stop attending

C. Add Spanish-language sessions and track retention by language

81. A client receiving depression treatment at a community mental health clinic has missed 3 sessions in a row. The social worker has called twice and left voicemails, but the client has not replied. The treatment goals are not yet met. What should the social worker do **NEXT**?

A. Close the case and record the client's lack of contact

B. Send a letter offering a closing session and referrals

C. Keep the case open and hold the client's weekly time

82. A family service agency learns its funding will drop 15% next year. It runs a crisis response program, a parenting education class and a youth recreation program. The director must decide how to allocate the reduced budget. Which approach is **BEST**?

A. Cut each program's budget by the same 15%

B. Rank programs openly by client need and outcome data

C. Close the program that serves the fewest clients

D. Protect the programs that board members value most

83. At a refugee resettlement youth program, a 16-year-old who arrived with family 4 years ago now refuses to speak the family's language or attend community celebrations, calling them 'embarrassing.' Classmates mock the teen's accent, and the teen has stopped trying to join school activities. The teen says they do not fit in anywhere. Which acculturation strategy is the teen **MOST** likely showing?

A. Marginalization

B. Assimilation

C. Separation

D. Integration

84. A tenant in supportive housing keeps stacks of newspapers and boxes that block the apartment's only exit path. After an inspection, the fire marshal gives the tenant 14 days to clear the path or the lease will be ended. The tenant tells the social worker, 'It's my home. I decide what stays.' What should the social worker do **FIRST**?

A. Explain the deadline and what is at stake if it passes

B. Arrange a crew to clear the path while the tenant is out

C. Ask the property manager to respect the tenant's choice

D. Refer the tenant to a treatment group for hoarding

85. A community mental health agency sees almost no clients from a recently resettled refugee community, although resettlement staff report high stress among its families. Translated flyers mailed last spring produced no calls. The community has an active mutual assistance association whose elected leaders families consult on many decisions. What should the social worker do **FIRST**?

A. Ask community leaders to hand out the translated flyers

B. Plan the outreach jointly with the community's leaders

C. Host an open house at the agency with interpreters

86. A social worker in a group practice completes a 2-day workshop in a trauma treatment model. The practice's marketing coordinator then updates the website to call the social worker a 'certified trauma specialist.' Certification in the model requires supervised cases that the social worker has not yet begun. What should the social worker do?

A. Keep the description while starting the certification cases

B. Have the profile describe the training actually received

C. Tell new clients at intake that certification is pending

87. A 24-year-old client is in treatment for depression at a college counseling center. The client lives with parents and grandparents, as the family's culture expects until marriage, and describes the arrangement as supportive. While reviewing a draft plan, the social worker notes that the center's template lists 'move to independent housing' as a standard goal for clients this age. How should the social worker handle this goal?

A. Keep the goal, since leaving home fits this life stage

B. Ask the client privately whether the family applies pressure

C. Replace it with goals the client defines within the family

88. A 24-year-old client with obsessive-compulsive disorder lives with a parent. In a joint session, the parent says they rewash the client's clothes on request, answer the same reassurance questions for up to 2 hours each night, and no longer invite guests to the home. The client's rituals have increased over the past year. Which response is **MOST** appropriate?

A. Plan with both how the parent will reduce these accommodations

B. Begin exposure exercises with the client in individual sessions

C. Refer the parent to a caregiver support group for stress

89. At a primary care visit, a parent of two completes an adverse childhood experiences (ACE) questionnaire and scores 7. The parent describes fears that the score means they will become seriously ill or harm their children, then asks the social worker what the number means. What is the **MOST** appropriate response?

A. Explain that the score estimates risk for groups rather than individuals

B. Recommend trauma-focused therapy because of the high score

C. Encourage the parent to keep talking about these parenting fears

90. In week 4 of a closed support group for adults with chronic pain, one member talks at length each session about medical appointments. Others have started checking their phones, and two arrived late last week. No one has interrupted the talkative member. What should the social worker do **FIRST**?

A. Meet privately with the talkative member after group

B. Ask the group how it has been sharing session time

C. Set a fixed time limit for each member's turn

D. Ask the member to save medical updates for later

91. In a parenting group for families working toward reunification, the social worker models giving a 4-year-old a calm, specific instruction. The next week, a parent accurately lists every step of the demonstration and says they want to use it. The parent reports that at visits the words come out rushed and harsh. What should the social worker do **NEXT**?

A. Model the instruction again, more slowly this time

B. Offer the parent a reward for using the skill at visits

C. Have the parent practice the instruction with coaching

D. Explain the reasons the calm instruction works

92. In a telehealth session, a 22-year-old who moved away for graduate school says the faith absorbed from family and congregation no longer feels like their own. The client is reading widely, questioning teachings once accepted without thought and working out which beliefs to keep by personal choice. According to Fowler, which stage of faith does this **MOST** likely describe?

A. Synthetic-conventional

B. Conjunctive

C. Mythic-literal

D. Individuative-reflective

93. A social worker provided couples therapy to two partners for 8 months. The partners have since separated and are disputing custody of their children. One former partner asks the social worker to write a letter to the court describing that partner as the better parent. What is the **MOST** appropriate response?

A. Write a letter describing that partner's parenting strengths

B. Explain why the past role rules out taking a side

C. Write the letter once the other partner also consents

94. Which mood can count toward a depressive episode in children and adolescents in place of sad or depressed mood?

A. Anxious mood

B. Labile mood

C. Irritable mood

D. Detached mood

95. A social worker in private practice bills a client's health plan with the client's written authorization. During a utilization review, the plan's reviewer asks for copies of all session notes to decide whether to approve more sessions. What is the **BEST** way for the social worker to respond?

A. Send copies of every session note the reviewer has requested

B. Send the treatment plan and progress the decision requires

C. Send the notes with identifying details removed

96. An adult client at a group private practice asks to use their employer health plan to pay for counseling. The plan requires a diagnosis on every claim and reviews progress after 12 sessions before approving more. The client is about to sign the consent form. What is **MOST** important for the social worker to explain before services begin?

A. What the plan will receive and how it may limit sessions

B. That session content will stay between the client and worker

C. That the client may drop the plan and self-pay later

97. Under the HIPAA Privacy Rule, which records must a covered entity keep for 6 years?

A. Clinical progress notes for each client

B. Written policies and signed authorizations

C. Psychotherapy notes kept apart from the record

D. Records of clients who have died

98. A client began services 5 months ago for social anxiety, with goals of joining a weekly activity and speaking up in work meetings. At a progress review, the social worker considers several findings. Which finding **MOST** clearly indicates that the client is ready to end services?

A. Says sessions have become the best part of the week

B. Has reached both targets and copes with setbacks on their own

C. Has attended every session and completed each assignment

99. A supervisor reviews a supervisee's unsigned draft progress note for a hospital patient awaiting discharge. The note calls the patient 'manipulative and drug-seeking.' It also records that the patient asked for pain medication 4 times in an hour and refused a walk with physical therapy. What should the supervisor do **FIRST**?

A. Have the supervisee revise the draft to describe observed behavior

B. Co-sign the draft, then discuss wording in the next supervision

C. Have the supervisee add an addendum explaining the terms

D. Revise the note personally so it is accurate before co-signing

100. A client at a family services agency wants to ask their parent-in-law, who lives with the family, to stop giving the client's 6-year-old candy at bedtime. When the social worker offers a handout with an I-statement script, the client frowns and says, 'That's not how we talk to elders in my family.' What should the social worker do **FIRST**?

A. Coach the client to deliver the handout script as written

B. Help the client plan a respectful request made in private

C. Ask how the client would usually raise such a concern at home

101. A client comes to an outpatient substance use program's walk-in hours asking to start treatment today. The client smells of alcohol, slurs some words, says they had 'a few drinks' an hour ago, and walks steadily. The intake packet includes the consent to treatment. What is the **BEST** way for the social worker to proceed?

A. Offer brief support now and hold consent until sober

B. Complete the consent forms while motivation is high

C. Ask the client to return another day when sober

102. A social worker is leaving a community agency in 3 weeks to open a private practice. Several clients will move to colleagues at the agency, and two have said they may follow the social worker later. What is the **BEST** way for the social worker to handle the client records before leaving?

A. Take a list of client contact details for future follow-up

B. Leave the records at the agency without adding notes

C. Leave the records with the agency and write transfer summaries

103. At intake for couples therapy, one partner says they have nearly decided to divorce and came only because the other partner pleaded. The other partner wants to save the marriage and asks to start work on communication right away. Both agree to a few sessions. Which approach is **BEST**?

A. Begin couples therapy focused on communication skills

B. Refer the partner leaning toward divorce for individual therapy

C. Help both partners reach clarity about their next step

104. At a community health clinic, a client who works at a nail salon seeks care for back pain. Privately, the client says the owner keeps the client's passport, deducts a growing 'travel debt' from each paycheck, and warns that complaining will bring immigration agents. The client wants to keep working for now but asks what help exists. What is the social worker's **BEST** response?

A. Report the salon owner's conduct to local police today

B. With consent, link the client to anti-trafficking services

C. Explain how the client can apply for a T visa

105. A 70-year-old client with macular degeneration receives telehealth counseling from an agency. The client uses a screen reader but cannot read the agency's scanned consent forms and treatment plans, so an adult child reads them aloud. The client says they want to review these papers privately and at their own pace, and that Word documents work well with the screen reader. What is the **MOST** appropriate response?

A. Read each document aloud to the client during sessions

B. Email the scanned forms so the client can enlarge them

C. Send the documents as accessible electronic files

106. A community clinic begins serving many adults who recently resettled from Afghanistan. Staff want to track depression with a scale developed and normed with English-speaking U.S. adults, and a staff member has translated it into Dari. Early scores look low, even for clients who describe poor sleep, hopelessness and withdrawal. What is the **MOST** appropriate response?

A. Compare the clients' scores with the scale's published norms

B. Seek a version with validity evidence for this population

C. Have a second translator check the Dari wording

D. Stop using standardized measures with this group

107. A parent brings an 8-year-old to an outpatient clinic for anxiety treatment. The parent says the child's other parent lives across town after a recent divorce and 'doesn't need to know about this.' The parent is unsure what the custody order says about medical decisions. What should the social worker do **FIRST**?

A. Begin treatment with the consent of the parent who is present

B. Call the other parent to ask for permission to treat

C. Review the custody order to confirm who may consent

D. Require both parents' signatures before any sessions

108. In Landreth's ACT model for setting limits in child-centered play therapy, what does the social worker do **FIRST**?

A. State the limit on the behavior

B. Offer an acceptable alternative

C. Acknowledge the feeling behind the behavior

D. Name the consequence if it continues

109. A 66-year-old hospital patient with advanced kidney disease tells the social worker, 'I've turned into nothing but a cost to my kids. They'd manage fine without me.' Which construct from the interpersonal theory of suicide does this statement **MOST** likely reflect?

A. Perceived burdensomeness

B. Thwarted belongingness

C. Acquired capability

110. A social worker in private practice often refers clients with eating disorders to residential care. A new residential program's marketing director offers the social worker $500 for each referred client who enrolls. The social worker would provide no services to those clients after the referral. What should the social worker do **FIRST**?

A. Decline the payment and base choices on clinical fit

B. Ask the program to donate the fees to a client scholarship fund

C. Ask for the program's outcome data before referring

111. In EMDR therapy, the social worker explains what to expect and teaches a calm-place exercise. This happens before any target memory is chosen. Which phase is this?

A. Preparation

B. Assessment

C. Installation

D. Closure

112. In an outpatient substance use group, a member who is 3 weeks sober dreads a coworker's retirement party where alcohol will be served. When the social worker offers to demonstrate refusing a drink, the member says, 'Easy for you, you've never been in my shoes.' Another member, sober for 2 years, has handled many similar work events. Which approach to teaching drink refusal is **MOST** effective?

A. Have the social worker demonstrate the refusal anyway

B. Give the member a list of refusal phrases to rehearse

C. Invite the member in longer recovery to demonstrate it

113. To cut costs, a nonprofit's director proposes ending individual supervision for 4 associate social workers and replacing it with a monthly peer consultation group made up of the associates. The associates carry caseloads with frequent suicide risk. The director asks the clinical manager for a recommendation. What is the **MOST** appropriate recommendation?

A. Adopt the peer group, since associates can advise one another

B. Adopt the peer group with the manager reviewing notes monthly

C. Keep designated supervisors and add the peer group as a supplement

D. Keep individual supervision but reduce it to monthly sessions

114. At a community health center, a 24-year-old client tells the social worker that their partner has flushed the client's birth control pills twice and says a baby would 'keep us together.' In answer to safety questions, the client describes no physical violence. The client does not want to become pregnant now and does not want to end the relationship. What is the **MOST** appropriate response?

A. Encourage the client to leave the relationship for their safety

B. Connect the client with the provider about less detectable methods

C. Suggest couples counseling so both partners can discuss family plans

115. An accreditation survey of an outpatient behavioral health clinic results in three cited deficiencies. The director asks the quality manager to draft a plan of correction and to decide which deficiency to correct before the others. Which finding should the plan address **FIRST**?

A. Client signatures missing on 40% of treatment plans

B. Consent forms omitting current confidentiality limits

C. Six positive suicide screens lacking reassessment

116. After 10 weeks of in-home family services, a parent has met the plan's goals during visits by using a reward chart and calm time-outs with a 6-year-old. The parent's daily log shows the chart is used only on visit days, and the parent calls the social worker during most conflicts between visits. The supervisor suggests closing the case. What is the **BEST** response?

A. Close services, since the plan's goals were met during visits

B. Continue services while fading support to build independent use

C. Refer the parent to a community parenting class and close the case

117. During a home visit, a hospice patient with advanced lung disease tells the social worker, 'I've been saving my pain pills. I'm going to take them all tonight so my family can stop taking care of me.' The patient shows the social worker a full bottle hidden in a drawer. What should the social worker do **FIRST**?

A. Stay with the patient and get the care team's help now

B. Explore the patient's feeling of being a burden to the family

C. Explain how legal aid in dying differs from a private overdose

118. At a family shelter, a client who fled political violence and arrived in the country 10 months ago tells the social worker, 'A friend said there is a time limit to ask for protection here. Should I apply for asylum?' The client has not met with any lawyer. What should the social worker do **FIRST**?

A. Explore the violence the client faced before leaving

B. Help the client write a statement for the asylum form

C. Arrange a prompt meeting with an immigration legal provider

119. A Black engineer in CBT for depression is the only Black member of a work team. The client has documented being passed over for two promotions and hearing a manager use a racial slur. The client's thought record reads: 'They'll never promote someone like me, so I'm worthless.' How should the social worker **BEST** approach this thought?

A. Challenge the promotion prediction as a fortune-telling distortion

B. Shift the sessions toward filing a formal discrimination complaint

C. Accept the bias as real and examine the self-worth conclusion

D. Set the thought record aside until the workplace problem resolves

120. The spouse of a nursing home resident with advanced major neurocognitive disorder visits every day. The resident no longer recognizes the spouse. The spouse tells the social worker, 'I don't know whether to think of myself as married anymore.' The spouse has put off decisions about selling their house and feels guilty about accepting a friend's dinner invitation. Which concept **MOST** likely describes the spouse's experience?

A. Anticipatory grief

B. Disenfranchised grief

C. Caregiver burnout

D. Ambiguous loss

121. At a community health center, an undocumented parent says a neighbor was just detained by immigration agents. The parent's children, ages 6 and 9, are U.S. citizens. After spending most of the session on the arrest, the sleepless nights since and a call that morning to the family's immigration attorney, the parent asks, 'If they take me, who will pick up my kids?' What should the social worker do **NEXT**?

A. Help the parent make a written plan naming a caregiver

B. Invite the parent to say more about the fear of detention

C. Reassure the parent that parents of citizen children are rarely detained

122. A parent tells the social worker that their 20-month-old, who used to explore the playground confidently, now clings to the parent and protests at separations, then pushes the parent away moments later. The child is otherwise healthy, and there have been no recent changes at home. What **MOST** likely explains the behavior?

A. Separation anxiety disorder

B. Insecure-avoidant attachment

C. Regression after a stressful event

D. Rapprochement subphase

STOP

End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

Answer sheet · Form 4

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

Section 1 (items 1–61)

1	A	B	C	D	32	A	B	C	—
2	A	B	C	D	33	A	B	C	—
3	A	B	C	—	34	A	B	C	—
4	A	B	C	—	35	A	B	C	—
5	A	B	C	D	36	A	B	C	D
6	A	B	C	D	37	A	B	C	—
7	A	B	C	—	38	A	B	C	—
8	A	B	C	—	39	A	B	C	—
9	A	B	C	—	40	A	B	C	D
10	A	B	C	D	41	A	B	C	D
11	A	B	C	D	42	A	B	C	—
12	A	B	C	—	43	A	B	C	—
13	A	B	C	—	44	A	B	C	—
14	A	B	C	D	45	A	B	C	D
15	A	B	C	—	46	A	B	C	—
16	A	B	C	—	47	A	B	C	—
17	A	B	C	—	48	A	B	C	D
18	A	B	C	D	49	A	B	C	D
19	A	B	C	D	50	A	B	C	D
20	A	B	C	—	51	A	B	C	D
21	A	B	C	D	52	A	B	C	—
22	A	B	C	—	53	A	B	C	D
23	A	B	C	—	54	A	B	C	—
24	A	B	C	D	55	A	B	C	—
25	A	B	C	D	56	A	B	C	—
26	A	B	C	—	57	A	B	C	D
27	A	B	C	—	58	A	B	C	D
28	A	B	C	D	59	A	B	C	D
29	A	B	C	—	60	A	B	C	D
30	A	B	C	—	61	A	B	C	—
31	A	B	C	D					

Section 2 (items 62–122)

62	A	B	C	—	93	A	B	C	—
63	A	B	C	—	94	A	B	C	D
64	A	B	C	—	95	A	B	C	—
65	A	B	C	—	96	A	B	C	—
66	A	B	C	D	97	A	B	C	D
67	A	B	C	D	98	A	B	C	—
68	A	B	C	D	99	A	B	C	D
69	A	B	C	—	100	A	B	C	—
70	A	B	C	—	101	A	B	C	—
71	A	B	C	—	102	A	B	C	—
72	A	B	C	—	103	A	B	C	—
73	A	B	C	—	104	A	B	C	—
74	A	B	C	—	105	A	B	C	—
75	A	B	C	D	106	A	B	C	D
76	A	B	C	D	107	A	B	C	D
77	A	B	C	D	108	A	B	C	D
78	A	B	C	D	109	A	B	C	—
79	A	B	C	D	110	A	B	C	—
80	A	B	C	—	111	A	B	C	D
81	A	B	C	—	112	A	B	C	—
82	A	B	C	D	113	A	B	C	D
83	A	B	C	D	114	A	B	C	—
84	A	B	C	D	115	A	B	C	—
85	A	B	C	—	116	A	B	C	—
86	A	B	C	—	117	A	B	C	—
87	A	B	C	—	118	A	B	C	—
88	A	B	C	—	119	A	B	C	D
89	A	B	C	—	120	A	B	C	D
90	A	B	C	D	121	A	B	C	—
91	A	B	C	D	122	A	B	C	D
92	A	B	C	D					

Fill one circle per item. A dash means that item has only three options (A–C).