# DBT: Deb's Board Training Practice Form 5

Clinical-level social work licensing exam practice · Question booklet

## Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

| | | |
|---|---|---|
| **Section 1** | Start time: | End time: |

| | | |
|---|---|---|
| **Section 2** | Start time: | End time: |

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

# Section 1

Items 1–61 · 2 hours

**1.** At 10 p.m., a social worker scrolling a public community page sees a post made 15 minutes earlier by a current adult client. It shows a pile of pill bottles with the words 'Done fighting. Goodbye.' The social worker calls the client's phone and reaches voicemail. What should the social worker do **NEXT**?

**A.** Text the client to ask about current safety

**B.** Request an emergency welfare check at the client's home

**C.** Message the client on the platform asking for a call back

**D.** Discuss at the next session how the post was found

**2.** On a home visit, the social worker explains how a client can book rides to dialysis through a new transportation service. The client nods throughout and says, 'Yes, I've got it.' Two ride requests the client tried to make last month were never completed. Which response is **MOST** appropriate?

**A.** Ask the client to show how they would book the next ride

**B.** Ask the client whether they have any questions about it

**C.** Leave a written copy of the booking steps with the client

**3.** A cardiac rehabilitation team describes a 74-year-old patient as 'unmotivated' because the patient rarely does the home exercises. The patient says they want to get stronger. The social worker notices that the patient asks the same questions several times per visit and got lost driving to the clinic last week. What should the social worker do **FIRST**?

**A.** Use motivational interviewing to build commitment to exercising

**B.** Give the patient a simplified written home exercise schedule

**C.** Ask the physician to evaluate the patient's memory problems

**D.** Ask a family member to supervise the daily exercises

**4.** At an annual planning meeting in a day program, a 40-year-old client with intellectual developmental disorder sits beside a parent who is the client's legal guardian. Each time the social worker asks about goals for the coming year, the parent answers for the client. The client speaks in short sentences and understands pictures well. Which action is **MOST** appropriate?

**A.** Record the parent's answers as the client's goals for the year

**B.** Ask the client directly, using plain words and picture choices

**C.** Ask the parent to leave so the client can speak more freely

**5.** During a video session, a client describing a carjacking stops mid-sentence, stares past the camera, and does not respond when the social worker says the client's name. After a long pause, the client whispers, 'I'm not really here.' What should the social worker do **FIRST**?

**A.** Help the client notice objects and sounds in the room

**B.** Ask the client what feelings are coming up about the carjacking

**C.** Encourage the client to keep going and finish the story

**D.** End the session early so the client can rest

**6.** A child welfare social worker supports a parent whose 3-year-old is in foster care. The parent completed a 10-week parenting class and earned a certificate. During supervised visits, the parent gives sharp commands and rarely praises, and the child cries and pulls away. The case plan review is in 6 weeks, and the parent wants to reunify. Which action is **BEST** before the review?

**A.** Enroll the parent in a second class on parenting young children

**B.** Coach the parent in real time during their play together

**C.** Record the class certificate as meeting the parenting goal

**7.** In the third week of an 8-week MBSR group, a member with PTSD grips the chair and breathes rapidly during the body scan. Afterward, the member says the exercise brought back the assault and the room felt far away. The member wants to stay in the group. The social worker is trained in MBSR. What is the **BEST** response?

**A.** Encourage the member to keep attention on body sensations as they arise

**B.** Help the member process the assault memory in a private session

**C.** Arrange individual trauma therapy in place of the group sessions

**D.** Offer options such as eyes open and an outside focus during practice

**8.** A social worker in a home-based family program carries a large caseload. The agency's electronic record lets staff copy the previous visit's note into a new note. A colleague suggests copying notes forward to keep up with documentation. How should the social worker use this feature?

**A.** Copy each note forward and update the visit date

**B.** Edit each copied note to reflect that visit

**C.** Write one summary note every two weeks instead

**9.** A home-delivered meals worker refers a 78-year-old client with mild memory problems. A new acquaintance moved into the client's home 2 months ago and now collects the mail. The electricity is about to be shut off despite a steady pension, and the bank has called about large ATM withdrawals. The client says the acquaintance 'handles everything.' What form of mistreatment is **MOST** likely occurring?

**A.** Self-neglect

**B.** Financial exploitation

**C.** Caregiver neglect

**D.** Psychological abuse

**10.** A hospital emergency department social worker refers patients treated for opioid overdose to a community clinic that offers medication for opioid use disorder. For 2 years, a clinic nurse personally scheduled each referred patient. Since that nurse left 3 months ago, 7 of 9 referred patients never received an intake. Clinic leaders say they want the partnership to work. What is the social worker's **BEST** response?

**A.** Develop a written referral agreement with clinic leadership

**B.** Find a new staff member at the clinic to schedule intakes

**C.** Phone the clinic to book each patient's intake before discharge

**11.** By the fourth session, a social worker notices growing impatience each time a client describes relying on relatives for help. The social worker recognizes that the reaction echoes long-standing feelings about a dependent family member in the social worker's own life. What should the social worker do **NEXT**?

**A.** Tell the client about the reaction to keep the relationship genuine

**B.** Explore the reaction with a supervisor or consultant

**C.** Transfer the client to a colleague to protect the alliance

**12.** A hospital social worker is asked to meet with the parent of a 6-year-old whose lab results show gonorrhea. The physician confirms the infection could not have been passed at birth. The parent says the child must have caught it from shared towels at a relative's home. What should the social worker do **FIRST**?

**A.** Record the towel explanation and arrange the child's treatment

**B.** Arrange a forensic interview at a children's advocacy center

**C.** Notify the child abuse hotline of the possible sexual abuse

**13.** A social worker who manages an outpatient program reviews caseloads and finds that the program's two Black staff social workers carry nearly all of the Black clients. They are also asked to lead every diversity training, with no change in workload. One of them recently said, 'I'm running on empty.' What should the manager do **FIRST**?

**A.** Meet with the two social workers about the pattern and their workload

**B.** Spread new Black clients evenly across the whole staff

**C.** Add a stipend for the extra diversity training workload

**D.** Suggest the tired staff member use the employee assistance program

**14.** On an inpatient psychiatric unit, a patient with bipolar disorder is set for discharge tomorrow after an overdose attempt. While reviewing aftercare plans, the patient says, 'I still have a month of pills at home. If I lose my job, I'll finish what I started.' The patient's employer has announced layoffs. When the social worker asks directly, the patient says this means taking all the pills to end their life. What should the social worker do **NEXT**?

**A.** Ask the treatment team to reassess discharge readiness today

**B.** Add removal of the stored pills to the discharge safety plan

**C.** Explore the patient's worries about losing the job

**15.** An autistic adult starts counseling at an agency whose secure online system supports both video and live written messaging. The client explains that speaking aloud under stress makes them lose words and that video eye contact leads to shutdown, but they write clearly and quickly. The supervisor prefers video so the social worker can observe affect. What is the **BEST** way to provide services?

**A.** Hold sessions through the system's text chat

**B.** Hold video sessions on the system with the camera off

**C.** Refer the client to an autism specialty program

**16.** A client is referred to a mixed-gender trauma recovery group after a sexual assault. She tells the social worker that her faith forbids discussing sexual matters in the presence of men, and she wants trauma treatment. The agency also runs a trauma group for women that has openings. How should the social worker adjust the plan?

**A.** Encourage her to try the mixed group for a few weeks

**B.** Switch her referral to the female survivors' group

**C.** Ask the mixed group to agree to avoid sexual details

**17.** An associate social worker at a community clinic notices that claims for the associate's therapy sessions list the licensed supervisor as the provider who delivered them. The health plan's contract requires claims to name the person who actually provided the service. The associate raised this with the supervisor, who replied, 'Everyone does it.' What should the associate do **NEXT**?

**A.** Report the billing practice to the health plan's fraud unit

**B.** Ask the supervisor to co-sign each note to support the claims

**C.** Keep providing sessions and document the objection in a memo

**D.** Take the concern to the organization's compliance officer

**18.** A client asks an employee assistance social worker for help with anger. For 3 months, a coworker has made slurs about the client's background, and two other staff members have heard them. The client has not acted aggressively but lies awake furious and wants the remarks to stop. How should the social worker **BEST** help with the anger?

**A.** Teach slow breathing for the moments the coworker speaks

**B.** Help the client plan an assertive report through work channels

**C.** Help the client consider other reasons for the coworker's remarks

**19.** A hospital social worker is helping a 79-year-old patient choose a skilled nursing facility for rehabilitation after a stroke. The social worker's partner is the admissions director at one of the 5 facilities with open beds. The patient asks which facility the social worker would pick. What is the **BEST** response?

**A.** Recommend the partner's facility, which has strong ratings

**B.** Leave the partner's facility off the list of options

**C.** Disclose the connection and review each option neutrally

**20.** A couple asks for help with frequent arguments. In the individual screening session, one partner says the other checks their phone daily, controls all the money, and once blocked the door to keep them from leaving an argument. The client says they fear the partner's reaction to anything said in joint sessions but wants to 'work on the relationship.' What is the **BEST** response?

**A.** Begin joint sessions with firm ground rules for respectful talk

**B.** Explore the client's hopes for the relationship in more depth

**C.** Refer the client to separate services addressing relationship abuse

**21.** On a home visit, an adult child reports that their 74-year-old parent with Parkinson's disease has begun seeing small animals in the corners of rooms. The parent knows the animals are not real and is not frightened. A Parkinson's medication dose was raised 3 weeks ago. The adult child wants the parent admitted to a psychiatric hospital. What is the social worker's **BEST** action?

**A.** Help the family tell the neurologist about the new symptoms

**B.** Support a voluntary psychiatric admission for a full evaluation

**C.** Reassure the family that hallucinations are expected with the disease

**22.** A patient on an inpatient psychiatric unit has schizophrenia and is preparing for discharge. The team suggests that the patient's parent sign consent for a supported housing program. The patient has no guardian. In a capacity evaluation, the psychiatrist documents that the patient can describe the program, weigh it against living alone and state a choice. What should the social worker do **NEXT**?

**A.** Ask the parent to sign the program consent as the team suggested

**B.** Review the program with the patient and obtain their own consent

**C.** Ask the patient and parent to sign the consent together

**23.** A 28-year-old client with moderate intellectual developmental disorder lives in supported housing. The client's legal guardian, a sibling, has signed consent for the client to attend a sheltered day program five days a week. In planning meetings, which the guardian has not attended, the client says again and again that they want to keep their part-time grocery job instead. What should the social worker do **FIRST**?

**A.** Start the day program, since the guardian has consented

**B.** Treat the client's preference as overriding the guardian

**C.** Petition the court to review the guardianship

**D.** Bring the client's stated wishes to the guardian

**24.** A patient with advanced heart failure is told that no further treatment will extend life. The patient speaks openly about the diagnosis and has updated a will. The patient then starts following a strict low-salt diet for the first time and asks the palliative care social worker whether 'being perfect from now on' could earn enough time to attend a grandchild's graduation in 2 years. Which of Kubler-Ross's stages is **MOST** likely reflected?

**A.** Bargaining

**B.** Denial

**C.** Acceptance

**D.** Depression

**25.** At a public benefits office, a client whose food assistance was denied is pacing near the front desk, shouting that staff 'never help anyone.' The client's hands are empty, and other people in the lobby have moved away. The social worker approaches. What should the social worker do **FIRST**?

**A.** Tell the client security will be called unless they sit down

**B.** Speak calmly from a safe distance and offer a quieter room

**C.** Ask the client to explain why the application was denied

**D.** Ask security staff to escort the client out of the building

**26.** A social worker leads a problem-solving skills group at a clubhouse for adults with serious mental illness. Members are suggesting ways to get to a new job site after a bus route ended. One member responds to each idea as it is offered, saying, 'That won't work.' What should the social worker do **FIRST**?

**A.** Ask members to list every idea before judging any of them

**B.** Invite the critical member to offer an idea of their own

**C.** Ask the member to explain what makes each idea unworkable

**27.** In a hospital, a patient who disclosed a past sexual assault becomes panicky before a needed physical exam, gripping the bed rail and saying, 'I can't do this if I don't know what's coming.' The physician asks the social worker for help. What is the **MOST** appropriate action?

**A.** Suggest that the physician order a sedative first

**B.** Ask the physician to postpone the exam until the patient feels ready

**C.** Reassure the patient that the staff are skilled professionals

**D.** Arrange for each step to be explained and a way to pause

**28.** A foster parent tells a child welfare social worker that a 14-year-old in care has been meeting a birth parent at a mall on weekends. The court allows only supervised visits. The foster parent adds that the youth asked them not to tell anyone. The social worker has a scheduled meeting with the youth this afternoon. What should the social worker do **FIRST**?

**A.** Promise the youth secrecy if the meetings stop

**B.** Notify the court that the visit order was violated

**C.** Ask the youth about the meetings and how safe they felt

**D.** Report the foster parent's account to the supervisor

**29.** A client staying in an emergency shelter meets with a social worker who uses solution-focused brief therapy. Today the client says the week was awful, nothing improved, and the job search went nowhere. Which question is **MOST** appropriate for the social worker to ask?

**A.** 'How have you kept things from getting even worse?'

**B.** 'If a miracle happened tonight, what would be different?'

**C.** 'What do you think is keeping you stuck right now?'

**30.** A client with schizophrenia has had a representative payee for Social Security benefits since a hospital stay 5 years ago. For the past 18 months, the client has worked part-time, paid rent from wages on time and kept a written budget. The client tells the social worker, 'I want my check sent to me again.' What is the **MOST** appropriate response?

**A.** Help the client gather evidence and request direct payment

**B.** Ask the payee to give the client a larger weekly allowance

**C.** Advise the client to keep the payee until the next yearly review

**D.** Arrange a formal assessment of the client's money skills first

**31.** Teachers ask a high school social worker about a 16-year-old with strong past grades who, over the last 3 weeks, has become restless, irritable, anxious, and unable to focus in morning classes. The changes began when the school installed vape sensors in the restrooms. A classmate says the student used to vape between every class. The student now asks to leave campus at lunch and comes back calmer. Which explanation is **MOST** likely?

**A.** Attention-deficit/hyperactivity disorder

**B.** Generalized anxiety disorder

**C.** Tobacco withdrawal

**32.** A new client has filed a lawsuit against a former employer, claiming emotional distress from workplace harassment. The client wants therapy focused on the harassment and its effects on sleep and mood. At intake, the client asks what the social worker will write down. What is the **BEST** response?

**A.** Explain that the lawsuit may lead to requests for the records

**B.** Recommend waiting to start therapy until the lawsuit is resolved

**C.** Agree to keep notes brief and leave out harassment details

**D.** Assure the client that therapy records are privileged in court

**33.** A juvenile court asks a social worker to start a weekly group for eight 14- and 15-year-olds on probation for fighting and theft. The court says a group will serve more youth at lower cost. Most of the youth already spend time together, and several have parents who are willing to take part in services. What is the **BEST** recommendation?

**A.** Run the group with a structured anger-management curriculum

**B.** Offer family-based work instead of a peer group

**C.** Hold individual sessions focused on insight into behavior

**34.** During a home visit, an adult child caring for a parent with major neurocognitive disorder says the parent asks the same question 20 times an hour. The social worker acknowledges how draining that sounds. The caregiver replies, 'I think it's on purpose, to get under my skin,' and says they have started snapping at the parent. What is the **MOST** appropriate response?

**A.** Suggest gently reminding the parent that the question was answered

**B.** Explain that memory loss keeps the parent from recalling asking

**C.** Reflect the caregiver's frustration and exhaustion

**35.** A client with schizophrenia served by an assertive community treatment team asks to reduce home visits from daily to weekly. For 8 months, the client has kept a daily symptom log, twice called the team when sleep loss and suspicious thoughts began, and followed the agreed steps each time. A teammate wants to keep daily visits because of a hospitalization 2 years ago. What is the **BEST** response?

**A.** Keep daily visits until the client has a full year of stability

**B.** Plan a gradual step-down built on the client's warning-sign log

**C.** Transfer the client from the team to routine clinic care

**36.** In a second video session, a client with moderate depression agrees that setting goals would help but says, 'I honestly don't know what I want. I just want to feel less stuck.' The client is engaged and willing to keep talking about it. What is the **BEST** way for the social worker to proceed?

**A.** Offer a list of common goals for people with depression

**B.** Wait to set goals until the client's mood improves

**C.** Ask how the client's days would differ if the problem lifted

**D.** Set a goal of lowering the client's PHQ-9 score

**37.** Before a first session at an outpatient clinic, a social worker's colleague suggests looking up the new client's public social media accounts 'to get the full picture.' The referral describes mild anxiety about a job change. How should the social worker handle the suggestion?

**A.** Look at public posts, which anyone can already see

**B.** Search now, then tell the client what turned up

**C.** Seek the client's consent before doing any search

**38.** A parent at a pediatric clinic tells the integrated behavioral health social worker that their 2-year-old has turned 'defiant.' The toddler insists on putting on shoes alone, says 'no' to many requests and has brief tantrums when stopped. The toddler sleeps well, speaks in short phrases and plays happily at child care. What is the **MOST** appropriate response?

**A.** Explain that these behaviors fit typical toddler development

**B.** Refer the toddler for a disruptive behavior disorder evaluation

**C.** Ask the parent to track every tantrum for 2 weeks

**39.** A client treated for panic disorder has had no panic attacks for 2 months and uses breathing and exposure skills without prompting. At the planned next-to-last session, the client says they feel nervous about ending and asks to keep meeting weekly 'just in case.' What is the social worker's **BEST** response?

**A.** Continue weekly sessions until the client feels ready to stop

**B.** Explore the client's worries and review the gains and relapse plan

**C.** Resume exposure work because the anxiety signals a relapse

**40.** During a mental status exam, the social worker asks a client to spell the word 'world' backward. Which area is the social worker assessing?

**A.** Remote memory

**B.** Abstract reasoning

**C.** Attention and concentration

**41.** A high school social worker meets a 15-year-old cross-country runner referred by a coach. The student has lost a lot of weight over 3 months, skips lunch and runs extra miles. Today the student fainted at practice, and the athletic trainer recorded a very slow resting heart rate. The student says they feel fine. What should the social worker do **FIRST**?

**A.** Explore the student's thoughts about weight and body shape

**B.** Have the parents take the student to a doctor right away

**C.** Refer the student to an eating disorder therapy program

**42.** In a nursing facility, a resident with major neurocognitive disorder due to Alzheimer's disease has become agitated in the evenings. The physician proposes starting risperidone. The resident's adult child, who is the health care proxy, has read that such drugs can be risky in dementia and asks the social worker what to do. What is the **MOST** helpful response?

**A.** Advise the proxy to refuse the drug because of its known risks

**B.** Help the proxy ask the physician about risks and alternatives

**C.** Reassure the proxy that the physician has weighed the risks

**43.** A 14-year-old in residential treatment, who has a history of sexual abuse, greets the social worker with long, full-body hugs before each session. The client says the hugs make them feel safe. Other staff have started to comment on the greetings. What is the social worker's **BEST** response?

**A.** Offer a side hug or handshake and discuss the change

**B.** Keep the hugs but make each one brief

**C.** Step back from hugs and avoid raising the topic

**44.** Under the NASW Code of Ethics, which condition must be present before a social worker accepts goods or services from a client instead of a fee?

**A.** The goods match the fee's market value

**B.** The client's insurance coverage has lapsed

**C.** A supervisor approves the plan in writing

**D.** The client proposes it with informed consent

**45.** A social worker at a family shelter is helping a university team design a study of residents' health needs. To boost enrollment, a team member proposes giving each participant priority on the shelter's waitlist for permanent housing. What is the **BEST** way for the social worker to respond to the proposal?

**A.** Offer participants added case management hours instead

**B.** Recommend offering no compensation for taking part

**C.** Suggest a modest cash payment separate from services

**46.** A prospective client calls a group practice asking to start weekly individual therapy with the social worker. During the call, the client mentions seeing another mental health provider weekly for the same concerns and adds, 'I haven't told them I'm looking around.' What should the social worker do **FIRST**?

**A.** Schedule an intake appointment for this week as the client requested

**B.** Decline until the client ends the current therapy

**C.** Discuss how adding a provider could affect current care

**D.** Ask permission to contact the current provider

**47.** A community mental health agency wants to learn how satisfied its 900 active clients are. Last year it surveyed clients who attended the annual picnic, and about 150 responded. A board member suggests repeating the picnic survey with more volunteers to collect more forms. Which change would **MOST** improve how well the results represent all active clients?

**A.** Make the picnic survey anonymous so answers are more candid

**B.** Double the number of picnic surveys collected

**C.** Survey a random sample drawn from the full client list

**48.** At an urban Indian health center, a family tells the social worker that their 19-year-old relative has not been seen or heard from in 2 days, which is out of character. When they called police, an officer said young adults often leave on their own and told them to call back in 3 days. The family asks for help. What should the social worker do **FIRST**?

**A.** Help the family file a missing person report today

**B.** Help the family post a missing notice on social media

**C.** Advise the family to wait 3 days while calling friends

**D.** Help the family call area hospitals and jails

**49.** A family support program gives grocery gift cards to clients in need. One case manager orders the cards, keeps them in a desk drawer, hands them out and records each distribution in a spreadsheet. A routine review finds the records complete. The program director wants to reduce the risk of error or misuse. Which control is **MOST** effective?

**A.** Give purchasing, custody and recordkeeping to different staff

**B.** Have a supervisor count the cards against the log each month

**C.** Refer the arrangement to the compliance officer for investigation

**50.** In the first session of a closed outpatient group for adults coping with anxiety, introductions begin. One member starts describing childhood sexual abuse in vivid detail and is crying. Other members look at the floor, and one moves their chair back. What should the social worker do **FIRST**?

**A.** Allow the member to finish the account without interruption

**B.** Gently pause the member and suggest returning to it later

**C.** Talk privately with the member after the session ends

**51.** Which situation is an ethical dilemma rather than a clear-cut ethical violation?

**A.** A supervisor asks a worker to backdate a missing progress note

**B.** A capable client refuses a shelter bed on a freezing night

**C.** An agency bills insurance for canceled group sessions

**D.** A worker invests in a current client's small business

**52.** At a health center visit, a client says their partner always knows where they have been and quotes their private texts back to them. The client found an unfamiliar app on their phone and wants the social worker's help deleting it right away. The client adds that the partner 'explodes' when not in control. What should the social worker do **FIRST**?

**A.** Help the client remove the app during the visit

**B.** Urge the client to report the tracking to police now

**C.** Explain that the partner's monitoring is a form of abuse

**D.** Plan for safety, using a device the partner cannot see

**53.** A patient on an inpatient psychiatric unit is in a third admission this year for self-harm and has a diagnosis of borderline personality disorder. Between admissions, the patient attended weekly supportive therapy with a provider untrained in DBT. A standard outpatient DBT program has an opening. What is the **BEST** discharge plan?

**A.** Resume weekly supportive therapy with an updated safety plan

**B.** Step the patient down to partial hospital, then supportive therapy

**C.** Refer the patient for comprehensive DBT

**D.** Add DBT skills worksheets to the current supportive therapy

**54.** A Black client in outpatient treatment for depression asks the white social worker about working with a Black social worker at the clinic instead. Invited to say more, the client says the work has helped but that they want to talk about racism at work without explaining it first. A Black colleague has openings. What should the social worker do **NEXT**?

**A.** Explore whether the request reflects discomfort with the current work

**B.** Arrange the transfer and offer a joint handoff session

**C.** Propose a few more sessions to work through the concern together

**D.** Reassure the client that the worker is willing to learn

**55.** A university team plans to study blood samples that members of a tribal community gave years ago for diabetes research. The new study would analyze the samples for population ancestry. The samples are de-identified, and the university's review board has ruled that new consent is not required. The social worker on the team knows the community has had samples used in ways members never agreed to. What is the **MOST** appropriate step?

**A.** Proceed, as the review board has approved the plan

**B.** Contact the original donors to ask for individual consent

**C.** Share study results with tribal leaders once analysis ends

**D.** Seek the tribal government's approval before any reuse

**56.** A residential treatment social worker plans a point system to reduce a 15-year-old's verbal aggression on the living unit, in the classroom and during family visits. The team wants evidence that the point system, rather than outside events, produces any change. Staff will not remove the point system once it starts working. Which evaluation design is **MOST** appropriate?

**A.** Reversal (ABAB) design

**B.** Multiple-baseline design

**C.** AB design

**57.** At a family clinic, the parent of a 4-year-old says the child touches their own genitals at nap time and recently asked why a baby sibling 'looks different.' The touching stops when the parent offers a toy. The parent's voice shakes: 'I just have a bad feeling something happened.' What should the social worker do **FIRST**?

**A.** Make a report of possible sexual abuse

**B.** Ask the parent what has made them worried

**C.** Ask the child directly whether anyone has touched them

**D.** Explain to the parent that this is typical curiosity for the age

**58.** According to the NASW Code of Ethics, what should field instructors ensure when social work students provide services to clients?

**A.** Students' work is reviewed before each session begins

**B.** Clients are routinely told that a student is serving them

**C.** Clients sign a separate consent form for student services

**59.** Six months ago, an outpatient clinic adopted a policy requiring a suicide risk screen at every intake, with a same-day safety plan for positive screens. All clinicians signed the policy and finished training. The quality committee now wants to know whether the policy is reducing risk. What should the committee do **FIRST**?

**A.** Audit a sample of charts for completed steps

**B.** Compare suicide attempts among clients before and after adoption

**C.** Survey clinicians about how useful they find the screen

**D.** Report the signature and training totals to the board

**60.** A hospital social worker meets with a 5-year-old whose grandparent had a stroke this morning. The child says the stroke happened because the child refused to share toys at breakfast. Later, the child pats the hospital bed and says the bed feels sad. According to Piaget, this thinking is **MOST** likely typical of which stage?

**A.** Sensorimotor

**B.** Preoperational

**C.** Concrete operational

**61.** A 19-year-old at a university counseling center is failing pre-nursing courses. Both parents are nurses, and the client says the plan to become a nurse was set at age 12. Asked what other fields have interested them, the client looks puzzled and says they have never looked into anything else. Which identity status does this **MOST** likely reflect?

**A.** Identity moratorium

**B.** Identity achievement

**C.** Identity foreclosure

**D.** Identity diffusion

# STOP

## End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

# Section 2

Items 62–122 · 2 hours

**62.** During weekly chart review, a clinical supervisor at a community agency reads a supervisee's note from 4 days ago. The client said, 'Sometimes I think everyone would be better off without me.' The note shows no follow-up questions, and the client's next appointment is in 10 days. What should the supervisor do **FIRST**?

**A.** Ask the supervisee why the remark went unexplored

**B.** Arrange suicide risk assessment training for the supervisee

**C.** Note the lapse in the supervisee's performance record

**D.** Make sure the client is contacted today to assess risk

**63.** A hospital social worker meets with a 40-year-old patient admitted with sudden weakness in the left leg after a car accident that caused no injury. The medical team's exam findings do not match any known nerve or brain disease, and imaging is normal. The patient is upset about missing work. What is the **MOST** likely diagnosis?

**A.** Malingering

**B.** Factitious disorder imposed on self

**C.** Somatic symptom disorder

**D.** Functional neurological symptom disorder

**64.** Who studied survivors of the Cocoanut Grove nightclub fire and described acute grief as a normal reaction that runs its course?

**A.** Gerald Caplan

**B.** Erich Lindemann

**C.** Elisabeth Kubler-Ross

**D.** Naomi Golan

**65.** A social worker meets weekly with a 15-year-old client in outpatient therapy. At intake, the parent agreed that session details would stay private unless a safety concern arose. A month later the parent calls, worried, and asks what the teen has been talking about. What is the **MOST** appropriate response?

**A.** Tell the parent nothing can be shared without the teen's consent

**B.** Give general progress and revisit the confidentiality agreement

**C.** Suggest that the parent ask the teen directly

**66.** A social worker begins voluntary in-home parenting support with a family. At each visit, the parent sets out tea and a small plate of homemade pastries, explaining that in their culture a guest is always served. The family has offered nothing else. What is the **MOST** appropriate response?

**A.** Decline politely, explaining that workers cannot accept gifts

**B.** Accept the tea and bring a small treat to the next visit

**C.** Accept the refreshments graciously as hospitality

**67.** A child welfare court orders a parenting capacity assessment, and a social worker is assigned to complete it. At the first meeting, the parent says, 'I'm so glad I finally have someone to talk to about everything.' What should the social worker do **FIRST**?

**A.** Begin the interview while the parent is open and engaged

**B.** Offer supportive counseling sessions alongside the assessment

**C.** Explain the evaluator role and who will receive the report

**68.** A client with limited English arrives for intake at an outpatient substance use program. The scheduled interpreter is trained and certified. While the interpreter steps out, the client tells the social worker in basic English, 'That interpreter knows my family. Our community is small.' When the interview resumes, the client gives short answers whenever drinking comes up. What is the **BEST** action?

**A.** Switch to a remote interpreter with no local ties

**B.** Remind the client that interpreters keep information private

**C.** Continue the intake in English using simpler questions

**D.** Ask the interpreter privately whether they know the client

**69.** A client with schizophrenia lives in a Housing First apartment program. The client wants to stop attending the program's weekly skills group and use that time at a peer-run drop-in center, explaining that peer staff there helped them find a part-time job and that the extra hours would help them keep it. A case manager warns that skipping the group could put the client's apartment at risk. Which response by the social worker is **MOST** helpful?

**A.** Encourage attending both until the client seems more stable

**B.** Support the change and revise the plan together

**C.** Explain that the apartment depends on attending the group

**D.** Explore what the client hopes to gain at the drop-in center

**70.** During a telehealth intake, a 27-year-old client describes 3 years of shifting moods. Every few weeks the client has 2 or 3 days of extra energy, talkativeness and less need for sleep, followed by a week or so of low mood, tiredness and poor concentration. The client has kept the same job throughout and has rarely felt steady for more than a few weeks at a time. Which diagnosis is **MOST** likely?

**A.** Bipolar II disorder

**B.** Persistent depressive disorder

**C.** Cyclothymic disorder

**D.** Borderline personality disorder

**71.** A client with low vision asks the agency to email a copy of their record to a personal email account. The agency usually uses an encrypted portal, but the client finds it hard to use with screen-reading software. What is the **BEST** response?

**A.** Require the client to use the encrypted portal for access

**B.** Mail a printed copy to the client's home address instead

**C.** Warn of email risks, then send it if the client accepts

**D.** Email a brief summary rather than the complete record

**72.** A community mental health agency accepts a state grant that requires entering each client's name and diagnosis into a shared state database. The social worker believes this conflicts with clients' privacy and raises it with the supervisor. The supervisor agrees but says the program cannot change the grant terms. Enrollment begins next month. What should the social worker do **NEXT**?

**A.** Ask the ethics committee to review the requirement

**B.** Let each client decide whether to be entered

**C.** Enter client data as the grant requires

**D.** Leave client names out of the database entries

**73.** A first-year school social worker co-leads a social skills group for 8-year-olds. Sessions keep unraveling when two members begin taunting each other, and the social worker freezes. Discussing session notes in weekly supervision has produced sound plans that fall apart in the moment. Which supervision format is **BEST** suited to this need?

**A.** Live supervision with in-session coaching

**B.** Review of session recordings afterward

**C.** Peer consultation with other school staff

**D.** Group supervision with case presentations

**74.** On a text-based crisis line, a person writes that they swallowed a full bottle of a prescription sleep medication 30 minutes ago and now feel 'calm and ready.' Earlier in the chat they gave their home address. When the social worker raises getting help, the person replies, 'Please don't send anyone.' What should the social worker do **FIRST**?

**A.** Send emergency medical services to the person now

**B.** Ask what happened today that led to taking the pills

**C.** Work with the person on a safety plan for tonight

**75.** The ASAM Criteria (4th edition) rate a person's needs on six dimensions. Which dimension covers how safe and supportive the person's home is, such as roommates who use?

**A.** Substance use-related risks

**B.** Person-centered considerations

**C.** Intoxication, withdrawal, and addiction medications

**D.** Recovery environment interactions

**76.** During a home visit, a social worker sees a 2-year-old pick paint chips from a peeling windowsill and put them in their mouth. The family rents a house built in 1950. The parent says the child has been more irritable lately, sleeps poorly, and often has stomachaches. What should the social worker do **FIRST**?

**A.** Teach the parent calming routines for the irritability

**B.** Ask the landlord to repaint the windowsill

**C.** Help the parent arrange a blood lead test with the pediatrician

**77.** A 14-year-old in kinship care has lived through a parent's incarceration and three school moves. The teen earns steady grades, plays in the school band and talks about future plans. Since age 8, the same basketball coach has checked in weekly and attended the teen's court hearings. Which factor **MOST** likely accounts for the teen's resilience?

**A.** A committed relationship with a caring adult

**B.** Above-average intelligence and school ability

**C.** Taking part in structured after-school activities

**78.** In emotionally focused couples therapy, during which stage does the social worker help partners see their pattern of pursuing and withdrawing as a shared enemy rather than either partner's fault?

**A.** Cycle de-escalation

**B.** Restructuring interactions

**C.** Consolidation

**79.** An adult walks into an outpatient clinic asking for help staying sober. The client drank about a fifth of liquor daily for years and stopped on their own 30 hours ago. The client's hands shake, they are sweating and restless, and they briefly saw insects on the wall this morning. What should the social worker do **FIRST**?

**A.** Help the client enroll in outpatient withdrawal care tomorrow

**B.** Book an intake for the intensive outpatient program

**C.** Arrange same-day medical care for alcohol withdrawal

**80.** After a layoff, a client at a community job center tells the social worker they lie awake panicking about a utility shutoff notice due in 10 days. The client has not yet contacted the utility or applied for bill assistance. Which coping skill is **BEST** for the social worker to teach?

**A.** Break the problem into concrete steps to act on

**B.** Practice slow breathing when panic rises at night

**C.** Write about the worries in a journal before bed

**81.** In a primary care clinic, a client with a slow-healing foot ulcer smokes a pack a day. Asked to rate how important quitting is on a 0-10 scale, the client says 9. Asked how confident they are that they could quit, the client says 2. What should the social worker do **NEXT**?

**A.** Ask why the client's importance rating is 9 rather than 5

**B.** Explain how smoking slows the healing of foot wounds

**C.** Ask what would raise the confidence rating from 2 to 4

**82.** A hospital social worker meets with a 45-year-old patient who has rheumatoid arthritis. The patient's joint pain is persistent and distressing. For the past year, the patient has spent hours each day reading about joint damage, has gone to the emergency room most weeks fearing disability and has stopped working. Reassurance from the rheumatologist brings relief for only a day. Which diagnosis is **MOST** likely?

**A.** Illness anxiety disorder

**B.** Psychological factors affecting other medical conditions

**C.** Generalized anxiety disorder

**D.** Somatic symptom disorder

**83.** A client with PTSD asks the social worker to support a request to the local housing authority for a ground-floor unit. The client signs a release. The housing authority's verification form asks for the client's diagnosis, medications and full treatment history. What is the **MOST** appropriate way to complete the request?

**A.** Complete every item on the form, since the client signed a release

**B.** Decline, since housing verification falls outside the treatment role

**C.** Ask the client's physician to supply the diagnosis instead

**D.** Verify the disability and the need without listing the diagnosis

**84.** A 20-year-old comes to a first appointment at a community clinic because the parents insisted. The social worker explains that services are voluntary and the client may decline them. The client folds their arms and says, 'They think I'm depressed. I'm just tired of them running my life.' What should the social worker do **NEXT**?

**A.** Ask what the client would want to change, if anything

**B.** End the meeting, since the client is declining services

**C.** Give a brief depression screen to check the parents' concern

**85.** A crisis line social worker takes a call from an adult who is crying and talking fast. The worker asks about suicide and violence; the caller has no such thoughts, has no weapons, and is staying at a friend's apartment. The caller has now calmed, says they feel heard, and wants help sorting out 'everything falling apart.' What should the social worker do **NEXT**?

**A.** Help the caller brainstorm options for the coming week

**B.** Teach the caller a slow-breathing exercise to settle down

**C.** Ask what happened today that prompted reaching out

**D.** Work out a written step-by-step plan for tonight

**86.** During a video session, the social worker glances several times at case records on a second monitor. The client stops mid-sentence and says, 'You keep looking off to the side. I guess I'm pretty boring.' What is the social worker's **BEST** response?

**A.** Ask what leads the client to see themselves as boring

**B.** Explain that the notes help track the client's goals

**C.** Acknowledge reading notes and set them aside

**87.** A social worker at an urban domestic violence program completes intake with a client who identifies as Diné (Navajo) and as Mexican American. The agency database allows more than one race, but staff usually copy the single race on the police report, which lists 'White.' The program director is preparing a report on violence against Indigenous clients. What is the **BEST** way to complete the race entry?

**A.** Copy the race listed on the police report

**B.** Enter each race the client names, plus tribal nation

**C.** Record the Native identity alone so the report counts the client

**88.** A client with alcohol use disorder attends a weekly outpatient program. Four weeks ago, after drinking rose, the social worker and client revised the plan to add motivational interviewing and a second weekly session. Since then, drinking days have increased from 2 to 5 per week, the client has missed 3 workdays, and the client says, 'I want to stop, but I can't do it on this schedule.' Which action is **BEST**?

**A.** Explore the client's ambivalence about drinking once more

**B.** Add a peer recovery coach to the current outpatient plan

**C.** Refer the client for a higher level of care assessment

**89.** A new director at a large homeless shelter plans to move from rule-based discipline to a trauma-informed approach. Staff resist, and many say they will wait to see what one long-time staff member thinks, though that person holds no supervisory title. The board supports the change. What should the director do **FIRST**?

**A.** Involve that colleague in planning from the start

**B.** Schedule trauma-informed care training for the full staff

**C.** Announce a firm start date with the board's backing

**90.** A foster parent in a parenting group says praise 'doesn't work' for an 8-year-old who leaves chores unfinished. Asked to describe it, the foster parent says they tell the child 'good job' at bedtime on days when the chores were done. What is the **MOST** appropriate suggestion?

**A.** Add a larger weekly reward to the bedtime praise

**B.** Respond right after each chore by naming what was done

**C.** Take away screen time on any day a chore is left unfinished

**91.** A family services agency is expanding into a new county and wants to learn which services residents lack. Staff meet one at a time with a pastor, two school principals, a clinic physician and the police chief to hear what problems they see in the community. Which needs assessment method is the agency using?

**A.** Community forum

**B.** Focus group

**C.** Key informant approach

**92.** In an intensive outpatient program, a client describes drinking at a coworker's party after 40 days without alcohol. The client says, 'Everyone was toasting, and refusing would have been rude. Besides, after the week I had, anyone would have had a drink.' Which defense mechanism is the client **MOST** likely using?

**A.** Denial

**B.** Rationalization

**C.** Intellectualization

**93.** An employee assistance program refers a 52-year-old client for stress management by video. The client describes long hours and a new manager. The client also mentions chest tightness when climbing stairs at work that eases after resting, and has not seen a physician in 5 years. The client asks to learn relaxation skills. What is the social worker's **BEST** response?

**A.** Urge the client to get a prompt medical evaluation

**B.** Teach slow breathing to use when the tightness starts

**C.** Ask the client to log when the tightness occurs this week

**94.** When a caregiver says a young child's injury came from a fall at home, which bruise **MOST** warrants an evaluation for physical abuse?

**A.** Bruised shins on an active 4-year-old

**B.** A forehead bruise on a toddler who just began walking

**C.** Bruising on the ear of a 2-year-old

**95.** An agency evaluates a 12-week program for adults with alcohol use disorder by comparing intake and final scores. Of 60 clients who started, 25 left before week 12, most of them clients with the most severe drinking at intake. Final scores among those who finished are much better than the group's intake scores. Which threat to internal validity **MOST** likely affects this conclusion?

**A.** History
**B.** Maturation
**C.** Attrition
**D.** Selection

**96.** Which approach to recruiting current clients for an agency research study is **MOST** appropriate?

**A.** Assure clients that declining has no effect on services
**B.** Offer participants priority placement on the agency's waitlist
**C.** Ask each client's own social worker to invite them

**97.** A first-generation college student meets with a campus social worker after failing a math placement exam. The student earned A's in high school math and scores well on practice tests at home. Just before the exam, an advisor remarked that students 'from your neighborhood' usually need remedial math. The student says their mind went blank. Which concept **MOST** likely explains the poor score?

**A.** Impostor phenomenon
**B.** Learned helplessness
**C.** Social anxiety disorder
**D.** Stereotype threat

**98.** In a fourth session, a client repeatedly accuses the social worker of being cold and judgmental. The client mocks each suggestion and cancels the next appointment at the last minute. As the session goes on, the social worker begins giving short, clipped replies and later tells a supervisor about feeling unusually irritated. Which defense is the client **MOST** likely using?

**A.** Projection
**B.** Projective identification
**C.** Splitting
**D.** Passive aggression

**99.** After an assessment, a social worker diagnoses a client with adjustment disorder. The client's insurance plan pays for only a few sessions for that diagnosis, so the client asks the social worker to record major depressive disorder instead. The client does not meet criteria for major depressive disorder. What is the **BEST** response?

**A.** Record the requested diagnosis to keep the client in care

**B.** Refer the client to a provider who accepts self-pay clients

**C.** Explain that billing a false diagnosis is insurance fraud

**D.** Keep the accurate diagnosis and discuss payment options

**100.** Before a parent's hospital discharge, an adult child asks the social worker, 'Should I move my parent in with me or choose a nursing facility? Just tell me what to do.' The parent has moderate neurocognitive disorder and has said they want to stay with family. The adult child works full time and has two teenagers at home. What is the social worker's **BEST** response?

**A.** Recommend the nursing facility given the caregiving demands described

**B.** Help the family weigh both options, including the patient's wishes

**C.** Schedule a family meeting so the care team can recommend a plan

**101.** A school social worker notices that a 9-year-old who recently arrived from Nigeria has started asking classmates to call them 'Sam' instead of their Yoruba name. Since the first week, the teacher has shortened the name, saying it is 'too hard to say.' The child seems quieter in class. What should the social worker do **FIRST**?

**A.** Ask the teacher to use the child's full Yoruba name

**B.** Lead a class lesson on names and their meanings

**C.** Ask the child privately about the name they want and why

**D.** Encourage the child to correct the teacher's pronunciation

**102.** A client stopped taking paroxetine 2 days ago after losing insurance coverage. The client now has dizziness, nausea, irritability, and brief 'electric zaps' in the head, and fears the depression is coming back. What is the social worker's **BEST** response?

**A.** Help the client reach the prescriber today about the stop and cost

**B.** Explain that these symptoms are harmless and will fade soon

**C.** Arrange an emergency evaluation for possible serotonin syndrome

**103.** During a hospital family meeting, the social worker asks how the patient manages the stairs at home. A trained interpreter and the patient then talk back and forth in the patient's language for about a minute. The interpreter turns to the social worker and says, 'Basically, they're fine with the stairs.' What is the **MOST** appropriate response?

**A.** Ask the interpreter to interpret everything both people said

**B.** Accept the summary and move on to the next question

**C.** Request a different interpreter for the rest of the meeting

**104.** Parents bring their 16-year-old to an outpatient family clinic after 4 months of falling grades and pulling away from friends. The teen says people at school seem to send hidden signals and sometimes a faint voice calls their name, but adds that it might be their mind playing tricks. The parents believe it is a phase. What is the social worker's **BEST** recommendation?

**A.** Monitor the symptoms and reassess at monthly visits

**B.** Begin family sessions to support the teen at school

**C.** Refer the teen for a specialized early psychosis evaluation

**105.** After a flood, a county mental health agency asks staff to add evening shifts at evacuation shelters. A social worker whose own home flooded is staying with relatives, sleeping poorly, and handling insurance claims. The social worker wants to help and has not told the supervisor about the damage. What is the **BEST** action for the social worker?

**A.** Tell the supervisor about the losses and agree on limited shifts

**B.** Work the shifts and seek supervision if stress becomes a problem

**C.** Ask the supervisor to excuse the social worker from shelter work

**106.** One view holds that barriers in buildings, policies and attitudes limit people more than their impairments do. Which model of disability is this?

**A.** Social model

**B.** Medical model

**C.** Moral model

**107.** A hospice social worker meets with the adult children of a Black patient with advanced cancer. The family declines a hospice admission, saying doctors 'gave up on' a relative decades ago because of race. A team member describes the family as 'in denial.' What is the **MOST** helpful response by the social worker?

**A.** Review hospice benefits and outcome data with the family

**B.** Document the family's denial and revisit hospice next week

**C.** Acknowledge the past harm and ask what would build trust

**108.** In the third meeting of a closed anger management group, several members complain that the attendance rules are unfair and question the leader's competence. The social worker calmly restates the group agreements, but the complaints continue. What should the social worker do **NEXT**?

**A.** Restate the rules firmly and move on to the planned skill

**B.** Invite the group to discuss its reactions to the rules

**C.** Meet outside the group with the members who complain

**109.** An adult with an intellectual disability chooses trusted people who help them understand options and communicate choices, while the adult keeps the final say. Which arrangement does this describe?

**A.** Supported decision-making

**B.** Limited guardianship

**C.** Substituted judgment

**D.** Health care power of attorney

**110.** Parents of a 6-year-old in treatment for leukemia ask the hospital social worker for help with their 10-year-old, who has started skipping homework and slamming doors. Since the diagnosis, the parents have spent most nights at the hospital, and relatives have cared for the 10-year-old. The parents want a reward chart for school behavior. What should the social worker do **FIRST**?

**A.** Help the parents set up a reward chart for finishing homework

**B.** Refer the 10-year-old for an evaluation for ADHD

**C.** Hear from the 10-year-old how home life has changed

**111.** A community mental health center's director wants to feature a current client's recovery story, with a photo and first name, in the agency's annual fundraising report. In a session, the client says they would be proud to take part and that telling their story supports their recovery. What is the **BEST** way for the social worker to proceed?

**A.** Decline, since featuring current clients in publicity is improper

**B.** Include the story and note the client's agreement in the chart

**C.** Obtain written authorization after explaining that saying no is fine

**112.** An employee assistance client drinks 4 to 5 beers most weeknights and wants to cut back to 2 drinks on weekend nights only. The client says quitting entirely is not the goal right now but is willing to keep a daily log. What is the **MOST** appropriate step?

**A.** Set the drinking limit with the client and review it weekly

**B.** Have the client log drinks for 2 weeks before setting a limit

**C.** Support the goal if the client agrees to attend AA meetings

**113.** Which term says that race, gender, class and other identities combine to shape unique experiences of privilege and oppression?

**A.** Double jeopardy

**B.** Cultural pluralism

**C.** Minority stress

**D.** Intersectionality

**114.** A 15-year-old in foster care was sexually abused for years by a stepparent while the client's other parent knew and did nothing. In sessions, the client says adults 'only pretend to care,' breaks rules to test each new foster parent, and refuses to lean on any staff member. In Finkelhor and Browne's model, which traumagenic dynamic do these reactions **MOST** likely reflect?

**A.** Betrayal

**B.** Powerlessness

**C.** Stigmatization

**D.** Traumatic sexualization

**115.** A social worker trained in prolonged exposure therapy has provided supportive therapy for 4 months to an adult client with posttraumatic stress disorder. The social worker now believes prolonged exposure would help and wants to begin it. What should the social worker do **FIRST**?

**A.** Discuss the approach, its risks and alternatives with the client

**B.** Have the client sign an updated treatment consent form

**C.** Begin with a short trial exposure to gauge the response

**116.** A program director asks a social worker to start offering eye movement desensitization and reprocessing (EMDR) to clients next month. The social worker already treats several clients with trauma using cognitive behavioral methods but has had no EMDR training. A trained EMDR provider works at a clinic across town. What is the **MOST** appropriate response?

**A.** Begin EMDR using an online training video as a guide

**B.** Transfer current trauma clients to the trained EMDR provider

**C.** Explain the need for formal training and supervision first

**117.** A 6-year-old placed in an emergency foster home meets a child welfare social worker for the first time. The child hides behind a chair and will not answer questions. Crayons and toy animals sit on a small table in the room. What should the social worker do **FIRST** to build rapport?

**A.** Ask the child gentle questions about life at home

**B.** Explain in simple words why the child is in this home

**C.** Sit nearby and begin playing quietly with the toys

**118.** During a home visit, an 84-year-old client who lives alone on a fixed income hands the social worker a holiday card with $150 in cash inside. The client says the social worker has been 'like family' this year and would be hurt by a refusal. What is the social worker's **BEST** response?

**A.** Accept the cash and give it to the agency's client fund

**B.** Decline the cash warmly and talk about what the gift means

**C.** Accept the cash to spare the client's feelings

**D.** Return the cash later by mail with a policy note

**119.** A client asks for family therapy because of escalating conflict with their partner, who refuses to attend any sessions. The social worker practices from a Bowen family systems approach. The client wants to start now and says, 'I'm the one who keeps losing it.' What is the **BEST** way to proceed?

**A.** Wait to begin until the partner agrees to come to sessions

**B.** Refer the client for individual psychodynamic treatment

**C.** Coach the client alone to lower their own reactivity

**120.** In a children's hospital, Deaf parents who use American Sign Language learn that their 10-month-old has profound hearing loss. After a full discussion with the audiologist, they decline cochlear implant surgery. They plan to raise the child in ASL within the Deaf community and have joined a family sign program. The surgeon asks the social worker to 'help them see what is best' and mentions neglect. What is the **MOST** appropriate response?

**A.** Encourage the parents to reconsider, citing spoken-language outcomes

**B.** Support the parents' decision and their plan for early ASL

**C.** Request an ethics consultation to resolve the disagreement

**D.** File a medical neglect report with the child welfare agency

**121.** A 79-year-old client has cared for a spouse with advanced Parkinson's disease for 6 years. In a caregiver support session, the client says, 'Some nights I think it would be kinder if neither of us woke up.' The client mentions keeping a handgun in the bedroom. What should the social worker do **FIRST**?

**A.** Ask whether the thoughts include ending both their lives

**B.** Arrange respite care to ease the caregiving load

**C.** Counsel the client to store the handgun elsewhere

**D.** Explore the grief of watching the spouse decline

**122.** A program director at a child advocacy center learns that several interviewers and family advocates have come to see most strangers as dangerous, check on their own children many times a day, and describe the world as unsafe. The staff say they still believe in the work and want to stay. What is the **BEST** organizational response?

**A.** Build regular trauma-focused supervision into each staff member's week

**B.** Refer each affected staff member to the employee assistance program

**C.** Hold a staff wellness day with yoga and chair massage

# STOP

## End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

# Answer sheet · Form 5

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

## Section 1 (items 1–61)

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | A | B | C | D | 32 | A | B | C | D |
| 2 | A | B | C | — | 33 | A | B | C | — |
| 3 | A | B | C | D | 34 | A | B | C | — |
| 4 | A | B | C | — | 35 | A | B | C | — |
| 5 | A | B | C | D | 36 | A | B | C | D |
| 6 | A | B | C | — | 37 | A | B | C | — |
| 7 | A | B | C | D | 38 | A | B | C | — |
| 8 | A | B | C | — | 39 | A | B | C | — |
| 9 | A | B | C | D | 40 | A | B | C | — |
| 10 | A | B | C | — | 41 | A | B | C | — |
| 11 | A | B | C | — | 42 | A | B | C | — |
| 12 | A | B | C | — | 43 | A | B | C | — |
| 13 | A | B | C | D | 44 | A | B | C | D |
| 14 | A | B | C | — | 45 | A | B | C | — |
| 15 | A | B | C | — | 46 | A | B | C | D |
| 16 | A | B | C | — | 47 | A | B | C | — |
| 17 | A | B | C | D | 48 | A | B | C | D |
| 18 | A | B | C | — | 49 | A | B | C | — |
| 19 | A | B | C | — | 50 | A | B | C | — |
| 20 | A | B | C | — | 51 | A | B | C | D |
| 21 | A | B | C | — | 52 | A | B | C | D |
| 22 | A | B | C | — | 53 | A | B | C | D |
| 23 | A | B | C | D | 54 | A | B | C | D |
| 24 | A | B | C | D | 55 | A | B | C | D |
| 25 | A | B | C | D | 56 | A | B | C | — |
| 26 | A | B | C | — | 57 | A | B | C | D |
| 27 | A | B | C | D | 58 | A | B | C | — |
| 28 | A | B | C | D | 59 | A | B | C | D |
| 29 | A | B | C | — | 60 | A | B | C | — |
| 30 | A | B | C | D | 61 | A | B | C | D |
| 31 | A | B | C | — | | | | | |

## Section 2 (items 62–122)

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 62 | A | B | C | D | 93 | A | B | C | — |
| 63 | A | B | C | D | 94 | A | B | C | — |
| 64 | A | B | C | D | 95 | A | B | C | D |
| 65 | A | B | C | — | 96 | A | B | C | — |
| 66 | A | B | C | — | 97 | A | B | C | D |
| 67 | A | B | C | — | 98 | A | B | C | D |
| 68 | A | B | C | D | 99 | A | B | C | D |
| 69 | A | B | C | D | 100 | A | B | C | — |
| 70 | A | B | C | D | 101 | A | B | C | D |
| 71 | A | B | C | D | 102 | A | B | C | — |
| 72 | A | B | C | D | 103 | A | B | C | — |
| 73 | A | B | C | D | 104 | A | B | C | — |
| 74 | A | B | C | — | 105 | A | B | C | — |
| 75 | A | B | C | D | 106 | A | B | C | — |
| 76 | A | B | C | — | 107 | A | B | C | — |
| 77 | A | B | C | — | 108 | A | B | C | — |
| 78 | A | B | C | — | 109 | A | B | C | D |
| 79 | A | B | C | — | 110 | A | B | C | — |
| 80 | A | B | C | — | 111 | A | B | C | — |
| 81 | A | B | C | — | 112 | A | B | C | — |
| 82 | A | B | C | D | 113 | A | B | C | D |
| 83 | A | B | C | D | 114 | A | B | C | D |
| 84 | A | B | C | — | 115 | A | B | C | — |
| 85 | A | B | C | D | 116 | A | B | C | — |
| 86 | A | B | C | — | 117 | A | B | C | — |
| 87 | A | B | C | — | 118 | A | B | C | D |
| 88 | A | B | C | — | 119 | A | B | C | — |
| 89 | A | B | C | — | 120 | A | B | C | D |
| 90 | A | B | C | — | 121 | A | B | C | D |
| 91 | A | B | C | — | 122 | A | B | C | — |
| 92 | A | B | C | — | | | | | |

Fill one circle per item. A dash means that item has only three options (A–C).