# DBT: Deb's Board Training Practice Form 6

Clinical-level social work licensing exam practice · Question booklet

## Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

| | | |
|---|---|---|
| **Section 1** | Start time: | End time: |

| | | |
|---|---|---|
| **Section 2** | Start time: | End time: |

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

# Section 1

Items 1–61 · 2 hours

**1.** In a family session about a 12-year-old who refuses to go to school, the social worker asks the older sibling, 'When your grandparent and your parent argue about getting to school, who steps in first? Who seems most worried afterward?' Which technique is the social worker **MOST** likely using?

**A.** Process questioning

**B.** Circular questioning

**C.** Tracking

**D.** Relative influence questioning

**2.** Research on families of adults with schizophrenia links which family pattern to higher relapse rates?

**A.** High expressed emotion

**B.** Double-bind communication

**C.** Disengaged boundaries

**D.** Emotional cutoff

**3.** In a hospice bereavement program, a 79-year-old client whose spouse died 4 months ago mentions hearing the spouse say 'good night' most evenings. The client then looks away and asks quietly, 'Does that mean I'm losing my mind?' The client has not told anyone about this before. What should the social worker do **FIRST**?

**A.** Refer the client for a psychiatric evaluation of hallucinations

**B.** Tell the client that hearing a late spouse is common in grief

**C.** Ask what the experience is like and how the client makes sense of it

**4.** Before discharge from an inpatient unit, a client with social anxiety must call a landlord to ask about a lease. The client watches the social worker's confident manner and says, 'I could never sound as smooth as you.' How should the social worker **BEST** demonstrate the call?

**A.** Model the call smoothly and confidently from start to finish

**B.** Model the call with some hesitation and spoken coping self-talk

**C.** Describe each step aloud and let the client try the call first

**5.** In a rural primary care clinic, a 52-year-old male farmer is referred to the social worker after telling the physician he is 'just worn out.' He has been irritable, drinking more beer at night and snapping at his family. When the social worker mentions depression, he says, 'I'm not some weak guy who needs to cry about it.' Which response is **MOST** helpful?

**A.** Talk about the problems in his terms, such as stress and sleep

**B.** Explain that depression is a medical illness like any other

**C.** Refer him to a substance use program for the drinking

**6.** A hospice social worker visits an 86-year-old patient with advanced heart failure. The patient's mood is low, and the patient says, 'I keep going over the past. I want to know it all counted for something before I go.' The patient is alert and has a few months to live. Which approach is **MOST** helpful?

**A.** Guide a structured life review

**B.** Begin exposure therapy for death-related anxiety

**C.** Schedule pleasant activities to lift daily mood

**7.** A client with bipolar I disorder has been stable for a year at a community mental health center. The client says that during past manic episodes, hospital staff gave medications that caused severe side effects and ignored the client's wishes. The client wants future care to reflect those preferences. What is the **BEST** way for the social worker to help?

**A.** Ask the psychiatrist to add the preferences to the chart

**B.** Help the client complete a psychiatric advance directive

**C.** Suggest the client tell a relative which medications to refuse

**D.** Reassure the client that hospitals follow stated wishes

**8.** A client meets criteria for a major depressive episode and, on most days of the episode, also has racing thoughts, pressured speech and increased goal-directed activity. Which DSM-5-TR specifier applies?

**A.** With anxious distress

**B.** With rapid cycling

**C.** With atypical features

**D.** With mixed features

**9.** Under the McKinney-Vento Act, what may a student do when the family becomes homeless and moves to a shelter in another district?

**A.** Remain in the school of origin, with transportation provided

**B.** Enroll in the new district once school records are transferred

**C.** Stay at the original school until the semester ends, then transfer

**10.** A client who has finished treatment at a community agency asks the social worker for a full copy of their record. The social worker worries the client will be upset by the frank descriptions of the client's anger outbursts in the progress notes. What is the **BEST** response?

**A.** Release the copy after a meeting to review it together

**B.** Provide the copy and offer to go over it together

**C.** Give a written summary instead of the requested copy

**11.** Which family therapy model focuses on hidden loyalties and on what each generation owes and is owed?

**A.** Contextual therapy

**B.** Bowenian therapy

**C.** Symbolic-experiential therapy

**D.** Milan systemic therapy

**12.** In an integrated primary care clinic, a client with type 2 diabetes tells the social worker, 'I bought walking shoes over the weekend and went around the block twice this week.' In motivational interviewing, which type of change talk is this?

**A.** Commitment

**B.** Ability

**C.** Taking steps

**D.** Desire

**13.** A social worker in a rural county wants advice from an out-of-town peer consultation group about a client with complex grief. The client is the town's only veterinarian, and the case involves a well-known local accident. How can the social worker **MOST** effectively protect the client's identity while consulting?

**A.** Refer to the client by initials during the consultation

**B.** Omit or change details that could reveal who the client is

**C.** Wait to consult until the client agrees to the consultation

**D.** Share full details, since consultants also owe confidentiality

**14.** In a violence risk assessment, which of these risk factors is dynamic and therefore a direct target for a risk-management plan?

**A.** Two prior assault convictions

**B.** First arrest at age 15

**C.** Witnessing violence between parents

**D.** Current heavy weekend drinking

**15.** When one family member's symptoms improve, another member sometimes develops problems. In family systems theory, what term describes the family's pull to keep its usual patterns?

**A.** Equifinality

**B.** Morphogenesis

**C.** Homeostasis

**D.** Family projection process

**16.** During a home hospice visit, the social worker finds the patient moaning and grimacing with each movement. The patient's adult child, the main caregiver, says they have been skipping some prescribed pain medicine doses because they fear it will cause addiction or hasten death. What should the social worker do **FIRST**?

**A.** Ask the on-call nurse to reassess the pain now

**B.** Reassure the caregiver that pain medicine rarely hastens death

**C.** Explore the caregiver's fears about the patient's pain medicine

**17.** At a community mental health center, the parents of a 23-year-old with schizophrenia say their adult child now showers rarely, speaks little and sits for hours without starting anything. The voices have faded with treatment. The parents call it laziness and have started criticizing the client every day. What is the social worker's **BEST** response?

**A.** Help the parents set firm rewards and consequences for chores

**B.** Explain that these behaviors are common symptoms of the illness

**C.** Link the client to a vocational rehabilitation program

**18.** On a palliative care unit, a patient with advanced pancreatic cancer asks the social worker, 'How long do I have?' The oncologist reviewed the latest scan results with the patient yesterday. No family members are present. What should the social worker do **FIRST**?

**A.** Tell the patient the physician is the one to answer that

**B.** Share the typical survival range for this stage of cancer

**C.** Arrange a family meeting with the oncologist this week

**D.** Invite the patient to say what they understand and hope to learn

**19.** Which policy approach sets one shared goal for an entire population and then designs different strategies for each group based on the barriers it faces?

**A.** Universal provision

**B.** Targeted universalism

**C.** Means-tested targeting

**20.** A client with depression has taken sertraline for 6 months with partial benefit and also takes an oral contraceptive. In session, the client shows a bottle of St. John's wort bought that morning on a friend's advice and plans to start it tonight. The next prescriber visit is in 3 weeks. What is the social worker's **BEST** response?

**A.** Support the plan, since herbal remedies are the client's choice

**B.** Explore the appeal of herbs and revisit at the prescriber visit

**C.** Urge a call to the prescriber or pharmacist before the first dose

**21.** Four months after their infant died, a couple meets with a hospital bereavement social worker for the first time. Within minutes, each partner says the other 'doesn't care' about the baby. One partner is tearful; the other sits quietly and mentions working long hours since the death. What should the social worker do **FIRST**?

**A.** Encourage the quieter partner to express feelings openly in sessions

**B.** Invite each partner to describe how they have been carrying the loss

**C.** Screen both partners for prolonged grief disorder

**D.** Help both partners see that each grieves in a different, valid way

**22.** Which core value in the NASW Code asks social workers to promote clients' right to make their own choices?

**A.** Social justice

**B.** Integrity

**C.** Service

**D.** Dignity and worth

**23.** A school social worker reviews a year of the worker's own referral records. Black students were referred for behavior evaluations at about twice the rate of white students with similar incident reports. The worker has already flagged the five most recent referrals. What should the social worker do **NEXT**?

**A.** Re-review the flagged referrals alone and withdraw biased ones

**B.** Take an online implicit association test to gauge the bias

**C.** Review the referrals and the pattern with a supervisor

**D.** Raise the referral threshold for Black students going forward

**24.** A child protective services social worker receives a report that the parent of a 3-year-old is 'on methadone.' With the parent's consent, the opioid treatment program confirms 8 months of steady attendance, negative drug screens and newly approved take-home doses. The child appears healthy at the first home visit. What is the social worker's **BEST** approach?

**A.** Close the report, since the parent's methadone is lawful care

**B.** Assess parenting and safe storage of the take-home doses

**C.** Require tapering the doses before the case can close

**25.** A client who has met with the social worker twice about job stress asks for a letter stating a need for an emotional support dog. The landlord will begin eviction over the unapproved dog in 10 days. Neither session has touched on the dog or the client's housing. What should the social worker do **FIRST**?

**A.** Assess whether a disability-related need for the animal exists

**B.** Refer the client to a provider who evaluates support animal requests

**C.** Write the requested letter so the eviction can be stopped

**26.** A client who gave birth 6 weeks ago tells the social worker at an outpatient perinatal mental health clinic about sudden, unwanted images of the baby slipping under the water during baths. The client cries, calls the images 'horrifying,' and now asks a partner to give all baths. The social worker finds the client's thinking clear and organized, and the client wants help. What is the **BEST** response?

**A.** Notify the child abuse hotline about the disclosure

**B.** Send the client to the emergency department for evaluation

**C.** Tell the client's partner to oversee every feeding and bath

**D.** Continue treatment and record the risk assessment

**27.** A hospital social worker learns that a patient recovering from hip surgery will be discharged home this afternoon. The patient lives alone up a flight of stairs, cannot yet climb them, and home health services cannot start for 4 days. The patient says they are afraid of falling. The social worker shared these facts and the physical therapy evaluation with the attending physician, who says the order stands. What should the social worker do **NEXT**?

**A.** Ask the physician again to reconsider the discharge time

**B.** Take the concern up the chain of command today

**C.** Document the concern and complete the discharge plan

**28.** Under the HIPAA Privacy Rule, which content can be kept in psychotherapy notes, apart from the main record?

**A.** Session start and stop times

**B.** The treatment plan and progress summary

**C.** Current diagnosis and symptoms

**D.** The worker's analysis of session conversation

**29.** A client with bipolar disorder was discharged from a psychiatric unit 3 days ago after a suicidal crisis. The client does not arrive for the first appointment at the outpatient clinic and has not called. What should the outpatient social worker do **FIRST**?

**A.** Phone the client today to check in and reschedule

**B.** Mail a letter offering a new appointment time

**C.** Close the referral under the clinic's no-show policy

**D.** Request a police welfare check at the client's home

**30.** A client with bipolar I disorder has been stable on medication for 3 years and works full-time. The client tells the community mental health social worker that they and their partner plan to try for a baby next year. At a team meeting, a colleague suggests that the worker urge the client to reconsider. What is the **MOST** appropriate response?

**A.** Encourage the client to wait for 5 years of stability

**B.** Share the team's concern that pregnancy may trigger relapse

**C.** Help the client plan pregnancy care with the prescriber

**31.** At an area agency on aging, an adult child asks for help placing their 71-year-old parent in memory care. Over the past 5 months, the parent has developed a shuffling, unsteady walk, new bladder accidents and growing forgetfulness. The adult child, the main caregiver, says they are exhausted. The parent has had no checkup since the changes began. What should the social worker do **FIRST**?

**A.** Help the family compare memory care facilities

**B.** Set up in-home respite care for the tired caregiver

**C.** Arrange a prompt visit with the parent's physician

**D.** Screen the parent's memory with a brief cognitive test

**32.** An emergency department social worker assesses a 38-year-old whose partner brought them in after they said, 'Everyone would be better off without me,' following a job loss. When asked directly, the patient describes passive wishes to be dead but no intent or plan, has no firearms at home, and has never attempted suicide. The partner will stay home this week, and the patient has an established outpatient mental health provider. What is the **BEST** plan?

**A.** Admit the patient to the inpatient psychiatric unit for observation

**B.** Discharge home with a written safety plan and a therapy visit within 2 days

**C.** Keep the patient in the emergency department overnight for reassessment

**D.** Refer the patient to a partial hospitalization program next week

**33.** An integrated primary care clinic hires 5 new associate social workers at once. All of them must learn the clinic's brief behavioral health protocol, and the one licensed supervisor has limited hours. Each associate already has a weekly individual meeting for case-specific risk questions. Which added format is **MOST** appropriate for teaching the protocol?

**A.** Group supervision for the associates as a cohort

**B.** A peer consultation group the associates run themselves

**C.** Live supervision of each associate's patient sessions

**34.** Two hours after an apartment fire, a parent sits in a hospital emergency department while nurses treat the parent's two children for minor injuries. The parent keeps repeating, 'I don't know what to do,' stares at the floor, and cannot answer when asked whom to call. What is the **BEST** approach for the social worker?

**A.** Give brief, concrete directions for the immediate next steps

**B.** Reflect the parent's feelings and wait for the parent to choose

**C.** Complete a full psychosocial history for the record

**35.** The clinical director of a psychiatric hospital learns that a unit supervisor has begun a romantic relationship with a social worker the supervisor directly supervises. Both say the relationship is consensual and does not affect their work. What should the director do **FIRST**?

**A.** Ask both to keep the relationship separate from work

**B.** Refer the supervisor for a human resources conduct review

**C.** Move the supervisee to a different supervisor right away

**D.** Wait unless a complaint or performance problem arises

**36.** At a syringe services program, a participant shows the social worker a swollen, hot area on the forearm where the redness has spread since yesterday. The participant feels feverish and explains clearly that they will not go to the emergency department after being mistreated there. The program partners with a walk-in wound clinic two blocks away that serves people who use drugs. What is the **BEST** action for the social worker?

**A.** Give wound care supplies and check the arm next week

**B.** Go with the participant to get wound care today

**C.** Call an ambulance despite the participant's objection

**D.** Explore the participant's readiness to stop injecting

**37.** At a refugee resettlement agency, a client who arrived 8 months ago is behind on the electric bill. While going over the household budget, the client mentions sending about a third of each paycheck to parents and siblings in a refugee camp, then stops and watches the social worker's reaction. What should the social worker do **FIRST**?

**A.** Ask the client about the money sent home and what it means

**B.** Advise pausing the transfers until the electric bill is current

**C.** Build a budget that treats the transfers as a fixed expense

**38.** To meet a new funder requirement, a community mental health program added a 45-minute questionnaire battery to every intake. Over the next quarter, missed second appointments doubled. Exit calls with clients who left point to the long first visit spent on paperwork. The funder requires data on 3 outcomes. Which action is **BEST**?

**A.** Trim the battery to brief versions of the funder's measures

**B.** Pause the funder's battery until attendance recovers

**C.** Survey clients who dropped out about the intake visit

**39.** In a youth residential program, staff find fresh, shallow cuts on a 15-year-old resident's thigh. The resident tells the social worker, 'It's not like that. It just takes the pressure off when I get overwhelmed.' The unit manager wants to start one-to-one suicide watch and remove the resident's privileges for a week. What should the social worker do **FIRST**?

**A.** Start one-to-one observation until the psychiatrist visits

**B.** Teach replacement coping skills for overwhelming feelings

**C.** Assess the self-injury's function and any wish to die

**40.** At a school team meeting, a teacher proposes testing a 12-year-old refugee student for intellectual disability because the student reads at an early-elementary level in English. Records show about 3 years of schooling in a refugee camp, taught in Arabic. The student solves math puzzles quickly and teaches classmates complex games. What is the **BEST** recommendation for the school social worker to make?

**A.** Proceed with the school's standard intelligence tests in English

**B.** Delay any evaluation until the student is fluent in English

**C.** Place the student in a self-contained class while testing proceeds

**D.** Seek native-language testing that accounts for lost instruction

**41.** In an integrated primary care clinic, a client who left home last month after a partner pushed them down the stairs says they have decided to move back in. The couple has no children. The client asks the social worker for help 'being smart about it.' What is the **BEST** response?

**A.** Urge a shelter stay until the partner gets help

**B.** Explore the client's mixed feelings about going back

**C.** Develop a safety plan with the client for living at home

**D.** Contact the partner to set conditions for the return

**42.** During a home visit, a parent describes their 13-month-old, who began walking last week. The toddler roams happily from room to room, shrugs off small tumbles and often seems to forget the parent is nearby. Every few minutes the child toddles back, pats the parent's knee and heads off again. Which of Mahler's subphases is this child **MOST** likely in?

**A.** Differentiation

**B.** Rapprochement

**C.** Object constancy

**D.** Practicing

**43.** A nursing home resident in their 80s recently chaired the residents' council and manages their own finances. The resident has begun a romantic relationship with another resident. The resident's adult children call the social worker, upset, ask what staff know about the relationship, and demand that staff keep the two apart. What should the social worker do **FIRST**?

**A.** Assure the children that staff will limit the residents' time alone

**B.** Ask the resident how they want staff to respond to the children

**C.** Explain to the children that the relationship is the resident's choice

**44.** Six weeks after a heart attack, a patient in a hospital cardiac rehabilitation program has missed several exercise sessions. The patient tells the social worker they feel down most days, have lost interest in hobbies, and sleep poorly. The patient adds, 'I don't need a shrink. I just need my strength back.' A nurse calls this a normal adjustment. What is the **MOST** appropriate action?

**A.** Screen for depression as a routine part of rehab care

**B.** Focus on exercise goals as the patient prefers

**C.** Arrange a psychiatric consult to consider antidepressants

**D.** Reassure the patient that low mood after a heart attack passes

**45.** A youth mentoring program runs at four sites, and its funder asks for an outcome study within the year. Site reports show that two sites hold weekly mentor meetings as designed. The other two meet about once a month and have dropped mentor training. The program director asks the social worker to plan the evaluation. What should the social worker do **FIRST**?

**A.** Start measuring youth outcomes at every site now

**B.** Compare outcomes between high- and low-fidelity sites

**C.** Examine and correct how each site delivers the model

**D.** Ask the funder to drop the outcome requirement

**46.** A social worker has counseled adult survivors of sexual assault for 8 years. Over time, the worker has come to assume most strangers have harmful motives, has stopped letting their teenager ride public transit, and tells a colleague that the world now feels unsafe in a way it never did. The worker says these views developed gradually. Which concept **MOST** likely explains these changes?

**A.** Secondary traumatic stress

**B.** Burnout

**C.** Vicarious trauma

**D.** Countertransference

**47.** In outpatient treatment for depression, an adult client says they left their 5-year-old alone overnight twice last month while working night shifts. The social worker determines that a report is mandated by law. The client has no history of violence, and the child is staying with a grandparent this week. What is the **BEST** way to proceed?

**A.** File the report without telling the client, to avoid conflict

**B.** Tell the client about the report, then make it

**C.** Give the client a week to arrange child care first

**D.** Make the report, then transfer the client to a colleague

**48.** Police bring a 23-year-old to the emergency department after finding them directing traffic and announcing a plan to buy the city's stadium. A roommate says the client has barely slept for 3 days, has talked nonstop and has spent their savings online. The client is admitted to the psychiatric unit that night. Which type of mood episode is **MOST** likely?

**A.** Manic episode

**B.** Hypomanic episode

**C.** Major depressive episode with mixed features

**49.** A community outreach client uses cocaine at weekend parties and says they have no plans to stop. After two friends overdosed on cocaine that contained fentanyl, the client asks the social worker, 'How do I keep this from happening to me?' What is the **BEST** response?

**A.** Advise the client that quitting is the safest choice

**B.** Explore what the client might gain from quitting cocaine

**C.** Urge the client to enroll in an intensive treatment program

**D.** Go over practical ways to make each use less risky

**50.** During an internal records audit at a community agency, a social worker discovers that notes for two counseling sessions held last month were never written. The social worker has detailed appointment logs and remembers both sessions clearly. What is the **BEST** way to handle the missing notes?

**A.** Write the notes now and date them on the session days

**B.** Write them now, dated today and labeled as late entries

**C.** Leave the gap rather than change the record afterward

**51.** What is the status of internet gaming disorder in the DSM-5-TR?

**A.** An official diagnosis among the addictive disorders

**B.** A condition for further study in Section III

**C.** A specifier used with gambling disorder

**52.** A social worker is providing family therapy for a 19-year-old client. The client's 27-year-old sibling attended 3 of the sessions. Between sessions, the sibling messages the social worker to ask for a dinner date, adding, 'I'm technically outside the treatment.' What is the **MOST** ethical response?

**A.** Decline the invitation and keep the professional role

**B.** Accept, since the sibling is outside the client role

**C.** Accept after the family's treatment has ended

**D.** Decline and transfer the family to a colleague

**53.** A social worker recommends that a client with schizophrenia join an intensive outpatient program after a recent rise in hearing voices. The client declines because the program hours conflict with a valued job. After going over the likely benefits and dangers, the social worker judges that the client understands them. Which entry **BEST** documents this decision?

**A.** The recommendation, risks discussed and the client's reasons

**B.** That the client was noncompliant with the treatment plan

**C.** A signed statement releasing the agency from responsibility

**D.** That the client declined the referral

**54.** A mobile crisis team brings an adult to a crisis stabilization unit. The adult is agitated, irritable and tearful, with rapid speech, and cannot give a history. No records or family are available. The symptoms clearly involve mood, but it is unclear whether they belong to a bipolar or a depressive disorder. Which DSM-5-TR diagnosis fits this situation?

**A.** Unspecified bipolar and related disorder

**B.** Unspecified mood disorder

**C.** Unspecified mental disorder

**D.** Unspecified depressive disorder

**55.** A supervisor at a family service agency asks a social worker to video-record sessions with an adult client for use in supervision. The client has not yet heard about the request. Before the next session, what is the **MOST** appropriate way for the social worker to proceed?

**A.** Tell the client the agency requires recording for supervision

**B.** Start recording and tell the client they may ask to stop

**C.** Explain the recording's purpose and use and ask for consent

**56.** Police bring an adult to the emergency department after a neighbor heard the person shouting that they would 'end it tonight.' The patient smells of alcohol, slurs words and walks unsteadily. Now the patient laughs it off, says, 'I was just drunk,' and asks to leave. What should the social worker do **FIRST**?

**A.** Observe until sober, then do a full assessment

**B.** Complete the full suicide risk assessment right now

**C.** Accept the retraction and discharge with a crisis line

**57.** A client entered residential treatment for severe alcohol use disorder 6 days ago after years of heavy daily drinking. The client reports low mood, poor sleep and guilt, and says the low mood began after the drinking became heavy 3 years ago. The client answers no to direct questions about suicide. The staff psychiatrist asks for the social worker's diagnostic input. What is the social worker's **BEST** recommendation?

**A.** Recommend diagnosing major depressive disorder now

**B.** Reassess the mood after about a month of abstinence

**C.** Treat the low mood as alcohol-related and stop assessing it

**D.** Suggest starting an antidepressant during detox

**58.** A 15-year-old in a school-based DBT program uses emotion regulation skills well in sessions. Diary cards show that the teen's worst outbursts follow times when a parent says things like 'You're overreacting, just get over it.' The parent attends sessions and wants to help. What is the **MOST** appropriate next step?

**A.** Coach the parent in validating the teen's feelings

**B.** Add home distress tolerance practice the parent can prompt

**C.** Refer the teen to a residential DBT program

**59.** A social worker provides weekly video sessions to an adult client with depression. At the start of a session, the client mentions that they are calling from a vacation rental in another state where the social worker is not licensed. What should the social worker do **FIRST**?

**A.** Determine whether practice is permitted in that state

**B.** Continue the session because the client is already established

**C.** Identify emergency resources in the client's current state

**D.** End the session and terminate services with the client

**60.** A nursing home's charge nurse asks a social work consultant for help with a resident who refuses meals. The consultant learns the nurse has managed similar residents well, but this resident reminds the nurse of a parent, and the nurse now pleads and argues at mealtimes. The consultant works on the nurse's reactions to this resident. Which type of consultation is this **MOST** likely?

**A.** Client-centered case consultation

**B.** Program-centered administrative consultation

**C.** Consultee-centered administrative consultation

**D.** Consultee-centered case consultation

**61.** In a hospice program, a patient is expected to die within days. The patient's partner asks the social worker how to tell their 5-year-old and plans to say the patient is 'going to sleep for a long time' because it sounds gentle. What is the **BEST** guidance?

**A.** Use the gentle phrase, since young children cannot grasp death

**B.** Wait to explain the death until the child starts asking

**C.** Use the words 'dying' and 'died,' explained in simple terms

# STOP

## End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

# Section 2

Items 62–122 · 2 hours

**62.** At a community health center, a client asks the social worker for help 'being more assertive' with their partner. The client says the partner checks their phone, gets 'scary' when they disagree, and last month broke the client's phone during an argument. The client wants to practice speaking up at home. What should the social worker do **FIRST**?

**A.** Role-play a calm I-statement for the next disagreement

**B.** Assess the danger posed by the partner and plan for safety

**C.** Suggest joint sessions so both partners can practice

**63.** During a home visit, the parent of a 20-month-old tells an early childhood social worker that the toddler used to say 'ball,' 'milk' and 'up' but stopped using any words about 3 months ago. The toddler does not point to show objects and seldom turns when called by name. Relatives say the child will grow out of it. What should the social worker do **FIRST**?

**A.** Refer the child for a prompt developmental evaluation

**B.** Plan to recheck the child's language at the next visit

**C.** Ask the parent how the family feels about the changes

**D.** Coach the parent in daily language-building play

**64.** An agency begins requiring government-issued photo identification at intake. Over the next month, a social worker notices that several unhoused clients and clients who recently immigrated leave without being served. What should the social worker do **FIRST**?

**A.** Waive the requirement for affected clients without asking approval

**B.** Refer clients without identification to another agency

**C.** Document who is turned away and raise it with agency leaders

**65.** An adult client with bipolar I disorder has kept a daily mood chart for a year. Reviewing it with the social worker, the client sees that the chart rated their mood as 'normal' during the 2 weeks before last spring's manic episode, while the client's partner noticed clear changes then. The client wants to use the chart alone to decide when to call the prescriber. What is the **BEST** response?

**A.** Plan with the client to add the partner's observations

**B.** Support the client's plan to rely on the mood chart

**C.** Have the partner report mood changes to the prescriber directly

**D.** Switch the client to a more detailed daily mood scale

**66.** Last week, a client was released from prison after 5 years and enrolled in a reentry program. The social worker plans to open the first meeting with a strengths-based assessment. Which question is **BEST** to ask?

**A.** What led to the offense that sent you to prison?

**B.** What barriers do you expect when you look for work?

**C.** What helped you get through your time inside?

**67.** At a community mental health center, a client tells the social worker that their prescription copay went up and they are $40 short this month. The client asks to borrow the money until payday, promising to repay it in 2 weeks. The center has an emergency assistance fund. What is the **BEST** response?

**A.** Lend the money with a written repayment date

**B.** Give the client $40 as a one-time gift

**C.** Suggest the client ask relatives for emergency help

**D.** Help the client apply to the emergency fund

**68.** A 28-year-old client with mild intellectual developmental disorder lives in a group home and feels anxious about riding the bus to a new job. The client reads at about a second-grade level, learns best by practicing tasks with staff and asks for help 'feeling less scared.' Which treatment approach is **MOST** appropriate?

**A.** Standard CBT using the agency's written workbook

**B.** Insight-oriented therapy exploring the fear's origins

**C.** CBT adapted with pictures, repetition and a support person

**69.** A client has attended an opioid treatment program for 8 months, taking methadone daily and holding a steady job. Recent urine tests show benzodiazepines that were not prescribed. The client says the pills help with sleep and fears losing methadone. At a team meeting, a staff member proposes discharge under the program's 'no illicit use' rule. What is the **BEST** response by the social worker?

**A.** Urge keeping the client enrolled while the team addresses the pill use

**B.** Support discharge with a referral to an abstinence-based residential program

**C.** Tell the client that staying enrolled requires benzodiazepine-free tests

**70.** A parent working toward reunification tells the child welfare social worker about drinking heavily one night last weekend while the children were at the foster home. The parent has met every other case plan goal and asks the worker to leave the drinking out of next week's court report. What is the **MOST** appropriate response?

**A.** Omit it, since the children were elsewhere

**B.** Include it in the report without telling the parent

**C.** Tell the parent the report will include it, with the progress

**71.** At a family services agency, three bilingual case managers who completed the agency's interpreter training are often pulled from their own caseloads to interpret for colleagues. They carry full caseloads with no added pay, and one was marked down for late notes. They say they want to keep interpreting for families they know but need the work recognized. The social worker chairs the equity committee. What is the **BEST** action?

**A.** Propose crediting interpreting time in workload and pay

**B.** Ask the supervisor to revise the late-notes rating

**C.** Arrange contract interpreters so bilingual staff stop interpreting

**D.** Encourage the case managers to file a grievance themselves

**72.** In a senior housing building, a resident tells the social worker, 'My kids keep pushing me to move to assisted living. I've lived in this apartment for 40 years.' Which response **BEST** shows accurate reflective listening?

**A.** 'Your children are worried and just want you to be safe.'

**B.** 'Why don't you want to consider assisted living?'

**C.** 'Leaving this home would mean losing a big part of your life.'

**D.** 'Many people your age feel that same way about moving.'

**73.** In an emergency department, a social worker is asked to see a patient with a broken wrist. The patient says the injury came from a fall, but the physician notes bruises of different ages on both upper arms. The patient's partner stays in the room and answers most questions. What should the social worker do **FIRST**?

**A.** Arrange to speak with the patient alone

**B.** Ask about safety at home with the partner present

**C.** Give the patient domestic violence hotline information

**74.** At a senior center, a 71-year-old client reports forgetting appointments over the past 2 months. The social worker gives a brief cognitive screen, and the score falls in the impaired range. The client mentions starting a new bladder medication about 10 weeks ago and has not seen a doctor since. What should the social worker do **NEXT**?

**A.** Tell the client the score points to early dementia

**B.** Arrange a prompt medical evaluation of the memory change

**C.** Repeat the screen in 6 months to track any change

**D.** Give the client a second cognitive screen to confirm

**75.** During home-based services, a client has made comments about the social worker's body. At the last visit, the social worker clearly stated that such comments must stop. Today the client repeats them and briefly stands between the social worker and the door. What should the social worker do **FIRST**?

**A.** Restate the limit firmly and continue with the visit

**B.** End the visit and review safety with the supervisor

**C.** Explore what the comments mean to the client

**76.** An associate social worker sees an adult client by telehealth. The client, angry after losing a custody hearing, says the former partner 'will regret this' and mentions keeping a handgun at home. When asked directly, the client says the comment meant an appeal and denies intent to harm anyone. The associate remains unsure whether protective action is needed, and supervision is scheduled in 6 days. What should the associate do **NEXT**?

**A.** Contact the supervisor today to review the risk together

**B.** Bring detailed notes to the scheduled supervision

**C.** Revisit intent and firearm access at the next session

**77.** In a supportive housing program, two roommates have argued for weeks over the shared kitchen, and each now demands that the other move out. The social worker meets with both, sets ground rules for the talk, and has each describe the conflict. What should the social worker do **NEXT**?

**A.** Ask each roommate what they need from the kitchen

**B.** Propose a schedule that splits kitchen hours evenly

**C.** Ask each roommate to propose a fair solution

**78.** In a group practice, a social worker learns at the second session that a new client manages the department where the social worker's adult child works. The client is deciding on layoffs in that department. After the social worker explains the conflict, the client says, 'It doesn't bother me. I'd rather stay with you.' What should the social worker do **NEXT**?

**A.** Arrange for a colleague to take over the client's care

**B.** Continue, with a written agreement on outside contact

**C.** Ask how the client feels about the overlap

**79.** On a pediatric intensive care unit, a patient's parent has just learned that the child died. The hospital social worker has supported the family through the 2-week stay. Sobbing, the parent turns and reaches out to hug the social worker. What is the **BEST** response?

**A.** Offer the parent a hand on the shoulder instead

**B.** Accept the brief hug and stay with the parent

**C.** Step back gently and offer a chair and tissues

**80.** Five days after surgery that created a permanent colostomy for rectal cancer, a 62-year-old hospital patient will not look at the stoma and asks nurses to handle all of its care. On the social worker's first visit, the patient says, 'I'm disgusting now. Who would want to be near me?' What is the **MOST** appropriate response?

**A.** Screen the patient for depression with a standard tool

**B.** Offer a referral to an ostomy peer visitor program

**C.** Invite the patient to talk about what the change means to them

**81.** A social worker from a community aging services agency visits a client who lives in a nursing facility. Soon after the client complained about slow call-light response, the facility issued a 30-day discharge notice. The client and social worker met with the administrator, who refused to reconsider. The client wants to stay. What should the social worker do **NEXT**?

**A.** Help the client contact the long-term care ombudsman program

**B.** Help the client tour other facilities before the notice period ends

**C.** Report the facility to adult protective services for neglect

**82.** A client arrives 25 minutes late for a scheduled 50-minute psychotherapy session at a group practice, and the session lasts 25 minutes. The office manager tells the social worker to bill the client's insurer for the full 50 minutes, since the client chose to come late. How should the social worker bill the session?

**A.** Bill the full scheduled session, as directed

**B.** Bill for the time actually provided

**C.** Submit no claim, since the session was incomplete

**83.** A school requires a 15-year-old to meet with the social worker after a suspension. When the social worker lists the sessions the student must attend and the topics they will cover, the student refuses to talk. At the next meeting, the worker names what is required and lets the student pick the topics and meeting times, and the student begins to participate. Which concept **MOST** likely explains the student's first response?

**A.** Psychological reactance

**B.** Learned helplessness

**C.** Cognitive dissonance

**D.** Transference

**84.** A 45-year-old client in private practice says their partner of 20 years is having an affair. For 8 months the client has checked the partner's phone, followed the partner to work and read meaning into a moved car seat. No proof has turned up, and the client's certainty has not changed. The client still runs a small business well and speaks clearly. What is the **MOST** likely diagnosis?

**A.** Delusional disorder

**B.** Paranoid personality disorder

**C.** Schizophrenia

**85.** Which tool has a client list the people in their life and rate each one on concrete help, emotional support, closeness, and how often they are in contact?

**A.** Ecomap

**B.** Genogram

**C.** Culturagram

**D.** Social network map

**86.** A client who was passed over for a promotion says they feel fine about it. Over the next few sessions, the client often describes the coworker who got the job as bitter, envious and out to undermine the client. Other staff describe the coworker as friendly and supportive. Which defense mechanism **MOST** likely explains the client's view of the coworker?

**A.** Displacement

**B.** Reaction formation

**C.** Rationalization

**D.** Projection

**87.** A client in a hospital's outpatient cardiac rehabilitation program has medical clearance to exercise but avoids the treadmill. In a CBT session, the social worker helps the client identify the thought 'If I push myself, my heart will stop,' and the client rates belief in it at 90%. What should the social worker do **NEXT**?

**A.** Remind the client that the cardiologist approved the exercise plan

**B.** Use guided questions to test how accurate the prediction is

**C.** Begin graded treadmill sessions starting at a slow speed

**D.** Explore early experiences that shaped the client's fear of illness

**88.** A social worker is asked to start a daily group on an acute inpatient psychiatric unit. Most patients stay 4 to 7 days, and new patients arrive every day. Which group format fits this unit?

**A.** Closed group meeting weekly for 8 sessions

**B.** Open group with each session complete in itself

**C.** Open group whose themes build week to week

**89.** A refugee resettlement social worker completes an assessment with an adult client who fled armed conflict 8 months ago. The client reports poor sleep, irritability and occasional nightmares about the war. The client says that what keeps them awake most nights is an eviction notice, a job search with no results, and no word from a sibling still in a camp. What should the social worker do **NEXT**?

**A.** Refer the client for trauma-focused therapy for war memories

**B.** Teach sleep hygiene and relaxation skills for the insomnia

**C.** Help the client address housing, work and family tracing

**90.** A 15-year-old enters a residential program after five foster placements. Records from prior providers list ADHD at age 8, oppositional defiant disorder at age 11 and bipolar disorder at age 13. School and child welfare records show a placement change or a new school shortly before each new diagnosis. Staff observe irritability and poor sleep. What is the **MOST** appropriate way for the social worker to use these records?

**A.** Adopt the most recent diagnosis as the working one

**B.** Build a timeline linking symptoms, moves and diagnoses

**C.** Set the records aside and rely on current observation

**91.** In a video session, a 52-year-old client mentions plans to wire $6,000 to an online partner they have never met, who needs money for a 'customs fee' abroad. The client has already sent $9,000 in gift cards for earlier emergencies. The client otherwise manages money well and says, 'It's my choice, and I trust them.' What response is **MOST** helpful?

**A.** Describe common scam signs and offer to check the story together

**B.** Accept the client's choice and return to the session agenda

**C.** Urge the client to end contact with the online partner

**92.** A hospital social worker meets with a Black adult patient admitted during a sickle cell pain crisis. The patient says pain medicine has been delayed and that a nurse called the patient 'drug-seeking.' The chart shows pain scores at the top of the scale for 6 hours. What should the social worker do **FIRST**?

**A.** Help the patient file a grievance with patient relations

**B.** Explain how the unit decides when to give pain medicine

**C.** Coach the patient to describe the pain calmly to staff

**D.** Bring the untreated pain to the care team now

**93.** An agency director shares a study of a new parenting program that randomly assigned 3,000 families. Program families scored 1 point lower than controls on a 100-point child stress scale, and the difference was statistically significant. The director proposes replacing the agency's current parenting program with the new one. How should the social worker respond?

**A.** Support the change, since the result was statistically significant

**B.** Ask for the study to be repeated with a larger sample

**C.** Ask whether a change that small matters in practice

**94.** A client's partner died 5 months ago. The client kept working, cared for two children, and handled the funeral and finances. Last week the client's car was towed, and since then the client cannot sleep, cries at work, and says, 'I can't handle one more thing.' In Golan's crisis model, the towing is **MOST** likely which element?

**A.** Hazardous event

**B.** Vulnerable state

**C.** Precipitating factor

**D.** Active crisis state

**95.** A client who arrived in the United States as a refugee 4 months ago comes to a community agency for help with sleep problems. At intake, the client hesitates to sign forms and asks whether the information will go to immigration officials. What should the social worker do **FIRST**?

**A.** Explain what stays confidential and the limits that apply

**B.** Promise the client that their records will be kept private

**C.** Complete the trauma history while the client is present

**96.** A 78-year-old patient is admitted to a hospital medical unit after a stroke that weakened one side of the body. The patient lives with a partner in a two-story house. The medical team has not set a discharge date. What should the social worker do **FIRST**?

**A.** Ask the physician for an expected discharge date to guide planning

**B.** Give the patient's partner a list of inpatient rehabilitation facilities

**C.** Request a home safety evaluation from occupational therapy

**D.** Meet with the patient and partner to assess needs and supports

**97.** A 16-year-old has lived with the same foster parents for 4 years, and they ask to adopt. The youth tells the child welfare social worker, 'I love them, but I won't give up my name or act like my birth family is gone.' The youth wants to stay in the home. Agency staff prefer adoption as the most permanent option. What is the **MOST** appropriate next step?

**A.** Ask the court to waive the youth's consent to adoption

**B.** Review adoption and guardianship choices with the youth

**C.** Change the goal to independent living without a legal parent

**98.** At a hospital care conference, the physician and nurse recommend discharging a patient with heart failure to a skilled nursing facility. The social worker's assessment shows that the patient has decision-making capacity, wants to return home, and has a relative willing to help with home services. What is the social worker's **BEST** action?

**A.** Accept the physician's recommendation as the team's decision

**B.** Encourage the patient privately to refuse the facility placement

**C.** Refer the disagreement to the hospital ethics committee

**D.** Present the patient's goals and a home-support plan to the team

**99.** At a community health center, a social worker completes an intake with an adult client who was resettled as a refugee 3 months ago after 6 years in a refugee camp. The client reports poor sleep, headaches and worry about a sibling still abroad. What is the **MOST** appropriate way for the social worker to structure the assessment?

**A.** Focus on current resettlement needs such as housing and work

**B.** Begin with detailed processing of the most painful war memories

**C.** Ask about life before leaving, in transit and since arriving

**100.** A 56-year-old client has lived in emergency shelters for 8 years. Shelter staff tell the social worker that the client has fallen twice this month, struggles to climb to an upper bunk, and recently wet the bed. Staff add that the client is 'too young' for the agency's senior services. What is the **MOST** appropriate action?

**A.** Arrange a geriatric assessment of function, falls and continence

**B.** Move the client to a lower bunk to prevent further falls

**C.** Plan to apply for senior services once the client reaches age 60

**101.** An adult client with bipolar I disorder left a psychiatric unit 3 weeks ago. The client now declines the mood stabilizer the psychiatrist prescribed, preferring to manage symptoms with sleep routines and a peer support group. The client sleeps normally, is not manic and denies suicidal thoughts. What is the social worker's **BEST** response?

**A.** Respect the choice and build a plan for early warning signs

**B.** Ask the psychiatrist to seek a court order for the medication

**C.** Tell the client that relapse is likely without the medication

**102.** A supervisee in a group practice misses clear signs that a client's condition is worsening, and the client is harmed. The supervisor had met with the supervisee weekly and reviewed cases as agreed. The client's lawsuit names both the supervisee and the supervisor. Which statement about the supervisor's legal exposure is accurate?

**A.** Regular weekly review shields the supervisor from liability

**B.** Liability requires proof that guidance to the supervisee was faulty

**C.** The supervisor may share liability for the supervisee's acts

**103.** A former supervisee asks a clinical supervisor for a reference letter for a hospital job. During supervision, the supervisee was warm with patients but often missed documentation deadlines, and two written improvement plans addressed it. The supervisee asks the supervisor to 'focus on the positives.' Which response is **MOST** consistent with ethical standards?

**A.** Write a letter on strengths alone, leaving out the deadline issues

**B.** Write a balanced letter and send it straight to the hospital

**C.** Explain that an honest letter would include the deadline issues

**104.** In an integrated primary care clinic, an adult taking escitalopram for depression reports feeling much better after 2 months. Pharmacy records show doses are often skipped on weekends. When the social worker asks about the missed doses, the client hesitates and says, 'It's kind of personal.' What should the social worker do **NEXT**?

**A.** Ask plainly whether sexual side effects play a part

**B.** Notify the prescriber that the client skips doses

**C.** Remind the client that daily doses keep the mood stable

**105.** A hospital social worker notices that uninsured patients discharged to shelters rarely leave with a follow-up appointment, while insured patients almost always do. For 3 months, the social worker has arranged appointments case by case and tracked the gap, which has not narrowed. What should the social worker do **NEXT**?

**A.** Keep arranging follow-up appointments for each affected patient

**B.** File a complaint about the hospital with a federal civil rights office

**C.** Present the findings to leadership with proposed changes

**106.** A social worker is drafting a year-end report to a foundation that funded a caregiver support program. The grant target was 100 enrolled caregivers; 72 enrolled, and 40 more called for information but did not enroll. The program director suggests counting the callers as clients served to meet the target. How should the social worker report enrollment?

**A.** Report the callers as enrolled and add a footnote

**B.** Omit the enrollment figure and lead with outcome gains

**C.** Report 72 enrolled and explain the gap and next steps

**107.** After reviewing a copy of their record, a client in an outpatient substance use program asks in writing that a note be deleted. The note states that the client arrived for group smelling of alcohol and slurring words, which the social worker observed directly. The client says the note is unfair. What is the **BEST** response?

**A.** Explain the client's right to add a written statement of disagreement

**B.** Amend the note, since clients have a right to request amendment

**C.** Explain that signed notes are final and cannot be amended

**108.** An adult client asks a community agency for a copy of their record. During treatment, the client's sibling met once with the social worker to share family history, after the worker agreed to keep the sibling's comments private. Those comments appear in the record and would identify the sibling. What is the **BEST** response to the client's request?

**A.** Release the full record, including the sibling's comments

**B.** Offer a verbal summary of the record instead of copies

**C.** Release the record with the sibling's comments withheld

**109.** At a youth residential program, a resident left the building at night and was injured. Required 15-minute checks had been logged but not done. The director asks the clinical social work manager to lead the response and revise the overnight safety procedures. What should the manager do **FIRST**?

**A.** Draft stricter overnight check rules for board approval

**B.** Review the incident with involved staff to find system causes

**C.** Retrain overnight staff on the check procedure right away

**D.** Gather sample procedures from similar programs

**110.** A client with a history of chaotic early caregiving often arrives furious and accuses the social worker of not caring. The social worker keeps the same session time and room, responds calmly without retaliating, and reliably resumes the work the following week. Which psychodynamic concept is the social worker's stance **MOST** likely drawing on?

**A.** Holding environment

**B.** Transitional object

**C.** Mirroring transference

**D.** Working through

**111.** A family services agency director says, 'We treat everyone the same, so we don't collect race or ethnicity data. Asking would only make clients uncomfortable.' The social worker leads the agency's quality improvement work. What is the **MOST** appropriate response?

**A.** Offer staff implicit bias training instead of collecting data

**B.** Collect race data just from clients who report unfair treatment

**C.** Propose collecting self-reported race data to find gaps

**112.** When a parent gives legal permission for a 10-year-old's treatment, what term describes the child's own agreement to take part?

**A.** Proxy consent

**B.** Implied consent

**C.** Assent

**D.** Substituted judgment

**113.** An inpatient with bipolar I disorder who lives alone is being considered for discharge. The team asks the social worker to describe the client's judgment for the mental status exam. Which question serves this purpose?

**A.** 'What would you do if you ran out of medication at home?'

**B.** 'Do you believe you have an illness that needs treatment?'

**C.** 'What does it mean that the early bird catches the worm?'

**114.** An adult client in outpatient therapy discloses being sexually abused by a family friend from ages 8 to 11. The client recently learned that this person now coaches a youth soccer team. The client does not want to be part of any report. The social worker is unsure whether the law requires a report in this situation. What is the **BEST** way to proceed?

**A.** Seek consultation about the applicable reporting law

**B.** Report the family friend to child protective services now

**C.** Encourage the client to make the report personally

**D.** Explain that abuse of an adult in childhood cannot be reported

**115.** A child welfare social worker returns to their car after a home visit and finds that the agency laptop has been stolen. The laptop holds case files on several families and lacks encryption. What should the social worker do **FIRST**?

**A.** List which families' files were stored on the laptop

**B.** Report the theft to the privacy officer

**C.** Call each affected family to warn them of the breach

**D.** File a police report and wait to see if it is recovered

**116.** A family therapy team meets with parents, a grandparent, and a 16-year-old who has stopped eating meals with the family. At the end of the session, the team says the teen's refusal keeps the parents united and the grandparent's frequent advice keeps everyone close. Each member's behavior is described as a sacrifice for the family's unity. Which technique is the team **MOST** likely using?

**A.** Prescribing the symptom

**B.** Unbalancing

**C.** Circular questioning

**D.** Positive connotation

**117.** An assertive community treatment team visits a client with schizophrenia who has stopped taking medication. The client calmly explains that the voices are real broadcasts from neighbors and that nothing is wrong with their mind. When the team reviews two past hospitalizations, the client agrees they happened but still sees no illness. Which concept **MOST** likely explains the client's view?

**A.** Denial

**B.** Anosognosia

**C.** Avolition

**118.** A child welfare social worker is building a case plan with a parent whose children are in foster care. The parent agrees to every proposed goal without comment. Earlier, the parent described distrust of the agency after relatives lost custody of their children. What is the **MOST** appropriate response by the social worker?

**A.** Finalize the plan, since the parent agreed to each goal

**B.** Acknowledge the agency's authority and ask the parent's own goals

**C.** Tell the parent they seem to be holding back opinions

**D.** Reassure the parent that the agency's aim is reunification

**119.** Which type of validity is supported when a panel of experts judges that a scale's items represent every part of the construct it is meant to measure?

**A.** Content validity

**B.** Face validity

**C.** Construct validity

**D.** Concurrent validity

**120.** An adult client with panic disorder has logged panic attacks daily since intake. Over 3 baseline weeks the count held steady at about 6 per week. During 6 weeks of exposure-based treatment, it has fallen steadily to 2 per week. The client read about a newer therapy online and asks about switching to it. Which response is **BEST**?

**A.** Agree to switch to the newer therapy as the client requests

**B.** Review the progress data together and discuss continuing

**C.** Blend the newer therapy's techniques into current sessions

**121.** A couple seeks help for frequent arguments about parenting. In separate screening interviews, each partner describes one argument 8 months ago in which both pushed each other, and each takes responsibility for their part. Both say they feel safe at home, make money and social decisions together, and want to stay together. What is the **MOST** appropriate plan?

**A.** Refer each partner to a separate violence intervention program first

**B.** Begin couples sessions once both sign a no-violence agreement, with no further screening

**C.** Begin couples sessions that include periodic individual safety check-ins

**122.** Which DSM-5-TR tool rates how well a person gets around, cares for self, gets along with others and takes part in community life?

**A.** Global Assessment of Functioning (GAF)

**B.** WHODAS 2.0

**C.** Level 1 Cross-Cutting Symptom Measure

**D.** Cultural Formulation Interview

# STOP

## End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

# Answer sheet · Form 6

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

## Section 1 (items 1–61)

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | A | B | C | D | 32 | A | B | C | D |
| 2 | A | B | C | D | 33 | A | B | C | — |
| 3 | A | B | C | — | 34 | A | B | C | — |
| 4 | A | B | C | — | 35 | A | B | C | D |
| 5 | A | B | C | — | 36 | A | B | C | D |
| 6 | A | B | C | — | 37 | A | B | C | — |
| 7 | A | B | C | D | 38 | A | B | C | — |
| 8 | A | B | C | D | 39 | A | B | C | — |
| 9 | A | B | C | — | 40 | A | B | C | D |
| 10 | A | B | C | — | 41 | A | B | C | D |
| 11 | A | B | C | D | 42 | A | B | C | D |
| 12 | A | B | C | D | 43 | A | B | C | — |
| 13 | A | B | C | D | 44 | A | B | C | D |
| 14 | A | B | C | D | 45 | A | B | C | D |
| 15 | A | B | C | D | 46 | A | B | C | D |
| 16 | A | B | C | — | 47 | A | B | C | D |
| 17 | A | B | C | — | 48 | A | B | C | — |
| 18 | A | B | C | D | 49 | A | B | C | D |
| 19 | A | B | C | — | 50 | A | B | C | — |
| 20 | A | B | C | — | 51 | A | B | C | — |
| 21 | A | B | C | D | 52 | A | B | C | D |
| 22 | A | B | C | D | 53 | A | B | C | D |
| 23 | A | B | C | D | 54 | A | B | C | D |
| 24 | A | B | C | — | 55 | A | B | C | — |
| 25 | A | B | C | — | 56 | A | B | C | — |
| 26 | A | B | C | D | 57 | A | B | C | D |
| 27 | A | B | C | — | 58 | A | B | C | — |
| 28 | A | B | C | D | 59 | A | B | C | D |
| 29 | A | B | C | D | 60 | A | B | C | D |
| 30 | A | B | C | — | 61 | A | B | C | — |
| 31 | A | B | C | D | | | | | |

## Section 2 (items 62–122)

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 62 | A | B | C | — | 93 | A | B | C | — |
| 63 | A | B | C | D | 94 | A | B | C | D |
| 64 | A | B | C | — | 95 | A | B | C | — |
| 65 | A | B | C | D | 96 | A | B | C | D |
| 66 | A | B | C | — | 97 | A | B | C | — |
| 67 | A | B | C | D | 98 | A | B | C | D |
| 68 | A | B | C | — | 99 | A | B | C | — |
| 69 | A | B | C | — | 100 | A | B | C | — |
| 70 | A | B | C | — | 101 | A | B | C | — |
| 71 | A | B | C | D | 102 | A | B | C | — |
| 72 | A | B | C | D | 103 | A | B | C | — |
| 73 | A | B | C | — | 104 | A | B | C | — |
| 74 | A | B | C | D | 105 | A | B | C | — |
| 75 | A | B | C | — | 106 | A | B | C | — |
| 76 | A | B | C | — | 107 | A | B | C | — |
| 77 | A | B | C | — | 108 | A | B | C | — |
| 78 | A | B | C | — | 109 | A | B | C | D |
| 79 | A | B | C | — | 110 | A | B | C | D |
| 80 | A | B | C | — | 111 | A | B | C | — |
| 81 | A | B | C | — | 112 | A | B | C | D |
| 82 | A | B | C | — | 113 | A | B | C | — |
| 83 | A | B | C | D | 114 | A | B | C | D |
| 84 | A | B | C | — | 115 | A | B | C | D |
| 85 | A | B | C | D | 116 | A | B | C | D |
| 86 | A | B | C | D | 117 | A | B | C | — |
| 87 | A | B | C | D | 118 | A | B | C | D |
| 88 | A | B | C | — | 119 | A | B | C | D |
| 89 | A | B | C | — | 120 | A | B | C | — |
| 90 | A | B | C | — | 121 | A | B | C | — |
| 91 | A | B | C | — | 122 | A | B | C | D |
| 92 | A | B | C | D | | | | | |

Fill one circle per item. A dash means that item has only three options (A–C).