DBT: Deb's Board Training Practice Form 2

Clinical-level social work licensing exam practice · Question booklet

Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

Section 1	Start time:	End time:
Section 2	Start time:	End time:

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

Section 1

Items 1–61 · 2 hours

1. A 24-year-old client is brought to a community mental health agency by a sibling. For the past 3 months, the client has heard voices commenting on their actions and has spoken in a disorganized way. There is no history of mood episodes, substance use or medical illness. What is the **MOST** likely diagnosis?

A. Brief psychotic disorder

B. Schizophreniform disorder

C. Schizophrenia

D. Schizoaffective disorder

2. In a role-play, which technique has the client portray the other person in a conflict while the social worker portrays the client?

A. Role reversal

B. Doubling

C. Mirroring

D. Empty chair

3. A firefighter with PTSD after a fatal blaze has had 4 sessions of prolonged exposure therapy. The client says, 'I can't keep retelling that night. Can we just talk instead?' The client still has nightmares and wants help with them. What should the social worker do **FIRST**?

A. Ask what has made these sessions feel so hard

B. Describe other effective treatments and let the client choose

C. Shift to the supportive talk sessions the client asked for

4. A city has begun clearing homeless encampments every month under a new ordinance. During each sweep, clients of a street outreach team lose medications, IDs and benefit papers. The team has replaced these items after every sweep, and the losses keep recurring. What is the **BEST** action for the team at this point?

A. Keep replacing lost items for clients after each sweep

B. Ask police to tell the team before each sweep happens

C. Encourage clients to move their camps outside city limits

D. Present documented harms to city leaders with proposed changes

5. A community counseling agency's intake form asks every new client for immigration status. No funder or program rule requires it, and staff say it is just for agency records. Since local enforcement actions made the news, several clients have left the question blank or ended intake early. What is the **BEST** recommendation for the social worker on the quality committee?

A. Keep the question but label it optional

B. Add a note on the form assuring clients of privacy

C. Take the question off the form

6. Which DBT skills help a client feel less easily upset by caring for sleep, food, exercise, and illness?

A. Opposite action

B. PLEASE skills

C. TIP skills

D. Accumulating positive emotions

7. In a hospital ICU waiting room, a patient's adult child tells the social worker they have not slept in 2 days. They are pacing, their hands are shaking, and they say, 'I can't think straight.' The medical team will meet with the family in half an hour to discuss treatment choices. What should the social worker do **FIRST**?

A. Guide a few minutes of slow, paced breathing

B. Help write down questions for the medical team

C. Explore their fears about the parent's prognosis

8. A social worker at a residential substance use program is writing an intake summary for a 24-year-old client. The client describes being made to sell sex by an older partner starting at age 16. An old court record lists 'juvenile prostitution arrest, age 16.' What is the **MOST** appropriate way to document this history?

A. Describe it as sexual exploitation that began at age 16

B. Copy the court record's wording for consistency

C. Leave the history out to protect the client from future stigma

9. A school social worker meets with a 17-year-old referred for 'seeing things.' The student describes vivid dreamlike images while drifting off to sleep, falls asleep in class almost daily despite 9 hours of sleep at night, and has had knees buckle suddenly while laughing with friends. These problems began 6 months ago, and grades are dropping. What is the social worker's **BEST** recommendation?

A. Refer the student for a psychiatric evaluation of possible psychosis

B. Refer the student for evaluation by a sleep medicine specialist

C. Screen the student for depression as a cause of sleep problems

10. A 48-year-old client says work and home life feel empty. The client recently quit mentoring new employees and dropped out of a community youth program, saying, 'Nothing I do will matter to anyone after me.' The client spends most free time alone watching TV. According to Erikson, which psychosocial crisis is the client **MOST** likely facing?

A. Intimacy versus isolation

B. Generativity versus stagnation

C. Integrity versus despair

D. Identity versus role confusion

11. A young adult in weekly video sessions describes finishing a first art exhibit, then pauses and looks eagerly at the social worker for a reaction. In earlier sessions, the client seemed deflated when accomplishments drew little response. The social worker uses a self psychology approach. Which response is **MOST** consistent with this approach?

A. Point out that the client seems to need approval to feel worthwhile

B. Keep a neutral stance so the wish for praise can be analyzed

C. Respond warmly to the pride the client is showing

12. A former client posts an online review of a social worker's private practice. The review claims the social worker 'never returned calls' and mentions the client's divorce. Phone logs show the calls were returned the same day. What is the **BEST** way for the social worker to handle the review?

A. Reply with the call dates without naming the client

B. Call the former client and ask to have the review removed

C. Refrain from any reply that confirms a client relationship

13. During a family session about a teen's recent arrest, one parent speaks in a flat, even tone. The parent cites studies on teen brain growth and says feelings 'only cloud the issue.' According to Satir, which communication stance is this parent **MOST** likely showing?

A. Blaming

B. Super-reasonable

C. Placating

D. Irrelevant

14. In a hospital emergency department, a social worker meets an adult patient who was sexually assaulted by an acquaintance about 6 hours ago. The patient is tearful, wants to shower and go home, and does not want police involved. The patient asks the social worker, 'Is there any reason I should stay?' What is the **BEST** response?

A. Support the decision to leave and arrange a call tomorrow

B. Explain the care and exam options that need no police report

C. Encourage a police report to protect others from the acquaintance

15. A social worker at a community mental health center canceled two sessions in a row, each with only an hour's notice. At the next session, a client who is usually talkative gives one-word answers and looks at the floor. What is the social worker's **BEST** response?

A. Name the late cancellations and take responsibility for them

B. Ask the client why they seem so quiet today

C. Move ahead with the planned agenda to restore a sense of routine

16. A 14-year-old tells a school social worker they have felt 'huge' since joining a dance team where teammates trade diet tips. At home, a parent often criticizes their own weight, and the student follows several fitness accounts online. Which framework **BEST** accounts for these sources of the student's body dissatisfaction?

A. Objectification theory

B. Social comparison theory

C. Tripartite influence model

D. Social learning theory

17. A post-adoption social worker meets with parents whose 14-year-old was adopted from South Korea as an infant. The teen recently asked to take Korean language classes and join a Korean American youth group. The parents, who have spent most of the session voicing their fear that the teen is rejecting them, now ask the social worker to help talk the teen out of it. What is the **BEST** response?

A. Ask the parents to say more about their fear of rejection

B. Explain that exploring heritage is a normal part of identity development

C. Refer the family to therapy for adoption attachment issues

D. Suggest that the teen postpone these activities until the parents feel ready

18. When should a social worker who uses social media professionally review their social media policy with clients?

A. When a client first sends a connection request

B. At the first interview, updating it as needed

C. Once a working alliance has formed

19. A social worker in private practice has seen a client for depression for 4 months. The depression has resolved, but the client now spends hours on checking rituals. The social worker is not trained in exposure and response prevention, and two consultations confirmed the client needs it. The client wants to keep meeting with the social worker. What should the social worker do **NEXT**?

A. Attend a weekend workshop and then start the treatment

B. Continue supportive counseling, as the client prefers

C. Help the client transfer to a provider of that treatment

20. A client in weekly outpatient therapy has begun calling the agency 4 to 6 times a day to talk through daily conflicts. The calls started 2 weeks ago, after months with no contact between sessions. They are not about emergencies, and front desk staff are struggling to keep up. What should the social worker do **FIRST**?

A. Return each call promptly to protect the working relationship

B. Set a scheduled check-in time and crisis plan with the client

C. Ask the client what has changed for them recently

21. In a residential treatment program, a roommate earns the early weekend pass that a resident had been working toward. Over the next week, the resident praises the roommate loudly in every group, buys the roommate snacks and calls the roommate 'the kindest person here.' Staff notice the praise sounds forced, and the resident tenses whenever the pass comes up. Which defense mechanism is the resident **MOST** likely using?

A. Reaction formation

B. Idealization

C. Altruism

22. Ten days after a fatal crane accident, a social worker on an employer's crisis response team meets again with an employee who saw it happen. The employee sleeps about 2 hours a night, eats little, and has not been able to drive near the site. The employee says the breathing exercises, walks, and talks with their partner that they planned together last week have not helped. What should the social worker do **NEXT**?

A. Review the coping plan again and meet next week

B. Ask the employee to go over the accident in more detail

C. Link the employee to a mental health provider for assessment

D. Encourage a gradual return to the site alongside a coworker

23. A school-based health center social worker meets alone with a 15-year-old for a first visit about headaches and missed classes. The visit opened with a review of what stays private and when information must be shared, which the teen restated accurately. The social worker needs to ask about substance use and sexual activity during this visit. What should the social worker do **NEXT**?

A. Ask about substance use and sexual activity right away

B. Wait to cover those topics until the teen raises them

C. Begin with home life and daily activities, then risk topics

24. During a hospital case review after a patient's suicide attempt, two staff members say a social work colleague ignored the patient's call the day before. The social worker covered that unit and had read the record, which shows the colleague returned the call within an hour and documented a safety check. What is the **MOST** appropriate action?

A. Wait to raise the documented facts until the review asks

B. Tell the colleague privately about the comments

C. Give the review leader the documented call details

25. At a home visit 2 weeks after delivery, a parent has barely slept for 4 days and speaks rapidly about 'signs' that the baby is evil. When asked directly about harm, the parent calmly says the baby 'needs to be sent back to God' and mentions the bathtub. The parent's partner is in the next room. What should the social worker do **NEXT**?

A. Get the parent to a psychiatric emergency service now

B. Book a perinatal psychiatry appointment for this week

C. Explore the parent's spiritual beliefs about the baby

D. Ask the partner to stay with the baby until follow-up

26. At a reentry program, a social worker and client sign an agreement to work on the two problems the client ranked highest, over 8 sessions. Each session opens with a review of progress on those problems. Each session closes with the client choosing an action step, rehearsing it, and planning for obstacles. Which approach is the social worker **MOST** likely using?

A. Solution-focused brief therapy

B. Problem-solving therapy

C. Behavioral activation

D. Task-centered practice

27. A social worker at an assisted living facility meets with a 78-year-old resident who has no psychiatric history. Over 6 weeks the resident has stopped eating, sleeps poorly and says, 'I am worthless.' The resident now insists their organs are rotting as punishment for old sins. Staff report that this belief appeared only after the low mood began. What is the **MOST** likely diagnosis?

A. Delusional disorder, somatic type

B. Schizoaffective disorder, depressive type

C. Major depressive disorder with psychotic features

D. Major neurocognitive disorder due to Alzheimer's disease

28. A crisis that arises when a normal, expected life change, such as becoming a parent or retiring, overwhelms a person's usual coping is which type?

A. Situational crisis

B. Existential crisis

C. Environmental crisis

D. Developmental crisis

29. Which theory of aging holds that as people see their remaining time as limited, they narrow their social circle to the relationships that matter most to them?

A. Socioemotional selectivity theory
B. Disengagement theory
C. Activity theory

30. A clinical director supervises an associate who publicly questioned the director's plan at a team meeting. Since then, the director has drafted lower ratings for the associate's annual evaluation than the case reviews support. On reflection, the director recognizes resentment about the meeting as the source. The evaluation is due in 5 days. What should the director do **NEXT**?

A. Keep monitoring the reaction over the coming month
B. Tell the associate about the resentment to clear the air
C. Seek consultation on the reaction before finishing the evaluation
D. Transfer the evaluation and supervision to another manager

31. Which external review checks a whole organization against published standards and grants it a recognized status for a set period?

A. Utilization review
B. Accreditation survey
C. Peer review
D. Financial audit

32. At an aging services agency, a social worker meets with a 76-year-old client with macular degeneration who has had only routine eye exams. The client can no longer read pill labels or recipes and has stopped cooking and going to a weekly card game. The client's adult children want the client to move to assisted living. The client says, 'If I could just see well enough to manage, I'd stay home.' What should the social worker do **FIRST**?

A. Help the family compare nearby assisted living options
B. Arrange home-delivered meals to replace cooking
C. Refer the client for low vision rehabilitation
D. Hold a family meeting to weigh the proposed move

33. A hospital social worker serves on the ethics committee. A case comes to the committee in which an ICU patient's adult child, the health care agent, disagrees with the medical team. The social worker recognizes the agent as a former client from 3 years ago. The committee meets in an hour. What is the **BEST** action?

A. Tell the chair the agent is a former client and step aside

B. Step aside, saying a conflict exists without naming it

C. Take part, since services ended 3 years ago

D. Ask the agent for permission before taking part

34. At an outpatient intake, an American Indian client describes a heavy grief that began before any loss in their own life. The client's grandparents were sent to boarding schools that punished them for speaking their language, and the client's parent rarely spoke about that time. The client says the family 'carries a sadness nobody names.' Which concept **MOST** likely fits this presentation?

A. Complex trauma

B. Historical trauma

C. Acculturative stress

D. Vicarious trauma

35. In a telehealth session, a Black client describes months of coworkers touching the client's hair, asking whether the client 'got the job through a program,' and joking about the client's 'attitude.' The client now sleeps poorly and dreads Mondays. The client asks, 'Am I being too sensitive?' What is the **MOST** appropriate response by the social worker?

A. Help the client test whether the coworkers really meant harm

B. Encourage the client to report each incident to human resources

C. Affirm that repeated slights can cause real stress and harm

36. At a family resource center, a parent asks for help applying for food assistance for their 4-year-old, a U.S. citizen. Partway through the form, the parent stops and says, 'I don't have papers. If I apply, could they use it against me or deport me?' The parent wants the child to eat well but is afraid to continue. What is the **BEST** action by the social worker?

A. Assure the parent that a child's application cannot affect them

B. Encourage finishing the application since the child is eligible

C. Connect the parent with a nonprofit immigration legal service

D. Explore the parent's past experiences with government agencies

37. On a hospital medical unit, a nurse stops the social worker in the hallway and complains that the attending physician talks down to a patient's family and ignores their questions. The nurse asks the social worker to 'say something' to the physician. What is the **MOST** appropriate response by the social worker?

A. Encourage the nurse to raise the concern with the physician directly

B. Bring the nurse's complaint to the physician on the nurse's behalf

C. Report the physician's conduct to the unit's medical director

38. A client arrives at a private nonprofit counseling center with a dog that wears no vest. The client explains that the dog is trained to nudge them and lead them outside when a dissociative episode begins. The receptionist says animals cannot come in unless there is a doctor's letter and asks the social worker how to proceed. What should the social worker tell the receptionist?

A. Admit the dog without requiring any paperwork

B. Admit the dog once a provider letter is on file

C. Admit the dog but keep it in the waiting area during sessions

39. At intake, a parent reports being evicted last week and sleeping in a car with 2 young children during freezing nights. The parent also describes low mood and a custody hearing in 6 weeks, and asks first about the hearing. The parent denies suicidal thoughts. What should the social worker address **FIRST**?

A. The parent's depressive symptoms and treatment options

B. Emergency shelter for the family for tonight

C. A legal aid referral for the custody hearing

40. An adult began aripiprazole 10 days ago for psychotic symptoms. At an outpatient visit, the client cannot stay seated, shifts from foot to foot and says, 'I feel like I have to keep moving inside.' The client is distressed by the feeling. Clinic staff call it anxiety about the new treatment. Which explanation is **MOST** likely?

A. Generalized anxiety disorder

B. Tardive dyskinesia

C. Worsening psychotic agitation

D. Akathisia

41. A community health center serving mainly Black, Latina and Native clients on Medicaid sets a quarterly target for long-acting contraceptive placements, such as implants and IUDs. Staff who meet it are praised at meetings. A client tells the social worker that a staff member kept pushing an implant after the client asked for pills and explained that a grandparent was sterilized without consent. The client now has the pills. What is the **BEST** action for the social worker?

A. Report the staff member's conduct to the clinic manager

B. Ask clinic leaders to drop the target for these methods

C. Train staff to counsel neutrally while keeping the target

42. A 20-year-old tells a social worker at the campus counseling center that worry about climate change has grown since a summer of wildfires near home. The student keeps up with classes, sleeps a little less after reading the news, and recently joined a campus sustainability group. The student asks, 'Is something wrong with me?' What is the **MOST** appropriate response?

A. Challenge the catastrophic thoughts with cognitive restructuring

B. Frame the concern as understandable and build meaning-focused coping

C. Refer the student for a medication evaluation for anxiety

43. On Monday morning, a licensed clinical social worker in solo private practice checks the state board's website and finds that the license expired 10 days ago because required continuing education hours were never reported. Eight clients are scheduled this week. What should the social worker do?

A. Pause client sessions until the license is reinstated

B. Finish the missing hours online and keep this week's sessions

C. See current clients while the license renewal is pending

44. A middle school uses restorative circles after harm. A 13-year-old painted insults over a classmate's mural and has admitted it. The classmate tells the school social worker, 'I don't want to sit in a room with them.' The principal says the circle is school policy and should go ahead. What is the **MOST** appropriate response?

A. Meet with the classmate alone to learn what repair they want

B. Encourage the classmate to attend, as meeting aids healing

C. Hold the circle with a staff member speaking for the classmate

45. A partner brings a 57-year-old client to a hospital neurology clinic. Over the past year the client has made crude remarks to strangers, spent savings on impulse purchases, eaten sweets compulsively and shown little concern for family. The changes have come on gradually and steadily. The client remembers recent events and appointments well. Which diagnosis is **MOST** likely?

A. Bipolar I disorder, manic episode

B. Frontotemporal neurocognitive disorder

C. Alzheimer's neurocognitive disorder

D. Antisocial personality disorder

46. An associate social worker at a hospital realizes that a patient's psychosocial assessment, sent an hour ago by secure email, went to the wrong family's case manager at a nursing facility. The associate's supervisor is on site today, and weekly supervision is in 4 days. What should the associate do **FIRST**?

A. Inform the supervisor of the error now

B. Raise the error with the supervisor at the scheduled session

C. Ask the recipient to delete the message and confirm by reply

47. In the tenth month of weekly psychodynamic therapy, a client whose parent died when the client was 8 misses the session after the social worker announces a 3-week leave. Coverage plans were given at the time of the announcement. At the next session, the client shrugs and says, 'It doesn't matter. You'll be gone anyway.' What is the social worker's **BEST** response?

A. Review how to reach the covering social worker during the leave

B. Interpret the reaction as grief for the parent who died

C. Reassure the client that the leave is short and the work will go on

D. Invite the client to say more about the coming break

48. A community mental health agency has started offering text-message check-ins between sessions. An adult client in the depression program asks to begin receiving them this week. What should the social worker do **FIRST**?

A. Text the client the policy and start once the client replies OK

B. Review the texting policy and its risks, then get consent

C. Agree, and invite the client to text during any crisis

49. Shelter staff tell a new resident that their bed will be given to someone else unless they sign up for the agency's counseling program today. The resident accurately explains the program's purpose, risks and alternatives, then signs the consent form. Which element of valid consent is **MOST** likely missing?

A. Voluntariness

B. Disclosure

C. Comprehension

50. A 17-year-old requests counseling at a community clinic for panic attacks. The client lives independently and gives intake a copy of a court order of emancipation. The intake coordinator says a parent must still sign the treatment consent because the client is under 18. What is the **MOST** appropriate way for the social worker to proceed?

A. Have the client sign the treatment consent themselves

B. Contact a parent to sign the consent before treatment begins

C. Have the client sign, then let a parent know care has begun

51. A 26-year-old client at a community agency describes mood swings that shift within hours, often after a partner is slow to answer texts. During these times the client feels intense rage, cuts their arms and fears being left. Between swings the client describes a constant inner emptiness. This pattern has continued since the client's late teens. What is the **MOST** likely diagnosis?

A. Bipolar II disorder

B. Cyclothymic disorder

C. Borderline personality disorder

D. Histrionic personality disorder

52. During an external licensing review, a state reviewer found that 30% of sampled charts at a community mental health agency lacked treatment plan updates within the required period. The agency's quality coordinator, a social worker, has since fixed the cited charts and trained staff on the requirement. What should the coordinator do **NEXT**?

A. Require supervisor sign-off on each chart's plan update

B. Repeat the staff training at the next staff meeting

C. Audit a new sample of charts over the next few months

53. A hospital social worker plans discharge for an 82-year-old patient with moderate major neurocognitive disorder. The patient's grandchild holds power of attorney. The billing office says the patient's nursing home bills are 5 months unpaid, and bank statements show $40,000 moved to the grandchild's account. When asked, the patient cannot say where the money went. What should the social worker do **FIRST**?

A. Meet with the grandchild to request an accounting of the funds

B. Ask the patient more about their finances and wishes

C. Refer the family to an elder law attorney for advice

D. Report suspected financial exploitation to adult protective services

54. Ten days after starting sertraline for depression, a client on a telehealth visit says the pills 'are not doing anything' and plans to stop them this weekend. The client mentions mild nausea that is fading. The client has not talked with the prescriber about stopping. What is the **MOST** appropriate response from the social worker?

A. Suggest asking the prescriber for a stronger dose

B. Explain the usual delay in benefit and urge a prescriber call

C. Explore the client's general beliefs about taking medication

55. A clinical supervisor at the only behavioral health agency in a rural county learns that a new supervisee will coach the supervisor's 10-year-old child's soccer team this season. Contact would be limited to weekend practices and games. The agency has no other supervisor with the supervisee's specialty. What is the supervisor's **MOST** appropriate action?

A. Arrange video supervision for the supervisee from another county

B. Discuss the overlap with the supervisee and agree on clear boundaries

C. Continue as usual, since the contact happens outside work

56. A hospice social worker visits a family at home. The parent who is dying has asked that their 9-year-old not be told about the prognosis yet. While drawing with the social worker, the child asks directly whether the parent is going to die. What is the **BEST** response?

A. Validate the worry and bring the question to the parent

B. Answer honestly that the parent is expected to die soon

C. Say the parent's doctors will help them feel better

57. A middle school program sets this objective: 'By June, participating students will miss 25% fewer school days than last year.' To measure progress, staff plan to give students a survey asking how much they enjoy the program. Which indicator would **MOST** directly measure progress on the objective?

A. Official school attendance records for each participant

B. A student survey asking how often they miss school

C. The number of program sessions each student attends

58. An ICU patient who cannot communicate after a stroke has no advance directive and no named agent. The patient's legal spouse, separated for 3 years, wants aggressive treatment. Two adult children want comfort care. The physician asks the social worker to help resolve the conflict. What should the social worker do **FIRST**?

A. Hold a family meeting to seek agreement on goals of care

B. Follow the adult children, who have been at the bedside

C. Ask the physician to decide based on the patient's interests

D. Find out whom the state's surrogate law authorizes to decide

59. After a client shouts during a video session, the social worker sends an email that evening saying services are over. The client still has active panic symptoms. The email offers no referral and no final session. Which term **MOST** likely describes the social worker's action?

A. Interruption of services

B. Boundary violation

C. Client abandonment

60. On a medical unit, a patient being treated for pneumonia insists on leaving today, before the planned discharge, to attend a parent's funeral in another city. The physician has explained the risks, the patient has decision-making capacity, and the patient still plans to leave. What is the **MOST** appropriate action by the social worker?

A. Explain that insurance may deny payment if the patient leaves early

B. Arrange follow-up care and prescriptions before the patient leaves

C. Explore whether the patient could delay the trip by one day

61. A client whose partner died in a car crash 16 months ago has seen a social worker for supportive counseling for 3 months. The worker's assessment finds intense daily yearning, a sense that part of the client has died, avoidance of the crash route, a feeling that life is meaningless, and missed work most weeks. The worker has no training in treatments designed for this condition, and a nearby program offers one. What should the worker do **NEXT**?

A. Continue weekly supportive counseling and track the symptoms

B. Refer the client for a therapy that targets this grief

C. Help the client accept that grief has no set timeline

STOP

End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

Section 2

Items 62–122 · 2 hours

62. A social worker with 8 years of hospice experience recently joined a new hospice team. In supervision, the social worker praises every suggestion, repeats the supervisor's phrasing word for word and recently said the supervisor is 'just like my first mentor, who always knew best.' The social worker has stopped offering their own case formulations. What is the **MOST** appropriate response by the supervisor?

A. Offer more direction while the social worker settles in

B. Name the pattern and explore it with the social worker

C. Suggest personal therapy to work through the mentor relationship

63. Which practice role involves pressing an agency, on a client's behalf, to provide a service the client is entitled to receive?

A. Broker

B. Advocate

C. Mediator

D. Enabler

64. A person chooses on purpose to set a painful worry aside until a better time. Which defense mechanism is this?

A. Suppression

B. Repression

C. Denial

65. At a county benefits office, intake staff spend most of each appointment checking that every form field is complete. Workers turn away applicants in urgent need over minor paperwork gaps, and staff meetings focus on audit error rates rather than whether families get help. Supervisors praise flawless files. Which organizational problem is **MOST** likely present?

A. Mission drift

B. Goal displacement

C. Groupthink

D. Creaming

66. A 74-year-old hospital patient had a stroke 5 days ago and now speaks in short, halting phrases. The team plans discharge in 2 days and asks the social worker whether the patient can take part in choosing between home and a rehabilitation facility. The patient's yes and no answers to the social worker's questions have been inconsistent. Which action is **BEST**?

A. Ask the patient simple yes-or-no questions about the options

B. Request a speech-language evaluation of the patient's communication

C. Ask the patient's adult child to choose the discharge setting

D. Note in the record that the patient cannot state a preference

67. At a hospital discharge meeting, a 40-year-old patient with cerebral palsy communicates by typing on a speech-generating device. Each time the team asks about plans for home, members turn to the patient's caregiver for the answer. The patient starts typing an answer but stops. What should the social worker do **FIRST**?

A. Ask the patient the question and wait for the typed reply

B. Ask the caregiver to answer, then check with the patient

C. Switch to yes-or-no questions to speed up the meeting

68. A social worker in a housing program volunteers for a ballot campaign to fund affordable housing, a measure that would help many clients. The campaign asks volunteers to share flyers urging a yes vote. The social worker plans to hand them out on home visits and tell clients that support is optional. Which action is **MOST** consistent with the NASW Code of Ethics?

A. Hand out the flyers, stressing that support is optional

B. Keep the election out of home-visit conversations

C. Offer nonpartisan voting information in place of the flyers

D. Give campaign flyers to clients who ask about the measure

69. A social worker supervises a newly licensed social worker whose recent divorce is affecting their work. The supervisee has been late to sessions and tearful with clients. In supervision, the supervisee asks the supervisor to provide personal therapy for a few weeks, saying 'You already know my situation.' What is the supervisor's **BEST** response?

A. Agree to provide short-term therapy during supervision

B. Decline to provide therapy and address the impact on clients

C. Report the supervisee's impairment to the state licensing board

70. A client in outpatient treatment for gambling disorder had not placed a bet for 4 months. After a sports app sent a promotion, the client bet throughout a weekend and lost several hundred dollars. In session, the client says, 'Maybe I don't need to quit completely. I could just bet small amounts.' What should the social worker do **FIRST**?

A. Revise the relapse-prevention plan to block betting app promotions

B. Ask how the client now sees their recovery goals

C. Reassure the client that slips are common and progress remains

71. A client at a community agency receives disability benefits that limit how much the client may earn. In session, the client mentions doing cash yard work most weekends. The client then asks the social worker to sign a letter to the benefits office stating that the client has no income. What is the **MOST** appropriate response?

A. Sign a letter worded as the client's own report of no income

B. Decline to sign while keeping the disclosure private

C. Report the unreported earnings to the benefits office

72. After 8 months of psychodynamic therapy for relationship problems, a client starts having panic attacks and now avoids driving on highways. The client asks to focus on the panic. When the social worker explores the request, the client says the attacks feel urgent and are hurting the client's job. The social worker is trained in CBT for panic disorder. What is the **BEST** response?

A. Shift to treating the panic with interoceptive exposure

B. Explore how the panic connects to the relationship themes

C. Add a CBT panic workbook while continuing the current sessions

73. A 15-year-old comes to a pediatric clinic with a parent for a sports physical. The social worker plans a brief psychosocial screen covering substance use, sexual activity and mood. The parent sits beside the teen and starts answering the social worker's first questions. What should the social worker do **FIRST**?

A. Explain confidentiality and its limits, then meet with the teen alone

B. Ask the teen the screening questions in a calm, matter-of-fact way

C. Assure the teen that everything said today will stay private

74. In a home-visiting program, a parent asks the social worker how to use time-out for a 3-year-old who hits a younger sibling. The parent says most of their time together is spent giving commands or corrections, with little relaxed time. The hitting has caused no injuries. What should the social worker do **FIRST**?

A. Teach a consistent time-out procedure for each hitting incident

B. Explore how the parent was disciplined as a child

C. Coach brief daily child-led play with specific praise

75. A parent remarried 4 months ago. The new spouse, who has no children, began enforcing strict curfews and chore rules with the parent's 13-year-old. The teen now slams doors and refuses to speak to the stepparent. The couple asks the social worker how to restore order at home. Which guidance is **BEST**?

A. Have the parent and stepparent agree on rules and enforce them equally

B. Have the stepparent stay out of the teen's daily life for now

C. Have the parent handle discipline while the stepparent builds a bond

76. A social worker is the only mental health provider in a small rural town. A new client's child plays on the same youth soccer team as the social worker's child, so they will run into each other at weekly games. The nearest other provider is 2 hours away. What is the **MOST** appropriate action?

A. Refer the client to the provider who is 2 hours away

B. Continue treatment without raising the overlap with the client

C. Agree with the client on how to handle outside contact

77. A client with schizophrenia who lives in supportive housing tells the social worker, 'I want a real job, like stocking shelves.' The client's symptoms have been stable on medication, but the client has not worked in 8 years. Housing staff say a job is unrealistic for now. What is the social worker's **BEST** response?

A. Refer the client to a supported employment program now

B. Enroll the client in a prevocational work-readiness group first

C. Explore whether the client's job goal is realistic right now

D. Ask the treatment team to decide when the client is ready

78. A social worker in solo private practice gave clients a personal cell number when the practice opened and now answers their texts most evenings and weekends. The worker sleeps poorly, feels irritable in sessions, and recently answered a client's late-night scheduling text sharply. What is the **MOST** effective way to address the problem?

A. Set after-hours limits and explain crisis options to clients

B. Begin personal counseling for the stress and poor sleep

C. Stop replying to evening texts without telling clients

79. A client with major depressive disorder has employer-sponsored health insurance through a large company. The plan denied payment for therapy after 12 visits this year, citing a visit cap. The social worker reviewed the plan documents with the client and found no visit cap on outpatient medical care. What should the social worker do **NEXT**?

A. Help the client appeal the decision under federal parity rules

B. Switch the client to a reduced self-pay fee starting right away

C. Tell the client the plan broke the law and should be sued

80. A 38-year-old client moved across the country 10 years ago and has had almost no contact with their family since. The client reports a series of intense, short romantic relationships and wants help with them. The social worker uses Bowen family systems therapy. Which intervention is **BEST**?

A. Invite the parents to a session to confront them about the past

B. Explore the pattern in the client's romantic relationships

C. Coach the client to plan brief visits and stay calm during them

81. Staff at a nursing facility ask the social worker to begin weekly talk therapy for a resident with moderate Alzheimer's disease. The resident yells at and pushes away aides several times a week, usually during morning bathing. The resident cannot recall conversations from earlier in the day. What is the **MOST** appropriate approach?

A. Hold weekly individual sessions exploring the resident's frustrations

B. Ask the physician to consider medication to calm the resident

C. Help caregivers adjust the routine that sets off the distress

82. A school social worker meets with the parent of a 14-year-old. Over the past 2 months, the teen has stopped seeing friends, quit the swim team, sleeps most afternoons and has dropped from B's to failing grades. The parent says, 'It's just a moody teenage phase.' What should the social worker do **FIRST**?

A. Agree that these changes are common in adolescence

B. Refer the teen to a psychiatrist for medication

C. Meet with the teen to screen for depression

D. Set up a daily homework check with teachers

83. During a home visit, a parent tells a family services social worker that the school denied the child's request for a classroom aide at an IEP meeting. The parent says, 'I feel like the only one fighting this school.' The parent also mentions that several other families in the program have had the same request denied. What is the **MOST** appropriate action?

A. Attend the next IEP meeting and present the parent's case to staff

B. Teach the parent relaxation skills to use in school meetings

C. File a complaint with the state education agency for the parent

D. Connect the parent with a parent-led disability advocacy network

84. On a stroke rehabilitation unit, a 68-year-old patient has expressive aphasia. The patient follows conversation and nods appropriately but struggles to find words. The social worker needs the patient's preferences for discharge. The patient's adult child offers to answer for the patient. What is the **MOST** appropriate way for the social worker to proceed?

A. Ask the adult child to describe the patient's preferences

B. Use short, simple questions and allow ample time to answer

C. Finish the patient's sentences when the patient pauses

D. Give the patient written questions to answer later

85. In week 4 of a 10-week hospice bereavement group, a member whose partner died 3 months ago stays after the session. In response to the social worker's questions, the member says they now drink most of a bottle of wine every night to sleep, have missed 6 workdays this month, and their adult child has asked them to cut back. What should the social worker do **NEXT**?

A. Help the member arrange a substance use evaluation and stay in group

B. Suggest a bedtime routine and check on the drinking next week

C. Explore further how the loss has affected the member's sleep

D. Ask the member to pause group until the drinking is under control

86. In a second session, a client is describing a pregnancy loss that happened 2 months ago. Mid-sentence, the client stops, looks down and begins to cry softly. The client has spoken openly so far and has not asked for anything. What response would be **MOST** helpful at this moment?

A. Ask what thoughts are coming up for the client right now

B. Stay quietly present and let the client resume when ready

C. Reassure the client that this kind of grief reaction is normal

87. A parent of two arrives upset, saying the family's food assistance 'just got cut off out of nowhere.' The parent holds a letter from the benefits office but has not read it closely and asks the social worker to call the office director right away. What should the social worker do **FIRST**?

A. Call the office director to object to the cutoff

B. Review the notice together to find the stated reason

C. Help the parent submit a written fair hearing request today

88. What term names the good feelings helpers get from doing trauma work well?

A. Compassion satisfaction

B. Vicarious resilience

C. Posttraumatic growth

89. In a middle school group on handling peer pressure, a 13-year-old accurately lists and acts out the refusal steps the social worker modeled. Later, the student says that when an older cousin turned down a vape at a party, friends mocked the cousin for weeks. Since then, the student laughs along when offered a vape. Which part of observational learning is **MOST** likely blocking use of the skill?

A. Attention

B. Retention

C. Reproduction

D. Motivation

90. During a home visit, a parent worries that their 5-year-old talks and plays with an invisible friend. The child sets a place for the friend at meals but says, 'My friend is just pretend.' The child attends preschool, plays well with peers and sleeps normally. What is the **MOST** helpful response to the parent?

A. Recommend an evaluation for possible hallucinations

B. Suggest the parent gently discourage the pretend friend

C. Explain that imaginary companions are common at this age

91. A 15-year-old came out as gay to the parents a month ago and is now withdrawn at home; a screening last week found no suicidal thoughts. In a family session, the parents say, 'We love our child, but our faith teaches this is wrong. We won't let these friends visit, and we pray for a change.' The teen looks down and says nothing. Which approach is **BEST**?

A. Show how specific accepting behaviors protect the teen's health

B. Ask the parents to put their religious beliefs aside for the teen's sake

C. See the teen individually and pause the family sessions

92. In a pediatric clinic, a Black parent tells the social worker about recent talks with an 11-year-old. The parent explained that some people may treat the child unfairly because of race, then practiced with the child how to stay calm and respond if stopped by police or followed in a store. Which ethnic-racial socialization practice is the parent **MOST** likely using?

A. Promotion of mistrust

B. Cultural socialization

C. Preparation for bias

D. Egalitarianism

93. At a family intake, parents say their 15-year-old's silence and closed bedroom door force them to keep checking in and asking questions. The teen says the constant questions are the reason for staying in the room. Each side asks the social worker to say who is right. What should the social worker do **FIRST** to understand how the family functions?

A. Determine which family member's behavior started the conflict

B. Coach the parents to give the teen more privacy

C. Map how each person's response sets off the other's

94. At a community mental health agency, a psychiatrist asks the social worker on a 9-year-old's treatment team to give the child a standardized intelligence test to help clarify a diagnosis. The social worker has never been trained to administer or interpret such tests. A psychologist on staff provides cognitive testing. What is the **MOST** appropriate response by the social worker?

A. Refer the child to the psychologist for testing

B. Give the test after studying its administration manual closely

C. Do the testing and have the psychologist score it

D. Describe the child's abilities from interview observations

95. At a community health center, a 34-year-old client says their partner shoved them into a wall during an argument last week. The client, who lives alone and works full time, asks the social worker not to involve the police. What should the social worker do?

A. Work out a plan with the client for staying safe

B. Report the assault to adult protective services

C. Urge the client to seek a protective order this week

96. A 2-year-old has been in a children's hospital for 3 weeks, and the parents can visit only on weekends. For the first few days, the child screamed and searched the doorway for the parents. Now the child lies quietly, plays little, eats poorly and rarely cries. Nurses describe the child as 'settled.' Which phase of separation response is the child **MOST** likely in?

A. Protest

B. Detachment

C. Despair

D. Rapprochement

97. At a community mental health intake, a client completes the DSM-5-TR Level 1 Cross-Cutting Symptom Measure. Most domains are rated low, but the client rates the items about sleeping less than usual and starting many more projects than usual as moderate. The social worker reviews these answers with the client. What should the social worker do **NEXT**?

A. Record a provisional bipolar disorder diagnosis

B. Give the matching Level 2 measure for follow-up

C. Repeat the Level 1 measure at the next visit

98. A youth shelter invites line staff to help design an evaluation of its case management. While drafting measures, months before data collection begins, staff start defining what a 'stable exit' means, discussing outcomes in team meetings and changing how they set goals with youth. Which type of evaluation use does this **MOST** likely show?

A. Instrumental use

B. Symbolic use

C. Conceptual use

D. Process use

99. A client who injects opioids says they are not ready to stop using but are worried after a friend overdosed. The client wants to keep meeting with the social worker. What is the **MOST** appropriate intervention?

A. Provide naloxone and teach overdose prevention steps

B. Make continued services contingent on abstinence

C. Refer the client to a residential treatment program this week

100. A social worker in a state prison provides counseling to an incarcerated client. Near the end of a session, the client hands the social worker a sealed letter and asks the worker to mail it to the client's adult child from outside the facility. The client says the letter holds family news. What is the **MOST** appropriate response?

A. Mail the letter as a one-time favor to the client

B. Explain how to send it through the facility's mail

C. Read the letter first, then mail it if it is harmless

D. Report the request to facility security as misconduct

101. In the working stage of a process group at a veterans' center, one member describes feeling like a stranger at home. Another member turns to the social worker and says, 'I think what they mean is they feel invisible to their family.' What is the **MOST** appropriate response?

A. Ask the member to say that directly to the other member

B. Agree and add the social worker's own reading of it

C. Thank the member and move on to the next person

D. Restate the speaker's feelings in the leader's own words

102. A parent whose two children entered foster care meets with a child welfare social worker to build a case plan. The court has ordered substance use treatment and parenting classes. The parent says the top priority is finding a job, because without income they will lose their apartment, and the court also requires stable housing for reunification. What is the **MOST** appropriate way to proceed?

A. Include a job goal in the plan alongside the court-ordered services

B. Focus the plan on the court orders and add employment later

C. Make employment the first goal and begin services once the parent works

103. What does the mental status exam contribute to a clinical assessment?

A. A diagnosis that meets DSM-5-TR criteria

B. A chronological history of the presenting problem

C. A snapshot of present thought, mood and behavior

D. A norm-referenced score of symptom severity

104. At a training, a social worker at an opioid treatment program learns that the federal confidentiality rule for substance use disorder records was revised in 2024. The program's consent forms date from 2019, and the social worker will ask new clients to sign them this week. The program has a compliance officer who oversees confidentiality policies. What should the social worker do **FIRST**?

A. Continue using the forms until the program issues new ones

B. Ask the compliance officer whether the forms meet the current rule

C. Revise the consent form using a summary of the new rule

D. Pause new consents until the compliance officer approves new forms

105. An employee assistance program social worker reviews the next day's schedule and sees that a newly assigned client is someone the social worker had a brief sexual relationship with 10 years ago. The two have had no contact since. The program has 4 other staff social workers. What should the social worker do?

A. Begin services, since the relationship ended long ago

B. Meet once to learn whether the history concerns the client

C. Ask that the case be reassigned to a colleague

D. Disclose the history and let the client decide

106. A client in private practice was laid off 2 months ago and since then has had poor sleep, tearfulness and trouble concentrating. The client is suing the former employer and asks the social worker to record PTSD because 'that will help the case.' The social worker's assessment supports adjustment disorder with mixed anxiety and depressed mood. What is the **MOST** appropriate response?

A. Record PTSD as a provisional diagnosis while gathering more history

B. Explain why the findings point to adjustment disorder instead

C. Record adjustment disorder and direct legal questions to the client's attorney

107. A hospital patient with cancer and full decision-making capacity is visited by an adult child, who does most of the talking. When the social worker mentions the upcoming scan, the patient says, 'Just give the results to my child. I don't want to hear them.' The oncologist's usual practice is to give results directly to patients. What should the social worker do **FIRST**?

A. Encourage the patient to hear the results from the oncologist

B. Request an ethics consultation on keeping results from a patient

C. Meet privately with the patient to confirm the wish

D. Help the team record the wish and give results to the adult child

108. A community clinic is redesigning its intake. Currently, staff seat each new client, then ask a fixed list of trauma history questions in the same order for everyone. Which change is **MOST** consistent with a trauma-informed approach?

A. Offer clients choices about pacing and what to share

B. Collect a detailed trauma history at the first visit

C. Refer clients who report trauma to a trauma specialist

109. At a pediatric clinic, a parent reports that their 11-year-old, whose weight is in the healthy range, recently began calling themselves 'fat' and comparing their stomach to a sibling's. The parent recently put the family on a strict diet and weighs the child each morning 'to keep everyone on track.' What is the social worker's **MOST** appropriate response?

A. Teach the child to challenge negative thoughts about their body

B. Have the parent arrange an eating disorder evaluation

C. Help the parent swap dieting for regular shared meals

110. During a biopsychosocial assessment in a hospital dialysis unit, a patient mentions that prayer has helped them cope, but adds that they have not attended services since starting treatment 3 months ago. The intake form already lists the patient's religious affiliation. What should the social worker do **NEXT**?

A. Refer the patient to the hospital chaplain for support

B. Move on to the social history section of the assessment

C. Ask what faith means to the patient and how it affects care

111. A client in early recovery from alcohol use disorder starts taking a new route home from work 'to beat traffic.' The route passes a liquor store the client used to visit daily. The next week, the client stops there 'just to buy a soda' and drinks again that night. Which relapse prevention concept **MOST** likely describes the route change?

A. An apparently irrelevant decision

B. The abstinence violation effect

C. Positive outcome expectancies

D. A lapse

112. A school social worker meets with a 14-year-old who often falls asleep in class and has fallen behind on assignments. The student explains that a parent with multiple sclerosis needs help getting out of bed, bathing and eating, and the other parent works nights. The student says, 'It's my job. I don't mind.' Which action is **BEST**?

A. Arrange in-home personal care with the parents

B. Arrange a school plan with the parents for extended deadlines

C. Refer the student to counseling for caregiver stress

113. A white social worker goes with a Black client to a benefits office to appeal a denial. The caseworker there speaks to the social worker alone and brushes off the client's answers. The client prepared the appeal and wants to present it. What is the **BEST** action by the social worker?

A. Present the appeal so the caseworker will listen and decide

B. File a complaint about the caseworker's conduct after the visit

C. Turn each question back to the client and stay present

114. Staff at a senior center ask the social worker about a 76-year-old member who has stopped joining group activities. In the busy dining room, the member often answers questions that were not asked and asks others to repeat themselves. A relative wonders if dementia is starting. The social worker meets with the member in a quiet office, where they talk easily about recent events. What should the social worker do **NEXT**?

A. Move the member to smaller, quieter activity groups

B. Refer the member for a neurocognitive evaluation

C. Recommend that the member get a hearing evaluation

115. A client who has taken sertraline for a year begins tramadol after dental surgery. The next day, at a scheduled clinic visit, the client is agitated and sweating heavily, with diarrhea, a racing heart and jerking muscles in both legs. The client thinks it is a stomach bug. What should the social worker do **FIRST**?

A. Have the client seen in an emergency department now

B. Call the prescriber's office to report the new medicine

C. Advise the client to stop the tramadol and rest at home

116. A community mental health agency hires a former client as a peer support specialist. The new hire finished treatment with a staff social worker 2 years ago and did well. The program director asks that social worker to be the new hire's direct supervisor, citing their good rapport. What is the **MOST** appropriate response from the social worker?

A. Accept, setting clear rules that keep supervision work-focused

B. Ask that another staff member supervise the new hire

C. Object to the agency hiring its former clients as staff

117. An agency director announces that an outside firm will evaluate the family support program this spring. Several case managers tell the program's coordinator, a social worker, that they fear the results will be used to cut positions, and some say they may not cooperate. Planning has not begun. What should the coordinator do **FIRST**?

A. Involve staff in shaping the evaluation questions and uses

B. Assure staff that the evaluation results will stay confidential

C. Start data collection and address concerns as they come up

118. What threshold of belief triggers a mandated reporter's legal duty to report possible child abuse or neglect?

A. Probable cause

B. Clear and convincing evidence

C. Preponderance of the evidence

D. Reasonable suspicion

119. A hospital discharge planner whose caseload has doubled has started calling patients by bed number and diagnosis in team meetings. When a family calls in tears about a delayed discharge, the planner answers curtly and feels little concern. Which component of burnout is **MOST** likely present?

A. Emotional exhaustion

B. Reduced personal accomplishment

C. Depersonalization

120. Which question is central to a restorative justice response to wrongdoing?

A. Who was harmed, and what do they need?

B. Which rule was broken, and what penalty fits?

C. How can both sides compromise and move on?

121. An outpatient social worker gives a client with depression the PHQ-9 at each session of cognitive behavioral therapy. After 8 sessions, the totals remain in the moderate range with no downward trend. The client says the sessions are helpful and would like to keep going the same way. What should the social worker do **FIRST**?

A. Continue the current approach because the client finds it helpful

B. Go over the results with the client and revise the plan

C. Ask a psychiatric prescriber to evaluate the client for medication

122. In a residential treatment group for adolescents, one member says to an Asian American member, 'Your English is really good for someone like you.' The Asian American member laughs and looks down. Other members glance at the social worker leading the group. What is the social worker's **BEST** response?

A. Ask the Asian American member to share how the comment felt

B. Pause the group and name the comment as a stereotype

C. Talk with the member who made the comment after group

D. Continue the discussion, since the member laughed it off

STOP

End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

Answer sheet · Form 2

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

Section 1 (items 1–61)

1	A	B	C	D	32	A	B	C	D
2	A	B	C	D	33	A	B	C	D
3	A	B	C	—	34	A	B	C	D
4	A	B	C	D	35	A	B	C	—
5	A	B	C	—	36	A	B	C	D
6	A	B	C	D	37	A	B	C	—
7	A	B	C	—	38	A	B	C	—
8	A	B	C	—	39	A	B	C	—
9	A	B	C	—	40	A	B	C	D
10	A	B	C	D	41	A	B	C	—
11	A	B	C	—	42	A	B	C	—
12	A	B	C	—	43	A	B	C	—
13	A	B	C	D	44	A	B	C	—
14	A	B	C	—	45	A	B	C	D
15	A	B	C	—	46	A	B	C	—
16	A	B	C	D	47	A	B	C	D
17	A	B	C	D	48	A	B	C	—
18	A	B	C	—	49	A	B	C	—
19	A	B	C	—	50	A	B	C	—
20	A	B	C	—	51	A	B	C	D
21	A	B	C	—	52	A	B	C	—
22	A	B	C	D	53	A	B	C	D
23	A	B	C	—	54	A	B	C	—
24	A	B	C	—	55	A	B	C	—
25	A	B	C	D	56	A	B	C	—
26	A	B	C	D	57	A	B	C	—
27	A	B	C	D	58	A	B	C	D
28	A	B	C	D	59	A	B	C	—
29	A	B	C	—	60	A	B	C	—
30	A	B	C	D	61	A	B	C	—
31	A	B	C	D					

Section 2 (items 62–122)

62	A	B	C	—	93	A	B	C	—
63	A	B	C	D	94	A	B	C	D
64	A	B	C	—	95	A	B	C	—
65	A	B	C	D	96	A	B	C	D
66	A	B	C	D	97	A	B	C	—
67	A	B	C	—	98	A	B	C	D
68	A	B	C	D	99	A	B	C	—
69	A	B	C	—	100	A	B	C	D
70	A	B	C	—	101	A	B	C	D
71	A	B	C	—	102	A	B	C	—
72	A	B	C	—	103	A	B	C	D
73	A	B	C	—	104	A	B	C	D
74	A	B	C	—	105	A	B	C	D
75	A	B	C	—	106	A	B	C	—
76	A	B	C	—	107	A	B	C	D
77	A	B	C	D	108	A	B	C	—
78	A	B	C	—	109	A	B	C	—
79	A	B	C	—	110	A	B	C	—
80	A	B	C	—	111	A	B	C	D
81	A	B	C	—	112	A	B	C	—
82	A	B	C	D	113	A	B	C	—
83	A	B	C	D	114	A	B	C	—
84	A	B	C	D	115	A	B	C	—
85	A	B	C	D	116	A	B	C	—
86	A	B	C	—	117	A	B	C	—
87	A	B	C	—	118	A	B	C	D
88	A	B	C	—	119	A	B	C	—
89	A	B	C	D	120	A	B	C	—
90	A	B	C	—	121	A	B	C	—
91	A	B	C	—	122	A	B	C	D
92	A	B	C	D					

Fill one circle per item. A dash means that item has only three options (A–C).