DBT: Deb's Board Training Practice Form 7

Clinical-level social work licensing exam practice · Question booklet

Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

Section 1	Start time:	End time:

Section 2	Start time:	End time:

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

Section 1

Items 1–61 · 2 hours

1. A hospital social worker meets with an 81-year-old patient who lives alone and was admitted after a fall. The team recommends assisted living, but the patient insists on going home. A screening last week showed some memory problems, and the patient cannot explain how they would manage their medications. The patient's adult child asks the social worker to arrange placement. What should the social worker do **FIRST**?

A. Arrange home services so the patient can return home

B. Assess the patient's ability to make this specific decision

C. Begin the assisted living placement the adult child requested

2. A client with a lifelong pattern of giving in to others starts assertiveness training at a housing agency. In 3 days, the client meets with a landlord who is holding back a security deposit the client needs for a new apartment. Only one session fits before the meeting, and the client asks to use it to prepare. Which practice situation is **BEST** for that session?

A. The upcoming talk to get the money returned

B. A low-stakes request, such as returning a store item

C. A long-standing conflict with a relative

3. A social worker practicing under clinical supervision for licensure presents a case at a monthly peer consultation group. The group recommends a different treatment approach from the one the clinical supervisor directed. What should the social worker do **FIRST**?

A. Switch to the approach the consultation group recommended

B. Continue the supervisor's plan without raising the group's view

C. Discuss the group's recommendation with the supervisor

4. In supervision, an associate describes rushing to end sessions whenever clients cry. The supervisor asks what the associate notices in themself at those moments and how those reactions shape the work, keeping the focus on the associate's practice rather than personal history. In Bernard's discrimination model, which supervisor role does this **MOST** likely show?

A. Teacher role

B. Counselor role

C. Consultant role

5. A hospital patient recovering from a leg amputation says, 'Everyone keeps telling me how lucky I am to be alive.' The social worker responds, 'Part of you may be grieving a loss that nobody around you has made room for yet.' Which skill does the social worker's response demonstrate?

A. Reciprocal empathy

B. Interpretation

C. Additive empathy

D. Paraphrasing

6. On an inpatient psychiatric unit, a social worker gathers history for a 22-year-old patient. The patient has heard voices and believed neighbors were spying for the past 4 months. A parent reports that for about 5 months before the voices began, the patient withdrew from friends, stopped attending classes and talked about strangers sending hidden signals. There is no substance use, mood episode or medical cause. What is the **MOST** likely diagnosis?

A. Brief psychotic disorder

B. Schizophreniform disorder

C. Schizophrenia

D. Delusional disorder

7. A social worker is writing a biopsychosocial formulation for a 71-year-old with depression. The client's parent had depression, and symptoms began after a hip fracture last spring. Since then the client rarely leaves the house, and mood dips further with each week spent alone indoors. A neighbor visits daily. In a 4P formulation, how is the client's staying home classified?

A. Precipitating factor

B. Perpetuating factor

C. Predisposing factor

D. Protective factor

8. In private practice, a client seeks help after receiving an eviction notice. The client feels worried and sad, keeps working full time, sleeps well and is actively searching for housing. The client says the worry 'makes sense given the notice.' After a full assessment, the social worker must record the findings, and the client's insurance requires a diagnosis for payment. How should the social worker record the assessment?

A. Record a Z-code condition and no mental disorder

B. Record adjustment disorder because the stressor is identifiable

C. Record unspecified anxiety disorder pending further sessions

9. At the social worker's invitation, a 15-year-old Black adoptee in a family session describes being followed through a store by a security guard. The white adoptive parent responds, 'You're overthinking it. In this family, we don't see color.' The teen looks away and stops talking. What should the social worker do **NEXT**?

A. Meet with the parent alone later to address the color-blind view

B. Help the teen plan ways to respond calmly to store security

C. Slow the exchange and help the parent hear the teen's experience

10. On an inpatient psychiatric unit, a client tells the social worker during an assessment interview, 'Sometimes I just lose it, and then it's over.' The client offers nothing more and looks at the social worker, waiting. What should the social worker do **FIRST**?

A. Reflect the client's frustration about losing control

B. Ask whether the client hurts anyone when this happens

C. Ask the client to describe a recent time they lost it

D. Suggest the anger management group on the unit

11. A 78-year-old hospital patient recovering from a fall has agreed to talk with the social worker about safety at home. When the social worker mentions grab bars and a shower chair, the patient snaps, 'You sound just like my kids. Everyone is telling me what to do.' Which response is **MOST** appropriate for a social worker using motivational interviewing?

A. Explain the fall risks again in simpler, clearer terms

B. Emphasize that changes at home are the patient's decision

C. Ask what it would take for the patient to accept the changes

12. A private practice client owes for 6 sessions despite a written fee agreement and two talks about the balance. The social worker had planned to end services for nonpayment at the end of this month. Today the client reports thoughts of suicide most days since losing a job last week. How should the social worker handle the planned termination?

A. Postpone ending services while the risk is addressed

B. End services as planned and provide crisis line numbers

C. Refer the client to a sliding-scale clinic's waitlist

13. An adult with schizophrenia has been clinically ready to leave a state psychiatric hospital for 5 months and wants to live in the community. The treatment team agrees. The only barrier is a waitlist for state-funded supported housing. A nursing facility has an open bed, and hospital administrators suggest transferring the client there. What is the social worker's **BEST** action?

A. Support the nursing facility transfer as a less restrictive setting

B. Press the state for supported housing under disability rights law

C. Keep the client in the state hospital until housing opens

D. Discharge the client to a shelter with outpatient follow-up

14. A surrogate makes a choice for a patient who can no longer decide. The surrogate picks what the patient would have wanted, based on the patient's values and past words. Which standard is this?

A. Best interests standard

B. Substituted judgment standard

C. Reasonable person standard

15. On a busy afternoon, a social worker is the only staff member covering walk-in triage at a community mental health center. Four people have signed in at about the same time and are waiting in the lobby. Which person should the social worker see **FIRST**?

A. A client with long-standing, unchanged passive death wishes, here for routine care

B. A client who ran out of an antidepressant 2 days ago and feels fine

C. A parent who needs a letter for a housing appointment tomorrow morning

D. An older adult whose confusion and fever began this morning

16. A social worker at an opioid treatment program gets a call from an emergency department physician. A program client was brought in unresponsive, and the physician asks for the client's current medications to guide treatment. The client has signed no consent for the hospital. What is the **BEST** response?

A. Provide the information needed for emergency care

B. Decline until the client can sign a written consent

C. Confirm that the person is enrolled, but share nothing more

D. Ask the client's emergency contact to give consent

17. A parent calls an outpatient clinic about a 16-year-old on its 3-week waitlist. The teen has posted goodbye messages online and given away a prized gaming system. When the parent asked directly, the teen said they have been saving pills to take this weekend. The teen is at home now. What should the intake social worker do **FIRST**?

A. Have the parent call emergency services now and stay with the teen

B. Book the teen into the clinic's first urgent opening tomorrow morning

C. Complete a full suicide risk screening with the parent over the phone

18. A 16-year-old and a parent come to a family service agency for help. The parent wants the plan to focus on raising the teen's grades. The teen wants the parent to 'stop yelling.' Both say that evenings at home have become tense and that they want more peace. What is the **MOST** appropriate way to begin setting goals?

A. Start with the goal they share: calmer evenings

B. Focus on grades first, since the parent consents to care

C. Start with the teen's goal of less yelling in the evenings

19. A white supervisee describes a Black client who wants help finding a better-paying job. The supervisee keeps steering sessions toward anger management, saying, 'I know what this client really needs.' The client has missed the last two sessions. What is the **MOST** appropriate response by the supervising social worker?

A. Reassign the client to a social worker with more experience

B. Help the supervisee reflect on privilege and power in this pattern

C. Direct the supervisee to follow the client's stated goals

20. A 68-year-old client at a county behavioral health clinic says that, as a child, county caseworkers removed the client from a Native family and placed the client with strangers, and the client's siblings were never found. The client has described this in detail over two sessions. Today the client asks the social worker, 'Does the county admit it was wrong?' What should the social worker do **FIRST**?

A. Explain how child welfare policies have changed since that time

B. Acknowledge that removals like this caused deep, lasting harm

C. Invite the client to say more about what the removal cost

D. Refer the question to county leaders for an official reply

21. A social worker at a rural aging services agency finds that several older adult clients miss medical appointments because the county has no public bus service. The county has several active congregations, a senior center and a hospital system. The agency director proposes buying a van and hiring a driver. What should the social worker do **FIRST**?

A. Write a grant proposal to purchase an agency van

B. Ask county commissioners to fund a public bus route

C. Inventory existing transportation options and possible partners

D. Arrange taxi vouchers for clients one appointment at a time

22. A rural client in their 60s, in treatment for depression after losing the family farm, reports passive thoughts of death most days. The client keeps several hunting rifles at home and refuses to sell them, saying hunting is part of who they are. The client's sibling lives nearby and owns a gun safe. What is the social worker's **BEST** response?

A. Accept the refusal and note the rifles in the chart

B. Discuss temporary storage at a relative's home

C. Arrange a short voluntary hospital stay for safety

23. A social worker and client agree to 16 sessions. Early on, they identify a recurring pattern: the client longs for closeness, expects rejection, and pulls away first. The social worker actively keeps sessions on this pattern, tracing it with the client's partner, with coworkers, and with the social worker. Which approach is the social worker **MOST** likely using?

A. Interpersonal psychotherapy

B. Task-centered practice

C. Solution-focused therapy

D. Time-limited dynamic psychotherapy

24. Which change in a 74-year-old fits normal cognitive aging rather than a neurocognitive disorder?

A. Getting lost while driving a familiar route

B. Needing help to pay monthly bills

C. Asking the same question minutes after an answer

D. Recalling a name slowly but remembering it later

25. A social worker at a community youth center learns from a 7-year-old that a parent's partner burned the child's arm with a lighter, and sees a fresh round burn. The social worker informs the center director, who says staff will talk with the parent at pickup tomorrow and asks the social worker to hold off. What should the social worker do **NEXT**?

A. Wait until the director has spoken with the parent

B. Ask the child more questions to firm up the details

C. Call the child abuse hotline today

26. Under the NASW Code of Ethics, when should a social worker avoid a dual relationship with a client or former client?

A. When it carries a risk of exploitation or harm to the client

B. When it begins less than 2 years after services have ended

C. When it involves social contact outside the office

27. A social worker at a community mental health center receives a subpoena from an insurance company's attorney in a disability lawsuit brought by a client. The social worker calls the client, who says firmly that they do not want the records released. The response date is 10 days away. What should the social worker do **NEXT**?

A. Get legal advice on asserting the client's privilege

B. Send the records, since the subpoena is a legal demand

C. Discuss with the client why they oppose the release

D. Ask the client to contact the attorney who issued it

28. At a clinic intake, a client explains that their partner monitors the home phone and mail and becomes violent over medical bills. The client asks the clinic to contact them only by work email. The front desk says its system sends automatic reminder calls and letters to the home. What should the social worker do **FIRST**?

A. Have the client's contact method changed before any reminder goes out

B. Develop a safety plan for what to do if the partner finds a letter

C. Explain the reminder system and ask the client to accept home contact

29. An 80-year-old client comes to a senior center for help with a benefits renewal form that is due tomorrow. For 20 minutes the client has talked about past jobs and old friends, and the form is still blank. The client seems to enjoy the visit and has no other appointments today. Which response is **MOST** helpful?

A. Keep listening warmly and let the client set the pace of the visit

B. Briefly reflect the stories' meaning, then return to the form

C. Explain that the form comes first and the stories can wait

30. Two days after discharge from a psychiatric unit, a client with bipolar disorder tells the social worker on a scheduled follow-up call that the pharmacy would not fill the new mood stabilizer. The insurer needs a prior authorization form from the prescriber. The client has called the insurer twice, wants to restart the medication, and says, 'I've been on the phone all day. I don't have the energy to keep calling.' What should the social worker do **FIRST**?

A. Move the client's outpatient appointment to an earlier date

B. Coach the client to ask the prescriber's office for the form

C. Call the prescriber's office today about the form

D. Ask how the client feels about taking a mood stabilizer

31. At intake, a client seeks help for anxiety after losing a job. The client mentions living with two partners in a committed polyamorous relationship. Both partners have offered to help with bills and job leads. What should the social worker do **FIRST**?

A. Include both partners, as the client defines them, in assessing supports

B. Assess whether the arrangement with both partners is causing the anxiety

C. Refer the client to a provider who specializes in polyamory

32. Records kept by a social worker employed by a public school district are generally governed by which federal privacy law?

A. The HIPAA Privacy Rule

B. 42 CFR Part 2

C. FERPA

33. A single-system design sets a goal for one behavior. The goal then moves in steps, and each new level starts only after the client meets the current one. What is this design called?

A. Multiple-baseline design

B. Changing-criterion design

C. ABC design

D. ABAB reversal design

34. During a child welfare team meeting, staff are deciding whether a family can keep a safety plan at home or needs a placement. A colleague says, 'Families from that housing complex never follow through.' Others nod, and the supervisor moves toward a vote. The family's record shows they have met each plan task so far. What should the social worker do **FIRST**?

A. Name the generalization and redirect to the case facts

B. Speak with the colleague privately after the meeting

C. Report the colleague's remark to the program director

35. An outpatient client with bipolar I disorder is admitted to a state psychiatric hospital and is expected to stay about 6 more weeks. The client has signed a release for the inpatient team. Agency policy automatically closes cases after 30 days without contact, and day 30 is next week. What is the social worker's **MOST** appropriate action?

A. Close the case under the policy and mail a letter inviting return

B. Ask for an exception that keeps the case open through discharge

C. Call the client weekly to keep the case from closing

36. In an integrated primary care clinic, a client with diabetes and depression has just agreed to a plan for daily walks and a mood log. While agreeing, the client speaks softly, looks at the floor, and rubs the back of their neck. What should the social worker do **NEXT**?

A. Ask which part of the plan might be hardest to do

B. Ask the client why they seem unsure about the plan

C. Give the client a written copy of the agreed plan

37. An adult with bipolar I disorder comes to a community mental health center for help with worsening depression. The client drinks 2 or 3 beers most evenings and has never had withdrawal symptoms. The intake coordinator says center policy sends anyone who drinks to an addiction program before mental health care. What is the social worker's **BEST** response?

A. Assess both the mood episode and alcohol use today

B. Refer the client to the addiction program first

C. Help the client find an integrated program elsewhere

38. A client with schizophrenia is moving into a supported apartment and wants to learn to cook simple meals safely. The social worker has explained why each step matters, such as turning off the stove. What should the social worker do **NEXT**?

A. Give the client a written checklist to follow at home

B. Demonstrate cooking a meal while the client watches

C. Have the client try cooking a meal with coaching

39. In an integrated primary care clinic, a social worker completes a routine intake screening with a new adult client. When the social worker reads a question about past physical or sexual violence, the client's hands begin to shake, and the client says quietly, 'I don't really talk about that.' What is the **BEST** response?

A. Reflect the distress and offer a choice to pause

B. Gently ask what happened so the screening is complete

C. Move on to the next question to finish the screening

40. A client with schizoaffective disorder served by an assertive community treatment team has gained weight over the past year. At the client's apartment, the client mentions being thirsty all the time, getting up several times a night to urinate, and having blurry vision. The client distrusts doctors and plans to bring it up at a psychiatric appointment in 5 weeks. What is the **MOST** appropriate action?

A. Agree to the client's plan and check on the symptoms next month

B. Offer to go with the client to a primary care visit this week

C. Encourage the client to switch to water and sugar-free drinks

41. A teacher refers a 9-year-old to the school social worker for an ADHD evaluation, noting that the child cannot focus after mid-morning and puts their head down by lunch. In a phone call, the parent explains that their work hours were cut and food often runs out before payday. The child usually skips breakfast. What should the social worker do **FIRST**?

A. Collect parent and teacher ratings of the child's attention

B. Suggest the parent ask the pediatrician about ADHD medication

C. Connect the family to free meal programs and food aid

42. An agency compares the cost per youth served of two mentoring models. One model uses paid mentors. The other relies on volunteer mentors and meets in space a church donates. The draft analysis counts budgeted expenses alone, so the volunteer model looks far cheaper. How should the social worker revise the cost analysis?

A. Add a market value for unpaid mentor hours and the room

B. Keep budgeted expenses, since unpaid mentors cost the agency nothing

C. Convert both models' outcomes into dollar benefits

43. At a pediatric clinic, a social worker helps a parent whose 7-year-old's asthma keeps worsening. The apartment has visible mold and roaches. With the social worker's help, the parent sent the landlord a written repair request and a doctor's letter 6 weeks ago. The landlord has not responded and has hinted that the lease may not be renewed. What should the social worker do **NEXT**?

A. Ask the doctor to strengthen the child's asthma treatment plan

B. Help the parent search for a different apartment

C. Connect the parent with a tenant legal aid program

D. Organize other tenants to confront the landlord together

44. A voluntary client who has never had counseling comes to an outpatient clinic about job stress. A few minutes into the first session, the client asks, 'So do you just tell me what to fix? I've never done this before.' What should the social worker do **FIRST**?

A. Offer two or three practical tips for handling job stress

B. Ask the client to describe the job stress in detail

C. Explain how sessions work and ask what the client expects

45. Parents bring their 9-year-old to family therapy for tantrums. The family used a behavior chart consistently for 4 weeks with no change. In sessions, the child starts acting out whenever the parents begin to disagree about money, and the parents then stop arguing and work together to calm the child. Both parents say they 'haven't been a team lately.' What is the **BEST** intervention at this point?

A. Coach the parents to stay calm and united during tantrums

B. Meet with the parents as a couple about their conflict

C. Tell the family that the tantrums protect the parents from fighting

46. Two days after a 10th grader died by suicide, a high school social worker reviews the students staff are worried about. One was the student's closest friend, was hospitalized last year after an overdose, and has not come to school yet today. Another sat beside the student in chemistry and keeps crying in class. A third posted a tribute video that friends shared widely. Whom should the social worker contact **FIRST**?

A. The classmate crying in chemistry class

B. The friend who is absent from class

C. The student whose tribute video friends shared

47. Which assessment tool **BEST** maps a family's current connections to schools, agencies, work and other outside systems?

A. Ecomap

B. Genogram

C. Culturagram

48. An adult client with schizophrenia has been stable for a year on an antipsychotic medication. The client tells the social worker that weight gain from the medication is unbearable and that they plan to stop taking it. The client is coherent and understands the risk of relapse. How should the social worker respond?

A. Tell the client that stopping the medication would be a mistake

B. Ask the client's family to encourage continued medication use

C. Explore the concerns and link the client with the prescriber

D. Suggest that the client lower the dose gradually before stopping

49. A 10-year-old in a residential treatment program was removed from a home where a caregiver often screamed threats and insults. Staff report that the child now corners younger residents and shouts at them using the caregiver's exact words, tone and gestures. When staff step in, the child laughs and says, 'Nobody can push me around now.' Which defense mechanism is the child **MOST** likely using?

A. Identification with the aggressor

B. Displacement

C. Acting out

D. Projection

50. In a remote town with one mental health provider, a social worker treats a client who owns the only hair salon. At intake, the two agreed on how to handle contact at the salon. During the social worker's next haircut, the client refuses payment, saying, 'You've helped me so much.' What is the social worker's **BEST** response?

A. Accept the free haircut as a sign of the client's gratitude

B. Pay the usual price and explore the gesture at the next session

C. Use a salon in another town for the rest of treatment

51. A social worker newly assigned to a sexual assault program finds that clients' accounts stir memories of an assault the social worker experienced years ago. The social worker has discussed this in supervision, and the supervisor suggested personal counseling. The social worker worries that seeking counseling would look like incompetence. Which step is **MOST** consistent with ethical self-care?

A. Ask the supervisor to provide personal counseling in supervision

B. Begin personal counseling while continuing in supervision

C. Request a transfer away from the sexual assault program

52. A family shelter starts requiring residents to wear colored wristbands in the dining hall that show whether they receive public benefits, so staff can track meal funding. Residents tell a social worker they feel marked in front of other families. Which core value of the profession does this practice **MOST** directly conflict with?

A. Social justice

B. Dignity and worth of the person

C. Importance of human relationships

53. On an inpatient psychiatric unit, a patient scheduled for discharge this afternoon tells the social worker they plan to go to their former partner's home tonight and shoot the partner with the handgun kept in their closet. The patient says the decision is made. What should the social worker do **FIRST**?

A. Have the team hold the discharge for reevaluation

B. Warn the former partner and proceed with the discharge

C. Ask more about how firmly the patient intends to act

D. Notify the outpatient provider to follow up this week

54. A licensed clinical social worker kept the license current through continuing education during a 5-year break from practice. Before the break, the worker provided school-based counseling to children. A community clinic now offers the worker a full caseload of adults with serious mental illness, starting in 2 weeks. What is the **MOST** appropriate way for the worker to proceed?

A. Accept the full caseload after a weekend training on serious mental illness

B. Decline the position because the population is new

C. Accept with gradual intake, training and supervision

55. A client with bipolar I disorder, stable for 6 months after a manic episode, asks for help avoiding another hospitalization. The client's partner joins the session and asks for a complete list of symptoms to watch for each day. The client says the partner's constant questions about mood feel like being watched. Which psychoeducation approach is **MOST** helpful?

A. Give the partner a daily checklist of bipolar symptoms to watch for

B. Meet with the client alone to protect the client's privacy

C. Help the client name their own early signs and the partner's role

D. Teach the partner to watch for reduced sleep as the key warning sign

56. A family caregiver support program moves to remote-only services. An 80-year-old caregiver in a rural area has a basic cell phone and no home internet, and wants to keep meeting with the social worker. Which response is **MOST** helpful?

A. Lend a tablet and teach the caregiver to use video

B. Hold the sessions as regular voice calls

C. Refer the caregiver to an in-person group 60 miles away

57. A client in outpatient treatment arrives upset. The client found the social worker's personal social media account and saw a public post supporting a cause the client strongly opposes. 'I don't know if I can trust you now,' the client says. What should the social worker do **FIRST**?

A. Invite the client to describe how the post affected the relationship

B. Make the account private and remove the post

C. Explain that personal views stay separate from the client's care

58. An 84-year-old client who lives alone in a rural area needs help with meals, rides to the store, and a daily check-in while recovering from a hip fracture. The regional aging agency's in-home program has an 8-month waitlist. The client has belonged to a local congregation for 50 years, and two neighbors already stop by now and then. The client wants to stay home. What is the social worker's **BEST** plan for the coming months?

A. Recommend a move to an assisted living facility

B. Add the client to the in-home program waitlist and check in monthly

C. Turn the client's informal contacts into a weekly helper schedule

59. In an early intervention home-visiting program, one social worker is the only provider who visits a toddler's family. A speech pathologist and an occupational therapy practitioner coach the social worker, who then teaches their strategies to the parents during visits. The three plan goals together with the family. Which team model is this program **MOST** likely using?

A. Interdisciplinary

B. Multidisciplinary

C. Transdisciplinary

D. Intradisciplinary

60. A client is referred to a community agency after an emergency department visit labeled 'panic attack.' The social worker has taken a history: during a heated family argument, the client screamed, shook, felt heat rising to the head and fell to the floor. The client calls it an ataque de nervios and says such episodes run in the family after major conflicts. What should the social worker do **NEXT**?

A. Use the Cultural Formulation Interview to learn the client's view

B. Record panic disorder and refer for exposure-based treatment

C. Transfer the client to a practitioner from the client's culture

61. After a young adult's first hospitalization for schizophrenia, the parents meet with the inpatient social worker. One parent asks, 'Did our strict parenting cause this?' What is the **BEST** response?

A. Explain that the illness comes from biological vulnerability plus stress

B. Explore the parent's guilt about past parenting decisions in detail

C. Recommend family therapy to change the household's parenting style

STOP

End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

Section 2

Items 62–122 · 2 hours

62. At a crisis residential program, a client with borderline personality disorder becomes convinced for an afternoon that staff are plotting to discharge them, after a close peer leaves the program. By evening, the client laughs about the idea. A psychiatry resident proposes adding delusional disorder. Which response by the social worker is **MOST** helpful to the team?

A. Note that brief, stress-linked suspicion fits the existing diagnosis

B. Agree to add the diagnosis and monitor the beliefs closely

C. Suggest psychological testing to clarify the diagnosis first

63. On a smoke-free inpatient psychiatric unit, a patient with schizophrenia who smoked heavily before admission tells the social worker, 'I don't want to start again when I leave. I'm picking a quit date with my doctor.' Discharge is in 5 days. What should the social worker do **FIRST**?

A. Review the pros and cons of smoking with the patient

B. Arrange a quitline referral to begin after discharge

C. Praise the decision and check in after discharge

D. Ask what could make it hard to avoid smoking at home

64. A hospital patient awaiting surgery describes an argument with an adult sibling. In anger, the patient told the sibling, 'I hope you get what's coming to you.' Since then, whenever the sibling is mentioned, the patient knocks three times on the bed rail, repeats a set phrase and asks staff to send the sibling a small gift. The patient says, 'I keep worrying my words could make something bad happen.' Which defense mechanism is the patient **MOST** likely using?

A. Reaction formation

B. Undoing

C. Isolation of affect

D. Displacement

65. A social worker links each client's presenting problem to structural power, shares decisions with clients, and examines how the worker's own social position shapes the work. Which framework does this approach reflect?

A. Strengths perspective

B. Ecological systems perspective

C. Anti-oppressive practice

D. Person-centered approach

66. A social worker at a program known in the community for treating substance use disorders gets a phone call from a client's employer. The caller asks whether the client has been attending sessions this month. The client has signed no release for the employer. How should the social worker respond?

A. Confirm attendance but decline to give clinical details

B. Neither confirm nor deny that the person is a client

C. Ask the employer to send the request in writing

67. An emergency department social work supervisor is under pressure to shorten patient stays. The supervisor has started cutting supervision short and giving quick orders. Now a supervisee has begun ending patient assessments abruptly and rushing patients through instructions. Which response by the supervisor is **BEST**?

A. Coach the supervisee to slow assessments with patients

B. Review the supervisee's recent assessments for missed details

C. Slow down and model an attentive pace with the supervisee

68. A university study will interview youth in residential treatment about their placement experiences. A 15-year-old's guardian has signed permission. The social worker helping with recruitment explains the study to the youth, who listens, asks one question, and then says they do not want to take part. What is the **MOST** appropriate response?

A. Enroll the youth, since the guardian gave written permission

B. Review the study's benefits again and encourage joining

C. Accept the decision and note the refusal in the study log

69. A client in treatment informed by self psychology often describes successes at work and brightens when the social worker responds with interest. In one session, the social worker glances at a phone message while the client is speaking. The client falls silent, then says nothing they do really matters. What is the **MOST** appropriate response within this approach?

A. Explore what at work has left the client feeling unimportant

B. Reassure the client that their work successes are impressive

C. Acknowledge the lapse in attention and how it affected the client

70. At a memory clinic, the adult child who cares full-time for a parent with major neurocognitive disorder meets with the social worker. The caregiver quit a job last month, sleeps about 4 hours a night because the parent wanders, and has begun snapping at their own teenagers. Siblings out of state send money but no hands-on help. Which response is **BEST**?

A. Give the caregiver a standardized caregiver burden questionnaire

B. Connect the caregiver with respite care and a day program

C. Refer the caregiver to individual psychotherapy for stress

71. A 15-year-old on probation has two new arrests, skips school, and spends time with peers who steal cars. Six months of weekly clinic-based family therapy have not changed the pattern. The probation officer raises residential placement, and the family wants the teen to stay home. What should the social worker do **NEXT**?

A. Recommend placement in a residential treatment center

B. Add school-based mentoring alongside the current family therapy

C. Refer the family to a multisystemic therapy program

72. During a structured play task in a parenting group, the social worker watches a parent say, 'Can you maybe start putting the blocks away? Let's clean up, okay?' The parent repeats this 5 times while the 6-year-old keeps playing. Which coaching suggestion would be **MOST** helpful?

A. Explain to the child why cleaning up matters first

B. Ignore the child's refusal to avoid a power struggle

C. Give one clear, specific command phrased as a statement

D. Promise the child a treat before the cleanup begins

73. At an integrated primary care clinic, a 42-year-old client reports feeling low more days than not for the past 4 years, with little energy and a sense of being a failure. The client has never felt well for more than a few weeks at a time and says, 'This is just who I am.' The low mood began during a divorce that was finalized 4 years ago. The client works full time and cares for two children. What is the **MOST** likely diagnosis?

A. Persistent depressive disorder

B. Major depressive disorder

C. Adjustment disorder with depressed mood

74. A client with social anxiety in ACT-based treatment says, 'I'm boring, and everyone at work can tell.' The client has been skipping team lunches because of this. Which response is **MOST** consistent with acceptance and commitment therapy?

A. Ask the client to list evidence for and against being boring

B. Point out qualities that coworkers likely value in the client

C. Invite the client to observe the thought as passing words

75. At a health clinic, a client says their partner 'grabbed my throat until I almost blacked out' last month during an argument about the client moving out. The client laughs it off: 'It only happened once, and I'm fine now.' The client still plans to leave in a few weeks. What is the social worker's **BEST** response?

A. Accept the client's view that it was a one-time event

B. Explain that strangling sharply raises the risk of homicide

C. Explore why the client sees the incident as minor

76. At intake, a social worker learns that a new client lives 3 houses away on the same block. The two have only exchanged casual greetings. The social worker discusses the overlap with the client, who wants to continue, and the supervisor agrees the risk is low. What should the social worker do **NEXT**?

A. Transfer the client to a colleague to be safe

B. Wait to record the overlap until a problem arises

C. Document the discussion and the boundary plan

77. A hospital social worker begins a biopsychosocial assessment with a 74-year-old patient admitted overnight after a fall. While describing their living situation, the patient becomes anxious and says their spouse, who has major neurocognitive disorder and needs daily help, has been home alone since the ambulance came yesterday afternoon. The patient cannot name anyone who has checked on the spouse. What should the social worker do **FIRST**?

A. Finish the assessment, then plan for the spouse's care

B. Arrange for someone to see the spouse at home right away

C. Report the spouse's situation to adult protective services

78. In the fourth session at an outpatient clinic, a client voices strong contempt for people who receive public assistance. The social worker grew up in a family that relied on public assistance, finds the remarks upsetting and intends to refer the client elsewhere. The client is making progress on work-related anxiety. What should the social worker do **FIRST**?

A. Seek supervision about the reaction before changing the plan

B. Refer the client to a colleague with a different background

C. Tell the client how the remarks affect the social worker

D. Challenge the client's views on public assistance in session

79. Two social workers co-lead a 12-week outpatient group for adults in early recovery from substance use. At week 6, they begin a romantic relationship; neither supervises the other. Members have said that having both leaders matters to them. What is the **MOST** appropriate step for the co-leaders?

A. Keep the relationship private and continue co-leading

B. Tell the group about the relationship at the next session

C. Discuss with their supervisor whether to change co-leaders

D. Have one co-leader leave the group before next week

80. At an outpatient intake, a client referred for poor sleep spends the first 20 minutes describing a long dispute with a neighbor over parking. Each time the social worker reflects the frustration, the client agrees the dispute has been 'eating at' them and adds another detail about the neighbor. About 30 minutes remain. What should the social worker do **NEXT**?

A. Continue reflecting the client's anger at the neighbor

B. Ask a quick series of yes-or-no questions about sleep

C. Link the neighbor stress to sleep and shift the focus there

81. Six months ago, a store guard falsely accused a 16-year-old Black student of theft. Since then, the student, who attends a mostly white high school, has joined the Black Student Union, reads Black history late into the night, wears African-print clothing, and calls longtime white friends 'part of the problem.' The parent asks the school social worker what is happening. In Cross's model, which stage **MOST** likely fits?

A. Encounter

B. Immersion-Emersion

C. Internalization

D. Pre-encounter

82. A family housing program's grant pays for two case managers. One position has been vacant for 4 months, leaving unspent salary funds. Meanwhile, several client families face eviction over small rent debts. The grant agreement requires the funder's written consent for spending outside its line items. Which action by the program director is **BEST**?

A. Use the savings for rent aid and inform the funder at year end

B. Ask the funder to approve moving the savings to rent aid

C. Use the savings for rent aid once the board approves it

83. At a residential program for adolescents, a social worker arriving for an evening group sees a colleague clocking in for the overnight shift. The colleague smells strongly of alcohol, slurs words, and will be the only staff member awake with 12 residents. What should the social worker do **FIRST**?

A. Speak with the colleague one-on-one about the alcohol smell

B. Stay late to cover and raise it with the colleague tomorrow

C. Notify the on-call supervisor right away

84. A parenting program screens 400 parents with a stress scale and offers places only to those in the top 10%. Because of a staffing delay, these parents are rescored 3 weeks later, before any sessions begin. Their scores have fallen noticeably as a group. Parents with moderate scores who were rescored at the same time changed little. What **MOST** likely explains the drop?

A. Statistical regression toward the mean

B. A testing effect from completing the scale twice

C. History, such as an outside event during the wait

85. An adult patient on an inpatient psychiatric unit has declined to let staff share any information with family. The patient's parent calls the social worker and wants to describe changes in the patient's behavior in the weeks before admission. What is the **BEST** response?

A. Hear the parent's account but disclose no patient details

B. Decline the call, since the patient has refused family contact

C. Give a brief update so the parent feels less worried

86. A graduate student tells a campus social worker that worries about loans and grades pop up all day, breaking concentration during study time and lectures. The student has tried to push the worries out of mind, but they come back stronger. Which stress management technique is **BEST** to teach?

A. Shift to a quick task whenever worries start

B. Talk worries over with a friend right away

C. Postpone worries to a set daily worry period

87. A social worker at a group practice learns that the new video platform automatically records every telehealth session and stores the files for quality review. The consent forms do not mention recording, and clients have not been told. Only the practice's owners can change the platform's settings. The office manager says the vendor contract requires it. What should the social worker do **FIRST**?

A. Raise the recording problem with the practice's leadership

B. Tell each of their clients about the recordings at the next session

C. Continue sessions as usual since the contract requires recording

D. Report the practice to the state licensing board

88. During a video session, one partner raises a complaint about household chores. The other partner goes silent, looks away from the camera, and says, 'My heart is pounding. I can't do this right now.' The social worker uses the Gottman Method. What should the social worker do **FIRST**?

A. Ask the quiet partner to share their view now

B. Call a break of at least 20 minutes to self-soothe

C. Teach both partners a structured listening exercise

89. In a state where medical aid in dying is lawful, a hospice patient with terminal cancer asks the social worker for help understanding the request process and talking with family. The social worker objects to aid in dying on religious grounds and, after supervision, concludes they cannot discuss it without their views showing. What is the **BEST** action?

A. Tell the patient about the objection so the patient understands

B. Suggest that the patient take the questions to the physician

C. Continue with the patient while keeping personal views private

D. Arrange promptly for a colleague to help the patient

90. A child welfare social worker has met monthly for 4 months with a parent working toward reunification, and they have a trusting working relationship. Today the parent says, 'I'm doing everything the plan asks.' Records show the parent missed 4 of the last 6 parenting classes, and a court review is scheduled next month. Earlier in this visit, the parent vented about how long the process is and said, 'At least you understand.' What should the social worker do **NEXT**?

A. Affirm the parent's commitment to getting the children back

B. Point out the gap between the parent's statement and attendance

C. Explore the parent's feelings about the case plan

91. At a first session in private practice, a Black client describes tension with neighbors since moving to a mostly white suburb. The client pauses, looks at the white social worker, and says, 'I don't know if you'd get this part.' What is the social worker's **BEST** response?

A. Assure the client of the worker's training in diverse cultures

B. Note the comment and return to it once rapport is stronger

C. Name the racial difference and ask how it may affect the work

92. Parents seek help for their teen's school refusal. The social worker meets with the parents alone, stays calm while they argue, asks each parent what they think rather than feel about the conflict, and avoids siding with either one. Which family therapy model is the social worker **MOST** likely using?

A. Bowen family systems therapy

B. Structural family therapy

C. Strategic family therapy

D. Experiential family therapy

93. A child welfare social worker meets with a parent whose 2 children entered foster care 4 months ago. The parent is starting substance use treatment and believes there is no deadline for reunification. What is the **MOST** appropriate way to respond to the parent's belief?

A. Explain the permanency time frames and how they shape the plan

B. Refer the parent to their attorney to explain the time frames

C. Tell the parent that rights end automatically after 15 months

94. On an inpatient psychiatric unit, a patient tells the day nurse and the social worker that they are the only staff who truly understand. The patient describes the evening staff as heartless and incompetent. At the next team meeting, day and evening staff argue sharply over whether the patient's privileges should be reduced. Which defense is the patient **MOST** likely using?

A. Projection

B. Displacement

C. Splitting

95. Which approach to client testimonials is consistent with the NASW Code of Ethics?

A. Avoid soliciting testimonials from current clients

B. Request testimonials from clients who are doing well

C. Ask for reviews during a client's final session

96. Before the annual IEP meeting for an 8-year-old autistic student, the parent tells the school social worker, 'There will be eight of them and one of me. I'll just sign whatever they put in front of me.' The parent has strong views about the child's reading support. What is the social worker's **BEST** response?

A. Offer to present the parent's reading concerns to the team

B. Help the parent write down priorities and questions to raise

C. Reassure the parent that the team wants what is best for the child

97. A retired client has been in weekly psychodynamic therapy exploring lifelong conflicts with authority figures. The client's spouse died suddenly 2 weeks ago. The client now arrives disheveled, has been skipping meals, and says they cannot think clearly enough to deal with the funeral bills. What is the **BEST** way for the social worker to adjust the approach?

A. Interpret how the loss revives early conflicts with authority

B. Shift to ego-supportive work on daily coping and tasks

C. Refer the client to a grief support group instead

98. A white clinical supervisor notices that a Black supervisee agrees with every plan in supervision but later handles several family cases differently, with good results. When the supervisor asks about it, the supervisee says, 'I didn't think disagreeing with you was an option here.' What is the supervisor's **BEST** response?

A. Remind the supervisee to voice disagreement instead of bypassing plans

B. Offer to arrange supervision with a Black colleague instead

C. Name the power and racial difference and invite open disagreement

99. A social worker in a state prison meets with a client whose parent died last week. The facility denied the client's request to attend the funeral. In their first meeting since the death, the client sits quietly for a while, then says, 'It doesn't feel real. I never got to say goodbye.' What should the social worker do **FIRST**?

A. Invite the client to talk about the relationship and the loss

B. Request a psychiatric evaluation for depression after the loss

C. Help the client plan a private memorial ritual on site

100. A client in psychodynamic treatment arrives late and apologizes repeatedly, saying the social worker must be angry. The social worker has shown no displeasure. The client adds that a parent used to explode over small mistakes. What is the **BEST** response within a psychodynamic approach?

A. Reassure the client that being late is fine

B. Assign a thought record to test the belief about anger

C. Explore how this fear may echo the client's past relationships

101. A social worker reviews the service plan of a 79-year-old client who lives alone and receives home-delivered meals to address weight loss. After 2 months, the client has lost another 8 pounds. The client says they eat every meal, and the home aide's log confirms the meals are finished. What should the social worker do **NEXT**?

A. Ask the client's doctor to check promptly for a medical cause

B. Ask a dietitian to review the calorie content of the meals

C. Continue the current plan and reweigh next month

102. At intake, a social worker asked a client with a Spanish surname whether they needed an interpreter. The client, who grew up in the United States and speaks only English, said no and was quiet for the rest of the session. In supervision afterward, the social worker identifies the question as an assumption based on the client's name. What is the social worker's **BEST** action?

A. Offer the client a transfer to a bilingual colleague at the agency

B. Wait to see if the client brings up the question

C. Acknowledge the question's impact with the client next session

103. A patient is admitted to an inpatient psychiatric unit during a first manic episode. On the unit, the patient demands special privileges, insults staff and boasts of being destined for fame. A psychiatry resident suggests adding narcissistic personality disorder to the discharge diagnoses. What is the **BEST** response by the social worker?

A. Support adding it as a provisional diagnosis for follow-up

B. Administer a personality inventory before discharge to confirm it

C. Recommend deferring personality diagnosis until mood stabilizes

104. At an outpatient intake, a client describes recurring urges to shout insults during religious services. The client calls them 'my own brain being cruel,' finds them upsetting, and tries to push them away with silent prayer. The client has never acted on them. Which mental status finding is this **MOST** likely to represent?

A. Delusion

B. Thought insertion

C. Obsession

105. A client in outpatient treatment for alcohol use disorder wants peer support between sessions. After attending two 12-step meetings, the client says, 'I'm an atheist. All the talk about a higher power made me feel like I didn't belong.' What is the **MOST** appropriate response?

A. Encourage the client to keep attending and define a higher power freely

B. Share secular mutual-help options, such as SMART Recovery

C. Suggest relying on counseling sessions alone for now

106. A 15-year-old in a group home returns from a weekend away with new clothes, a second phone and cash. The youth says a 24-year-old 'partner' pays for hotel rooms and sometimes asks the youth to spend time with the partner's friends, who then give the youth money. The youth insists no one forces anything. What should the social worker do **FIRST**?

A. Ask the youth whether threats or force were ever used

B. Make a safety plan with the youth for the next outing

C. Make a child abuse report for suspected sex trafficking

107. A hospital social worker completes a mental status exam with a patient admitted after a fall. The patient looks down at the floor throughout, answers fully and warmly, and describes a good mood. The patient explains that in their family, looking an elder or professional in the eye is disrespectful. What is the **MOST** appropriate way to record the patient's eye contact?

A. Note the patient's poor eye contact as a sign of low mood

B. Describe the downward gaze and the patient's stated reason

C. Omit eye contact from the record to avoid cultural bias

108. A social worker on a mobile outreach team serves a client with schizophrenia who takes an antipsychotic and lives alone in a top-floor apartment without air conditioning. A week of extreme heat is forecast. The client declines the city cooling center, saying crowds make the voices worse, but agrees the apartment 'gets like an oven.' What is the **BEST** plan?

A. Arrange a quieter cool place and daily check-ins during the heat

B. Ask the prescriber to hold the antipsychotic during the heat wave

C. Respect the refusal and review heat safety tips with the client

109. A 7-year-old has lived with a relative caregiver since infancy. Child welfare records show the birth parent drank heavily throughout the pregnancy. The 7-year-old repeats the same mistakes despite consequences, forgets rules learned the day before and has a small head size noted by the pediatrician. The school asks the social worker to arrange an ADHD evaluation. What is the social worker's **MOST** appropriate recommendation?

A. Arrange the ADHD evaluation that the school requested

B. Start a home reward chart to teach rule following

C. Refer for trauma-focused therapy about early separation

D. Request a fetal alcohol spectrum disorder evaluation

110. In the fourth month of psychodynamic therapy, a client makes a joke each time the conversation turns to a parent's recent cancer diagnosis, then changes the subject. The client has never remarked on this pattern. What should the social worker do **FIRST**?

A. Suggest that the joking guards against fear of losing the parent

B. Point out that the jokes appear whenever the illness comes up

C. Ask the client to stop the jokes and stay with the feeling

111. In weekly telehealth sessions, a client with panic attacks tells the social worker, 'You really get me.' Their plan centers on the client's wish to finish a grocery trip without fleeing the store in panic. Each week, though, the client skips the breathing practice, saying, 'I don't see how that connects to anything.' Which part of the working alliance is **MOST** likely weakest?

A. Agreement on tasks

B. Emotional bond

C. Agreement on goals

112. Under the NASW Code of Ethics, what must social workers tell research participants about withdrawing from a study?

A. They may withdraw before data collection begins

B. They may withdraw if the review board approves

C. They may withdraw at any time without penalty

113. A client at an outpatient behavioral health clinic has signed the clinic's standard consent for sharing information with other treating providers. The client's new psychiatrist at another practice asks the social worker for the process notes that the social worker keeps separately from the clinic record. What should the social worker do?

A. Send the notes, since the request is for treatment

B. Give the psychiatrist a verbal summary of the notes

C. Get the client's specific written authorization for them

114. Which term names the process in which oppressed people come to see how social and economic forces shape their lives, and then act together to change them?

A. Empowerment

B. Critical consciousness

C. Cultural humility

115. A child protective services social worker arrives with a court order and a police officer to remove a 6-year-old after substantiated severe neglect. The parent is crying but calm and cooperative and asks for a few minutes to say goodbye and to pack the child's stuffed animal and pajamas. What is the **BEST** response?

A. Complete the removal quickly to limit the child's distress

B. Let the officer decide whether a goodbye is safe

C. Permit a brief supervised farewell and the comfort items

116. In an integrated primary care clinic, a client with depression and chronic back pain reported passive thoughts of death 3 weeks ago. At intake, the client agreed to the clinic's team-based care, in which providers share clinical information. The physician has just started amitriptyline and, to save on copays, prescribed a 90-day supply. The client asks the social worker not to 'make a big deal' of the earlier thoughts. What is the social worker's **BEST** response?

A. Coach the client to keep the pills locked away at home

B. Respect the request and track mood at follow-up

C. Alert the client's doctor to the overdose danger

117. An agency can offer a new caregiver support group to only 20 people at a time, and 60 eligible caregivers are waiting. Burden scores are in the moderate range for nearly all of them, and caregivers in crisis are routed to urgent services. The director wants to learn whether the group reduces burden and proposes starting with the 20 highest scorers. What should the social worker **BEST** recommend?

A. Start with the 20 highest scorers and compare their pre and post scores

B. Set start order by lottery and compare early and later groups

C. Start in list order and measure each group before and after

118. At an overnight shelter, staff ask the social worker to see a resident with years of heavy drinking who has not had alcohol for 2 days. Since this morning, the resident has been confused about where they are, walks with a wide, staggering gait and has jerky eye movements. Staff think the resident just needs to sleep it off. What should the social worker do **FIRST**?

A. Complete a brief cognitive screen such as the MoCA

B. Arrange admission to a withdrawal management program

C. Let the resident rest and check on them hourly

D. Send the resident to the hospital right away

119. Staff at a youth drop-in center ask a social worker to see a 13-year-old who arrived dizzy and unsteady. The youth's speech is slurred, the eyes make jerky side-to-side movements, and there is silver paint around the nose and mouth. The youth's clothes smell strongly of chemicals. Which condition is **MOST** likely?

A. Inhalant intoxication

B. Alcohol intoxication

C. Sedative-hypnotic intoxication

120. A hospital social worker is asked to help with an older adult patient who was just diagnosed with advanced cancer. Before the physician meets with the patient, the patient's adult children ask the team not to share the diagnosis. They explain that in their family's culture, elders are protected from bad news. What should the social worker do **FIRST**?

A. Tell the adult children that the patient has a legal right to know

B. Agree to the family's request out of respect for their cultural values

C. Refer the disagreement to the hospital ethics committee for a decision

D. Ask the patient how much they want to know and who should be told

121. A nursing home resident with no living family has worked with the facility social worker for 3 years. The resident, who has full decision-making capacity, asks the social worker to serve as health care agent, saying, 'You know what I want better than anyone.' What is the **BEST** response?

A. Agree, since no family is available to serve

B. Suggest that a court appoint a guardian for the resident

C. Decline, and help the resident consider other possible agents

D. Ask the administrator whether staff may serve as agents

122. A psychiatric inpatient with schizophrenia had a haloperidol dose increase 5 days ago. Today the patient is confused and sweating heavily, with a temperature of 103°F. Nursing staff report that the patient's arms are stiff and hard to bend and that the blood pressure keeps swinging up and down. What is the **MOST** likely explanation?

A. Serotonin syndrome

B. Acute dystonic reaction

C. Worsening psychotic symptoms

D. Neuroleptic malignant syndrome

STOP

End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

Answer sheet · Form 7

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

Section 1 (items 1–61)

1	A	B	C	—	32	A	B	C	—
2	A	B	C	—	33	A	B	C	D
3	A	B	C	—	34	A	B	C	—
4	A	B	C	—	35	A	B	C	—
5	A	B	C	D	36	A	B	C	—
6	A	B	C	D	37	A	B	C	—
7	A	B	C	D	38	A	B	C	—
8	A	B	C	—	39	A	B	C	—
9	A	B	C	—	40	A	B	C	—
10	A	B	C	D	41	A	B	C	—
11	A	B	C	—	42	A	B	C	—
12	A	B	C	—	43	A	B	C	D
13	A	B	C	D	44	A	B	C	—
14	A	B	C	—	45	A	B	C	—
15	A	B	C	D	46	A	B	C	—
16	A	B	C	D	47	A	B	C	—
17	A	B	C	—	48	A	B	C	D
18	A	B	C	—	49	A	B	C	D
19	A	B	C	—	50	A	B	C	—
20	A	B	C	D	51	A	B	C	—
21	A	B	C	D	52	A	B	C	—
22	A	B	C	—	53	A	B	C	D
23	A	B	C	D	54	A	B	C	—
24	A	B	C	D	55	A	B	C	D
25	A	B	C	—	56	A	B	C	—
26	A	B	C	—	57	A	B	C	—
27	A	B	C	D	58	A	B	C	—
28	A	B	C	—	59	A	B	C	D
29	A	B	C	—	60	A	B	C	—
30	A	B	C	D	61	A	B	C	—
31	A	B	C	—					

Section 2 (items 62–122)

62	A	B	C	—	93	A	B	C	—
63	A	B	C	D	94	A	B	C	—
64	A	B	C	D	95	A	B	C	—
65	A	B	C	D	96	A	B	C	—
66	A	B	C	—	97	A	B	C	—
67	A	B	C	—	98	A	B	C	—
68	A	B	C	—	99	A	B	C	—
69	A	B	C	—	100	A	B	C	—
70	A	B	C	—	101	A	B	C	—
71	A	B	C	—	102	A	B	C	—
72	A	B	C	D	103	A	B	C	—
73	A	B	C	—	104	A	B	C	—
74	A	B	C	—	105	A	B	C	—
75	A	B	C	—	106	A	B	C	—
76	A	B	C	—	107	A	B	C	—
77	A	B	C	—	108	A	B	C	—
78	A	B	C	D	109	A	B	C	D
79	A	B	C	D	110	A	B	C	—
80	A	B	C	—	111	A	B	C	—
81	A	B	C	D	112	A	B	C	—
82	A	B	C	—	113	A	B	C	—
83	A	B	C	—	114	A	B	C	—
84	A	B	C	—	115	A	B	C	—
85	A	B	C	—	116	A	B	C	—
86	A	B	C	—	117	A	B	C	—
87	A	B	C	D	118	A	B	C	D
88	A	B	C	—	119	A	B	C	—
89	A	B	C	D	120	A	B	C	D
90	A	B	C	—	121	A	B	C	D
91	A	B	C	—	122	A	B	C	D
92	A	B	C	D					

Fill one circle per item. A dash means that item has only three options (A–C).