DBT: Deb's Board Training Practice Form 8

Clinical-level social work licensing exam practice · Question booklet

Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

Section 1	Start time:	End time:
Section 2	Start time:	End time:

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

Section 1

Items 1–61 · 2 hours

1. A 74-year-old widowed client plans to remarry. The client's adult children request a family session. They say the new partner is replacing their late parent, and they worry about the family home and their inheritance. The client listens, then says the decision is made but that the client wants the children's blessing. Which response by the social worker is **BEST**?

A. Suggest the client delay the wedding until the children adjust

B. Help the children tell the client their worries directly

C. Request an evaluation of the client's decision-making capacity

2. In Carl Rogers' person-centered approach, which term describes a helper whose outward responses fit what the helper is actually experiencing?

A. Unconditional positive regard

B. Accurate empathy

C. Congruence

D. Immediacy

3. A client with schizoaffective disorder receives a lease warning after neighbors complain of loud talking at night. The client links it to voices that worsened during a medication change, which the prescriber is now adjusting. The client wants to keep the apartment and agrees to let the social worker help. What is the **MOST** appropriate way for the social worker to assist?

A. Help the client ask the landlord for a reasonable accommodation

B. Help the client look for a unit with fewer shared walls

C. Help the client file a fair housing complaint right away

D. Send the landlord a letter describing the client's diagnosis

4. A community mental health client with depression has missed 3 of 5 appointments, and clinic policy allows closure after 3 missed visits. When reached, the client explains that their hourly job posts shifts only 2 days ahead and their phone is often shut off for unpaid bills, so reminder calls fail. The client says they want to keep coming. What is the **MOST** appropriate response?

A. Offer short-notice scheduling and a workable contact method

B. Explore the client's ambivalence about continuing treatment

C. Close the case and invite the client to reapply later

5. A social worker in private practice plans to raise session fees by 20%. One client, who pays out of pocket and lives on a fixed income, is midway through a planned course of trauma treatment. How should the social worker **BEST** handle the change with this client?

A. Give early notice and discuss a reduced fee if needed

B. Announce the new fee to clients with 30 days' notice

C. Refer the client to a lower-cost clinic before the increase

6. At a community mental health agency, a client has had major depressive disorder since adolescence and began drinking heavily 2 years ago. The client now meets criteria for moderate alcohol use disorder and denies suicidal thoughts. An intake staff member suggests the client get sober before starting mental health care. What is the **BEST** treatment approach?

A. Address the drinking first, then reassess the depression

B. Refer to separate agencies for each disorder at once

C. Treat both disorders together in one coordinated plan

7. A social worker supervises a staff member who is working toward clinical licensure. The supervisee invites the supervisor to invest in a weekend wellness business the supervisee is starting. The supervisor will submit an evaluation of the supervisee's hours to the licensing board next month. What should the supervisor do **FIRST**?

A. Invest a small amount after submitting the evaluation

B. Decline and explain the conflict with the supervisory role

C. Record the invitation in the supervision notes

8. A client with bipolar I disorder, stable for 2 years, meets the social worker by video. The client reports sleeping 4 hours a night for 3 nights, feeling 'better than ever' and planning a new business. The relapse plan the client wrote while well lists short sleep as a warning sign that means calling the prescriber. The client now wants to wait for next month's appointment. What should the social worker do **FIRST**?

A. Help the client contact their medication provider today

B. Explore the client's concerns about medication changes

C. Agree to track sleep together until the next appointment

9. A hospital social work department receives a disability insurer's request for a former patient's psychosocial assessment. The attached release is signed and dated by the patient, but the lines for the purpose of the disclosure and the expiration date are blank. What should the social worker do **FIRST**?

A. Send the assessment, since the patient signed the release

B. Contact the patient to complete a valid authorization

C. Send a brief summary instead of the full assessment

D. Tell the insurer that the records require a subpoena

10. Parents of a 16-year-old report that the teen has stopped doing homework. Every evening they remind, lecture, and check the teen's work, and each week the teen does less. Which intervention is **MOST** consistent with the Mental Research Institute (MRI) brief therapy model?

A. Help the parents stop the nightly reminders and try something new

B. Build a three-generation genogram of the family's school achievement

C. Have the parents and teen enact a homework argument in session

D. Ask the teen when homework gets done without any reminders

11. An adult with schizophrenia who has been stable on clozapine moves into a smoke-free group residence and stops smoking 1.5 packs a day all at once. Five days later, staff report that the client is much sleepier, drooling more and walking unsteadily. What is the **MOST** important action for the social worker?

A. Tell the prescriber today that the client quit tobacco

B. Arrange nicotine replacement to ease the client's withdrawal

C. Assess for withdrawal symptoms since the client quit smoking

12. A social worker accepts a job at another agency and will leave in 6 weeks. The supervisor has approved a plan for telling clients this week. One client has worked on trauma symptoms with the social worker for 8 months. What should the social worker do **NEXT** with this client?

A. Refer the client to a trauma specialist outside the agency

B. Wait until the last 2 sessions to tell the client of the move

C. Tell the client about the move and discuss options for care

13. Which finding is a warning sign of near-term suicide risk rather than a long-term risk factor?

A. Searching online for ways to die

B. A family history of death by suicide

C. Childhood physical abuse

D. A chronic pain condition

14. A social worker at a county child welfare agency drafts a letter to the local newspaper opposing a proposed state cut to foster care funding. The letter draws on the social worker's general experience and names no families. The draft is signed with the social worker's name, job title, and agency. The agency has not taken a position on the cut. What is the **BEST** action for the social worker?

A. Sign as a private citizen and note the views are personal

B. Withhold the letter, since county employees should stay neutral

C. Ask foster parents on the caseload to co-sign the letter

D. Send the letter as drafted, since advocacy is an ethical duty

15. A hospital patient with advanced major neurocognitive disorder can no longer communicate. The patient's living will declines a feeding tube. The patient's health care agent, an adult child, insists on placing one, saying, 'I can't let my parent starve.' The team met with the agent yesterday to review the directive, but the agent's position has not changed, and the agent wants the tube placed this week. What should the social worker do **NEXT**?

A. Follow the agent's instructions as the legal decision-maker

B. Schedule another meeting to review the directive with the agent

C. Explore the agent's grief about the parent's decline

D. Request an ethics consultation on the conflict

16. In Meichenbaum's stress inoculation training, during which phase does the client practice coping skills under graded imagined and real-life stressors?

A. Conceptualization

B. Skills acquisition and rehearsal

C. Application and follow-through

17. Which term describes a person who entered the United States on a student visa and is now applying for protection from persecution in the home country?

A. Refugee

B. Asylum seeker

C. Temporary protected status holder

18. Which treatment has the **MOST** consistent research support for helping adults stop using cocaine or methamphetamine?

A. Contingency management plus community reinforcement

B. Cognitive-behavioral relapse prevention therapy

C. Twelve-step facilitation with peer sponsorship

D. Supportive-expressive psychodynamic therapy

19. A parent's child welfare case plan requires a 10-week parenting class run by a private nonprofit. The parent has a documented reading disability and turns in blank worksheets but takes an active part in discussions. The facilitator plans to report the parent as noncompliant, and the parent asks the caseworker, a social worker, for help. What should the social worker do **FIRST**?

A. Help the parent complete the worksheets after each class

B. Request oral or recorded worksheet responses

C. Find a different parenting program with less written work

20. After one session with a Black social worker, a white client at a community mental health center asks the intake supervisor for a new worker. The client says, 'Nothing personal, but I'd do better with someone more like me.' The supervisor has already talked with the social worker, who is comfortable continuing. What is the supervisor's **BEST** response?

A. Reassign the client to a white social worker as requested

B. Meet with the client about the request and affirm the assignment

C. Ask the social worker again how continuing would feel

21. A social worker with 6 years of independent practice in adult outpatient therapy transfers to a pediatric oncology unit. In supervision, the social worker asks for scripts for explaining procedures to children and wants every family meeting plan reviewed. With adult caregivers, the social worker works confidently and needs little input. Which supervisory approach is **MOST** appropriate?

A. Keep the autonomy-focused approach that suits the worker's experience

B. Explore with the worker why confidence has dropped since the move

C. Give more structure and direction on the child-focused work

D. Give close direction across the worker's whole caseload

22. A juvenile diversion program refers a 15-year-old for a restorative conference with a store owner whose shop window was broken. At the preparation meeting, the youth tells the social worker, 'I wasn't even there. They just blame me because of my friends.' The store owner is eager to meet. What is the **BEST** way to proceed?

A. Hold the conference so the youth hears the owner's losses

B. Put the conference on hold while the youth denies involvement

C. Let the store owner decide whether the conference goes ahead

D. Urge the youth to admit the act to stay in diversion

23. A Deaf client at a nonprofit counseling agency asks for an ASL interpreter for weekly sessions. The program manager tells the social worker to use written notes because interpreters are costly. When the social worker lays out the client's request and the access concern, the manager repeats the decision. What should the social worker do **NEXT**?

A. Use written notes as directed and record the client's request

B. Ask the client to bring a relative who signs to sessions

C. Seek guidance from the agency's director or compliance officer

D. Refer the client to an agency that provides interpreters

24. Two weeks after a child on the unit's caseload died from abuse, a child welfare supervisor notices that a supervisee who worked the case startles easily, avoids that neighborhood, and snaps at coworkers. The supervisee has not mentioned any of this. What should the supervisor do **FIRST**?

A. Refer the supervisee to the employee assistance program for help

B. Meet privately to ask how the case is affecting the supervisee

C. Reassign the supervisee's cases in that neighborhood

25. At a homeless shelter, a client cannot apply for jobs because a stolen wallet held the client's ID and birth certificate. The social worker and client have agreed that replacing the ID is the problem to work on first. What should the social worker do **NEXT**?

A. Pick the quickest way to replace the ID and tell the client

B. List possible ways to replace the ID with the client

C. Request a shelter residency letter to take to the ID office

D. Explore how losing the wallet has affected the client

26. An outpatient substance use program sends automatic text reminders before appointments. A new client says they often forget appointments and would like reminders. However, everyone in the household shares one phone, and relatives read the messages on it. Which plan for reminders is **MOST** appropriate?

A. Send the standard reminder, since the client asked for one

B. Skip reminders to keep the treatment private

C. Mail written reminders to the client's home instead

D. Agree with the client on a discreet reminder method

27. A 70-year-old client, widowed for 2 years, has met with the social worker weekly for 4 months. Near the end of a session, the client says, 'I think I've fallen in love with you. You're the only one who understands me.' What is the social worker's **BEST** response?

A. Arrange a transfer to a colleague before the next session

B. Explore the feelings in sessions while holding a clear role

C. Remind the client that the relationship is strictly professional

28. In a pediatric emergency department, a 15-year-old being treated for an asthma attack completes the hospital's suicide risk screen with a nurse. The teen answers yes when asked about having thoughts of killing themselves right now. The parent is in the waiting room. What should the social worker do **NEXT**?

A. Schedule an outpatient mental health visit for this week

B. Ask the parent whether the teen has talked about suicide before

C. Ensure the teen is watched until an urgent safety evaluation

29. Which needs assessment approach uses public data, such as census and health figures, to compare needs across neighborhoods?

A. Key informant approach

B. Social indicators approach

C. Community forum approach

D. Rates-under-treatment approach

30. At a community clinic, a client returns intake forms with most sections blank. When the social worker points to the consent page, the client says they left their reading glasses at home and asks to take everything home to finish. The client missed two earlier appointments that were scheduled by letter. What should the social worker do **FIRST**?

A. Ask the client to read the first paragraph aloud

B. Offer to review the forms together aloud

C. Let the client take the forms home to finish

D. Refer the client to an adult literacy program

31. At intake in a community clinic, a client whose preferred language is Tagalog reports low mood and poor sleep. The clinic routinely gives a standardized depression questionnaire, and its publisher offers versions in many languages, including Tagalog. A trained interpreter is on the call. Which approach is **BEST**?

A. Skip the questionnaire and rely on the clinical interview

B. Have the interpreter read the English version aloud in Tagalog

C. Give the client the published Tagalog version of the questionnaire

32. A family is referred for in-home therapy after a 15-year-old's school suspension. At the first visit, a parent sits with arms crossed and says, 'The last provider told us everything we were doing wrong.' The social worker uses structural family therapy. What should the social worker do **FIRST**?

A. Ask the family to act out a recent argument in session

B. Seat the parents together and the teen across the room

C. Learn the family's routines and language and follow their lead

33. A 79-year-old hospital patient recovering from a hip fracture wants to go home alone instead of to a rehabilitation facility. A psychiatric consultant found the patient able to make this decision, and the patient knows another fall could happen. Worried, the team asks the social worker to hold off on discharge planning until the patient agrees to rehab. What should the social worker do **NEXT**?

A. Request a second capacity evaluation from another consultant

B. Ask the patient's adult child to urge the move to rehab

C. Have the patient sign a discharge-against-advice form first

D. Plan a home discharge with services the patient accepts

34. A 31-year-old veteran who completed two combat deployments tells a community agency social worker about nightmares and growing distance from their partner. The veteran refuses to go to a VA hospital, saying it 'feels like being back on base,' and cannot afford private fees. Which referral is **MOST** appropriate?

A. A Vet Center offering individual and couples readjustment counseling

B. The outpatient mental health clinic at the VA medical center

C. A trauma specialist in private practice near the client's home

35. A case manager on a community mental health team makes a home visit to a client with schizophrenia. The client says the neighbors are poisoning the tap water. Six sealed water jugs are stacked by the door, and the refrigerator is empty. Which progress-note entry **BEST** documents the visit?

A. Client appeared paranoid about the water and hoarded jugs; refrigerator empty, likely off medications

B. Client said neighbors are poisoning the tap water; six jugs by door; refrigerator empty

C. Client's fear that neighbors use poison seemed worse than last month; self-care looked poor

36. In a closed school group for 9th graders whose parents are divorcing, three members who share a lunch period start sitting together. During sessions, they trade glances and laugh quietly when others speak, and two members who used to share have gone quiet. Which response is **BEST**?

A. Name the pattern aloud and invite members to discuss it

B. Meet with the three members privately and ask them to stop

C. Wait a session to see whether the pattern fades

37. A hospital opens an outpatient eating disorders program and asks an experienced clinical supervisor to supervise its 4 newly hired social workers. The supervisor has strong skills with mood and anxiety disorders but no training in eating disorders. Several program clients have serious medical complications. What is the **BEST** response by the supervisor?

A. Accept and learn the specialty alongside the new staff

B. Ask program leaders to secure an eating disorders specialist to supervise

C. Accept and meet monthly with an outside eating disorders expert

D. Decline and let the program find someone else to supervise

38. A social worker co-leads a skills group with a newly hired colleague. In the last two sessions, the colleague taught distress-tolerance skills inaccurately, and members seemed confused. The colleague mentions never having received DBT training and says feedback is welcome. What should the social worker do **FIRST**?

A. Talk with the colleague and share DBT training resources

B. Tell the program manager the colleague lacks DBT training

C. Correct the colleague's teaching during the next group

39. While scrolling a community events page on a personal account, a social worker sees a friend's recent party photo that shows a client holding a drink. The client is in treatment for alcohol use disorder and said at the last session that they have been sober for 4 months. What is the **BEST** action for the social worker?

A. Tell the client what was seen and discuss it

B. Record a possible relapse in the client's chart

C. Keep it private to protect the client's trust

40. A pre-licensure associate social worker at an outpatient clinic learns that the clinical supervisor will be on medical leave for 6 weeks. The supervisor suggests the associate keep seeing clients and save questions until the leave ends. The associate replies that two clients have recent self-harm and waiting is not workable, but the supervisor repeats the suggestion. What should the associate do **NEXT**?

A. Raise the concern with the supervisor once more

B. Continue sessions and keep a list of questions

C. Pause client sessions until the supervisor returns

D. Ask the program director to arrange interim supervision

41. In a cardiac rehabilitation program, a 68-year-old client mentions having 'a few glasses of wine' most evenings. The social worker needs an accurate picture of the client's drinking to share with the care team. Which question is **BEST**?

A. 'You don't drink much more than that, do you?'

B. 'Would you say your drinking is a problem?'

C. 'On a typical drinking day, how much do you have?'

42. A client in an outpatient anger management group has started taking time-outs during arguments by walking out of the room. The client reports that the adult sibling they live with follows them, shouting, 'Don't walk away from me,' and the argument gets worse. The client says the sibling would be willing to talk about it at a calm time. How can the social worker **BEST** help the client handle these arguments?

A. Agree on a time-out signal and return plan with the sibling

B. Announce a return time to the sibling while walking out

C. Leave without a word to the sibling until fully calm

43. A researcher designs an online survey that collects no names, contact details, IP addresses, or linking codes. Which protection does this design provide?

A. Anonymity

B. Confidentiality

C. De-identification

44. A school social worker completes an assessment of a 15-year-old student who identifies as nonbinary and uses they/them pronouns. The student has close friends, steady grades and says they feel comfortable with who they are. The student's parent asks the social worker for a diagnosis 'so we know what is wrong.' What is the **MOST** appropriate response?

A. Diagnose gender dysphoria based on the gender incongruence

B. Explain that a diagnosis requires distress or impairment

C. Refer the student to a gender clinic for a diagnosis

45. A hospital patient with advanced major neurocognitive disorder needs a decision about a feeding tube. The team's assessment finds the patient cannot describe the choice or its risks after repeated simple explanations. The patient's health care agent, named in an advance directive, reports that the patient often said they never wanted 'to be kept alive by machines.' A nurse suggests seeking a court-appointed guardian. What should the social worker do **NEXT**?

A. Help the agent decide based on the patient's stated wishes

B. Support seeking a court guardian to replace the agent

C. Request an ethics consultation to settle the patient's care

46. A colleague at a family service agency has filed a formal grievance over a demotion. The director tells the social worker that the colleague's former supervisory post is open and asks whether the social worker knows 'anything that would help the agency's case.' The social worker wants the post. Which response is **MOST** consistent with the social worker's ethical responsibilities?

A. Limit any comments to facts the social worker saw firsthand

B. Apply on own merits without commenting on the dispute

C. Withdraw from consideration out of loyalty to the colleague

47. Two neighboring families lose their homes in the same river flood. One family starts rebuilding within weeks. The other family received the larger insurance payout, and relatives nearby offer it rooms, yet its daily routines collapse. The parents tell a disaster social worker, 'This proves we were always going to lose everything.' In Hill's ABC-X model, which factor **MOST** likely explains the difference?

A. The family's existing resources

B. The family's definition of the event

C. The pile-up of later stressors

48. A hospital social worker is helping an 8-year-old patient get ready for a scheduled surgery. The child asks many questions and wants to know exactly what will happen. Which approach is **BEST** suited to the child's stage of thinking?

A. Show the real mask and gown and walk through each step

B. Discuss possible risks and what happens if complications occur

C. Tell a story about a brave animal cured by magic medicine

49. A housing inspector refers a 52-year-old tenant to a community agency. Stacks of newspapers, bags and boxes fill every room, and the tenant sleeps in a chair because the bed is buried. The tenant becomes very upset at the idea of discarding anything, saying each item 'might be needed someday.' Which diagnosis is **MOST** likely?

A. Hoarding disorder

B. Obsessive-compulsive personality disorder

C. Obsessive-compulsive disorder

50. A 20-month-old was present during several violent incidents between caregivers before the nonoffending caregiver moved with the toddler to a relative's home. Since then, the toddler startles at loud voices, wakes screaming most nights, and clings constantly. The caregiver is also on edge and struggles to soothe the toddler. Which treatment model is the **BEST** fit?

A. Child-parent psychotherapy

B. Parent-child interaction therapy

C. Trauma-focused cognitive behavioral therapy

D. Nondirective individual play therapy

51. In a juvenile detention center, a 16-year-old describes assaulting another youth. The social worker says plainly that the assault caused real harm. In the same meeting and every meeting after, the worker treats the youth as a person of worth who deserves care. Which element of Rogers' person-centered approach does the worker's stance toward the youth **MOST** likely show?

A. Congruence

B. Accurate empathy

C. Unconditional positive regard

52. A client with schizophrenia was discharged from an inpatient unit 4 days ago to supported housing and missed the first clinic appointment yesterday. The social worker has called twice this afternoon with no answer. Housing staff report the client has not left the room in 2 days, has refused meals, and can be heard shouting when no one else is there. What should the social worker do **NEXT**?

A. Notify the outpatient prescriber about the missed appointment

B. Request a mobile crisis team visit to the client today

C. Ask housing staff to urge the client to call the clinic

D. Schedule a home visit with the client for later this week

53. A supervisee who is usually confident becomes hesitant in supervision and repeatedly asks the supervisor to say exactly what to do. The supervisee is working with a client who feels helpless and keeps asking the supervisee for answers. What is the supervisor's **BEST** response?

A. Give step-by-step directions for the next session

B. Recommend personal therapy for the supervisee's dependence

C. Explore whether the case dynamic is being replayed between them

D. Note a performance concern in the supervisee's evaluation

54. At the first family session, the parents of a 16-year-old who is skipping school say, 'You're the expert. Just tell us what to do and fix our kid.' The social worker replies that only the family can decide what they want to change and how hard they will work at it. This response **MOST** likely reflects which concept?

A. Battle for structure

B. Restraining change

C. Battle for initiative

D. Positive connotation

55. Two direct support staff at a group home count one resident's aggressive episodes during the same evening shifts. On the same evenings, one records 2 episodes and the other records 7. When asked, one counts only hitting, while the other also counts shouting and slamming doors. Which step is **BEST** for getting usable data?

A. Average the two staff members' counts for each evening

B. Use the counts from the staff member with more experience

C. Switch to a standardized aggression rating scale

D. Write a shared definition with examples and train both staff

56. A primary care physician refers a 76-year-old client after a full workup found no cause for months of fatigue, aches and poor appetite. The client has stopped gardening and no longer meets friends for cards but says, 'I'm not sad, just worn out.' What should the social worker do **NEXT**?

A. Encourage the client to rejoin a gardening group

B. Accept the denial of sadness and focus on coping with pain

C. Assess for depression, including lost interest and hopelessness

57. During a routine session, a 70-year-old client says, 'Lately I've been thinking about ending my life.' The social worker thanks the client for sharing and stays calm. What should the social worker do **NEXT**?

A. Begin a written safety plan with coping strategies

B. Ask about a plan, intent and access to lethal means

C. Arrange an emergency psychiatric evaluation later today

58. Parents in a high-conflict marriage each press their 14-year-old to agree that the other parent is at fault. Each parent also asks the teen to carry messages they refuse to say to each other. The teen agrees with whichever parent is talking and now has frequent stomachaches. Which family dynamic is **MOST** likely present?

A. Enmeshment

B. Cross-generational coalition

C. Emotional cutoff

D. Triangulation

59. In an Illness Management and Recovery group at a community mental health center, the social worker has been reading each module's handout aloud. A member with schizophrenia who reads at a basic level says the material 'goes right over my head' and has started missing sessions. What is the **MOST** helpful adjustment?

A. Assign the full handout as homework between sessions

B. Refer the member to individual therapy instead

C. Teach interactively with pictures and frequent review

D. Give a printed summary written at a lower reading level

60. A hospice patient with full decision-making capacity wants to ride 300 miles by car to see a sibling one last time. The nurse has told the patient that the drive will be exhausting and could worsen symptoms. The team asks the social worker, who has not yet met the patient, to talk the patient out of it. What should the social worker do **FIRST**?

A. Suggest a video visit instead, as a safer way to see the sibling

B. Help the patient plan the trip with the team's precautions

C. Explore with the patient what the visit means to them

61. How should a social worker fix a mistake discovered in a completed progress note?

A. Replace the note with a corrected version

B. Mention the error in the next progress note entry

C. Add a dated, signed addendum that corrects it

STOP

End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

Section 2

Items 62–122 · 2 hours

62. An inpatient is asked how the morning went and answers rapidly: 'Grey morning, grey like the sea, I sailed once, sailors steer by the stars, I'm writing a book on astronomy.' The answer continues in the same way for several minutes. Which MSE finding does this answer **MOST** likely show?

A. Flight of ideas

B. Loose associations

C. Circumstantiality

D. Clang associations

63. An associate social worker at a substance use treatment program has two supervisors. The program manager provides administrative supervision, and an outside licensed social worker provides clinical supervision for licensure. For one client, the manager directs weekly drug screens, while the clinical supervisor advises pausing screens to rebuild trust. Neither supervisor knows of the other's direction. What should the associate do **FIRST**?

A. Follow the program manager, who represents the employer

B. Follow the clinical supervisor, who oversees licensure hours

C. Seek an outside consultant's opinion on drug screening

D. Ask both supervisors to resolve the conflict together

64. In a hospital family room, a social worker meets the parent of a 19-year-old who died in a motorcycle crash an hour ago. The parent sits rigidly and says, 'I told them to sell that bike. I should have taken the keys.' What should the social worker do **FIRST**?

A. Invite the parent to keep talking about what they feel

B. Assure the parent that they are blameless for the crash

C. Provide information about bereavement support groups

65. A parent tells a school social worker that their 8-year-old is struggling with reading and asks for a special education evaluation. The school's practice is to complete 12 weeks of classroom reading intervention before considering a referral, and 4 weeks remain. What is the **MOST** helpful response by the social worker?

A. Tell the parent an evaluation can be requested once intervention ends

B. Help the parent submit a written request for an evaluation now

C. Suggest a private evaluation to avoid waiting for the school

D. Ask the teacher to increase the intensity of reading support

66. During a video session, a client joins from a shared break room at work, and coworkers can be heard nearby. When the social worker asks whether the client can talk freely, the client says, 'It's fine, nobody pays attention.' The client then begins to describe a recent panic attack. What is the **MOST** helpful response?

A. Continue the session, since the client accepts the risk

B. End the session and require a private space next time

C. Explain the risk of being overheard and offer options

67. A client of a community mental health agency died in an incident covered widely in the news. A local story claims the agency had refused the client services. A reporter calls the social worker who served the client and asks for comment, and the agency director wants the record set straight. How should the social worker respond to the reporter?

A. Decline to discuss whether or how the person received care

B. Share the dates of service to correct the false claim

C. Decline to give details but say the story's claim is untrue

68. In a residential program, a 15-year-old practices asking staff for an extra phone call instead of demanding one. In the first role-play, the teen uses a calm voice and says 'please,' but stands very close and talks over the staff member's reply. What should the social worker do **NEXT**?

A. Praise what worked, coach one change, and run it again

B. Model the whole request again with the right distance

C. Assign the teen to try the request with staff later today

69. A client at a family service agency agreed to an 8-session task-centered contract focused on conflict with a teenage child. At session 5, the client arrives with an eviction notice and says it is all they can think about. The original goals are about half met. What is the social worker's **BEST** response?

A. Keep the original contract and plan to address housing afterward

B. Explore how the eviction connects to the conflict at home

C. Revise the contract with the client to add the housing problem

70. A 24-year-old client in outpatient therapy finishes graduate school next month and will start a part-time job with no health benefits. The client has been covered under a parent's employer plan and plans to stop therapy at graduation because the insurance will 'run out.' What is the social worker's **BEST** response?

A. Explain that the coverage can continue until the client turns 26

B. Help the client apply for Medicaid before graduation

C. Help the client compare marketplace plans before graduation

71. For 2 years, a veteran with chronic back pain has described a passive wish not to wake up at most sessions. Today the social worker asks the standard risk questions, and the client again reports no plan and no intent to act. Firearms remain stored with a sibling under an earlier agreement, and the client used the safety plan during a hard night last week. A new team member urges an emergency evaluation. What is the **BEST** response?

A. Arrange an emergency evaluation for the client's safety

B. Review the safety plan together and continue current care

C. Ask the client to sign a no-suicide agreement

D. Reduce sessions to monthly check-ins

72. When writing progress notes for members of a therapy group, how should a social worker handle information about the other group members?

A. Refer to other members by their initials

B. Keep one shared note in a group file

C. List every attendee in each member's note

D. Leave other members' identities out of each note

73. A social worker is screening applicants for a 12-week interpersonal process group at a community mental health center. One applicant with schizophrenia stopped taking medication a month ago, hears critical voices most of the day, and believes neighbors are watching through the walls. The applicant hopes the group will help them make friends. What is the **MOST** appropriate action?

A. Admit the applicant and pair them with a peer buddy

B. Defer group entry and link the applicant to psychiatric care

C. Explore what the applicant hopes to gain from the group

74. A social worker is treating a 15-year-old for anxiety about attending school and tracks the teen's daily anxiety ratings on a 0-10 scale. Over 3 weeks the ratings fall from 8 to 2. In this session, the teen mentions that a parent recently arranged online classes so the teen can study at home most days. What should the social worker do **NEXT**?

A. Examine whether staying home accounts for the lower ratings

B. Praise the progress and continue the current treatment plan

C. Add a second anxiety scale to confirm the lower ratings

75. In a jail reentry program, a client says, 'Things got messed up with my probation officer last week.' The social worker responds, 'When you say things got messed up, what happened?' Which listening skill is the social worker using?

A. Paraphrase

B. Clarification

C. Interpretation

76. On an inpatient psychiatric unit, a voluntary patient with schizophrenia who has decision-making capacity refuses a new antipsychotic. The psychiatrist proposes mixing it into the patient's juice without telling the patient. In the team meeting, the social worker objects, but the psychiatrist and nurse manager plan to start tomorrow. What should the social worker do **NEXT**?

A. Have the psychiatrist walk through the plan once more

B. Record the objection and follow the team's plan

C. Take the concern to the hospital ethics committee today

D. Tell the patient about the plan before tomorrow

77. A parent in a contested custody case tells the social worker that their 6-year-old came back from the other parent's home with a burn on one hand. The parent says the child described the other parent holding the hand on a hot stove, and shows a dated photo of the burn. The two parents have accused each other of lying in court filings. The parent asks for a letter for the custody hearing. What should the social worker do **FIRST**?

A. Notify protective services about the burn

B. Write the letter describing what the parent reported

C. Ask to meet with the child to hear the account directly

D. Coach the parent on filing the hotline call themselves

78. At a pediatric clinic, a social worker meets the parent of a child who turned 3 last month. The child uses only a few words, and the pediatrician recommends a developmental evaluation and possible services. The family has never received any early childhood services. Which resource is the **BEST** fit for the parent to contact?

A. The local school district's special education office

B. The state's Part C early intervention program

C. A local Head Start program

79. A year-end evaluation of a home-based depression program shows strong overall results, and the board will vote next week on expanding it unchanged to three counties. When the social worker breaks the data down by age, clients 65 and older showed no improvement and dropped out at twice the rate of younger clients. What is the **MOST** appropriate action?

A. Support the board's plan, since overall results are strong

B. Hold the age results until a follow-up study confirms them

C. Present the age findings to the board before the vote

80. A school social worker meets with a parent whose 10-year-old has missed 6 days this month. The family lost their apartment and is staying with relatives across town, about an hour away by bus. The parent wants the child to stay at the current school but assumes the move requires a transfer. The social worker has confirmed the family has no other housing. What should the social worker do **NEXT**?

A. Help the parent enroll the child at the school near the relatives

B. Connect the family with the district's homeless education liaison

C. Refer the family to a housing agency before addressing school

D. Start a truancy referral as the attendance rules require

81. A group practice bills a client's health plan for weekly sessions. The client begins addressing gambling losses and asks that those sessions be kept from the plan, paying the full fee for each one at the visit. The social worker has confirmed that the client understands the cost. How should the social worker handle billing for those sessions?

A. Bill the plan but leave gambling off the claim

B. Explain that practice policy bills every session to the plan

C. Mark those sessions so nothing about them goes to the plan

82. A resident of a memory care unit who has major neurocognitive disorder asks staff every afternoon where their spouse is. The spouse died 2 years ago. Each time staff explain the death, the resident grieves as if hearing it for the first time. Staff ask the social worker how to answer. What is the **BEST** guidance?

A. Gently restate the fact of the death each time

B. Say the spouse is at work and will visit later

C. Ask the family to decide what staff should say

D. Acknowledge the longing and invite shared memories

83. A 34-year-old client spends about 3 hours a day washing after touching doorknobs or mail. The client is completely sure that skipping the routine will give their children a fatal illness and cannot be talked out of it. Work and family life have narrowed around the washing. Outside of this topic, the client's conversation is organized and goal-directed. Which diagnosis is **MOST** likely?

A. Delusional disorder

B. Obsessive-compulsive disorder

C. Schizophrenia

D. Illness anxiety disorder

84. In a family session, one parent makes every decision. This parent talks over the other parent, who rarely speaks. For a few minutes, the social worker takes the quiet parent's side in a fight about bedtime. The goal is to shift who holds power in the family. Which structural technique is the social worker using?

A. Joining

B. Enactment

C. Boundary making

D. Unbalancing

85. On an inpatient unit, a 24-year-old patient with schizophrenia is in their second admission this year and will return home to live with their parents. The parents describe frequent criticism and say, 'We watch everything they do.' The patient agrees to family involvement. Which family intervention is **BEST** for reducing the risk of relapse?

A. Give the parents one education session before discharge

B. Refer the patient's parents to a family peer support group

C. Start months-long psychoeducation with the parents and patient

D. Coach the parents to examine patterns in their own families

86. A client with panic disorder asks a social worker to use a 'one-session trauma release' technique that online videos say ends panic in a single visit. The social worker, who is trained in cognitive-behavioral therapy for panic, finds no published research supporting the technique. The client has not had any prior therapy for panic and says quick relief is the goal. What is the **BEST** response?

A. Ask what draws the client to this technique

B. Try the technique once, as the client prefers

C. Refer the client to a practitioner who offers the technique

D. Explain the evidence and offer an established treatment

87. A 68-year-old refugee from a rural farming region has lived in the United States for 3 years. The client works part-time and enjoys time with grandchildren. The client mourns that the family can no longer hold seasonal ceremonies for ancestors at the village shrine and dreams that the ancestors are hungry and calling. The client says, 'I left them with no one to care for them.' Which concept **MOST** likely describes this distress?

A. Prolonged grief disorder

B. Posttraumatic stress disorder

C. Acculturative stress

D. Cultural bereavement

88. At an opioid treatment program, a client says their partner burned their 6-year-old with a cigarette this morning, and the client saw the mark. The social worker knows federal rules strictly protect substance use treatment records and is unsure whether a report is allowed. What is the **BEST** action?

A. Ask the client to sign a release before reporting

B. Get guidance from the program's attorney before acting

C. Make the abuse report with just the facts it requires

D. Make the report and send the client's treatment file

89. A board member of a rural senior center returns from a conference excited about a meal-delivery program that succeeded in a large city. The board asks the center's social worker to begin planning to launch the same program next year. What should the social worker do **FIRST**?

A. Gather data on unmet needs among local older adults

B. Write a grant proposal to fund a local version

C. Pilot the program in one town and track its use

90. A social worker in private practice has seen a client for 8 sessions for work stress, based on a biopsychosocial assessment completed at intake. Today the client mentions, for the first time, an eating disorder in their teens and says they have started skipping meals again during a busy project. What should the social worker do **FIRST**?

A. Refer the client to an eating disorder treatment program

B. Continue the stress plan and monitor meals in later sessions

C. Ask about current eating patterns and physical health

91. In a residential treatment group for adolescents, the social worker announces that a planned outing is canceled because of staffing. Members begin blaming one quiet member, saying the outing was canceled because of that member's 'drama,' and the comments grow harsher. Which response is **BEST**?

A. Stop the blaming and name the group's shared frustration

B. Explain to the group the staffing reasons for canceling

C. Coach the blamed member privately on coping with peers

92. An outpatient clinic ran a quality-improvement project tracking depression scores for clients in a new group program. The results look strong, and the program director asks the social worker to prepare the client data for a journal article. The clinic has a research partnership with a nearby university. What should the social worker do **FIRST**?

A. Submit the project for IRB review before using the data

B. Remove client identifiers from the data set

C. Ask former group members for permission to publish

D. Draft the article, since the project used routine care data

93. A parent in a home-visiting program made early progress with a 2-year-old's bedtime routine. For the past 6 weeks, the parent has skipped practice, sleeps much of the day and says nothing feels worth doing. A depression screen today falls in the moderately severe range, and the parent denies thoughts of self-harm when asked directly. Which action is **MOST** appropriate?

A. Refer the parent for depression treatment and keep visiting

B. Pause home visits until the parent's depression improves

C. Increase practice assignments to rebuild the bedtime routine now

D. Explore with the parent what has lowered their motivation

94. A hospital social worker meets with a patient admitted for heart failure who keeps adding salt to meals brought from home. The patient asks, 'Why does salt even matter for my heart?' Which response is **MOST** consistent with motivational interviewing?

A. Explain how salt causes fluid buildup and strains the heart

B. Ask what the patient already knows about salt and the heart

C. Reflect that the diet limits seem frustrating to the patient

95. A school social worker learns that a 7-year-old often arrives hungry and wears the same clothes several days in a row. The parent, who works two part-time jobs, explains that the family's food benefits stopped 2 months ago after a missed renewal appointment. The child is clean and up to date on checkups, and the parent attends every school conference. What should the social worker do **FIRST**?

A. Assist with restoring the lapsed aid and arranging free meals

B. Notify child protective services of possible neglect

C. Interview the child privately about conditions at home

96. An adult child calls a geriatric care program about a parent with moderate Alzheimer's disease who keeps a loaded handgun by the bed. Last week the parent woke at night, did not recognize the adult child, and pointed the gun at them. The parent insists the gun is needed for protection. What is the social worker's **BEST** response?

A. Suggest unloading the gun and hiding the ammunition

B. Help the family remove the gun from the home now

C. Wait for a capacity evaluation before changing anything

97. An outpatient clinic closes the case of any client who misses 2 appointments in a row. A social worker reviews closure data and finds that most closed cases involve Black clients from a neighborhood whose bus route was recently cut. What is the **BEST** way for the social worker to address this pattern?

A. Help each affected client appeal the closure of their case

B. Keep affected clients' cases open without telling managers

C. Present the data to leaders and propose changing the rule

D. Complete training on implicit bias in clinical decisions

98. A client in a primary care clinic says, 'Drinking is the only thing that helps me sleep. But my liver tests are getting worse, and that scares me.' The client has not decided whether to cut back. Which response by the social worker is **MOST** appropriate?

A. For your liver's sake, it's time to find another way to sleep.

B. Drinking gets you to sleep, and your liver results worry you.

C. Let's set a date to cut back on drinking, and I can help.

99. A 27-year-old is admitted to an inpatient unit after 3 weeks of near-daily methamphetamine use. On admission, the patient believes neighbors are pumping gas through the vents and hears them plotting. With no drug use on the unit, these beliefs fade by day 5, and the patient returns to their usual self. Which diagnosis is **MOST** likely?

A. Brief psychotic disorder

B. Schizophreniform disorder

C. Psychotic disorder due to another medical condition

D. Stimulant-induced psychotic disorder

100. A 12-year-old with type 1 diabetes is admitted with diabetic ketoacidosis for the second time in 3 months. The parent missed 5 of 6 clinic visits despite transportation vouchers and home nurse visits, and insulin is supplied free. The parent can describe the insulin plan but says the child 'is old enough to handle it.' After meeting with the parent, what should the social worker do **NEXT**?

A. Report suspected medical neglect to child welfare authorities

B. Arrange another round of diabetes teaching for the parent and child

C. Coach the child to take over the daily insulin doses

101. After a stroke, a patient with left-side weakness wants to go home alone. The patient correctly repeats the team's explanation that the weakness makes walking unsafe without help. The patient then says, 'That's true for other stroke patients, but my leg is fine,' yet needs two staff to stand. Which decision-making ability is **MOST** likely impaired?

A. Understanding

B. Appreciation

C. Reasoning

102. A client who resettled in the United States 8 months ago brings a small gift to every home visit. The client presses each gift into the social worker's hands at the door and seems anxious when the worker hesitates. The two have not yet talked about the gifts. What response is **MOST** helpful?

A. Explain that services continue with or without gifts

B. Accept each gift to honor the client's custom

C. Ask the client what the gifts are meant to express

D. Decline the gifts, citing the agency's no-gifts policy

103. A state law limits disclosure of client information more than HIPAA does. Which rule generally applies?

A. The stricter state law

B. HIPAA, since federal law takes priority

C. Whichever law the state licensing board adopts

104. In the family life-cycle framework, what is the central emotional task for families in later life?

A. Accepting many exits from and entries into the family

B. Accepting the shift in generational roles

C. Committing to a newly formed family system

D. Loosening boundaries to allow children's independence

105. A social worker notices that the clinic's intake coordinator routes every Spanish-speaking caller to case management only, noting 'not suited for therapy,' even when callers ask for counseling. The clinic has bilingual therapists with openings. The social worker raised the pattern privately with the coordinator, who replied, 'It's what works for those clients.' What should the social worker do **NEXT**?

A. Talk with the coordinator again about the routing pattern

B. Contact the affected callers to offer clinic therapy directly

C. Bring the routing pattern to the clinic's program director

106. A client with schizophrenia has worked part-time stocking shelves for 4 months through a supported employment program. The supervisor reports that the client arrives early, chats easily with coworkers, and calls the job the best part of the week. However, the client cannot hold multistep instructions in mind and gets lost when a task changes midway. Which problem is **MOST** likely affecting job performance?

A. Negative symptoms

B. Disorganized thinking

C. Depressive symptoms

D. Cognitive impairment

107. A school social worker receives a referral for a 14-year-old whom teachers describe as defiant because the student 'ignores directions.' With a parent's consent, the worker reviews school records. A third-grade evaluation identified a language disorder, and speech-language services stopped after a school transfer in sixth grade, with no reevaluation on file. Teacher notes say most problems occur with multistep spoken instructions. What is the **BEST** action?

A. Interview the student about trouble following directions

B. Start a school behavior plan rewarding prompt compliance

C. Ask the student's school team to revisit the earlier evaluation

D. Refer the student for a psychiatric evaluation for defiance

108. A social worker at a family services agency is helping separated co-parents settle a dispute over their child's weekday schedule. In the second joint session, one parent agrees to each proposal within seconds whenever the other parent's voice rises and keeps glancing at the door. After the session, that parent asks whether anything said privately would be shared with the other parent. What should the social worker do **FIRST**?

A. Ask both parents in the next joint session whether either feels unsafe

B. Switch to separate-room sessions with each parent from now on

C. Meet alone with that parent to screen for abuse and fear

109. In a court-ordered program, a client says they follow every rule, even ones they think are unfair, because 'if everyone picked which laws to obey, society would fall apart.' The client adds that changing a bad law is up to lawmakers, not individuals. In Kohlberg's theory, this reasoning **MOST** likely reflects which level?

A. Preconventional

B. Conventional

C. Postconventional

110. A 20-year-old college student lost a soccer scholarship after a knee injury ended the student's playing career. Within a semester, the student joined the debate team and now prepares 30 hours a week. In counseling, the student says, 'I'm not the strong one anymore, so I have to be the smartest one in every room.' Which defense mechanism does this **MOST** likely reflect?

A. Sublimation

B. Compensation

C. Rationalization

111. In a hospital support group for adults newly diagnosed with cancer, a member in the second week of chemotherapy listens as another member describes finishing treatment 5 years ago and returning to work. Afterward the newer member says, 'If they got through it, maybe I can too.' Which therapeutic factor is **MOST** likely at work for the newer member?

A. Instillation of hope

B. Universality

C. Imitative behavior

D. Imparting information

112. A 26-year-old gay Muslim client tells a social worker that the local LGBTQ center's events, often held in bars, feel foreign to their faith, while sermons at their mosque make them hide their sexuality. The client says clearly that they want to keep both their faith and their relationships, and asks where they might find belonging. The social worker had suggested the center's support group. What should the social worker do **NEXT**?

A. Urge the client to give the LGBTQ group a few more tries

B. Explore whether the client's faith reflects internalized homophobia

C. Help the client find LGBTQ groups within their faith, including online

113. A hospital oncology social worker meets for the first time with a client newly diagnosed with early-stage colon cancer. The oncologist has twice explained that surgery offers a strong chance of cure, and the client can restate the risks accurately. The client wants to try herbal treatment from a trusted practitioner for 3 months first. The oncologist asks the social worker to help. What should the social worker do **FIRST**?

A. Request a capacity evaluation before honoring the choice

B. Respect the choice and keep follow-up care open

C. Ask the client's family to encourage the surgery

D. Ask about the client's reasons and concerns

114. Long-term antipsychotic use can lead to involuntary lip smacking, chewing motions, and tongue movements. Which movement disorder does this describe?

A. Acute dystonia
B. Tardive dyskinesia
C. Akathisia
D. Parkinsonism

115. A child protective services investigation closed with no findings, and the agency offered the family voluntary in-home parenting support. At the first home visit, before the social worker can describe the program, the parent says sharply, 'We were cleared. We don't need anybody else checking up on us.' What should the social worker do **FIRST**?

A. Acknowledge the frustration behind the comment
B. Notify the investigator that the family refused services
C. Accept the refusal and explain how to return later
D. Explain that the service is voluntary and what it offers

116. At the second session in a community clinic, a client with a history of brief, intense relationships says the social worker is 'the first one who really gets me.' The client describes two former workers as cold and useless. What is the **MOST** appropriate response?

A. Thank the client and invite feedback when the worker gets it wrong
B. Accept the praise warmly and move on to the client's goals
C. Point out that the client may be idealizing the worker

117. Which mental status exam term describes laughing while recounting a sad event, such as a recent death?

A. Inappropriate affect
B. Labile affect
C. Restricted range of affect
D. Euphoric mood

118. A social worker at a housing program learns that a landlord refused to show a vacant apartment to a client after hearing the client has three children, saying the unit 'isn't right for kids.' The client is upset that other families may be turned away too, but does not want to file a complaint, saying the housing search is exhausting enough. Which response is **BEST**?

A. Respect the decision and focus on the housing search

B. File a fair housing complaint on the client's behalf

C. Encourage the client to reconsider filing a complaint

D. With permission, report the practice to a fair housing group

119. A child welfare associate is completing a self-assessment before a 6-month evaluation. The associate feels confident about court reports, but the supervisor returned three of the last five reports for missing safety details. The agency form asks for a rating and an example for each skill. Which approach to the self-assessment is **MOST** useful?

A. Rate court reports a strength, based on the associate's confidence

B. Give every skill a middle rating to avoid seeming overconfident

C. Rate court reports a growth area, noting the specific feedback

120. At a neighborhood street fair, a social worker runs into a former client whose services ended 3 years ago. After a friendly conversation, the former client asks the social worker out on a date. How should the social worker respond?

A. Accept, since over 2 years have passed

B. Decline, citing the lasting professional duty

C. Offer to meet as friends instead of dating

121. On an inpatient unit, a 24-year-old patient with autism spectrum disorder diagnosed in early childhood is admitted after a family conflict. The team notes flat facial expression, few words, rigid routines and little interest in peers, and a resident suggests adding schizophrenia. The patient's parent says these traits have always been present. What is the **MOST** appropriate input from the social worker?

A. Support adding schizophrenia based on the negative symptoms

B. Gather a detailed developmental history from the parent

C. Explain that prominent delusions or hallucinations are also required

122. A couple receives services at a university training clinic. At intake, both partners consented in writing to a faculty team observing sessions through a one-way mirror. Midway through the fifth session, one partner says they no longer want the team watching. What should the social worker do **FIRST**?

A. Continue, since both partners consented in writing at intake

B. Stop the team's observation from this point on

C. Ask the team lead to explain why observation helps

D. Explore the partner's concerns before making any change

STOP

End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

Answer sheet · Form 8

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

Section 1 (items 1–61)

1	A	B	C	—	32	A	B	C	—
2	A	B	C	D	33	A	B	C	D
3	A	B	C	D	34	A	B	C	—
4	A	B	C	—	35	A	B	C	—
5	A	B	C	—	36	A	B	C	—
6	A	B	C	—	37	A	B	C	D
7	A	B	C	—	38	A	B	C	—
8	A	B	C	—	39	A	B	C	—
9	A	B	C	D	40	A	B	C	D
10	A	B	C	D	41	A	B	C	—
11	A	B	C	—	42	A	B	C	—
12	A	B	C	—	43	A	B	C	—
13	A	B	C	D	44	A	B	C	—
14	A	B	C	D	45	A	B	C	—
15	A	B	C	D	46	A	B	C	—
16	A	B	C	—	47	A	B	C	—
17	A	B	C	—	48	A	B	C	—
18	A	B	C	D	49	A	B	C	—
19	A	B	C	—	50	A	B	C	D
20	A	B	C	—	51	A	B	C	—
21	A	B	C	D	52	A	B	C	D
22	A	B	C	D	53	A	B	C	D
23	A	B	C	D	54	A	B	C	D
24	A	B	C	—	55	A	B	C	D
25	A	B	C	D	56	A	B	C	—
26	A	B	C	D	57	A	B	C	—
27	A	B	C	—	58	A	B	C	D
28	A	B	C	—	59	A	B	C	D
29	A	B	C	D	60	A	B	C	—
30	A	B	C	D	61	A	B	C	—
31	A	B	C	—					

Section 2 (items 62–122)

62	A	B	C	D	93	A	B	C	D
63	A	B	C	D	94	A	B	C	—
64	A	B	C	—	95	A	B	C	—
65	A	B	C	D	96	A	B	C	—
66	A	B	C	—	97	A	B	C	D
67	A	B	C	—	98	A	B	C	—
68	A	B	C	—	99	A	B	C	D
69	A	B	C	—	100	A	B	C	—
70	A	B	C	—	101	A	B	C	—
71	A	B	C	D	102	A	B	C	D
72	A	B	C	D	103	A	B	C	—
73	A	B	C	—	104	A	B	C	D
74	A	B	C	—	105	A	B	C	—
75	A	B	C	—	106	A	B	C	D
76	A	B	C	D	107	A	B	C	D
77	A	B	C	D	108	A	B	C	—
78	A	B	C	—	109	A	B	C	—
79	A	B	C	—	110	A	B	C	—
80	A	B	C	D	111	A	B	C	D
81	A	B	C	—	112	A	B	C	—
82	A	B	C	D	113	A	B	C	D
83	A	B	C	D	114	A	B	C	D
84	A	B	C	D	115	A	B	C	D
85	A	B	C	D	116	A	B	C	—
86	A	B	C	D	117	A	B	C	D
87	A	B	C	D	118	A	B	C	D
88	A	B	C	D	119	A	B	C	—
89	A	B	C	—	120	A	B	C	—
90	A	B	C	—	121	A	B	C	—
91	A	B	C	—	122	A	B	C	D
92	A	B	C	D					

Fill one circle per item. A dash means that item has only three options (A–C).