DBT: Deb's Board Training Practice Form 9

Clinical-level social work licensing exam practice · Question booklet

Instructions

- This form has **122 questions** in **two sections of 61**. Allow **2 hours per section**. Time left over in Section 1 does not carry over to Section 2.
- You may take one optional break of up to **10 minutes** between the sections.
- Each question has three or four options. Choose the **single best answer**. There is no penalty for guessing, so answer every question.
- Mark your answers on the **answer sheet** at the back of this booklet (or circle them here).
- **12 of the 122 questions are unscored pretest items**, as on the real exam. They are not marked in this booklet. Your score is the number correct out of the other 110. The practice pass line is **77 of 110 (70%)**; the answer key has a scoring worksheet and a conversion table.
- Do not look at Section 2 until you finish Section 1, and do not go back to Section 1 after you start Section 2.

Section 1	Start time:	End time:
Section 2	Start time:	End time:

All questions are original practice items written for this study set. They are not ASWB questions and are not endorsed by any testing organization.

Section 1

Items 1–61 · 2 hours

1. A client on probation attends a court-ordered program. When the client mentions arriving on time for a new job all week, the social worker gives specific praise. When the client jokes about 'beating the system,' the worker calmly offers a different view and moves on. The worker also arrives on time and keeps every promise. Which approach is the social worker **MOST** likely using?

A. Motivational interviewing

B. Prosocial modeling

C. Contingency management

2. A neurologist asks a hospital social worker to assess how a 34-year-old patient newly diagnosed with multiple sclerosis will manage after discharge. The patient is tearful but calm and plans to return home to a demanding job. Which question is **MOST** useful for this assessment?

A. Over the past 2 weeks, how often have you felt hopeless?

B. Would you like information about local MS support groups?

C. How have you gotten through hard times before, and who helped?

3. At a senior center, an older adult in problem-solving therapy chose to ask a neighbor for rides to medical visits. At the next session, the client sighs, reports that the neighbor said no, and says, 'This method just doesn't work for me.' What should the social worker do **FIRST**?

A. Acknowledge the client's disappointment about the refusal

B. Arrange agency transportation for the client's visits

C. Revisit the earlier list of options with the client

4. A 27-year-old client in private practice says, 'I'm gay, but my faith is everything to me. I want you to help me get rid of these same-sex attractions.' The client reports guilt and growing isolation from both church friends and gay friends. What is the **MOST** appropriate response by the social worker?

A. Agree to work with the client on reducing same-sex attractions

B. Decline change work and offer to explore faith and identity

C. Encourage the client to leave the faith community for now

5. At an adult day program, a client with mild neurocognitive disorder wants to keep paying their own bills. After weighing options and consulting a supervisor, the social worker supports the plan, and the client agrees to a weekly check-in with a trusted friend. The reasoning is documented. What should the social worker do **NEXT**?

A. Request a formal capacity evaluation of the client

B. Treat the question as resolved and close it

C. Set a date to review how the plan is working

6. In the fourth session of a community agency's early-recovery group, a member mentions taking buprenorphine. Two longtime members reply that people on 'replacement drugs' are not truly sober, and several others nod. The member goes quiet. Over the past two sessions, members have made similar remarks about anyone who uses medication. What is the social worker's **BEST** response?

A. Talk with the member one-on-one once the group has ended

B. Let the debate continue so members reach their own view

C. Name the pattern and open discussion of different recovery paths

D. Suggest the member move to a recovery group for people on medication

7. A client in outpatient treatment for alcohol use disorder grew up with a parent who withdrew affection after any mistake. In the fourth month, the client admits to hiding a relapse and waits to be dropped from the program. The social worker responds calmly and keeps working with the client. Weeks later, the client says, 'You didn't pull away, and now I can admit mistakes at work.' Which concept **MOST** likely explains this change?

A. Holding environment

B. Corrective emotional experience

C. Transference

8. A client in a group practice has 2 sessions left before insurance benefits run out for the year. The client still has frequent panic attacks and cannot afford to pay out of pocket. An appeal to the insurer was denied. What should the social worker do **FIRST**?

A. End services after the last covered session, with referrals

B. Discuss continuation options, such as a reduced fee

C. Keep meeting weekly and let the unpaid balance build

9. At a group home for adults with intellectual developmental disorder, a resident tells the social worker that a night staff member slapped them, and the social worker sees a red mark on the resident's cheek. The social worker informs the house manager, who says the resident 'makes things up' and plans an internal review next week. What should the social worker do **NEXT**?

A. Report the incident to the designated outside agency

B. Wait for the results of the internal review

C. Ask the staff member for an account of the night

10. A home health social worker is assigned to a 78-year-old whose spouse of 50 years died 6 weeks ago. Before the first visit, an adult child calls, says the client 'cries all the time and talks to the photo every morning,' and asks the worker to arrange antidepressant medication. What should the social worker do **FIRST**?

A. Refer the client to a prescriber for an antidepressant evaluation

B. Begin structured treatment for prolonged grief

C. Help the family see these reactions as expected grief

D. Meet with the client to explore how they are living with the loss

11. During a telehealth session, a 31-year-old client describes 5 days last month of sleeping 3 hours a night without feeling tired. The client talked rapidly, started several work projects and felt 'brilliant.' A coworker commented on the change, but the client kept working and met deadlines. Last year the client was treated for a major depressive episode. What is the **MOST** likely diagnosis?

A. Bipolar I disorder

B. Cyclothymic disorder

C. Major depressive disorder

D. Bipolar II disorder

12. A client has taken buprenorphine for 8 months and is stable at work and home. In a telehealth session, the client mentions that people at a mutual-help meeting call medication 'not real recovery' and says, 'Maybe I should just stop it next week.' What should the social worker do **FIRST**?

A. Accept the plan and schedule weekly check-ins during the stop

B. Ask what the client heard and how they now see the medication

C. Suggest a mutual-help group that welcomes members on medication

D. Help the client meet with the prescriber before any change

13. A hospital social worker has one remaining charity-funded home health slot this month, and two patients being discharged qualify. The program's written criteria rank applicants by medical risk at home. A nurse suggests giving the slot to the patient who asked about it first. What is the **BEST** way for the social worker to decide?

A. Use the established risk ranking for both patients

B. Give the slot to the patient who asked first

C. Ask the program director to choose between the patients

14. During a session at a community mental health agency, a client says they have saved a supply of pills and plan to take them tonight. The client then leaves the office and does not answer phone calls. The social worker calls emergency services. What information is **BEST** for the social worker to share with the dispatcher?

A. A general description of the risk without the client's name

B. The client's name, likely location and stated overdose plan

C. The client's diagnosis, treatment history and recent session notes

15. On an inpatient unit, the team plans to diagnose schizophrenia in a Black adult who is guarded, distrusts staff and declines to share personal details. The social worker's interview finds 5 weeks of early waking, slowed movement, poor appetite and intense guilt. The client says past providers 'never listened.' What is the **MOST** appropriate action for the social worker?

A. Press the team for a full evaluation of a depressive episode

B. Explore the client's earlier experiences with mental health providers

C. Support the working diagnosis given the persistent suspicion

16. A home-based case management program for older adults serves clients with very different aims. One wants to attend a senior center weekly, another to pay bills on time, and a third to keep medical appointments. The director wants one evaluation method that tracks each client's own targets and yields scores that can be compared across clients. Which method is **BEST**?

A. Self-anchored rating scale

B. Geriatric Depression Scale

C. Goal Attainment Scaling

D. Behavioral frequency count

17. A client in a DBT skills group feels intense shame and wants to stay home after stumbling over words in a work presentation. With the social worker, the client has already checked the facts and concluded the shame does not fit, since no personal values were violated. Which skill is **BEST** to teach next?

A. Radical acceptance

B. Interpersonal effectiveness

C. Opposite action

D. Self-soothing

18. A supervisee at a youth services agency invites their clinical supervisor to the public commencement where the supervisee will receive an MSW. The invitation also includes a family dinner at the supervisee's home afterward. Supervision will continue for another year. What is the **MOST** appropriate response by the supervisor?

A. Politely decline both the public ceremony and the family dinner

B. Attend the public ceremony and decline the family dinner

C. Attend the public ceremony and the family dinner

19. At a drop-in center for youth experiencing homelessness, a 16-year-old who left home after coming out as gay tells the social worker about staying with adults who offer a bed in exchange for sex. The youth says, 'Nobody makes me. It's my choice.' No third party arranges the meetings. Under federal law, how is this situation classified?

A. Survival sex, since no one else arranges or profits

B. Sex trafficking of a minor

C. Trafficking if force or coercion can be shown

20. A client tells the social worker, 'I know my drinking is hurting my relationship, and part of me wants to cut back. But I'm not sure I'm ready to give up my evening drinks.' Which stage of change is the client **MOST** likely in?

A. Precontemplation

B. Preparation

C. Contemplation

21. A caregiver support group at a nonprofit agency meets in a second-floor room with no elevator. A new member who uses a wheelchair wants to join. The program director suggests that the social worker offer this member individual sessions instead. A ground-floor conference room is free at the group's meeting time. What should the social worker do?

A. Offer the member individual sessions as the director suggests

B. Move the group to the accessible downstairs room

C. Have the member join the group by video from downstairs

22. An adult with schizophrenia in supportive housing has said for 2 days that 'the devil is twisting my stomach.' The client has voiced similar beliefs before. Today the client is hunched over, has vomited twice, refuses meals and feels warm to the touch. Staff ask the social worker to treat it as a familiar delusion. What should the social worker do **FIRST**?

A. Ask the psychiatrist to review the antipsychotic dose

B. Arrange a same-day medical evaluation of the stomach symptoms

C. Explore what the stomach image means to the client

23. In an integrated primary care clinic, a client with moderate depression says, 'My license is suspended, so I can't get to work. That has to come first.' The social worker believes the depression should be treated before anything else. What is the **BEST** way to set the first goal?

A. Make treating the depression the first goal of the contract

B. Ask the client to rank the problems in order of importance

C. Work on the license and the depression as equal goals

D. Start with the steps to reinstate the license

24. In Medicare billing, what does 'incident-to' billing refer to?

A. Billing staff services under a supervising practitioner's number

B. Billing an emergency service code after a critical incident

C. Billing services under the staff member's own provider number

D. Billing a liability insurer for care after an accident

25. A home hospice patient with end-stage lung disease has said many times that they want to die at home. The patient's partner, the only caregiver, has slept little for 2 weeks. As the social worker arrives for a visit, the partner says quietly, 'I don't know how much longer I can do this.' What should the social worker do **FIRST**?

A. Recommend moving the patient to a nursing facility for the remaining time

B. Arrange a short inpatient respite stay to relieve the partner

C. Explore with the partner what feels unmanageable right now

26. A grant proposal includes the statement 'By the end of year one, 75% of enrolled caregivers will show reduced stress on a standardized scale.' In which proposal section does this statement belong?

A. Statement of need

B. Program goals

C. Program objectives

D. Evaluation plan

27. In the tenth session of trauma-focused work at a private practice, a client sits quietly for several minutes, then says, 'I think I'm done coming here,' and looks away. Sleep and work have improved. The previous session focused on the most painful memory so far. What should the social worker do **FIRST**?

A. Invite the client to say more about wanting to stop

B. Agree to end and plan a final session to review gains

C. Recommend continuing until the trauma processing is finished

28. A family services agency will begin evening home visits next quarter. The director asks a senior social worker to draft a field safety policy. Over the past 2 years, staff have filed several incident reports about daytime visits, and some workers have described near misses at staff meetings. What should the social worker do **FIRST**?

A. Review past visit problems with frontline staff

B. Adapt a neighboring agency's evening visit policy

C. Require two workers on every evening visit

D. Schedule de-escalation training for field staff

29. A street outreach social worker has met for months with an adult who has schizophrenia and alcohol use disorder and has lived outdoors for 6 years. The client declines treatment but says, 'I'd take an apartment if I didn't have to quit drinking.' The worker's program follows a Housing First model. Which action is consistent with that model?

A. Refer the client to a sober transitional apartment first

B. Keep building rapport until the client accepts treatment

C. Offer a permanent apartment with services the client may choose

30. A clinic's waitlist for therapy intake has grown to about 6 weeks. Before a meeting with hospital discharge planners, the clinic director tells the outreach social worker to keep promising 'appointments within the week' so referrals and funding stay steady. Several patients referred last month waited weeks without care. What should the social worker do **FIRST**?

A. Describe the program to planners as the director instructed

B. Tell the director that planners need the actual wait time

C. Report the director's instruction to the clinic's board

D. Give planners the actual wait without telling the director

31. A 14-year-old joined a parent in the United States 4 months ago after living 7 years with a grandparent in the home country while the parent worked here. The school social worker learns the teen is withdrawn, cries about the grandparent and refuses to follow the parent's rules. The parent calls the teen ungrateful. Which approach is **BEST**?

A. Help the parent set firmer rules with clear consequences

B. Help both see the conflict as grief and strain from long separation

C. Refer the teen for evaluation of oppositional defiant disorder

32. A client has gone to the emergency department three times for a racing heart and chest tightness. Cardiac testing was normal each time, and the physician diagnosed panic disorder and referred the client to the social worker. The client asks, 'If my heart is fine, why does my body do this?' What should the social worker do **FIRST**?

A. Explain how the body's alarm response produces these sensations

B. Begin exercises that bring on a racing heart in session

C. Ask the physician to order further heart tests for reassurance

33. A program director at a family counseling agency tells staff to keep notes for clients in custody disputes 'as thin as possible,' recording only the date and 'attended,' so the notes cannot hurt clients if subpoenaed. A social worker sees several of these clients, including one who recently self-harmed. Which documentation approach is **MOST** appropriate?

A. Follow the director's instruction for these clients

B. Keep thin notes but document risk events in full

C. Write sufficient notes limited to service-relevant facts

D. Keep detailed notes in a separate personal file

34. A social worker staffs a tenant association that is developing a cooperative housing building. At a meeting, members vote to bar anyone with a criminal record from applying. Several members have relatives returning from prison who had hoped to apply. What is the **BEST** response by the social worker?

A. Help members write the vote into the building's rules

B. Raise how the rule excludes people and discuss alternatives

C. Tell members the ban is unjust and ask them to repeal it

35. A newly hired associate social worker at a community mental health center is drafting goals for the supervision contract. The associate is skilled in individual cognitive behavioral work but has little experience with family sessions, which make up a third of the assigned caseload. The supervisor will also complete the associate's licensure evaluations. Which approach to the goals is **BEST**?

A. Let the supervisor set goals from the first licensure evaluation

B. Make family session work a priority learning goal

C. Ask that the family cases go to more experienced colleagues

36. A community mental health agency receives 15 tablets with a year of free data service to lend to clients for video sessions. About 60 clients ask for one. Staff propose a first-come, first-served sign-up form on the agency website. The social worker on the planning group knows that many clients who lack internet at home have been missing sessions. Which way of allocating the tablets is **MOST** fair?

A. Offer them through the website form in sign-up order

B. Hold a random drawing among the clients who ask

C. Give priority to clients without a device or data plan

D. Let each worker choose the clients who seem most deserving

37. On a home visit, a single parent in treatment for depression reports returning to work and feeling better. During the session, the 12-year-old answers questions put to the parent and tells the younger siblings when to sit down. The parent looks to the 12-year-old before speaking. Using a structural approach, which response is **BEST**?

A. Thank the 12-year-old for helping and let them keep guiding the siblings

B. Arrange individual sessions to address the 12-year-old's stress

C. Pause family sessions until the parent's depression fully remits

D. Ask the parent to direct the siblings while the 12-year-old rests

38. A social worker at a community brain injury program receives a neuropsychological evaluation for a 34-year-old client injured in a fall 8 months ago. The client has signed releases for the program and the evaluator. After reading the report, the social worker understands its summary but not how the processing-speed and memory scores should shape the client's job-training plan. What should the social worker do **NEXT**?

A. Ask the psychologist who did the testing about practical implications

B. Explain to the client what each test score means for work

C. Revise the job-training plan based on the report's summary

D. Request a second neuropsychological evaluation from another provider

39. At a family service agency, the caregiver of a 6-year-old reports that the child's parent left on a military deployment 3 weeks ago. Since then, the child, who was fully toilet trained by age 3, has begun wetting the bed, asks to be fed with a spoon and talks in a baby voice. Which defense mechanism is the child **MOST** likely using?

A. Regression

B. Fixation

C. Displacement

40. An outpatient social worker has seen an adult client for depression for 2 months. The client's primary care physician calls before a routine visit next week and asks for a summary of therapy progress. The client has not signed a release for this physician and has a session with the social worker in 2 days. What is the **BEST** response to the physician?

A. Share a brief progress summary, since this is for treatment

B. Say that consent is needed before sharing, then follow up

C. Confirm the client is in treatment but share no clinical details

D. Ask the physician to send a written records request

41. A 52-year-old patient is readmitted to the hospital with high blood sugar for the third time in 4 months. A team note calls the patient 'noncompliant with insulin.' The patient works two part-time jobs without health benefits and takes two buses to reach the nearest pharmacy. What should the social worker do **FIRST**?

A. Teach the patient about complications of skipping insulin

B. Ask the patient what makes getting and using insulin difficult

C. Refer the patient to a diabetes self-management education class

42. An adult client with bipolar disorder takes lithium. At a home visit, the client reports 2 days of vomiting and diarrhea from a stomach virus. The social worker notices a coarse hand tremor and an unsteady walk that were absent last week. What should the social worker do **FIRST**?

A. Help the client get emergency medical care today

B. Advise the client to skip lithium until the illness passes

C. Recheck the client's symptoms at next week's home visit

43. During a biopsychosocial intake at a primary care clinic, a 47-year-old client reports 2 weeks of low mood, irritability, tearfulness and sleeping about 3 hours a night. The medical history shows the client began high-dose prednisone for a lupus flare 3 weeks ago. The client has no past mood episodes and wants help 'getting back to normal.' What should the social worker do **FIRST**?

A. Ask consent to tell the prescriber about the mood changes

B. Begin weekly CBT sessions targeting the low mood and sleep

C. Use a PHQ-9 to confirm and record a depressive disorder

44. A 34-year-old client with schizophrenia grew up in a middle-income family and was in college when symptoms began at age 20. Since then, the client has lost a series of jobs and now lives on disability benefits in low-cost housing. A new staff member remarks that the client's poverty probably caused the illness. Which account of the link between low income and mental illness does this history **MOST** likely support?

A. Social causation

B. Culture of poverty

C. Intergenerational transmission

D. Social selection

45. A clinic social worker spends 30 minutes on the phone helping a client complete a housing application. The client's health plan covers psychotherapy but not case management. A colleague notes that the call could be billed as psychotherapy because the client seemed calmer afterward. What is the **BEST** way for the social worker to handle the call?

A. Record it as case management with no therapy claim

B. Bill it as therapy rather than case management

C. Skip documenting the call because the plan won't pay

46. A new client in private practice says that a social worker at another agency, who treated the client last year, borrowed $2,000 during treatment and never repaid it. The client feels embarrassed and asks whether that was allowed. What is the **BEST** response?

A. File a complaint about the former provider with the board

B. Say it was improper and describe complaint options

C. Call the former provider to ask about the loan

D. Suggest setting it aside to focus on current goals

47. A client changes the subject each time a sibling's death comes up. The social worker points out the pattern and suggests that avoiding the topic may protect the client from guilt carried since childhood. Which treatment approach is the social worker **MOST** likely using?

A. Cognitive behavioral therapy

B. Psychodynamic therapy

C. Eye movement desensitization and reprocessing

48. A community agency will close its counseling program in 8 weeks. The director tells staff to wait until the final week to inform clients, so they do not leave early. A social worker meets with the director and explains that clients need time to plan, but the director refuses to change course. The agency's ethics committee meets in 2 weeks. What should the social worker do **NEXT**?

A. Tell clients now rather than wait for the committee

B. Follow the director's timeline and plan referrals quietly

C. Raise the director's timeline with the committee

49. A social worker at a family services agency receives a court order signed by a judge in a child dependency case. It directs release of a parent's complete treatment record. The record includes the parent's detailed account of childhood sexual abuse, which has no bearing on the current case. What is the **BEST** response?

A. Send the complete record by the court's stated deadline

B. Decline to follow the order to protect the parent

C. Ask the court to limit the order or seal the record

D. Send a brief summary in place of the full record

50. A client seeks help because their partner drinks heavily most nights and refuses to discuss treatment. The client feels safe at home and wants the partner to get help. A relative suggests gathering the family for a surprise confrontation. What is the **BEST** approach for the social worker to offer?

A. Help the client plan a family confrontation with clear consequences

B. Coach the client to reward sober behavior and ask at calm moments

C. Refer the client to Al-Anon to focus on their own coping

51. A social worker doing the quarterly internal chart audit at a counseling agency reviews 10 sampled charts for one colleague. Nine document sessions on dates when the electronic check-in system shows the client never arrived, and all nine were billed. Agency policy names a compliance officer to receive billing concerns. What should the social worker do **NEXT**?

A. Ask the colleague to explain the mismatched dates

B. Expand the review before reporting to the compliance officer

C. Correct the billing for the nine sessions

D. Report the findings to the compliance officer

52. A 4-year-old is referred for frequent tantrums and hitting at home and preschool. The caregiver, who benefited from cognitive behavioral therapy for anxiety, asks whether the preschooler could receive the same kind of individual talk therapy. Which modality is **MOST** appropriate for this preschooler?

A. Parent-child interaction therapy

B. Individual cognitive therapy with thought records

C. Weekly social skills group with peers

53. A social worker makes an honest report of suspected child abuse that is later not confirmed. What legal protection generally applies?

A. Psychotherapist-patient privilege

B. Statutory immunity

C. Sovereign immunity

54. A school social worker meets with the parent of a 15-year-old who has taken fluoxetine for 3 months. The teen's mood and attendance have improved, and the teen reports no suicidal thoughts at regular check-ins. The parent just read about the antidepressant warning for youth and plans to stop the medicine tonight. What is the social worker's **BEST** response?

A. Support the parent's decision to stop the medicine tonight

B. Encourage the parent to talk with the prescriber before stopping

C. Assure the parent that the risk is limited to the first weeks

55. A client with schizophrenia who lives in supportive housing smokes two packs of cigarettes a day. The client tells the social worker they want to quit because cigarettes use up most of their spending money. A staff member says quitting will worsen the client's symptoms and that smoking is the client's only pleasure. The client's symptoms have been stable for a year. What is the social worker's **BEST** response?

A. Suggest waiting until the client's stability is more established

B. Encourage the client to cut down gradually on their own

C. Help the client get cessation treatment through the prescriber

56. In a nursing facility, a resident with major neurocognitive disorder strikes staff during evening showers but calmly accepts morning sponge baths. An adult child shares that the resident was held in a crowded detention camp as a teenager, where guards forced group showers. Staff ask the social worker to request a sedative before showers. What is the **BEST** response?

A. Ask the prescriber to consider a sedative before showers

B. Help the resident talk through the camp memories

C. Record the hitting as aggression from the dementia

D. Adjust the shower routine to remove the camp reminder

57. A 15-year-old tells the school social worker that an online contact who seemed to be a peer received a private image from the teen and now demands money. The contact threatens to send the image to the teen's followers by tonight. Shaking, the teen says they want to delete everything and pretend it never happened. What should the social worker do **FIRST**?

A. Help the teen delete the chat and close the account

B. Ask the teen what led them to share the image

C. Help the teen save the messages and file a report

58. Which tool measures how well an older adult can handle money, medicines, shopping and meals?

A. Lawton Instrumental Activities of Daily Living Scale

B. Katz Index of Independence in Activities of Daily Living

C. Mini-Cog brief cognitive screen

59. On an inpatient unit, a social worker reviews the 4-year history of a 33-year-old patient. The patient has had four manic episodes, each with grandiose delusions and voices, and these episodes have filled most of the illness. Twice, after the mood returned to normal, the patient kept hearing voices that criticized them for about 5 weeks. What is the **MOST** likely diagnosis?

A. Schizoaffective disorder, bipolar type

B. Bipolar I disorder with psychotic features

C. Schizophrenia

D. Delusional disorder

60. A high school social worker completes a suicide risk assessment with a 16-year-old who reported fleeting thoughts that 'it would be easier not to wake up.' The thoughts come at night when the student worries about grades, and the student names a parent and a coach as supports. An assistant principal asks the worker to have the student sign a no-harm agreement before returning to class. What is the **MOST** appropriate step?

A. Have the student sign the agreement the administrator requested

B. Build a written safety plan with the student and family

C. Send the student back to class and check in next week

61. A hospital field instructor has given an MSW intern weekly feedback and a written learning plan for missed notes and late arrivals. At midterm, the intern still falls short on several competencies. The intern then discloses a learning disability, says the school has never been told, and asks the instructor not to give a failing rating. What should the field instructor do **NEXT**?

A. Give a passing midterm rating while the intern seeks help

B. Arrange accommodations with the intern without involving the school

C. End the field placement, since the learning plan has failed

D. Involve the school's field liaison in reviewing the plan

STOP

End of Section 1

Check your answers for Section 1 now. When you turn the page, Section 1 is closed. Take an optional break of up to 10 minutes, then start a fresh 2-hour timer for Section 2.

Section 2

Items 62–122 · 2 hours

62. A supported employment program's new contract pays the agency only for clients still employed 6 months after enrollment. Within a quarter, the social worker who manages the program sees intake staff steering applicants with criminal records or recent hospitalizations to a waitlist. Placement rates have risen. Intake staff completed eligibility training last month and say they fear losing the contract. What action is **BEST**?

A. Collect another quarter of intake data to confirm the pattern

B. Raise the pattern with leaders and seek fairer performance measures

C. Remind intake staff of the eligibility rules at a staff meeting

63. A 15-year-old in foster care asks to attend the upcoming meeting where the team will discuss changing the permanency goal from reunification to adoption. The foster parent suggests keeping the youth away because the discussion may be upsetting. What is the **MOST** appropriate response by the child welfare social worker?

A. Include the youth after preparing them for the meeting

B. Hold the meeting without the youth and report back

C. Ask the youth to send written views instead

64. A home health social worker meets with an adult child who cares full time for a 78-year-old parent with advanced Parkinson's disease. The caregiver reports back pain, poor sleep and missed work. When the social worker mentions an adult day program, the caregiver shakes their head and says, 'That's not how our family does things.' What should the social worker do **NEXT**?

A. Ask what kinds of help would feel acceptable to the caregiver

B. Arrange in-home aide visits in place of the day program

C. Urge the caregiver to try the day program for a week

65. A parent seeks help for a 9-year-old's constant defiance and says the school complains about the child every day. With the parent's written consent to exchange information with the school, the social worker obtains school records. The records show good grades, no discipline reports and positive comments from staff. What should the social worker do **NEXT**?

A. Diagnose oppositional defiant disorder from the parent's report

B. Refer the parent to a behavioral parent training program

C. Discuss the conflicting accounts with the parent and teacher

66. Before elective surgery, a nurse tells an adult patient that the hospital requires an advance directive on file. The upset patient tells the hospital social worker they do not want to make one and asks whether the surgery can go ahead without it. What should the social worker do **FIRST**?

A. Help the patient complete a brief directive

B. Clarify the hospital's duties with the nurse

C. Inform the patient that a directive is voluntary

67. An ACT team social worker visits a 23-year-old client 6 months after a first hospitalization for schizophrenia, during which the voices stopped. The client now speaks of having 'ruined everything,' feels guilty about burdening family, sleeps poorly and no longer enjoys music. The client is tearful and expressive while talking. A team member calls this negative symptoms. What is the **MOST** likely explanation?

A. Negative symptoms of schizophrenia

B. Co-occurring depression

C. Antipsychotic-induced parkinsonism

D. Schizoaffective disorder

68. A client raised in a rural Latin American community is in outpatient treatment for depression. The client believes the illness began with susto, a loss of spirit caused by a frightening event. The client plans to visit a traditional healer for a cleansing and asks the social worker whether that is 'allowed' alongside counseling. What should the social worker do **FIRST**?

A. Refer the client to a provider who shares the client's culture

B. Contact the healer to coordinate care with counseling

C. Ask how the client hopes the healer's work will help

D. Explain that depression is a treatable medical condition

69. In the Thomas-Kilmann model of conflict, which mode combines high assertiveness with high cooperativeness?

A. Compromising

B. Accommodating

C. Competing

D. Collaborating

70. At a domestic violence program, a social worker is safety planning with an adult client whose partner has made threats. The client says calling the police is off the table because officers injured a relative during a past call. The client names a cousin, a neighbor and a church member who would help. What is the **MOST** appropriate action by the social worker?

A. Encourage the client to call police in an emergency despite past harm

B. Explore the client's feelings about the relative's injury further

C. Refer the client to a program with police liaison advocates

D. Build the plan around the people and options the client trusts

71. A social worker is conducting an IRB-approved research interview with an older adult about caring for a spouse who died last year. Partway through, the participant begins crying while describing the final weeks of the spouse's illness. What should the social worker do **FIRST**?

A. Continue with the protocol so the data stay consistent

B. Pause and acknowledge how painful this is to recall

C. End the interview and give a list of grief resources

72. Which treatment objective for a client with depression is written in measurable terms?

A. Client will feel less depressed and more hopeful about the future

B. Client will increase pleasant activities as often as possible

C. Client will gain insight into the causes of the low mood

D. Client will walk 20 minutes on 5 days each week by week 6

73. A 6-year-old in a new foster home has daily meltdowns. When the child welfare social worker asks how the child felt before a meltdown, the child shrugs or says 'bad.' The foster parent wants help so the child can calm down. What should the social worker do **FIRST** to build the child's regulation skills?

A. Ask the child to tell the story of leaving home

B. Set up a sticker chart that rewards calm days

C. Teach the child to name feelings using a faces chart

74. A 14-year-old in a residential treatment program has been banging their head against walls several times a week. Staff incident reports from the past 6 weeks record the date and time of each episode. The team is ready to start a new behavior plan and wants to judge whether it works. Which approach is **BEST**?

A. Count episodes for 2 more weeks before starting the plan

B. Start the plan and log episodes in new incident reports

C. Use the past 6 weeks of incident reports as the baseline

D. Plan to pause the behavior plan later to confirm its effect

75. A 76-year-old client is evaluated at a memory clinic. Over the past year, the client's alertness has varied widely from day to day, and the client often sees small children in the living room who are not there. Months after the memory changes began, the client developed a shuffling walk and stiff arms. The client's partner says the client now needs help with bills and medications. What is the **MOST** likely diagnosis?

A. Major neurocognitive disorder due to Alzheimer's disease

B. Major neurocognitive disorder with Lewy bodies

C. Delirium

D. Major neurocognitive disorder due to Parkinson's disease

76. In an intensive care unit, a patient's family has heard different predictions about recovery from the cardiology and neurology teams. The family asks for a meeting, and the social worker is asked to arrange it. What should the social worker do **FIRST**?

A. Convene a brief team meeting to align the medical message

B. Ask the family to list the questions they most want answered

C. Schedule the family meeting so each team can present its view

77. During in-home structural family therapy for a 13-year-old's aggression, one parent asks to speak privately. The parent says the other parent controls the money, checks the parent's phone, and pushed the parent into a wall last week. The parent asks the social worker to keep family sessions going, fearing that stopping them would anger the other parent. What is the **BEST** response?

A. Connect the parent with a domestic violence advocate to plan safely

B. Continue family sessions as asked, keeping the focus on the teen

C. Stop family sessions and explain the reason to the family

D. Ask the other parent privately about the pushing

78. Group home staff call the social worker about a resident with schizophrenia. For 2 days, the resident has taken only sips of water and almost no food. The resident stands in one spot for hours, holds odd postures, does not answer questions and stiffens when staff try to guide them. What should the social worker do **FIRST**?

A. Get the resident to an emergency department today

B. Rate the resident's negative symptoms with a standard scale

C. Ask the psychiatrist to see the resident at the next clinic visit

D. Have staff push fluids and track intake at the home

79. In Lazarus and Folkman's stress and coping model, what is a person's judgment about whether they have the resources to handle a stressor called?

A. Primary appraisal

B. Secondary appraisal

C. Emotion-focused coping

80. At intake in an outpatient clinic, a client discloses a suicide attempt 8 years ago. The client then asks the social worker to keep it out of the record and falls silent, looking at the intake form. What should the social worker do **FIRST**?

A. Ask what worries the client about having it recorded

B. Leave it out of the record and keep a private memo

C. Record the attempt and explain who can access the record

D. Describe the attempt vaguely as past difficulties

81. A 9-year-old has lived with a foster family for 4 months and has weekly visits with their birth parent, who is working toward reunification. The foster parent reports that the child refuses outings and recently said, 'If I have fun here, it means I don't love my real family.' The birth parent has been cooperative with the agency. What would be **MOST** helpful?

A. Help the birth parent tell the child it is fine to have fun there

B. Tell the child the birth parent would want them to have fun

C. Refer the child for an evaluation of a possible attachment disorder

82. A parent has returned home after a year-long military deployment. In family sessions, the partner and two teens say everyone feels distant, but they struggle to put the feeling into words. The social worker uses Satir's experiential approach. Which intervention is **MOST** consistent with this approach?

A. Prescribe that the family keep its distance this week

B. Ask circular questions about who notices the distance first

C. Build a three-generation genogram of military service

D. Have members place one another to show closeness

83. After a weekend continuing education workshop, a social worker is eager to try a new brief technique for trauma. The presenter supported it with case stories and client testimonials. The social worker has several clients with trauma histories and a supervisor available for consultation. Which action is **BEST** before the social worker uses the technique with clients?

A. Try it with consenting clients while getting supervision

B. Ask the presenter for more detailed case examples

C. Search for published outcome studies of the method

84. In the fourth session at a rural agency, a client reports losing hours at a time, finding receipts for purchases the client does not remember and being greeted by strangers using another name. The social worker has no training in dissociative disorders, and no one at the agency does. The clinical director can connect the worker with a regional expert in these conditions. What is the **MOST** appropriate action?

A. Record dissociative amnesia based on the reported gaps

B. Ask the client to describe early trauma in detail

C. Consult a specialist about how to assess the client

85. A transitional housing program requires staff to discharge any resident who misses curfew 3 times. A resident has missed curfew 3 times because a new job ends after curfew. The resident has no other place to live. What should the social worker do **FIRST**?

A. Ask agency leaders whether the rule allows a work exception

B. Begin discharge planning as the written policy requires

C. Encourage the resident to look for a job with earlier hours

D. Request an ethics committee review of the curfew policy

86. At a veterans clinic, a client describes following an order during deployment that led to civilian deaths. The client reports deep shame, says, 'I'm not a good person anymore,' and has pulled away from a faith community they once valued. Which concept **MOST** likely describes this reaction?

A. Survivor guilt

B. Moral injury

C. Secondary traumatic stress

D. Prolonged grief disorder

87. A 76-year-old client in a senior center counseling program pays part of an adult grandchild's rent each month. The client manages their own bills, which are current, and explains, 'I want to help while I'm alive to see it.' The client describes no pressure from the grandchild. The client's adult child calls the social worker, angry, insisting the payments are elder abuse that must be reported. What is the **BEST** response?

A. File an adult protective services report as the child asks

B. Ask the client to pause the payments until the family agrees

C. Share the client's finances with the adult child to ease worry

D. Support the client's choice and decline to file a report

88. Which instrument is designed to measure how ready a client is to change their drinking?

A. SOCRATES

B. AUDIT

C. CAGE

D. CIWA-Ar

89. A client in an intensive outpatient program for alcohol use disorder lost Medicaid coverage 3 weeks ago. The state mailed the renewal form to an old address, and the client never received it. The client is doing well and wants to continue. Several other clients have lost coverage the same way. What should the social worker do **FIRST**?

A. Propose a fix for renewal mailings to state officials

B. Ask the client why the address was left outdated

C. Help the client submit the renewal paperwork this week

D. Discharge the client with referrals to free treatment programs

90. A hospital social worker's work phone breaks, and a replacement will take a week. Several discharged patients need follow-up calls about appointments. A coworker suggests using a personal cell phone in the meantime. What is the **BEST** way to handle patient contact this week?

A. Use the office landline and secure messaging system

B. Text patients from the personal phone without names

C. Use the personal phone and delete messages each day

91. Through an employee assistance program, a client meets with a social worker by video. The client says they handle anger in staff meetings by clamping down and showing nothing, but later get headaches and snap at their children. Which emotion-regulation skill is **BEST** for the social worker to teach?

A. Vent the anger fully at home to release the pressure

B. Reframe triggering events before anger builds

C. Practice muscle relaxation each evening after work

92. In a large hospital, each social worker answers to two people. The head of social work oversees professional standards. A unit nurse manager sets daily assignments. Which organizational structure does this describe?

A. Flat structure

B. Matrix structure

C. Functional structure

D. Divisional structure

93. At a community after-school program, a 10-year-old shows the social worker a bruise on their side and says a parent's partner punched them last night. The social worker calls the child abuse hotline, and the intake worker accepts the report. What should the social worker do **NEXT**?

A. Document when, to whom and what was reported

B. Ask the child more questions to add detail for investigators

C. Call the parent to explain that a report has been made

D. Wait to document until child protective services shares findings

94. A group home for adults with serious mental illness supports a resident's wish to ride the city bus alone to a new job. A staff member asks what happens if the resident gets lost. The team leader says an occasional wrong turn is part of ordinary adult life. The team arranges travel training and lets the resident ride alone. Which principle is the team **MOST** likely applying?

A. Least restrictive alternative

B. Dignity of risk

C. Harm reduction

D. Beneficence

95. A group program was first built at a medical center for patients with chronic pain and illness. It uses 8 weekly classes of body scan, sitting meditation, and gentle yoga. What is it called?

A. Mindfulness-based cognitive therapy

B. DBT skills training group

C. Acceptance and commitment therapy

D. Mindfulness-based stress reduction

96. During the first week of an intensive outpatient program for alcohol use, a client wipes away tears while saying, 'Honestly, I'm doing great. This place is just a formality for my job.' Which response by the social worker is **MOST** helpful at this point?

A. Point out the mismatch between the tears and the words

B. Gently reflect the sadness that shows as the client speaks

C. Accept the statement and continue with the intake questions

D. Suggest that the tears may come from grief the client avoids

97. Which part of the mental status examination records answers that wander off and never reach the point?

A. Thought content

B. Perception

C. Thought process

98. A client with bipolar disorder attends a supported employment program and receives Social Security disability benefits and Medicaid. The employer offers the client more weekly hours. The client says, 'I want the hours, but if I earn more I could lose my check and my medication coverage.' Unsure how earnings affect either benefit, the client asks the social worker what to do. What is the **BEST** response?

A. Encourage the client to accept the hours as a recovery step

B. Explain that the added earnings will end the client's benefits

C. Explore what the extra hours would mean to the client

D. Refer the client to a work incentives benefits planner

99. At intake for a court-ordered partner violence program, a participant says, 'I lose my temper and can't stop myself.' The participant describes staying calm when a manager yells at them in front of coworkers. Twice, the participant smashed the partner's phone after the partner went out with friends. Which explanation is **MOST** likely supported by this pattern?

A. Purposeful control of the partner

B. Poor impulse control across settings

C. Reaction to the partner's provocations

D. Job stress displaced onto home

100. On an inpatient psychiatric unit, policy requires a body check for injuries and contraband at admission. A newly admitted adult with a history of childhood sexual abuse starts shaking and crying when told about the check and backs into a corner. The nurse asks the social worker for help. What is the **MOST** appropriate action?

A. Ask the nurse to skip the check for this patient

B. Explain the safety reasons for the check, then proceed

C. Plan with the patient and nurse how the check will be done

101. In a telehealth employee assistance session, a client says the main goal is for their partner to stop drinking. The assessment shows the client is losing sleep and phoning the partner's employer to excuse missed shifts. The social worker and client are now setting goals. Which goal is **MOST** appropriate?

A. Client will let the partner handle their own work absences for 4 weeks

B. Partner will attend a mutual-help meeting each week by the second month

C. Client will get the partner to agree to an assessment by week 4

D. Client will accept that the partner's drinking is outside their control

102. At a county behavioral health clinic, a staff member made a mocking comment about a colleague's tribal ceremony during a team meeting. The staff member has admitted it and wants to make amends, and the colleague has agreed to a restorative circle. The clinic asks the social worker, a trained facilitator, to lead it. What should the social worker do **FIRST**?

A. Convene the circle and open with shared ground rules

B. Ask the staff member to write an apology to the colleague

C. Meet separately with each person to prepare

103. A school social worker learns that the front office turned away 3 families staying in a motel this semester because they could not show proof of a home address. Each family enrolled only after the social worker stepped in. Which action is **BEST**?

A. Keep helping each family enroll as new cases come up

B. Give front-office staff a written copy of the enrollment rules

C. Raise the enrollment practice with the district's homeless liaison

104. Parents who have decided to divorce after years of frequent shouting matches ask the social worker how to protect their children, ages 7 and 11. Which step would be **MOST** helpful to the children's long-term adjustment?

A. Help the parents keep the children out of their disputes

B. Help the parents keep the children in one home and school

C. Arrange individual therapy for each child right away

105. A client in outpatient counseling uses methamphetamine a few times a month and says they are not interested in stopping. The client carries condoms but says they rarely use them during sex while high, then asks, 'Is there anything that can lower my chances of getting HIV?' What is the **BEST** response?

A. Link the client to a clinic offering preventive HIV medication

B. Explore the client's readiness to cut back on methamphetamine

C. Provide condoms and go over safer-sex steps that lower HIV risk

106. A 19-year-old college student tells a campus social worker, 'I'm probably gay, though part of me wishes I weren't.' The student has started going to a campus LGBTQ meeting, mainly to feel less alone, and finds some members welcoming and others distant. The student has told no one else. Using Cass's model, which stage **MOST** likely fits this student?

A. Identity comparison

B. Identity acceptance

C. Identity tolerance

D. Identity pride

107. On the morning their home was condemned, a client arrives at a community crisis center too shaken to speak. An hour later, the client is calm, has listed what must happen today, and mentions usually handling the family's bills and appointments. The client then asks the social worker to 'just make all the calls.' What is the **BEST** response?

A. Make the calls for the client while the client rests

B. Plan which calls the client will make, with help as needed

C. Refer the client to a housing agency for case management

108. In an afternoon session, a 58-year-old client with depression tells the social worker they have no thoughts of suicide. That evening, the client's partner, who is named on a signed release, calls to say they found a large supply of sleeping pills hidden in a garage toolbox. The partner adds that the client has been unusually quiet since losing a job last month. What should the social worker do **NEXT**?

A. Contact the client promptly about the partner's call and reassess

B. Ask police to bring the client in for an emergency evaluation

C. Add a session later this week to discuss the partner's call

109. On an inpatient psychiatric unit, a newly admitted client with schizophrenia stands near the door, refuses to sit, and says staff record thoughts through the ceiling lights. The social worker is meeting the client for the first time to begin a working relationship. What should the social worker do **FIRST**?

A. Explain calmly that the lights cannot record thoughts

B. Ask what the client has noticed about the ceiling lights

C. Introduce self briefly and let the client choose the distance

110. Which budgeting system calculates cost per outcome achieved, such as the cost for each client who stays housed for a full year?

A. Line-item budgeting

B. Functional budgeting

C. Program budgeting

111. A Deaf adult who grew up in another country begins services at a community mental health center. A qualified ASL interpreter attends the intake but reports that the client uses many home signs and signs from another country, and much is being missed. Twenty minutes of slower pacing and simpler questions have not closed the gap. What should the social worker do **NEXT**?

A. Add a Certified Deaf Interpreter to the team

B. Replace the interpreter with written notes in English

C. Invite a family member who knows the client's signs

D. Refer the client to a provider who signs fluently

112. A residential substance use program serves several Native clients. A non-Native staff member began leading smudging and a 'spirit animal' exercise for all residents after watching online videos. Native residents tell the director the activities mock their ceremonies, though two of them want traditional healing as part of treatment. The director stops the activities and asks the social worker for advice. What should the social worker recommend **FIRST**?

A. Ban Native cultural practices from the program

B. Ask the Native residents to lead smudging for the whole group

C. Seek guidance from local tribal leaders on these practices

D. Have staff complete training on Native spiritual traditions

113. A social worker learns that a case manager at the same agency, who has a bachelor's degree in psychology and no license, sees private psychotherapy clients on weekends and advertises as a 'clinical social worker.' When the social worker raises the concern privately, the case manager says the title is harmless and declines to change the ads. What should the social worker do **NEXT**?

A. Report the case manager to the state licensing board

B. File a complaint about the case manager with NASW

C. Tell the agency director about the case manager's ads

114. In a school-based substance use group, a 16-year-old says two classmates crashed after drinking because 'they're bad drivers.' The teen adds that driving after a few beers is fine for them because 'nothing like that is going to happen to me.' Which developmental concept **MOST** likely explains this belief?

A. Imaginary audience

B. Identity diffusion

C. Personal fable

115. A 29-year-old client with bipolar I disorder has been stable for 2 years on valproate. At a community clinic visit, the client happily shares a plan with their partner to start trying for a baby next month. The client's next psychiatry appointment is in 4 months. What is the social worker's **BEST** response?

A. Encourage seeing the prescriber before trying to conceive

B. Suggest tapering off valproate before trying to conceive

C. Explore the client's hopes and worries about parenting

116. A workforce program for young adults is writing objectives for a new grant. The team needs one objective that states the change participants should achieve. Which objective is **BEST**?

A. By month 12, 60% of participants will keep a job for 90 days

B. Staff will hold 40 job-readiness workshops during the grant year

C. Participants will gain the confidence they need to succeed at work

D. The program will help young adults become self-sufficient

117. At the start of couples work by video, a social worker explained a policy that information shared privately by one partner may be raised in joint sessions. Before the fourth session, one partner emails the social worker about a recent affair and asks that it stay secret. What is the **BEST** response?

A. Keep the information private to protect the alliance

B. Disclose the affair to the other partner in the next session

C. End joint work and refer each partner for individual help

D. Remind the partner of the agreed rule and urge disclosure

118. A 58-year-old client in an employee assistance program has been meeting with a social worker about work stress. Midway through a session, the client becomes sweaty and short of breath and rubs their left arm, saying the chest pressure is 'just my nerves.' The client has never had a panic attack before. What should the social worker do **FIRST**?

A. Guide the client through slow, paced breathing

B. Ask what thoughts came just before the pressure began

C. Get an ambulance to the office immediately

119. Residents of a public housing complex tell a community social worker that the city plans to close the neighborhood's only public health clinic. Several residents want to speak at next month's city council hearing but have never addressed public officials. What is the **MOST** appropriate role for the social worker?

A. Help residents prepare and deliver their own testimony

B. Testify at the hearing on the residents' behalf

C. Stay neutral because the closure is a political matter

120. A social worker at a nonprofit counseling agency meets with a client who works nights and can attend only evening sessions, which the agency does not offer. A free clinic nearby runs evening groups for the client's concern. The agency director has told staff not to mention that clinic because funding depends on client numbers. Which action is **MOST** consistent with the social worker's ethical duties?

A. Tell the client about the clinic's evening services

B. Help the client ask the employer for a daytime shift

C. Ask the director to approve mentioning the evening clinic

121. At a first meeting, an older adult tells the social worker, a newly assigned case manager at a senior center, that the previous case manager 'never returned a single call' and 'made me feel like a bother.' The client then asks whether that worker was 'just lazy.' What is the **BEST** response by the social worker?

A. Agree that the previous worker handled the case poorly

B. Ask what the client needs to feel supported this time

C. Explain that heavy caseloads can delay returned calls

D. Offer to help file a complaint about the previous worker

122. A client with limited English proficiency arrives for a mental health intake with their 15-year-old child, who offers to interpret. The client says they would prefer that the child interpret. What is the **MOST** appropriate action?

A. Proceed with the child interpreting, as the client prefers

B. Use a qualified telephone or video interpreter for the intake

C. Ask a bilingual receptionist to interpret during the intake session

STOP

End of Section 2 · End of the exam

Put your pencil down. Score your answer sheet with the separate Answer Key booklet.

Answer sheet · Form 9

Date: _____ Section 1 finished at: _____ Section 2 finished at: _____

Section 1 (items 1–61)

1	A	B	C	—	32	A	B	C	—
2	A	B	C	—	33	A	B	C	D
3	A	B	C	—	34	A	B	C	—
4	A	B	C	—	35	A	B	C	—
5	A	B	C	—	36	A	B	C	D
6	A	B	C	D	37	A	B	C	D
7	A	B	C	—	38	A	B	C	D
8	A	B	C	—	39	A	B	C	—
9	A	B	C	—	40	A	B	C	D
10	A	B	C	D	41	A	B	C	—
11	A	B	C	D	42	A	B	C	—
12	A	B	C	D	43	A	B	C	—
13	A	B	C	—	44	A	B	C	D
14	A	B	C	—	45	A	B	C	—
15	A	B	C	—	46	A	B	C	D
16	A	B	C	D	47	A	B	C	—
17	A	B	C	D	48	A	B	C	—
18	A	B	C	—	49	A	B	C	D
19	A	B	C	—	50	A	B	C	—
20	A	B	C	—	51	A	B	C	D
21	A	B	C	—	52	A	B	C	—
22	A	B	C	—	53	A	B	C	—
23	A	B	C	D	54	A	B	C	—
24	A	B	C	D	55	A	B	C	—
25	A	B	C	—	56	A	B	C	D
26	A	B	C	D	57	A	B	C	—
27	A	B	C	—	58	A	B	C	—
28	A	B	C	D	59	A	B	C	D
29	A	B	C	—	60	A	B	C	—
30	A	B	C	D	61	A	B	C	D
31	A	B	C	—					

Section 2 (items 62–122)

62	A	B	C	—	93	A	B	C	D
63	A	B	C	—	94	A	B	C	D
64	A	B	C	—	95	A	B	C	D
65	A	B	C	—	96	A	B	C	D
66	A	B	C	—	97	A	B	C	—
67	A	B	C	D	98	A	B	C	D
68	A	B	C	D	99	A	B	C	D
69	A	B	C	D	100	A	B	C	—
70	A	B	C	D	101	A	B	C	D
71	A	B	C	—	102	A	B	C	—
72	A	B	C	D	103	A	B	C	—
73	A	B	C	—	104	A	B	C	—
74	A	B	C	D	105	A	B	C	—
75	A	B	C	D	106	A	B	C	D
76	A	B	C	—	107	A	B	C	—
77	A	B	C	D	108	A	B	C	—
78	A	B	C	D	109	A	B	C	—
79	A	B	C	—	110	A	B	C	—
80	A	B	C	D	111	A	B	C	D
81	A	B	C	—	112	A	B	C	D
82	A	B	C	D	113	A	B	C	—
83	A	B	C	—	114	A	B	C	—
84	A	B	C	—	115	A	B	C	—
85	A	B	C	D	116	A	B	C	D
86	A	B	C	D	117	A	B	C	D
87	A	B	C	D	118	A	B	C	—
88	A	B	C	D	119	A	B	C	—
89	A	B	C	D	120	A	B	C	—
90	A	B	C	—	121	A	B	C	D
91	A	B	C	—	122	A	B	C	—
92	A	B	C	D					

Fill one circle per item. A dash means that item has only three options (A–C).