

Table 1: Clustering inertia on dataset collection 2 with 20.0% constraints (without centroid mutation)

Constraints Level Method Dataset	0.2		
	KSKM	KSKM_E	PCCC
synthetic_n300_d2_k10_s10	4.96	4.96	4.96
synthetic_n300_d2_k10_s20	19.03	19.03	19.03
synthetic_n300_d2_k10_s30	39.99	40.00	40.06
synthetic_n300_d2_k10_s40	67.50	66.15	66.14
synthetic_n300_d2_k10_s50	93.93	93.25	93.27
synthetic_n300_d2_k20_s10	10.49	8.35	9.05
synthetic_n300_d2_k20_s20	25.44	24.14	25.07
synthetic_n300_d2_k20_s30	43.30	39.89	39.88
synthetic_n300_d2_k20_s40	58.55	55.58	55.60
synthetic_n300_d2_k20_s50	72.23	68.35	68.49
synthetic_n300_d2_k50_s10	4.09	4.02	3.99
synthetic_n300_d2_k50_s20	10.12	9.94	10.25
synthetic_n300_d2_k50_s30	15.05	14.78	14.38
synthetic_n300_d2_k50_s40	19.53	19.03	18.76
synthetic_n300_d2_k50_s50	24.85	24.27	23.98