

MONGODB

1. Instalasi MongoDB (Offline)

Persiapan instalasi MongoDB Download semua yang dibutuhkan. Pastikan sesuai dengan versi OS. Disini dicontohkan memakai server OS linux redhat 7. Download **Depedency** untuk linux redhat jika tidak diinstal maka mongodb juga tidak bisa diinstall. Berikutnya download Mongodb, sebagai berikut urutannya;

1.1 Download dan install depedency

Link download depedency = https://vault.centos.org/7.9.2009/os/x86_64/Packages/

```
cyrus-sasl-2.1.26-23.el7.x86_64.rpm
cyrus-sasl-lib-2.1.26-23.el7.x86_64.rpm
cyrus-sasl-plain-2.1.26-23.el7.x86_64.rpm
libcurl-7.29.0-59.el7.x86_64.rpm
openssl-1.0.2k-19.el7.x86_64.rpm
cyrus-sasl-gssapi-2.1.26-23.el7.x86_64.rpm
```

Upload kedalam server tanpa internet.

```
[root@belajar ~]# ls -ltrh
total 1.1M
-rw-r--r--. 1 root root 129 Dec 29 2013 .tcshrc
-rw-r--r--. 1 root root 100 Dec 29 2013 .cshrc
-rw-r--r--. 1 root root 176 Dec 29 2013 .bashrc
-rw-r--r--. 1 root root 176 Dec 29 2013 .bash_profile
-rw-r--r--. 1 root root 18 Dec 29 2013 .bash_logout
dr-xr-xr-x. 17 root root 224 Jan 16 16:50 ..
-rw-r--r--. 1 root root 1.3K Jan 17 14:34 anaconda-ks.cfg
-rw-----. 1 root root 1.7K Jan 17 15:19 .rediscli_history
-rw-r--r--. 1 root root 739 Jan 17 15:41 redis_db1_export_cara2.txt
-rw-----. 1 root root 574 Jan 17 15:44 .bash_history
-rw-r--r--. 1 root root 39K Jan 17 17:51 cyrus-sasl-plain-2.1.26-23.el7.x86_64.rpm
-rw-r--r--. 1 root root 156K Jan 17 17:51 cyrus-sasl-lib-2.1.26-23.el7.x86_64.rpm
-rw-r--r--. 1 root root 89K Jan 17 17:51 cyrus-sasl-2.1.26-23.el7.x86_64.rpm
-rw-r--r--. 1 root root 494K Jan 17 17:51 openssl-1.0.2k-19.el7.x86_64.rpm
-rw-r--r--. 1 root root 224K Jan 17 17:51 libcurl-7.29.0-59.el7.x86_64.rpm
drwxr-xr-x. 2 root root 4.0K Jan 17 18:00 mongodb
dr-xr-x---. 3 root root 4.0K Jan 17 18:02 .
-rw-r--r--. 1 root root 42K Jan 17 18:02 cyrus-sasl-gssapi-2.1.26-23.el7.x86_64.rpm
[root@belajar ~]#
```

```
rpm -ivh libcurl-7.29.0-59.el7.x86_64.rpm
rpm -ivh openssl-1.0.2k-19.el7.x86_64.rpm
rpm -ivh cyrus-sasl-2.1.26-23.el7.x86_64.rpm
rpm -ivh cyrus-sasl-lib-2.1.26-23.el7.x86_64.rpm
rpm -ivh cyrus-sasl-plain-2.1.26-23.el7.x86_64.rpm
rpm -ivh cyrus-sasl-gssapi-2.1.26-23.el7.x86_64.rpm
```

```
[root@belajar ~]# rpm -ivh libcurl-7.29.0-59.el7.x86_64.rpm
warning: libcurl-7.29.0-59.el7.x86_64.rpm: Header V3 RSA/SHA256 Signature, key ID f4a80eb5: NOKEY
Preparing... ##### [100%]
file /usr/lib64/libcurl.so.4.3.0 from install of libcurl-7.29.0-59.el7.x86_64 conflicts with file from package libcurl-7.29.0-54.el7.x86_64
[root@belajar ~]#
[root@belajar ~]# rpm -ivh openssl-1.0.2k-19.el7.x86_64.rpm
warning: openssl-1.0.2k-19.el7.x86_64.rpm: Header V3 RSA/SHA256 Signature, key ID f4a80eb5: NOKEY
Preparing... ##### [100%]
package openssl-1:1.0.2k-19.el7.x86_64 is already installed
[root@belajar ~]#
[root@belajar ~]# rpm -ivh cyrus-sasl-2.1.26-23.el7.x86_64.rpm
warning: cyrus-sasl-2.1.26-23.el7.x86_64.rpm: Header V3 RSA/SHA256 Signature, key ID f4a80eb5: NOKEY
Preparing... ##### [100%]
Updating / installing...
 1:cyrus-sasl-2.1.26-23.el7 ##### [100%]
[root@belajar ~]#
[root@belajar ~]# rpm -ivh cyrus-sasl-lib-2.1.26-23.el7.x86_64.rpm
warning: cyrus-sasl-lib-2.1.26-23.el7.x86_64.rpm: Header V3 RSA/SHA256 Signature, key ID f4a80eb5: NOKEY
Preparing... ##### [100%]
package cyrus-sasl-lib-2.1.26-23.el7.x86_64 is already installed
[root@belajar ~]#
[root@belajar ~]# rpm -ivh cyrus-sasl-plain-2.1.26-23.el7.x86_64.rpm
warning: cyrus-sasl-plain-2.1.26-23.el7.x86_64.rpm: Header V3 RSA/SHA256 Signature, key ID f4a80eb5: NOKEY
Preparing... ##### [100%]
Updating / installing...
 1:cyrus-sasl-plain-2.1.26-23.el7 ##### [100%]
[root@belajar ~]#
[root@belajar ~]# rpm -ivh cyrus-sasl-gssapi-2.1.26-23.el7.x86_64.rpm
warning: cyrus-sasl-gssapi-2.1.26-23.el7.x86_64.rpm: Header V3 RSA/SHA256 Signature, key ID f4a80eb5: NOKEY
Preparing... ##### [100%]
Updating / installing...
 1:cyrus-sasl-gssapi-2.1.26-23.el7 ##### [100%]
[root@belajar ~]#
```

1.2 Download dan Install MongoDB

Link download mongodb = https://repo.mongodb.org/yum/redhat/7/mongodb-org/4.4/x86_64/RPMS/

Setelah install dependency selanjutnya install mongodb. Disini menggunakan mongodb versi 4.

```
mongodb-org-4.4.29-1.el7.x86_64.rpm
mongodb-org-mongos-4.4.29-1.el7.x86_64.rpm
mongodb-org-server-4.4.29-1.el7.x86_64.rpm
mongodb-org-shell-4.4.29-1.el7.x86_64.rpm
mongodb-org-tools-4.4.29-1.el7.x86_64.rpm
mongodb-org-database-tools-extra-4.4.29-1.el7.x86_64.rpm
mongodb-database-tools-100.7.3.x86_64.rpm
```

Setelah di download, upload kedalam server.

```
[root@belajar ~]# cd mongodb/
[root@belajar mongodb]# ls -ltrh
total 105M
-rw-r--r--. 1 root root 6.4K Jan 17 17:38 mongodb-org-4.4.29-1.el7.x86_64.rpm
-rw-r--r--. 1 root root 17M Jan 17 17:38 mongodb-org-mongos-4.4.29-1.el7.x86_64.rpm
-rw-r--r--. 1 root root 22M Jan 17 17:38 mongodb-org-server-4.4.29-1.el7.x86_64.rpm
-rw-r--r--. 1 root root 14M Jan 17 17:38 mongodb-org-shell-4.4.29-1.el7.x86_64.rpm
-rw-r--r--. 1 root root 6.3K Jan 17 17:38 mongodb-org-tools-4.4.29-1.el7.x86_64.rpm
-rw-r--r--. 1 root root 19K Jan 17 18:00 mongodb-org-database-tools-extra-4.4.29-1.el7.x86_64.rpm
drwxr-xr-x. 2 root root 4.0K Jan 17 18:00 .
-rw-r--r--. 1 root root 52M Jan 17 18:00 mongodb-database-tools-100.7.3.x86_64.rpm
dr-xr-x---. 3 root root 4.0K Jan 17 18:02 ..
[root@belajar mongodb]#
```

Selanjutnya install sesuai urutan.

```
rpm -ivh mongodb-database-tools-100.7.3.x86_64.rpm
rpm -ivh mongodb-org-database-tools-extra-4.4.29-1.el7.x86_64.rpm
```

```
rpm -ivh mongodb-org-tools-4.4.29-1.el7.x86_64.rpm
rpm -ivh mongodb-org-shell-4.4.29-1.el7.x86_64.rpm
rpm -ivh mongodb-org-server-4.4.29-1.el7.x86_64.rpm
rpm -ivh mongodb-org-mongos-4.4.29-1.el7.x86_64.rpm
rpm -ivh mongodb-org-4.4.29-1.el7.x86_64.rpm
```

```
[root@belajar mongodb]# rpm -ivh mongodb-database-tools-100.7.3.x86_64.rpm
warning: mongodb-database-tools-100.7.3.x86_64.rpm: Header V3 RSA/SHA256 Signature, key ID 90cfb1f5: NOKEY
Preparing...
Updating / installing...
 1:mongodb-database-tools-100.7.3-1 ##### [100%]
[root@belajar mongodb]#
[root@belajar mongodb]# rpm -ivh mongodb-org-database-tools-extra-4.4.29-1.el7.x86_64.rpm
warning: mongodb-org-database-tools-extra-4.4.29-1.el7.x86_64.rpm: Header V4 RSA/SHA256 Signature, key ID 90cfb1f5: NOKEY
Preparing...
Updating / installing...
 1:mongodb-org-database-tools-extra-4.4.29-1.el7 ##### [100%]
[root@belajar mongodb]#
[root@belajar mongodb]# rpm -ivh mongodb-org-tools-4.4.29-1.el7.x86_64.rpm
warning: mongodb-org-tools-4.4.29-1.el7.x86_64.rpm: Header V4 RSA/SHA256 Signature, key ID 90cfb1f5: NOKEY
Preparing...
Updating / installing...
 1:mongodb-org-tools-4.4.29-1.el7 ##### [100%]
[root@belajar mongodb]#
[root@belajar mongodb]# rpm -ivh mongodb-org-shell-4.4.29-1.el7.x86_64.rpm
warning: mongodb-org-shell-4.4.29-1.el7.x86_64.rpm: Header V4 RSA/SHA256 Signature, key ID 90cfb1f5: NOKEY
Preparing...
Updating / installing...
 1:mongodb-org-shell-4.4.29-1.el7 ##### [100%]
[root@belajar mongodb]#
[root@belajar mongodb]# rpm -ivh mongodb-org-server-4.4.29-1.el7.x86_64.rpm
warning: mongodb-org-server-4.4.29-1.el7.x86_64.rpm: Header V4 RSA/SHA256 Signature, key ID 90cfb1f5: NOKEY
Preparing...
Updating / installing...
 1:mongodb-org-server-4.4.29-1.el7 ##### [100%]
Created symlink from /etc/systemd/system/multi-user.target.wants/mongod.service to /usr/lib/systemd/system/mongod.service.
[root@belajar mongodb]#
[root@belajar mongodb]# rpm -ivh mongodb-org-mongos-4.4.29-1.el7.x86_64.rpm
warning: mongodb-org-mongos-4.4.29-1.el7.x86_64.rpm: Header V4 RSA/SHA256 Signature, key ID 90cfb1f5: NOKEY
Preparing...
Updating / installing...
 1:mongodb-org-mongos-4.4.29-1.el7 ##### [100%]
[root@belajar mongodb]#
[root@belajar mongodb]# rpm -ivh mongodb-org-4.4.29-1.el7.x86_64.rpm
warning: mongodb-org-4.4.29-1.el7.x86_64.rpm: Header V4 RSA/SHA256 Signature, key ID 90cfb1f5: NOKEY
Preparing...
Updating / installing...
 1:mongodb-org-4.4.29-1.el7 ##### [100%]
[root@belajar mongodb]#
```

Setelah di install cek version mongodb (mongod --version)

```
[root@belajar mongodb]# mongod --version
db version v4.4.29
Build Info: {
  "version": "4.4.29",
  "gitVersion": "f4dda329a99811c707eb06d05ad023599f9be263",
  "opensslVersion": "OpenSSL 1.0.1e-fips 11 Feb 2013",
  "modules": [],
  "allocator": "tcmalloc",
  "environment": {
    "distmod": "rhel70",
    "distarch": "x86_64",
    "target_arch": "x86_64"
  }
}
[root@belajar mongodb]#
```

Selanjutnya start dan enable service mongodb

```
systemctl status mongod
systemctl start mongod
systemctl enable mongod
```

```
[root@belajar ~]# systemctl status mongo
Unit mongo.service could not be found.
[root@belajar ~]#
[root@belajar ~]# systemctl status mongod
● mongod.service - MongoDB Database Server
   Loaded: loaded (/usr/lib/systemd/system/mongod.service; enabled; vendor preset: disabled)
   Active: inactive (dead)
     Docs: https://docs.mongodb.org/manual
[root@belajar ~]#
[root@belajar ~]# systemctl start mongod
[root@belajar ~]#
[root@belajar ~]# systemctl status mongod
● mongod.service - MongoDB Database Server
   Loaded: loaded (/usr/lib/systemd/system/mongod.service; enabled; vendor preset: disabled)
   Active: active (running) since Sat 2026-01-17 18:06:17 WIB; 1s ago
     Docs: https://docs.mongodb.org/manual
   Main PID: 21844 (mongod)
    CGroup: /system.slice/mongod.service
            └─21844 /usr/bin/mongod -f /etc/mongod.conf

Jan 17 18:06:17 belajar.localdomain systemd[1]: Started MongoDB Database Server.
Jan 17 18:06:17 belajar.localdomain mongod[21844]: {"t":{"$date":"2026-01-17T11:06:17.917Z"},"s":"I",  "c":"CONTROL",  "id":7484500, "ctx":"main","msg...o false"}
Hint: Some lines were ellipsized, use -l to show in full.
[root@belajar ~]#
```