

Student Course Management System

Sciquis Technical Assessment

Name: Rishant Singh

College: MIT-WPU

Tech Stack:

- Node.js
- Express.js
- MySQL

Project Features:

- Add Student
- View Students
- Update Student
- Delete Student
- Course Association

API Testing Results

Database Screenshots

Terminal Output

API Testing Results

Database Screenshots

Terminal Output

The screenshot shows the VS Code interface with the 'Thunder Client' extension. A REST client request is configured with the following details:

- Method: GET
- URL: http://localhost:3001/api/students
- Body (JSON):

```
{  "student_name": "Rishant",  "email": "rishant@gmail.com",  "course_id": 1}
```
- Status: 200 OK, Size: 117 Bytes, Time: 43 ms
- Response (JSON):

```
{  "student_name": "Rishant",  "email": "rishant@gmail.com",  "course_id": 1,  "course_name": "Web Development"}
```

The bottom panel shows the 'TERMINAL' with the following output:

```
[nodemon] starting `node server.js`
o injected env (5) from .env // tip: + secrets for agents
[www.dotenvx.com]
Server running on 3001
MySQL Connected
```

```
mysql> CREATE TABLE student (
->   student_id INT AUTO_INCREMENT PRIMARY KEY,
->   student_name VARCHAR(100) NOT NULL,
->   email VARCHAR(100) UNIQUE NOT NULL,
->   course_id INT,
->   FOREIGN KEY (course_id)
->   REFERENCES course(course_id)
-> );
```

Query OK, 0 rows affected (0.014 sec)

```
mysql> INSERT INTO course
-> (course_name, course_code, course_duration)
-> VALUES
-> ('Web Development','WD101',6),
-> ('Machine Learning','ML201',8),
-> ('Data Structures','DS301',4);
```

Query OK, 3 rows affected (0.010 sec)
Records: 3 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM course;
```

course_id	course_name	course_code	course_duration
1	Web Development	WD101	6
2	Machine Learning	ML201	8
3	Data Structures	DS301	4

3 rows in set (0.002 sec)

```
mysql>
```

