

CHANGELOG

7.3

- Support union type in `OptionsResolver::setAllowedTypes()` method
- Add `OptionsResolver::setOptions()` and `OptionConfigurator::options()` methods
- Deprecate defining nested options via `setDefault()`, use `setOptions()` instead

6.4

- Improve message with full path on invalid type in nested option

6.3

- Add `OptionsResolver::setIgnoreUndefined()` and `OptionConfigurator::ignoreUndefined()` to ignore not defined options while resolving

6.0

- Remove `OptionsResolverIntrospector::getDeprecationMessage()`

5.3

- Add prototype definition for nested options

5.1.0

- added fluent configuration of options using `OptionsResolver::define()`
- added `setInfo()` and `getInfo()` methods
- updated the signature of method `OptionsResolver::setDeprecated()` to `OptionsResolver::setDeprecation(string $option, string $package, string $version, $message)`
- deprecated `OptionsResolverIntrospector::getDeprecationMessage()`, use `OptionsResolverIntrospector::getDeprecation()` instead

5.0.0

- added argument `$triggerDeprecation` to `OptionsResolver::offsetGet()`

4.3.0

- added `OptionsResolver::addNormalizer` method

4.2.0

- added support for nested options definition
- added `setDeprecated` and `isDeprecated` methods

3.4.0

- added `OptionsResolverIntrospector` to inspect options definitions inside an `OptionsResolver` instance
- added array of types support in allowed types (e.g `int[]`)

2.6.0

- deprecated `OptionsResolverInterface`
- [BC BREAK] removed “array” type hint from `OptionsResolverInterface` methods `setRequired()`, `setAllowedValues()`, `addAllowedValues()`, `setAllowedTypes()` and `addAllowedTypes()`
- added `OptionsResolver::setDefault()`
- added `OptionsResolver::hasDefault()`
- added `OptionsResolver::setNormalizer()`
- added `OptionsResolver::isRequired()`
- added `OptionsResolver::getRequiredOptions()`
- added `OptionsResolver::isMissing()`
- added `OptionsResolver::getMissingOptions()`
- added `OptionsResolver::setDefined()`
- added `OptionsResolver::isDefined()`
- added `OptionsResolver::getDefinedOptions()`
- added `OptionsResolver::remove()`
- added `OptionsResolver::clear()`
- deprecated `OptionsResolver::replaceDefaults()`
- deprecated `OptionsResolver::setOptional()` in favor of `setDefined()`
- deprecated `OptionsResolver::isKnown()` in favor of `isDefined()`
- [BC BREAK] `OptionsResolver::isRequired()` returns true now if a required option has a default value set
- [BC BREAK] merged `Options` into `OptionsResolver` and turned `Options` into an interface
- deprecated `Options::overload()` (now in `OptionsResolver`)
- deprecated `Options::set()` (now in `OptionsResolver`)
- deprecated `Options::get()` (now in `OptionsResolver`)
- deprecated `Options::has()` (now in `OptionsResolver`)
- deprecated `Options::replace()` (now in `OptionsResolver`)
- [BC BREAK] `Options::get()` (now in `OptionsResolver`) can only be used within lazy option/normalizer closures now
- [BC BREAK] removed `Traversable` interface from `Options` since using within lazy option/normalizer closures resulted in exceptions
- [BC BREAK] removed `Options::all()` since using within lazy op-

tion/normalizer closures resulted in exceptions

- [BC BREAK] `OptionDefinitionException` now extends `LogicException` instead of `RuntimeException`
- [BC BREAK] normalizers are not executed anymore for unset options
- normalizers are executed after validating the options now
- [BC BREAK] an `UndefinedOptionsException` is now thrown instead of an `InvalidOptionsException` when non-existing options are passed