

License	MIT	Integrate	passing	coverage	93%	code quality	NaN
stable	v5.6.5	unstable	v5.6.5				

ReflectionDocBlock

Introduction

The ReflectionDocBlock component of phpDocumentor provides a DocBlock parser that is 100% compatible with the PHPDoc standard.

With this component, a library can provide support for annotations via DocBlocks or otherwise retrieve information that is embedded in a DocBlock.

Installation

```
composer require phpdocumentor/reflection-docblock
```

Usage

In order to parse the DocBlock one needs a DocBlockFactory that can be instantiated using its `createInstance` factory method like this:

```
$factory = \phpDocumentor\Reflection\DocBlockFactory::createInstance();
```

Then we can use the `create` method of the factory to interpret the DocBlock. Please note that it is also possible to provide a class that has the `getDocComment()` method, such as an object of type `ReflectionClass`, the `create` method will read that if it exists.

```
$docComment = <<<DOCCOMMENT
/**
 * This is an example of a summary.
 *
 * This is a Description. A Summary and Description are separated by either
 * two subsequent newlines (thus a whiteline in between as can be seen in this
 * example), or when the Summary ends with a dot (`. `) and some form of
 * whitespace.
 */
DOCCOMMENT;
```

```
$docblock = $factory->create($docComment);
```

The `create` method will yield an object of type `\phpDocumentor\Reflection\DocBlock` whose methods can be queried:

```
// Contains the summary for this DocBlock
$summary = $docblock->getSummary();
```

```
// Contains \phpDocumentor\Reflection\DocBlock\Description object
$description = $docblock->getDescription();

// You can either cast it to string
$description = (string) $docblock->getDescription();

// Or use the render method to get a string representation of the Description.
$description = $docblock->getDescription()->render();
```

For more examples it would be best to review the scripts in the
/examples folder.