




PHP WED VIVER

Emart Project Documentation


Batch: Moose-Matara

Sanchitha Heshan
(200312713429)


ER Diagram




Activity Diagram



Use Case Diagram



Sign In Page



01.

```
<div class="col-12 d-grid">
|   <button type="button" class="btn btn-primary" onclick="signIn();">Sign In</button>
</div>
```

```
function signIn() {
    var signInEmail = document.getElementById("signIn-e");
    var signInPassword = document.getElementById("signIn-p");
    var rememberMe = document.getElementById("rememberme");
    var errmsg = document.getElementById("errmsg1");
    var errmsgBox = document.getElementById("errmsgBox2");
    var errmsgText = document.getElementById("signup-msg2");
```

```

var form = new FormData();
form.append("e", signInEmail.value);
form.append("p", signInPassword.value);
form.append("rm", rememberMe.checked);

var request = new XMLHttpRequest();

request.onreadystatechange = function () {
    if (request.readyState == 4) {
        var text = request.responseText;
        document.getElementById("signSpinner").className = "lorder d-none";
        if (
            text == "Enter Your Email ??" || 
            text == "Invalid Email Address ??" || 
            text == "Email must have less than 100 characters ??"
        ) {
            signInPassword.className = "form-control";
            signInEmail.className = "form-control is-invalid";
            errmsgText.innerHTML = "   " + text;
            errmsg.className = "d-block";
        } else if (
            text == "Enter Your Password ??" || 
            text == "Password must be between 5 - 20 charcters ??"
        ) {
            signInEmail.className = "form-control";
            signInPassword.className = "form-control is-invalid";
            errmsgText.innerHTML = "   " + text;
            errmsg.className = "d-block";
        } else if (text == "Invalid Email Address or Password") {
            signInEmail.className = "form-control is-invalid";
            signInPassword.className = "form-control is-invalid";
            errmsgText.innerHTML = "   " + text;
            errmsg.className = "d-block";
        } else if (text == "Success") {
            signInEmail.className = "form-control";
            signInPassword.className = "form-control";
            errmsg.className = "d-none";
            window.location = "index.php";
        } else if (text == "admin_deactivated") {
            document.getElementById("fullcontent").className =
                "container-fluid vh-100 d-flex justify-content-center background-decoration-02 d-none";
            document.getElementById("errorMassage").className =
                "w-100 vh-100 d-flex align-items-center justify-content-center";
        } else {

```

```

        alert(text);
    }
} else {
    document.getElementById("signSpinner").className = "lorder";
}
};

request.open("POST", "signInProcess.php", true);
request.send(form);
}

```

```

<?php
require "connection.php";
session_start();

$email = $_POST["e"];
$password = $_POST["p"];
$rememberMe = $_POST["rm"];

if (empty($email)) {
    echo ("Enter Your Email ???");
} else if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    echo ("Invalid Email Address ???");
} else if (strlen($email) > 100) {
    echo ("Email must have less than 100 characters ???");
} else if (empty($password)) {
    echo ("Enter Your Password ???");
} else if (strlen($password) < 5 || strlen($password) > 20) {
    echo ("Password must be between 5 - 20 charcters ???");
} else {

    $rs = Database:::Search("SELECT * FROM `user` WHERE `email`='"
AND `password` = '" . $password . "' ");
    $n = $rs->num_rows;

    if ($n == 1) {
        $data = $rs->fetch_assoc();

        if ($data["status"] == 2) {
            echo ("admin_deactivated");

        } else if ($data["status"] == 1) {

```

```

$_SESSION["user"] = $data;

if ($rememberMe == "true") {
    setcookie("email", $email, time() + (60 * 60 * 360));
    setcookie("password", $password, time() + (60 * 60 * 360));
} else {
    setcookie("email", "", -1);
    setcookie("password", "", -1);
}

echo ("Success");
}
} else {
    echo ("Invalid Email Address or Password");
}
}

```

02.

```

<div class="col-12 d-grid">
    <button type="button" class="btn btn-danger" onclick="changeLoginMethod();">
        Create An Account
    </button>
</div>

```

```

function changeLoginMethod() {
    var signUpBox = document.getElementById("signUpBox");
    var signInBox = document.getElementById("signInBox");

    signUpBox.classList.toggle("d-none");
    signInBox.classList.toggle("d-none");
}

var PasswordViewType = true;

function viewType() {
    if (!document.getElementById("signup-p").value == "") {
        if (PasswordViewType == true) {
            document.getElementById("signup-p").setAttribute("type", "text");
            document.getElementById("p-icon").className = "bi bi-eye-fill";
            PasswordViewType = false;
        } else {
            document.getElementById("signup-p").setAttribute("type", "password");
        }
    }
}

```

```

        document.getElementById("p-icon").className = "bi bi-eye-slash-fill";
        PasswordVeiwType = true;
    }
}
}

```

03.

```


<div class="col-12 p-0 ps-2 col-sm-6 text-start text-sm-end btn btn-link">
    <a href="#" onclick="forgotPassword();">
        Forgot Password?
    </a>
</div>

```

```

function forgotPassword() {
    var m = document.getElementById("fmodel");
    bm = new bootstrap.Modal(m);
    bm.show();
}

```



Send Code Button.

```

<div class="col-12 text-end" id="fesendbtn">
    <button type="button" class="btn btn-info" onclick="sendVcode();">
        Send Code
    </button>

```

```
</div>
```

```
function sendVcode() {
    var femail = document.getElementById("forgotE");

    var request = new XMLHttpRequest();
    request.onreadystatechange = function () {
        if (request.readyState == 4) {
            var txt = request.responseText;
            document.getElementById("fploader").className = "btn btn-primary d-none";
            document.getElementById("fclosebtn").className =
                "btn btn-secondary d-block";
            if (
                txt == "Enter Your Email Address ??" || 
                txt == "Invalid Email Address ??" || 
                txt == "Email must have less than 100 characters ???"
            ) {
                femail.className = "form-control is-invalid";
                document.getElementById("fpmsgt1").innerHTML = " &ampnbsp" + txt;
                document.getElementById("fpmsgBox").className = "alert alert-danger";
            } else if (txt == "Verification code sending failed ???") {
                femail.className = "form-control";
                document.getElementById("fpmsgt1").innerHTML = " &ampnbsp" + txt;
                document.getElementById("fpmsgBox").className = "alert alert-danger";
            } else if (txt == "Verification Code Successfully Send Your Email") {
                femail.className = "form-control";
                document.getElementById("fpmsgt1").className =
                    "bi bi-check-circle-fill";
                document.getElementById("fpmsgt1").innerHTML = " &ampnbsp" + txt;
                document.getElementById("fpmsgBox").className = "alert alert-success";
                document.getElementById("VcodeBox").className = "col-12";
                document.getElementById("fesendbtn").className =
                    "col-12 text-end d-none";
                document.getElementById("fvsendbtn").className = "col-12 text-end";
                document.getElementById("fclosebtn").classList = "d-none";
            }
        } else {
            document.getElementById("fploader").className = "btn btn-primary";
            document.getElementById("fclosebtn").classList = "d-none";
        }
    };
}
```

```
    request.open("GET", "forgotPasswordProcess.php?e=" + femail.value, true);
    request.send();
}
```

```
<?php
sleep(2);
require "connection.php";

require "Exception.php";
require "SMTP.php";
require "PHPMailer.php";

use PHPMailer\PHPMailer\PHPMailer;

$email = $_GET["e"];

if (empty($email)) {
    echo ("Enter Your Email Address ???");
} else if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    echo ("Invalid Email Address ???");
} else if (strlen($email) > 100) {
    echo ("Email must have less than 100 characters ???");
} else {

    $rs = Database::Search("SELECT * FROM `user` WHERE `email`='". $email . "'");
    $n = $rs->num_rows;

    if($n == 1){

        $Vcode = uniqid();

        Database::iud("UPDATE `user` SET `verification_id`='".$Vcode."' WHERE `email`='". $email . "'");

        $mail = new PHPMailer;
        $mail->IsSMTP();
        $mail->Host = 'smtp.gmail.com';
        $mail->SMTPAuth = true;
        $mail->Username = 'sanchithaheashan655@gmail.com';
        $mail->Password = 'dvshqaqhhyagyqqk';
        $mail->SMTPSecure = 'ssl';
        $mail->Port = 465;
```

```

$mail->setFrom('sanchithaheashan655@gmail.com', 'Emart');
$mail->addReplyTo('sanchithaheashan655@gmail.com', 'Emart');
$mail->addAddress($email);
$mail->isHTML(true);
$mail->Subject = 'Emart Forgot Password Verification Code';
$bodyContent = '<h1 style="font-family:Arial;">Your Code Is :-
'. $Vcode. '</h1>';
$mail->Body      = $bodyContent;

if(!$mail->send()){
    echo ("Verification code sending failed ???");
} else{
    echo("Verification Code Successfully Send Your Email");
}

} else{
    echo("Invalid Email Address");
}
}

?>
<!-- dvshqaqhhyagyqqk -->


```

Close Button.

```

<button type="button" class="btn btn-secondary" data-bsdismiss="modal"
id="fclosebtn">Close</button>

```



Go Next Button.

```
<button type="button" class="btn btn-info" onclick="CodeVerify();">  
Go Next</button>
```


```
function CodeVerify() {  
    var femail = document.getElementById("forgotE");  
    var Vcode = document.getElementById("vcode");  
  
    var form = new FormData();  
    form.append("fe", femail.value);  
    form.append("fv", Vcode.value);  
  
    var request = new XMLHttpRequest();  
  
    request.onreadystatechange = function () {  
        if (request.readyState == 4) {  
            var txt = request.responseText;  
            document.getElementById("fuploader").className = "btn btn-primary d-none";  
            if (  
                txt == "Enter Your Verificaton Code ???" ||  
                txt == "Invalid Verification Code ???"  
            ) {  
                Vcode.className = "form-control is-invalid";  
                Vcode.value = "";  
                document.getElementById("fpmsgt2").innerHTML = "&nbsp;&nbsp;" + txt;  
                document.getElementById("vAlert").className = "alert alert-danger";  
            }  
        }  
    };  
    request.open("POST", "http://superhost.123/Emart/EmailVerification.php");  
    request.send(form);  
}
```

```

} else if (txt == "success") {
    Vcode.className = "form-control";
    document.getElementById("vAlert").className =
        "alert alert-danger d-none";
    document.getElementById("fmbody1").classList = "d-none";
    document.getElementById("Rfpbtn").className = "btn btn-primary";
    document.getElementById("fmbody2").className = "modal-body";
}
} else {
    document.getElementById("fuploader").className = "btn btn-primary";
}
};

request.open("POST", "verificationCodeProcess.php", true);
request.send(form);
}

```



Show Password Button.

```

<button type="button" class="btn btn-info"
onclick="forgotPasswordviewType();">
<i class="bi bi-eye-slash-fill" id="fp-icon">&nbsp;</i>
Show Password
</button>

```

```

function forgotPasswordviewType() {
    var newps = document.getElementById("newp");
    var cnewps = document.getElementById("cnewp");

```

```

var fpicon = document.getElementById("fp-icon");

if ((newps.type == "password") & (cnewps.type == "password")) {
    newps.type = "text";
    cnewps.type = "text";
    fpicon.className = "bi bi-eye-fill";
} else {
    newps.type = "password";
    cnewps.type = "password";
    fpicon.className = "bi bi-eye-slash-fill";
}
}

```

Reset Password Button.

```

<button type="button" class="btn btn-primary d-none"
onclick="resetPassword();" id="Rfpbtn">
    Reset Password
</button>

```

```

function resetPassword() {
    var newPassword = document.getElementById("newp");
    var CnewPassword = document.getElementById("cnewp");
    var email = document.getElementById("forgotE");

    var form = new FormData();
    form.append("newp", newPassword.value);
    form.append("Cnp", CnewPassword.value);
    form.append("e", email.value);


    var request = new XMLHttpRequest();

    request.onreadystatechange = function () {
        if (request.readyState == 4) {
            var text = request.responseText;
            document.getElementById("fploader").className = "btn btn-primary d-none";
            document.getElementById("Rfpbtn").className = "btn btn-primary";
            if (text == "Enter new Password ???") {
                CnewPassword.className = "form-control";
                newPassword.className = "form-control is-invalid";
            }
        }
    }
}

```

```
document.getElementById("Pmsgt2").innerHTML = "&nbsp;&nbsp;" + text;
document.getElementById("fperrmsg2").className = "alert alert-danger";
} else if (
    text == "Password must be between 5 - 20 charcters ???" ||
    text == "Password does not matched ???"
) {
    newPassword.className = "form-control is-invalid";
    CnewPassword.className = "form-control is-invalid";
    CnewPassword.value = "";
    document.getElementById("Pmsgt2").innerHTML = "&nbsp;&nbsp;" + text;
    document.getElementById("fperrmsg2").className = "alert alert-danger";
} else if (text == "Conform your Password ???") {
    newPassword.className = "form-control";
    CnewPassword.className = "form-control is-invalid";
    document.getElementById("Pmsgt2").innerHTML = "&nbsp;&nbsp;" + text;
    document.getElementById("fperrmsg2").className = "alert alert-danger";
} else if (text == "success") {
    newPassword.className = "form-control";
    CnewPassword.className = "form-control";
    document.getElementById("fperrmsg2").className =
        "alert alert-danger d-none";
    document.getElementById("subModel").classList = "d-none";
    document.getElementById("Rfpbtn").classList = "d-none";
    document.getElementById("fpsmsg").className = "alert alert-success";
    document.getElementById("fclosebtn").className = "btn btn-secondary";
}
} else {
    document.getElementById("Rfpbtn").classList = "d-none";
    document.getElementById("fuploader").className = "btn btn-primary";
}
};

request.open("POST", "passwordChange.php", true);
request.send(form);
}
```




04.

```
<button class="btn btn-outline-secondary" type="button"
    onclick="viewType1();"><i class="bi bi-eye-slash-fill" id="p-icon1"></i>
</button>
var PasswordVeiwType1 = true;

function viewType1() {
    if (!document.getElementById("signIn-p").value == "") {
        if (PasswordVeiwType1 == true) {
            document.getElementById("signIn-p").setAttribute("type", "text");
            document.getElementById("p-icon1").className = "bi bi-eye-fill";
            PasswordVeiwType1 = false;
        } else {
            document.getElementById("signIn-p").setAttribute("type", "password");
            document.getElementById("p-icon1").className = "bi bi-eye-slash-fill";
            PasswordVeiwType1 = true;
        }
    }
}
```

Sign Up Page



Sign Up Button.

```
<button type="button" class="btn btn-primary" onclick="signup();">  
  Sign Up  
</button>
```

```
function signup() {  
  var fname = document.getElementById("signup-f");  
  var lname = document.getElementById("signup-l");  
  var email = document.getElementById("signup-e");  
  var password = document.getElementById("signup-p");  
  var mobile = document.getElementById("signup-m");  
  var gender = document.getElementById("signup-g");  
  var msgBox = document.getElementById("errormsg");  
  var msg = document.getElementById("signup-msg");  
  
  var form = new FormData();  
  form.append("f", fname.value);  
  form.append("l", lname.value);  
  form.append("e", email.value);  
  form.append("p", password.value);  
  form.append("m", mobile.value);  
  form.append("g", gender.value);  
  
  var request = new XMLHttpRequest();  
  
  request.onreadystatechange = function () {  
    if (request.readyState == 4) {  
      var txt = request.responseText;  
      document.getElementById("signSpinner").className = "lorder d-none";  
  
      if (  
        txt == "Enter Your First Name ??" ||  
        txt == "First Name must have less than 50 characters ??"  
      ) {  
        lname.className = "form-control";  
        email.className = "form-control";  
        password.className = "form-control";  
        mobile.className = "form-control";  
        gender.className = "form-control";  
        msg.innerHTML = "    " + txt;  
        fname.className = "form-control is-invalid";  
        msgBox.className = "d-block";  
      } else if (  
        txt == "Enter Your Last Name ??" ||  
        txt == "Last Name must have less than 50 characters ??"  
      ) {  
        lname.className = "form-control is-invalid";  
        email.className = "form-control";  
        password.className = "form-control";  
        mobile.className = "form-control";  
        gender.className = "form-control";  
        msg.innerHTML = "    " + txt;  
        lname.className = "form-control";  
        email.className = "form-control";  
        password.className = "form-control";  
        mobile.className = "form-control";  
        gender.className = "form-control";  
      }  
    }  
  };  
  request.open("POST", "http://localhost:3001/signup");  
  request.send(form);  
};
```

```
) {
    fname.className = "form-control";
    email.className = "form-control";
    password.className = "form-control";
    mobile.className = "form-control";
    gender.className = "form-control";
    msg.innerHTML = "     " + txt;
    lname.className = "form-control is-invalid";
    msgBox.className = "d-block";
} else if (
    txt == "Enter Your Email Address ??" ||
    txt == "Invalid Email Address ??" ||
    txt == "Email must have less than 100 characters ??"
) {
    lname.className = "form-control";
    fname.className = "form-control";
    password.className = "form-control";
    mobile.className = "form-control";
    gender.className = "form-control";
    msg.innerHTML = "     " + txt;
    email.className = "form-control is-invalid";
    msgBox.className = "d-block";
} else if (
    txt == "Enter Your Password ??" ||
    txt == "Password must be between 5 - 20 characters ??"
) {
    lname.className = "form-control";
    fname.className = "form-control";
    email.className = "form-control";
    mobile.className = "form-control";
    gender.className = "form-control";
    msg.innerHTML = "     " + txt;
    password.className = "form-control is-invalid";
    msgBox.className = "d-block";
} else if (
    txt == "Enter Your Mobile Number ??" ||
    txt == "Invalid Mobile Number ??" ||
    txt == "Mobile Number must have 10 characters"
) {
    fname.className = "form-control";
    lname.className = "form-control";
    email.className = "form-control";
    password.className = "form-control";
    gender.className = "form-control";
    msg.innerHTML = "     " + txt;
```

```
mobile.className = "form-control is-invalid";
msgBox.className = "d-block";
} else if (txt == "Select Your Gender ???") {
    fname.className = "form-control";
    lname.className = "form-control";
    email.className = "form-control";
    password.className = "form-control";
    mobile.className = "form-control";
    msg.innerHTML = "    " + txt;
    gender.className = "form-control is-invalid";
    msgBox.className = "d-block";
} else if (txt == "Your Details Are Exist") {
    fname.className = "form-control is-invalid";
    lname.className = "form-control is-invalid";
    email.className = "form-control is-invalid";
    password.className = "form-control is-invalid";
    mobile.className = "form-control is-invalid";
    gender.className = "form-control is-invalid";
    msg.innerHTML = "    " + txt;
    msgBox.className = "d-block";
} else if (txt == "Success") {
    fname.className = "form-control";
    lname.className = "form-control";
    email.className = "form-control";
    password.className = "form-control";
    mobile.className = "form-control";
    gender.className = "form-control";
    msg.className = "bi bi-check-circle-fill";
    msg.innerHTML = "  " + txt;
    document.getElementById("errormsgBox1").className =
        "alert alert-success mb-0";
    msgBox.className = "d-block";
    fname.value = "";
    lname.value = "";
    email.value = "";
    password.value = "";
    mobile.value = "";
    gender.value = "";
    document.getElementById("signUpBox").classList = "d-none";
    document.getElementById("signInBox").classList = "d-block";
    msgBox.className = "d-none";
}
} else {
    document.getElementById("signSpinner").className = "lorder";
}
```

```
};

request.open("POST", "signUpProcess.php", true);
request.send(form);
}
```

```
<?php
sleep(2);
require "connection.php";

$fname = $_POST["f"];
$lname = $_POST["l"];
$email = $_POST["e"];
$password = $_POST["p"];
$mobile = $_POST["m"];
$gender = $_POST["g"];

if (empty($fname)) {
    echo ("Enter Your First Name ???");
} else if (strlen($fname) > 50) {
    echo ("First Name must have less than 50 characters ???");
} else if (empty($lname)) {
    echo ("Enter Your Last Name ???");
} else if (strlen($lname) > 50) {
    echo ("Last Name must have less than 50 characters ???");
} else if (empty($email)) {
    echo ("Enter Your Email Address ???");
} else if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    echo ("Invalid Email Address ???");
} else if (strlen($email) > 100) {
    echo ("Email must have less than 100 characters ???");
} else if (empty($password)) {
    echo ("Enter Your Password ???");
} else if (strlen($password) < 5 || strlen($password) > 20) {
    echo ("Password must be between 5 - 20 characters ???");
} else if (empty($mobile)) {
    echo ("Enter Your Mobile Number ???");
} else if(strlen($mobile)!= 10){
    echo("Mobile Number must have 10 characters");
} else if (!preg_match("/07[0,1,2,4,5,6,7,8][0-9] /", $mobile)) {
    echo ("Invalid Mobile Number ???");
} else if($gender == 0){
    echo("Select Your Gender ???");
} else{
```

```

$rs = Database::Search("SELECT * FROM `user` WHERE `email`='".$email."' AND
`mobile`='".$mobile."' ");
$n = $rs->num_rows;

if($n == 0){

    $d = new DateTime();
    $tz = new DateTimeZone("Asia/Colombo");
    $d->setTimezone($tz);
    $date = $d->format("Y-m-d H:i:s");

    Database::iud("INSERT INTO `user`
(`fname`, `lname`, `email`, `password`, `mobile`, `gender_id`, `joined_date`, `status`)
VALUES
('".$fname."','".$lname."','".$email."','".$password."','".$mobile."','".$.
$gender."','".$date."', '1')");

    echo("Success");

} else{
    echo("Your Details Are Exist");
}
}

```

Go To Sign In Button.

```

<button type="button" onclick="changeLoginMethod()" class="btn btn-danger">
    Go To Sign In
</button>

```


```

function changeLoginMethod() {
    var signUpBox = document.getElementById("signUpBox");
    var signInBox = document.getElementById("signInBox");

    signUpBox.classList.toggle("d-none");
    signInBox.classList.toggle("d-none");
}

```

Home Page




01.

```
<button type="button" class="btn btn-dark">  
  <a href="index.php" class="aclass2">Home</a>  
</button>
```

02.

```
<a href="#" class="text-dark">  
  <i class="bi bi-search cursor" onclick="showserachBar();"></i>  
</a>
```



Close Button

```
<i class="bi bi-x-lg fs-4 position-absolute crossbar cursor"  
  onclick="closeserachBar();"></i>
```

```
function closeserachBar() {
    document.getElementById("productitemlist").className =
        "col-12 p-3 rounded shadow-sm bg-light d-none";
    document.getElementById("showbar").className =
        "col-12 bg-light searchmainBox1";
}
```

Erase Button

```
<button class="btn btn-outline-dark" type="button"
onclick="eraseSearchText();"><i class="bi bi-x-lg"></i></button>
```

```
function eraseSearchText() {
    document.getElementById("searchText").value = "";
    document.getElementById("productitemlist").className = "d-none";
```

Suggest Input

```
<input type="text" class="form-control" id="searchText"
onkeyup="searchproduct();" placeholder="Search Your Favorite Products ...">
```

```
function searchproduct() {
    var searchtext = document.getElementById("searchText");

    if (searchtext.value.length == 0) {
        document.getElementById("productitemlist").className = "d-none";
        document.getElementById("searchBTN").className = "btn btn-primary d-none";
    } else if (searchtext.value.length >= 1) {
        document.getElementById("searchBTN").className = "btn btn-primary";
        var r = new XMLHttpRequest();

        r.onreadystatechange = function () {
            if (r.readyState == 4) {
                var t = r.responseText;
                document.getElementById("productitemlist").innerHTML = t;
                document.getElementById("productitemlist").className =
                    "col-12 p-3 rounded shadow-sm bg-light";
            }
        };
    }
}
```

```

        r.open("GET", "searchProcess.php?sitems=" + searchtext.value, true);
        r.send();
    }
}

```

```

<?php
require "connection.php";

$item = $_GET["sitems"];

echo($item);

$rs = Database::Search("SELECT * FROM `Product` WHERE `title` LIKE '%". $item .
"%' AND `qty`>'0' AND `status_s_id`='1' AND `admin_status`='1' LIMIT 8 ");
$n = $rs->num_rows;

for ($x = 0; $x < $n; $x++) {
    $d = $rs->fetch_assoc();
?>

    <div class="row p-2 g-2" id="productListText">
        <a class="col-10 cursor text-decoration-none"
href="searchProduct.php?text=<?php echo($d["title"]);?>"><?php echo($d["title"]);
?></a>
        <div class="col-1 d-flex justify-content-center align-items-center"
onclick="searchproducttext('<?php echo($d['title']); ?>');"><i class="bi bi-box-
arrow-in-up-left cursor"></i></div>
    </div>

<?php
}

?>

```

Suggest Button

```

<div class="col-1 d-flex justify-content-center align-items-center"
onclick="searchproducttext('<?php echo($d['title']); ?>');"><i class="bi bi-box-
arrow-in-up-left cursor"></i></div>

```

```
function searchproducttext(txt) {  
    document.getElementById("searchText").value = txt;  
    document.getElementById("productitemlist").className = "d-none";  
}
```

Search Button

```
<a class="btn btn-primary d-none" id="searchBTN" onclick="searchproductitems();"  
type="button"><i class="bi bi-search"></i></a>
```

```
function searchproductitems() {  
    var txt = document.getElementById("searchText");  
    window.location = "searchProduct.php?t=" + txt.value;  
}
```

Search text

```
<a class="col-10 cursor text-decoration-none" href="searchProduct.php?text=<?php  
echo($d["title"]);?>"><?php echo($d["title"]); ?></a>
```

03.


```
<div>  
    <i class="bi bi-cart4 cursor fs-3" onclick="window.location='cart.php'"></i>  
    <?php  
    $veiw_s = Database::Search("SELECT * FROM `cart` WHERE `veiw_status`='0' ");  
    $veiw_num = $veiw_s->num_rows;  
    if ($veiw_num == 0) {  
        ?>  
    <span class="badge text-bg-danger position-absolute d-none"></span>  
        <?php  
    } else {  
        ?>  
    <span class="badge text-bg-danger position-absolute">  
<?php echo ($veiw_num); ?></span>  
        <?php  
    }  
    ?>
```

```
</div>
```

04.

```
<div class="col-3 fs-3"><i class="bi bi-person-fill cursor" onclick="sidemenu();"></i></i></div>
```

```
function sidemenu() {  
    document.getElementById("menuSideUp").className =  
        "side-main-menu1 mt-5 pt-1 col-6 col-md-4 col-lg-4 col-xl-3 ps-5";  
    document.getElementById("menuSide").className =  
        "sidemain2 col-8 col-md-6 col-lg-4 col-xl-3 shadow-lg";  
}
```



Close Profile Button

```
<div class="col-12 fs-3 position-absolute p-2 ps-2 text-end">  
<i class="bi bi-x cursor" onclick="closesideMenu();"></i></div>
```

```
function closesideMenu() {
```

```
document.getElementById("menuSide").className =
  "sidemain1 col-8 col-md-6 col-lg-4 col-xl-3 shadow-lg";
}
```

Edit Profile Button

```
<div class="col-12 text-center pt-3">
  <?php
    $user_P = Database::Search("SELECT * FROM
`profile_image` WHERE `user_email`='$_SESSION["user"]["email"]' ");
    $user_p_num = $user_P->num_rows;

    if ($user_p_num != 0) {
      $user_P_data = $user_P->fetch_assoc();
    ?>
      " class="profile_img">
        <?php
      } else {
    ?>
        
        <?php
      }

    ?>
  </div>
  <div class="fs-6 mt-3"><?php echo ($d["fname"] . " " .
$d["lname"]); ?></div>
  <div class="fs-6 mt-0"><?php echo ($d["email"]); ?></div>
  <div class="fs-6 fw-bold mt-1"></div>
  <div class="text-center my-3"><a href="userProfile.php"
class="btn btn-primary">Edit Profile</a></div>
```

Purchased History Button

```
<div class="col-12 p-3 border-top"><a href="purchasedHistory.php"
class="aclass">Purchesd Histroy</a></div>
```

Watchlist Button

```

<div class="col-12 p-3 border-top">
    <a href="whatchList.php" class="aclass">Watchlist
</a>
    <?php

        $watch_list = Database::Search("SELECT * FROM
`watchlist` WHERE `user_email`='$_SESSION["user"]["email"]' AND
`w_view_status`='1' ");
        $watch_num = $watch_list->num_rows;

        if ($watch_num == 0) {
    ?>
        <span class="badge text-bg-secondary d-
none"></span>
        <?php
    } else {
    ?>
        <span class="badge text-bg-info"><?php echo
($watch_num) ?></span>
        <?php
    }

    ?>
</div>

```

Switch To Seller Account Button

```

<?php

    $seller_rs = Database::Search("SELECT * FROM `seller`"
WHERE `user_email` = '$d["email"]' );
    $seller_num = $seller_rs->num_rows;

    if ($seller_num != 0) {
        $seller_data = $seller_rs->fetch_assoc();
        if ($seller_data["s_status"] != 1) {
    ?>
        <div class="col-12 p-3 border-top"><a
href="sellerSignin.php" class="aclass">Switch to seller Account</a></div>
        <?php
        }
    } else {
    ?>

```

```
<div class="col-12 p-3 border-top d-none"><a href="sellerSignin.php" class="aClass">Switch to seller Account</a></div>
<?php
}

?>
```

Logout Button

```
<div class="col-12 border-top p-3">
  <button class="btn btn-outline-dark" onclick="signout()">Log Out &nbsp;&nbsp;<i class="bi bi-box-arrow-right"></i></button>
</div>
```

```
function signout() {
  var r = new XMLHttpRequest();

  r.onreadystatechange = function () {
    if (r.readyState == 4) {
      var t = r.responseText;
      if (t == "success") {
        window.location = "index.php";
      }
    }
  };


  r.open("GET", "signOutProcess.php", true);
  r.send();
}
```

```
<?php


session_start();

if(isset($_SESSION["user"])){
  $_SESSION["user"] = null;
  session_destroy();
  echo("success");
}
```

?>



05.



Close Button

```
<i class="bi bi-x text-end fs-3 mt-1 position-absolute crossbar2 cursor me-3"></i>  
onclick="upmenuClose();"></i>
```

```
function upmenuClose() {
    document.getElementById("menuSideUp").className =
        "side-main-menu1 mt-4 pt-1 col-6 col-md-4 col-lg-4 col-xl-3 ps-5";
}
```

Advanced Search Button

```
<div class="col-12 p-md-2 mt-5">
    <div class="row py-2 ps-1 py-md-0 ps-md-0 cursor">
        <div class="col-4 d-flex justify-content-end align-items-center"><i class="bi bi-binoculars-fill fs-5 cursor"></i></div>
        <div class="col-8 fw-bold d-flex justify-content-start align-items-center"><a href="advancedSearch.php" class="aclass">Advanced Search</a></div>
    </div>
</div>
```

Contact Us Button

```
<div class="col-12 p-md-2">
    <div class="row py-2 ps-1 py-md-0 ps-md-0 cursor">
        <div class="col-4 d-flex justify-content-end align-items-center"><i class="bi bi-telephone-fill fs-5 cursor"></i></div>
        <div class="col-8 fw-bold d-flex justify-content-start align-items-center"><a href="contactUs.php" class="aclass">Contact Us</a></div>
    </div>
</div>
```

About Us Button

```
<div class="col-12 p-md-2">
    <div class="row py-2 ps-1 py-md-0 ps-md-0 cursor">
        <div class="col-4 d-flex justify-content-end align-items-center"><i class="bi bi-people-fill fs-5 cursor"></i></div>
        <div class="col-8 fw-bold d-flex justify-content-start align-items-center"><a href="aboutUs.php" class="aclass">About Us</a></div>
    </div>
</div>
```

Help & Report Us Button

```
<div class="col-12 p-md-2">
    <div class="row py-2 ps-1 py-md-0 ps-md-0 cursor">
        <a href=""></a>
        <div class="col-4 d-flex justify-content-end align-items-center"><i class="bi bi-envelope-paper-fill fs-5 cursor"></i></div>
            <div class="col-8 fw-bold d-flex justify-content-start align-items-center"><a href="inquiry.php" class="aclass">Help & Report Us
        </div>
    </div>
</div>
```

Create Seller Account Button

```
<div class="col-12 p-md-2">
    <div class="row py-2 ps-1 py-md-0 ps-md-0 cursor">
        <a href=""></a>
        <div class="col-4 d-flex justify-content-end align-items-center"><i class="bi bi-envelope-paper-fill fs-5 cursor"></i></div>
            <div class="col-8 fw-bold d-flex justify-content-start align-items-center"><a href="sellerRegistration.php" class="aclass">Create
Seller Account</a></div>
        </div>
    </div>
```

Log As Admin Button

```
<div class="col-12 p-md-2 mb-5">
    <div class="row py-2 ps-1 py-md-0 ps-md-0 cursor">
        <a href=""></a>
        <div class="col-4 d-flex justify-content-end align-items-center"><i class="bi bi-envelope-paper-fill fs-5 cursor"></i></div>
            <div class="col-8 fw-bold d-flex justify-content-start align-items-center"><a href="adminSignin.php" class="aclass">Log As
Admin</a></div>
        </div>
```

</div>

Cart Page

The screenshot shows the E-mart Cart Page with the following details:

- Cart Summary:** 2 Items
- Sub Total:** LKR 130000.00
- Shipping:** LKR 3000.00
- Grand Total:** LKR 133000.00

Payment Options:

- PayPal
- Debit or Credit Card

Powered by PayPal

Need Help, Contact Us From Email:

Cart Items:

- Apple iPhone X Smart Phone ...**
 - Quantity: 1
 - Price: LKR 85000
 - Shipping: LKR 1000
 - From: Matara
 - Top Rated Seller
 - Date: 2024-06-26 19:47:53
 - Buttons: Remove, Buy Now
- Apple i7 Smart Phone ...**
 - Quantity: 1
 - Price: LKR 45000
 - Shipping: LKR 1000
 - From: Matara

Search Bar: Search From Cart ...

Navigation: A vertical scroll bar is visible on the right side of the page.

Numbered Callouts:

- 01 Points to the quantity input field for the iPhone X item.
- 02 Points to the quantity input field for the iPhone i7 item.
- 03 Points to the "Buy Now" button for the iPhone X item.
- 04 Points to the "Remove" button for the iPhone X item.
- 05 Points to the search bar at the top right.
- 06 Points to the "PayPal" payment option.

01.

```
<i class="bi bi-plus-square fs-3 cursor active_cartBtn"
onclick="cartQtyPlus('<?php echo ($product_data['id']) ?>',1);"></i>
```

```
function cartQtyPlus(id, method) {
    var plus_qty = document.getElementById("p_quantity" + id);
    var f = new FormData();

    if (method == 1) {
        var status = 1;
        f.append("i", id);
        f.append("q", plus_qty.value);
        f.append("s", status);
    } else if (method == 2) {
        var status = 2;
        f.append("id", id);
        f.append("qty", plus_qty.value);
        f.append("s", status);
    }

    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("p_quantity" + id).value = t;
            window.location.reload();
        }
    };

    r.open("POST", "cartProductQTYProcess.php", true);
    r.send(f);
}
```

```
<?php
session_start();
$user_email = $_SESSION["user"]["email"];
require "connection.php";
```

```

if (isset($_POST["s"])) {

    $status = $_POST["s"];

    if ($status == 1) {
        if (isset($_POST["i"]) && isset($_POST["q"])) {
            $product_id = $_POST["i"];
            $cart_qty = $_POST["q"];

            $p_rs = Database::Search("SELECT * FROM `product` WHERE `id`='".
            $product_id . "' ");
            $p_data = $p_rs->fetch_assoc();

            if ($cart_qty >= $p_data["qty"]) {
                echo ($cart_qty);

            } else if ($cart_qty < $p_data) {

                $new_p_qty = $cart_qty + 1;

                $d = new DateTime();
                $tz = new DateTimeZone("Asia/Colombo");
                $d->setTimezone($tz);
                $date = $d->format("Y-m-d H-i-s");

                Database::iud("UPDATE `cart` SET `cart_qty`='".$new_p_qty . "' ,
                `cart_datetime`='".$date . "' WHERE `product_id`='".$product_id . "' ");
                echo ($new_p_qty);
            }
        }
    } else if ($status == 2) {
        if (isset($_POST["id"]) && isset($_POST["qty"])) {
            $pid = $_POST["id"];
            $cartm_qty = $_POST["qty"];

            if ($cartm_qty <= 1) {
                echo ($cartm_qty);

            }else if($cartm_qty > 1){
                $new_mp_qty = $cartm_qty - 1;

                $d = new DateTime();
                $tz = new DateTimeZone("Asia/Colombo");
                $d->setTimezone($tz);
                $date2 = $d->format("Y-m-d H-i-s");
            }
        }
    }
}

```

```

        Database::iud("UPDATE `cart` SET `cart_qty`='".$new_mp_qty .
"', `cart_datetime`='".$date2 . "' WHERE `product_id`='".$pid . "' ");
        echo ($new_mp_qty);
    }
}
}
}

```

02.

```
<i class="bi bi-dash-square fs-3 cursor active_cartBtn"
onclick="cartQtyPlus('<?php echo ($product_data['id']) ?>',2);"></i>
```

```

<?php
session_start();
$user_email = $_SESSION["user"]["email"];
require "connection.php";

if (isset($_POST["s"])) {

    $status = $_POST["s"];

    if ($status == 1) {
        if (isset($_POST["i"]) && isset($_POST["q"])) {
            $product_id = $_POST["i"];
            $cart_qty = $_POST["q"];

            $p_rs = Database::Search("SELECT * FROM `product` WHERE `id`='".$ .
$product_id . "' ");
            $p_data = $p_rs->fetch_assoc();

            if ($cart_qty >= $p_data["qty"]) {
                echo ($cart_qty);

            } else if ($cart_qty < $p_data) {

                $new_p_qty = $cart_qty + 1;

                $d = new DateTime();
                $tz = new DateTimeZone("Asia/Colombo");

```

```

$d->setTimezone($tz);
$date = $d->format("Y-m-d H-i-s");

Database::iud("UPDATE `cart` SET `cart_qty`='".$new_p_qty . "' ,
`cart_datetime`='".$date . "' WHERE `product_id`='".$product_id . "' ");
echo ($new_p_qty);
}

}

} else if ($status == 2) {
if (isset($_POST["id"]) && isset($_POST["qty"])) {
$pid = $_POST["id"];
$cartm_qty = $_POST["qty"];

if ($cartm_qty <= 1) {
echo ($cartm_qty);

}else if($cartm_qty > 1){
$new_mp_qty = $cartm_qty - 1;

$d = new DateTime();
$tz = new DateTimeZone("Asia/Colombo");
$d->setTimezone($tz);
$date2 = $d->format("Y-m-d H-i-s");

Database::iud("UPDATE `cart` SET `cart_qty`='".$new_mp_qty . "' ,
`cart_datetime`='".$date2 . "' WHERE `product_id`='".$pid . "' ");
echo ($new_mp_qty);
}
}
}
}

```

03.

```
<button class="btn btn-outline-danger" onclick="removeFromProduct('<?php echo ($cart_data['cart_id']) ?>');">Remove</button>
```

```
function removeFromProduct(id) {
var r = new XMLHttpRequest();

r.onreadystatechange = function () {
```

```

if (r.readyState == 4) {
    var t = r.responseText;
    if (t == "Success") {
        window.location.reload();
    }
};

r.open("GET", "productRemoveFromCart.php?id=" + id, true);
r.send();
}

```

```

<?php
session_start();
require "connection.php";

if(isset($_GET["id"])){
    $cart_id = $_GET["id"];

    Database::iud("DELETE FROM `cart` WHERE `cart_id`='".$cart_id."');

    echo("Success");
}

?>

```

04.

```

<button class="btn btn-primary" onclick="goToSingleProductVeiw('<?php echo
($product_data['id']) ?>');">Buy Now</button>

```

```

function goToSingleProductVeiw(pid) {
    var reviews = 1;
    window.location = "singleProductVeiw.php?pid=" + pid + "&s=" + reviews;
}

```

05.

```

<div class="input-group">

```

```
<input type="text" class="form-control shadow-none" placeholder="Search From Cart ..." onkeyup="searchFromCart();" id="cartP_search">
<button class="btn btn-primary" type="button" onclick="searchFromCart();"><i class="bi bi-search"></i></button>
</div>
```

```
function searchFromCart() {
    var c_searchBar = document.getElementById("cartP_search");

    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("loadProductfromcart").innerHTML = t;
        }
    };

    r.open("GET", "searchCartProduct.php?txt=" + c_searchBar.value, true);
    r.send();
}
```

```
<?php
session_start();
require "connection.php";

$user_email = $_SESSION["user"]["email"];

if (isset($_GET["txt"])) {
    $s_txt = $_GET["txt"];

    $cart_rs = Database::Search("SELECT * FROM `cart`"
        . " INNER JOIN `product` ON `cart`.`product_id`=`product`.`id` WHERE `title` LIKE '%"
        . $s_txt . "%' ");

    $cart_num = $cart_rs->num_rows;

    if ($cart_num == 0) {
?>
        <div class="col-12">
            <div class="row">
```

```

        <div class="col-12 d-flex justify-content-center">
            
        </div>
        <div class="col-12 d-flex justify-content-center">
            <p class="fs-5 fw-bold">Your Cart Is Empty ...</p>
        </div>
    </div>
</div>

<?php

} else {

    for ($i = 0; $i < $cart_num; $i++) {

        $cart_data = $cart_rs->fetch_assoc();

        $product_rs = Database::Search("SELECT * FROM `product`"
INNER JOIN `seller` ON `product`.`seller_nic`=`seller`.`nic`
INNER JOIN `user` ON `seller`.`user_email`=`user`.`email`
INNER JOIN `user_has_address` ON `user`.`email`=`user_has_address`.`user_email`
INNER JOIN `city` ON `user_has_address`.`city_id`=`city`.`ci_id`
WHERE `product`.`id`=''" . $cart_data["product_id"] . "'");

        $product_data = $product_rs->fetch_assoc();

    }

?>

<div class="card col-11 mb-3 shadow cardHover" id="longCard">
    <div class="row g-0">
        <div class="col-md-4 col-lg-4 col-xl-3 overflow-hidden">
            <?php

                $p_img = "resources/emptyProducts.png";

                $product_img_rs = Database::Search("SELECT * FROM
`product_images` WHERE `product_id`=''" . $product_data["id"] . "'");
                $product_img_num = $product_img_rs->num_rows;

                if ($product_img_num > 0) {
                    $product_img_data = $product_img_rs->fetch_assoc();
                    $p_img = $product_img_data["p_path"];
                }
            </?php
        </div>
    </div>
</div>

```

```

        }

    ?>
',1);"></i>
                <i class="bi bi-dash-square
fs-3 cursor active_cartBtn" onclick="cartQtyPlus('<?php echo
($product_data['id']) ?>',2);"></i>

            </div>
<?php

} else {
?>
<div class="col-6 d-flex justify-
content-center"><input type="number" class="form-control shadow-none"
value="<?php echo ($cart_data["cart_qty"]) ?>" id="p_quantity<?php echo
($product_data["id"]) ?>" /></div>
            <div class="col-6">
                <i class="bi bi-plus-square
fs-3 cursor active_cartBtn" onclick="cartQtyPlus('<?php echo
($product_data['id']) ?>',1);"></i>
                <i class="bi bi-dash-square
fs-3 cursor active_cartBtn" onclick="cartQtyPlus('<?php echo
($product_data['id']) ?>',2);"></i>

            </div>
<?php
}

?>

            </div>
        </div>
    </div>
</div>

<div class="col-12">

    <?php

        $user_rs = Database::Search("SELECT * FROM
`user_has_address` INNER JOIN `city` ON

```

```

`user_has_address`.`city_id` = `city`.`ci_id` WHERE `user_email` = '' . $user_email .
'' ");
        $user_data = $user_rs->fetch_assoc();

        $shipping = "0";

        if ($user_data["distric_id"] == "1") {
            $shipping = $product_data["cost_colombo"];
        } else {
            $shipping = $product_data["cost_others"];
        }

    ?>

    <p class="m-0">shipping : LKR . <?php echo
($shipping) ?></p>
</div>

<div class="col-12">
    <?php

        $invoice_rs = Database::Search("SELECT * FROM
`invoice` WHERE `product_id` = '' . $product_data["id"] . "' ");
        $invoice_num = $invoice_rs->num_rows;

    ?>
    <p class="m-0"><?php echo ($invoice_num); ?>
Sold</p>
</div>

<div class="col-12">
    <div class="row">
        <div class="col-12 col-md-6">
            <p class=" mt-1">from : <?php echo
($product_data["ci_name"]) ?></p>
            </div>
            <div class="col-12 col-md-6">
                <p class="fw-bold"><i class="bi bi-
trophy-fill text-warning">&ampnbsp&ampnbsp</i>Top Rated Seller</p>
                </div>
            </div>
        </div>
    <div class="col-12 text-end">

```

```

        <p class="text-black-50 fw-bold"><?php echo
($cart_data["cart_datetime"]) ?></p>
        </div>

        <div class="col-12 text-end">
            <button class="btn btn-outline-
danger">Remove</button>
            <button class="btn btn-primary">Buy Now</button>
        </div>

        </div>
    </div>
</div>

<?php

}

?

<?php

}

}

```

06.

```

<script>
    var amount = 0.00;
    window.onload = async function() {
        var b_qty = document.getElementById("buy_qty");

        var usdamount = await convertCurrency(<?= $grandTotal ?>);
        amount = usdamount;
        // alert(usdamount);
    };
    paypal.Buttons({
        createOrder: function(data, actions) {
            // Set up the transaction
            return actions.order.create({
                purchase_units: [{
```

```

        amount: {
            value: amount // Set the amount to be paid
        }
    }]
}),
},
onApprove: function(data, actions) {
    // Capture the transaction
    return actions.order.capture().then(function(details) {
        // Show a success message to the buyer
        console.log('Transaction completed by ' +
details.payer.name.given_name);
        console.log(details); // Log details for further processing
or record keeping
        saveCartInvoice('<?= uniqid() ?>', <?= $grandTotal ?>, <?=
$shipping_cost ?>');
    });
},
onError: function(err) {
    // Show an error message
    console.error('An error occurred during the transaction:', err);
}
}).render('#paypal-button-container');
// This function displays Smart Payment Buttons on your web page.
</script>

```

```

function saveCartInvoice(orderId, amount, shipping) {
    var form = new FormData();
    form.append("o", orderId);
    form.append("a", amount);
    form.append("s", shipping);

    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "1") {
                window.location = "invoice.php?id=" + orderId;
            } else {
                alert(t);
            }
        }
    };
}

```

```
r.open("POST", "cartBuyNowProcess.php", true);
r.send(form);
}
```

```
<?php

session_start();
require "connection.php";

if (isset($_POST["o"]) && isset($_POST["a"])&& isset($_POST["s"])) {
    # code...

    $u_email = $_SESSION["user"]["email"];

    $array;
    $order_id = $_POST["o"];
    $amount = $_POST["a"];
    $shipping = $_POST["s"];

    $user_rs = Database::Search("SELECT * FROM `user_has_address` WHERE
`user_email`='". $u_email . "' ");
    $user_num = $user_rs->num_rows;

    if ($user_num == 1) {

        $cart_rs = Database::Search("SELECT * FROM `cart` WHERE `user_email`='".
$u_email . "' ");
        $cart_num = $cart_rs->num_rows;

        if ($cart_num != 0) {
            for ($i = 0; $i < $cart_num; $i++) {
                $cart_data = $cart_rs->fetch_assoc();

                $cart_pid = $cart_data["product_id"];
                $cart_qty = $cart_data["cart_qty"];

                $product_rs = Database::Search("SELECT * FROM `product` WHERE
`id`='". $cart_pid . "' ");
                $product_data = $product_rs->fetch_assoc();

                $current_qty = $product_data["qty"];
                $new_qty = (int)$current_qty - (int)$cart_qty;
```

```

        Database::iud(" UPDATE `product` SET `qty`='".$new_qty."' "
WHERE `id`='".$cart_pid."' ");

        $d = new DateTime();
        $tz = new DateTimeZone("Asia/Colombo");
        $d->setTimezone($tz);
        $date = $d->format("Y-m-d H:i:s");

        Database::iud("INSERT INTO `invoice`
(`order_id`, `total`, `buy_qty`, `status`, `product_id`, `user_email`, `date_time`, `Delete_Number`, `shipping`) VALUES
('".$order_id."', '".$amount . "' , '" . (int)$cart_qty .
"' , '0', '" . $cart_pid . "' , '" . $u_email . "' , '" . $date .
"' , '1', '".$shipping."')");
    }

    Database::iud("DELETE FROM `cart` WHERE `user_email`='".$u_email . "' ");
}
echo (1);
} else {
    echo ("Please Update Your Profile Details");
}
}

```

Do You Won't To Access Your Cart & You Should Must Sign In

[Go To Sign In Or Sign Out](#)

Emart

My Shopping Cart

Search From Cart ...

My Shopping Cart

SUMMARY (0 Items)

LKR

SUB TOTAL : 0.00
SHIPPING : 0.00

GRAND TOTAL : 0.00

Fill Shipping Information Before By

Need Help, Contact Us From [Email](#).

Activate Windows
Go to Settings to activate Windows.



Your Cart Is Empty ...

Shop Now

Update User Profile Page

Fill In Your Details Easily



Sanchitha Hehsan
sanchithaheashan655@gmail.com

Upload New Photo

Personal Details

First Name	Last Name
Sanchitha	Hehsan

Shipping Details

Province	District
Southern	Matara

Email

123456

0769898173

Gender

Male

Joined Date

2024-06-05 15:48:45

Address Line 01

Address Line 02

Save Changes

Activate Windows
Go to Settings to activate Windows.

Emart Pvt Ltd

Facilities

Contact Us

01

02

01.

```
<label for="profileimg" class="btn btn-primary" onclick="changeImage();">  
Upload New Photo</label>
```

```
function changeImage() {  
    var view = document.getElementById("viewImg"); //img tag  
    var file = document.getElementById("profileimg"); //file chooser  
  
    file.onchange = function () {  
        var file1 = this.files[0];  
        var url = window.URL.createObjectURL(file1);  
        view.src = url;  
    };  
}
```

02.

```
<button class="btn btn-primary" onclick="user_profile_update();">  
Save Changes</button>
```

```
function user_profile_update() {  
    var fname = document.getElementById("fname");  
    var lname = document.getElementById("lname");  
    var mobile = document.getElementById("mobile");  
    var line1 = document.getElementById("line1");  
    var line2 = document.getElementById("line2");  
    var city = document.getElementById("city");  
    var pcode = document.getElementById("pcd");  
    var pimage = document.getElementById("profileimg");  
  
    var f = new FormData();  
    f.append("f", fname.value);  
    f.append("l", lname.value);  
    f.append("m", mobile.value);  
    f.append("l1", line1.value);
```

```

f.append("l2", line2.value);
f.append("city", city.value);
f.append("PCODE", pcode.value);
f.append("pimg", pimage.files[0]);

var rq = new XMLHttpRequest();

rq.onreadystatechange = function () {
    if (rq.readyState == 4) {
        var txt = rq.responseText;
        if (txt == "Success") {
            document.getElementById("viewImg").className = "rounded-3 mt-5";
            document.getElementById("iniMage").className = "text-danger d-none";
            line1.className = "form-control";
            line2.className = "form-control";
            city.className = "form-control";
            pcode.className = "form-control";
            window.location.reload();
        } else if (txt == "error") {
            line1.className = "form-control is-invalid";
            line2.className = "form-control is-invalid";
            city.className = "form-control is-invalid";
            pcode.className = "form-control is-invalid";
        } else if (txt == "Invalid Image TypeSuccess") {
            document.getElementById("viewImg").className =
                "rounded-3 mt-5 border border-danger";
            document.getElementById("iniMage").className = "text-danger";
        }
    }
};

rq.open("POST", "updateProfile.php", true);
rq.send(f);
}

```

```

<?php
session_start();

if (isset($_SESSION["user"])) {
    $email = $_SESSION["user"]["email"];

    require "connection.php";

    $fname = $_POST["f"];

```

```

$lname = $_POST["l"];
$mobile = $_POST["m"];
$line1 = $_POST["l1"];
$line2 = $_POST["l2"];
$city = $_POST["city"];
$PCODE = $_POST["PCODE"];

if (empty($line1)) {
    echo ("error");
} else if (empty($city)) {
    echo ("error");
} else if (empty($PCODE)) {
    echo ("error");
} else {

    if (isset($_FILES["pimg"])) {
        $image = $_FILES["pimg"];

        $allowed_img_extension = array("image/jpg", "image/jpeg", "image/png",
"image/svg+xml");
        $file_ex = $image["type"];

        if (in_array($file_ex, $allowed_img_extension)) {

            $new_file_extention;

            if ($file_ex == "image/jpg") {
                $new_file_extention = ".jpg";
            } else if ($file_ex == "image/jpeg") {
                $new_file_extention = ".jpeg";
            } else if ($file_ex == "image/png") {
                $new_file_extention = ".png";
            } else if ($file_ex == "image/svg+xml") {
                $new_file_extention = ".svg";
            }

            $file_name = "resources//user_profile_img//".
$_SESSION["user"]["fname"] . "_" . uniqid() . $new_file_extention;
            move_uploaded_file($image["tmp_name"], $file_name);

            $profile_img_rs = Database::Search("SELECT * FROM `profile_image` WHERE `user_email`='".
$email . "' ");

```

```

$profile_img_num = $profile_img_rs->num_rows;

if ($profile_img_num == 1) {
    Database::iud("UPDATE `profile_image` SET `user_profile_path`='"
. $file_name . "' WHERE `user_email`='" . $email . "'");
} else {
    Database::iud("INSERT INTO `profile_image`"
(`user_profile_path`, `user_email`) VALUES ('" . $file_name . "','" . $email . "')");
}
} else {
    echo ("Invalid Image Type");
}
}

$user_rs = Database::Search("SELECT * FROM `user` WHERE `email` = '" .
$email . "'");
$user_data = $user_rs->num_rows;

if ($user_data == 1) {
    Database::Search(" UPDATE `user` SET `fname`='"
. $fname . "', `lname`='"
. $lname . "', `mobile`='"
. $mobile . "' ");
} else {
    echo ("Sign Up First");
}

$address_rs = Database::Search("SELECT * FROM `user_has_address` WHERE
`user_email`='"
. $email . "'");
$address_data = $address_rs->num_rows;

if ($address_data == 1) {
    Database::iud("UPDATE `user_has_address` SET `city_id`='"
. $city . "'"
WHERE `user_email`='"
. $email . "' ");
    Database::iud("UPDATE `user_has_address` SET `line_1`='"
. $line1 . "'"
WHERE `user_email`='"
. $email . "' ");
    Database::iud("UPDATE `user_has_address` SET `line_2`='"
. $line2 . "'"
WHERE `user_email`='"
. $email . "' ");
    Database::iud("UPDATE `user_has_address` SET `postal_code`='"
. $PCODE . "'"
WHERE `user_email`='"
. $email . "' ");
} else {
    Database::iud("INSERT INTO
`user_has_address`(`user_email`, `city_id`, `line_1`, `line_2`, `postal_code`)
VALUES ('"
. $email . "','" . $city . "','" . $line1 . "','" . $line1 . "','" .
$PCODE . "')");
}
}

```

```
        echo ("Success");
    }
}
```

Purchased History Page

E mart

My Product Purchased History Page

SUMMARY (Purchased Items)

LKR / ITEMS

ALL ITEMS : 5

NOTICE, You should know that any product you delete here cannot be recovered.

DELETE ALL

01

02

03

Apple i7 Smart Phone
LKR : 50000.00
Quantity :- 1
shipping : LKR . 1500.00
5 Sold
TOTAL LKR : 103000

2024-06-25 13:45:17

Rate & Send FeedBack Delete

Apple i7 Smart Phone
LKR : 50000.00
Quantity :- 1
shipping : LKR . 1500.00
5 Sold
TOTAL LKR : 103000

Top Rated Seller Activate Windows
Go to Settings to activate Windows.

01

02

03

01.

```
<button class="btn btn-dark" onclick="deleteALLpurchasedItems();">  
DELETE ALL</button>
```

```
function deleteALLpurchasedItems() {  
    var r = new XMLHttpRequest();  
  
    r.onreadystatechange = function () {  
        if (r.readyState == 4) {  
            var t = r.responseText;  
  
            if (t == "Success Update") {  
                window.location.reload();  
            } else {  
                alert(t);  
            }  
        }  
    };  
  
    r.open("GET", "deletePurchasedItems.php", true);  
    r.send();  
}
```

```
<?php  
session_start();  
require "connection.php";  
  
if(isset($_SESSION["user"])){  
  
    $u_email = $_SESSION["user"]["email"];  
  
    Database::iud("UPDATE `invoice` SET `Delete_Number`='2' WHERE  
`user_email`='".$u_email."'");  
  
    echo("Success Update");
```


```
}
```

```
?>
```

02.

```
<button class="btn btn-outline-dark" onclick="feedbackModel('<?php echo  
($invoice_data['invoice_id']) ?>');">Rate & Send FeedBack</button>
```

```
function feedbackModel(in_id) {  
    var m = document.getElementById("Rate&Feedbacts" + in_id);  
    fm = new bootstrap.Modal(m);  
    fm.show();  
}
```



Rate & Send

```
<button type="button" class="btn btn-primary" onclick="sendFeedBacks('<?php echo  
($invoice_data['invoice_id']) ?>', '<?php echo ($invoice_data['product_id'])  
?>');">Rate & Send</button>
```

```
function sendFeedBacks(id, pid) {  
    var ftxt = document.getElementById("f_text" + id);
```

```
var star_01 = document.getElementById("star1" + id).checked;
var star_02 = document.getElementById("star2" + id).checked;
var star_03 = document.getElementById("star3" + id).checked;
var star_04 = document.getElementById("star4" + id).checked;

var star_rate;

if (star_01 == true) {
    star_rate = 1;
    if (star_01 == true && star_02 == true) {
        star_rate = 2;
        if (star_01 == true && star_02 == true && star_03 == true) {
            star_rate = 3;
            if (
                star_01 == true &&
                star_02 == true &&
                star_03 == true &&
                star_04 == true
            ) {
                star_rate = 4;
            }
        }
    }
}

var f = new FormData();
f.append("r", star_rate);
f.append("f", ftxt.value);
f.append("i", pid);

var r = new XMLHttpRequest();
r.onreadystatechange = function () {
    if (r.readyState == 4) {
        var t = r.responseText;
        if (t == "Success") {
            fm.hide();
            window.location.reload();
        } else {
            alert(t);
        }
    }
};

r.open("POST", "sendFeedbackProcess.php", true);
r.send(f);
```

```
}
```

```
<?php
session_start();
require "connection.php";

$user_email = $_SESSION["user"]["email"];
$f_text = $_POST["f"];
$r_count = $_POST["r"];
$product_id = $_POST["i"];

$d = new DateTime();
$tz = new DateTimeZone("Asia/Colombo");
$d->setTimezone($tz);
$date = $d->format("Y-m-d H:i:s");

Database::iud("INSERT INTO `feedbacks`(`product_id`, `user_email`, `ratings_r_id`, `f_content`, `f_datetime`) VALUES ('".$product_id."','".$user_email."','".$r_count."','".$f_text."','".$date."')");
echo("Success");

?>
```

03.

```
<button class="btn btn-danger" onclick="deleteFromPurchasedHistory('<?php echo ($invoice_data['invoice_id']) ?>');">Delete</button>
```

```
function deleteFromPurchasedHistory(in_id) {
    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "Success") {
                window.location.reload();
            }
        }
    }
}
```

```
};

r.open("GET", "deleteFromPurchasedHistory.php?id=" + in_id, true);
r.send();
}
```

```
<?php
session_start();
require "connection.php";

if(isset($_GET["id"])){
    $invoice_id = $_GET["id"];
    $user_email = $_SESSION["user"]["email"];

    $invoice_rs = Database::iud(" UPDATE `invoice` SET `Delete_Number`='2' WHERE
`invoice_id`='".$invoice_id."' AND `user_email`='".$user_email."' ");
    echo("Success");
}

?>
```

Watchlist Page

The screenshot shows the E-mart Watchlist Page. At the top, there is a navigation bar with the E-mart logo on the left and a 'My Watchlist ...' button with a lock icon on the right. Below the navigation bar is a search bar containing the placeholder text 'Find Your Favorite Items ...'. A blue arrow labeled '01' points to the search bar. To the right of the search bar is a product card for an Apple iPhone X. The product card features a thumbnail image of two phones (black and silver), the text 'Apple Iphone X Sma ...', the price 'LKR : 85000.00', and the date '2024-06-26 19:47:56'. A red 'Remove' button is located at the bottom right of the product card. A blue arrow labeled '02' points to this 'Remove' button. Another blue arrow labeled '03' points to the 'Search' button in the top right corner of the page.

E-mart

My Watchlist ...

Find Your Favorite Items ...

Search

01

02

03

Apple Iphone X Sma ...
LKR : 85000.00
2024-06-26 19:47:56
Remove

Activate Windows
Go to Settings to activate Windows.

01.

```

```

02.

```
<button class="btn btn-outline-danger" onclick="removeFromWatchlist('= echo($watchlist_data['id']) ?'")>Remove</button>
```

```
function removeFromWatchlist(id) {
    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;

            if (t == "Success") {
                window.location.reload();
            }
        }
    };

    r.open("GET", "removeFromWatchListProcess.php?i=" + id, true);
    r.send();
}
```

```
<?php
session_start();
require "connection.php";

if(isset($_GET["i"])){
    $pid = $_GET["i"];
    Database::iud("DELETE FROM `watchlist` WHERE
`user_email`='".$_SESSION["user"]["email"]." AND `product_id`='".$pid."' ");
    echo("Success");
}
```

03.

```
<input type="text" class="form-control shadow-none" placeholder="Find Your  
Favorite Items ...." id="watchlistbar" onkeyup="searchfromwatchlist();">  
          <button class="btn btn-primary" type="button"  
id="button-addon2" onclick="searchfromwatchlist();">Search</button>
```

```
function searchfromwatchlist() {  
    var txt = document.getElementById("watchlistbar").value;  
  
    var r = new XMLHttpRequest();  
  
    r.onreadystatechange = function () {  
        if (r.readyState == 4) {  
            var t = r.responseText;  
            document.getElementById("watchlistresulDIV").innerHTML = t;  
        }  
    };  
  
    r.open("GET", "SearchFromWatchListProcess.php?t=" + txt, true);  
    r.send();  
}
```

```
<?php  
session_start();  
require "connection.php";  
  
if (isset($_GET["t"])) {  
    $txt = $_GET["t"];  
  
    $watch_rs = Database::Search("SELECT * FROM `watchlist`  
    INNER JOIN `product` ON `watchlist`.`product_id`=`product`.`id`  
    WHERE `user_email`='$_SESSION[user][email]' AND `title` LIKE '%  
    . $txt . "%'");  
  
    $watch_num = $watch_rs->num_rows;  
  
    if ($watch_num == 0) {  
?>        <div class="col-12 d-flex justify-content-center">  
              
        </div>
```

```
<div class="col-12 text-center">
    <p class="fs-3 fw-bold text-black-50">No Product In Here .....</p>
</div>
<?php
} else {
    for ($x = 0; $x < $watch_num; $x++) {
        $watchlist_data = $watch_rs->fetch_assoc();

        $pimg_rs = Database::Search("SELECT * FROM `product_images` WHERE
`product_id`='". $watchlist_data["id"] . "' ");
        $pimg_num = $pimg_rs->num_rows;

        if ($pimg_num == 0) {
            $w_img = "resources/emptyProducts.png";
        } else {
            $pimg_data = $pimg_rs->fetch_assoc();
            $w_img = $pimg_data["p_path"];
        }
    }

?>

    <div class="card p-0 shadow my-3 mx-2 cardHover" style="width:
13rem;" id="shortCard">
        ')";">
        <div class="card-body">
            <?php
            $p_title_whatlist = str_split($watchlist_data["title"], 18);
            ?>
            <div class="col-12">
                <p class="fw-bold"><?php echo ($p_title_whatlist[0] . "....") ?></p>
            </div>
            <div class="col-12">
                <p class="fs-5 fw-bold">LKR : <?php echo
($watchlist_data["price"]) ?>.00</p>
            </div>
            <div class="col-12 text-end">
                <p class="text-black-50 fw-bold"><?php echo
($watchlist_data["w_datetime"]) ?></p>
            </div>
            <div class="col-12">
                <div class="row">
                    <div class="col-12 d-grid">
```

```
        <button class="btn btn-outline-danger"
onclick="removeFromWatchlist('<?php echo ($watchlist_data['id'])
?>')">Remove</button>
    </div>
    </div>
    </div>
</div>


<?php

    }

}


?

?
```



Activate Windows
Go to Settings to activate Windows.

Seller Login Page



01.

```
<button type="button" class="btn btn-primary" onclick="sellerSignin();">Sign  
In</button>
```

```
function sellerSignin() {  
    var seller_email = document.getElementById("seller_signIn-e");  
    var seller_password = document.getElementById("seller_signIn-p");  
    var s_rememberme = document.getElementById("seller_rememderme").checked;  
  
    var f = new FormData();  
  
    f.append("se", seller_email.value);  
    f.append("sp", seller_password.value);  
    f.append("sr", s_rememberme);  
  
    var r = new XMLHttpRequest();  
  
    r.onreadystatechange = function () {  
        if (r.readyState == 4) {  
            var txt = r.responseText;  
            if (txt == "Enter Your NIC Number ???") {  
                document.getElementById("seller_signIn-e").className =  
                    "form-control shadow-none is-invalid";  
                document.getElementById("signup-msgseller2").innerHTML =  
                    "&nbsp;&nbsp;" + txt;  
                document.getElementById("errormsgseller1").className = "col-12";  
            } else if (txt == "Enter Your Password ???") {  
                document.getElementById("seller_signIn-e").className =  
                    "form-control shadow-none";  
                document.getElementById("seller_signIn-p").className =  
                    "form-control shadow-none is-invalid";  
                document.getElementById("signup-msgseller2").innerHTML =  
                    "&nbsp;&nbsp;" + txt;  
                document.getElementById("errormsgseller1").className = "col-12";  
            } else if (txt == "Invalid Email Or Password ???") {  
                document.getElementById("seller_signIn-e").className =  
                    "form-control shadow-none is-invalid";  
                document.getElementById("seller_signIn-p").className =  
                    "form-control shadow-none is-invalid";  
                document.getElementById("signup-msgseller2").innerHTML =  
                    "&nbsp;&nbsp;" + txt;  
                document.getElementById("errormsgseller1").className = "col-12";  
            } else if (txt == "success") {  
                // Handle success response  
            }  
        }  
    };  
    r.open("POST", "http://example.com/signin");  
    r.send(f);  
}
```

```

document.getElementById("seller_signIn-e").className =
    "form-control shadow-none";
document.getElementById("seller_signIn-p").className =
    "form-control shadow-none";
document.getElementById("signup-msgseller2").innerHTML =
    "&nbsp;&nbsp;" + txt;
document.getElementById("errormsgseller1").className = "col-12 d-none";
window.location = "sellerpanel.php";
} else if (txt == "blocked") {
    document.getElementById("sellercontent").className =
        "container-fluid vh-100 d-flex justify-content-center background-decoration-02 d-none";
    document.getElementById("sellererrorMassage").className =
        "w-100 vh-100 d-flex align-items-center justify-content-center";
} else {
    alert(txt);
}
};

r.open("POST", "sellerSignInProcess.php", true);
r.send(f);
}

```

```

<?php
session_start();
require "connection.php";

$SellerNIC = $_POST["se"];
$Sellerpassword = $_POST["sp"];
$SellerRememberme = $_POST["sr"];

if (empty($SellerNIC)) {
    echo ("Enter Your NIC Number ???");
} else if (empty($Sellerpassword)) {
    echo ("Enter Your Password ???");
} else {

    $Seller_rs = Database::Search(" SELECT * FROM `seller` WHERE `nic`='".
$SellerNIC . "' AND `seller_password`='" . $Sellerpassword . "' ");
    $Seller_num = $Seller_rs->num_rows;

    if ($Seller_num == 1) {
        $Seller_data = $Seller_rs->fetch_assoc();

```

```

        if($seller_data["s_status"] == 3){
            echo("blocked");

        }else if($seller_data["s_status"] == 2){
            $_SESSION["seller"] = $seller_data;

            if ($sellerRememberme == "true") {
                setcookie("snic", $sellerNIC, time() + (60 * 60 * 360));
                setcookie("spassword", $sellerpassword, time() + (60 * 60 *
360));
            } else {
                setcookie("snic", "", -1);
                setcookie("spassword", "", -1);
            }

            echo ("success");

        }

    } else {
        echo ("Invalid Email Or Password ???");
    }
}

```


02.

```
<a href="#" onclick="showSellerForgotPasswordModal();">Forgot Password?</a>
```

```

function showSellerForgotPasswordModal() {
    var m = document.getElementById("sellerForgotPassword");
    s_forgot_m = new bootstrap.Modal(m);
    s_forgot_m.show();
}

```



Send Button

```
<button type="button" class="btn btn-primary" id="showSellerverifyNIC" onclick="sellerforgotPasswordModel();">Send</button>
```

```
function sellerforgotPasswordModel() {
    var nic = document.getElementById("sellerNic");

    var f = new FormData();
    f.append("n", nic.value);

    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (
                t == "invalid NIC No ???" ||
                t == "Verification code sending failed ???"
            ) {
                document.getElementById("alertTextSeller").innerHTML = t;
                document.getElementById("alertsellerforgot").className =
                    "alert alert-danger mt-2";
            } else if (t == "Verification Code Successfully Send Your User Email") {
                document.getElementById("alertsellerforgot").className =
                    "alert alert-success mt-2 d-none";
                document.getElementById("showSellerverifyNIC").className =

```

```

        "btn btn-primary d-none";
        document.getElementById("showSellerVerificationCode").className =
            "btn btn-primary";
        document.getElementById("sendVcodeSeller").className = "col-12 mt-2";
        document.getElementById("sendnewSeller").className = "col-12 mt-2";
        document.getElementById("sendconformSeller").className = "col-12 mt-2";
        document.getElementById("successText").innerHTML = t;
    }
}
};

r.open("POST", "sellerforgotPassword.php", true);
r.send(f);
}

```

```

<?php
require "connection.php";

require "Exception.php";
require "SMTP.php";
require "PHPMailer.php";

use PHPMailer\PHPMailer\PHPMailer;

if(isset($_POST["n"])){
    $nic = $_POST["n"];

    $seller_rs = Database::Search("SELECT * FROM `seller` WHERE `nic`='".$nic."'");
    $seller_num = $seller_rs->num_rows;

    if($seller_num == 0){
        echo("invalid NIC No ???");
    }else{

        $seller_data = $seller_rs->fetch_assoc();
        $email = $seller_data["user_email"];
        $code = uniqid();
        Database::iud("UPDATE `seller` SET `s_verification_code`='".$code."' ");

        $mail = new PHPMailer;
        $mail->IsSMTP();
        $mail->Host = 'smtp.gmail.com';
        $mail->SMTPAuth = true;
    }
}

```


```

$mail->Username = 'sanchithaheashan655@gmail.com';
$mail->Password = 'pgyf sffi stti ppjw';
$mail->SMTPSecure = 'ssl';
$mail->Port = 465;
$mail->setFrom('sanchithaheashan655@gmail.com', 'Emart');
$mail->addReplyTo('sanchithaheashan655@gmail.com', 'Emart');
$mail->addAddress($email);
$mail->isHTML(true);
$mail->Subject = 'Emart Forgot Seller Password Verification Code';
$bodyContent = '<h1 style="font-family:Arial;">Your Code Is :-
' . $code . '</h1>';
$mail->Body = $bodyContent;

if(!$mail->send()){
    echo ("Verification code sending failed ???");
} else{
    echo("Verification Code Successfully Send Your User Email");
}

}

```



Reset Password

```

<button type="button" class="btn btn-primary d-none"
id="showSellerverificationCode" onclick="sellerverificationCode();">Reset
Password</button>

```

```

function sellerverificationCode() {
    var code = document.getElementById("sellerverificationCode");
    var nic = document.getElementById("sellerNic");
    var NP = document.getElementById("seller_NP");
    var CP = document.getElementById("seller_CP");

    var f = new FormData();
    f.append("c", code.value);
    f.append("n", nic.value);
    f.append("np", NP.value);
    f.append("cp", CP.value);

    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "success") {
                document.getElementById("mainsellerDIV").className =
                    "modal-body d-none";
                document.getElementById("SubsellerDIV").className = "modal-body";
                document.getElementById("showSellerverificationCode").className =
                    "btn btn-primary d-none";
            } else if (
                t == "Enter Passwords ????"
                || t == "Password Should Have Between 5-20 Charactors ????"
            ) {
                document.getElementById("alertTextSeller").innerHTML = t;
                document.getElementById("alertsellerforgot").className =
                    "alert alert-danger mt-2";
            } else if (
                t == "Password Does Not Matched ????"
                || t == "Invalid Verification Code"
            ) {
                document.getElementById("alertTextSeller").innerHTML = t;
                document.getElementById("alertsellerforgot").className =
                    "alert alert-danger mt-2";
            } else {
                alert(t);
            }
        }
    };
}

```

```
r.open("POST", "sellervrifyVerification.php", true);
r.send(f);
}
```


```
<?php
require "connection.php";

if (isset($_POST["c"]) && isset($_POST["n"])) {
    $code = $_POST["c"];
    $nic = $_POST["n"];
    $new_password = $_POST["np"];
    $Conform_password = $_POST["cp"];

    if (empty($new_password) || empty($new_password)) {
        echo ("Enter Passwords ?????");
    } else if (strlen($new_password) < 5 && strlen($new_password) < 20) {
        echo ("Password Should Have Between 5-20 Characters ?????");
    } else if ($new_password != $Conform_password) {
        echo ("Password Does Not Matched ?????");
    } else {
        $s_rs = Database:::Search("SELECT * FROM `seller` WHERE `nic`='".$nic."' AND `s_verification_code`='".$code . "' ");
        $s_num = $s_rs->num_rows;

        if ($s_num != 0) {

            Database:::iud("UPDATE `seller` SET
`seller_password`='".$Conform_password."' WHERE `nic`='".$nic."' AND
`s_verification_code`='".$code . "' ");
            echo ("success");
        } else {
            echo ("Invalid Verification Code");
        }
    }
}
```



Advanced Search Page

The screenshot shows the Emart website's search interface. At the top, there are filter options for 'Select Category' (Mobile Phones), 'Select Brand' (all brand), 'Select Model' (first select brand), 'Select Colour' (all colour), 'Select Condition' (all Condition), 'Select Quantity' (all quantity), 'Price To' (LKR : 00.00), and 'Price From' (LKR : 00.00). Below these filters is a search bar labeled 'Search Products ...' and a blue 'Search' button. The main area displays search results for 'Apple i7 Smart Phone' and 'Apple iPhone X Smart'. Each result includes an image, the product name, a truncated description, and a price of LKR : 20000.00. A large blue arrow points from the 'Search' button down to a blue button labeled '01' at the bottom center.

01.

```
<button class="btn btn-primary" onclick="AdvancedSearch();">Search</button>
```

```
function AdvancedSearch() {
    var category = document.getElementById("p_category");
    var brand = document.getElementById("p_brand");
    var model = document.getElementById("p_model");
    var colour = document.getElementById("p_colour");
    var condition = document.getElementById("p_condition");
    var quantity = document.getElementById("p_qty");
    var price_to = document.getElementById("p_priceto");
    var price_from = document.getElementById("p_pricefrom");
    var size = document.getElementById("p_size");
    var text = document.getElementById("p_searchtxt");

    var f = new FormData();
    f.append("ca", category.value);
    f.append("b", brand.value);
    f.append("m", model.value);
    f.append("clr", colour.value);
    f.append("con", condition.value);
    f.append("q", quantity.value);
```

```

f.append("pt", price_to.value);
f.append("pf", price_from.value);
f.append("r", size.value);
f.append("t", text.value);

var r = new XMLHttpRequest();
r.onreadystatechange = function () {
    if (r.readyState == 4) {
        var t = r.responseText;
        document.getElementById("veiw_resultDIV").innerHTML = t;
    }
};

r.open("POST", "advanceSearchProcess.php", true);
r.send(f);
}

```

```

<?php
require "connection.php";

$category = $_POST["ca"];
$brand = $_POST["b"];
$model = $_POST["m"];
$condition = $_POST["con"];
$colour = $_POST["clr"];
$quentity = $_POST["q"];
$price_to = $_POST["pt"];
$price_from = $_POST["pf"];
$size = $_POST["r"];
$text = $_POST["t"];

$query = " SELECT * FROM `product` ";
$status = 0;

// title
if (!empty($text)) {
    $query .= " WHERE `title` LIKE '%" . $text . "%'";
    $status = 1;
}
// title

// category

if ($category != 0 && $status == 0) {

```

```

$query .= " WHERE `category_ca_id`='" . $category . "'";
$status = 1;
} else if ($category != 0 && $status == 1) {
    $query .= " AND `category_ca_id`='" . $category . "'";
}

// category

$query.= "AND `qty` !='0'";

// Brand & Model
$mHb_id = 0;

if ($brand != 0 && $model != 0) {

    $m = Database::Search("SELECT * FROM `model_has_brand` WHERE `model_id`='".
$model . "' AND `brand_id`='" . $brand . "' ");
    $m_num = $m->num_rows;

    if ($m_num != 0) {
        $m_data = $m->fetch_assoc();
        $mHb_id = $m_data["m_h_b_id"];

        if ($status == 0) {
            $query .= " WHERE `model_has_brand_id`='" . $mHb_id . "'";
            $status = 1;
        } else if ($status == 1) {
            $query .= " AND `model_has_brand_id`='" . $mHb_id . "'";
        }
    }
}
// Brand & Model

// colour
if ($colour > 0 && $status == 0) {
    $query .= " WHERE `colour_id`='" . $colour . "'";
    $status = 1;
} else if ($colour > 0 && $status == 1) {
    $query .= " AND `colour_id`='" . $colour . "'";
}
// colour

// condition
if ($condition > 0 && $status == 0) {
    $query .= " WHERE `condition_id`='" . $condition . "'";
}

```

```

    $status = 1;
} else if ($condition > 0 && $status == 1) {
    $query .= " AND `condition_id`='". $condition . "'";
}
// condition

// price
if (!empty($price_to) && empty($price_from) && $status == 0) {
    $query .= " WHERE `price` > '". $price_to . "'";
    $status = 1;
} else if (!empty($price_to) && empty($price_from) && $status == 1) {
    $query .= " AND `price` > '". $price_to . "'";
} else if (!empty($price_from) && empty($price_to) && $status == 0) {
    $query .= " WHERE `price` < '". $price_from . "'";
    $status = 1;
} else if (!empty($price_from) && empty($price_to) && $status == 1) {
    $query .= " AND `price` < '". $price_from . "'";
} else if (!empty($price_from) && !empty($price_to) && $status == 0) {
    $query .= " WHERE `price` BETWEEN '". $price_to . "' AND '". $price_from . "'";
    $status = 1;
} else if (!empty($price_from) && !empty($price_to) && $status == 1) {
    $query .= " AND `price` BETWEEN '". $price_to . "' AND '". $price_from . "'";
}
// price

// size

if ($size > 1 && $status == 0) {
    $query .= " WHERE `Size_id`='". $size . "'";
    $status = 1;
} else if ($size > 1 && $status == 1) {
    $query .= " AND `Size_id`='". $size . "'";
}

// size

// quantity
if ($quantity == 1) {
    $query .= " ORDER BY `qty` DESC";
    $status = 1;
} else if ($quantity == 2) {
    $query .= " ORDER BY `qty` ASC";
    $status = 1;
}

```

```

}

// quantity

$product_rs = Database::Search($query);
$product_num = $product_rs->num_rows;

if ($product_num == 0) {
?>

    <div class="col-12">
        <div class="row text-center">

            <div class="col-12">
                
            </div>

        </div>
    </div>

    <?php
} else {

    for ($a = 0; $a < $product_num; $a++) {
        $product_data = $product_rs->fetch_assoc();

        $p_img = "resources/emptyProducts.png";

        $product_img_rs = Database::Search("SELECT * FROM `product_images` WHERE `product_id` = '" . $product_data["id"] . "' ");
        $product_img_num = $product_img_rs->num_rows;

        if ($product_img_num > 0) {
            $product_img_data = $product_img_rs->fetch_assoc();
            $p_img = $product_img_data["p_path"];
        }
    }

    ?>

    <div class="card p-0 shadow my-3 mx-2 cardHover" style="width: 13rem;" id="shortCard" onclick="goToSingleProductVeiw('<?php echo ($product_data['id']) ?>');>">
        
        <div class="card-body">

```

```

<div class="col-12">
    <?php
        $p_title_cart = str_split($product_data["title"], 20);
    ?>
    <p class="fw-bold"><?php echo ($p_title_cart[0] . " ...") ?></p>
</div>
<div class="col-12">
    <p class="fs-5 fw-bold">LKR : 20000.00</p>
</div>
</div>

<?php
}
}

```

E-mart

My Advanced Search ...


Filter Options

Select Category all category	Select Brand all brand	Select Model first select brand	Select Colour all colour
Select Condition all Condition	Select Quantity all quantity	Price To LKR : 00.00	Price From LKR : 00.00

Search Products ...

Activate Windows
Go to Settings to activate Windows.

Contact Us Page



Contact Us.

How To Find Us ...

If you want to know any information about us, you can visit our facebook site and get information. Or if you want to get more information, you can call this phone number that appears on this page. Or you can get the information you need by emailing this email address. Or if you are near the address shown on this page, you can visit our company and get the information you need.

Headquarters

12/5, Sinhasana Road, Dondra, Matara, Sri Lanka
Emart@gmail.com
+94 76 989 8172
www.facebook.com

Activate Windows
Go to Settings to activate Windows.

[Emart Pvt Ltd](#)[Facilities](#)[Contact Us](#)

About Us Page



Emart

We connect people and build communities to create economic opportunity for all. At Emart, we create pathways to connect millions of sellers and buyers in around the Sri Lanka. Our technology empowers our customers, providing everyone the opportunity to grow and thrive — no matter who they are or where they are in the Sri Lanka. And the ripple effect of our work creates waves of change for our customers, our company, our communities and our Country.

Activate Windows
Go to Settings to activate Windows.

Help & Report Us Page

Report Us

How To Report Us

You must first be our valued customer to let us know about your problem. Then you can inform us about the problem you have through Whatsapp Or Call. Then we will look into your problem and give you an answer as soon as possible.

Headquarters

12/5, Sinhasana Road, Dondra, Matara, Sri Lanka
 Emart@gmail.com
 +94 76 989 8172
www.facebook.com

Activate Windows
 Go to Settings to activate Windows.

Create Seller Account Page



Hi Sanchitha. This is the Best Way To Sell Your Products Fast & easily.

Create a Seller Acccount.

User full Name sanuth nenuka	User Email sanuth@gmail.com	
The data of the seller account will be sent to your user email ...		
Seller City Gampaha	New Seller Password :- 5-20 Characters	Conform Seller Password :- Retype Password
From now on, our company will send your seller details to this email address you have provided. Go to Settings to activate Windows.		
National ID No	Shop Name	
Please note that you can access your seller account only through the National ID Number and the password that you will be given.		
Upload the two front and back photos of the National ID card that match the National ID card number you provided at this place.		
 NO IMAGE	 NO IMAGE	
<input type="button" value="Upload NIC Images"/>		
<input type="button" value="Create Seller Account ..."/>		

Activate Windows
 Go to Settings to activate Windows.

01

01.

```
<button class="btn btn-success" onclick="CreateSeller();">Create Seller Account  
...</button>
```

```
function CreateSeller() {  
    var s_New_Password = document.getElementById("sellernewpasswordinput");  
    var s_Confirm_Password = document.getElementById("sellerConformPInput");  
    var s_NIC = document.getElementById("s_nic");  
    var s_Shop_Name = document.getElementById("shop_name");  
    var img_Chooser = document.getElementById("nicImgUploader");  
  
    var form = new FormData();  
    form.append("snp", s_New_Password.value);  
    form.append("scp", s_Confirm_Password.value);  
    form.append("snic", s_NIC.value);  
    form.append("sShopn", s_Shop_Name.value);  
  
    var file_count = img_Chooser.files.length;  
  
    for (var x = 0; x < file_count; x++) {  
        form.append("img" + x, img_Chooser.files[x]);  
    }  
  
    var rq = new XMLHttpRequest();  
  
    rq.onreadystatechange = function () {  
        if (rq.readyState == 4) {  
            var txt = rq.responseText;  
  
            if (  
                txt == "Enter Your New Seller Email ??" ||  
                txt == "Email must have less than 100 characters ??"  
            ) {  
                // seller new password  
                document.getElementById("sellernewpasswordinput").className =  
                    "form-control shadow-none";  
                document.getElementById("np_field").innerHTML = txt;  
                document.getElementById("np_field").className = "invalid-field d-none";  
                // seller new password  
                // seller Confirm Password  
                document.getElementById("sellerConformPInput").className =  
                    "form-control shadow-none";  
                document.getElementById("cp_field").innerHTML = txt;  
            }  
        }  
    };  
    rq.open("POST", "http://www.seller.com/api/seller/create");  
    rq.send(form);  
}
```

```
document.getElementById("cp_field").className = "invalid-field d-none";
// seller Confirm Password
// seller NIC
document.getElementById("s_nic").className = "form-control shadow-none";
document.getElementById("nic_field").innerHTML = txt;
document.getElementById("nic_field").className = "invalid-field d-none";
// seller NIC
// seller shop Name
document.getElementById("shop_name").className =
    "form-control shadow-none";
document.getElementById("shop_field").innerHTML = txt;
document.getElementById("shop_field").className =
    "invalid-field d-none";
// seller shop Name
// NIC Images
document.getElementById("nicmaindiv1").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("nicmaindiv2").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("img_error").innerHTML = txt;
document.getElementById("img_error").className = "invalid-field d-none";
// NIC Images
} else if (
    txt == "Invalid email Address ???" ||
    txt == "Existing email address ???"
) {
    // seller new password
    document.getElementById("sellernewpasswordinput").className =
        "form-control shadow-none";
    document.getElementById("np_field").innerHTML = txt;
    document.getElementById("np_field").className = "invalid-field d-none";
    // seller new password
    // seller Confirm Password
    document.getElementById("sellerConformPInput").className =
        "form-control shadow-none";
    document.getElementById("cp_field").innerHTML = txt;
    document.getElementById("cp_field").className = "invalid-field d-none";
    // seller Confirm Password
    // seller NIC
    document.getElementById("s_nic").className = "form-control shadow-none";
    document.getElementById("nic_field").innerHTML = txt;
    document.getElementById("nic_field").className = "invalid-field d-none";
    // seller NIC
    // seller shop Name
    document.getElementById("shop_name").className =
```

```
"form-control shadow-none";
document.getElementById("shop_field").innerHTML = txt;
document.getElementById("shop_field").className =
    "invalid-field d-none";
// seller shop Name
// NIC Images
document.getElementById("nicmaindiv1").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("nicmaindiv2").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("img_error").innerHTML = txt;
document.getElementById("img_error").className = "invalid-field d-none";
// NIC Images
} else if (
    txt == "Enter New Seller Password ??" || 
    txt == "Password must have between 5 - 20 characters ??""
) {
    // seller new password
    document.getElementById("sellernewpasswordinput").className =
        "form-control shadow-none is-invalid";
    document.getElementById("np_field").innerHTML = txt;
    document.getElementById("np_field").className = "invalid-field";
    // seller new password
    // seller Confirm Password
    document.getElementById("sellerConformPInput").className =
        "form-control shadow-none";
    document.getElementById("cp_field").innerHTML = txt;
    document.getElementById("cp_field").className = "invalid-field d-none";
    // seller Confirm Password
    // seller NIC
    document.getElementById("s_nic").className = "form-control shadow-none";
    document.getElementById("nic_field").innerHTML = txt;
    document.getElementById("nic_field").className = "invalid-field d-none";
    // seller NIC
    // seller shop Name
    document.getElementById("shop_name").className =
        "form-control shadow-none";
    document.getElementById("shop_field").innerHTML = txt;
    document.getElementById("shop_field").className =
        "invalid-field d-none";
    // seller shop Name
    // NIC Images
    document.getElementById("nicmaindiv1").className =
        "col-5 border border-2 border-dark d-flex justify-content-center";
    document.getElementById("nicmaindiv2").className =
```

```
"col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("img_error").innerHTML = txt;
document.getElementById("img_error").className = "invalid-field d-none";
// NIC Images
} else if (
    txt == "Enter Your Conform Seller Password ??" || 
    txt == "Password Does Not Matched ??"
) {
    // seller new password
    document.getElementById("sellernewpasswordinput").className =
        "form-control shadow-none";
    document.getElementById("np_field").innerHTML = txt;
    document.getElementById("np_field").className = "invalid-field d-none";
    // seller new password
    // seller Confirm Password
    document.getElementById("sellerConformPInput").className =
        "form-control shadow-none is-invalid";
    document.getElementById("sellerConformPInput").value = "";
    document.getElementById("cp_field").innerHTML = txt;
    document.getElementById("cp_field").className = "invalid-field";
    // seller Confirm Password
    // seller NIC
    document.getElementById("s_nic").className = "form-control shadow-none";
    document.getElementById("nic_field").innerHTML = txt;
    document.getElementById("nic_field").className = "invalid-field d-none";
    // seller NIC
    // seller shop Name
    document.getElementById("shop_name").className =
        "form-control shadow-none";
    document.getElementById("shop_field").innerHTML = txt;
    document.getElementById("shop_field").className =
        "invalid-field d-none";
    // seller shop Name
    // NIC Images
    document.getElementById("nicmaindiv1").className =
        "col-5 border border-2 border-dark d-flex justify-content-center";
    document.getElementById("nicmaindiv2").className =
        "col-5 border border-2 border-dark d-flex justify-content-center";
    document.getElementById("img_error").innerHTML = txt;
    document.getElementById("img_error").className = "invalid-field d-none";
    // NIC Images
} else if (
    txt == "Enter Your National ID ??" || 
    txt == "Invalid National ID ??"
) {
```

```
// seller new password
document.getElementById("sellernewpasswordinput").className =
    "form-control shadow-none";
document.getElementById("np_field").innerHTML = txt;
document.getElementById("np_field").className = "invalid-field d-none";
// seller new password
// seller Confirm Password
document.getElementById("sellerConformPInput").className =
    "form-control shadow-none";
document.getElementById("sellerConformPInput").value = "";
document.getElementById("cp_field").innerHTML = txt;
document.getElementById("cp_field").className = "invalid-field d-none";
// seller Confirm Password
// seller NIC
document.getElementById("s_nic").className =
    "form-control shadow-none is-invalid";
document.getElementById("nic_field").innerHTML = txt;
document.getElementById("nic_field").className = "invalid-field";
// seller NIC
// seller shop Name
document.getElementById("shop_name").className =
    "form-control shadow-none";
document.getElementById("shop_field").innerHTML = txt;
document.getElementById("shop_field").className =
    "invalid-field d-none";
// seller shop Name
// NIC Images
document.getElementById("nicmaindiv1").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("nicmaindiv2").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("img_error").innerHTML = txt;
document.getElementById("img_error").className = "invalid-field d-none";
// NIC Images
} else if (
    txt == "Enter Your Shop Name ??" ||
    txt == "Shop Name Must Have between 5 - 20 Charactors ???"
) {
    // seller new password
    document.getElementById("sellernewpasswordinput").className =
        "form-control shadow-none";
    document.getElementById("np_field").innerHTML = txt;
    document.getElementById("np_field").className = "invalid-field d-none";
    // seller new password
    // seller Confirm Password
```

```
document.getElementById("sellerConformPInput").className =
    "form-control shadow-none";
document.getElementById("sellerConformPInput").value = "";
document.getElementById("cp_field").innerHTML = txt;
document.getElementById("cp_field").className = "invalid-field d-none";
// seller Confirm Password
// seller NIC
document.getElementById("s_nic").className = "form-control shadow-none";
document.getElementById("nic_field").innerHTML = txt;
document.getElementById("nic_field").className = "invalid-field d-none";
// seller NIC
// seller shop Name
document.getElementById("shop_name").className =
    "form-control shadow-none is-invalid";
document.getElementById("shop_field").innerHTML = txt;
document.getElementById("shop_field").className = "invalid-field";
// seller shop Name
// NIC Images
document.getElementById("nicmaindiv1").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("nicmaindiv2").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("img_error").innerHTML = txt;
document.getElementById("img_error").className = "invalid-field d-none";
// NIC Images
} else if (
    txt == "Invalid Image Type ???" ||
    txt == "Invalid Image Count ???"
) {
    // seller new password
    document.getElementById("sellernewpasswordinput").className =
        "form-control shadow-none";
    document.getElementById("np_field").innerHTML = txt;
    document.getElementById("np_field").className = "invalid-field d-none";
    // seller new password
    // seller Confirm Password
    document.getElementById("sellerConformPInput").className =
        "form-control shadow-none";
    document.getElementById("sellerConformPInput").value = "";
    document.getElementById("cp_field").innerHTML = txt;
    document.getElementById("cp_field").className = "invalid-field d-none";
    // seller Confirm Password
    // seller NIC
    document.getElementById("s_nic").className = "form-control shadow-none";
    document.getElementById("nic_field").innerHTML = txt;
```

```
document.getElementById("nic_field").className = "invalid-field d-none";
// seller NIC
// seller shop Name
document.getElementById("shop_name").className =
    "form-control shadow-none";
document.getElementById("shop_field").innerHTML = txt;
document.getElementById("shop_field").className =
    "invalid-field d-none";
// seller shop Name
// NIC Images
document.getElementById("nicmaindiv1").className =
    "col-5 border border-2 border-danger d-flex justify-content-center";
document.getElementById("nicmaindiv2").className =
    "col-5 border border-2 border-danger d-flex justify-content-center";
document.getElementById("img_error").innerHTML = txt;
document.getElementById("img_error").className = "invalid-field";
// NIC Images
} else if (
    txt == "Admin will Conform Your Seller Email Account Request"
) {
    // seller new password
    document.getElementById("sellernewpasswordinput").className =
        "form-control shadow-none";
    document.getElementById("np_field").innerHTML = txt;
    document.getElementById("np_field").className = "invalid-field d-none";
    // seller new password
    // seller Confirm Password
    document.getElementById("sellerConformPInput").className =
        "form-control shadow-none";
    document.getElementById("sellerConformPInput").value = "";
    document.getElementById("cp_field").innerHTML = txt;
    document.getElementById("cp_field").className = "invalid-field d-none";
    // seller Confirm Password
    // seller NIC
    document.getElementById("s_nic").className = "form-control shadow-none";
    document.getElementById("nic_field").innerHTML = txt;
    document.getElementById("nic_field").className = "invalid-field d-none";
    // seller NIC
    // seller shop Name
    document.getElementById("shop_name").className =
        "form-control shadow-none";
    document.getElementById("shop_field").innerHTML = txt;
    document.getElementById("shop_field").className =
        "invalid-field d-none";
    // seller shop Name
```

```

// NIC Images
document.getElementById("nicmaindiv1").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("nicmaindiv2").className =
    "col-5 border border-2 border-dark d-flex justify-content-center";
document.getElementById("img_error").innerHTML = txt;
document.getElementById("img_error").className = "invalid-field d-none";
// NIC Images

document.getElementById("request_note").innerHTML =
    "We Are Send Your Request To Admin <br/> & <br/> Admin is Approve Your
Create Seller Account Request After You Can Access Your Seller Account";
document.getElementById("sellerPage_content").className =
    "col-11 rounded-3 mb-4 shadow-lg d-none";
} else {
    alert(txt);
}
};

rq.open("POST", "sellerSignUpProcess.php", true);
rq.send(form);
}

```

```

<?php

session_start();
$user_email = $_SESSION["user"]["email"];
require "connection.php";

$new_seller_password = $_POST["snp"];
$conform_seller_password = $_POST["scp"];
$seller_NIC = $_POST["snic"];
$seller_shop_name = $_POST["sShopn"];

if (empty($new_seller_password)) {
    echo ("Enter New Seller Password ???");
} else if (strlen($new_seller_password) < 5 || strlen($new_seller_password) >
20) {
    echo ("Password must have between 5 - 20 charactors ???");
} else if (empty($conform_seller_password)) {
    echo ("Enter Your Conform Seller Password ???");
} else if ($conform_seller_password != $new_seller_password) {
    echo ("Password Does Not Matched ???");
}

```

```

} else if (empty($seller_NIC)) {
    echo ("Enter Your National ID ???");
} else if (strlen($seller_NIC) > 13) {
    echo ("Invalid National ID ???");
} else if (empty($seller_shop_name)) {
    echo ("Enter Your Shop Name ???");
} else if (strlen($seller_shop_name) < 5 || strlen($seller_shop_name) > 20) {
    echo ("Shop Name Must Have between 5 - 20 Charactors ???");
} else {

    $d = new DateTime();
    $tz = new DateTimeZone("Asia/Colombo");
    $d->setTimezone($tz);
    $date = $d->format("Y-m-d H:i:s");

    $length = sizeof($_FILES);

    if ($length == 2) {

        Database::iud("INSERT INTO `seller`"
        ("`nic`, `user_email`, `account_create_datetime`, `shop_name`, `seller_password`, `s_status`, `s_verification_code`) VALUES
            ('" . $seller_NIC . "','" . $user_email . "','" . $date . "','" .
        $seller_shop_name . "','" . $new_seller_password . "','1','0')");

        $allowd_img_extention = array("image/jpg", "image/jpeg", "image/png",
        "image/svg+xml");
    }

    for ($x = 0; $x < $length; $x++) {

        if (isset($_FILES["img" . $x])) {
            $img_file = $_FILES["img" . $x];
            $file_extention = $img_file["type"];

            if (in_array($file_extention, $allowd_img_extention)) {
                $new_img_extension;

                if ($file_extention == "image/jpg") {
                    $new_img_extension = ".jpg";
                } else if ($file_extention == "image/jpeg") {
                    $new_img_extension = ".jpeg";
                } else if ($file_extention == "image/png") {
                    $new_img_extension = ".png";
                } else if ($file_extention == "image/svg+xml") {

```

```

        $new_img_extension = ".svg";
    }

    $file_name = "resources//Seller_nic_images//" .
$seller_shop_name . "_" . uniqid() . $new_img_extension;

    move_uploaded_file($img_file["tmp_name"], $file_name);

    Database::iud("INSERT INTO `nic_images` `nic_path`, `seller_nic` VALUES ('" . $file_name . "','" . $seller_NIC . "')");
} else {
    echo ("Invalid Image Type ???");
}
}


echo ("Admin will Confirm Your Seller Email Account Request");
} else {
    echo ("Invalid Image Count ???");
}
}
}

```

You Already Have Seller Account :)

Activate Windows
Go to Settings to activate Windows.

Log As Admin Page



01.

```
<button type="button" class="btn btn-primary" onclick="logAdmin();">  
Sign In</button>
```

```
function logAdmin() {  
    var f = new FormData();  
    f.append("ae", a_email.value);  
    f.append("ap", a_password.value);  
  
    var r = new XMLHttpRequest();  
    r.onreadystatechange = function () {
```

```

if (r.readyState == 4) {
    var t = r.responseText;
    if (t == "Invalid Email Or Password ???") {
        a_email.className = "form-control shadow-none is-invalid";
        a_password.className = "form-control shadow-none is-invalid";
        document.getElementById("signup-msg2").innerHTML = " &nbsp;" + t;
        document.getElementById("errormsg1").className = "col-12";
    } else if (t == "Verification Code Successfully Send Your Email") {
        var m = document.getElementById("a_vcode_verify");
        a_v = new bootstrap.Modal(m);
        a_v.show();
    } else {
        alert(t);
    }
};

r.open("POST", "adminSignProcess.php", true);
r.send(f);
}

```

```

<?php
require "connection.php";

require "Exception.php";
require "SMTP.php";
require "PHPMailer.php";

use PHPMailer\PHPMailer\PHPMailer;

if (isset($_POST["ae"]) && isset($_POST["ap"])) {

    $admin_email = $_POST["ae"];
    $admin_password = $_POST["ap"];

    $admin_rs = Database::Search("SELECT * FROM `admin` WHERE `email`='".
    $admin_email . "' AND `admin_password`='" . $admin_password . "' ");
    $admin_num = $admin_rs->num_rows;

    if ($admin_num == 1) {


        $code = uniqid();

```

```
Database::iud("UPDATE `admin` SET `admin_verification_code`='". $code . "
" . " WHERE `email`='". $admin_email . "' AND `admin_password`='". $admin_password .
" ' ");

$mail = new PHPMailer;
$mail->IsSMTP();
$mail->Host = 'smtp.gmail.com';
$mail->SMTPAuth = true;
$mail->Username = 'sanchithaheashan655@gmail.com';
$mail->Password = 'pgyf sffi stti ppjw';
$mail->SMTPSecure = 'ssl';
$mail->Port = 465;
$mail->setFrom('sanchithaheashan655@gmail.com', 'Emart');
$mail->addReplyTo('sanchithaheashan655@gmail.com', 'Emart');
$mail->addAddress($admin_email);
$mail->isHTML(true);
$mail->Subject = 'Emart Admin Verification Code';
$bodyContent = '<h1 style="font-family:Arial;">Admin Verification Code Is
:- ' . $code . '</h1>';
$mail->Body = $bodyContent;

if (!$mail->send()) {
    echo ("Verification code sending failed ???");
} else {
    echo ("Verification Code Successfully Send Your Email");
}
} else {
    echo ("Invalid Email Or Password ???");
}
}
```



Send Button

```
<button type="button" class="btn btn-primary"
onclick="check_admin_vcode();">Send</button>
```

```
function check_admin_vcode() {
    vcode = document.getElementById("a-vcode");

    var f = new FormData();
    f.append("v", vcode.value);
    f.append("a", a_email.value);
    f.append("p", a_password.value);

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "success") {
                a_v.hide();
                window.location = "adminPanal.php";
            } else {
                alert(t);
            }
        }
    };
}
```

```
r.open("POST", "adminverifyCodeProcess.php", true);
r.send(f);
}
```

```
<?php
session_start();
require "connection.php";

if(isset($_POST["v"]) && isset($_POST["a"]) && isset($_POST["p"])){
    $email = $_POST["a"];
    $password = $_POST["p"];
    $vcode = $_POST["v"];


    $admin_rs = Database::Search("SELECT * FROM `admin` WHERE `email`='". $email .
. "' AND `admin_password`='". $password . "' AND
`admin_verification_code`='". $vcode . "' ");
    $admin_num = $admin_rs->num_rows;

    if ($admin_num == 1) {
        $admin_data = $admin_rs->fetch_assoc();

        $_SESSION["admin"] = $admin_data;
        echo("success");
    }
}

?>
```

Home Page



01.

```
<div class="row">
    <?php
        $category_rs =
Database::Search("SELECT * FROM `category`");
        $category_num = $category_rs-
>num_rows;

        for ($c = 0; $c < $category_num;
$c++) {
            $category_data = $category_rs-
>fetch_assoc();
        }
    ?>

    <div class="col-4 col-md-3 col-
lg-12 mt-1 mb-1">
        <a
href="searchProduct.php?c=<?php echo ($category_data["ca_id"]) ?>" class="aclass
aclass3"><?php echo ($category_data["ca_name"]) ?></a>
```

```
</div>

<?php
}

?>

</div>
```

02.

```
<div class="col-12 mb-3 d-grid">
    <a href="superDeals.php?s=<?php echo (2)
?>" class="btn btn-outline-warning">Shop Now</a>
</div>
```

Weekly Deals Page


The screenshot shows a web page titled "Weekly Deals Page". The page has a header with the E-mart logo and a navigation bar with a "Weekly Deals" link. Below the header, there is a grid of smartphone deals. The first deal, which is highlighted by a blue callout bubble containing the number "01", is for an "Apple i7 Smart Phone" priced at LKR : 45000. The deal was posted on 2024-06-19 19:23:18. Other deals in the grid include an Apple i7 Smart Phone for LKR : 48000, an Apple i7 Smart Phone for LKR : 49000, and an Apple iPhone X Smart Phone for LKR : 85000. Each deal card includes a thumbnail image, the product name, price, and posting date.

Image	Product Name	Price	Posted On
	Apple i7 Smart Phone	LKR : 45000	2024-06-19 19:23:18
	Apple i7 Smart Phone	LKR : 48000	2024-06-19 19:27:02
	Apple i7 Smart Phone	LKR : 49000	2024-06-19 19:36:09
	Apple iPhone X Smart Phone	LKR : 85000	2024-06-26 12:24:00

01.


```
<div class="card p-0 my-3 mx-2 cardHover cursor" style="width: 13rem;">
    onclick="goToSingleProductView('<?php echo ($p_data['id']) ?>');">
```

Daily Deals Page



01.

```
<a href="superDeals.php?s=<?php echo (1) ?>" class="btn btn-outline-dark ms-4 mt-2 mb-2 m-lg-4">Shop now</a>
```



01.

```
<div class="card p-0 my-3 mx-2 cardHover cursor" style="width: 13rem;" onclick="goToSingleProductVeiw('<?php echo ($p_data['id']) ?>');">
```

More to love

Apple iPhone X Smart Phone LKR : 85000	Apple i7 Smart Phone LKR : 49000 2024-06-19	Apple i7 Smart Phone LKR : 49000 2024-06-19	Apple i7 Smart Phone LKR : 48000 2024-06-19	Apple i7 Smart Phone LKR : 45000 2024-06-19	Apple i7 Smart Phone LKR : 50000 2024-06-06 Activate Windows Go to Settings to activate Windows.
---	---	---	---	---	--

01

01.

```

<div class="card p-0 my-3 mx-2 cardHover cursor" style="width: 13rem;">
  onclick="goToSingleProductView('<?php echo ($product_data['id']); ?>')">
    <?php
      $imgP = "resources/noImage.jpg";
      $img_prs = Database::Search("SELECT * FROM `product_images` WHERE `product_id`='". $product_data["id"] . "' ");
      $img_pnum = $img_prs->num_rows;
      if ($img_pnum != 0) {
        $img_pdata = $img_prs->fetch_assoc();
        $imgP = $img_pdata["p_path"];
      }
    ?>
    
    <div class="card-body">
      <hr>

```

```
<div class="col-12">
    <p class="fw-bold"><?php echo
($product_data["title"]) ?></p>
</div>
<div class="col-12">
    <p>LKR : <span class="fs-5 fw-bold"><?php
echo ($product_data["price"]) ?></span></p>
</div>
<div class="col-12 text-end">
    <p class="text-black-50"><?php echo ($date)
?></p>
</div>
</div>
```

Single Product View Page

The screenshot shows a product listing for an Apple iPhone X Smart Phone. At the top, there's a navigation bar with the E-mart logo, the category IMART, and a search bar. Below the navigation is a large image of three iPhone X phones in black, white, and red. To the right of the image are a shopping cart icon and a heart icon. Below the image, the product title is "Apple Iphone X Smart Phone". It has a rating of 1 Review & 0 Items Sold and a link to "All Rates >". The price is listed as LKR : 85000.00. The condition is "Brand New". The color is "Red". The post date is "Post On 2024-06-26 12:24:00" and there's a link to "Activate Windows".

01 LKR : 85000.00

02 Condition :- Brand New

03 Colour :- Red

04 Description :- New Red Apple Iphone X Smart Phone

Feedbacks :- No Feedbacks Yet

Post On 2024-06-26 12:24:00

Condition :- Brand New
Brand :- Apple
Quantity : 50 Pieces Available
1
7 Days Buyer Protection


Colour :- Red
Size :- None
Ship to :- Gampaha
Shipping LKR : 1500.00

PayPal
Debit or Credit Card
Powered by PayPal

Activate Windows
Go to Settings to activate Windows.

05

Seller Other Products :-



01.

```
<span class="cursor" onclick="showAllRates('<?php echo ($p_id) ?>')">  
All Rates >></span>
```

```
function showAllRates(id) {  
    var m = document.getElementById("rate_model" + id);  
    rm = new bootstrap.Modal(m);  
    rm.show();  
}
```

The screenshot shows a mobile application interface. At the top, there's a navigation bar with the brand name "Emart" and "IMART". Below the navigation, there's a product listing for an "Apple iPhone X Smart Phone". The listing includes the price "LKR : 85000.00", a condition note "Condition :- Brand New", and a color note "Colour :- Red". A timestamp "Post On 2024-06-26 12:24:00" is also present. A "Activate Windows" button with the sub-instruction "Go to Settings to activate Windows." is visible. A modal window titled "All Rates ----- 0" is displayed, showing a distribution of ratings: Bad (1 star), Good (2 stars), Very Good (3 stars), and Excellent (4 stars). Each rating category has a progress bar at 0% completion. Navigation arrows are visible on either side of the modal.

02.

```
<button class="btn btn-secondary text-white" onclick="addToCart('<?php echo  
($p_id) ?>');"><i class="bi bi-cart-plus-fill fs-5"></i></button>
```

03.

```
<button class="btn btn-warning text-white" onclick="addToWatchList('<?php echo  
($p_id) ?>');"><i class="bi bi-suit-heart-fill fs-5"></i></button>
```

04.

```
<script>  
    var amount = 0.00;  
    var lkrAmount = 0.00;  
    var b_qty = 1;  
    var unitprice = <?= $unit_price ?>;  
    var ship = <?= $user_Shipping ?>;  
  
    window.onload = async function() {  
        lkrAmount = (b_qty * unitprice) + ship;  
        var usdamount = await convertCurrency(lkrAmount);  
        amount = usdamount;  
    };  
  
    async function handleQuantityChange(input) {  
        let inputValue = parseInt(input.value);  
  
        const min = parseInt(input.min);  
        const max = parseInt(input.max);  
  
        if (inputValue < min) {  
            inputValue = min;  
        } else if (inputValue > max) {  
            inputValue = max;  
        }  
        input.value = inputValue;  
        b_qty = inputValue;  
        lkrAmount = (b_qty * unitprice) + ship;  
        var usdamount = await convertCurrency(lkrAmount);  
        amount = usdamount;  
    }</script>
```

```

paypal.Buttons({
    createOrder: function(data, actions) {
        // Set up the transaction
        return actions.order.create({
            purchase_units: [{
                amount: {
                    value: amount // Set the amount to be paid
                }
            }]
        });
    },
    onApprove: function(data, actions) {
        // Capture the transaction
        return actions.order.capture().then(function(details) {
            // Show a success message to the buyer
            console.log('Transaction completed by ' +
details.payer.name.given_name);
            console.log(details); // Log details for further processing
or record keeping
            saveInvoice('<?= uniqid() ?>', '<?= $p_id ?>', '<?= $user_email
?>', lkrAmount, b_qty, ship);
        });
    },
    onError: function(err) {
        // Show an error message
        console.error('An error occurred during the transaction:', err);
    }
}).render('#paypal-button-container');
// This function displays Smart Payment Buttons on your web page.
</script>

```

```

async function convertCurrency(lkrAmount) {
    if (!lkrAmount) {
        alert("Please enter an amount in LKR");
        return;
    }

    try {
        // Fetch the current exchange rate from the API
        const response = await fetch(
            "https://api.exchangerate-api.com/v4/latest/LKR"
        );
        if (!response.ok) {

```

```

        throw new Error("Network response was not ok");
    }
    const data = await response.json();

    // Extract the USD conversion rate
    const exchangeRate = data.rates.USD;

    // Convert the amount
    const usdAmount = lkrAmount * exchangeRate;

    // Display the result
    return usdAmount.toFixed(2);
} catch (error) {
    console.error("There was a problem with the fetch operation:", error);
    document.getElementById("result").innerText =
        "Error fetching the exchange rate";
}
}

```

```

function saveInvoice(orderId, id, user_email, amount, qty, shipping) {
    var form = new FormData();
    form.append("o", orderId);
    form.append("i", id);
    form.append("u", user_email);
    form.append("a", amount);
    form.append("q", qty);
    form.append("s", shipping);

    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "1") {
                window.location = "invoice.php?id=" + orderId;
            } else {
                alert(t);
            }
        }
    };

    r.open("POST", "saveInvoice.php", true);
    r.send(form);
}

```

```
<?php

session_start();
require "connection.php";

if(isset($_SESSION["user"])){
    $o_id = $_POST["o"];
    $p_id = $_POST["i"];
    $mail = $_POST["u"];
    $amount = $_POST["a"];
    $qty = $_POST["q"];
    $shipping = $_POST["s"];

    $product_rs = Database::Search("SELECT * FROM `product` WHERE `id`='".$p_id."'");
    $product_data = $product_rs->fetch_assoc();

    $current_qty = $product_data["qty"];
    $new_qty = (int)$current_qty - (int)$qty;
    Database::iud(" UPDATE `product` SET `qty`='".$new_qty."' WHERE `id`='".$p_id."'");


    $d = new DateTime();
    $tz = new DateTimeZone("Asia/Colombo");
    $d->setTimezone($tz);
    $date = $d->format("Y-m-d H:i:s");

    Database::iud("INSERT INTO `invoice`(`order_id`, `total`, `buy_qty`, `status`, `product_id`, `user_email`, `date_time`, `Delete_Number`, `shipping`) VALUES ('".$o_id."','".$amount."','".$(int)$qty."', '0', '".$p_id."', '".$mail."', '".$date."', '1', '".$shipping."')");
}

echo ("1");
?>
```

05.

```
<div class="card p-0 shadow my-3 mx-2 cardHover" style="width: 13rem;" id="shortCard">
    ');">
        <div class="card-body">
            <?php
                $p_title_seller =
            str_split($seller_product_data["title"], 18);
            ?>
            <div class="col-12">
                <p class="fw-bold"><?php echo ($p_title_seller[0] . " ....") ?></p>
            </div>
            <div class="col-12">
                <p class="fs-5 fw-bold">LKR : <?php echo ($seller_product_data["price"]) ?>.00</p>
            </div>
            <div class="col-12 text-end">
                <p class="text-black-50 fw-bold"><?php echo ($seller_product_data["date_time"]) ?></p>
            </div>
        </div>
    </div>
```



Seller Panel

The image shows the Emart Seller Panel interface. At the top left is the Emart logo. To its right is a 'My Details' section containing the seller's name, email, national ID number, and shop name. There is also a placeholder for a profile picture and a edit icon. Below this is a 'My Section' sidebar with links for 'Add Product', 'Deactive And Active Products', and 'Reports'. A main content area features a promotional image of a person using a laptop and a smartphone, followed by a search bar labeled 'Search All Products'. The central part of the screen displays a grid of products, including an iPhone X, two Apple i7 phones, and two boxes. Each product item includes an image, the product name, price (LKR), and a timestamp. At the bottom of the page are footer sections for 'Emart Pvt Ltd', 'Facilities', and 'Contact Us', along with a note about activating Windows.

My Details

Seller Name :- Sanchitha Heshan
Email :- sanchithaheshan655@gmail.com
National ID No :- 200312713429
Shop Name :- IMART

My Section

- Add Product
- Deactive And Active Products
- Reports

You can easily search, update and filter the products you have put up for sale and go to the search and filter section to simplify the process.

Search All Products

Image	Product Name	Price (LKR)	Timestamp
	Apple Iphone X Smart Phone	85000	2024-06-26 10:24:00
	Apple i7 Smart Phone	49000	2024-06-19 19:36:23
	Apple i7 Smart Phone	49000	2024-06-19 19:36:09
	Apple i7 Smart Phone	48000	2024-06-19 19:27:35
	Apple i7 Smart Phone	48000	2024-06-19 19:27:02

Emart Pvt Ltd Facilities Contact Us

Activate Windows
Go to Settings to activate Windows.

01 02 03 04 05 06

01.

```
<?php

$p_rs = Database::Search("SELECT * FROM `product` WHERE `seller_nic`='".$s_nic . "' ORDER BY `date_time` DESC LIMIT 5 OFFSET 0");
$p_num = $p_rs->num_rows;

if ($p_num == 0) {
?>

<div class="col-12">
    <div class="row text-center">
        <p class="fw-bold fs-3 text-black-50">No Product Your Sell ????</p>
    </div>
</div>

<?php
} else {

for ($i = 0; $i < $p_num; $i++) {
$p_data = $p_rs->fetch_assoc();

$p_img_rs = Database::Search("SELECT * FROM `product_images` WHERE `product_id`='".$p_data["id"] . "' ");
$p_img_data = $p_img_rs->fetch_assoc();

if ($p_data["admin_status"] == 2) {
?>

<!-- card -->
<div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2 opacity-75" style="width: 15rem;">

<?php

if (isset($p_img_data["p_path"])) {
?>
        " class="card-img-top" />
        <?php
} else {
?>
```

```

        
        <?php
    }
?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-
bold"><?php echo ($p_data["title"]) ?><span class="badge bg-danger">Blocked By
Admin</span></p>

        <div class="col-12 text-success">
            <p>LKR : <b><?php echo
($p_data["price"]) ?></b></p>
        </div>
        <div class="col-12 text-secondary
text-end fw-bolder" style="font-size: 12px;">
            <p><?php echo
($p_data["date_time"]) ?></p>
        </div>
        </div>
        <!-- card -->

        <?php
    } else {
?>

        <!-- card -->
        <div class="card cardHover cursor p-0
shadow-lg mt-4 mb-2" style="width: 15rem;">

            <?php
                if (isset($p_img_data["p_path"])) {
?>
                    <img src=<?php echo
($p_img_data["p_path"]) ?>" onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
                    <?php
                } else {
?>
                    );" class="card-img-top" height="190px" />

```

```

        <?php
    }
?>

        <div class="card-body text-center">
            <p class="card-title fs-6 fw-
bold"><?php echo ($p_data["title"]) ?></p>

                <div class="col-12 text-success">
                    <p>LKR : <b><?php echo
($p_data["price"]) ?></b></p>
                </div>
                <div class="col-12 text-secondary
text-end fw-bolder" style="font-size: 12px;">
                    <p><?php echo
($p_data["date_time"]) ?></p>
                </div>
            </div>
        <!-- card -->

        <?php
    }
}
}
?>

```

```

function updateProduct(pid) {
    window.location = "updateProduct.php?id=" + pid;
}

```

02.

```

<p class="ps-4 fw-bold cursor border"
onclick="window.location='sellerReportPage.php'">Reports</p>

```

03.

```

<p onclick="activeDeactiveP();" class="ps-4 fw-bold cursor border">Deactive And
Active Products</p>
function activeDeactiveP() {

```

```
window.location = "ActiveDeactiveProducts.php";  
}
```

04.

```
<p class="ps-4 fw-bold cursor border"  
onclick="window.location='addproduct.php'">Add Product</p>
```

05.

```
<button class="btn btn-outline-dark"  
onclick="SearchSellerStoreProducts();">Search All Products</button>
```

```
function SearchSellerStoreProducts() {  
    window.location = "searchSellerStore.php";  
}
```

06.

```
<a class="btn btn-outline-dark" href="sellerProfile.php">  
<i class="bi bi-pen-fill"></i>  
</a>
```

Seller Profile Page

My Details >> Seller ...

Shop Details NIC Images

Shop Name :- IMART

National ID No :- 200312713429

Account Created Date_Time :- 2024-06-06 08:51:06

Update

Activate Windows
Go to Settings to activate Windows.

IMART
200312713429
sanchithaheashan655@gmail.com

Update Profile Image

My Details >> Seller ...

Shop Details NIC Images



Activate Windows
Go to Settings to activate Windows.

01

02

01.

```
<label for="editProfileImg" class="btn btn-outline-primary" onclick="updateProfileImage();">Update Profile Image</label>
```

```
function updateProfileImage() {
    var img_chooser = document.getElementById("editProfileImg");
    var img_view = document.getElementById("viewImg");

    img_chooser.onchange = function () {
        var file1 = this.files[0];
        var url = window.URL.createObjectURL(file1);
        img_view.src = url;
    };
}
```

02.

```
<button class="btn btn-dark" onclick="updateSellerProfile();">Update</button>
```

```
function updateSellerProfile() {
    var Shop_name = document.getElementById("shopName");
    var image = document.getElementById("editProfileImg");

    var f = new FormData();
    f.append("s", Shop_name.value);

    if (image.files.length != 0) {
        f.append("sellerimage", image.files[0]);
    }

    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "Success") {
                window.location.reload();
            }
        }
    };
}
```

```
r.open("POST", "updateProfileProcess.php", true);
r.send(f);
}
```

```
<?php
session_start();
$s_nic = $_SESSION["seller"]["nic"];
require "connection.php";

$shop_name = $_POST["s"];

if (isset($_FILES["sellerimage"])) {
    $image = $_FILES["sellerimage"];

    $allowed_img_extension = array("image/jpg", "image/jpeg", "image/png",
"image/svg+xml");
    $file_ex = $image["type"];

    if (in_array($file_ex, $allowed_img_extension)) {

        $new_file_extention;

        if ($file_ex == "image/jpg") {
            $new_file_extention = ".jpg";
        } else if ($file_ex == "image/jpeg") {
            $new_file_extention = ".jpeg";
        } else if ($file_ex == "image/png") {
            $new_file_extention = ".png";
        } else if ($file_ex == "image/svg+xml") {
            $new_file_extention = ".svg";
        }

        $file_name = "resources/shop_images/" . $_SESSION["seller"]["nic"] .
"_" . uniqid() . $new_file_extention;
        move_uploaded_file($image["tmp_name"], $file_name);

        $shop_img_rs = Database::Search("SELECT * FROM `shop_image` WHERE
`seller_nic`=' . $s_nic . '' ");
        $shop_img_num = $shop_img_rs->num_rows;

        if ($shop_img_num == 1) {
```

```
        Database::iud("UPDATE `shop_image` SET `shop_img_path`='".
$file_name . "' WHERE `seller_nic`='" . $s_nic . "'");
    } else {
        Database::iud("INSERT INTO `shop_image`".
(`shop_img_path`, `seller_nic`) VALUES ('" . $file_name . "','" . $s_nic . "')");
    }
} else {
    echo ("Invalid Image Type");
}
}

Database::iud("UPDATE `seller` SET `shop_name`='". $shop_name . "' WHERE
`nic`='". $s_nic . "'");

echo ("Success");
```

Add Product Page

01

Add Your Own Products

You can sell any kind of product that you like in the way you like through our website in the most profitable way. But there are conditions

Manage Products...

Select Product Category :- Select Your Category

Select Product Brand :- Select Your Brand

Select Product Model :- Select model

Enter Product Title :-

Select Product Condition :- Select Condition

Select Product Colour :- Select Colour

+ Add

new colour ...

Enter Product Quantity :- Enter Quantity

Activate Windows Go to Settings to activate Windows.

Enter Product Price :- Rs :

Enter Delivery Cost :- Within Colombo Without Colombo

Product Description :- Enter Your Own Valueable Product Description ...

02

03

Upload Product Images

Notice :- We are taking 5% of the product from price from every product as a service charge

04

VISA PayPal MasterCard AMERICAN EXPRESS

Add Product

Emart Pvt Ltd
Here we are the Emart.lk™ to support you for accomplish your desire by selling high quality products.

Facilities
Sign In Or Sign Up Search By Category
Advanced Search Secure Payments
Best Sell Items

Contact Us
12/5, Matara, Sri Lanka
Emart@gmail.com Go to Settings to activate Windows.
+94 112 54 231

01.

```
<button class="btn btn-dark"
onclick="window.location = 'searchSellerStore.php'">Manage Products...</button>
```

02.

```
<button class="btn btn-secondary" type="button" onclick="AddColour();">
+ Add</button>
```

```
function AddColour() {
    var txt = document.getElementById("addColourbar");

    if (txt.value.length > 1) {
        txt.className = "form-control";
        var r = new XMLHttpRequest();

        r.onreadystatechange = function () {
            if (r.readyState == 4) {
                var t = r.responseText;
                if (t == "This Colour Already Exist ....") {
                    document.getElementById("toastCbody").innerHTML = t;
                    const toastLiveExample = document.getElementById("liveToastcolour");
                    const toast = new bootstrap.Toast(toastLiveExample);
                    toast.show();
                } else {
                    document.getElementById("a_colour").innerHTML = t;
                    txt.value = " ";
                    const toastLiveExample = document.getElementById("liveToastcolour");
                    const toast = new bootstrap.Toast(toastLiveExample);
                    toast.show();
                }
            }
        };
        r.open("GET", "AddColourProcess.php?t=" + txt.value, true);
        r.send();
    } else {
        txt.className = "form-control is-invalid";
    }
}
```

```

<?php
require "connection.php";

if(isset($_GET["t"])){
    $colour = $_GET["t"];

    $colour_rs = Database::Search("SELECT * FROM `colour` WHERE `clr_name` LIKE
'%'.$colour.'%' ");
    $colour_num = $colour_rs->num_rows;

    if($colour_num == 0){
        $add_colour = ucwords($colour);

        Database::iud("INSERT INTO `colour` (`clr_name`) VALUES
('".$add_colour."') ");

        $colourb_rs = Database::Search("SELECT * FROM `colour` WHERE `clr_name` 
LIKE '%'.$colour.'%' ");
        $colourb_num = $colourb_rs->num_rows;

        if($colourb_num > 0){

            $colourf_rs = Database::Search("SELECT * FROM `colour` ORDER BY
`clr_id` DESC");
            $colourf_num = $colourf_rs->num_rows;

            for ($c=0; $c < $colourf_num ; $c++) {
                $colour_data = $colourf_rs->fetch_assoc();

                ?>
                <option value=<?php echo($colour_data["clr_id"]) ?>"><?php
echo($colour_data["clr_name"]) ?></option>
                <?php

            }

        }
    }
}
else{
    echo("This Colour Already Exist ....");
}

?>

```

03.

```
<label for="a_imgChooser" class="btn btn-primary"
onclick="productImageView();">Upload Product Images</label>
```

```
function productImageView() {
    var img_chooser = document.getElementById("a_imgChooser");
    img_chooser.onchange = function () {
        var file_count = img_chooser.files.length;
        if (file_count <= 4) {
            for (var x = 0; x < file_count; x++) {
                var file = this.files[x];
                var url = window.URL.createObjectURL(file);
                document.getElementById("a_img" + x).src = url;
            }
        }
    };
}
```

04.

```
<button class="btn btn-primary" onclick="addProduct();">Add Product</button>
```

```
function addProduct() {
    var p_category = document.getElementById("a_category");
    var p_brand = document.getElementById("a_brand");
    var p_model = document.getElementById("a_model");
    var p_condition = document.getElementById("a_condition");
    var p_colour = document.getElementById("a_colour");
    var p_quantity = document.getElementById("a_quantity");
    var img_chooser = document.getElementById("a_imgChooser");
    var p_size = document.getElementById("a_productSize");
    var p_price = document.getElementById("a_price");

    var p_dc_cost = document.getElementById("a_dc_cost");
    var p_dw_cost = document.getElementById("a_dw_cost");
    var p_desc = document.getElementById("a_desc");
    var p_title = document.getElementById("p_title");
```

```

var form = new FormData();

form.append("ca", p_category.value);
form.append("b", p_brand.value);
form.append("m", p_model.value);
form.append("con", p_condition.value);
form.append("clur", p_colour.value);
form.append("qty", p_quentity.value);
form.append("price", p_price.value);
form.append("title", p_title.value);

var file_count = img_chooser.files.length;

for (var x = 0; x < file_count; x++) {
    form.append("img" + x, img_chooser.files[x]);
}

form.append("dwc", p_dc_cost.value);
form.append("doc", p_dw_cost.value);
form.append("desc", p_desc.value);

if (p_category.value == "2") {
    form.append("size", p_size.value);
}

var rq = new XMLHttpRequest();

rq.onreadystatechange = function () {
    if (rq.readyState == 4) {
        var txt = rq.responseText;
        if (txt == "empty") {
            p_category.className = "form-select shadow-none is-invalid";
            p_brand.className = "form-select shadow-none is-invalid";
            p_model.className = "form-select shadow-none is-invalid";
            p_condition.className = "form-select shadow-none is-invalid";
            p_colour.className = "form-select shadow-none is-invalid";
            p_quentity.className = "form-control shadow-none is-invalid";
            p_size.className = "form-select shadow-none is-invalid";
            p_price.className = "form-control shadow-none is-invalid";
            p_dc_cost.className = "form-control shadow-none is-invalid";
            p_dw_cost.className = "form-control shadow-none is-invalid";
            p_desc.className = "col-12 p-3 border-danger";
            p_title.className = "form-control me-3 shadow-none is-invalid";
        } else if (txt == "invalid Image Count") {
            p_category.className = "form-select shadow-none";
        }
    }
}

```

```
p_brand.className = "form-select shadow-none";
p_model.className = "form-select shadow-none";
p_condition.className = "form-select shadow-none";
p_colour.className = "form-select shadow-none";
p_quantity.className = "form-control shadow-none";
p_size.className = "form-select shadow-none";
p_price.className = "form-control shadow-none";
p_dc_cost.className = "form-control shadow-none";
p_dw_cost.className = "form-control shadow-none";
p_desc.className = "col-12 p-3";
p_title.className = "form-control me-3 shadow-none";

document.getElementById("addImg1").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center
border-danger";
document.getElementById("addImg2").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center
border-danger";
document.getElementById("addImg3").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center
border-danger";
document.getElementById("addImg4").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center
border-danger";
} else if (txt == "success") {
    p_category.className = "form-select shadow-none";
    p_brand.className = "form-select shadow-none";
    p_model.className = "form-select shadow-none";
    p_condition.className = "form-select shadow-none";
    p_colour.className = "form-select shadow-none";
    p_quantity.className = "form-control shadow-none";
    p_size.className = "form-select shadow-none";
    p_price.className = "form-control shadow-none";
    p_dc_cost.className = "form-control shadow-none";
    p_dw_cost.className = "form-control shadow-none";
    p_desc.className = "col-12 p-3";
    p_title.className = "form-control me-3 shadow-none";

    document.getElementById("addImg1").className =
        "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";
    document.getElementById("addImg2").className =
        "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";
    document.getElementById("addImg3").className =
        "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";
    document.getElementById("addImg4").className =
```

```

    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";

    var toastElList = [].slice.call(document.querySelectorAll(".toast"));
    var toastList = toastElList.map(function (toastEl) {
        return new bootstrap.Toast(toastEl);
    });
    document.getElementById("toastCbody").innerText =
        "Your Product Sucessfully Addedd ...";
    toastList.forEach((toast) => toast.show());

    setTimeout(() => {
        window.location.reload();
    }, 2500);
} else {
    alert(txt);
}
};

rq.open("POST", "addProductProcess.php", true);
rq.send(form);
}

```

```

<?php
session_start();
$seller_nic = $_SESSION["seller"]["nic"];

require "connection.php";

if (isset($_POST["size"])) {
    $category = $_POST["ca"];
    $brand = $_POST["b"];
    $model = $_POST["m"];
    $price = $_POST["price"];
    $condition = $_POST["con"];
    $colour = $_POST["clur"];
    $quantity = $_POST["qty"];
    $colombo_cost = $_POST["dwc"];
    $other_cost = $_POST["doc"];
    $desc = $_POST["desc"];
    $title = $_POST["title"];
    $p_size = $_POST["size"];
}

```

```

if (empty($category)) {
    echo ("empty");
} else if (empty($brand)) {
    echo ("empty");
} else if (empty($model)) {
    echo ("empty");
} else if (empty($price)) {
    echo ("empty");
} else if (empty($p_size)) {
    echo ("empty");
} else if (empty($condition)) {
    echo ("empty");
} else if (empty($colour)) {
    echo ("empty");
} else if (empty($quentity)) {
    echo ("empty");
} else if (empty($colombo_cost)) {
    echo ("empty");
} else if (empty($other_cost)) {
    echo ("empty");
} else if (empty($desc)) {
    echo ("empty");
} else {

    $model_has_brand_rs = Database::Search("SELECT * FROM `model_has_brand` WHERE `model_id`='". $model . "' AND `brand_id`='". $brand . "' ");
    $model_has_brand_data = $model_has_brand_rs->fetch_assoc();

    $d = new DateTime();
    $tz = new DateTimeZone("Asia/Colombo");
    $d->setTimezone($tz);
    $date = $d->format("Y-m-d H-i-s");

    $status = 1;

    Database::iud("INSERT INTO `product`(`model_has_brand_id`, `colour_id`, `condition_id`, `title`, `description`, `price`, `qty`, `cost_colombo`, `cost_others`, `category_ca_id`, `Size_id`, `seller_nic`, `status_s_id`, `date_time`) VALUES ('". $model_has_brand_data["m_h_b_id"] . "','" . $colour . "','" . $condition . "','" . $title . "','" . $desc . "','" . $price . "','" . $quentity . "','" . $colombo_cost . "','" . $other_cost . "','" . $category . "','" . $p_size . "','" . $seller_nic . "','" . '1' . "' . $date . "')");

    $product_id = Database::$connection->insert_id;
}

```

```
$length = sizeof($_FILES);

if ($length <= 4 && $length > 0) {

    $allowed_img_extention = array("image/jpg", "image/jpeg",
"image/png", "image/svg+xml");

    for ($x = 0; $x < $length; $x++) {

        if (isset($_FILES["img" . $x])) {

            $img_file = $_FILES["img" . $x];
            $file_extention = $img_file["type"];

            if (in_array($file_extention, $allowed_img_extention)) {

                $new_img_extension;

                if ($file_extention == "image/jpg") {
                    $new_img_extension = ".jpg";
                } else if ($file_extention == "image/jpeg") {
                    $new_img_extension = ".jpeg";
                } else if ($file_extention == "image/png") {
                    $new_img_extension = ".png";
                } else if ($file_extention == "image/svg+xml") {
                    $new_img_extension = ".svg";
                }

                $file_name = "resources//product_img//". $title . "_" .
$x . "_" . uniqid() . $new_img_extension;
                move_uploaded_file($img_file["tmp_name"], $file_name);

                Database::iud(" INSERT INTO `product_images` `p_path`, `product_id` ) VALUES ('" . $file_name . "','" . $product_id . "') ");
            }
        }
        echo("success");
    }else{
        echo("invalid Image Count");
    }
}
} else {
```

```

$category = $_POST["ca"];
$brand = $_POST["b"];
$model = $_POST["m"];
$price = $_POST["price"];
$condition = $_POST["con"];
$colour = $_POST["clur"];
$quantity = $_POST["qty"];
$colombo_cost = $_POST["dwc"];
$other_cost = $_POST["doc"];
$desc = $_POST["desc"];
$title = $_POST["title"];

if (empty($category)) {
    echo ("empty");
} else if (empty($brand)) {
    echo ("empty");
} else if (empty($model)) {
    echo ("empty");
} else if (empty($price)) {
    echo ("empty");
} else if (empty($condition)) {
    echo ("empty");
} else if (empty($colour)) {
    echo ("empty");
} else if (empty($quantity)) {
    echo ("empty");
} else if (empty($colombo_cost)) {
    echo ("empty");
} else if (empty($other_cost)) {
    echo ("empty");
} else if (empty($desc)) {
    echo ("empty");
} else {

    $model_has_brand_rs = Database::Search("SELECT * FROM `model_has_brand` WHERE `model_id`='". $model . "' AND `brand_id`='". $brand . "' ");
    $model_has_brand_data = $model_has_brand_rs->fetch_assoc();

    $d = new DateTime();
    $tz = new DateTimeZone("Asia/Colombo");
    $d->setTimezone($tz);
    $date = $d->format("Y-m-d H-i-s");

    $status = 1;
}

```

```

Database::iud("INSERT INTO `product`
(`model_has_brand_id`, `colour_id`, `condition_id`, `title`, `description`,
`price`, `qty`, `cost_colombo`, `cost_others`, `category_ca_id`, `Size_id`, `seller_nic`,
`status_s_id`, `date_time`, `admin_status`) VALUES
('' . $model_has_brand_data["m_h_b_id"] . "','" . $colour . "','" .
$condition . "','" . $title . "','" . $desc . "','" . $price . "','" . $quentity .
',' . $colombo_cost . "','" . $other_cost . "','" . $category . "','" . '1' . "' .
$seller_nic . "','" . '1' . "','" . $date . "','" . '1' . ")");

$product_id = Database::$connection->insert_id;

$length = sizeof($_FILES);

if ($length <= 4 && $length > 0) {

    $allowed_img_extention = array("image/jpg", "image/jpeg",
"image/png", "image/svg+xml");

    for ($x = 0; $x < $length; $x++) {

        if (isset($_FILES["img" . $x])) {

            $img_file = $_FILES["img" . $x];
            $file_extention = $img_file["type"];

            if (in_array($file_extention, $allowed_img_extention)) {

                $new_img_extension;

                if ($file_extention == "image/jpg") {
                    $new_img_extension = ".jpg";
                } else if ($file_extention == "image/jpeg") {
                    $new_img_extension = ".jpeg";
                } else if ($file_extention == "image/png") {
                    $new_img_extension = ".png";
                } else if ($file_extention == "image/svg+xml") {
                    $new_img_extension = ".svg";
                }


                $file_name = "resources//product_img//". $title . "_" .
$x . "_" . uniqid() . $new_img_extension;
                move_uploaded_file($img_file["tmp_name"], $file_name);

                Database::iud(" INSERT INTO `product_images`(
`p_path`, `product_id`) VALUES ('" . $file_name . "','" . $product_id . "') ");
            }
        }
    }
}

```

```
        }
    }
echo("success");
}else{
    echo("invalid Image Count");
}
}
```

Product Active Deactivate Page



01.

```
<?php

    $p_rs = Database::Search("SELECT * FROM `product` WHERE
`seller_nic` ='" . $s_nic . "' ORDER BY `date_time` DESC");
    $p_num = $p_rs->num_rows;

    if ($p_num == 0) {
        ?>

        <div class="col-12">
            <div class="row text-center">
                <p class="fw-bold fs-3 text-black-50">No Product
Found ????</p>
            </div>
        </div>

        <?php
    } else {
```

```

        for ($i = 0; $i < $p_num; $i++) {
            $p_data = $p_rs->fetch_assoc();

            $p_img_rs = Database::Search("SELECT * FROM
`product_images` WHERE `product_id`='"
. $p_data["id"] . "' ");
            $p_img_data = $p_img_rs->fetch_assoc();

            if ($p_data["admin_status"] == 2) {
                ?>

                    <!-- card -->
                    <div class="card cardHover cursor p-0 shadow-lg
mt-4 mb-2" style="width: 14rem;">

                        <?php

                            if (isset($p_img_data["p_path"])) {
                                ?>
                                    " class="card-img-top" />
                                    <?php
                            } else {
                                ?>
                                    
                                    <?php
                            }

                            if ($p_data["status_s_id"] == 1) {
                                ?>
                                    <div class="col-12 d-flex justify-
content-end">
                                        <div class="form-check form-switch">
                                            <input class="form-check-input
shadow-none" type="checkbox" role="switch" disabled>
                                            </div>
                                        </div>
                                    <?php
                            } else if ($p_data["status_s_id"] == 2) {
                                ?>
                                    <div class="col-12 d-flex justify-
content-end">
                                        <div class="form-check form-switch">

```

```
        <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
            </div>
        </div>
    <?php
    }

    ?>

    <div class="card-body text-center">
        <p class="card-title fs-6 fw-bold"><?php
echo ($p_data["title"]) ?><span class="badge bg-danger">Blocked By
Admin</span></p>

        <div class="col-12 text-success">
            <p>LKR : <b><?php echo
($p_data["price"]) ?></b></p>
        </div>
        <div class="col-12 text-secondary text-end fw-bolder" style="font-size: 12px;">
            <p><?php echo ($p_data["date_time"])
?></p>
        </div>
        </div>
        <!-- card -->

    <?php
    }else{
        ?>

        <!-- card -->
        <div class="card cardHover cursor p-0 shadow-lg
mt-4 mb-2" style="width: 14rem;">

            <?php
                if (isset($p_img_data["p_path"])) {
                    ?>
                    " onclick="updateProduct(<?php echo ($p_data['id'])
?>);" class="card-img-top" />
                    <?php
                } else {
                    ?>
```

```

        );" class="card-img-top"
height="190px" />
        <?php
    }

    if ($p_data["status_s_id"] == 1) {
?
    <div class="col-12 d-flex justify-
content-end">
        <div class="form-check form-switch">
            <input class="form-check-input
shadow-none" type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i)
?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);"
checked>
            </div>
        </div>
    <?php

} else if ($p_data["status_s_id"] == 2) {
?
    <div class="col-12 d-flex justify-
content-end">
        <div class="form-check form-switch">
            <input class="form-check-input
shadow-none" type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i)
?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);"
checked>
            </div>
        </div>
    <?php
}

?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-bold"><?php
echo ($p_data["title"]) ?></p>

    <div class="col-12 text-success">
        <p>LKR : <b><?php echo
($p_data["price"]) ?></b></p>
    </div>
    <div class="col-12 text-secondary text-
end fw-bolder" style="font-size: 12px;">
        <p><?php echo ($p_data["date_time"])
?></p>

```

```

                </div>
            </div>
        </div>
    <!-- card -->

    <?php
    }

}

?


```

```

function ProductActive(number, pid) {
    var active_btn = document.getElementById("activeProduct" + number);
    var active_number;

    if (active_btn.checked) {
        active_number = 1;
    } else {
        active_number = 2;
    }

    var rq = new XMLHttpRequest();

    rq.onreadystatechange = function () {
        if (rq.readyState == 4) {
            var t = rq.responseText;

            if (t == "product Successfully Deactivated") {
                document.getElementById("toastText").innerHTML = t;

                var toastElList = [].slice.call(document.querySelectorAll(".toast"));
                var toastList = toastElList.map(function (toastEl) {
                    return new bootstrap.Toast(toastEl);
                });
                toastList.forEach((toast) => toast.show());
            } else if (t == "product Successfully Activated") {
                document.getElementById("toastText").innerHTML = t;

                var toastElList = [].slice.call(document.querySelectorAll(".toast"));

```

```

var toastList = toastElList.map(function (toastEl) {
    return new bootstrap.Toast(toastEl);
});
toastList.forEach((toast) => toast.show());
} else if (t == "Somthing Went Wrong") {
    window.location.reload();
} else {
    alert(t);
    window.location.reload();
}
};

rq.open(
    "GET",
    "productActiveProcess.php?c=" + active_number + "&id=" + pid,
    true
);
rq.send();
}

```

```

<?php

require "connection.php";

if($_GET["c"] && $_GET["id"]){
    $status = $_GET["c"];
    $pid = $_GET["id"];

$p_rs = Database::Search("SELECT * FROM `product` WHERE `id`='".$pid."'");
$p_data = $p_rs->fetch_assoc();

if($p_data["status_s_id"]== 1){
    Database::iud("UPDATE `product` SET `status_s_id`='".$status."' WHERE
`id`='".$pid."' ");
    echo("product Successfully Deactivated");

}else if ($p_data["status_s_id"]== 2){
    Database::iud("UPDATE `product` SET `status_s_id`='".$status."' WHERE
`id`='".$pid."' ");
    echo("product Successfully Activated");
}

}

```

```

}else{
    echo("Somthing Went Wrong");
}

?>

```

02.

```

<input type="text" class="form-control shadow-none" onkeyup="productMethod();"
placeholder="Select Your Own Activated Or Deactivated Products ..."
id="ad_product_search" />

```

```

function productMethod() {
    var s_bar = document.getElementById("ad_product_search");
    var s_select = document.getElementById("ad_product_method");
    var idntifier;

    if (s_bar.value.length == 0 && s_select.value == 0) {
        window.location.reload();
    } else {
        var f = new FormData();
        if (s_bar.value.length == 0 && s_select.value != 0) {
            f.append("m", s_select.value);
            idntifier = 1;
            f.append("i", idntifier);
        } else if (s_bar.value.length != 0 && s_select.value == 0) {
            f.append("s", s_bar.value);
            idntifier = 2;
            f.append("i", idntifier);
        } else if (s_bar.value.length != 0 && s_select.value != 0) {
            f.append("m", s_select.value);
            f.append("s", s_bar.value);
            idntifier = 3;
            f.append("i", idntifier);
        }
    }

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("showProductCards").innerHTML = t;
        }
    }
}

```

```

        }
    };
    r.open("POST", "activeDeactivePageProcess.php", true);
    r.send(f);
}
}

```

```

<?php
session_start();
require "connection.php";

if (isset($_POST["i"])) {
    $identify = $_POST["i"];

    if ($identify == 1) {

        $status_id = $_POST["m"];
        // $bar = $_POST["s"];

        $p_rs = Database::Search("SELECT * FROM `product` WHERE `status_s_id`='"
        . $status_id . "' AND `seller_nic`='" . $_SESSION["seller"]["nic"] . "' ORDER BY
        `date_time` DESC ");
        $p_num = $p_rs->num_rows;

        if ($p_num == 0) {
    ?>

        <div class="col-12">
            <div class="row text-center">
                <p class="fw-bold fs-3 text-black-50">No Product Found
    ?????</p>
            </div>
        </div>

        <?php
    } else {
        for ($x = 0; $x < $p_num; $x++) {
            $p_data = $p_rs->fetch_assoc();

            $p_img_rs = Database::Search("SELECT * FROM `product_images`"
WHERE `product_id`='"
            . $p_data["id"] . "' ");
            $p_img_data = $p_img_rs->fetch_assoc();
    }
}

```

```
if ($p_data["admin_status"] == 2) {
?>

<!-- card -->
<div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

    <?php

        if (isset($p_img_data["p_path"])) {
    ?>
            <img src=<?php echo ($p_img_data["p_path"]) ?>" class="card-img-top" />
            <?php
        } else {
    ?>
            
            <?php
        }

        if ($p_data["status_s_id"] == 1) {
    ?>
            <div class="col-12 d-flex justify-content-end">
                <div class="form-check form-switch">
                    <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
                </div>
            </div>
            <?php

        } else if ($p_data["status_s_id"] == 2) {
    ?>
            <div class="col-12 d-flex justify-content-end">
                <div class="form-check form-switch">
                    <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
                </div>
            </div>
            <?php
        }

    ?>

    <div class="card-body text-center">
```

```

<p class="card-title fs-6 fw-bold"><?php echo ($p_data["title"]) ?><span class="badge bg-danger">Blocked By Admin</span></p>

<div class="col-12 text-success">
    <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
</div>
<div class="col-12 text-secondary text-end fw-bolder" style="font-size: 12px;">
    <p><?php echo ($p_data["date_time"]) ?></p>
</div>
</div>
<!-- card -->

<?php
} else{
?>

<!-- card -->
<div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2" style="width: 14rem;">

    <?php

        if (isset($p_img_data["p_path"])) {
        ?>
            <img src=<?php echo ($p_img_data["p_path"]) ?>" onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
            <?php
        } else {
        ?>
            );" class="card-img-top" height="190px" />
            <?php
        }

        if ($p_data["status_s_id"] == 1) {
        ?>
            <div class="col-12 d-flex justify-content-end">
                <div class="form-check form-switch">
                    <input class="form-check-input shadow-none" type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>); checked>

```

```

                </div>
            </div>
        <?php

    } else if ($p_data["status_s_id"] == 2) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>"
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);">
                </div>
            </div>
        <?php
    }

    ?>

        <div class="card-body text-center">
            <p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?></p>

            <div class="col-12 text-success">
                <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
            </div>
            <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
                <p><?php echo ($p_data["date_time"]) ?></p>
            </div>
        </div>
        <!-- card -->

        <?php
    }

}

}

} else if ($identify == 2) {
// echo ("bar eka witharai");
$bar = $_POST["s"];

```

```

$p_rs = Database::Search("SELECT * FROM `product` WHERE `title` LIKE '%"
. $bar . '%' AND `seller_nic`=''. $_SESSION["seller"]["nic"] . '' ORDER BY
`date_time` DESC ");
$p_num = $p_rs->num_rows;

if ($p_num == 0) {
?>

<div class="col-12">
    <div class="row text-center">
        <p class="fw-bold fs-3 text-black-50">No Product Found
?????</p>
    </div>
</div>

<?php
} else {
    for ($x = 0; $x < $p_num; $x++) {
        $p_data = $p_rs->fetch_assoc();

        $p_img_rs = Database::Search("SELECT * FROM `product_images`"
WHERE `product_id`=''. $p_data["id"] . '');
        $p_img_data = $p_img_rs->fetch_assoc();

        if ($p_data["admin_status"] == 2) {
?>

            <!-- card -->
            <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

                <?php

                    if (isset($p_img_data["p_path"])) {
?>
                        ">
                    class="card-img-top" />
                    <?php
                    } else {
?>
                        
                    <?php
                    }
                
```

```

        if ($p_data["status_s_id"] == 1) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
            </div>
        </div>
    <?php

} else if ($p_data["status_s_id"] == 2) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
            </div>
        </div>
    <?php
}

?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-bold"><?php echo ($p_data["title"]) ?><span class="badge bg-danger">Blocked By Admin</span></p>

    <div class="col-12 text-success">
        <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
    </div>
    <div class="col-12 text-secondary text-end fw-bolder" style="font-size: 12px;">
        <p><?php echo ($p_data["date_time"]) ?></p>
    </div>
</div>
<!-- card -->

<?php
} else{
    ?>

    <!-- card -->

```

```

        <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

            <?php

                if (isset($p_img_data["p_path"])) {
            ?>
                    <img src=<?php echo ($p_img_data["p_path"]) ?>
onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
                <?php
                } else {
            ?>
                    );" class="card-img-top"
height="190px" />
                <?php
                }

                if ($p_data["status_s_id"] == 1) {
            ?>
                    <div class="col-12 d-flex justify-content-end">
                        <div class="form-check form-switch">
                            <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>">
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);" checked>
                        </div>
                    </div>
                <?php

            } else if ($p_data["status_s_id"] == 2) {
            ?>
                    <div class="col-12 d-flex justify-content-end">
                        <div class="form-check form-switch">
                            <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>">
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);">
                        </div>
                    </div>
                <?php
            }

        ?>

        <div class="card-body text-center">

```

```

<p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?></p>

<div class="col-12 text-success">
    <p>LKR : <b><?php echo ($p_data["price"])
?></b></p>
</div>
<div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
    <p><?php echo ($p_data["date_time"]) ?></p>
</div>
</div>
<!-- card -->

<?php
}
}
}
}

} else if ($identify == 3) {
// echo ("dekama");
$status_id = $_POST["m"];
$bar = $_POST["s"];

$p_rs = Database::Search("SELECT * FROM `product` WHERE `title` LIKE '%" .
$bar . "%' AND `status_s_id`=''" . $status_id . "' AND `seller_nic`=''" .
$_SESSION["seller"]["nic"] . "' ORDER BY `date_time` DESC ");
$p_num = $p_rs->num_rows;

if ($p_num == 0) {
?>

<div class="col-12">
    <div class="row text-center">
        <p class="fw-bold fs-3 text-black-50">No Product Found
?????</p>
    </div>
</div>

<?php
} else {
    for ($x = 0; $x < $p_num; $x++) {
        $p_data = $p_rs->fetch_assoc();

```

```

$p_img_rs = Database::Search("SELECT * FROM `product_images`"
WHERE `product_id`='".$p_data["id"]."');
$p_img_data = $p_img_rs->fetch_assoc();

?>

<!-- card -->
<div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

<?php

if (isset($p_img_data["p_path"])) {
?>
    <img src=<?php echo ($p_img_data["p_path"]) ?>
onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
<?php
} else {
?>
    );" class="card-img-top"
height="190px" />
<?php
}

if ($p_data["status_s_id"] == 1) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>"
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);"
checked>
            </div>
        </div>
    <?php

} else if ($p_data["status_s_id"] == 2) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>"
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);"
            </div>
        </div>
    
```

```

<?php
}

?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?></p>

    <div class="col-12 text-success">
        <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
    </div>
    <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
        <p><?php echo ($p_data["date_time"]) ?></p>
    </div>
    </div>
<!-- card -->

<?php
}
}
}
}

```

03.

```

<select class="form-select shadow-none" id="ad_product_method"
onchange="productMethod();">
    <option value="0">Select Method</option>
    <?php

        $status_rs = Database::Search("SELECT * FROM
`status`");
        $status_num = $status_rs->num_rows;

        for ($x = 0; $x < $status_num; $x++) {
            $status_data = $status_rs->fetch_assoc();

        ?>
            <option value=<?php echo
($status_data["s_id"]) ?>><?php echo ($status_data["s_name"]) ?></option>

```

```
<?php  
}  
  
?  
</select>
```

```
function productMethod() {  
    var s_bar = document.getElementById("ad_product_search");  
    var s_select = document.getElementById("ad_product_method");  
    var idntifier;  
  
    if (s_bar.value.length == 0 && s_select.value == 0) {  
        window.location.reload();  
    } else {  
        var f = new FormData();  
        if (s_bar.value.length == 0 && s_select.value != 0) {  
            f.append("m", s_select.value);  
            idntifier = 1;  
            f.append("i", idntifier);  
        } else if (s_bar.value.length != 0 && s_select.value == 0) {  
            f.append("s", s_bar.value);  
            idntifier = 2;  
            f.append("i", idntifier);  
        } else if (s_bar.value.length != 0 && s_select.value != 0) {  
            f.append("m", s_select.value);  
            f.append("s", s_bar.value);  
            idntifier = 3;  
            f.append("i", idntifier);  
        }  
  
        var r = new XMLHttpRequest();  
        r.onreadystatechange = function () {  
            if (r.readyState == 4) {  
                var t = r.responseText;  
                document.getElementById("showProductCards").innerHTML = t;  
            }  
        };  
        r.open("POST", "activeDeactivePageProcess.php", true);  
        r.send(f);  
    }  
}
```

```
<?php
```

```

session_start();
require "connection.php";

if (isset($_POST["i"])) {
    $identify = $_POST["i"];

    if ($identify == 1) {

        $status_id = $_POST["m"];
        // $bar = $_POST["s"];

        $p_rs = Database::Search("SELECT * FROM `product` WHERE `status_s_id`='"
        . $status_id . "' AND `seller_nic`='"
        . $_SESSION["seller"]["nic"] . "' ORDER BY
        `date_time` DESC ");
        $p_num = $p_rs->num_rows;

        if ($p_num == 0) {
    ?>

        <div class="col-12">
            <div class="row text-center">
                <p class="fw-bold fs-3 text-black-50">No Product Found
    ?????</p>
            </div>
        </div>

        <?php
    } else {
        for ($x = 0; $x < $p_num; $x++) {
            $p_data = $p_rs->fetch_assoc();

            $p_img_rs = Database::Search("SELECT * FROM `product_images`"
            WHERE `product_id`='"
            . $p_data["id"] . "' ");
            $p_img_data = $p_img_rs->fetch_assoc();

            if ($p_data["admin_status"] == 2) {
    ?>

                <!-- card -->
                <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

                    <?php

```

```

        if (isset($p_img_data["p_path"])) {
    ?>
            <img src=<?php echo ($p_img_data["p_path"]) ?>" class="card-img-top" />
            <?php
        } else {
    ?>
            
            <?php
        }

        if ($p_data["status_s_id"] == 1) {
    ?>
            <div class="col-12 d-flex justify-content-end">
                <div class="form-check form-switch">
                    <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
                </div>
            </div>
            <?php
        }

        } else if ($p_data["status_s_id"] == 2) {
    ?>
            <div class="col-12 d-flex justify-content-end">
                <div class="form-check form-switch">
                    <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
                </div>
            </div>
            <?php
        }

    ?>

            <div class="card-body text-center">
                <p class="card-title fs-6 fw-bold"><?php echo ($p_data["title"]) ?><span class="badge bg-danger">Blocked By Admin</span></p>

                <div class="col-12 text-success">
                    <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
                </div>
                <div class="col-12 text-secondary text-end fw-bolder" style="font-size: 12px;">

```

```

                <p><?php echo ($p_data["date_time"]) ?></p>
            </div>
        </div>
    <!-- card -->

<?php
} else{
?>

    <!-- card -->
    <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

        <?php

            if (isset($p_img_data["p_path"])) {
?>
                <img src=<?php echo ($p_img_data["p_path"]) ?>" onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
                <?php
            } else {
?>
                );" class="card-img-top" height="190px" />
                <?php
            }

            if ($p_data["status_s_id"] == 1) {
?>
                <div class="col-12 d-flex justify-content-end">
                    <div class="form-check form-switch">
                        <input class="form-check-input shadow-none" type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);" checked>
                    </div>
                </div>
            <?php

        } else if ($p_data["status_s_id"] == 2) {
?>
            <div class="col-12 d-flex justify-content-end">
                <div class="form-check form-switch">

```

```

                <input class="form-check-input shadow-none"
type="checkbox" role="switch" id="<?php echo ("activeProduct" . $i) ?>"
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);">
            </div>
        </div>
    <?php
    }

    ?>

    <div class="card-body text-center">
        <p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?></p>

        <div class="col-12 text-success">
            <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
        </div>
        <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
            <p><?php echo ($p_data["date_time"]) ?></p>
        </div>
        </div>
        <!-- card -->

    <?php
    }

}

}

} else if ($identify == 2) {
    // echo ("bar eka witharai");
    $bar = $_POST["s"];

    $p_rs = Database::Search("SELECT * FROM `product` WHERE `title` LIKE '%"
. $bar . '%' AND `seller_nic` ='" . $_SESSION["seller"]["nic"] . "' ORDER BY
`date_time` DESC ");
    $p_num = $p_rs->num_rows;

    if ($p_num == 0) {
        ?>

        <div class="col-12">
            <div class="row text-center">

```

```

        <p class="fw-bold fs-3 text-black-50">No Product Found
?????</p>
        </div>
    </div>

    <?php
} else {
    for ($x = 0; $x < $p_num; $x++) {
        $p_data = $p_rs->fetch_assoc();

        $p_img_rs = Database::Search("SELECT * FROM `product_images` WHERE `product_id`=" . $p_data["id"] . " ");
        $p_img_data = $p_img_rs->fetch_assoc();

        if ($p_data["admin_status"] == 2) {
            ?>

            <!-- card -->
            <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

                <?php

                    if (isset($p_img_data["p_path"])) {
                        ?
                        " class="card-img-top" />
                        <?php
                    } else {
                        ?
                        
                        <?php
                    }

                    if ($p_data["status_s_id"] == 1) {
                        ?
                        <div class="col-12 d-flex justify-content-end">
                            <div class="form-check form-switch">
                                <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
                            </div>
                        </div>
                    <?php
                }
        }
    }
}

```

```

        } else if ($p_data["status_s_id"] == 2) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
            </div>
        </div>
        <?php
    }

    ?>

        <div class="card-body text-center">
            <p class="card-title fs-6 fw-bold"><?php echo ($p_data["title"]) ?><span class="badge bg-danger">Blocked By Admin</span></p>

            <div class="col-12 text-success">
                <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
            </div>
            <div class="col-12 text-secondary text-end fw-bolder" style="font-size: 12px;">
                <p><?php echo ($p_data["date_time"]) ?></p>
            </div>
            </div>
        <!-- card -->

        <?php
    }else{
    ?>

        <!-- card -->
        <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2" style="width: 14rem;">

            <?php

                if (isset($p_img_data["p_path"])) {
            ?>
                " onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
                <?php
            } else {

```

```

?>
    );" class="card-img-top"
height="190px" />
<?php
}

if ($p_data["status_s_id"] == 1) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>">
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);" checked>
        </div>
    </div>
<?php

} else if ($p_data["status_s_id"] == 2) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>">
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);">
        </div>
    </div>
<?php
}

?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?></p>

    <div class="col-12 text-success">
        <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
    </div>
    <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
        <p><?php echo ($p_data["date_time"]) ?></p>
    </div>
</div>

```

```

        </div>
        <!-- card -->

        <?php
            }
        }

    }

} else if ($identify == 3) {
    // echo ("dekama");
    $status_id = $_POST["m"];
    $bar = $_POST["s"];

    $p_rs = Database::Search("SELECT * FROM `product` WHERE `title` LIKE '%" .
    $bar . "%' AND `status_s_id`=''" . $status_id . "' AND `seller_nic`=''" .
    $_SESSION["seller"]["nic"] . "' ORDER BY `date_time` DESC ");
    $p_num = $p_rs->num_rows;

    if ($p_num == 0) {
        ?>

        <div class="col-12">
            <div class="row text-center">
                <p class="fw-bold fs-3 text-black-50">No Product Found
        ?????</p>
            </div>
        </div>

        <?php
    } else {
        for ($x = 0; $x < $p_num; $x++) {
            $p_data = $p_rs->fetch_assoc();

            $p_img_rs = Database::Search("SELECT * FROM `product_images`" .
            WHERE `product_id`=''" . $p_data["id"] . "' ");
            $p_img_data = $p_img_rs->fetch_assoc();

        ?>

        <!-- card -->
        <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2" style="width: 14rem;">

        <?php

        if (isset($p_img_data["p_path"])) {

```

```

?>
    "  

onclick="updateProduct(<?php echo ($p_data['id']); ?>);" class="card-img-top" />  

<?php  

} else {  

?>
    );" class="card-img-top"  

height="190px" />  

<?php  

}  
  

if ($p_data["status_s_id"] == 1) {  

?>
    <div class="col-12 d-flex justify-content-end">  

        <div class="form-check form-switch">  

            <input class="form-check-input shadow-none"  

type="checkbox" role="switch" id="<?php echo ("activeProduct" . $i); ?>"  

onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']); ?>);" checked>  

            </div>  

        </div>  

<?php  
  

} else if ($p_data["status_s_id"] == 2) {  

?>
    <div class="col-12 d-flex justify-content-end">  

        <div class="form-check form-switch">  

            <input class="form-check-input shadow-none"  

type="checkbox" role="switch" id="<?php echo ("activeProduct" . $i); ?>"  

onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']); ?>);">  

            </div>  

        </div>  

<?php  

}  
  

?>  
  

<div class="card-body text-center">  

    <p class="card-title fs-6 fw-bold"><?php echo  

($p_data["title"]); ?></p>  
  

    <div class="col-12 text-success">  

        <p>LKR : <b><?php echo ($p_data["price"]); ?></b></p>  

    </div>


```

```
        <div class="col-12 text-secondary text-end fw-bolder"  
style="font-size: 12px;">  
            <p><?php echo ($p_data["date_time"]); ?></p>  
        </div>  
    </div>  
    <!-- card -->  
  
<?php  
    }  
    }  
}>
```

04.

```
<button class="btn btn-dark"  
onclick="window.location = 'searchSellerStore.php'">Manage Products...</button>
```

Seller Report Page



01.

```
<button class="btn btn-dark"
onclick="window.location = 'sellerGenerateReport.php'">Download Report</button>
```

```
<?php
require './dompdf/vendor/autoload.php';

use Dompdf\Dompdf;
use Dompdf\Options;

// Initialize Dompdf with options
$options = new Options();
$options->set('defaultFont', 'Courier');
```

```
$dompdf = new Dompdf($options);

// Load HTML content from file
ob_start();
include 'sellerReport.php';
$html = ob_get_clean();

// Load HTML into Dompdf
$dompdf->loadHtml($html);

// Set paper size and orientation
$dompdf->setPaper('A3', 'portrait');

// Render the PDF
$dompdf->render();

// Output the generated PDF to a file
$output = $dompdf->output();
file_put_contents('reports/sellerInvoice.pdf'.uniqid(), $output);

$dompdf->stream();

// header("Location: adminPanal.php");

?>
```

Update Product Page



Emart.pvt.ltd

Update Or Delete Your Own Products

Take control of your inventory with ease! Update or delete your own products effortlessly. Empower your business with precise management and seamless adjustments. Whether you're refining listings or clearing stock, our platform offers the flexibility and simplicity you need to keep your products in perfect order. Your success, our support.

Product Category :- Mobile Phones **Product Brand :-** Apple **Product Model :-** Iphone X **Delete Product...**

Product Title :- Apple Iphone X Smart Phone

Product Condition :- Brand New **Product Colour :-** Red **Product Quantity :-** 50 **Activate Windows**
Go to Settings to activate Windows.

Product Size :- None **Product Price :-** LKR : 85000.00 **Enter Delivery Cost :-** 1000 1500

Product Description :-
New Red Apple Iphone X Smart Phone

01



Upload Product Images

Notice :- We are taking 5% of the product from price from every product as a service charge

VISA PayPal MasterCard American Express

Update Product Details

02


Emart Pvt Ltd Facilities Contact Us Activate Windows
Go to Settings to activate Windows.

03

01.

```
<button class="btn btn-outline-danger" onclick="viewDeleteModel();">  
Delete Product....</button>
```

```
function viewDeleteModel() {  
    var m = document.getElementById("deleteModel");  
    dm = new bootstrap.Modal(m);  
    dm.show();  
}
```



Cancel Button

```
<button type="button" class="btn btn-dark"  
data-bs-dismiss="modal">Cancel</button>
```

Delete Button

```
<button type="button" class="btn btn-danger"  
onclick="deleteItem('<?php echo($pid) ?>')">Delete</button>
```

```

function deleteItem(id) {
    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "success") {
                dm.hide();
                window.location = "sellerpanel.php";
            }
        }
    };
    r.open("GET", "DeleteSellerProduct.php?id=" + id, true);
    r.send();
}

```

```

<?php
session_start();
$s_nic = $_SESSION["seller"]["nic"];

require "connection.php";

if ($_GET["id"]) {
    $pid = $_GET["id"];

    $p_rs = Database::Search("SELECT * FROM `product` WHERE `id`='". $pid . "'"
AND `seller_nic`='". $s_nic . "' ");
    $p_num = $p_rs->num_rows;

    if ($p_num == 1) {
        $p_data = $p_rs->fetch_assoc();

        $p_img_rs = Database::Search("SELECT * FROM `product_images` WHERE
`product_id`='". $p_data["id"] . "' ");
        $p_img_data = $p_img_rs->fetch_assoc();

        $d = new DateTime();
        $tz = new DateTimeZone("Asia/Colombo");
        $d->setTimezone($tz);
        $date = $d->format("Y-m-d H:i:s");

        Database::iud("INSERT INTO `seller_delete_items`"
(`title`, `description`, `price`, `qty`, `colombo_cost`, `other_cost`, `date_time_added"

```

```

` , `model_has_brand_id` , `colour_clr_id` , `condition_co_id` , `category_ca_id` , `Size_size_id` , `seller_nic` , `product_id` , `img_path` )
VALUES ('" . $p_data["title"] . "','" . $p_data["description"] . "','" .
$p_data["price"] . "','" . $p_data["qty"] . "','" . $p_data["cost_colombo"] .
',' . $p_data["cost_others"] . "','" . $date . "','" .
$p_data["model_has_brand_id"] . "','" . $p_data["colour_id"] . "','" .
$p_data["condition_id"] . "','" . $p_data["category_ca_id"] . "','" .
$p_data["Size_id"] . "','" . $p_data["seller_nic"] . "','" . $pid . "','" .
$p_img_data["p_path"] . "')");
Database:::iud("DELETE FROM `product_images` WHERE `product_id`='".
$p_data["id"] . "' ");
Database:::iud("DELETE FROM `product` WHERE `id`='". $pid . "' AND
`seller_nic`='". $s_nic . "' ");
echo ("success");
}
}

```

02.

```

<div class="col-6 col-lg-4 d-grid">
    <input type="file" id="imgP" class="d-none"
    onclick="updateProductChange();" multiple />
    <label for="imgP" class="btn btn-primary">Upload Product Images</label>
</div>

```

```

function updateProductChange() {
    var img_ch = document.getElementById("imgP");

    img_ch.onchange = function () {
        var file_count = img_ch.files.length;

        if (file_count <= 4) {
            for (var x = 0; x < file_count; x++) {
                var file = this.files[x];
                var url = window.URL.createObjectURL(file);
                document.getElementById("u_img" + x).src = url;
            }
        }
    }
}

```

```
};  
}
```

03.

```
<button class="btn btn-primary"  
onclick="updateProductDetails(<?php echo ($pid) ?>);">Update Product  
Details</button>
```

```
function updateProductDetails(id) {  
    var qty = document.getElementById("p_qty");  
    var dc = document.getElementById("d_cost_colombo");  
    var doc = document.getElementById("d_cost_other");  
    var desc = document.getElementById("p_desc");  
    var title = document.getElementById("p_title");  
  
    var f = new FormData();  
    f.append("q", qty.value);  
    f.append("dc", dc.value);  
    f.append("do", doc.value);  
    f.append("decs", desc.value);  
    f.append("t", title.value);  
    f.append("id", id);  
  
    var imgChooser = document.getElementById("imgP");  
    var file_count = imgChooser.files.length;  
  
    for (var x = 0; x < file_count; x++) {  
        f.append("i" + x, imgChooser.files[x]);  
    }  
  
    var r = new XMLHttpRequest();  
  
    r.onreadystatechange = function () {  
        if (r.readyState == 4) {  
            var t = r.responseText;  
            if (t == "Invalid Image Count") {  
                qty.className = "form-control shadow-none";  
                dc.className = "form-control shadow-none";  
                doc.className = "form-control shadow-none";  
                desc.className = "col-12 p-3 shadow-none";  
                title.className = "form-control shadow-none";
```

```
document.getElementById("img1").className =
    "col-12 col-lg-2 border border-danger border-2 mx-2 d-flex justify-
content-center";
document.getElementById("img2").className =
    "col-12 col-lg-2 border border-danger border-2 mx-2 d-flex justify-
content-center";
document.getElementById("img3").className =
    "col-12 col-lg-2 border border-danger border-2 mx-2 d-flex justify-
content-center";
document.getElementById("img4").className =
    "col-12 col-lg-2 border border-danger border-2 mx-2 d-flex justify-
content-center";
} else if (t == "error") {
    qty.className = "form-control shadow-none is-invalid";
    dc.className = "form-control shadow-none is-invalid";
    doc.className = "form-control shadow-none is-invalid";
    desc.className = "col-12 p-3 shadow-none border-danger";
    title.className = "form-control shadow-none is-invalid";
} else if (t == "success") {
    qty.className = "form-control shadow-none";
    dc.className = "form-control shadow-none";
    doc.className = "form-control shadow-none";
    desc.className = "col-12 p-3 shadow-none";
    title.className = "form-control shadow-none";

document.getElementById("img1").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";
document.getElementById("img2").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";
document.getElementById("img3").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";
document.getElementById("img4").className =
    "col-12 col-lg-2 border border-2 mx-2 d-flex justify-content-center";

var toastElList = [].slice.call(document.querySelectorAll(".toast"));
var toastList = toastElList.map(function (toastEl) {
    return new bootstrap.Toast(toastEl);
});
toastList.forEach((toast) => toast.show());
} else {
    alert(t);
}
};
```

```
r.open("POST", "updateProcess.php", true);
r.send(f);
}
```

```
<?php
session_start();

$seller_nic = $_SESSION["seller"]["nic"];
require "connection.php";

$qty = $_POST["q"];
$d_fee_colombo = $_POST["dc"];
$d_fee_other = $_POST["do"];
$pid = $_POST["id"];
$desc = $_POST["decs"];
$title = $_POST["t"];

if(empty($qty) || empty($d_fee_colombo)){
    echo("error");
}else if( empty($d_fee_other) || empty($desc) || empty($title)){
    echo("error");
}else{

    Database::iud("UPDATE `product` SET `title`='". $title . "' ,
`description`='". $desc . "' ,
`qty`='". $qty . "' ,
`cost_colombo`='". $d_fee_colombo . "' ,
`cost_others`='". $d_fee_other . "' WHERE `id`='". $pid . "' ");

$length = sizeof($_FILES);
$allowed_img_extention = array("image/jpg", "image/jpeg", "image/png",
"image/svg+xml");

if ($length <= 4) {

    Database::iud("DELETE FROM `product_images` WHERE `product_id` ='" . $pid . "' ");

    for ($x = 0; $x < $length; $x++) {
        if (isset($_FILES["i" . $x])) {

            $img_file = $_FILES["i" . $x];
            $file_type = $img_file["type"];

```

```
if (in_array($file_type, $allowed_img_extention)) {

    $new_img_extention;

    if ($file_type == "image/jpg") {
        $new_img_extention = ".jpg";
    } else if ($file_type == "image/jpeg") {
        $new_img_extention = ".jpeg";
    } else if ($file_type == "image/png") {
        $new_img_extention = ".png";
    } else if ($file_type == "image/svg+xml") {
        $new_img_extention = ".svg";
    }

    $file_name = "resources//product_img//". $title . "_" . $x . "_"
. uniqid() . $new_img_extention;
    move_uploaded_file($img_file["tmp_name"], $file_name);

    Database::iud("INSERT INTO `product_images`"
(`p_path`, `product_id`)VALUES('" . $file_name . "','" . $pid . "') ");
}

}

echo("success");
}else{
    echo("Invalid Image Count");
}

}
```

Seller Search Product Page

The screenshot shows a web page for 'Emart.pvt.ltd' with a logo and a search bar. On the left, there's a 'Filter Products' sidebar with dropdowns for 'Search Product', 'By condition' (Brandnew, Used), 'By Category' (Select Category), 'By Brand' (Select Brand), 'By Model' (Select Model), 'By Colour' (Select Colour), 'By Quantity' (Select Quantity), and 'By Price : LKR' (To, From). Below these are 'Cancel' and 'Search' buttons. The main area displays a grid of products. The first row shows three Apple i7 Smart Phone listings and one Apple i7 Smart Phone listing in a box. The second row shows three Apple i7 Smart Phone listings and one Apple iPhone X Smart Phone listing in a box. Arrows labeled 01 and 02 point to the 'Go To Home Page' button and the box icon respectively. Arrows labeled 03 and 04 point to the 'Cancel' and 'Search' buttons. Arrows labeled 05 and 06 point to the '1' icon in the top right corner of the second row.

01

02

03

04

05

06

01.

```
<button class="btn btn-outline-dark" onclick="window.location='sellerpanel.php'">Go To Home Page</button>
```

02.

```
<input class="form-check-input shadow-none" type="checkbox" role="switch"
id=<?php echo ("activeProduct" . $i) ?>" onchange="ProductActive(<?php echo ($i
. ',' . $p_data['id']) ?>);">
```

```
function ProductActive(number, pid) {
    var active_btn = document.getElementById("activeProduct" + number);
    var active_number;

    if (active_btn.checked) {
        active_number = 1;
    } else {
        active_number = 2;
    }

    var rq = new XMLHttpRequest();

    rq.onreadystatechange = function () {
        if (rq.readyState == 4) {
            var t = rq.responseText;

            if (t == "product Successfully Deactivated") {
                document.getElementById("toastText").innerHTML = t;

                var toastElList = [].slice.call(document.querySelectorAll(".toast"));
                var toastList = toastElList.map(function (toastEl) {
                    return new bootstrap.Toast(toastEl);
                });
                toastList.forEach((toast) => toast.show());
            } else if (t == "product Successfully Activated") {
                document.getElementById("toastText").innerHTML = t;

                var toastElList = [].slice.call(document.querySelectorAll(".toast"));
                var toastList = toastElList.map(function (toastEl) {
                    return new bootstrap.Toast(toastEl);
                });
                toastList.forEach((toast) => toast.show());
            } else if (t == "Somthing Went Wrong") {
                window.location.reload();
            } else {
                alert(t);
                window.location.reload();
            }
        }
    }
}
```

```

    }

};

rq.open(
    "GET",
    "productActiveProcess.php?c=" + active_number + "&id=" + pid,
    true
);
rq.send();
}

```

```

<?php

require "connection.php";

if($_GET["c"] && $_GET["id"]){
    $status = $_GET["c"];
    $pid = $_GET["id"];

$p_rs = Database::Search("SELECT * FROM `product` WHERE `id`='".$pid."'");
$p_data = $p_rs->fetch_assoc();

if($p_data["status_s_id"]== 1){
    Database::iud("UPDATE `product` SET `status_s_id`='".$status."' WHERE
`id`='".$pid."' ");
    echo("product Successfully Deactivated");

}else if ($p_data["status_s_id"]== 2){
    Database::iud("UPDATE `product` SET `status_s_id`='".$status."' WHERE
`id`='".$pid."' ");
    echo("product Successfully Activated");
}

}else{
    echo("Somthing Went Wrong");
}

?>

```

03.

```
<button class="btn btn-outline-dark"
onclick="window.location.reload();">Cancel</button>
```

04.

```
<button class="btn btn-primary" onclick="sellerProductfilter(1);">Search</button>
```

```
function sellerProductfilter(x) {
    var bar = document.getElementById("search_bar");
    var c_brandnew = document.getElementById("brandnew");
    var brandnew_condition;

    if (c_brandnew.checked) {
        brandnew_condition = 1;
    } else {
        brandnew_condition = 2;
    }

    var c_used = document.getElementById("used");
    var used_condition;

    if (c_used.checked) {
        used_condition = 1;
    } else {
        used_condition = 2;
    }

    var category = document.getElementById("category");
    var brand = document.getElementById("brand");
    var model = document.getElementById("model");
    var colour = document.getElementById("colour").value;
    var qty = document.getElementById("quentity");
    var priceto = document.getElementById("priceTo");
    var pricefrom = document.getElementById("PriceFrom");

    if(colour == ""){
        colour = 0;
    }

    var f = new FormData();
```

```

f.append("s_bar", bar.value);
f.append("brndnw", brandnew_condition);
f.append("u", used_condition);
f.append("c", category.value);
f.append("b", brand.value);
f.append("m", model.value);
f.append("clur", colour);
f.append("qty", qty.value);
f.append("to", priceto.value);
f.append("from", pricefrom.value);
f.append("page", x);

var r = new XMLHttpRequest();

r.onreadystatechange = function () {
    if (r.readyState == 4) {
        var t = r.responseText;
        document.getElementById("loadProducts").innerHTML = t;
    }
};

r.open("POST", "allFilterMethods.php", true);
r.send(f);
}

```

```

<?php
session_start();
$_SESSION["seller"]["nic"];
require "connection.php";

$search_bar = $_POST["s_bar"];
$c_brandnew = $_POST["brndnw"];
$c_used = $_POST["u"];
$category = $_POST["c"];
$brand = $_POST["b"];
$model = $_POST["m"];
$colour = $_POST["clur"];
$qty = $_POST["qty"];
$price_to = $_POST["to"];
$Price_from = $_POST["from"];
$pageno = $_POST["page"];

$query = "SELECT * FROM `product`";

```

```

$status = 0;

// searchBar
if (!empty($search_bar)) {

    $query .= " WHERE `title` LIKE '%" . $search_bar . "%' ";
    $status = 1;
}
// searchBar

//condition
if ($C_brandnew == 1 && $C_used == 2 && $status == 1) {
    $query .= " AND `condition_id`='1' ";
} else if ($C_brandnew == 1 && $C_used == 2 && $status != 1) {
    $query .= " WHERE `condition_id`='1' ";
    $status = 1;
} else if ($C_brandnew == 2 && $C_used == 1 && $status == 1) {
    $query .= " AND `condition_id`='2' ";
} else if ($C_brandnew == 2 && $C_used == 1 && $status != 1) {
    $query .= " WHERE `condition_id`='2' ";
    $status = 1;
}
//condition

// category
if ($category != 0 && $status == 1) {
    $query .= " AND `category_ca_id`='" . $category . "' ";
} else if ($category != 0 && $status != 1) {
    $query .= " WHERE `category_ca_id`='" . $category . "' ";
    $status = 1;
}
// category

//Brand Has Model

if ($brand != 0 && $model != 0 && $status == 1) {
    $m_H_b_rs = Database::Search("SELECT * FROM `model_has_brand` WHERE
`brand_id`='" . $brand . "' AND `model_id`='" . $model . "' ");
    $m_H_b_data = $m_H_b_rs->fetch_assoc();

    $query .= " AND `model_has_brand_id`='" . $m_H_b_data["id"] . "' ";
} else if ($brand != 0 && $model != 0 && $status != 1) {
    $m_H_b_rs = Database::Search("SELECT * FROM `model_has_brand` WHERE
`brand_id`='" . $brand . "' AND `model_id`='" . $model . "' ");
    $m_H_b_data = $m_H_b_rs->fetch_assoc();
}

```

```

$query .= " WHERE `model_has_brand_id`='". $m_H_b_data["id"] . "' ";
$status = 1;
}
//Brand Has Model

//colour
if ($colour != 0 && $status == 1) {
    $query .= " AND `colour_id`='". $colour . "' ";
} else if ($colour != 0 && $status != 1) {
    $query .= " WHERE `colour_id`='". $colour . "' ";
    $status = 1;
}
//colour

//price

if (!empty($price_to) && empty($Price_from) && $status == 1) {
    $query .= " AND `price` > '". $price_to . "' ";
} else if (!empty($price_to) && empty($Price_from) && $status == 0) {
    $query .= " WHERE `price` > '". $price_to . "' ";
    $status = 1;
} else if (empty($price_to) && !empty($Price_from) && $status == 1) {
    $query .= " AND `price` < '". $Price_from . "' ";
} else if (!empty($price_to) && empty($Price_from) && $status == 0) {
    $query .= " WHERE `price` < '". $Price_from . "' ";
    $status = 1;
} else if (!empty($price_to) && !empty($Price_from) && $status == 1) {
    $query .= " AND `price` BETWEEN '". $price_to . "' AND '". $Price_from . "' ";
} else if (!empty($price_to) && empty($Price_from) && $status == 0) {
    $query .= " WHERE `price` BETWEEN '". $price_to . "' AND '". $Price_from . "' ";
    $status = 1;
}
//price

if($status == 1){
    $query .= " AND `seller_nic`='". $s_nic . "' ";
}else if($status == 0){
    $query .= " WHERE `seller_nic`='". $s_nic . "' ";
    $status = 1;
}

```



```

        <p class="fw-bold fs-3 text-black-50 mb-5">No Product Found
?????</p>
        <div class="col-12"></div>
    </div>

    <?php
} else {
    for ($x = 0; $x < $p_num; $x++) {
        $p_data = $p_rs->fetch_assoc();

        $p_img_rs = Database::Search("SELECT * FROM `product_images`"
WHERE `product_id`=" . $p_data["id"] . " ");
        $p_img_data = $p_img_rs->fetch_assoc();

        if ($p_data["admin_status"] == 2) {
            ?>

            <!-- card -->
            <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

                <?php

                    if (isset($p_img_data["p_path"])) {
                        ?>
                        ">
class="card-img-top" />
                        <?php
                    } else {
                        ?>
                        
                        <?php
                    }

                    if ($p_data["status_s_id"] == 1) {
                        ?>
                        <div class="col-12 d-flex justify-content-end">
                            <div class="form-check form-switch">
                                <input class="form-check-input shadow-none"
type="checkbox" role="switch" disabled>
                            </div>
                        </div>

```

```

<?php

} else if ($p_data["status_s_id"] == 2) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none"
type="checkbox" role="switch" disabled>
                </div>
            </div>
        <?php
    }

?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?><span class="badge bg-danger">Blocked By Admin</span></p>

    <div class="col-12 text-success">
        <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
    </div>
    <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
        <p><?php echo ($p_data["date_time"]) ?></p>
    </div>
    </div>
<!-- card -->

<?php
} else{
?>

<!-- card -->
<div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

    <?php

        if (isset($p_img_data["p_path"])) {
    ?>
        " onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />

```

```

        <?php
    } else {
    ?>
        );" class="card-img-top"
height="190px" />
        <?php
    }

    if ($p_data["status_s_id"] == 1) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none" type="checkbox" role="switch" id="<?php echo ("activeProduct" . $i) ?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);"
checked>
            </div>
        </div>
        <?php

    } else if ($p_data["status_s_id"] == 2) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none" type="checkbox" role="switch" id="<?php echo ("activeProduct" . $i) ?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);"
checked>
            </div>
        </div>
        <?php
    }

    ?>

        <div class="card-body text-center">
            <p class="card-title fs-6 fw-bold"><?php echo ($p_data["title"]) ?></p>

            <div class="col-12 text-success">
                <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
            </div>
            <div class="col-12 text-secondary text-end fw-bolder" style="font-size: 12px;">
                <p><?php echo ($p_data["date_time"]) ?></p>
            
```

```
</div>
</div>
</div>
<!-- card -->

<?php
    }
}
}

?>
</div>
</div>
<?php

?>
<div class="col-12 mt-3 mb-3 d-flex justify-content-center">
    <div class="row text-center">
        <nav aria-label="Page navigation example">
            <ul class="pagination">
                <li class="page-item">
                    <a class="page-link" <?php if ($pageno <= 1) {
                        echo ("#");
                    } else {
                        ?> onclick="sellerProductfilter(<?php
echo ($pageno - 1) ?>);" <?php

                } ?> aria-label="Previous">
                    <span aria-hidden="true" class="cursor">&laquo;</span>
                </a>
            </li>
            <?php

for ($x = 1; $x <= $number_of_pages; $x++) {
    if ($x == $pageno) {
?>
        <li class="page-item active cursor">
            <a class="page-link"
                onclick="sellerProductfilter(<?php echo ($x) ?>);"><?php echo $x; ?></a>
            </li>
            <?php
        } else {
?>
            <li class="page-item cursor">
```

```

                <a class="page-link"
onclick="sellerProductfilter(<?php echo ($x) ?>);"><?php echo $x; ?></a>
                </li>
                <?php
                }
            }

        ?>
<li class="page-item">
    <a class="page-link" <?php if ($pageno >= $number_of_pages) {
                    echo ("#");
                } else {
                    ?> onclick="sellerProductfilter(<?php
echo ($pageno + 1) ?>);"
                } ?> aria-label="Next">
        <span aria-hidden="true" class="cursor">&raquo;</span>
    </a>
</li>
</ul>
</nav>
</div>
</div>

```

05.

```

<a class="page-link" <?php if ($pageno <= 1) {
                    echo ("#");
                } else {
                    ?>
onclick="paginationSearch(<?php echo ($pageno - 1) ?>);"
                } ?> aria-label="Previous">
        <span aria-hidden="true"
class="cursor">&laquo;</span>
    </a>

```

```

function paginationSearch(x) {
    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {

```

```

        var t = r.responseText;
        document.getElementById("loadProducts").innerHTML = t;
    }
};

r.open("GET", "ProductLoadPaginationProcess.php?page=" + x, true);
r.send();
}
}

```

```

<?php
session_start();
$_nic = $_SESSION["seller"]["nic"];

if (isset($_GET["page"])) {

    $pageno = $_GET["page"];


?>

<div class="col-12 mb-2">
    <div class="row mb-2 d-flex justify-content-center gap-2 gap-lg-4 mt-4">

        <?php

        require "connection.php";



            $pd_rs = Database::Search("SELECT * FROM `product` WHERE
`seller_nic`='$_nic'");
            $pd_num = $pd_rs->num_rows;

            $result_per_page = 8;
            $number_of_pages = ceil($pd_num / $result_per_page);

            $page_result = ($pageno - 1) * $result_per_page;

            $p_rs = Database::Search("SELECT * FROM `product` WHERE
`seller_nic`='$nic' LIMIT $result_per_page . " OFFSET " .
$page_result . " ");
            $p_num = $p_rs->num_rows;
}

```

```

for ($i = 0; $i < $p_num; $i++) {
    $p_data = $p_rs->fetch_assoc();

    $p_img_rs = Database::Search("SELECT * FROM `product_images` WHERE `product_id`=" . $p_data["id"] . " ");
    $p_img_data = $p_img_rs->fetch_assoc();

    if ($p_data["admin_status"] == 2) {
        ?>

        <!-- card -->
        <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2" style="width: 14rem;">

            <?php

                if (isset($p_img_data["p_path"])) {
                    ?>
                    " class="card-img-top" />
                    <?php
                } else {
                    ?>
                    
                    <?php
                }

                if ($p_data["status_s_id"] == 1) {
                    ?>
                    <div class="col-12 d-flex justify-content-end">
                        <div class="form-check form-switch">
                            <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
                        </div>
                    </div>
                    <?php
                }

                } else if ($p_data["status_s_id"] == 2) {
                    ?>
                    <div class="col-12 d-flex justify-content-end">
                        <div class="form-check form-switch">
                            <input class="form-check-input shadow-none" type="checkbox" role="switch" disabled>
                        </div>
                
```

```

                </div>
            <?php
        }

    ?>

    <div class="card-body text-center">
        <p class="card-title fs-6 fw-bold"><?php echo ($p_data["title"]) ?><span class="badge bg-danger">Blocked By Admin</span></p>

        <div class="col-12 text-success">
            <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
        </div>
        <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
            <p><?php echo ($p_data["date_time"]) ?></p>
        </div>
        </div>
        <!-- card -->

<?php
} else{
?>

    <!-- card -->
    <div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

        <?php

        if (isset($p_img_data["p_path"])) {
        ?>
            <img src=<?php echo ($p_img_data["p_path"]) ?>
onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
            <?php
        } else {
        ?>
            );" class="card-img-top"
height="190px" />
            <?php
        }

```

```

        if ($p_data["status_s_id"] == 1) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none" type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);" checked>
            </div>
        </div>
    </?php

    } else if ($p_data["status_s_id"] == 2) {
    ?>
        <div class="col-12 d-flex justify-content-end">
            <div class="form-check form-switch">
                <input class="form-check-input shadow-none" type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>" onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);">
            </div>
        </div>
    </?php
    }

    ?>

        <div class="card-body text-center">
            <p class="card-title fs-6 fw-bold"><?php echo ($p_data["title"]) ?></p>

            <div class="col-12 text-success">
                <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
            </div>
            <div class="col-12 text-secondary text-end fw-bolder" style="font-size: 12px;">
                <p><?php echo ($p_data["date_time"]) ?></p>
            </div>
        </div>
        <!-- card -->

    <?php
        }
    }
}

```

```

        ?>
    </div>
</div>

<div class="col-12 mt-3 mb-3 d-flex justify-content-center">
    <div class="row text-center">
        <nav aria-label="Page navigation example">
            <ul class="pagination">
                <li class="page-item">
                    <a class="page-link" <?php if ($pageno <= 1) {>
                        echo ("#");
                    } else {
                        ?>
                    onclick="paginationSearch(<?php echo ($pageno - 1) ?>);" <?php
                        } ?> aria-label="Previous">
                    <span aria-hidden="true"
class="cursor">&lquo;</span>
                    </a>
                </li>
                <?php
                    for ($x = 1; $x <= $number_of_pages; $x++) {
                        if ($x == $pageno) {
                            ?>
                            <li class="page-item active cursor">
                                <a class="page-link"
onclick="paginationSearch(<?php echo ($x) ?>);" ><?php echo $x; ?></a>
                                </li>
                            <?php
                        } else {
                            ?>
                            <li class="page-item cursor">
                                <a class="page-link"
onclick="paginationSearch(<?php echo ($x) ?>);" ><?php echo $x; ?></a>
                                </li>
                            <?php
                        }
                    }
                ?>
                <li class="page-item">
                    <a class="page-link" <?php if ($pageno >=
$number_of_pages) {
                        echo ("#");
                    } ?>
                </li>
            </ul>
        </nav>
    </div>
</div>

```

```

        } else {
        ?>
onclick="paginationSearch(<?php echo ($pageno + 1) ?>);" <?php

                } ?> aria-label="Next">
<span aria-hidden="true"
class="cursor">&raquo;</span>
            </a>
        </li>
    </ul>
</nav>
</div>
</div>

<?php

}

```

06.

```

<a class="page-link" <?php if ($pageno >= $number_of_pages) {
                                echo ("#");
} else {
?>
onclick="paginationSearch(<?php echo ($pageno + 1) ?>);" <?php

                } ?> aria-label="Next">
                <span aria-hidden="true"
class="cursor">&raquo;</span>
            </a>

```

```

function paginationSearch(x) {
    var r = new XMLHttpRequest();

    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("loadProducts").innerHTML = t;
        }
    };
}

```

```
r.open("GET", "ProductLoadPaginationProcess.php?page=" + x, true);
r.send();
}
```

```
<?php
session_start();
$s_nic = $_SESSION["seller"]["nic"];

if (isset($_GET["page"])) {

    $pageno = $_GET["page"];


?>

<div class="col-12 mb-2">
    <div class="row mb-2 d-flex justify-content-center gap-2 gap-lg-4 mt-4">

        <?php

        require "connection.php";


        $pd_rs = Database::Search("SELECT * FROM `product` WHERE
`seller_nic`='" . $s_nic . "' ");
        $pd_num = $pd_rs->num_rows;

        $result_per_page = 8;
        $number_of_pages = ceil($pd_num / $result_per_page);

        $page_result = ($pageno - 1) * $result_per_page;

        $p_rs = Database::Search("SELECT * FROM `product` WHERE
`seller_nic`='" . $s_nic . "' LIMIT " . $result_per_page . " OFFSET " .
$page_result . " ");
        $p_num = $p_rs->num_rows;

        for ($i = 0; $i < $p_num; $i++) {
            $p_data = $p_rs->fetch_assoc();
```

```

$p_img_rs = Database::Search("SELECT * FROM `product_images`"
WHERE `product_id`='".$p_data["id"]."');
$p_img_data = $p_img_rs->fetch_assoc();

if ($p_data["admin_status"] == 2) {
?>

<!-- card -->
<div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

<?php

if (isset($p_img_data["p_path"])) {
?>
    " 
class="card-img-top" />
    <?php
} else {
?>
    
    <?php
}

if ($p_data["status_s_id"] == 1) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none" 
type="checkbox" role="switch" disabled>
        </div>
    </div>
    <?php

} else if ($p_data["status_s_id"] == 2) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none" 
type="checkbox" role="switch" disabled>
        </div>
    </div>
    <?php
}

```

```

?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?><span class="badge bg-danger">Blocked By Admin</span></p>

    <div class="col-12 text-success">
        <p>LKR : <b><?php echo ($p_data["price"]) ?></b></p>
?></div>
    <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
        <p><?php echo ($p_data["date_time"]) ?></p>
    </div>
</div>
<!-- card -->

<?php
} else{
?>

<!-- card -->
<div class="card cardHover cursor p-0 shadow-lg mt-4 mb-2"
style="width: 14rem;">

    <?php

        if (isset($p_img_data["p_path"])) {
?>
            <img src=<?php echo ($p_img_data["p_path"]) ?>
onclick="updateProduct(<?php echo ($p_data['id']) ?>);" class="card-img-top" />
            <?php
        } else {
?>
            );" class="card-img-top"
height="190px" />
            <?php
        }

        if ($p_data["status_s_id"] == 1) {
?>
            <div class="col-12 d-flex justify-content-end">

```

```


<input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);" checked>
    </div>
</div>
<?php

} else if ($p_data["status_s_id"] == 2) {
?>
    <div class="col-12 d-flex justify-content-end">
        <div class="form-check form-switch">
            <input class="form-check-input shadow-none"
type="checkbox" role="switch" id=<?php echo ("activeProduct" . $i) ?>
onchange="ProductActive(<?php echo ($i . ',' . $p_data['id']) ?>);">
            </div>
        </div>
    <?php
}

?>

<div class="card-body text-center">
    <p class="card-title fs-6 fw-bold"><?php echo
($p_data["title"]) ?></p>

    <div class="col-12 text-success">
        <p>LKR : <b><?php echo ($p_data["price"])
?></b></p>
    </div>
    <div class="col-12 text-secondary text-end fw-bolder"
style="font-size: 12px;">
        <p><?php echo ($p_data["date_time"]) ?></p>
    </div>
    </div>
    <!-- card -->

    <?php
    }
}

?>
</div>
</div>


```

```
<div class="col-12 mt-3 mb-3 d-flex justify-content-center">
    <div class="row text-center">
        <nav aria-label="Page navigation example">
            <ul class="pagination">
                <li class="page-item">
                    <a class="page-link" <?php if ($pageno <= 1) {>
                        echo ("#");
                    } else {
                        ?>
                    onclick="paginationSearch(<?php echo ($pageno - 1) ?>);" <?php
                        } ?> aria-label="Previous">
                    <span aria-hidden="true"
class="cursor">&lquo;</span>
                    </a>
                </li>
                <?php
                    for ($x = 1; $x <= $number_of_pages; $x++) {
                        if ($x == $pageno) {
                            ?>
                            <li class="page-item active cursor">
                                <a class="page-link"
onclick="paginationSearch(<?php echo ($x) ?>);"><?php echo $x; ?></a>
                                </li>
                            <?php
                        } else {
                            ?>
                            <li class="page-item cursor">
                                <a class="page-link"
onclick="paginationSearch(<?php echo ($x) ?>);"><?php echo $x; ?></a>
                                </li>
                            <?php
                        }
                    }
                ?>
                <li class="page-item">
                    <a class="page-link" <?php if ($pageno >=
$number_of_pages) {
                        echo ("#");
                    } else {
                        ?>
                    onclick="paginationSearch(<?php echo ($pageno + 1) ?>);" <?php
```

```
        } ?> aria-label="Next">
      <span aria-hidden="true"
class="cursor">&raquo;</span>
      </a>
    </li>
  </ul>
</nav>
</div>
</div>

<?php

}
```

Admin Home Page



01.

```
<a href="adminSellerRequest.php" class="aclass">Seller Request ...</a>
```

02.

```
<a href="adminsellingHisttory.php" class="aclass">Selling History ...</a>
```

03.

```
<a href="adminManageSellers.php" class="aclass">Manage Sellers ...</a>
```

04.

```
<a href="adminManageCategories.php" class="aclass">Manage Categories ...</a>
```

05.

```
<a href="adminManageProducts.php" class="aclass">Manage Products ...</a>
```

06.

```
<a href="adminManageUsers.php" class="aclass">Manage Users ...</a>
```

07.

```
<a href="generateAdminPDF.php" class="btn btn-dark">Download PDF</a>
```

```
<?php
require './dompdf/vendor/autoload.php';

use Dompdf\Dompdf;
use Dompdf\Options;

// Initialize Dompdf with options
$options = new Options();
$options->set('defaultFont', 'Courier');
$dompdf = new Dompdf($options);

// Load HTML content from file
ob_start();
include 'adminReport.php';
$html = ob_get_clean();

// Load HTML into Dompdf
$dompdf->loadHtml($html);
```

```
// Set paper size and orientation
$dompdf->setPaper('A3', 'portrait');

// Render the PDF
$dompdf->render();

// Output the generated PDF to a file
$output = $dompdf->output();
file_put_contents('reports/adminInvoice.pdf'.uniqid(), $output);

$dompdf->stream();

// header("Location: adminPanal.php");

?>
```

Manage User Page

The screenshot shows a user management interface. At the top, there's a header with the E-mart logo and a message "Emart Start At Since ([Y]1 - [M]8 - [D]15) 8 : 25 : 14 Ago.". Below the header is a search bar with placeholder text "Enter Mobile Number Or Email ...". To the right of the search bar is a dropdown menu labeled "Select Method" and a "Search" button. A modal window titled "Manage Users" is open, displaying a table with one row of data:

#	First Name	Last Name	Email	Mobile No	Gender	Action
1	sanuth	nenuka	sanuth@gmail.com	0769898173	Male	Block

Below the table, four numbered callout boxes point to specific elements: 01 points to the "Email" column, 02 points to the "Mobile No" column, 03 points to the "Gender" column, and 04 points to the "Block" button. At the bottom right of the page, there's a message "Activate Windows Go to Settings to activate Windows.".

01.

```
<td class="bg-info text-white" style="cursor: pointer;" onclick="ShowFullUserDetails('<?php echo ($user_data['email']) ?>');"><?php echo ($user_data["email"]) ?></td>
```

```
function ShowFullUserDetails(email) {
    var m = document.getElementById("uerModel" + email);
    um = new bootstrap.Modal(m);
    um.show();
}
```

The screenshot shows the same user management interface as before, but now a modal window is open over the "Manage Users" table. The modal has a title "sanuth nenuka" and contains a large circular placeholder image. Below the image, the user's details are listed:

- First Name : sanuth
- Last Name : nenuka
- Email : sanuth@gmail.com
- Mobile No : 0769898173
- Gender : Male
- City : Gampaha
- Address Line 01 : Gampaha, Sri Lanka
- Address Line 02 : Gampaha, Sri Lanka
- Joined Date : 2024-06-25 18:52:25

At the bottom of the modal, there's a link "User Account ...". The background of the page shows the "Manage Users" table with one row of data, and the "Block" button is highlighted with a red box and an arrow pointing to it from the "04" callout box in the first screenshot.

02.

```
<div class="input-group mb-3">
    <input type="text" class="form-control"
placeholder="Enter Mobile Number Or Email ...." id="u_MobileEmail"
onkeyup="SearchAdminUsers(<?php echo($status) ?>);">
    <button class="btn btn-dark" type="button"
onclick="SearchAdminUsers(<?php echo($status) ?>);">Search</button>
</div>
```

```
function SearchAdminUsers(status) {
    var email = document.getElementById("u_MobileEmail");

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("UserdataRows").innerHTML = t;
        }
    };
    r.open("GET", "adminSearchUsers.php?e=" + email.value + "&s=" + status, true);
    r.send();
}
```

```
<?php
require "connection.php";

if (isset($_GET["e"]) && isset($_GET["s"])) {
    $email = $_GET["e"];
    $status = $_GET["s"];

    $query = "SELECT * FROM `user` WHERE `email` LIKE '%" . $email . "%' ";

    if ($status == 2) {
        $query .= " AND `status`='2' ";
    } else if ($status == 3) {
        $query .= " AND `status`='1' ";
    }

    $user_rs = Database::Search($query);
    $user_num = $user_rs->num_rows;
```

```

if ($user_num != 0) {

    for ($x = 0; $x < $user_num; $x++) {
        $user_data = $user_rs->fetch_assoc();

        $gender = Database::Search("SELECT * FROM `gender` WHERE `id`='"
        . $user_data["gender_id"] . "' ");
        $gender_data = $gender->fetch_assoc();

        $city = "-----";
        $line1 = "-----";
        $line2 = "-----";

        $address_rs = Database::Search("SELECT * FROM `user_has_address`"
        WHERE `user_email`='"
        . $user_data["email"] . "' ");
        $address_num = $address_rs->num_rows;

        if ($address_num != 0) {
            $address_data = $address_rs->fetch_assoc();
            $line1 = $address_data["line_1"];
            $line2 = $address_data["line_2"];

            $city_rs = Database::Search("SELECT * FROM `city` WHERE
`ci_id`='"
        . $address_data["city_id"] . "' ");
            $city_data = $city_rs->fetch_assoc();
            $city = $city_data["ci_name"];
        }
    }

?>
<tr>
    <th scope="row" class="bg-secondary text-white"><?php echo ($x +
1); ?></th>
    <td class="bg-info text-white"><?php echo ($user_data["fname"])
?></td>
    <td class="bg-secondary text-white"><?php echo
($user_data["lname"]) ?></td>
    <td class="bg-info text-white"
onclick="ShowFullUserDetails('<?php echo ($user_data['email']) ?>');"><?php echo
($user_data["email"]) ?></td>
    <td class="bg-secondary text-white"><?php echo
($user_data["mobile"]) ?></td>
    <td class="bg-info text-white"><?php echo ($gender_data["type"])
?></td>
    <td class="bg-info text-white text-center"><?php

```

```

        if
($user_data["status"] == 1) {
    ?>
        <button class="btn btn-danger" id="b&Ubtn<?php echo
($user_data["email"]) ?>" onclick="block_Unblock_Users('<?php echo
($user_data['email']) ?>');">Block</button>
        <?php
    } else if
($user_data["status"] == 2) {
    ?>
        <button class="btn btn-success" id="b&Ubtn<?php echo
($user_data["email"]) ?>" onclick="block_Unblock_Users('<?php echo
($user_data['email']) ?>');">Unblock</button>
        <?php
    }
    ?>
</td>
</tr>

<!-- user_Model -->

<div class="modal" tabindex="-1" id="uerModel<?php echo
($user_data["email"]) ?>">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"><?php echo
($user_data["fname"] . " " . $user_data["lname"]) ?></h5>
                <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body">
                <div class="col-12 text-center mb-2">
                    <?php
                    $img = "resources/noImage.jpg";
                    $image_rs = Database::Search("SELECT * FROM
`profile_image` WHERE `user_email`='". $user_data["email"] . "' ");
                    $image_num = $image_rs->num_rows;
                    if ($image_num != 0) {
                        $image_data = $image_rs->fetch_assoc();
                        $img = $image_data["user_profile_path"];
                    }
                </div>
            </div>
        </div>
    </div>

```

```

        ?>
        
    </div>

    <div class="col-12">
        <div class="row">

            <div class="col-12">
                <p class="m-0"><span class="fw-
bold">First Name : </span><?php echo ($user_data["fname"]) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-bold">Last
Name : </span><?php echo ($user_data["lname"]) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-
bold">Email : </span><?php echo ($user_data["email"]) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-
bold">Mobile No : </span><?php echo ($user_data["mobile"]) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-
bold">Gender : </span><?php echo ($gender_data["type"]) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-bold">City
: </span><?php echo ($city) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-
bold">Addres Line 01 : </span><?php echo ($line1) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-
bold">Addres Line 02 : </span><?php echo ($line2) ?></p>
            </div>
            <div class="col-12">
                <p class="m-0"><span class="fw-
bold">Joined Date : </span><?php echo ($user_data["joined_date"]) ?></p>
            </div>

```

```

        </div>
    </div>

    </div>
    <div class="modal-footer">
        <div class="col-12 text-end">
            <p class="fw-bold text-black-50">User Account
....</p>
        </div>
    </div>
    </div>
</div>

<!-- user_Model -->

<?php

    }

}

?>
```

03.

```

<select class="form-select shadow-none" onchange="redirectAdminUser();"
id="pageValue">

    <?php
    if ($status == 1) {
    ?>
        <option value="1" selected>Select
Method</option>
        <option value="2">Block
Users</option>
        <option value="3">Unblock
Users</option>
    <?php
    } else if ($status == 2) {
    ?>
        <option value="1">Select
Method</option>
```

```

                <option value="2" selected>Block
Users</option>
                <option value="3">Unblock
Users</option>
<?php
} else if ($status == 3) {
?>
                <option value="1">Select
Method</option>
                <option value="2">Block
Users</option>
                <option value="3" selected>Unblock
Users</option>
<?php
}
?>

</select>

```

```

function redirectAdminUser() {
    var select = document.getElementById("pageValue");

    if (select.value == 2 || select.value == 3) {
        window.location = "adminManageUsers.php?s=" + select.value;
    }
}

```

04.

```

<td class="bg-secondary text-white text-center"><?php

if ($user_data["status"] == 1) {

?>
                <button class="btn btn-
danger" id="b&Ubtn<?php echo ($user_data["email"]) ?>" onclick="block_Unblock_Users('<?php echo ($user_data['email']) ?>');">Block</button>
                <?php

} else if ($user_data["status"] == 2) {
?>

```

```

        <button class="btn btn-success" id="b&Ubtn<?php echo ($user_data["email"]); ?>"  

        onclick="block_Unblock_Users('<?php echo ($user_data['email']); ?>');">Unblock</button>  

        <?php  

    }  

    ?>  

</td>

```

```

function block_Unblock_Users(email) {  

    var r = new XMLHttpRequest();  

    r.onreadystatechange = function () {  

        if (r.readyState == 4) {  

            var t = r.responseText;  

            if (t == "Deactivated") {  

                document.getElementById("b&Ubtn" + email).className = "btn btn-success";  

                document.getElementById("b&Ubtn" + email).innerHTML = "Unblock";  

            } else if (t == "Activated") {  

                document.getElementById("b&Ubtn" + email).className = "btn btn-danger";  

                document.getElementById("b&Ubtn" + email).innerHTML = "Block";  

            }
        }
    };
};  

    r.open("GET", "userBlockUnblockProcess.php?e=" + email, true);  

    r.send();
}

```

```

<?php  

require "connection.php";  

if(isset($_GET["e"])){
    $email = $_GET["e"];  

    $user_rs = Database::Search("SELECT * FROM `user` WHERE `email`='".$email."'");  

    $user_data = $user_rs->fetch_assoc();  

    if($user_data["status"] == 1){
        Database::iud("UPDATE `user` SET `status`='2' WHERE `email`='".$email."'");  

        echo("Deactivated");
    }
}

```

```
    }else if($user_data["status"] == 2){
        Database::iud("UPDATE `user` SET `status`='1' WHERE `email`='".$email."'"
    );
        echo("Activated");
    }

}

?>
```

Manage Product Page

The screenshot shows a product management interface for E-mart. At the top, there's a header with the E-mart logo and a message "Emart Start At Since ([Y]1 - [M]8 - [D]15) 8 : 32 : 8 Ago.". Below the header is a search bar with the placeholder "Enter Product Id ...". A dropdown menu labeled "Select Method" is open, and a "Search" button is to its right.

Product Id	product image	Title	Category	Brand	Model	price LKR	Action
37		Apple Ipho ...	Mobile Phones	Apple	Iphone X	85000	<button>Block</button>
30		Apple i7 S ...	Mobile Phones	Apple	i7	50000	<button>Block</button>
31		Apple i7 S ...	Mobile Phones	Apple	i7	50000	<button>Block</button>
32		Apple i7 S ...	Mobile Phones	Apple	i7	45000	<button>Block</button>
33		Apple i7 S ...	Mobile Phones	Apple	i7	48000	<button>Block</button>
34		Apple i7 S ...	Mobile Phones	Apple	i7	48000	<button>Block</button>

A modal window is open for the product with Product Id 37, titled "Apple iPhone X Smart Phone". It displays several images of the phone and its accessories. Below the images, the product details are listed:

- Title : Apple iPhone X Smart Phone
- Condition : Brand New
- Category : Mobile Phones
- Brand : Apple
- Model : Iphone X
- Price : 85000

At the bottom of the modal, there's a link "Activate Windows" with the sub-instruction "Go to Settings to activate Windows."

Below the table, four numbered buttons are displayed:

- 01 (points to the first product thumbnail)
- 02 (points to the search bar)
- 03 (points to the "Select Method" dropdown)
- 04 (points to the "Search" button)

01.

```
);" class="rounded-circle" height="50px">
```

```
function veiwFullProductDetails(id) {
    var product_m = document.getElementById("ProductModel" + id);
    pm = new bootstrap.Modal(product_m);
    pm.show();
}
```

This screenshot shows the same product management interface as the previous one, but with a different product selected. The modal window now displays the details for the product with Product Id 37, which is an "Apple iPhone X Smart Phone". The modal includes a large image of the phone, its packaging, and a small decorative item. Below the images, the product details are listed:

- Title : Apple iPhone X Smart Phone
- Condition : Brand New
- Category : Mobile Phones
- Brand : Apple
- Model : Iphone X
- Price : 85000

The rest of the interface remains the same, showing the list of products and the search/filtering controls.

02.

```
<select class="form-select shadow-none" id="selectPproductStatus"
onchange="redirectProducts();">
    <?php
    if ($status == 1) {
    ?>
        <option value="1" selected>Select
Method</option>
        <option value="2">Block
Products</option>
        <option value="3">Unblock
Products</option>
    <?php
    } else if ($status == 2) {
    ?>
        <option value="1">Select
Method</option>
        <option value="2" selected>Block
Products</option>
        <option value="3">Unblock
Products</option>
    <?php
    } else if ($status == 3) {
    ?>
        <option value="1">Select
Method</option>
        <option value="2">Block
Products</option>
        <option value="3" selected>Unblock
Products</option>
    <?php
    }
    ?>
</select>
```

```
function redirectProducts() {
    var select = document.getElementById("selectPproductStatus");

    if (select.value == 2 || select.value == 3) {
        window.location = "adminManageProducts.php?s=" + select.value;
    }
}
```

03.

```
<div class="input-group mb-3">
    <input type="text" class="form-control"
placeholder="Enter Product Id ...." id="searchProductAdmin"
onkeyup="SearchAdminproduct(<?php echo ($status) ?>);"
    <button class="btn btn-dark" type="button"
onclick="SearchAdminproduct(<?php echo ($status) ?>);">Search</button>
</div>
```

```
function SearchAdminproduct(status) {
    var id = document.getElementById("searchProductAdmin");

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("ProductSearchveiw").innerHTML = t;
        }
    };
    r.open("GET", "adminSearchProducts.php?i=" + id.value + "&s=" + status, true);
    r.send();
}
```

```
<?php
require "connection.php";

if (isset($_GET["i"]) && isset($_GET["s"])) {
    $pid = $_GET["i"];
    $status = $_GET["s"];

    $query = "SELECT * FROM `product`
INNER JOIN `category` ON `product`.`category_ca_id`=`category`.`ca_id`
INNER JOIN `model_has_brand` ON
`product`.`model_has_brand_id`=`model_has_brand`.`m_h_b_id`
INNER JOIN `brand` ON `model_has_brand`.`brand_id`=`brand`.`b_id`
INNER JOIN `model` ON `model_has_brand`.`model_id`=`model`.`m_id`
INNER JOIN `condition` ON `product`.`condition_id`=`condition`.`co_id`
WHERE `id` LIKE '%".$pid."%' OR `title` LIKE '%".$pid."%'";
    if ($status == 2) {
```

```

$query .= " AND `admin_status`='2' ";
} else if ($status == 3) {
    $query .= " AND `admin_status`='1' ";
}

$product_rs = Database::Search($query);
$product_num = $product_rs->num_rows;

if ($product_num != 0) {

    for ($x = 0; $x < $product_num; $x++) {
        $product_data = $product_rs->fetch_assoc();

    ?>
        <tr>
            <td class="bg-info text-white"><?php echo ($product_data["id"])
?></td>
            <td class="bg-secondary text-white text-center">
                <?php
                    $img[0] = "resources/noImage.jpg";
                    $img[1] = "resources/noImage.jpg";
                    $img[2] = "resources/noImage.jpg";
                    $img[3] = "resources/noImage.jpg";

                    $image_rs = Database::Search("SELECT * FROM `product_images`
WHERE `product_id`='" . $product_data["id"] . "' ");
                    $image_num = $image_rs->num_rows;

                    if ($image_num != 0) {
                        for ($i = 0; $i < $image_num; $i++) {
                            $image_data = $image_rs->fetch_assoc();
                            $img[$i] = $image_data["p_path"];
                        }
                    }

                ?>
                );"
class="rounded-circle" height="50px">
            </td>
            <td class="bg-info text-white"><?php
                $t =
str_split($product_data["title"], 10);
                echo ($t[0] . " ...");
?></td>

```

```

        <td class="bg-secondary text-white"><?php echo
($product_data["ca_name"]) ?></td>
        <td class="bg-info text-white"><?php echo
($product_data["b_name"]) ?></td>
        <td class="bg-secondary text-white"><?php echo
($product_data["m_name"]) ?></td>
        <td class="bg-info text-white"><?php echo
($product_data["price"]) ?></td>
        <td class="bg-secondary text-white text-center"><?php
if
($product_data["admin_status"] == 1) {
    ?>
        <button class="btn btn-danger" id="Productb&Ubtn<?php
echo ($product_data["id"]) ?>" onclick="block_Unblock_Product('<?php echo
($product_data['id']) ?>');">Block</button>
        <?php
    } else if
($product_data["admin_status"] == 2) {
    ?>
        <button class="btn btn-success" id="Productb&Ubtn<?php
echo ($product_data["id"]) ?>" onclick="block_Unblock_Product('<?php echo
($product_data['id']) ?>');">Unblock</button>
        <?php
    }
    ?>
</td>
</tr>

<!-- user_Model -->

<div class="modal" tabindex="-1" id="ProductModel<?php echo
($product_data["id"]) ?>">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"><?php echo
($product_data["title"]) ?></h5>
                <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>
            <div class="modal-body">
                <div class="col-12 text-center mb-2">
                    <div class="row">
                        <div class="col-6 text-center"><img
src=<?php echo ($img[0]) ?>" width="90%"></div>

```

```
<div class="col-6 text-center"></div>  
<div class="col-6 text-center"></div>  
<div class="col-6 text-center"></div>  
</div>  
  
<div class="col-12" style="height: 20vh;">  
<div class="row overflow-auto">  
  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Title : </span><?php echo ($product_data["title"]) ?></p>  
    </div>  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Condition : </span><?php echo ($product_data["co_name"]) ?></p>  
    </div>  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Category : </span><?php echo ($product_data["ca_name"]) ?></p>  
    </div>  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Brand : </span><?php echo ($product_data["b_name"]) ?></p>  
    </div>  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Model : </span><?php echo ($product_data["m_name"]) ?></p>  
    </div>  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Price : </span><?php echo ($product_data["price"]) ?></p>  
    </div>  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Delivary Fee Colombo LKR : </span><?php echo  
    ($product_data["cost_colombo"]) ?></p>  
    </div>  
<div class="col-12">  
    <p class="m-0"><span class="fw-bold">Delivary Fee Other LKR : </span><?php echo ($product_data["cost_others"])?></p>
```

```

                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Seller Nic No : </span><?php echo ($product_data["seller_nic"]) ?></p>
                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Publish Date : </span><?php echo ($product_data["date_time"]) ?></p>
                </div>

            </div>
        </div>
    </div>
<!-- user_Model -->
<?php

    }

}

}

```

04.

```

<td class="bg-secondary text-white text-center"><?php

    if ($product_data["admin_status"] == 1) {

        ?>
                    <button class="btn btn-
danger" id="Productb&Ubtn<?php echo ($product_data["id"]) ?>" onclick="block_Unblock_Product('<?php echo ($product_data['id']) ?>');">Block</button>
                    <?php

    } else if ($product_data["admin_status"] == 2) {
        ?>
                    <button class="btn btn-
success" id="Productb&Ubtn<?php echo ($product_data["id"]) ?>">

```

```

onclick="block_Unblock_Product('<?php echo ($product_data['id'])
?>');" >Unblock</button>
<?php

}

?>
</td>

```

```

function block_Unblock_Product(id) {
    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "Deactivated") {
                document.getElementById("Productb&Ubtn" + id).className =
                    "btn btn-success";
                document.getElementById("Productb&Ubtn" + id).innerHTML = "Unblock";
            } else if (t == "Activated") {
                document.getElementById("Productb&Ubtn" + id).className =
                    "btn btn-danger";
                document.getElementById("Productb&Ubtn" + id).innerHTML = "Block";
            }
        }
    }
};

r.open("GET", "ProductBlockUnblockProcess.php?i=" + id, true);
r.send();
}

```

```

<?php
require "connection.php";

if(isset($_GET["i"])){
    $id = $_GET["i"];

    $product_rs = Database::Search("SELECT * FROM `product` WHERE `id`='".$id."' ");
    $product_data = $product_rs->fetch_assoc();

    if($product_data["admin_status"] == 1){
        Database::iud("UPDATE `product` SET `admin_status`='2' WHERE
`id`='".$id."' ");
        echo("Deactivated");
    }
}

```

```
 }else if($product_data["admin_status"] == 2){
    Database::iud("UPDATE `product` SET `admin_status`='1' WHERE
`id`='".$id."' ");
    echo("Activated");

}

?>
```

Manage Category Page

Category Type

Category Type Id	Category Type Name	Category Id	Category Name
1	Electronics	13	Mobile Phones
1	Electronics	14	Tablets
1	Electronics	15	Cameras
1	Electronics	16	Smart Watches
1	Electronics	25	TV
2	Apparels	17	Frocks
2	Apparels	18	Shorts

Model

Brand Id	Brand Name	Model Id	Model Name
15	Apple	16	i7
15	Apple	17	iPhone X

01 02 03 04 05

01.

```
<button class="btn btn-outline-dark" type="button" id="button-addon1" onclick="addCategoryType()"+ Add</button>
```

```
function addCategoryType() {
    var ct_name = document.getElementById("ctId").value;

    var form = new FormData();
    form.append("ct", ct_name);

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var response = r.responseText;

            if (response == 1) {
                document.getElementById("toastCbody").innerHTML =
                    "Category Type Successfully Added";
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
            }
        }
    }
}
```

```

        toast.show();
        setTimeout(() => {
            window.location.reload();
        }, 2000);
    } else if (response == 2) {
        document.getElementById("toastCbody").innerHTML =
            "Category Type Already Exist";
        const toastLiveExample = document.getElementById("liveToast");
        const toast = new bootstrap.Toast(toastLiveExample);
        toast.show();
        setTimeout(() => {
            window.location.reload();
        }, 2000);
    } else {
        document.getElementById("toastCbody").innerHTML = response;
        const toastLiveExample = document.getElementById("liveToast");
        const toast = new bootstrap.Toast(toastLiveExample);
        toast.show();
        setTimeout(() => {
            window.location.reload();
        }, 2000);
    }
}

};

r.open("POST", "addCategoryType.php", true);
r.send(form);
}

```

```

<?php
require "connection.php";

if (isset($_POST["ct"]) && !empty($_POST["ct"])) {
    $txt = $_POST["ct"];
    $ct_rs = Database::Search("SELECT * FROM `category_type` WHERE
`type_of_category` LIKE '%" . $txt . "%'");
    $ct_num = $ct_rs->num_rows;

    if ($ct_num == 0) {
        Database::iud("INSERT INTO `category_type`(`type_of_category`) VALUES ('"
. $txt . "')");
        echo ("1");
    } else {
        echo ("2");
    }
}

```

```
    }
} else {
    echo ("Please Enter Category Type");
}
```

02.

```
<button class="btn btn-outline-dark" type="button" id="button-addon2"
onclick="addCategory()">+ Connection</button>
```

```
function addCategory() {
    var ct_name = document.getElementById("selectCategoryType").value;
    var c_name = document.getElementById("cId").value;

    var form = new FormData();
    form.append("c", c_name);
    form.append("ct", ct_name);

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var response = r.responseText;

            if (response == 1) {
                document.getElementById("toastCbody").innerHTML =
                    "Category Successfully Added";
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
                toast.show();
                setTimeout(() => {
                    window.location.reload();
                }, 2000);
            } else if (response == 2) {
                document.getElementById("toastCbody").innerHTML =
                    "Category Already Exist";
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
                toast.show();
                setTimeout(() => {
                    window.location.reload();
                }, 2000);
            }
        }
    }
}
```

```

    } else {
        document.getElementById("toastCbody").innerHTML = response;
        const toastLiveExample = document.getElementById("liveToast");
        const toast = new bootstrap.Toast(toastLiveExample);
        toast.show();
        setTimeout(() => {
            window.location.reload();
        }, 2000);
    }
};

r.open("POST", "addCategory.php", true);
r.send(form);
}

```

```

<?php
require "connection.php";
if(isset($_POST["c"])&& empty($_POST["c"])){
    echo("Please Enter Category Name");

}else if(isset($_POST["ct"]) && $_POST["ct"] == 0){
echo("Please Select Category Type");

}else{

    $c_txt = $_POST["c"];
    $ct_id = $_POST["ct"];
    $ct_rs = Database::Search("SELECT * FROM `category` WHERE `ca_name` LIKE '%"
. $c_txt . "%" AND `category_type_category_tid`='".$ct_id."'");
    $ct_num = $ct_rs->num_rows;

    if($ct_num == 0){
        Database::iud("INSERT INTO
`category`(`ca_name`, `category_type_category_tid`) VALUES
('".$c_txt."','".$.$ct_id."')");
        echo("1");

    }else{
        echo("2");
    }
}

```

03.

```
<button class="btn btn-outline-dark" type="button" id="button-addon2"
onclick="addBrand()">>+ Add</button>
```

```
function addBrand() {
    var b_name = document.getElementById("bId").value;

    var form = new FormData();
    form.append("b", b_name);

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var response = r.responseText;

            if (response == 1) {
                document.getElementById("toastCbody").innerHTML =
                    "Brand Successfully Added";
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
                toast.show();
                setTimeout(() => {
                    window.location.reload();
                }, 2000);
            } else if (response == 2) {
                document.getElementById("toastCbody").innerHTML = "Brand Already Exist";
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
                toast.show();
                setTimeout(() => {
                    window.location.reload();
                }, 2000);
            } else {
                document.getElementById("toastCbody").innerHTML = response;
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
                toast.show();
                setTimeout(() => {
                    window.location.reload();
                }, 2000);
            }
        }
    };
};
```

```
r.open("POST", "addBrand.php", true);
r.send(form);
}
```

```
<?php
require "connection.php";

if (isset($_POST["b"]) && !empty($_POST["b"])) {
    $txt = $_POST["b"];
    $ct_rs = Database::Search("SELECT * FROM `brand` WHERE `b_name` LIKE '%" .
$txt . "%'");
    $ct_num = $ct_rs->num_rows;

    if ($ct_num == 0) {
        Database::iud("INSERT INTO `brand`(`b_name`) VALUES ('" . $txt . "')");
        echo ("1");
    } else {
        echo ("2");
    }
} else {
    echo ("Please Enter Brand");
}
}
```

04.

```
<button class="btn btn-outline-dark" type="button" id="button-addon2"
onclick="addModel()">>+ Add</button>
```

```
function addModel() {
    var m_name = document.getElementById("mId").value;

    var form = new FormData();
    form.append("m", m_name);

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var response = r.responseText;

            if (response == 1) {
```

```

document.getElementById("toastCbody").innerHTML =
    "Model Successfully Added";
const toastLiveExample = document.getElementById("liveToast");
const toast = new bootstrap.Toast(toastLiveExample);
toast.show();
setTimeout(() => {
    window.location.reload();
}, 2000);
} else if (response == 2) {
    document.getElementById("toastCbody").innerHTML = "Model Already Exist";
    const toastLiveExample = document.getElementById("liveToast");
    const toast = new bootstrap.Toast(toastLiveExample);
    toast.show();
    setTimeout(() => {
        window.location.reload();
    }, 2000);
} else {
    document.getElementById("toastCbody").innerHTML = response;
    const toastLiveExample = document.getElementById("liveToast");
    const toast = new bootstrap.Toast(toastLiveExample);
    toast.show();
    setTimeout(() => {
        window.location.reload();
    }, 2000);
}
}

};

r.open("POST", "addModel.php", true);
r.send(form);
}

```

```

<?php
require "connection.php";

if (isset($_POST["m"]) && !empty($_POST["m"])) {
    $txt = $_POST["m"];
    $ct_rs = Database::Search("SELECT * FROM `model` WHERE `m_name` LIKE '%' .
$txt . "%'");
    $ct_num = $ct_rs->num_rows;

    if ($ct_num == 0) {
        Database::iud("INSERT INTO `model`(`m_name`) VALUES ('" . $txt . "')");
        echo ("1");
    }
}

```

```

        } else {
            echo ("2");
        }
    } else {
        echo ("Please Enter model");
    }
}

```

05.

```
<button class="btn btn-outline-dark" type="button" id="button-addon2"
onclick="addModelBrandConnection()">+ Connection</button>
```

```

function addModelBrandConnection() {
    var m_id = document.getElementById("selectModelId").value;
    var b_id = document.getElementById("selectBrandId").value;

    var form = new FormData();
    form.append("m", m_id);
    form.append("b", b_id);

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var response = r.responseText;

            if (response == 1) {
                document.getElementById("toastCbody").innerHTML =
                    "Connection Successfully Added";
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
                toast.show();
                setTimeout(() => {
                    window.location.reload();
                }, 2000);
            } else if (response == 2) {
                document.getElementById("toastCbody").innerHTML = "Connection Already
Exist";
                const toastLiveExample = document.getElementById("liveToast");
                const toast = new bootstrap.Toast(toastLiveExample);
                toast.show();
                setTimeout(() => {
                    window.location.reload();
                }, 2000);
            }
        }
    }
}

```

```

    }, 2000);
} else {
    document.getElementById("toastCbody").innerHTML = response;
    const toastLiveExample = document.getElementById("liveToast");
    const toast = new bootstrap.Toast(toastLiveExample);
    toast.show();
    setTimeout(() => {
        window.location.reload();
    }, 2000);
}
};

r.open("POST", "addModelBrand.php", true);
r.send(form);
}

```

```

<?php
require "connection.php";
if(isset($_POST["m"])&& $_POST["m"] == 0){
    echo("Please Select Model Name");

}else if(isset($_POST["b"]) && $_POST["b"] == 0){
echo("Please Select Brand");

}else{

    $m_id = $_POST["m"];
    $b_id = $_POST["b"];
    $ct_rs = Database::Search("SELECT * FROM `model_has_brand` WHERE `model_id`=
'". $m_id . "' AND `brand_id`='". $b_id . "'");
    $ct_num = $ct_rs->num_rows;

    if($ct_num == 0){
        Database::iud("INSERT INTO `model_has_brand`(`model_id`, `brand_id`)
VALUES ('".$m_id."','".$b_id."')");
        echo("1");

    }else{
        echo("2");
    }
}

```

Seller Request Page

Emart Start At Since ([Y]1 - [M]8 - [D]15) 8 : 52 : 25 Ago.

Manage Sellers

Enter Seller Nic No ...

Search

#	User Email	NIC Image	Nic No	Shop Name	Date	Accept	Reject
1	sanuth@gmail.com		200312742416	PC MART	2024-06-26 23:50:15	<button>Accept</button>	<button>Reject</button>

Activate Windows
Go to Settings to activate Windows.

01

02

03

04

01.

```
');" class="rounded-circle height="50px">
```

```
function veiwSellerNicImages(nic) {
  var m = document.getElementById("requestSellerNICImages" + nic);
  sid = new bootstrap.Modal(m);
  sid.show();
}
```

02.

```
<td class="bg-secondary text-white text-center"><button class="btn btn-success" onclick="acceptSellerRequest('<?php echo ($seller_data['nic']) ?>');">Accept</button></td>
function acceptSellerRequest(nic) {
```

```

var r = new XMLHttpRequest();
r.onreadystatechange = function () {
    if (r.readyState == 4) {
        var t = r.responseText;
        if ((t == "success")) {
            window.location.reload();
        }
    }
};

r.open("GET", "AcceptSellerRequest.php?n=" + nic, true);
r.send();
}

```

```

<?php
require "connection.php";

if(isset($_GET["n"])){
    $nic = $_GET["n"];

    Database::iud("UPDATE `seller` SET `s_status`='2' WHERE `nic`='".$nic."' ");
    echo("succcess");

}

?>

```

03.

```

<input type="text" class="form-control" placeholder="Enter Seller Nic No ...."
id="adminSearchsellernic" onkeyup="adminSearchSeller(<?php echo ($status) ?>)">
                                <button class="btn btn-dark" type="button"
onclick="adminSearchSeller(<?php echo ($status) ?>)">Search</button>

```

```

function adminSearchSeller(status) {
    var nic = document.getElementById("adminSearchsellernic");

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {

```

```

        var t = r.responseText;
        document.getElementById("contentFullDetails").innerHTML = t;
    }
};

r.open("GET", "adminSearchSellers.php?n=" + nic.value + "&s=" + status, true);
r.send();
}

```

```

<?php
require "connection.php";

if (isset($_GET["n"]) && isset($_GET["s"])) {
    $nic = $_GET["n"];
    $status = $_GET["s"];

    $query = "SELECT * FROM `Seller` WHERE `nic` LIKE '%' . $nic . '%' ";

    if ($status == 2) {
        $query .= " AND `s_status`='2' ";
    } else if ($status == 3) {
        $query .= " AND `s_status`='3' ";
    }

    $seller_rs = Database::Search($query);
    $seller_num = $seller_rs->num_rows;

    if ($seller_num != 0) {

        for ($x = 0; $x < $seller_num; $x++) {
            $seller_data = $seller_rs->fetch_assoc();

            $user_rs = Database::Search("SELECT * FROM `user` WHERE `email`='" .
$seller_data["user_email"] . "' ");
            $user_data = $user_rs->fetch_assoc();

            $gender = Database::Search("SELECT * FROM `gender` WHERE `id`='" .
$user_data["gender_id"] . "' ");
            $gender_data = $gender->fetch_assoc();

            $city = "-----";
            $line1 = "-----";
            $line2 = "-----";

```

```

$address_rs = Database::Search("SELECT * FROM `user_has_address` WHERE `user_email`='" . $user_data["email"] . "' ");
$address_num = $address_rs->num_rows;

if ($address_num != 0) {
    $address_data = $address_rs->fetch_assoc();
    $line1 = $address_data["line_1"];
    $line2 = $address_data["line_2"];

    $city_rs = Database::Search("SELECT * FROM `city` WHERE `ci_id`='" . $address_data["city_id"] . "' ");
    $city_data = $city_rs->fetch_assoc();
    $city = $city_data["ci_name"];
}

?>

<tr>
    <th scope="row" class="bg-secondary text-white"><?php echo ($x + 1); ?></th>
        <td class="bg-info text-white"><?php echo ($user_data['email']) ?></td>
        <td class="bg-secondary text-white text-center">
            <?php
                $shop_image = "resources/noImage.jpg";
                $S_img_rs = Database::Search("SELECT * FROM `shop_image` WHERE `seller_nic`='" . $seller_data['nic'] . "' ");
                $S_img_num = $S_img_rs->num_rows;

                if ($S_img_num != 0) {
                    $seller_shop_image = $S_img_rs->fetch_assoc();
                    $shop_image = $seller_shop_image["shop_img_path"];
                }
            ?>
            ');"
class="rounded-circle" height="50px">
        </td>
        <td class="bg-info text-white"><?php echo ($seller_data['shop_name']) ?></td>
        <td class="bg-secondary text-white"><?php echo ($seller_data['nic']) ?></td>

```

```

        <td class="bg-info text-white"><?php echo
($seller_data['account_create_datetime']) ?></td>
            <td class="bg-secondary text-white text-center"><?php
                if
($seller_data["s_status"] == 2) {
                    ?>
                        <button class="btn btn-danger" id="seller_b&Ubtn<?php
echo ($seller_data["nic"]) ?>" onclick="Sblock_Unblock_Users('<?php echo
($seller_data['nic']) ?>');">Block</button>
                    <?php
                } else if
($seller_data["s_status"] == 3) {
                    ?>
                        <button class="btn btn-success" id="seller_b&Ubtn<?php
echo ($seller_data["nic"]) ?>" onclick="Sblock_Unblock_Users('<?php echo
($seller_data['nic']) ?>');">Unblock</button>
                    <?php
                }
            ?>
        </td>
    </tr>

    <!-- user_Model -->

    <div class="modal" tabindex="-1" id="SellerModel<?php echo
($seller_data["nic"]) ?>">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title"><?php echo
($user_data["fname"] . " " . $user_data["lname"]) ?></h5>
                    <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
                </div>
                <div class="modal-body">
                    <div class="col-12 text-center mb-2">
                        
                    <div class="rounded-circle" height="200px" />
                </div>

                <div class="col-12">
                    <div class="row">
                        <div class="col-12">

```

```
<p class="m-0"><span class="fw-bold">Full  
Name : </span><?php echo ($user_data["fname"] . " " . $user_data["lname"]) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-bold">Shop  
Name : </span><?php echo ($seller_data["shop_name"]) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-  
bold">Email : </span><?php echo ($user_data["email"]) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-  
bold">Mobile No : </span><?php echo ($user_data["mobile"]) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-  
bold">Gender : </span><?php echo ($gender_data["type"]) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-  
bold">City  
: </span><?php echo ($city) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-  
bold">Address Line 01 : </span><?php echo ($line1) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-  
bold">Address Line 02 : </span><?php echo ($line2) ?></p>  
          </div>  
          <div class="col-12">  
              <p class="m-0"><span class="fw-  
bold">Account Create Date : </span><?php echo  
($seller_data["account_create_datetime"]) ?></p>  
          </div>  
      </div>  
  </div>  
</div>  
<div class="modal-footer">  
    <div class="col-12 text-end">  
        <p class="fw-bold text-black-50">Seller Account  
....</p>
```

```
        </div>
    </div>
</div>
</div>

<!-- user_Model -->

<?php

    }

}

?>
```

04.

```
<td class="bg-secondary text-white text-center"><button class="btn btn-danger"
onclick="RejectSellerRequest('<?php echo ($seller_data['nic'])
?>');">Reject</button></td>
```

```
function RejectSellerRequest(nic) {
    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if ((t == "success")) {
                window.location.reload();
            }
        }
    };

    r.open("GET", "RejectSellerRequest.php?n=" + nic, true);
    r.send();
}
```

```
<?php
require "connection.php";

if(isset($_GET["n"])){

```

```
$nic = $_GET["n"];  
  
Database::iud("DELETE FROM `nic_images` WHERE `seller_nic`='".$nic."' ");  
Database::iud("DELETE FROM `seller` WHERE `nic`='".$nic."' ");  
echo("success");  
  
}  
  
?>
```

Manage Seller Page

The screenshot shows a table with columns: #, User Email, Shop Image, Nic No, Shop_name, Publish Date, and a red 'Block' button. A search bar at the top right contains 'Enter Seller Nic No ...'. Below the table are four numbered buttons (01, 02, 03, 04) connected by arrows pointing to specific elements: 01 points to the 'Shop Image' column, 02 points to the 'Search' button, 03 points to the 'Select Method' dropdown, and 04 points to the 'Block' button.

#	User Email	Shop Image	Nic No	Shop_name	Publish Date	
1	sanuth@gmail.com		PC MART	200312742416	2024-05-26 23:50:15	<button>Block</button>

Activate Windows
Go to Settings to activate Windows.

01.

```
');" class="rounded-circle" height="50px">
```

```
function sellerfullDetails(nic) {
    var s_model = document.getElementById("SellerModel" + nic);
    sm = new bootstrap.Modal(s_model);
    sm.show();
}
```

02.

```
<select class="form-select shadow-none" id="selectcount"
onchange="sellerredirect(<?php echo($status) ?>);">
<?php
if ($status == 1) {
?>
```

```

        <option value="0" selected>Select
Method</option>
        <option value="2">Block
Sellers</option>
        <option value="3">Unblock
Sellers</option>
<?php
} else if ($status == 2) {
?>
        <option value="0">Select
Method</option>
        <option value="2" selected>Block
Sellers</option>
        <option value="3">Unblock
Sellers</option>
<?php
} else if ($status == 3) {
?>
        <option value="0">Select
Method</option>
        <option value="2">Block
Sellers</option>
        <option value="3" selected>Unblock
Sellers</option>
<?php
}
?>
</select>
```

```

function sellerredirect() {
    var s_select = document.getElementById("selectcount");

    if (s_select.value == 2 || s_select.value == 3) {
        window.location = "adminManageSellers.php?s=" + s_select.value;
    }
}
```

03.

```
<div class="input-group mb-3">
```

```

<input type="text" class="form-control"
placeholder="Enter Seller Nic No ...." id="adminSearchsellernic"
onkeyup="adminSearchSeller(<?php echo($status) ?>)">
    <button class="btn btn-dark" type="button"
onclick="adminSearchSeller(<?php echo($status) ?>)">Search</button>
</div>

```

```

function adminSearchSeller(status) {
    var nic = document.getElementById("adminSearchsellernic");

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("contentFullDetails").innerHTML = t;
        }
    };
    r.open("GET", "adminSearchSellers.php?n=" + nic.value + "&s=" + status, true);
    r.send();
}

```

```

<?php
require "connection.php";

if (isset($_GET["n"]) && isset($_GET["s"])) {
    $nic = $_GET["n"];
    $status = $_GET["s"];

    $query = "SELECT * FROM `Seller` WHERE `nic` LIKE '%" . $nic . "%' ";

    if ($status == 2) {
        $query .= " AND `s_status`='2' ";
    } else if ($status == 3) {
        $query .= " AND `s_status`='3' ";
    }

    $seller_rs = Database::Search($query);
    $seller_num = $seller_rs->num_rows;

    if ($seller_num != 0) {

```

```

for ($x = 0; $x < $seller_num; $x++) {
    $seller_data = $seller_rs->fetch_assoc();

    $user_rs = Database::Search("SELECT * FROM `user` WHERE `email`='"
    . $seller_data["user_email"] . "' ");
    $user_data = $user_rs->fetch_assoc();

    $gender = Database::Search("SELECT * FROM `gender` WHERE `id`='"
    . $user_data["gender_id"] . "' ");
    $gender_data = $gender->fetch_assoc();

    $city = "-----";
    $line1 = "-----";
    $line2 = "-----";

    $address_rs = Database::Search("SELECT * FROM `user_has_address`"
    WHERE `user_email`='"
    . $user_data["email"] . "' ");
    $address_num = $address_rs->num_rows;

    if ($address_num != 0) {
        $address_data = $address_rs->fetch_assoc();
        $line1 = $address_data["line_1"];
        $line2 = $address_data["line_2"];

        $city_rs = Database::Search("SELECT * FROM `city` WHERE
        `ci_id`='"
        . $address_data["city_id"] . "' ");
        $city_data = $city_rs->fetch_assoc();
        $city = $city_data["ci_name"];
    }
}

?>

<tr>
    <th scope="row" class="bg-secondary text-white"><?php echo ($x +
1); ?></th>
    <td class="bg-info text-white"><?php echo ($user_data['email']) ?></td>
    <td class="bg-secondary text-white text-center">
        <?php
            $shop_image = "resources/noImage.jpg";
            $S_img_rs = Database::Search("SELECT * FROM `shop_image`"
            WHERE `seller_nic`='"
            . $seller_data['nic'] . "' ");
            $S_img_num = $S_img_rs->num_rows;
        <?php
    </td>
</tr>

```

```

        if ($S_img_num != 0) {
            $seller_shop_image = $S_img_rs->fetch_assoc();
            $shop_image = $seller_shop_image["shop_img_path"];
        }

    ?>
    ');"  

class="rounded-circle" height="50px">  

</td>  

<td class="bg-info text-white"><?php echo  
($seller_data['shop_name']) ?></td>  

    <td class="bg-secondary text-white"><?php echo  
($seller_data['nic']) ?></td>  

    <td class="bg-info text-white"><?php echo  
($seller_data['account_create_datetime']) ?></td>  

    <td class="bg-secondary text-white text-center"><?php  

        if  
($seller_data["s_status"] == 2) {  

            ?>  

            <button class="btn btn-danger" id="seller_b&Ubtn<?php  
echo ($seller_data["nic"]) ?>" onclick="Sblock_Unblock_Users('<?php echo  
($seller_data['nic']) ?>');">Block</button>  

            <?php  

        } else if  
($seller_data["s_status"] == 3) {  

            ?>  

            <button class="btn btn-success" id="seller_b&Ubtn<?php  
echo ($seller_data["nic"]) ?>" onclick="Sblock_Unblock_Users('<?php echo  
($seller_data['nic']) ?>');">Unblock</button>  

            <?php  

        }  

    ?>  

</td>  

</tr>

<!-- user_Model -->

<div class="modal" tabindex="-1" id="SellerModel<?php echo  
($seller_data["nic"]) ?>">  

    <div class="modal-dialog">  

        <div class="modal-content">  

            <div class="modal-header">
```

```
<h5 class="modal-title"><?php echo  
($user_data["fname"] . " " . $user_data["lname"]) ?></h5>  
    <button type="button" class="btn-close" data-bs-  
dismiss="modal" aria-label="Close"></button>  
    </div>  
    <div class="modal-body">  
        <div class="col-12 text-center mb-2">  
              
        </div>  
  
        <div class="col-12">  
            <div class="row">  
  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-bold">Full  
Name : </span><?php echo ($user_data["fname"] . " " . $user_data["lname"]) ?></p>  
                </div>  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-bold">Shop  
Name : </span><?php echo ($seller_data["shop_name"]) ?></p>  
                </div>  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-  
bold">Email : </span><?php echo ($user_data["email"]) ?></p>  
                </div>  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-  
bold">Mobile No : </span><?php echo ($user_data["mobile"]) ?></p>  
                </div>  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-  
bold">Gender : </span><?php echo ($gender_data["type"]) ?></p>  
                </div>  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-bold">City  
: </span><?php echo ($city) ?></p>  
                </div>  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-  
bold">Addres Line 01 : </span><?php echo ($line1) ?></p>  
                </div>  
                <div class="col-12">  
                    <p class="m-0"><span class="fw-  
bold">Addres Line 02 : </span><?php echo ($line2) ?></p>
```

```

                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Account Create Date : </span><?php echo
($seller_data["account_create_datetime"]) ?></p>
                </div>

                </div>
            </div>

            </div>
            <div class="modal-footer">
                <div class="col-12 text-end">
                    <p class="fw-bold text-black-50">Seller Account
....</p>
                </div>
            </div>
            </div>
        </div>

        <!-- user_Model -->

<?php

    }

}

?>
```

04.

```

<td class="bg-secondary text-white text-center"><?php

    if ($seller_data["s_status"] == 2) {

        ?>
                    <button class="btn btn-
danger" id="seller_b&Ubt<?php echo ($seller_data["nic"]) ?>">
                onclick="Sblock_Unblock_Users('<?php echo ($seller_data['nic']) ?>');">Block</button>
                    <?php
```

```

        } else if ($seller_data["s_status"] == 3) {
            ?>
                <button class="btn btn-success" id="seller_b&Ubtn<?php echo ($seller_data["nic"]); ?>" onclick="Sblock_Unblock_Users('<?php echo ($seller_data['nic']); ?>');">Unblock</button>
            <?php
        }
    ?>
</td>

```

```

function Sblock_Unblock_Users(nic) {
    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            if (t == "Deactivated") {
                document.getElementById("seller_b&Ubtn" + nic).className =
                    "btn btn-success";
                document.getElementById("seller_b&Ubtn" + nic).innerHTML = "Unblock";
            } else if (t == "Activated") {
                document.getElementById("seller_b&Ubtn" + nic).className =
                    "btn btn-danger";
                document.getElementById("seller_b&Ubtn" + nic).innerHTML = "Block";
            }
        }
    };
    r.open("GET", "SellerBlockUnblockProcess.php?n=" + nic, true);
    r.send();
}

```

```

<?php
require "connection.php";

if(isset($_GET["n"])){
    $nic = $_GET["n"];

    $seller_rs = Database::Search("SELECT * FROM `seller` WHERE `nic`='".$nic."'");
    $seller_data = $seller_rs->fetch_assoc();

```

```
if($seller_data["s_status"] == 2){
    Database::iud("UPDATE `seller` SET `s_status`='3' WHERE `nic`='".$nic."'"
);
    echo("Deactivated");

}else if($seller_data["s_status"] == 3){
    Database::iud("UPDATE `seller` SET `s_status`='2' WHERE `nic`='".$nic."'"
);
    echo("Activated");

}
?>
```

Selling History Page

The screenshot shows a table of selling history with the following columns: Order ID, Buyer Email, Product ID, Product Title, Seller NIC, Total Price LKR, Quantity, Buy Date, and Status. The Status column contains buttons for 'Delivered' (red), 'Confirm Order' (green), and 'Activate Windows' (gray). A search bar at the top right and a message 'Emart Start At Since ([Y]1 - [M]8 - [D]15) 9 : 6 : 1 Ago.' are also visible.

Order ID	Buyer Email	Product ID	Product Title	Seller NIC	Total Price LKR	Quantity	Buy Date	Status
667a7c7dd5df	sanchithaheashan655@gmail.com	30	Apple i7 S ...	200312713429	103000	1	2024-06-25 13:45:17	Delivered
667a7c7dd5df	sanchithaheashan655@gmail.com	31	Apple i7 S ...	200312713429	103000	1	2024-06-25 13:45:17	Confirm Order
667a7ef550589	sanchithaheashan655@gmail.com	34	Apple i7 S ...	200312713429	49500	0	2024-06-25 13:55:25	Confirm Order
667a9c8ca5d8d	sanchithaheashan655@gmail.com	32	Apple i7 S ...	200312713429	46500	1	2024-06-25 16:01:40	Confirm Order
667a9ec8c93ef	sanchithaheashan655@gmail.com	35	Apple i7 S ...	200312713429	50500	0	2024-06-25 16:11:12	Confirm Order
667ac998e69ae	sanuth@gmail.com	33	Apple i7 S ...	200312713429	151500	1	2024-06-25 19:17:02	Confirm Order
667ac998e69ae	sanuth@gmail.com	36	Apple i7 S ...	200312713429	151500	1	2024-06-25 19:17:02	Confirm Order

Below the table are five numbered buttons (01, 02, 03, 04, 05) pointing to specific fields in the table rows, and a message 'Activate Windows Go to Settings to activate Windows.'

01.

```
<th scope="row" class="bg-secondary text-white cursor"
onclick="ViewBuyerSellingHistory('<?php echo ($user_data['email']) ?>')"><?php
echo ($user_data["email"]); ?></th>
```

```
function ViewBuyerSellingHistory(email) {
  var user = document.getElementById("SellerHistoryModal" + email);
  sbd = new bootstrap.Modal(user);
  sbd = new bootstrap.Modal(user);
  sbd.show();
}
```

02.

```
<td class="bg-info text-white cursor" onclick="viewSELLERDetails('<?php echo
($seller_data['nic']) ?>');"><?php echo ($product_data["seller_nic"]) ?></td>
```

```

function viewSELLERDetails(nic) {
    var seller = document.getElementById("SellinghistorysellerModel" + nic);
    sellingHS = new bootstrap.Modal(seller);
    sellingHS.show();
}

```

03.

```

<div class="input-group mb-3">
    <input type="text" class="form-control"
placeholder="Enter Order ID Or Invoice ID ...." id="SearchsellingHId"
onkeyup="searchSellingHistory();">
    <button class="btn btn-dark" type="button"
onclick="searchSellingHistory();">Search</button>
</div>

```

```

function searchSellingHistory() {
    var id = document.getElementById("SearchsellingHId");

    var r = new XMLHttpRequest();
    r.onreadystatechange = function () {
        if (r.readyState == 4) {
            var t = r.responseText;
            document.getElementById("SellingHistorydataRows").innerHTML = t;
        }
    };

    r.open("GET", "searchSellingHistory.php?id=" + id.value, true);
    r.send();
}

```

```

<?php
require "connection.php";

if (isset($_GET["id"])) {
    $invoce_id = $_GET["id"];

    $invoice_rs = Database::search("SELECT * FROM `invoice` WHERE `invoice_id` LIKE '%" . $invoce_id . "%' OR `order_id` LIKE '%" . $invoce_id . "%' ");
    $invoce_num = $invoice_rs->num_rows;
}

```

```

if ($invioce_num != 0) {

    for ($x = 0; $x < $invioce_num; $x++) {
        $invoice_data = $invoice_rs->fetch_assoc();

        $product_rs = Database::Search("SELECT * FROM `product`"
            INNER JOIN `category` ON
            `product`.`category_ca_id` = `category`.`ca_id`
            INNER JOIN `model_has_brand` ON
            `product`.`model_has_brand_id` = `model_has_brand`.`m_h_b_id`
            INNER JOIN `brand` ON `model_has_brand`.`brand_id` = `brand`.`b_id`
            INNER JOIN `model` ON `model_has_brand`.`model_id` = `model`.`m_id`
            INNER JOIN `condition` ON
            `product`.`condition_id` = `condition`.`co_id` WHERE `id`='".
        $invoice_data["product_id"] . " ");

        $product_data = $product_rs->fetch_assoc();

        $seller_rs = Database::Search("SELECT * FROM `seller`"
            INNER JOIN `user` ON `seller`.`user_email` = `user`.`email`"
            WHERE `nic`='". $product_data["seller_nic"] . " ");
        $seller_data = $seller_rs->fetch_assoc();

        $user_rs = Database::Search("SELECT * FROM `user` WHERE `email`='".
        $invoice_data["user_email"] . " ");
        $user_data = $user_rs->fetch_assoc();

    }

    ?>
    <tr>
        <th scope="row" class="bg-info text-white"><?php echo
($invoice_data["order_id"]); ?></th>
        <th scope="row" class="bg-secondary text-white cursor"
onclick="VeiwBuyeSellingHistory('<?php echo ($user_data['email']) ?>')"><?php
echo ($user_data["email"]); ?></th>
        <td class="bg-info text-white cursor"
onclick="SellingHProductView(<?php echo ($product_data['id']) ?>)"><?php echo
($invoice_data["product_id"]); ?></td>
        <td class="bg-secondary text-white"><?php
                $t =
str_split($product_data["title"], 10);
                echo ($t[0] . " ...");
            ?></td>
        <td class="bg-info text-white cursor"
onclick="viewSELLERDetails('<?php echo ($seller_data['nic']) ?>');"><?php echo
($product_data["seller_nic"]); ?></td>

```

```

        <td class="bg-secondary text-white"><?php echo
($invoice_data["total"]); ?></td>
        <td class="bg-info text-white"><?php echo
($invoice_data["buy_qty"]); ?></td>
        <td class="bg-secondary text-white"><?php echo
($invoice_data["date_time"]); ?></td>
        <td class="bg-dark text-white text-center">
<?php
if ($invoice_data["status"] == 0) {
?
    <button class="btn btn-success fw-bold mt-1 mb-1"
onclick="changeSellingStatus(<?php echo ($invoice_data['invoice_id']); ?>);"
id="btn<?php echo ($invoice_data["invoice_id"]); ?>">Confirm Order</button>
<?php
} else if ($invoice_data["status"] == 1) {
?
    <button class="fw-bold mt-1 mb-1 btn btn-warning"
onclick="changeSellingStatus(<?php echo ($invoice_data['invoice_id']); ?>);"
id="btn<?php echo ($invoice_data["invoice_id"]); ?>">Packing</button>
<?php
} else if ($invoice_data["status"] == 2) {
?
    <button class="btn btn-info fw-bold mt-1 mb-1"
onclick="changeSellingStatus(<?php echo ($invoice_data['invoice_id']); ?>);"
id="btn<?php echo ($invoice_data["invoice_id"]); ?>">Dispatch</button>
<?php
} else if ($invoice_data["status"] == 3) {
?
    <button class="btn btn-primary fw-bold mt-1 mb-1"
onclick="changeSellingStatus(<?php echo ($invoice_data['invoice_id']); ?>);"
id="btn<?php echo ($invoice_data["invoice_id"]); ?>">Shipping</button>
<?php
} else if ($invoice_data["status"] == 4) {
?
    <button class="btn btn-danger fw-bold mt-1 mb-1" disabled
onclick="changeSellingStatus(<?php echo ($invoice_data['invoice_id']); ?>);"
id="btn<?php echo ($invoice_data["invoice_id"]); ?>">Delivered</button>
<?php
}
?

?>
</td>
</tr>

<!-- Seller_Model -->

```

```

        <div class="modal" tabindex="-1" id="SellinghistorysellerModel<?php
echo ($seller_data["nic"]) ?>">
            <div class="modal-dialog">
                <div class="modal-content">
                    <div class="modal-header">
                        <h5 class="modal-title"><?php echo
($seller_data["fname"] . " " . $seller_data["lname"]) ?></h5>
                        <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
                    </div>
                    <div class="modal-body">
                        <div class="col-12 text-center mb-2">
                            <?php

                            $shop_image = "resources/noImage.jpg";

                            $S_img_rs = Database::Search("SELECT * FROM
`shop_image` WHERE `seller_nic`='". $seller_data['nic'] . "' ");
                            $S_img_num = $S_img_rs->num_rows;

                            if ($S_img_num != 0) {
                                $seller_shop_image = $S_img_rs-
>fetch_assoc();
                                $shop_image =
$seller_shop_image["shop_img_path"];
                            }

                            ?>
                            
                            class="rounded-circle" height="200px" />
                        </div>

                        <div class="col-12">
                            <div class="row">

                                <div class="col-12">
                                    <p class="m-0"><span class="fw-bold">Full
Name : </span><?php echo ($seller_data["fname"] . " " . $seller_data["lname"])
?></p>
                                </div>
                                <div class="col-12">
                                    <p class="m-0"><span class="fw-bold">Shop
Name : </span><?php echo ($seller_data["shop_name"]) ?></p>
                                </div>

```

```

<div class="col-12">
    <p class="m-0"><span class="fw-bold">Email : </span><?php echo ($seller_data["email"]) ?></p>
</div>
<div class="col-12">
    <p class="m-0"><span class="fw-bold">Mobile No : </span><?php echo ($seller_data["mobile"]) ?></p>
</div>
<div class="col-12">
    <?php

        $gender_rs = Database::Search("SELECT *
FROM `gender` WHERE `id`=''" . $seller_data["gender_id"] . "' ");
        $gender_data = $gender_rs->fetch_assoc();

    ?>
    <p class="m-0"><span class="fw-bold">Gender : </span><?php echo ($gender_data["type"]) ?></p>
</div>
<div class="col-12">
    <?php
        $city = "-----";
        $line1 = "-----";
        $line2 = "-----";

        $address_rs = Database::Search("SELECT *
FROM `user_has_address` WHERE `user_email`=''" . $seller_data["email"] . "' ");
        $address_num = $address_rs->num_rows;

        if ($address_num != 0) {
            $address_data = $address_rs-
>fetch_assoc();
            $line1 = $address_data["line_1"];
            $line2 = $address_data["line_2"];

            $city_rs = Database::Search("SELECT *
FROM `city` WHERE `ci_id`=''" . $address_data["city_id"] . "' ");
            $city_data = $city_rs->fetch_assoc();
            $city = $city_data["ci_name"];
        }
    ?>
    <p class="m-0"><span class="fw-bold">City
: </span><?php echo ($city) ?></p>
</div>
<div class="col-12">

```

```

                <p class="m-0"><span class="fw-
bold">Addres Line 01 : </span><?php echo ($line1) ?></p>
                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Addres Line 02 : </span><?php echo ($line2) ?></p>
                    </div>
                    <div class="col-12">
                        <p class="m-0"><span class="fw-
bold">Account Create Date : </span><?php echo
($seller_data["account_create_datetime"]) ?></p>
                        </div>

                    </div>
                </div>

                </div>
                <div class="modal-footer">
                    <div class="col-12 text-end">
                        <p class="fw-bold text-black-50">Seller Account
....</p>
                    </div>
                </div>
            </div>
        </div>

        <!-- Seller_Model -->

        <!-- product_model -->

        <div class="modal" tabindex="-1" id="SellingProductModel<?php echo
($product_data["id"]) ?>">
            <div class="modal-dialog">
                <div class="modal-content">
                    <div class="modal-header">
                        <h5 class="modal-title"><?php echo
($product_data["title"]) ?></h5>
                        <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
                    </div>
                    <div class="modal-body">
                        <div class="col-12 text-center mb-2">
                            <div class="row">
                                <?php

```



```

                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Model : </span><?php echo ($product_data["m_name"]) ?></p>
                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Price : </span><?php echo ($product_data["price"]) ?></p>
                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Delivery Fee Colombo LKR : </span><?php echo
($product_data["cost_colombo"]) ?></p>
                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Delivery Fee Other LKR : </span><?php echo ($product_data["cost_others"])
?></p>
                </div>
                <div class="col-12">
                    <p class="m-0"><span class="fw-
bold">Publish Date : </span><?php echo ($product_data["date_time"]) ?></p>
                </div>

                </div>
            </div>

        </div>
    </div>
</div>

<!-- Product_Model -->
<!-- user_Model -->

<div class="modal" tabindex="-1" id="SellingHuerModel<?php echo
($user_data["email"]) ?>">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"><?php echo
($user_data["fname"] . " " . $user_data["lname"]) ?></h5>
                <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
            </div>

```

```

<div class="modal-body">
    <div class="col-12 text-center mb-2">
        <?php
        $img = "resources/noImage.jpg";

        $image_rs = Database::Search("SELECT * FROM
`profile_image` WHERE `user_email`='$_SESSION["email"]'");
        $image_num = $image_rs->num_rows;

        if ($image_num != 0) {
            $image_data = $image_rs->fetch_assoc();
            $img = $image_data["user_profile_path"];
        }

    ?>
    
</div>

<div class="col-12">
    <div class="row">

        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">First Name : </span><?php echo ($user_data["fname"]) ?></p>
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-bold">Last
Name : </span><?php echo ($user_data["lname"]) ?></p>
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">Email : </span><?php echo ($user_data["email"]) ?></p>
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">Mobile No : </span><?php echo ($user_data["mobile"]) ?></p>
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">Gender : </span><?php echo ($gender_data["type"]) ?></p>
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">City : </span><?php echo ($city) ?></p>
        </div>
    </div>
</div>

```

```
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">Addres Line 01 : </span><?php echo ($line1) ?></p>
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">Addres Line 02 : </span><?php echo ($line2) ?></p>
        </div>
        <div class="col-12">
            <p class="m-0"><span class="fw-
bold">Joined Date : </span><?php echo ($user_data["joined_date"]) ?></p>
        </div>

        </div>
    </div>

</div>
<div class="modal-footer">
    <div class="col-12 text-end">
        <p class="fw-bold text-black-50">User Account
....</p>
        </div>
        </div>
    </div>
</div>
</div>

<!-- user_Model -->

<?php

    }
}

?


?>
```

04.

```
<td class="bg-dark text-white text-center">
    <?php
        if ($invoice_data["status"] == 0)
    {
        ?>
            <button class="btn btn-success fw-bold mt-1 mb-1" onclick="changeSellingStatus(<?php echo
($invoice_data['invoice_id']); ?>);" id="btn<?php echo
($invoice_data["invoice_id"]); ?>">Confirm Order</button>
            <?php
                } else if
($invoice_data["status"] == 1) {
        ?>
            <button class="fw-bold mt-1 mb-1 btn btn-warning" onclick="changeSellingStatus(<?php echo
($invoice_data['invoice_id']); ?>);" id="btn<?php echo
($invoice_data["invoice_id"]); ?>">Packing</button>
            <?php
                } else if
($invoice_data["status"] == 2) {
        ?>
            <button class="btn btn-info fw-bold mt-1 mb-1" onclick="changeSellingStatus(<?php echo
($invoice_data['invoice_id']); ?>);" id="btn<?php echo
($invoice_data["invoice_id"]); ?>">Dispatch</button>
            <?php
                } else if
($invoice_data["status"] == 3) {
        ?>
            <button class="btn btn-primary fw-bold mt-1 mb-1" onclick="changeSellingStatus(<?php echo
($invoice_data['invoice_id']); ?>);" id="btn<?php echo
($invoice_data["invoice_id"]); ?>">Shipping</button>
            <?php
                } else if
($invoice_data["status"] == 4) {
        ?>
            <button class="btn btn-danger fw-bold mt-1 mb-1" disabled onclick="changeSellingStatus(<?php echo
($invoice_data['invoice_id']); ?>);" id="btn<?php echo
($invoice_data["invoice_id"]); ?>">Delivered</button>
            <?php
        }
    }
```

```
?>  
</td>
```

```
function changeSellingStatus(inID) {  
    var r = new XMLHttpRequest();  
    r.onreadystatechange = function () {  
        if (r.readyState == 4) {  
            var t = r.responseText;  
            if (t == 0) {  
                document.getElementById("btn" + inID).innerHTML = "Confirm Order";  
                document.getElementById("btn" + inID).className =  
                    "btn btn-success fw-bold mt-1 mb-1";  
            } else if (t == 1) {  
                document.getElementById("btn" + inID).innerHTML = "Packing";  
                document.getElementById("btn" + inID).className =  
                    "fw-bold mt-1 mb-1 btn btn-warning";  
            } else if (t == 2) {  
                document.getElementById("btn" + inID).innerHTML = "Dispatch";  
                document.getElementById("btn" + inID).className =  
                    "btn btn-info fw-bold mt-1 mb-1";  
            } else if (t == 3) {  
                document.getElementById("btn" + inID).innerHTML = "Shipping";  
                document.getElementById("btn" + inID).className =  
                    "btn btn-primary fw-bold mt-1 mb-1";  
            } else if (t == 4) {  
                document.getElementById("btn" + inID).innerHTML = "Delivered";  
                document.getElementById("btn" + inID).className =  
                    "btn btn-danger fw-bold mt-1 mb-1 disabled";  
            } else {  
                alert(t);  
            }  
        }  
    };  
  
    r.open("GET", "changeSellerStatus.php?id=" + inID, true);  
    r.send();  
}
```

```
<?php  
  
require "connection.php";
```

```

if(isset($_GET["id"])){
    $invioce_id = $_GET["id"];

    $invioce_rs = Database::Search("SELECT * FROM `invoice` WHERE
`invoice_id`='".$invioce_id."' ");
    $invioce_data = $invioce_rs->fetch_assoc();

    $status_id = $invioce_data["status"];

    $new_status = 0;

    if($status_id == 0){
        Database::iud("UPDATE `invoice` SET `status`='1' WHERE `invoice_id` =
'".$invioce_id."' ");
        $new_status = 1;

    }else if($status_id == 1){
        Database::iud("UPDATE `invoice` SET `status`='2' WHERE `invoice_id` =
'".$invioce_id."' ");
        $new_status = 2;

    }else if($status_id == 2){
        Database::iud("UPDATE `invoice` SET `status`='3' WHERE `invoice_id` =
'".$invioce_id."' ");
        $new_status = 3;

    }else if($status_id == 3){
        Database::iud("UPDATE `invoice` SET `status`='4' WHERE `invoice_id` =
'".$invioce_id."' ");
        $new_status = 4;

    }

    echo($new_status);

}

?>

```

05.

```
<td class="bg-info text-white cursor" onclick="SellingHProductView(<?php echo  
($product_data['id']) ?>)"><?php echo ($invoice_data["product_id"]); ?></td>
```

```
function SellingHProductView(id) {  
    var seller = document.getElementById("SellingProductModel" + id);  
    sellingHS = new bootstrap.Modal(seller);  
    sellingHP = new bootstrap.Modal(seller);  
    sellingHP.show();  
}
```

Thank You