

CABINET DOCUMENTATION GUIDE

FABRICATION • MATERIALS • EDGE BANDING • ASSEMBLY

Professional Production Reference

Document	Cabinet Documentation Guide
Purpose	Fabrication, material, edge-banding and assembly reference
Reference	Use with the project drawings, cut list and production workbook
Version	1.0

***Production note:** Always verify project-specific dimensions, materials and fabrication details against the latest approved drawings, cut list and production documents before manufacturing.*

Project Overview

The fabrication and assembly details in this guide are based on a total cabinet height of 2400 mm. Any change to the overall height requires the dimensions of the relevant components and related fabrication details to be recalculated accordingly.

Cut list dimensions are calculated based on a 16 mm sheet thickness. These dimensions may vary depending on the project-specific configuration and requirements.

This guide defines the standard fabrication and assembly conventions used for the project documentation system. Project-specific dimensions and configurations are governed by the latest approved project documents.

Cabinet Identification System

Each cabinet unit is identified by a Unit Code.

Base cabinets: B_01, B_02, ...

Wall cabinets: W_01, W_02, ...


Tall cabinets: T_01, T_02, ...

Documentation Reference

Part identification, unit codes, quantities and project-specific dimensions are controlled by the production workbook and cut list. This guide defines the standard fabrication and assembly conventions used to interpret those documents.


Edge Banding

Edge-banding requirements are specified in the cut list using the edge references shown below.




Grooves

Grooves are 3×8 mm, as shown in the diagram below.




Miter Cut

The miter cut is made as shown in the diagram below.




Base Cabinet Unit

The base cabinet unit is assembled as shown below. Each part is identified using the standardized Part ID and associated Unit Code.




Cooktop Unit

The cooktop cabinet Unit is assembled as shown below.




Drawer Unit


The drawer unit is assembled as shown below.



Wall Cabinet Unit


The wall cabinet unit is assembled as shown below. Each part is identified using the standardized Part ID and associated Unit Code.






Tall Cabinet Unit

The tall cabinet unit is assembled as shown below. Each part is identified using the standardized Part ID and associated Unit Code.




Built-in Oven Unit

The built-in oven Unit is assembled according to the configuration shown below.




Corner Cabinet Unit

The corner cabinet unit is assembled as shown below. Each part is identified using the standardized Part ID and associated Unit Code.




Pantry Cabinet Unit

The pantry cabinet unit is assembled as shown below.




Coffee Bar Cabinet Unit

The coffee bar cabinet unit is assembled as shown below. The lower section of the unit consists of a door and a single drawer.




L-Profile Handle

Handle identification: L-Profile refers to the handle with the L-shaped profile shown in the drawing.




U-Profile Handle

Handle identification: U-Profile refers to the handle with the U-shaped profile shown in the drawing.




Refrigerator Surround

The refrigerator surround is fabricated and assembled as shown below. The components are miter-cut and assembled accordingly.



Cabinet Crown

The cabinet crown is fabricated and assembled as shown below. The components are miter-cut and assembled accordingly.



Important: All project-specific dimensions, materials, hardware and fabrication details must be verified against the latest approved drawings and production documents before manufacturing. If the overall cabinet height differs from 2400 mm, the relevant component dimensions and fabrication details must be recalculated accordingly.