03 Object-Oriented Programming

Test your knowledge

1. What are the six combinations of access modifier keywords and what do they do? 2. What is the difference between the static, const, and readonly keywords when applied to a type member?

3. What does a constructor do?

4. Why is the partial keyword useful?

5. What is a tuple?

6. What does the C# record keyword do?

7. What does overloading and overriding mean?

8. What is the difference between a field and a property?

9. How do you make a method parameter optional?

10. What is an interface and how is it different from abstract class?

11. What accessibility level are members of an interface?

12. True/False. Polymorphism allows derived classes to provide different implementations of the same method.

13. True/False. The override keyword is used to indicate that a method in a derived class is providing its own implementation of a method.

14. True/False. The new keyword is used to indicate that a method in a derived class is providing its own implementation of a method.

15. True/False. Abstract methods can be used in a normal (non-abstract) class. 16. True/False. Normal (non-abstract) methods can be used in an abstract class. 17. True/False. Derived classes can override methods that were virtual in the base class. 18. True/False. Derived classes can override methods that were abstract in the base class. 19. True/False. In a derived class, you can override a method that was neither virtual non abstract in the base class.

20. True/False. A class that implements an interface does not have to provide an implementation for all of the members of the interface.

21. True/False. A class that implements an interface is allowed to have other members that aren't defined in the interface.

22. True/False. A class can have more than one base class.

23. True/False. A class can implement more than one interface.

Working with methods

1. Let's make a program that uses methods to accomplish a task. Let's take an array and reverse the contents of it. For example, if you have 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, it would

become 10, 9, 8, 7, 6, 5, 4, 3, 2, 1.

To accomplish this, you'll create three methods: one to create the array, one to reverse the array, and one to print the array at the end.

Your *Main* method will look something like this:

```
static void Main(string[] args) {
    int[] numbers = GenerateNumbers();
    Reverse(numbers);
    PrintNumbers(numbers);
}
```

The *GenerateNumbers* method should return an array of 10 numbers. (For bonus points, change the method to allow the desired length to be passed in, instead of just always being 10.)

The *PrintNumbers* method should use a *for* or *foreach* loop to print out each item in the array. The *Reverse* method will be the hardest. Give it a try and see what you can make happen. If you get

stuck, here's a couple of hints:

Hint #1: To swap two values, you will need to place the value of one variable in a temporary location to make the swap:

```
// Swapping a and b.
int a = 3;
int b = 5;
int temp = a;
a = b;
b = temp;
```

Hint #2: Getting the right indices to swap can be a challenge. Use a *for* loop, starting at 0 and going up to the length of the array / 2. The number you use in the *for* loop will be the index of the first number to swap, and the other one will be the length of the array minus the index minus 1. This is to account for the fact that the array is 0-based. So basically, you'll be swapping *array[index]* with *array[arrayLength – index – 1]*.

2. The Fibonacci sequence is a sequence of numbers where the first two numbers are 1 and 1, and every other number in the sequence after it is the sum of the two numbers before it. So the third number is 1 + 1, which is 2. The fourth number is the 2nd number plus the 3rd, which is 1 + 2. So the fourth number is 3. The 5th number is the 3rd number plus the 4th

number: 2 + 3 = 5. This keeps going forever.

The first few numbers of the Fibonacci sequence are: 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, …
Because one number is defined by the numbers before it, this sets up a perfect
opportunity for using recursion.

Your mission, should you choose to accept it, is to create a method called *Fibonacci*, which
takes in a number and returns that number of the Fibonacci sequence. So if someone calls
Fibonacci(3), it would return the 3rd number in the Fibonacci sequence, which is 2. If
someone calls *Fibonacci(8)*, it would return 21.

In your *Main*method, write code to loop through the first 10 numbers of the Fibonacci
sequence and print them out.

*Hint #1:*Start with your base case. We know that if it is the 1st or 2nd number, the value will
be 1.

*Hint #2:*For every other item, how is it defined in terms of the numbers before it? Can you
come up with an equation or formula that calls the *Fibonacci*method again?

Designing and Building Classes using object-oriented principles

1. Write a program that that demonstrates use of four basic principles of
object-oriented programming /Abstraction/, /Encapsulation/, /Inheritance/ and
/Polymorphism/.

2. Use /Abstraction/ to define different classes for each person type such as Student
and Instructor. These classes should have behavior for that type of person.

3. Use /Encapsulation/ to keep many details private in each class.

4. Use /Inheritance/ by leveraging the implementation already created in the Person
class to save code in Student and Instructor classes.

5. Use /Polymorphism/ to create virtual methods that derived classes could override to
create specific behavior such as salary calculations.

6. Make sure to create appropriate /interfaces/ such as ICourseService, IStudentService,
IInstructorService, IDepartmentService, IPersonService, IPersonService (should have
person specific methods). IStudentService, IInstructorService should inherit from
IPersonService.

    Person

        Calculate Age of the Person

        Calculate the Salary of the person, Use decimal for salary

        Salary cannot be negative number

        Can have multiple Addresses, should have method to get addresses

    Instructor

Belongs to one Department and he can be Head of the Department

Instructor will have added bonus salary based on his experience, calculate his years of experience based on Join Date

Student

Can take multiple courses

Calculate student GPA based on grades for courses

Each course will have grade from A to F

Course

Will have list of enrolled students

Department

Will have one Instructor as head

Will have Budget for school year (start and end Date Time)

Will offer list of courses

7. Try creating the two classes below, and make a simple program to work with them, as described below

Create a Color class:

On a computer, colors are typically represented with a red, green, blue, and alpha (transparency) value, usually in the range of 0 to 255. Add these as instance variables.

A constructor that takes a red, green, blue, and alpha value.

A constructor that takes just red, green, and blue, while alpha defaults to 255 (opaque).

Methods to get and set the red, green, blue, and alpha values from a *Color* instance.

A method to get the grayscale value for the color, which is the average of the red, green and blue values.

Create a Ball class:

The Ball class should have instance variables for size and color (the *Color* class you just created). Let's also add an instance variable that keeps track of the number of times it has been thrown.

Create any constructors you feel would be useful.

Create a Pop method, which changes the ball's size to 0.

Create a Throw method that adds 1 to the throw count, but only if the ball hasn't been popped (has a size of 0).

A method that returns the number of times the ball has been thrown.

Write some code in your Main method to create a few balls, throw them around a few times, pop a few, and try to throw them again, and print out the number of times that the

balls have been thrown. (Popped balls shouldn't have changed.)

Explore following topics

Fields

Access modifiers

Enumeration types

Constructors

Methods

Properties

Inheritance

Interfaces
Polymorphism