





Tobia Claglüna :: AMAS Group, LSM

Code Handover

July 25, 2023

Contact: tobia.clagluena@psi.ch

July 25, 2023

1/5

Tobia Claglüna (LSM, PSI) July 25, 2023

Simulation Code

Table 1: Files for Langevin simulation and check solver-correctness.

Filename	Description
Langevin.cpp	Contains setup and simulation loop
LangevinParticles.hpp	Langevin related functionality / solvers (derives from ChargedParticles.hpp)
LangevinHelpers.hpp	I.C.'s generators / Field manipulations and error computation functions used in TestLangevinPotentials.cpp
LangevinIO.hpp	Dumping functions for VTK and CSV files
TestLangevinPotentials.cpp	File testing error convergence for multiple gridsizes

Tobia Clagiüna (LSM, PSI) July 25, 2023 July 25, 2023

Execute Solver and Convergence Tests

- Contain default arguments mentioned in Appendix I of the report
- local_*.sh scripts have adapted parameters due to hardware constraints
- The programs cannot run with multiple MPI ranks
- All scripts take a cmdline arg. defining where the data should be stored (that is also appended by a timestamp)

Table 2: How to run the compiled binaries.

Filename	Description
./local_langevin.sh	Run Langevin solver locally
./local_testPotentials.sh	Run convergence tests locally
sbatch slurm_langevin.sh	Run Langevin solver on gmerlin
sbatch slurm_gpu_langevin.sh	Run Langevin solver on gmerlin
sbatch slurm_testPotentials.sh	Run convergence tests on merlin

Tobia Claglüna (LSM, PSI) July 25, 2023 July 25, 2023

Post-Processing

- Jupyter notebooks with README.md are uploaded to Gitlab
- Notebooks to explore / plot / analyze data generated by the Langevin simulation
- Contains requirements.txt to generate Python environment with all needed packages

Current Problems

- After merging changes compiling on CUDA does not work
- OpenMPI runtime error (Kokkos initialization)
- CUDA compilation error: nvcc_wrapper does not accept standard flags std=c2a since partial standard flags and standards after C17 are not supported. nvcc_wrapper will use std=c14 instead. It is undefined behavior to use this flag. This should only be occurring during CMake configuration.

```
UNNOFILEM |
(_NRKOKKOS4ImplZ3throw_runtime_exceptionERKNSt7_cxx1112basic_stringIcStlichar_traitsIcESaIcEEE+0x31
(_NRKOKKOs4ImplZ3parse_command_line_argumentsERIPPcRNS_22InitializationSettingSE+0x12f3)[0x974ba3]
(_NRKOKKOS1BinitializeERIPPcP190mpl_communicator_t+0x885)[0x964018]
(_NRKOKKOS1BinitializeERIPPcP190mpl_communicator_t+0x885)[0x964018]
(_NRIPPUS)[0x76264]
```

Figure 1: OpenMPI runtime error.