Moveable


_position: Vector
constructor
this.position = _position.clone();
this.velocity = new Vector (0, 0);


draw


_timeslice: number
move
offset: Vector =
this.velocity.clone();
offset.scale(_timeslice);
this.position.add(offset);

Static


_position: Vector
constructor
this.position = _position.clone();


draw

NectarProducer







Mountain


constructor
_position: Vector
super(_position);


draw
scaleFactor: number = Math.floor(Math.random() * 3);
crc2.save();
crc2.translate(this.position.x, this.position.y);
[_i<25]
crc2.scale (scaleFactor, scaleFactor)
crc2.scale(1, 1)
crc2.beginPath();
create triangle with lines
crc2.stroke() in dark-grey
crc2.fill() in grey
crc2.restore();

Tree


constructor
_position: Vector
super(_position);


draw
crc2.save();
crc2.translate(this.position.x, this.position.y);
crc2.fillRect(-5, 0, 10, 25);
crc2.arc(0, -10, 12.5, 0, Math.PI * 360);
crc2.fill();
crc2.restore();

Flower


constructor
_position: Vector
super(_position);


adjust
Nectar
_nectar: number
super.adjustNectar
(_nectar);


draw
crc2.save();
crc2.translate(this.position.x,
this.position.y);
crc2.beginPath;
crc2.fillRect(-1.5, 0, 3, 15)
i: number = 0
[i < 25]
crc2.rotate(0.9);
[_i < 100]
[99 < _i < 200]
[199 < _i < 300]
[299 < _i]
crc2.fillStyle =
"#ac0000";
crc2.fillStyle =
"#eddb00";
crc2.fillStyle =
"#a7009a";
crc2.fillStyle =
"#ff0077";
crc2.ellipse(0, 3, 2, 5, 0,
0, Math.PI * 360);
crc2.fill();
crc2.closePath();
crc2.arc(0, 0, 3, 0,
Math.PI * 360);
crc2.fill();
crc2.restore();

Tulip


constructor
_position: Vector
super(_position);


adjust
Nectar
_nectar: number
super.adjustNectar
(_nectar);


draw
crc2.save();
crc2.translate(this.position.x,
this.position.y);
crc2.beginPath();
crc2.quadraticCurveTo
(5, 5, 10, 0);
crc2.lineTo(10, -10);
crc2.lineTo(7.5, -2);
crc2.lineTo(5, -10);
crc2.lineTo(2.5, -2);
crc2.lineTo(0, -10);
crc2.lineTo(0, 0);
crc2.closePath();
crc2.fill();
crc2.restore();

Cloud


constructor
_position: Vector
super(_position);
add method random to velocity


draw
crc2.save();
crc2.translate(this.position.x, this.position.y);
create multiple circles
crc2.fill();
crc2.restore();


move
_timeslice: number
super.move(_timeslice);
[position.x > width]
[position.x < width]
position.x -= width
position.x += width

Bee


constructor
_position: Vector
super(_position);
add method random to velocity
this.activity = ACTIVITY.SEARCHING


draw
crc2.save();
crc2.translate(this.position.x, this.position.y);
draw an ellipse in yellow-black striped
draw an yellow circle
add two curves with black strokes as wings
add two lines with black strokes as feelers
add a ":)" smiley as face
crc2.restore();


move
_timeslice: number
super.move(_timeslice);
[position.x > width]
[position.y > height]
[position.y < 0]
[position.x < width]
position.x -= width
position.y -= height
position.y += height
position.x += width


fly
_aim: vector
_aim.getDifference (_aim, this.position);
_aim.scale(0.2);
this.position.add(_aim);

Vector


constructor
_x: number
_y: number
this.set(_x, _y);


set
_x: number
_y: number
this.x = _x;
this.y = _y;


scale
_factor: number
this.x *= _factor;
this.y *= _factor;


add
_addend: Vector
this.x += _addend.x;
this.y += _addend.y;


get
Random
_minLength: number
_maxLength: number
length: number = _minLength +
Math.random() *
(_maxLength - _minLength);
direction: number =
Math.random() * 2 * Math.PI;
this.set(Math.cos(direction),
Math.sin(direction));
this.scale(length);
return vector;


clone
return new Vector
(this.x, this.y);


length
return Math.hypot
(this.x, this.y);


get
Difference
_v0: Vector,
_v1: Vector
vector: Vector = new Vector
(_v0.x - _v1.x, _v0.y - _v1.y);
return vector;