Assignment Day-13

1. Write a Java program that connects to a SQLite database and prints out the connection object to confirm successful connection.

```
import java.sql.*;
import java.sql.DriverManager;
import java.sql.SQLException;
public class Assignment 1 {
  private static final String user = "root";
  private static final String password = "Sayan$1999";
          con = DriverManager.getConnection(url, user, password);
      } catch (SQLException e) {
          throw new RuntimeException(e);
      } catch (ClassNotFoundException e) {
          throw new RuntimeException(e);
  public static void main(String[] args) {
```

```
C:\Users\coolr\.jdks\openjdk-22.0.1\bin\java.exe "-javaagent:C:\Pr
com.mysql.cj.jdbc.ConnectionImpl@24aed80c
Process finished with exit code 0
```

2. Create a table 'User' with a following schema 'User ID' and 'Password' stored as hash format (note you have research on how to generate hash from a string), accept "User ID" and "Password" as input and check in the table if they match to confirm whether user access is allowed or not.

```
package m5 core java programming.day 13;
import java.sql.*;
public class Assignment 2 {
      return Integer.toString(password.hashCode());
  public static boolean checkValidation(int_userid, String password,
Connection con) {
      password = createHash(password);
         String sqlStat = "SELECT * FROM User WHERE UserID = ? AND Password =
         PreparedStatement preparedStatement = con.prepareStatement(sqlStat);
```

```
preparedStatement.setInt(1, userid);
       preparedStatement.setString(2, password);
       ResultSet resultSet = preparedStatement.executeQuery();
   } catch (SQLException e) {
       throw new RuntimeException(e);
public static void main(String[] args) {
   Scanner scan = new Scanner(System.in);
       String sqlStat = "CREATE TABLE User (" +
       Statement statement = con.createStatement();
       statement.executeUpdate(sqlStat);
       System.out.println("User Table Successfully created");
       sqlStat = "INSERT INTO USER (UserID, Password) VALUES(?,?)";
       System.out.println("Enter User ID : ");
       int userid = scan.nextInt();
       System.out.println("Enter User Password :");
       String password = scan.next();
       password = createHash(password);
      PreparedStatement preparedStatement = con.prepareStatement(sqlStat);
       preparedStatement.setInt(1, userid);
       preparedStatement.setString(2, password);
       preparedStatement.executeUpdate();
      System.out.println("User " + userid + " is successfully inserted");
       System.out.println("For Validation ");
       System.out.println("Enter user id : ");
       System.out.println("Enter password : ");
       password = scan.next();
           System.out.println("User Allowed");
           System.out.println("User Not Allowed");
```

```
con.close();
} catch (Exception e) {
    System.out.println(e);
}
}
```

Output

```
User Table Successfully created

Enter User ID:

127

Enter User Password:

Sayan$1999

User 127 is successfully inserted

For Validation

Enter user id:

127

Enter password:

Sayan$1999

User Allowed

Process finished with exit code 0
```

3. Modify the SELECT query program to use PreparedStatement to parameterize the query and prevent SQL injection.

```
public class Assignment_3 {
   public static void main(String[] args) {
        Scanner scan = new Scanner(System.in);
        String sqlStat = "INSERT INTO USER (UserID, Password) VALUES(?,?)";
        System.out.println("Enter User ID : ");
        int userid = scan.nextInt();
        System.out.println("Enter User Password :");
        String password = scan.next();
        password = Assignment_2.createHash(password);
        try {
            Connection con = Assignment_1.createConnection();
            PreparedStatement preparedStatement = con.prepareStatement(sqlStat);
            preparedStatement.setInt(1, userid);
            preparedStatement.setString(2, password);
            preparedStatement.executeUpdate();
            System.out.println("User " + userid + " is successfully inserted");
        } catch (SQLException e) {
            throw new RuntimeException(e);
        }
    }
}
```

Output

```
C:\Users\coolr\.jdks\openjdk-22.0.1\bin\java.exe "-javaagent:C:\Program Files\JetBr
Enter User ID :

238
Enter User Password :

password194
User 238 is successfully inserted

Process finished with exit code 0
```

	UserID	Password
•	127	1143991092
	238	1403730577
	HULL	NULL

Tools Used:

IntelliJ IDE java version "1.8.0 411"

Java(TM) SE Runtime Environment (build 1.8.0_411-b09)

Java HotSpot(TM) Client VM (build 25.411-b09, mixed mode, sharing)

MySQL Workbench 8.0 CE