
File: DIB_EEPROM_ADC_MCU.kicad_sch

File: DAC_Vref_IOEXP_Temp.kicad_sch

File: Power_pre-regulator.kicad_sch

File: Bias_power.kicad_sch


File: Post-regulator.kicad_sch

File: kselise_protection_power_output.kicad_sch


```
FILE: CC_CV_OVF.KICAD_SCH
```

Id: 1/8







16-bit DAC (set voltage and current)




Voltage reference




SPI 22-bit I/O Expander




Output enable (OE)




Down-programmer



OE indicator



SPI Temperature sensor



<https://www.envox.eu>
 Power module with SMPS pre-regulator, remote sense & programming
 Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /DAC, OE, Vref, IOEXP, Temp/

File: DAC_Vref_IOEXP_Temp.kicad_sch

Title: EEZ DIB DCP405+ power module

Size: A4


Date: 2025-12-07

Rev: r4B4


KiCad E.D.A. 9.0.6

Id: 3/8


Bias power supply




+5V LDO



-5V LDO



+3V3 LDO



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Bias power/

File: Bias_power.kicad_sch

Title: EEZ DIB DCP405+ power module

Size: A4


Date: 2025-12-07

Rev: r4B4


KiCad E.D.A. 9.0.6

Id: 3/8

Low EMI power pre-regulator



Test point



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Power pre-regulator/

File: Power_pre-regulator.kicad_sch


Title: EEZ DIB DCP405+ power module

Size: A4 Date: 2025-12-07


KiCad E.D.A. 9.0.6

Rev: r4B4


Id: 4/8



Remote sense reverse polarity detection



Power output section




Output coupling connector (via Backplane PCB)

20-pin DIB 2.0 power socket

OUTC+ 1	2 OUTC+
OUTC+ 3	4 OUTC+
OUTC+ 5	6 POST_OUT+
POST_OUT+ 7	8 POST_OUT+
POST_OUT+ 9	10 POST_OUT+
POST_OUT+ 11	12 POST_OUT-
POST_OUT- 13	14 POST_OUT-
POST_OUT- 15	16 OUTC-
OUTC- 17	18 OUTC-
SENSE- 19	20 SENSE+


Remote programming (Voltage / Current)



Front panel 3-pin connector

RProg+ 1	2
RProg- 2	3
PE 3	

Remote sense selection



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Rsense protection, power output, Rprog/

File: Rsense_protection_power_output.kicad_sch

Title: EEZ DIB DCP405+ power module

Size: A4


Date: 2025-12-07

KiCad E.D.A. 9.0.6


Rev: r4B4

Id: 6/8

Constant Voltage (CV) and Constant Current (CC) mode detection and indication



Over-voltage protection (OVP)



<https://www.envox.eu>

Power module with SMPS pre-regulator, remote sense & programming
Licensed under the TAPR Open Hardware License (www.tapr.org/OHL)

Envox d.o.o.

Sheet: /Mode detection, OVP/

File: CC_CV_OVP.kicad_sch

Title: EEZ DIB DCP405+ power module

Size: A4

Date: 2025-12-07

Rev: r4B4

KiCad E.D.A. 9.0.6

Id: 7/8